National Personal Protective Technology Laboratory

PAPR Benchmark Testing

Sheraton Station Square Pittsburgh, PA

Terry Thornton, Chemist Rich Vojtko, EG&G, Engineer Jeff Palcic, EG&G, Engineer

December 13, 2005



NIOSH

NPPTL Research to Practice through Partnerships

National Personal Protective Technology Laboratory

PAPR Benchmark Testing

- 1. High Flow Particulate Tests
- 2. Service Life Tests
- 3. Air Flow Measurements
- 4. Alarms



NIOSH

National Personal Protective Technology Laboratory

PAPR Benchmark Tests

High Flow Particulate Testers



NIOSH

NPPTL Research to Practice through Partnership

High Flow Particulate Tests

- Two High Flow Particulate Testers located in bldg 104; modified ATI Model TDA 100P and TSI 3120.
- High flow testers are custom built to test at flows of 100 – 500 Lpm following the P100 specification written in 42 CFR Part 84.
- Both testers have been powered up and preliminary studies started. DOP has been generated for gravimetric tests.



NIOSH

High Flow Particulate Tests

Set Up Experiences

- High flow testers need large vacuum pumps to run. High noise level in the laboratory.
- In a new location vacuum pumps will be in separate location.
- . Discharge of DOP into air handling units
- High flow during gravimetric testing causes filter medium to tear. Solution is thick paper or multiple sheets.



NIOSH

NPPTL Research to Practice through Partnership

High Flow Particulate Tester

- TSI 3120 High Flow Tester with external vacuum pump
- Same frame as TSI 8130
- Gravimetric test shows at 100 Lpm testing, 200 mg of DOP deposited on filter approximately 12- 14 minutes
- TSI 8130 takes approximately 23 – 30 minutes for 85 Lpm







TIOSH

High Flow Particulate Tester

- ATI TDA 100P_{mod} High Flow Tester with external vacuum pump
- Gravimetric test shows at 100 Lpm testing, 200 mg of DOP deposited on filter approximately 27 – 30 minutes
- TSI 8130 takes approximately 23 – 30 minutes for 85 Lpm







NPPTL Research to Practice through Partnerships

High Flow Particulate Tests

Next Steps for Validation

- 1. Run particle sizer on testers to verify particle size distribution count median diameter of 0.185 ± 0.020 micrometers with a geometric standard deviation not exceeding 1.6.
- Verification of consistent gravimetric tests at various flows (100,115, 170 Lpm)
- Correlation studies between high flow testers and TSI 8130s (100 to 110 Lpm)
- 4. Sufficient filter elements run at various flows that gives consistent penetration results.
- 5. Purchase additional tester from each manufacture for consistent penetration results



NIOSH

High Flow Particulate Tests

Questions?





NPPTL Research to Practice through Partnership

National Personal Protective Technology Laboratory

PAPR Benchmark Tests

Service Life Tests





Service Life Benchmark Tests

Experiences at High Flow Service Life Testing

- Higher flows cause increased pressure in system
- Pressure needs to be as close to atmosphere as possible
- Pressure will affect the humidity values
- Pressure can be reduced by using 1 ¼ " piping
- Single canister is easier for laboratory testing
- Dual and Single Miller Nelson Controllers have been used for establishing flows



NIOSH

NPPTL Research to Practice through Partnership

Service Life Benchmark Testing

- Benchmark data was collected using tight fitting PAPR units that have NIOSH approval and can be purchased on the market
- Both constant flow units and demand responsive units were used
- All units have 2 or 3 canisters each and were a "first responder" type of canister.




NIOSH


Service Life Benchmark Testing


- For "Constant Flow" units the performance air flow was measured using current NIOSH test procedures.
- For "Demand Responsive" units the airflow used was 300 Lpm
- Manifold with canisters were evaluated at the previously discussed airflows
- Single canisters were evaluated at the airflow divided by the number of canisters on the unit
- The test chamber with 2 or more canisters were used in addition or in place of the units manifold











Service Life Benchmark Tests

Experiences at High Flow Service Life Testing

Phosphine: Bed depth is a concern. At 300 ppm phosphine, canister testing at 300 Lpm (2 canisters) shows instantaneous breakthrough.

Flow adjusted to 120 Lpm with 300 ppm phosphine, breakthrough falls to less than 0.3 ppm





NPPTL Research to Practice through Partnership

Service Life Benchmark Tests

Experiences at High Flow Service Life Testing

Phosgene: Canister testing shows service life greater than 30 minutes for testing at 300, 150, 71, 56 Lpm. This was performed with both single and multiple canisters.





Service Life Benchmark Tests

Questions?



NIOSH

NPPTL Research to Practice through Partnership

National Personal Protective Technology Laboratory

PAPR Benchmark Tests

Air flow Measurements





Air Flow Measurements

Aspects of Air Flow Measurements

- PAPR Air Flow Measurement Procedure
- Breathing Machine Comparison
- Reproducibility of PAPR Models



NIOSH

NPPTL Research to Practice through Partnership

Review of PAPR Air Flow Measurement Technique Discussed at the July '05 Public Meeting

Objective

 Derive a new flow measurement method that will allow both constant flow and demand response flow PAPRs to be evaluated utilizing the same test method and equipment





Review of PAPR Air Flow Measurement Technique Discussed at the July '05 Public Meeting

Method

- A flow curve was developed for each PAPR tested using the following method
 - Mount the facepiece on a head form and leak test
 - Install a pressure tap at the PAPR manifold outlet
 - Plug the pressure tap in the head form
 - Connect the head form breathing tube to a flowmenter and vacuum blower
 - PAPR switched "Off"



TIOSH

NPPTL Research to Practice
through Partnership

Review of PAPR Air Flow Measurement Technique Discussed at the July '05 Public Meeting

Method

- Incrementally increase the vacuum flow through the PAPR and record the corresponding manifold pressures
- Collect points from zero flow to 500 Lpm in increments of 50 Lpm
- Create a pressure vs. flow graph (polynomial fit)



NIOSH

Review of PAPR Air Flow Measurement Technique Discussed at the July '05 Public Meeting







NPPTL Research to Practice through Partnership

PAPR Air Flow Measurement

- Correlate PAPR Flow to Pressure Drop Across Canisters
 - Tap canister(s) and manifold to pressure transducer
 - Connect PAPR hose directly to flow measurement, flow control, and vacuum blower assembly
 - Record pressure drop vs. air flow data over typical range of PAPR operation (PAPR blower off)
 - Correlate using second order polynomial fit







PAPR Air Flow Measurement


- Generate PAPR Flow Profile Using Breathing Machine
 - Mount mask on headform coupled with breathing machine
 - At specified breathing rate start PAPR operation and record pressure drop profile across canister(s)
 - Use pressure drop vs. flow correlation to convert to flow profile



NIOSH







Breathing Machines

- Performance Comparison Between Fixed and Variable Tidal Volume Breathing Machines
 - Traditionally fixed volume machines have been used for testing
 - Potential benefits of variable volume breathing machines
 - Single machine for multiple tidal volume applications
 - Accurate and repeatable stroke frequency control
 - Ability to simulate human breathing patterns



NIOSH

NPPTL Research to Practice
through Partnership

Breathing Machines

 Performance Comparison Between Fixed and Variable Tidal Volume Breathing Machines

Fixed

• 40 Lpm: 26 rpm X 1.57 Liters

86 Lpm: 21 rpm X 4.1 Liters

103 Lpm: 25 rpm X 4.1 Liters

Variable


40 Lpm: 24 rpm X 1.67 Liters


86 Lpm: 25 rpm X 3.43 Liters

103 Lpm: 30 rpm X 3.43 Liters



NIOSH





Variable Tidal Volume Breathing Machine








NPPTL Research to Practice through Partnerships

Fixed Tidal Volume Breathing Machine







Reproducibility of PAPR Models

- Determine unit to unit consistency within product lines
- Products from four manufacturers evaluated
 - Three examples of each unit tested
 - Pressure profiles from all four manufacturers generated at 40 Lpm breathing rate
 - Data also generated at 86 and 103 Lpm for single higher capacity model






NPPTL Research to Practice through Partnership


Reproducibility of PAPR Models


- Comparison Procedure
 - Equivalent data snapshots for each test
 - Converted pressure profile to flow profile using previously determined correlation
 - Superimposed flow profiles from each manufacturer






































Air Flow Measurements

Questions?





NPPTL Research to Practice through Partnership

National Personal Protective Technology Laboratory

PAPR Benchmark Tests
Alarms

Sheraton Station Square Pittsburgh, PA

Terry Thornton, Chemist

December 13, 2005





Low Pressure Alarms

- Studies of a procedure to test Low pressure alarms
- An alarm is desired to alert the user that there is no longer sufficient pressure / flow in the facepiece to maintain positive pressure or maintain the protection
- Pressure is easier to measure in the facepiece than flow
- Technology will be for both the tight-fitting and loose-fitting



NIOSH

NPPTL Research to Practice through Purtnership


Low Pressure Alarms

- Simple tests are to restrict the flow into the facepiece
- Room Temperature
- Cold Temperature



NIOSH

Low Pressure Alarm Facepiece Simulator TOSH NPPTL Recent to Predict Strongly Parenterships



Low Battery Alarms

- Studies of a procedure to test Low Battery Alarms
- An alarm is desired to alert the user that there is sufficient battery life for a given amount of time
- · What amount of time is sufficient?
- Under what conditions?
 - Room temperature and low temperature?
 - Breathing rates?



NIOSH

NPPTL Research to Practice

Low Battery Alarms

- Evaluate alarm response to PAPR performance
 - Audible, visual & vibratory
 - Facepiece pressure
 - No voltage measurement





Low Battery Alarms

- Monitored alarm performance of PAPR's B & D
 - Evaluated at manufacturer's minimum recommended operating temperature
 - Batteries not cold soaked
 - Blower units cold soaked unless battery integrated
 - Insufficient data to draw conclusions on current technology vs. concept paper
 - Inconsistent battery life at cold temperatures





NPPTL Research to Practice through Partnerships

Environmental Testing





NIOSH

Alarms

Questions?



