Reviewer 5	D.	الاه	ie	W	er	5
------------	----	------	----	---	----	---

# **REVIEW OF NIOSH DOCUMENT**

Titles: NIOSH Manual of Analytical Methods (NMAM) Method 7704, Beryllium by field-portable fluorescence (air)

NMAM Method 9110, Beryllium by field-portable fluorescence (wipes)

Backup Data report for NMAM Method 7704 and Method 9110

(NIOSH Docket #077)

A	nticipated Publication: NIOSH Manual of A	Analytical Methods (NMAM), 5 <sup>th</sup> Editio	n		
Re	eturn by:July 25, 2006	NIOSH Document Tracking Number	r: <u>06034 and</u>	06035	·
	turn to: Dr. W. Gregory Lotz, Associate D	•	i Research and T	echnolog	у <b>,</b>
	Mailstop R-2, NIOSH, 4676 Columb	bia Parkway, Cincinnati, OH 45226, or	email at wlotz@c	<u>cdc.gov</u> .	•
				YES (e	NO explain below)
1.	Does the Backup Data Report explain the	problem and summarize relevant literat	ture adequately?	_X_	
2.	Is the information in the Methods and Bac	ckup Data Report provided technically a	accurate?	_X_	
3	Are there any recommendations for the or	rganization of these 3 documents?			_X_
4.	Are there any changes or corrections need	led in the Backup Data Report?		_X_	
5.	Are there any changes needed in either of	the Methods?		_X_	<del></del>
6.	In general, are the Methods and Backup I	Data Report satisfactory?		_X_	
7.	What is your recommendation for these m	nethods as now written? (Check One):			
	a. Approve for publication/dissemination	n ,			
	b. Approve after modification (please de	escribe)		-	_X_
•	c. Not Approve (please describe)	· · · · · · · · · · · · · · · · · · ·	•		<u> </u>
	ETAILED COMMENTS: (Provide comm separate sheet is attached).	nents in this space or on a separate sheet	t. Check here		
	general, the Methods and Backup Data Reprequired prior to approval. See notes below	•	rrections and cla	rification	ns will
be	r draft method 7704 I would recommend the in m3 rather than liters. This would be moncentration would be a bit cleaner.				
Αŗ	ckup Data pendix 2, Table A2-1 refers to Whatman 5 1 as used for many of the other evaluations	· - ·	the filters actuall	y Whatm	an .

Method 9110, Limits Section

There are surface contamination limits specified in the DOE beryllium rule for housekeeping (10 CFR 850.30) and release of equipment (10 CFR 850.31). The housekeeping standard for surface contamination in beryllium areas between operations is 3 ug/100 cm<sup>2</sup> and the generally accepted housekeeping guideline for non-beryllium areas is 0.2 ug/100 cm<sup>2</sup> (implied in the beryllium rule). The beryllium surface contamination standards for release of equipment are 3 ug/100 cm<sup>2</sup> for release to beryllium areas and 0.2 ug/100 cm<sup>2</sup> for release to the general public.

#### Method 7704, Limits Section

The current ACGIH TLV is 0.002 mg/m³, not 0.0002 mg/m³ as indicated. An NIC of 0.00005 mg/m³ has been proposed, but is not yet adopted.

### Method 7704 and 9110, Calculation Sections

It should be clarified that  $V_s$  is the <u>dissolution</u> volume (normally 5ml) and that  $C_s$  is the concentration in the diluted sample (normally 20x dilution).

### Method 9110, Calculation Section

The calculations section requires correction. The correct unit for C<sub>s</sub> is ug/ml, not ug/l. This appears to be a carry-over from the calculations from Method 7704, which used ug/l to get the final concentration in ug/m<sup>3</sup> rather than mg/m<sup>3</sup> (compare to Method 7300).

The area A in the formula is in units of 100 cm<sup>2</sup>, not the actual area. A is equal to the actual area sampled in cm<sup>2</sup> divided by 100. This should be clarified in the section

## Method 9110, Sampling Section

Step 2 should be eliminated. A reference to ASTM D6966 is adequate. There are many situations where the use of templates is not practical or may actually present safety hazards for the sample collector (e.g. working at heights from a ladder). Samples of many different sizes and shapes may be required. ASTM D6966 addresses these issues. The important factor is that the area of the surface sampled is documented so that the result can be normalized to concentration per 100 cm<sup>2</sup>.

### Method 9110, Sample Preparation Section, Step 5

The words "surface swipe" should be changed to "surface wipe" to be more consistent with the rest of the document. The word "swipe" is actually an abbreviation of "surface wipe".

#### Method 9110, References Section

I do not see references 4 and 5 cited in the text of the method. They may be a carry-over from method 7704, which does cite these references.