

Adolescent Behaviors and Experiences Survey				
Dietary Behaviors	Opposite Sex Only		Same Sex Only or Both Sexes	
	Percentage	Confidence Interval	Percentage	Confidence Interval
Did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	35.5	32.8 - 38.2	37.4	30.3 - 45.0
Did not eat fruit (one or more times during the 7 days before the survey)	15.4	13.1 - 18.0	17.4	12.0 - 24.5
Did not eat green salad (one or more times during the 7 days before the survey)	44.7	41.4 - 48.1	48.7	42.8 - 54.7
Did not eat potatoes (one or more times during the 7 days before the survey)	32.2	29.9 - 34.6	42.3	36.6 - 48.3
Did not eat carrots (one or more times during the 7 days before the survey)	59.3	56.5 - 62.1	63.8	56.2 - 70.8
Did not eat other vegetables (one or more times during the 7 days before the survey)	19.0	16.8 - 21.3	16.9	13.1 - 21.5
Did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	8.7	7.2 - 10.4	9.1	4.9 - 16.3
Ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	45.9	42.5 - 49.2	47.7	41.7 - 53.8
Ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	20.9	18.3 - 23.6	23.1	18.6 - 28.3
Did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	7.5	6.1 - 9.2	8.9	6.0 - 12.9
Ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	56.8	53.9 - 59.6	53.4	47.5 - 59.1
Ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	23.2	20.5 - 26.1	19.3	15.5 - 23.7
Ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	11.6	9.8 - 13.7	8.8	6.4 - 11.9
Drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	18.5	15.1 - 22.5	22.4	15.6 - 31.1
Did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)	30.9	27.9 - 34.0	31.2	25.6 - 37.4
Drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	11.0	8.5 - 14.2	14.5	8.6 - 23.4
Did not drink milk (during the 7 days before the survey)	36.7	33.8 - 39.7	41.2	34.3 - 48.4
Drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	22.4	19.9 - 25.1	18.6	14.4 - 23.7
Drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	4.7	3.6 - 6.2	4.9	2.5 - 9.5
Did not eat breakfast (during the 7 days before the survey)	16.2	14.2 - 18.5	20.9	15.8 - 27.2
Ate breakfast on all 7 days (during the 7 days before the survey)	24.0	21.4 - 26.7	12.3	8.5 - 17.6
Did not drink a can, bottle, or glass of a sports drink (such as Gatorade or PowerAde, not counting low-calorie sports drinks such as Propel or G2, during the 7 days before the survey)	45.4	41.7 - 49.2	58.0	51.7 - 64.1
Drank a can, bottle, or glass of a sports drink one or more times per day (such as Gatorade or PowerAde, not counting low-calorie sports drinks such as Propel or G2, during the 7 days before the survey)	13.1	10.7 - 16.0	9.9	6.5 - 14.9
Drank a can, bottle, or glass of a sports drink two or more times per day (such as Gatorade or PowerAde, not counting low-calorie sports drinks such as Propel or G2, during the 7 days before the survey)	7.1	5.6 - 9.0	5.2	2.5 - 10.3
Did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	3.9	2.8 - 5.3	2.9	1.9 - 4.6
Drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	74.7	71.8 - 77.5	74.1	67.3 - 80.0
Drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	67.8	64.3 - 71.0	67.8	60.8 - 74.1
Drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	53.5	49.6 - 57.3	52.8	44.9 - 60.7