

**Table C1**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by State or Territory: BRFSS 2006**

State	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	62,703	9.0	0.25	(8.5 - 9.5)		4,581,132	(4,325,793 - 4,836,470)
AK	798	6.9	1.18	(4.9 - 9.6)		12,857	(8,546 - 17,169)
AZ	1,413	10.1	1.63	(7.3 - 13.8)		159,546	(107,430 - 211,663)
CA	1,735	8.3	0.80	(6.9 - 10.0)		786,201	(636,483 - 935,918)
DC	891	14.3	1.61	(11.5 - 17.8)		14,751	(11,405 - 18,097)
GA	2,377	10.1	0.85	(8.5 - 11.9)		233,326	(193,590 - 273,063)
HI	2,182	12.4	0.91	(10.8 - 14.3)		36,964	(31,594 - 42,334)
ID	1,870	6.3	0.64	(5.1 - 7.7)		23,705	(18,974 - 28,435)
IN	2,051	8.4	0.74	(7.0 - 9.9)		130,676	(107,743 - 153,609)
IA	1,657	6.5	0.72	(5.3 - 8.1)		44,244	(34,657 - 53,832)
KS	2,532	9.1	0.66	(7.9 - 10.5)		61,972	(53,065 - 70,879)
KY	1,534	9.3	1.00	(7.5 - 11.5)		89,884	(70,790 - 108,978)
ME	1,128	8.7	0.94	(7.0 - 10.7)		23,960	(18,874 - 29,046)
MD	2,665	9.1	0.74	(7.7 - 10.7)		124,502	(104,493 - 144,510)
MI	1,774	8.5	0.86	(7.0 - 10.3)		211,524	(168,901 - 254,146)
MN	1,331	7.0	0.75	(5.6 - 8.6)		85,072	(67,156 - 102,988)
MS	1,944	10.2	0.82	(8.7 - 12.0)		75,263	(63,219 - 87,307)
MO	1,571	9.8	1.15	(7.8 - 12.3)		133,051	(102,495 - 163,607)
MT	1,674	6.6	0.78	(5.2 - 8.3)		13,610	(10,427 - 16,793)
NE	2,409	6.7	0.65	(5.5 - 8.1)		28,885	(23,382 - 34,388)
NV	1,138	7.0	1.17	(5.1 - 9.7)		43,927	(29,489 - 58,365)
NH	1,824	9.1	0.83	(7.5 - 10.8)		26,981	(22,047 - 31,915)
NJ	3,809	10.5	0.67	(9.3 - 11.9)		223,743	(194,802 - 252,684)
NY	1,654	10.7	0.99	(8.9 - 12.8)		475,772	(387,893 - 563,650)
OH	1,648	8.1	1.21	(6.0 - 10.8)		219,361	(154,462 - 284,260)
OK	2,126	8.6	0.67	(7.4 - 10.1)		73,585	(62,377 - 84,792)
PA	3,586	8.4	0.85	(6.9 - 10.2)		231,157	(184,693 - 277,622)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C1**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by State or Territory: BRFSS 2006**

State	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
RI	1,314	10.6	0.97	(8.8 - 12.6)		24,686	(20,213 - 29,160)
TX	2,221	9.4	1.03	(7.5 - 11.6)		587,653	(459,795 - 715,511)
UT	2,287	6.5	0.63	(5.4 - 7.9)		49,192	(39,858 - 58,526)
VT	1,916	9.3	0.77	(7.9 - 10.9)		12,251	(10,222 - 14,281)
VA	1,651	10.3	1.07	(8.4 - 12.6)		185,047	(147,346 - 222,748)
WV	1,021	8.4	0.99	(6.6 - 10.5)		31,079	(23,853 - 38,305)
WI	1,466	7.5	0.82	(6.0 - 9.3)		96,674	(75,801 - 117,546)
WY	1,506	8.6	0.84	(7.1 - 10.4)		10,030	(8,085 - 11,975)
Territories							
PR	1,478	16.2	1.10	(14.2 - 18.5)		168,052	(145,049 - 191,055)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.