

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	7,939	5.3	0.70	(4.1 - 6.9)		329,609	(241,819 - 417,399)
Total **	5-9	8,116	9.7	0.59	(8.6 - 10.9)		617,286	(540,970 - 693,602)
Total **	10-14	9,475	11.4	0.62	(10.2 - 12.7)		607,677	(539,912 - 675,442)
Total **	15-17	7,228	9.6	0.62	(8.5 - 10.9)		383,858	(333,453 - 434,264)
AZ	0-4	298	3.9	1.65	(1.7 - 8.8)		18,121	(3,080 - 33,163)
AZ	5-9	279	9.1	2.24	(5.5 - 14.5)		41,631	(20,912 - 62,350)
AZ	10-14	356	12.7	2.54	(8.5 - 18.5)		47,609	(27,814 - 67,405)
AZ	15-17	272	8.3	2.68	(4.3 - 15.3)		21,052	(7,122 - 34,981)
CT	0-4	337	5.8	1.52	(3.5 - 9.6)		11,471	(5,470 - 17,472)
CT	5-9	396	13.3	2.04	(9.7 - 17.8)		26,691	(18,144 - 35,239)
CT	10-14	456	14.8	2.51	(10.5 - 20.4)		28,798	(18,137 - 39,458)
CT	15-17	376	13.7	2.71	(9.2 - 19.9)		20,546	(11,776 - 29,316)
HI	0-4	392	9.9	1.92	(6.7 - 14.3)		8,448	(5,060 - 11,836)
HI	5-9	395	11.7	1.77	(8.6 - 15.6)		8,941	(6,181 - 11,700)
HI	10-14	471	11.7	1.68	(8.8 - 15.4)		7,890	(5,573 - 10,208)
HI	15-17	356	11.6	1.90	(8.4 - 15.9)		5,697	(3,787 - 7,607)
MI	0-4	601	4.8	1.07	(3.1 - 7.4)		26,455	(14,681 - 38,228)
MI	5-9	560	10.6	1.58	(7.9 - 14.1)		64,906	(45,183 - 84,628)
MI	10-14	702	14.3	1.88	(11.0 - 18.4)		78,909	(56,637 - 101,181)
MI	15-17	577	10.5	1.48	(7.9 - 13.7)		43,846	(31,278 - 56,414)
MT	0-4	508	3.9	1.06	(2.2 - 6.6)		2,283	(1,053 - 3,513)
MT	5-9	505	5.9	1.11	(4.0 - 8.5)		3,391	(2,159 - 4,624)
MT	10-14	635	6.7	1.21	(4.7 - 9.5)		3,166	(2,050 - 4,282)
MT	15-17	486	10.0	2.17	(6.5 - 15.1)		4,066	(2,253 - 5,880)
NJ	0-4	827	4.1	0.88	(2.7 - 6.2)		19,589	(11,246 - 27,932)
NJ	5-9	856	12.0	1.44	(9.4 - 15.1)		61,097	(45,816 - 76,378)
NJ	10-14	968	11.8	1.30	(9.5 - 14.6)		52,303	(40,424 - 64,182)
NJ	15-17	805	7.3	0.98	(5.6 - 9.5)		23,882	(17,489 - 30,276)
NM	0-4	481	5.6	1.37	(3.5 - 9.0)		8,002	(4,047 - 11,957)
NM	5-9	519	8.2	1.36	(5.9 - 11.3)		10,497	(6,991 - 14,003)
NM	10-14	595	15.3	1.74	(12.2 - 19.1)		17,833	(13,577 - 22,088)

Notes:

* CI denotes confidence interval.

** Total includes data from 16 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NM	15-17	387	13.5	2.01	(10.0 - 17.9)		11,566	(8,020 - 15,112)
OR	0-4	275	3.9	1.47	(1.9 - 8.1)		8,193	(2,047 - 14,340)
OR	5-9	260	10.7	2.20	(7.1 - 15.9)		25,841	(14,905 - 36,777)
OR	10-14	332	14.4	2.22	(10.6 - 19.4)		28,759	(19,506 - 38,011)
OR	15-17	272	8.6	1.81	(5.6 - 12.9)		12,743	(7,335 - 18,150)
PA	0-4	587	6.1	1.16	(4.2 - 8.8)		40,566	(25,056 - 56,076)
PA	5-9	521	10.1	1.66	(7.3 - 13.9)		71,069	(47,053 - 95,086)
PA	10-14	620	14.1	1.62	(11.2 - 17.6)		89,178	(68,100 - 110,255)
PA	15-17	462	10.4	1.62	(7.6 - 14.1)		53,246	(36,308 - 70,185)
TN	0-4	192	11.4	8.52	(2.4 - 40.2)		45,445	(0 - 116,004)
TN	5-9	224	6.1	2.00	(3.2 - 11.4)		25,326	(9,887 - 40,765)
TN	10-14	256	11.6	6.29	(3.8 - 30.4)		31,921	(0 - 66,216)
TN	15-17	163	9.7	3.52	(4.6 - 19.1)		23,846	(5,730 - 41,963)
TX	0-4	793	5.3	1.14	(3.5 - 8.0)		96,043	(54,636 - 137,450)
TX	5-9	881	10.4	1.54	(7.7 - 13.8)		191,090	(132,927 - 249,253)
TX	10-14	960	8.6	1.24	(6.5 - 11.4)		129,095	(91,624 - 166,566)
TX	15-17	686	9.4	1.63	(6.7 - 13.2)		99,313	(64,247 - 134,379)
UT	0-4	1,176	3.4	0.60	(2.4 - 4.8)		8,570	(5,611 - 11,529)
UT	5-9	1,101	7.7	0.89	(6.1 - 9.6)		17,057	(13,060 - 21,054)
UT	10-14	1,162	8.3	0.87	(6.7 - 10.1)		15,134	(11,915 - 18,353)
UT	15-17	850	9.4	1.16	(7.4 - 12.0)		10,991	(8,234 - 13,748)
VT	0-4	333	3.4	1.03	(1.9 - 6.1)		1,029	(423 - 1,636)
VT	5-9	359	8.7	1.56	(6.1 - 12.3)		2,808	(1,798 - 3,818)
VT	10-14	417	12.6	1.93	(9.3 - 16.9)		3,645	(2,481 - 4,809)
VT	15-17	359	8.3	1.54	(5.7 - 11.9)		2,125	(1,327 - 2,922)
WA	0-4	611	5.1	1.49	(2.8 - 8.9)		19,379	(7,885 - 30,873)
WA	5-9	736	6.4	1.26	(4.3 - 9.4)		27,681	(16,638 - 38,724)
WA	10-14	926	9.2	1.24	(7.0 - 11.9)		32,011	(23,271 - 40,751)
WA	15-17	718	9.3	1.37	(6.9 - 12.3)		24,829	(17,516 - 32,142)
WV	0-4	283	4.2	1.32	(2.3 - 7.7)		4,258	(1,610 - 6,906)
WV	5-9	267	8.3	2.02	(5.1 - 13.2)		8,791	(4,408 - 13,174)

Notes:

* CI denotes confidence interval.

** Total includes data from 16 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
WV	10-14	324	9.8	1.84	(6.7 - 14.0)		8,429	(5,201 - 11,657)
WV	15-17	218	8.9	2.15	(5.5 - 14.1)		6,064	(3,080 - 9,048)
WI	0-4	245	3.4	1.36	(1.5 - 7.3)		11,756	(2,368 - 21,145)
WI	5-9	257	9.3	2.14	(5.8 - 14.4)		30,468	(16,255 - 44,681)
WI	10-14	295	11.3	2.41	(7.3 - 16.9)		32,998	(18,293 - 47,704)
WI	15-17	241	9.2	2.34	(5.5 - 14.9)		20,046	(9,710 - 30,381)
Territories								
PR	0-4	220	15.0	3.47	(9.4 - 23.1)		39,983	(20,179 - 59,787)
PR	5-9	272	13.5	2.56	(9.2 - 19.4)		39,431	(24,061 - 54,801)
PR	10-14	328	18.5	2.82	(13.6 - 24.7)		36,667	(24,633 - 48,700)
PR	15-17	253	10.4	2.74	(6.1 - 17.1)		18,176	(8,247 - 28,105)

Notes:

* CI denotes confidence interval.

** Total includes data from 16 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.