

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	7,956	7.3	0.75	(6.0 - 8.9)		451,079	(356,673 - 545,486)
Total **	5-9	8,152	14.2	0.72	(12.9 - 15.7)		908,956	(813,915 - 1,003,997)
Total **	10-14	9,511	17.8	0.77	(16.4 - 19.4)		956,347	(870,359 - 1,042,334)
Total **	15-17	7,256	17.4	0.84	(15.8 - 19.1)		694,841	(621,969 - 767,713)
AZ	0-4	298	7.1	2.36	(3.7 - 13.3)		32,612	(10,720 - 54,505)
AZ	5-9	280	11.8	2.62	(7.6 - 18.0)		54,425	(29,804 - 79,047)
AZ	10-14	356	19.5	3.22	(14.0 - 26.6)		73,407	(46,917 - 99,896)
AZ	15-17	272	15.2	3.32	(9.8 - 22.9)		38,662	(20,891 - 56,432)
CT	0-4	337	7.5	1.69	(4.8 - 11.6)		14,804	(8,116 - 21,492)
CT	5-9	398	17.7	2.24	(13.8 - 22.6)		35,814	(26,260 - 45,368)
CT	10-14	458	20.8	2.75	(15.9 - 26.7)		40,668	(28,448 - 52,887)
CT	15-17	381	20.8	2.85	(15.8 - 27.0)		31,744	(22,073 - 41,416)
HI	0-4	393	15.1	2.33	(11.1 - 20.3)		12,998	(8,729 - 17,267)
HI	5-9	396	20.3	2.36	(16.1 - 25.3)		15,565	(11,711 - 19,418)
HI	10-14	474	19.2	2.06	(15.5 - 23.6)		13,011	(10,072 - 15,949)
HI	15-17	359	18.6	2.29	(14.6 - 23.5)		9,210	(6,841 - 11,580)
MI	0-4	603	7.4	1.33	(5.2 - 10.5)		41,147	(26,231 - 56,062)
MI	5-9	561	14.4	1.85	(11.1 - 18.4)		88,716	(64,956 - 112,476)
MI	10-14	702	20.2	2.01	(16.5 - 24.4)		111,577	(87,004 - 136,151)
MI	15-17	579	17.5	1.92	(14.1 - 21.6)		73,488	(56,411 - 90,564)
MT	0-4	508	4.2	1.07	(2.5 - 6.9)		2,474	(1,229 - 3,718)
MT	5-9	510	8.7	1.39	(6.3 - 11.8)		5,036	(3,494 - 6,578)
MT	10-14	638	13.5	2.04	(10.0 - 18.0)		6,441	(4,452 - 8,429)
MT	15-17	486	16.7	2.91	(11.7 - 23.2)		6,763	(4,184 - 9,342)
NJ	0-4	830	5.7	0.96	(4.1 - 7.9)		27,044	(17,845 - 36,243)
NJ	5-9	860	15.8	1.57	(13.0 - 19.2)		80,973	(63,977 - 97,969)
NJ	10-14	977	18.2	1.53	(15.3 - 21.4)		81,710	(67,055 - 96,366)
NJ	15-17	807	13.7	1.40	(11.2 - 16.7)		44,956	(35,543 - 54,370)
NM	0-4	481	7.5	1.50	(5.1 - 11.0)		10,720	(6,373 - 15,068)
NM	5-9	523	13.4	1.78	(10.3 - 17.3)		17,217	(12,462 - 21,971)
NM	10-14	595	21.3	2.08	(17.5 - 25.6)		24,747	(19,430 - 30,063)

Notes:

* CI denotes confidence interval.

** Total includes data from 16 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NM	15-17	387	17.9	2.21	(13.9 - 22.6)		15,343	(11,411 - 19,275)
OR	0-4	275	5.7	1.64	(3.2 - 9.9)		11,960	(5,085 - 18,836)
OR	5-9	263	14.3	2.42	(10.2 - 19.8)		34,825	(22,537 - 47,113)
OR	10-14	335	18.4	2.41	(14.1 - 23.6)		36,830	(26,545 - 47,116)
OR	15-17	275	17.4	2.47	(13.1 - 22.8)		26,016	(18,342 - 33,689)
PA	0-4	589	6.8	1.20	(4.8 - 9.6)		45,746	(29,515 - 61,977)
PA	5-9	524	13.7	1.88	(10.4 - 17.9)		97,017	(69,053 - 124,982)
PA	10-14	621	18.3	1.80	(15.0 - 22.1)		115,765	(91,966 - 139,564)
PA	15-17	465	16.6	1.99	(13.0 - 20.9)		85,449	(63,903 - 106,995)
TN	0-4	192	11.9	8.52	(2.7 - 39.9)		47,193	(0 - 117,836)
TN	5-9	225	8.4	2.27	(4.9 - 14.1)		35,243	(18,425 - 52,061)
TN	10-14	257	18.7	7.66	(7.9 - 38.2)		51,697	(9,714 - 93,681)
TN	15-17	163	19.8	4.50	(12.4 - 30.1)		48,894	(24,140 - 73,648)
TX	0-4	798	7.9	1.35	(5.7 - 11.0)		144,588	(95,001 - 194,175)
TX	5-9	882	17.3	1.93	(13.9 - 21.5)		319,849	(243,965 - 395,732)
TX	10-14	965	16.8	1.67	(13.8 - 20.3)		251,937	(199,567 - 304,307)
TX	15-17	689	18.5	2.35	(14.3 - 23.5)		196,769	(142,151 - 251,387)
UT	0-4	1,177	4.5	0.68	(3.3 - 6.0)		11,112	(7,742 - 14,481)
UT	5-9	1,104	11.1	1.07	(9.2 - 13.4)		24,772	(19,890 - 29,654)
UT	10-14	1,167	13.4	1.10	(11.4 - 15.8)		24,724	(20,541 - 28,907)
UT	15-17	855	15.5	1.47	(12.8 - 18.6)		18,207	(14,589 - 21,826)
VT	0-4	333	4.6	1.23	(2.7 - 7.7)		1,377	(649 - 2,105)
VT	5-9	361	12.1	1.80	(9.0 - 16.1)		3,918	(2,728 - 5,108)
VT	10-14	418	17.6	2.10	(13.9 - 22.1)		5,087	(3,796 - 6,378)
VT	15-17	360	15.3	2.06	(11.6 - 19.8)		3,921	(2,824 - 5,017)
WA	0-4	612	7.2	1.63	(4.5 - 11.1)		27,431	(14,742 - 40,119)
WA	5-9	740	10.8	1.53	(8.2 - 14.2)		47,141	(33,479 - 60,804)
WA	10-14	929	15.7	1.54	(12.9 - 19.0)		55,010	(43,799 - 66,221)
WA	15-17	719	17.8	1.99	(14.2 - 22.0)		47,502	(36,219 - 58,785)
WV	0-4	285	4.9	1.40	(2.8 - 8.5)		4,981	(2,128 - 7,835)
WV	5-9	267	12.3	2.32	(8.4 - 17.6)		13,085	(7,946 - 18,224)

Notes:

* CI denotes confidence interval.

** Total includes data from 16 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
WV	10-14	324	15.0	2.18	(11.2 - 19.8)		12,887	(8,994 - 16,780)
WV	15-17	218	16.7	2.81	(11.9 - 22.9)		11,402	(7,376 - 15,427)
WI	0-4	245	4.3	1.47	(2.2 - 8.3)		14,891	(4,804 - 24,979)
WI	5-9	258	10.7	2.27	(7.0 - 16.1)		35,359	(20,207 - 50,511)
WI	10-14	295	17.3	2.96	(12.3 - 23.9)		50,849	(32,241 - 69,456)
WI	15-17	241	16.7	3.18	(11.3 - 23.9)		36,516	(21,809 - 51,222)
Territories								
PR	0-4	220	20.4	3.87	(13.9 - 29.1)		54,445	(31,522 - 77,369)
PR	5-9	272	25.9	3.45	(19.7 - 33.2)		75,479	(53,312 - 97,645)
PR	10-14	328	33.6	3.38	(27.3 - 40.5)		66,437	(50,322 - 82,552)
PR	15-17	253	26.2	3.68	(19.6 - 34.0)		45,760	(31,407 - 60,113)

Notes:

* CI denotes confidence interval.

** Total includes data from 16 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.