

Table L2_1
Child Lifetime Asthma Prevalence Rate (Percent)
by Sex and State or Territory: BRFSS 2012

State	Male Sample Size	Male Prevalence	Male Standard Error	Male 95% CI *		Female Sample Size	Female Prevalence	Female Standard Error	Female 95% CI *
Total **	36,318	16.0	0.35	(15.3 - 16.7)		34,165	11.4	0.32	(10.8 - 12.0)
AL	1,026	19.0	1.47	(16.3 - 22.1)		970	13.2	1.31	(10.8 - 16.0)
AZ	733	13.5	1.64	(10.6 - 17.0)		697	11.7	1.64	(8.8 - 15.3)
CA	1,673	17.0	1.13	(14.9 - 19.3)		1,604	12.1	0.98	(10.3 - 14.2)
CT	1,093	21.0	1.70	(17.9 - 24.5)		1,031	16.5	1.37	(14.0 - 19.3)
DC	331	23.0	3.94	(16.2 - 31.6)		322	14.4	3.39	(8.9 - 22.4)
GA	717	19.7	1.85	(16.3 - 23.5)		684	13.3	1.66	(10.4 - 16.9)
HI	1,023	20.4	1.66	(17.3 - 23.8)		971	16.9	1.64	(13.9 - 20.4)
IL	661	16.6	1.75	(13.5 - 20.4)		606	9.6	1.50	(7.0 - 13.0)
KS	1,348	16.3	1.25	(14.0 - 18.9)		1,337	11.6	1.06	(9.7 - 13.8)
KY	1,289	17.0	1.38	(14.5 - 19.9)		1,275	12.2	1.15	(10.1 - 14.7)
MD	1,597	19.3	1.52	(16.5 - 22.5)		1,452	13.5	1.24	(11.3 - 16.1)
MI	1,210	15.9	1.24	(13.7 - 18.5)		1,170	13.0	1.19	(10.9 - 15.5)
MS	898	17.0	1.45	(14.3 - 20.1)		849	10.9	1.24	(8.7 - 13.5)
MO	677	19.2	1.99	(15.6 - 23.4)		694	10.1	1.35	(7.7 - 13.1)
MT	1,029	13.4	1.98	(10.0 - 17.8)		993	9.1	1.27	(6.9 - 11.9)
NE	2,420	11.4	0.88	(9.8 - 13.3)		2,297	8.0	0.75	(6.7 - 9.6)
NV	570	11.5	1.62	(8.7 - 15.1)		572	11.1	1.89	(8.0 - 15.4)
NH	817	18.8	1.78	(15.6 - 22.5)		767	12.0	1.35	(9.6 - 14.9)
NJ	2,178	17.2	1.03	(15.3 - 19.4)		2,002	9.9	0.75	(8.5 - 11.4)
NM	1,114	15.8	1.33	(13.4 - 18.6)		1,075	8.3	0.89	(6.7 - 10.2)
NY	682	17.0	1.75	(13.8 - 20.7)		648	11.5	1.55	(8.8 - 14.9)
OH	1,482	12.5	1.01	(10.7 - 14.6)		1,457	11.9	1.05	(10.0 - 14.1)
OK	1,056	13.4	1.35	(11.0 - 16.3)		902	10.3	1.25	(8.1 - 13.0)
OR	538	15.4	1.88	(12.1 - 19.5)		485	10.9	1.79	(7.8 - 14.9)
PA	2,291	17.4	1.09	(15.3 - 19.6)		2,140	12.1	1.00	(10.3 - 14.2)
TN	651	14.5	1.72	(11.4 - 18.2)		568	9.2	1.39	(6.8 - 12.3)
TX	1,271	14.0	1.27	(11.7 - 16.7)		1,190	11.2	1.24	(9.0 - 13.9)
UT	2,328	12.0	0.86	(10.4 - 13.8)		2,121	7.8	0.71	(6.5 - 9.3)
WA	1,809	13.9	1.03	(12.0 - 16.0)		1,657	8.9	0.87	(7.3 - 10.7)
WV	657	12.7	1.35	(10.3 - 15.6)		563	8.2	1.19	(6.2 - 10.9)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L2_1
Child Lifetime Asthma Prevalence Rate (Percent)
by Sex and State or Territory: BRFSS 2012

State	Male Sample Size	Male Prevalence	Male Standard Error	Male 95% CI *		Female Sample Size	Female Prevalence	Female Standard Error	Female 95% CI *
WI	577	13.1	2.05	(9.6 - 17.7)		520	8.7	1.72	(5.8 - 12.7)
WY	572	11.9	1.92	(8.6 - 16.2)		546	10.2	1.83	(7.1 - 14.4)
Territories									
PR	947	25.2	1.60	(22.2 - 28.5)		760	19.2	1.84	(15.9 - 23.1)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.