

Table C2.1
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
by Sex and State or Territory, BRFSS 2014

State	Male Sample Size	Male Prevalence (percent)	Male Standard Error (percent)	Male 95% CI* (percent)	Female Sample Size	Female Prevalence (percent)	Female Standard Error (percent)	Female 95% CI* (percent)
U.S. Total**	188,407	6.4	0.11	(6.2 - 6.6)	264,543	11.4	0.13	(11.1 - 11.6)
AL	3,089	6.1	0.57	(5.0 - 7.3)	5,489	12.7	0.68	(11.4 - 14.0)
AK	1,954	5.5	0.76	(4.0 - 7.0)	2,406	11.0	0.91	(9.2 - 12.7)
AZ	5,937	7.3	0.57	(6.2 - 8.4)	8,813	11.8	0.59	(10.6 - 12.9)
AR	1,886	6.8	0.87	(5.1 - 8.5)	3,329	10.6	0.84	(9.0 - 12.3)
CA	4,177	4.8	0.40	(4.1 - 5.6)	4,604	10.6	0.60	(9.5 - 11.8)
CO	5,816	5.9	0.41	(5.1 - 6.7)	7,482	10.9	0.50	(9.9 - 11.9)
CT	3,411	6.0	0.54	(5.0 - 7.1)	4,484	12.1	0.74	(10.6 - 13.5)
DE	1,744	5.5	0.83	(3.9 - 7.2)	2,531	11.8	0.83	(10.1 - 13.4)
DC	1,601	8.3	1.21	(6.0 - 10.7)	2,440	14.3	1.43	(11.5 - 17.1)
FL	3,902	5.3	0.50	(4.4 - 6.3)	5,871	10.6	0.57	(9.4 - 11.7)
GA	2,415	5.3	0.61	(4.1 - 6.5)	3,893	11.1	0.70	(9.7 - 12.5)
HI	3,437	6.8	0.56	(5.7 - 8.0)	3,756	11.7	0.75	(10.2 - 13.1)
ID	2,251	6.5	0.75	(5.0 - 7.9)	3,205	10.7	0.77	(9.2 - 12.3)
IL	2,187	6.2	0.66	(4.9 - 7.5)	2,850	11.9	0.83	(10.3 - 13.5)
IN	4,654	7.9	0.53	(6.9 - 9.0)	6,800	13.3	0.60	(12.1 - 14.4)
IA	3,374	6.9	0.56	(5.8 - 8.0)	4,700	10.0	0.67	(8.7 - 11.4)
KS	5,831	5.7	0.36	(5.1 - 6.4)	7,809	11.6	0.46	(10.7 - 12.5)
KY	3,862	9.0	0.76	(7.5 - 10.5)	7,252	14.7	0.74	(13.2 - 16.1)
LA	2,582	5.8	0.57	(4.6 - 6.9)	4,160	9.5	0.58	(8.4 - 10.6)
ME	3,741	9.3	0.67	(8.0 - 10.6)	5,331	13.7	0.66	(12.4 - 15.0)
MD	4,748	6.0	0.68	(4.6 - 7.3)	7,746	10.9	0.65	(9.6 - 12.1)
MA	6,222	8.2	0.55	(7.1 - 9.3)	9,288	15.5	0.64	(14.2 - 16.7)
MI	3,601	8.1	0.57	(7.0 - 9.3)	4,804	13.5	0.66	(12.2 - 14.8)
MN	7,458	6.2	0.36	(5.5 - 6.9)	8,869	10.5	0.42	(9.7 - 11.4)
MS	1,509	5.5	0.80	(3.9 - 7.1)	2,668	9.1	0.81	(7.6 - 10.7)
MO	2,814	7.3	0.76	(5.8 - 8.8)	4,217	12.0	0.74	(10.5 - 13.4)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C2.1
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
by Sex and State or Territory, BRFSS 2014

State	Male Sample Size	Male Prevalence (percent)	Male Standard Error (percent)	Male 95% CI* (percent)	Female Sample Size	Female Prevalence (percent)	Female Standard Error (percent)	Female 95% CI* (percent)
MT	3,291	7.2	0.63	(6.0 - 8.5)	4,175	11.9	0.79	(10.4 - 13.5)
NE	9,562	6.2	0.39	(5.4 - 6.9)	12,727	9.2	0.43	(8.4 - 10.1)
NV	1,594	6.8	0.94	(5.0 - 8.7)	2,121	9.3	0.94	(7.4 - 11.1)
NH	2,582	6.6	0.64	(5.3 - 7.8)	3,553	13.7	0.82	(12.1 - 15.3)
NJ	5,353	6.7	0.51	(5.8 - 7.7)	7,598	9.7	0.51	(8.7 - 10.7)
NM	3,737	7.4	0.66	(6.1 - 8.7)	5,142	12.2	0.73	(10.8 - 13.6)
NY	2,845	8.7	0.71	(7.3 - 10.1)	3,973	12.5	0.73	(11.1 - 13.9)
NC	3,101	5.6	0.55	(4.5 - 6.7)	4,143	9.7	0.57	(8.6 - 10.8)
ND	3,244	7.1	0.70	(5.7 - 8.4)	4,503	10.4	0.79	(8.9 - 12.0)
OH	4,262	7.0	0.58	(5.9 - 8.1)	6,568	14.3	0.74	(12.8 - 15.7)
OK	3,408	7.5	0.58	(6.4 - 8.7)	4,972	11.9	0.59	(10.7 - 13.0)
OR	2,201	7.8	0.81	(6.2 - 9.4)	2,982	12.5	0.85	(10.9 - 14.2)
PA	4,480	7.5	0.54	(6.4 - 8.5)	6,452	11.9	0.57	(10.8 - 13.0)
RI	2,524	7.7	0.69	(6.4 - 9.1)	3,870	13.5	0.83	(11.9 - 15.2)
SC	4,568	5.2	0.43	(4.3 - 6.0)	6,370	11.2	0.60	(10.0 - 12.4)
SD	3,177	5.1	0.60	(3.9 - 6.3)	4,169	9.8	0.89	(8.1 - 11.5)
TN	1,866	5.9	0.71	(4.5 - 7.3)	3,232	11.7	0.84	(10.1 - 13.4)
TX	6,178	4.6	0.38	(3.8 - 5.3)	9,151	8.7	0.47	(7.7 - 9.6)
UT	6,909	6.9	0.36	(6.2 - 7.6)	8,025	10.5	0.43	(9.6 - 11.3)
VT	2,858	8.0	0.63	(6.8 - 9.3)	3,551	14.4	0.72	(13.0 - 15.9)
VA	3,964	6.2	0.53	(5.1 - 7.2)	5,452	10.9	0.58	(9.8 - 12.1)
WA	4,223	7.4	0.56	(6.3 - 8.5)	5,760	11.1	0.57	(9.9 - 12.2)
WV	2,607	7.5	0.61	(6.3 - 8.7)	3,555	14.4	0.74	(13.0 - 15.9)
WI	3,131	7.8	0.71	(6.4 - 9.2)	3,881	12.7	0.83	(11.1 - 14.3)
WY	2,539	6.3	0.76	(4.8 - 7.8)	3,821	10.5	0.87	(8.8 - 12.2)
Territories	

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C2.1
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
by Sex and State or Territory, BRFSS 2014

State	Male Sample Size	Male Prevalence (percent)	Male Standard Error (percent)	Male 95% CI* (percent)	Female Sample Size	Female Prevalence (percent)	Female Standard Error (percent)	Female 95% CI* (percent)
GU	1,099	2.9	0.74	(1.4 - 4.3)	1,409	8.4	1.03	(6.4 - 10.4)
PR	2,161	7.3	0.70	(6.0 - 8.7)	3,817	13.5	0.70	(12.1 - 14.9)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.