

Table L4
Child Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2015

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
Total **	White	40,580	11.6	0.30	(11.0–12.2)		3,753,487	(3,555,303–3,951,670)
Total **	Black	4,364	19.5	1.09	(17.5–21.7)		1,349,570	(1,186,553–1,512,586)
Total **	Other	6,992	13.3	0.75	(11.9–14.8)		997,612	(879,187–1,116,038)
CA	White	2,006	12.6	0.83	(11.0–14.3)		568,735	(492,466–645,004)
CA	Black	141	20.0	3.81	(13.5–28.5)		102,666	(60,954–144,377)
CA	Other	749	10.8	1.39	(8.3–13.8)		240,330	(176,290–304,369)
CT	White	1,644	14.2	1.10	(12.2–16.5)		69,810	(58,843–80,777)
CT	Black	251	23.6	4.26	(16.2–32.9)		23,317	(13,489–33,145)
CT	Other	334	17.4	2.77	(12.6–23.5)		21,464	(14,266–28,662)
DC	White	237	7.6	2.82	(3.6–15.3)		2,216	(553–3,878)
DC	Black	264	18.7	3.41	(12.9–26.3)		12,736	(8,201–17,271)
DC	Other	56	7.4				1,599	
GA	White	475	13.7	2.14	(10.1–18.5)		170,570	(115,665–225,476)
GA	Black	229	19.9	3.76	(13.5–28.3)		173,604	(102,623–244,585)
GA	Other	87	8.1	3.70	(3.2–18.9)		22,080	(1,506–42,655)
HI	White	216	8.1	2.30	(4.6–13.9)		4,502	(1,897–7,108)
HI	Black	5	14.3				321	
HI	Other	1,227	19.0	1.53	(16.2–22.2)		46,128	(38,254–54,002)
IL	White	862	10.7	1.28	(8.4–13.5)		214,193	(162,440–265,947)
IL	Black	138	13.5	3.00	(8.6–20.5)		70,717	(38,762–102,673)
IL	Other	111	14.9	4.28	(8.3–25.4)		50,438	(19,589–81,288)
IN	White	981	11.3	1.57	(8.6–14.7)		140,318	(100,900–179,736)
IN	Black	88	20.3	5.66	(11.4–33.6)		32,540	(12,783–52,297)
IN	Other	68	28.0	8.53	(14.5–47.1)		25,703	(6,143–45,263)
KS	White	4,245	11.2	0.54	(10.1–12.3)		61,185	(55,251–67,119)
KS	Black	243	24.1	3.17	(18.4–30.8)		11,616	(8,231–15,001)
KS	Other	390	13.3	1.87	(10.0–17.4)		9,410	(6,672–12,148)
LA	White	565	11.8	1.70	(8.9–15.6)		66,112	(46,789–85,434)
LA	Black	315	17.7	2.43	(13.4–23.0)		73,390	(52,671–94,109)
LA	Other	78	10.0	3.58	(4.8–19.5)		9,515	(2,560–16,469)
ME	White	916	15.2	1.57	(12.4–18.6)		34,176	(26,991–41,360)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4
Child Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2015**

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
ME	Black	9	11.6				415	
ME	Other	67	12.9	5.36	(5.5–27.4)		2,534	(305–4,764)
MA	White	420	13.9	2.15	(10.2–18.7)		131,377	(91,517–171,237)
MA	Black	45	26.8	8.74	(13.3–46.7)		28,275	(7,567–48,983)
MA	Other	65	18.1	5.71	(9.4–32.0)		36,049	(12,406–59,691)
MI	White	1,510	10.6	0.89	(9.0–12.5)		159,630	(132,883–186,377)
MI	Black	258	16.6	2.59	(12.1–22.3)		60,045	(40,698–79,393)
MI	Other	195	11.0	2.32	(7.2–16.5)		26,177	(15,079–37,275)
MN	White	3,188	8.3	0.56	(7.3–9.5)		74,590	(64,662–84,518)
MN	Black	187	15.6	3.10	(10.4–22.7)		17,208	(9,951–24,464)
MN	Other	413	10.3	1.71	(7.4–14.1)		21,737	(14,392–29,081)
MS	White	647	10.7	1.53	(8.1–14.1)		36,268	(25,633–46,902)
MS	Black	526	14.6	1.93	(11.2–18.8)		47,532	(34,444–60,620)
MS	Other	41	17.3	7.62	(6.8–37.2)		4,406	(190–8,622)
MO	White	1,081	9.4	1.11	(7.4–11.8)		95,240	(72,943–117,537)
MO	Black	139	18.1	4.09	(11.4–27.5)		34,172	(18,174–50,170)
MO	Other	91	10.8	3.24	(5.9–19.0)		12,558	(5,077–20,040)
MT	White	884	8.8	1.20	(6.7–11.4)		15,316	(11,170–19,462)
MT	Black	4	19.7				249	
MT	Other	285	13.7	3.15	(8.6–21.1)		5,235	(2,701–7,770)
NE	White	3,532	8.5	0.68	(7.2–9.9)		31,387	(26,323–36,451)
NE	Black	104	19.4	5.11	(11.2–31.3)		6,037	(2,577–9,497)
NE	Other	295	13.6	2.92	(8.8–20.3)		6,176	(3,399–8,952)
NV	White	446	9.4	1.89	(6.3–13.8)		36,059	(21,815–50,303)
NV	Black	27	18.8	11.26	(5.2–49.6)		11,904	(0–27,825)
NV	Other	124	8.1	2.86	(4.0–15.7)		14,683	(4,349–25,017)
NH	White	1,078	11.5	1.19	(9.4–14.1)		25,460	(20,179–30,742)
NH	Black	19	13.0				603	
NH	Other	98	7.9	2.54	(4.2–14.6)		2,208	(816–3,599)
NJ	White	1,701	10.6	1.04	(8.7–12.8)		114,446	(91,789–137,103)
NJ	Black	440	20.0	2.58	(15.4–25.5)		60,436	(43,732–77,141)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4
Child Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2015**

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
NJ	Other	409	10.7	1.87	(7.5–14.9)		43,016	(27,772–58,261)
NM	White	1,053	11.5	1.24	(9.2–14.1)		42,706	(33,531–51,882)
NM	Black	34	20.9	9.32	(8.0–44.3)		3,163	(53–6,274)
NM	Other	331	11.6	2.34	(7.7–17.0)		11,306	(6,767–15,845)
NY	White	805	10.0	1.13	(7.9–12.4)		244,146	(189,647–298,646)
NY	Black	183	24.7	4.06	(17.7–33.5)		193,981	(122,585–265,377)
NY	Other	151	12.2	2.70	(7.8–18.5)		63,231	(35,070–91,393)
OH	White	1,202	10.3	1.19	(8.2–12.9)		183,814	(141,149–226,479)
OH	Black	102	23.3	5.91	(13.7–36.7)		91,344	(39,135–143,553)
OH	Other	93	22.0	5.71	(12.8–35.1)		55,006	(22,938–87,073)
OK	White	439	12.8	2.19	(9.1–17.7)		73,356	(47,101–99,611)
OK	Black	43	27.4	8.45	(14.1–46.5)		23,214	(6,587–39,841)
OK	Other	171	20.6	3.90	(14.0–29.2)		54,219	(32,425–76,012)
OR	White	752	13.7	1.53	(11.0–17.0)		80,640	(62,570–98,711)
OR	Black	17	7.7				1,542	
OR	Other	126	23.5	6.01	(13.8–37.2)		40,391	(15,903–64,878)
PA	White	909	13.7	1.48	(11.0–16.8)		255,155	(198,913–311,397)
PA	Black	116	22.6	4.49	(15.0–32.6)		83,981	(47,835–120,127)
PA	Other	93	18.4	4.79	(10.8–29.6)		59,826	(26,726–92,926)
RI	White	854	13.9	1.46	(11.3–17.0)		19,615	(15,506–23,724)
RI	Black	72	17.7	6.62	(8.1–34.4)		3,139	(580–5,697)
RI	Other	146	19.3	4.14	(12.5–28.8)		6,521	(3,628–9,415)
TX	White	2,321	12.3	1.09	(10.3–14.6)		614,049	(504,000–724,099)
TX	Black	238	17.3	4.04	(10.7–26.7)		158,900	(79,093–238,707)
TX	Other	225	13.8	4.17	(7.4–24.1)		79,485	(27,584–131,386)
UT	White	3,425	10.1	0.58	(9.0–11.3)		77,006	(68,266–85,747)
UT	Black	35	21.1	7.78	(9.7–40.1)		2,774	(519–5,028)
UT	Other	274	10.6	2.77	(6.2–17.3)		9,620	(4,277–14,963)
VT	White	1,235	14.9	1.32	(12.5–17.7)		15,447	(12,695–18,198)
VT	Black	16	22.9				309	
VT	Other	79	12.6	5.16	(5.4–26.5)		1,136	(161–2,111)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Child Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2015

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
WI	White	951	10.3	1.28	(8.0–13.1)		95,962	(72,346–119,579)
WI	Black	76	20.1	6.73	(10.0–36.4)		19,439	(5,388–33,490)
WI	Other	120	8.3	2.49	(4.6–14.7)		15,426	(6,503–24,350)
Territory								
PR	White	873	27.0	1.96	(23.4–31.0)		148,275	(124,830–171,720)
PR	Black	44	27.5	9.16	(13.4–48.3)		7,835	(1,793–13,877)
PR	Other	373	25.1	2.73	(20.1–30.8)		57,517	(43,881–71,154)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.