

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White NH	335,968	14.4	0.13	(14.1–14.6)		22,481,717	(22,066,577–22,896,856)
U.S. Total**	Black NH	35,646	16.5	0.38	(15.8–17.3)		4,875,172	(4,637,116–5,113,227)
U.S. Total**	Other NH	20,987	11.5	0.52	(10.5–12.5)		2,032,976	(1,846,080–2,219,872)
U.S. Total**	Multirace NH	8,944	23.9	0.94	(22.0–25.7)		836,559	(762,039–911,079)
U.S. Total**	Hispanic	32,397	11.7	0.32	(11.1–12.3)		4,656,537	(4,395,801–4,917,273)
AL	White NH	4,541	15.5	0.73	(14.0–16.9)		388,585	(350,579–426,592)
AL	Black NH	1,697	19.3	1.39	(16.5–22.0)		180,075	(151,819–208,331)
AL	Other NH	169	17.5	4.04	(9.5–25.4)		15,501	(7,709–23,294)
AL	Multirace NH	115	19.1	4.68	(9.8–28.4)		8,226	(3,930–12,522)
AL	Hispanic	84	13.4	4.11	(5.2–21.6)		16,587	(6,187–26,986)
AK	White NH	2,249	12.8	1.12	(10.6–15.0)		44,425	(36,503–52,347)
AK	Black NH	50	21.7	7.83	(6.0–37.5)		6,240	(1,169–11,312)
AK	Other NH	588	15.0	3.40	(8.3–21.6)		15,302	(7,793–22,811)
AK	Multirace NH	134	17.5	6.40	(4.9–30.2)		4,970	(917–9,023)
AK	Hispanic	89	11.9	4.31	(3.3–20.5)		4,424	(1,114–7,735)
AZ	White NH	10,936	16.4	0.47	(15.5–17.4)		514,855	(484,053–545,657)
AZ	Black NH	462	20.9	2.33	(16.3–25.5)		46,396	(34,945–57,847)
AZ	Other NH	1,064	13.9	1.32	(11.3–16.4)		58,178	(46,744–69,613)
AZ	Multirace NH	211	23.0	3.45	(16.2–29.8)		12,785	(8,643–16,927)
AZ	Hispanic	2,393	13.8	0.85	(12.1–15.5)		200,949	(174,862–227,035)
AR	White NH	4,101	15.1	0.99	(13.2–17.1)		256,400	(221,601–291,199)
AR	Black NH	781	18.2	3.00	(12.3–24.1)		59,435	(38,158–80,713)
AR	Other NH	135	23.3	8.81	(5.9–40.7)		19,183	(1,694–36,673)
AR	Multirace NH	130	22.6	5.93	(10.9–34.3)		8,679	(4,213–13,145)
AR	Hispanic	89	11.1	5.48	(0.2–22.0)		12,531	(0–25,610)
CA	White NH	4,759	16.4	0.75	(14.9–17.8)		1,980,951	(1,788,936–2,172,966)
CA	Black NH	418	20.3	2.49	(15.4–25.2)		336,433	(247,442–425,424)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
CA	Other NH	975	12.6	1.39	(9.9–15.3)		657,278	(507,904–806,653)
CA	Multirace NH	241	24.7	3.82	(17.1–32.2)		111,136	(71,811–150,460)
CA	Hispanic	2,783	10.9	0.72	(9.5–12.3)		1,150,859	(997,132–1,304,587)
CO	White NH	7,426	14.6	0.53	(13.6–15.7)		441,819	(408,668–474,970)
CO	Black NH	265	22.4	3.37	(15.7–29.0)		36,656	(24,070–49,242)
CO	Other NH	330	12.4	2.11	(8.3–16.5)		23,426	(15,184–31,669)
CO	Multirace NH	148	24.6	4.33	(16.0–33.1)		13,204	(7,906–18,502)
CO	Hispanic	1,277	11.6	1.05	(9.6–13.7)		93,977	(76,427–111,527)
CT	White NH	8,249	16.0	0.61	(14.8–17.2)		306,571	(282,075–331,067)
CT	Black NH	680	16.7	1.81	(13.2–20.3)		44,816	(34,535–55,097)
CT	Other NH	439	12.5	2.18	(8.2–16.7)		19,738	(12,592–26,884)
CT	Multirace NH	128	22.8	4.89	(13.1–32.5)		5,581	(3,026–8,135)
CT	Hispanic	832	22.5	1.85	(18.9–26.1)		90,712	(74,129–107,296)
DE	White NH	2,739	15.2	1.06	(13.1–17.3)		73,091	(62,318–83,863)
DE	Black NH	582	20.1	2.22	(15.8–24.5)		30,650	(23,449–37,850)
DE	Other NH	190	9.6	3.10	(3.5–15.7)		3,560	(1,161–5,958)
DE	Multirace NH	49	9.0		(–)		608	(–)
DE	Hispanic	447	15.2	3.43	(8.4–21.9)		8,934	(4,426–13,443)
DC	White NH	1,197	11.0	1.36	(8.4–13.7)		25,052	(18,600–31,504)
DC	Black NH	2,190	19.4	1.06	(17.3–21.5)		44,855	(39,678–50,033)
DC	Other NH	172	11.7	2.68	(6.4–17.0)		3,978	(2,141–5,815)
DC	Multirace NH	61	23.4	7.96	(7.4–39.3)		1,616	(297–2,935)
DC	Hispanic	160	11.7	3.37	(5.0–18.3)		6,840	(2,662–11,018)
FL	White NH	15,649	11.7	0.56	(10.6–12.8)		1,081,566	(976,798–1,186,334)
FL	Black NH	2,240	11.3	1.25	(8.8–13.7)		267,522	(207,733–327,310)
FL	Other NH	685	7.1	1.54	(4.1–10.2)		44,716	(26,107–63,326)
FL	Multirace NH	311	13.1	2.98	(7.2–19.0)		18,734	(10,412–27,057)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
FL	Hispanic	2,543	14.6	1.45	(11.8–17.4)		581,081	(462,006–700,156)
GA	White NH	3,429	13.2	0.77	(11.7–14.7)		558,812	(491,137–626,488)
GA	Black NH	1,569	13.8	1.11	(11.6–15.9)		323,654	(269,449–377,860)
GA	Other NH	219	6.1	1.94	(2.3–9.9)		22,616	(8,150–37,082)
GA	Multirace NH	100	24.3	5.19	(14.0–34.6)		25,140	(13,147–37,134)
GA	Hispanic	535	5.3	1.02	(3.3–7.3)		34,459	(21,236–47,682)
HI	White NH	2,418	13.6	1.18	(11.3–15.9)		38,410	(31,313–45,507)
HI	Black NH	71	19.3	7.35	(4.7–34.0)		5,173	(644–9,701)
HI	Other NH	2,709	14.0	0.86	(12.4–15.7)		66,642	(58,250–75,034)
HI	Multirace NH	1,782	24.3	1.37	(21.6–27.0)		53,124	(46,457–59,791)
HI	Hispanic	663	25.1	2.32	(20.5–29.6)		26,243	(20,701–31,785)
ID	White NH	4,333	13.7	0.71	(12.3–15.1)		145,138	(130,133–160,144)
ID	Black NH	13	0.0		(–)		0	(–)
ID	Other NH	67	12.4	4.46	(3.5–21.3)		3,614	(940–6,289)
ID	Multirace NH	70	31.4	8.30	(14.9–48.0)		8,447	(2,809–14,085)
ID	Hispanic	311	8.8	1.95	(4.9–12.6)		11,791	(6,480–17,102)
IL	White NH	3,845	13.8	0.73	(12.4–15.3)		868,324	(774,313–962,335)
IL	Black NH	718	15.6	1.69	(12.2–18.9)		205,309	(158,916–251,703)
IL	Other NH	233	13.1	2.82	(7.5–18.6)		77,380	(41,856–112,904)
IL	Multirace NH	59	22.4	7.85	(6.7–38.1)		26,535	(4,821–48,250)
IL	Hispanic	646	9.8	1.31	(7.3–12.4)		145,854	(106,233–185,475)
IN	White NH	11,541	14.4	0.46	(13.5–15.3)		588,854	(550,771–626,938)
IN	Black NH	933	19.0	1.79	(15.5–22.5)		83,401	(66,178–100,624)
IN	Other NH	286	11.4	2.85	(5.8–17.0)		14,600	(6,869–22,331)
IN	Multirace NH	207	27.7	3.96	(19.8–35.5)		16,584	(11,077–22,092)
IN	Hispanic	588	12.0	1.64	(8.8–15.2)		34,987	(25,033–44,941)
IA	White NH	6,921	13.0	0.51	(12.0–14.0)		272,307	(250,429–294,184)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
IA	Black NH	122	18.4	4.27	(10.0–26.9)		13,082	(6,392–19,773)
IA	Other NH	142	12.7	3.12	(6.5–18.9)		9,184	(4,479–13,888)
IA	Multirace NH	82	18.0	4.50	(9.1–27.0)		4,236	(2,067–6,405)
IA	Hispanic	293	10.4	2.25	(6.0–14.9)		11,979	(6,575–17,382)
KS	White NH	18,639	13.6	0.33	(13.0–14.3)		232,071	(220,717–243,425)
KS	Black NH	911	17.0	1.65	(13.8–20.3)		21,143	(16,735–25,551)
KS	Other NH	575	10.7	1.61	(7.6–13.9)		9,446	(6,547–12,345)
KS	Multirace NH	364	22.9	2.71	(17.6–28.2)		7,966	(5,856–10,075)
KS	Hispanic	948	12.3	1.20	(9.9–14.6)		26,152	(20,871–31,433)
KY	White NH	7,117	14.9	0.69	(13.5–16.2)		435,644	(393,933–477,356)
KY	Black NH	937	23.3	3.46	(16.6–30.1)		60,220	(40,146–80,293)
KY	Other NH	154	15.1	4.42	(6.4–23.8)		10,045	(3,855–16,235)
KY	Multirace NH	186	35.5	6.17	(23.3–47.7)		12,118	(6,721–17,515)
KY	Hispanic	107	10.0	3.52	(3.0–16.9)		10,138	(2,822–17,454)
LA	White NH	3,185	14.3	0.80	(12.7–15.8)		304,694	(269,581–339,806)
LA	Black NH	1,171	17.2	1.47	(14.3–20.1)		185,289	(151,813–218,764)
LA	Other NH	133	18.3	5.76	(6.9–29.7)		23,271	(6,680–39,861)
LA	Multirace NH	88	15.0	4.01	(7.0–23.0)		4,796	(2,135–7,456)
LA	Hispanic	116	15.2	4.42	(6.4–23.9)		24,212	(8,776–39,648)
ME	White NH	9,122	15.7	0.59	(14.6–16.9)		157,488	(145,473–169,502)
ME	Black NH	52	23.2	11.30	(0.5–45.9)		3,177	(0–6,998)
ME	Other NH	141	22.2	5.51	(11.2–33.1)		4,475	(2,076–6,873)
ME	Multirace NH	145	31.4	6.04	(19.5–43.4)		5,041	(2,671–7,411)
ME	Hispanic	67	14.1	4.92	(4.3–23.9)		1,417	(436–2,399)
MD	White NH	9,512	14.0	0.58	(12.8–15.1)		342,702	(313,171–372,233)
MD	Black NH	2,631	18.3	1.19	(16.0–20.7)		243,151	(208,585–277,716)
MD	Other NH	506	10.5	1.84	(6.9–14.1)		38,329	(24,453–52,205)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
MD	Multirace NH	195	32.8	4.55	(23.8–41.8)		16,731	(11,005–22,457)
MD	Hispanic	421	12.3	1.86	(8.7–16.0)		52,130	(36,162–68,098)
MA	White NH	5,391	17.4	0.89	(15.6–19.1)		678,584	(605,719–751,449)
MA	Black NH	325	16.1	4.38	(7.5–24.8)		54,569	(21,585–87,553)
MA	Other NH	304	9.5	2.25	(5.1–14.0)		39,326	(20,373–58,279)
MA	Multirace NH	145	22.2	5.40	(11.5–32.9)		19,431	(8,970–29,891)
MA	Hispanic	508	18.3	2.22	(13.9–22.6)		102,390	(75,737–129,042)
MI	White NH	8,684	15.4	0.52	(14.4–16.4)		903,140	(840,345–965,935)
MI	Black NH	1,091	21.7	1.54	(18.6–24.7)		219,026	(185,134–252,918)
MI	Other NH	283	11.8	2.33	(7.2–16.4)		34,310	(20,210–48,410)
MI	Multirace NH	240	29.2	3.77	(21.8–36.6)		30,670	(21,283–40,058)
MI	Hispanic	300	12.3	2.35	(7.7–16.9)		39,827	(23,911–55,744)
MN	White NH	14,861	11.0	0.34	(10.3–11.7)		383,019	(358,727–407,312)
MN	Black NH	466	10.9	1.70	(7.5–14.2)		23,531	(15,926–31,137)
MN	Other NH	594	6.3	1.11	(4.1–8.5)		16,048	(10,411–21,685)
MN	Multirace NH	175	17.5	3.58	(10.4–24.5)		7,658	(4,297–11,019)
MN	Hispanic	644	7.6	1.20	(5.3–10.0)		13,984	(9,552–18,417)
MS	White NH	3,231	11.5	0.80	(10.0–13.1)		151,265	(130,059–172,471)
MS	Black NH	1,488	13.9	1.40	(11.2–16.7)		109,418	(86,410–132,425)
MS	Other NH	92	15.4	6.90	(1.7–29.1)		7,434	(0–14,871)
MS	Multirace NH	87	22.2	6.31	(9.6–34.7)		7,246	(2,735–11,756)
MS	Hispanic	49	17.8	8.23	(1.2–34.3)		7,310	(0–14,974)
MO	White NH	6,277	13.3	0.63	(12.1–14.6)		502,959	(454,832–551,085)
MO	Black NH	723	18.2	1.96	(14.3–22.0)		92,602	(71,558–113,646)
MO	Other NH	185	13.9	3.26	(7.5–20.4)		19,676	(10,000–29,352)
MO	Multirace NH	124	30.0	6.54	(17.1–43.0)		19,712	(9,389–30,035)
MO	Hispanic	146	15.4	3.82	(7.8–22.9)		23,791	(11,298–36,284)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
MT	White NH	4,855	12.8	0.65	(11.6–14.1)	92,313	(82,951–101,675)
MT	Black NH	20	14.8		(.–.)	870	(.–.)
MT	Other NH	727	20.0	2.76	(14.6–25.4)	10,922	(7,595–14,250)
MT	Multirace NH	108	29.3	7.23	(14.9–43.6)	3,338	(1,302–5,374)
MT	Hispanic	113	27.2	5.71	(15.9–38.6)	6,382	(3,373–9,392)
NE	White NH	13,486	12.3	0.46	(11.4–13.2)	144,796	(133,696–155,896)
NE	Black NH	268	17.5	3.03	(11.6–23.5)	10,849	(6,794–14,905)
NE	Other NH	306	9.2	1.98	(5.3–13.1)	3,329	(1,913–4,745)
NE	Multirace NH	149	18.4	4.19	(10.1–26.6)	4,906	(2,608–7,204)
NE	Hispanic	983	6.9	0.91	(5.1–8.7)	8,773	(6,477–11,070)
NV	White NH	2,594	14.3	1.05	(12.2–16.3)	172,704	(146,855–198,554)
NV	Black NH	176	25.4	4.05	(17.5–33.4)	50,103	(31,793–68,412)
NV	Other NH	224	15.6	3.47	(8.8–22.4)	41,035	(21,739–60,330)
NV	Multirace NH	117	40.0	7.93	(24.3–55.7)	17,728	(8,378–27,078)
NV	Hispanic	574	7.0	1.30	(4.4–9.5)	40,138	(25,032–55,244)
NH	White NH	5,337	18.0	0.83	(16.4–19.6)	175,983	(159,038–192,929)
NH	Black NH	20	0.0		(.–.)	0	(.–.)
NH	Other NH	150	14.5	4.04	(6.5–22.5)	5,863	(2,401–9,324)
NH	Multirace NH	72	33.9	8.44	(17.0–50.7)	4,773	(1,800–7,747)
NH	Hispanic	68	31.3	8.37	(14.6–48.0)	8,245	(2,894–13,596)
NJ	White NH	7,934	11.6	0.63	(10.3–12.8)	449,085	(399,219–498,951)
NJ	Black NH	1,353	17.2	1.71	(13.8–20.5)	147,590	(116,176–179,004)
NJ	Other NH	576	7.3	1.36	(4.6–10.0)	54,299	(33,994–74,605)
NJ	Multirace NH	128	24.7	6.02	(12.8–36.7)	14,013	(5,905–22,122)
NJ	Hispanic	1,411	13.2	1.39	(10.5–16.0)	172,035	(134,212–209,859)
NM	White NH	3,342	17.2	1.00	(15.2–19.1)	107,275	(94,142–120,408)
NM	Black NH	66	8.3	4.24	(0.0–16.8)	1,693	(0–3,484)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
NM	Other NH	781	15.4	1.96	(11.5–19.2)		23,538	(17,270–29,806)
NM	Multirace NH	72	24.1	6.50	(11.2–37.1)		6,184	(2,461–9,907)
NM	Hispanic	2,050	13.7	1.02	(11.7–15.7)		97,757	(82,629–112,885)
NY	White NH	8,030	13.3	0.55	(12.2–14.3)		1,133,618	(1,038,475–1,228,761)
NY	Black NH	1,228	16.2	1.27	(13.7–18.6)		346,101	(289,201–403,000)
NY	Other NH	657	9.6	1.41	(6.8–12.4)		146,434	(102,431–190,438)
NY	Multirace NH	162	29.8	5.01	(19.9–39.7)		53,464	(31,769–75,158)
NY	Hispanic	1,762	15.3	1.18	(12.9–17.6)		411,914	(343,544–480,284)
NC	White NH	3,199	13.5	0.80	(11.9–15.0)		697,918	(613,226–782,609)
NC	Black NH	949	16.1	1.63	(12.9–19.3)		262,567	(206,066–319,068)
NC	Other NH	267	10.3	2.21	(5.9–14.6)		28,921	(16,414–41,429)
NC	Multirace NH	71	16.1	5.26	(5.6–26.6)		22,607	(6,750–38,463)
NC	Hispanic	354	9.9	1.89	(6.2–13.6)		61,013	(37,513–84,513)
ND	White NH	6,384	12.6	0.61	(11.4–13.8)		63,221	(56,899–69,542)
ND	Black NH	70	10.1	4.47	(1.1–19.0)		1,684	(103–3,265)
ND	Other NH	305	16.0	2.59	(10.9–21.1)		5,528	(3,656–7,399)
ND	Multirace NH	62	24.3	6.99	(10.3–38.3)		2,483	(815–4,150)
ND	Hispanic	66	11.4	3.94	(3.6–19.3)		1,555	(443–2,666)
OH	White NH	10,453	13.2	0.54	(12.1–14.2)		948,410	(868,421–1,028,399)
OH	Black NH	924	17.5	1.68	(14.2–20.8)		183,362	(145,496–221,227)
OH	Other NH	260	11.2	2.72	(5.8–16.5)		25,298	(12,573–38,023)
OH	Multirace NH	195	22.6	4.83	(13.1–32.1)		30,464	(15,573–45,355)
OH	Hispanic	205	13.0	3.03	(7.0–18.9)		33,933	(17,382–50,484)
OK	White NH	5,038	14.8	0.66	(13.5–16.1)		303,130	(275,609–330,650)
OK	Black NH	361	18.3	2.62	(13.2–23.5)		38,263	(26,374–50,151)
OK	Other NH	498	15.7	1.94	(11.9–19.5)		44,808	(33,168–56,448)
OK	Multirace NH	328	21.9	3.04	(15.9–27.9)		27,208	(18,861–35,555)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
OK	Hispanic	295	8.5	1.93	(4.7–12.3)		22,970	(12,305–33,634)
OR	White NH	4,365	17.7	0.69	(16.4–19.1)		449,386	(413,589–485,183)
OR	Black NH	68	18.0	5.17	(7.6–28.3)		13,384	(4,939–21,830)
OR	Other NH	188	12.6	2.99	(6.7–18.5)		22,312	(11,325–33,299)
OR	Multirace NH	267	27.3	3.19	(21.0–33.5)		21,236	(15,585–26,886)
OR	Hispanic	337	10.1	1.66	(6.8–13.3)		34,331	(22,837–45,824)
PA	White NH	5,263	15.2	0.70	(13.8–16.6)		1,185,818	(1,072,028–1,299,609)
PA	Black NH	550	14.5	1.74	(11.1–17.9)		145,511	(109,594–181,427)
PA	Other NH	228	8.2	2.17	(3.9–12.5)		31,548	(14,786–48,310)
PA	Multirace NH	89	27.4	6.46	(14.6–40.3)		27,739	(12,194–43,283)
PA	Hispanic	270	27.4	3.47	(20.5–34.2)		172,392	(121,457–223,327)
RI	White NH	4,561	16.6	0.82	(15.0–18.2)		104,269	(93,591–114,948)
RI	Black NH	202	19.6	3.37	(13.0–26.3)		8,075	(5,142–11,008)
RI	Other NH	232	11.3	2.81	(5.7–16.8)		4,931	(2,414–7,447)
RI	Multirace NH	83	36.5	7.04	(22.5–50.5)		3,961	(2,129–5,792)
RI	Hispanic	427	20.0	2.83	(14.4–25.6)		21,867	(14,909–28,826)
SC	White NH	7,285	14.0	0.59	(12.8–15.1)		354,406	(323,450–385,362)
SC	Black NH	2,878	14.7	1.04	(12.7–16.8)		142,615	(121,309–163,921)
SC	Other NH	239	13.3	2.89	(7.6–19.0)		9,394	(5,120–13,667)
SC	Multirace NH	205	19.8	3.75	(12.4–27.2)		10,387	(6,326–14,448)
SC	Hispanic	324	11.1	2.40	(6.4–15.8)		21,263	(11,614–30,913)
SD	White NH	5,330	11.4	0.79	(9.8–12.9)		63,680	(54,738–72,622)
SD	Black NH	31	1.0		(.–.)		139	(.–.)
SD	Other NH	1,376	17.9	3.14	(11.7–24.0)		10,091	(6,200–13,982)
SD	Multirace NH	114	13.1	5.29	(2.6–23.5)		1,274	(252–2,296)
SD	Hispanic	87	11.1	5.98	(0.0–23.0)		1,764	(0–3,786)
TN	White NH	4,705	16.4	0.78	(14.8–17.9)		637,348	(574,282–700,414)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
TN	Black NH	650	13.9	1.95	(10.1–17.7)		113,973	(80,553–147,393)
TN	Other NH	146	25.3	7.78	(9.9–40.6)		39,548	(9,046–70,051)
TN	Multirace NH	94	27.9	6.50	(15.0–40.8)		18,171	(8,688–27,653)
TN	Hispanic	117	20.1	5.20	(9.8–30.4)		37,437	(16,158–58,716)
TX	White NH	7,220	14.1	0.93	(12.2–15.9)		1,314,400	(1,134,577–1,494,222)
TX	Black NH	989	17.8	2.53	(12.8–22.8)		435,104	(300,711–569,497)
TX	Other NH	398	7.5	2.27	(3.0–11.9)		92,744	(36,270–149,217)
TX	Multirace NH	164	19.3	7.25	(4.9–33.6)		35,378	(4,782–65,975)
TX	Hispanic	3,175	7.5	0.77	(6.0–9.0)		556,642	(442,581–670,703)
UT	White NH	8,720	14.5	0.50	(13.6–15.5)		250,356	(232,924–267,788)
UT	Black NH	51	18.9	6.34	(6.2–31.7)		4,121	(1,103–7,139)
UT	Other NH	298	10.5	2.10	(6.3–14.6)		9,921	(5,863–13,980)
UT	Multirace NH	98	30.5	6.17	(18.2–42.7)		10,470	(5,255–15,685)
UT	Hispanic	872	11.2	1.26	(8.7–13.6)		30,244	(23,226–37,263)
VT	White NH	5,982	17.2	0.70	(15.8–18.5)		79,321	(72,591–86,051)
VT	Black NH	43	40.5	10.66	(19.0–62.0)		2,572	(796–4,348)
VT	Other NH	163	20.8	5.47	(10.0–31.6)		3,013	(1,250–4,776)
VT	Multirace NH	108	23.6	7.05	(9.6–37.6)		1,104	(330–1,877)
VT	Hispanic	55	23.1	7.98	(7.1–39.1)		1,507	(293–2,720)
VA	White NH	6,871	14.6	0.63	(13.4–15.8)		603,253	(549,316–657,190)
VA	Black NH	1,539	15.3	1.28	(12.8–17.8)		184,961	(152,652–217,270)
VA	Other NH	378	8.5	1.98	(4.6–12.4)		40,058	(21,157–58,960)
VA	Multirace NH	158	17.8	4.07	(9.8–25.9)		19,085	(9,741–28,428)
VA	Hispanic	432	12.6	2.10	(8.5–16.7)		69,146	(45,158–93,133)
WA	White NH	10,615	17.2	0.51	(16.2–18.2)		696,515	(653,140–739,889)
WA	Black NH	238	14.9	2.47	(10.0–19.8)		28,593	(18,601–38,585)
WA	Other NH	818	14.7	1.67	(11.4–17.9)		97,014	(73,401–120,627)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult\* Self-Reported Lifetime Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
WA	Multirace NH	334	27.5	3.27	(21.1–34.0)	36,071	(26,018–46,124)
WA	Hispanic	918	12.4	1.35	(9.8–15.1)	73,826	(57,119–90,533)
WV	White NH	5,091	18.7	0.70	(17.3–20.0)	248,601	(229,251–267,950)
WV	Black NH	122	23.6	5.12	(13.5–33.7)	11,122	(5,568–16,677)
WV	Other NH	74	25.4	6.09	(13.3–37.5)	5,185	(2,303–8,067)
WV	Multirace NH	74	15.8	5.09	(5.7–26.0)	2,531	(779–4,282)
WV	Hispanic	42	21.0	7.36	(6.2–35.9)	4,133	(890–7,377)
WI	White NH	5,002	12.8	0.63	(11.6–14.0)	480,440	(433,404–527,475)
WI	Black NH	231	18.1	4.45	(9.3–26.8)	45,147	(20,815–69,478)
WI	Other NH	249	10.6	3.03	(4.6–16.6)	17,733	(7,523–27,942)
WI	Multirace NH	57	30.3	9.68	(10.9–49.7)	8,476	(2,008–14,943)
WI	Hispanic	178	11.7	2.86	(6.0–17.3)	29,000	(14,430–43,571)
WY	White NH	3,954	13.0	0.69	(11.7–14.4)	48,748	(43,567–53,928)
WY	Black NH	33	20.7	9.85	(0.7–40.8)	949	(0–1,990)
WY	Other NH	79	18.5	5.35	(7.9–29.2)	2,252	(833–3,671)
WY	Multirace NH	58	27.2	7.98	(11.2–43.2)	2,537	(684–4,389)
WY	Hispanic	243	11.9	2.41	(7.2–16.7)	4,709	(2,728–6,689)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.