

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White	354,194	9.0	0.10	(8.8–9.2)		16,190,819	(15,822,230–16,559,409)
U.S. Total**	Black	37,065	11.4	0.32	(10.8–12.1)		3,574,210	(3,368,809–3,779,611)
U.S. Total**	Other	28,739	6.5	0.29	(5.9–7.1)		1,721,229	(1,564,907–1,877,551)
U.S. Total**	Multi	9,918	14.8	0.73	(13.4–16.2)		630,076	(565,245–694,907)
AL	White	4,590	10.5	0.62	(9.3–11.7)		269,789	(237,796–301,781)
AL	Black	1,715	11.5	1.11	(9.3–13.6)		108,284	(86,604–129,964)
AL	Other	211	10.6	2.74	(5.2–16.0)		16,260	(7,852–24,668)
AL	Multi	117	12.1	3.78	(4.6–19.6)		5,381	(1,903–8,860)
AK	White	2,314	7.3	0.78	(5.8–8.8)		27,137	(21,401–32,874)
AK	Black	53	12.5	5.79	(0.9–24.1)		3,903	(69–7,737)
AK	Other	600	9.3	2.65	(4.1–14.5)		9,744	(3,973–15,515)
AK	Multi	139	13.5	5.78	(2.1–25.0)		3,932	(291–7,573)
AZ	White	12,254	10.3	0.36	(9.6–11.0)		402,225	(373,585–430,865)
AZ	Black	498	12.3	1.77	(8.8–15.8)		31,033	(21,753–40,313)
AZ	Other	1,870	7.6	0.76	(6.1–9.1)		70,278	(56,049–84,506)
AZ	Multi	267	12.1	2.20	(7.7–16.4)		10,279	(6,479–14,080)
AR	White	4,153	8.7	0.72	(7.3–10.1)		152,228	(127,002–177,454)
AR	Black	788	14.4	2.56	(9.4–19.5)		47,511	(29,874–65,147)
AR	Other	161	10.2	4.75	(0.9–19.6)		12,912	(377–25,446)
AR	Multi	128	16.4	5.09	(6.3–26.5)		6,270	(2,435–10,105)
CA	White	6,477	8.5	0.48	(7.5–9.4)		1,581,676	(1,400,495–1,762,858)
CA	Black	491	12.6	1.95	(8.7–16.4)		243,386	(164,244–322,529)
CA	Other	1,693	6.1	0.77	(4.6–7.6)		477,496	(356,228–598,764)
CA	Multi	287	10.8	2.28	(6.3–15.2)		62,676	(35,455–89,896)
CO	White	8,114	9.1	0.40	(8.3–9.9)		313,135	(285,404–340,867)
CO	Black	277	15.6	2.87	(9.9–21.2)		26,845	(16,116–37,575)
CO	Other	748	8.6	1.19	(6.3–11.0)		39,371	(28,344–50,397)
CO	Multi	179	13.6	3.17	(7.3–19.8)		9,515	(4,797–14,234)
CT	White	8,643	10.2	0.47	(9.3–11.1)		214,533	(194,336–234,729)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
CT	Black	743	12.0	1.43	(9.2–14.8)		35,480	(26,838–44,122)
CT	Other	702	10.6	1.54	(7.6–13.6)		30,882	(21,653–40,110)
CT	Multi	142	21.9	5.19	(11.7–32.2)		6,574	(3,047–10,100)
DE	White	2,907	10.2	0.84	(8.5–11.8)		51,250	(42,570–59,930)
DE	Black	610	14.7	1.95	(10.9–18.5)		22,789	(16,456–29,122)
DE	Other	323	5.4	1.87	(1.7–9.1)		2,856	(841–4,871)
DE	Multi	56	3.8		(–)		315	(–)
DC	White	1,240	6.1	1.06	(4.0–8.1)		14,729	(9,506–19,951)
DC	Black	2,216	13.7	0.92	(11.9–15.5)		33,262	(28,692–37,832)
DC	Other	249	4.5	1.26	(2.0–6.9)		2,744	(1,224–4,264)
DC	Multi	63	16.8	7.18	(2.5–31.2)		1,284	(53–2,516)
FL	White	17,073	7.8	0.49	(6.9–8.8)		914,882	(798,991–1,030,773)
FL	Black	2,368	7.6	1.01	(5.6–9.5)		194,309	(142,508–246,110)
FL	Other	1,324	4.3	0.81	(2.7–5.9)		65,027	(41,424–88,629)
FL	Multi	360	7.8	2.20	(3.5–12.1)		18,068	(8,504–27,631)
GA	White	3,658	8.1	0.60	(6.9–9.3)		363,261	(309,287–417,234)
GA	Black	1,615	10.0	0.96	(8.2–11.9)		240,839	(193,673–288,006)
GA	Other	371	3.5	1.12	(1.3–5.7)		19,426	(6,971–31,880)
GA	Multi	110	16.4	4.33	(7.9–25.0)		18,938	(8,177–29,700)
HI	White	2,674	7.4	0.75	(5.9–8.8)		23,592	(18,714–28,469)
HI	Black	72	15.3	7.20	(1.0–29.7)		4,163	(0–8,566)
HI	Other	2,775	8.2	0.68	(6.8–9.5)		39,644	(32,916–46,371)
HI	Multi	2,121	14.9	1.05	(12.8–16.9)		40,790	(34,749–46,831)
ID	White	4,532	9.1	0.57	(8.0–10.2)		103,884	(90,964–116,804)
ID	Black	18	0.0		(–)		0	(–)
ID	Other	92	7.3	2.94	(1.4–13.1)		2,938	(527–5,348)
ID	Multi	78	16.4	6.01	(4.4–28.4)		4,840	(952–8,728)
IL	White	4,265	8.1	0.52	(7.0–9.1)		585,272	(510,457–660,087)
IL	Black	751	10.8	1.39	(8.1–13.5)		149,749	(110,301–189,196)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
IL	Other	365	5.5	1.43	(2.6–8.3)		48,908	(22,964–74,851)
IL	Multi	75	13.7	6.02	(1.7–25.6)		19,357	(668–38,046)
IN	White	11,913	9.7	0.37	(9.0–10.4)		413,892	(381,755–446,029)
IN	Black	956	12.9	1.50	(9.9–15.8)		58,203	(43,961–72,445)
IN	Other	343	8.2	2.29	(3.7–12.6)		12,776	(5,328–20,224)
IN	Multi	216	20.0	3.53	(13.1–27.0)		13,274	(8,120–18,428)
IA	White	7,091	9.1	0.42	(8.3–9.9)		196,642	(178,656–214,627)
IA	Black	126	13.5	3.81	(6.0–21.0)		9,835	(3,877–15,793)
IA	Other	235	10.0	2.51	(5.0–14.9)		11,180	(5,306–17,054)
IA	Multi	84	14.4	3.97	(6.5–22.3)		3,497	(1,537–5,456)
KS	White	19,391	8.9	0.26	(8.4–9.4)		165,984	(156,130–175,838)
KS	Black	931	12.3	1.41	(9.6–15.1)		15,826	(12,045–19,607)
KS	Other	664	7.6	1.27	(5.1–10.1)		8,253	(5,464–11,042)
KS	Multi	382	17.3	2.53	(12.3–22.3)		6,600	(4,487–8,713)
KY	White	7,163	10.1	0.57	(9.0–11.2)		300,814	(266,739–334,889)
KY	Black	945	16.4	3.04	(10.4–22.4)		43,811	(26,332–61,290)
KY	Other	171	7.8	2.95	(1.9–13.6)		7,084	(1,645–12,522)
KY	Multi	191	31.4	6.45	(18.7–44.1)		11,695	(5,542–17,848)
LA	White	3,252	8.3	0.63	(7.0–9.5)		183,660	(155,377–211,943)
LA	Black	1,181	10.1	1.18	(7.8–12.4)		109,679	(83,280–136,078)
LA	Other	168	10.7	4.31	(2.2–19.2)		17,757	(2,463–33,051)
LA	Multi	97	10.3	3.85	(2.7–18.0)		4,094	(917–7,271)
ME	White	9,182	11.0	0.50	(10.0–12.0)		111,279	(101,275–121,282)
ME	Black	56	4.7		(–)		581	(–)
ME	Other	145	18.6	5.10	(8.5–28.6)		3,918	(1,615–6,222)
ME	Multi	148	20.1	5.09	(10.1–30.2)		3,322	(1,452–5,193)
MD	White	9,692	8.8	0.47	(7.9–9.7)		229,985	(204,912–255,057)
MD	Black	2,656	12.2	0.98	(10.3–14.1)		164,123	(136,647–191,600)
MD	Other	615	5.5	1.11	(3.3–7.6)		27,070	(16,105–38,035)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
MD	Multi	211	20.5	4.34	(12.0–29.1)		13,708	(7,183–20,232)
MA	White	5,597	11.7	0.77	(10.2–13.2)		480,677	(416,263–545,090)
MA	Black	376	14.2	3.84	(6.7–21.8)		55,866	(22,767–88,965)
MA	Other	424	7.4	1.62	(4.2–10.6)		40,796	(22,812–58,781)
MA	Multi	158	16.0	4.66	(6.8–25.2)		15,826	(5,883–25,769)
MI	White	8,839	10.3	0.43	(9.4–11.1)		617,085	(564,133–670,037)
MI	Black	1,101	15.3	1.33	(12.7–17.9)		156,627	(128,031–185,223)
MI	Other	372	7.5	1.64	(4.3–10.7)		30,435	(16,957–43,912)
MI	Multi	258	18.3	2.83	(12.7–23.9)		22,557	(15,241–29,872)
MN	White	15,161	7.4	0.28	(6.8–7.9)		262,847	(242,776–282,917)
MN	Black	486	8.7	1.57	(5.6–11.7)		19,265	(12,085–26,445)
MN	Other	786	3.7	0.76	(2.2–5.2)		11,526	(6,762–16,289)
MN	Multi	185	14.9	3.29	(8.4–21.3)		6,926	(3,696–10,156)
MS	White	3,277	7.7	0.62	(6.5–8.9)		103,199	(86,728–119,669)
MS	Black	1,516	9.3	1.02	(7.3–11.3)		74,135	(57,801–90,469)
MS	Other	97	6.8	2.97	(0.8–12.7)		3,469	(417–6,521)
MS	Multi	91	18.0	5.78	(6.6–29.5)		6,115	(1,879–10,350)
MO	White	6,363	8.6	0.49	(7.6–9.5)		329,802	(292,139–367,464)
MO	Black	733	15.1	1.83	(11.5–18.7)		78,596	(58,780–98,412)
MO	Other	223	9.3	2.55	(4.3–14.3)		17,321	(7,513–27,130)
MO	Multi	129	17.9	5.54	(7.0–28.9)		13,273	(4,332–22,214)
MT	White	4,895	8.4	0.53	(7.3–9.4)		61,147	(53,505–68,789)
MT	Black	21	1.5		(–)		94	(–)
MT	Other	783	14.1	2.19	(9.8–18.4)		9,291	(6,246–12,337)
MT	Multi	115	24.9	6.67	(11.7–38.1)		3,242	(1,187–5,298)
NE	White	13,973	8.2	0.38	(7.4–8.9)		101,136	(91,868–110,405)
NE	Black	277	11.7	2.39	(7.0–16.4)		7,306	(4,205–10,407)
NE	Other	652	5.1	0.96	(3.2–7.0)		4,366	(2,757–5,975)
NE	Multi	168	15.1	3.72	(7.8–22.5)		4,463	(2,208–6,718)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NV	White	2,804	10.3	0.89	(8.5–12.0)		140,114	(115,374–164,854)
NV	Black	189	20.4	3.59	(13.3–27.5)		42,290	(25,842–58,737)
NV	Other	495	6.6	1.49	(3.7–9.6)		38,784	(21,122–56,447)
NV	Multi	136	22.1	5.65	(10.9–33.3)		13,787	(6,207–21,366)
NH	White	5,372	13.3	0.71	(11.9–14.6)		131,061	(116,805–145,317)
NH	Black	22	16.3		(–)		1,540	(–)
NH	Other	169	9.6	3.16	(3.3–15.8)		4,690	(1,501–7,879)
NH	Multi	72	20.2	6.95	(6.3–34.0)		2,883	(666–5,099)
NJ	White	8,543	8.7	0.56	(7.6–9.8)		384,566	(333,980–435,153)
NJ	Black	1,453	12.6	1.47	(9.7–15.5)		118,517	(89,634–147,400)
NJ	Other	990	5.5	0.92	(3.6–7.3)		64,063	(42,519–85,607)
NJ	Multi	150	11.5	3.41	(4.8–18.3)		8,824	(3,435–14,212)
NM	White	4,880	10.7	0.66	(9.4–12.0)		125,083	(109,559–140,607)
NM	Black	81	11.5	4.67	(2.2–20.8)		2,969	(420–5,517)
NM	Other	1,042	10.4	1.41	(7.6–13.2)		25,098	(18,141–32,054)
NM	Multi	90	14.3	4.21	(5.9–22.6)		4,978	(1,959–7,997)
NY	White	8,912	8.9	0.44	(8.1–9.8)		876,888	(790,597–963,179)
NY	Black	1,446	11.8	1.00	(9.8–13.8)		294,237	(243,254–345,219)
NY	Other	868	5.9	1.10	(3.8–8.1)		113,361	(71,035–155,687)
NY	Multi	196	22.6	4.20	(14.4–30.9)		52,620	(30,323–74,918)
NC	White	3,298	9.1	0.66	(7.8–10.4)		485,526	(414,999–556,053)
NC	Black	965	11.0	1.30	(8.4–13.5)		182,608	(138,446–226,769)
NC	Other	457	5.3	1.21	(2.9–7.6)		33,144	(18,034–48,253)
NC	Multi	82	9.7	4.03	(1.7–17.8)		16,014	(2,176–29,852)
ND	White	6,428	8.4	0.50	(7.5–9.4)		43,119	(37,973–48,265)
ND	Black	72	9.2	4.38	(0.5–18.0)		1,614	(0–3,231)
ND	Other	320	9.5	1.84	(5.9–13.1)		3,581	(2,189–4,973)
ND	Multi	65	14.0	5.61	(2.8–25.2)		1,495	(194–2,796)
OH	White	10,567	9.2	0.46	(8.3–10.1)		673,316	(604,907–741,726)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
OH	Black	937	14.5	1.54	(11.4–17.5)		154,388	(119,659–189,117)
OH	Other	311	10.9	2.59	(5.8–16.0)		32,204	(16,340–48,068)
OH	Multi	203	14.6	4.02	(6.7–22.5)		21,332	(8,751–33,913)
OK	White	5,192	9.3	0.52	(8.3–10.3)		205,265	(182,261–228,269)
OK	Black	366	12.0	2.19	(7.7–16.3)		25,616	(15,777–35,456)
OK	Other	575	9.1	1.33	(6.5–11.8)		32,284	(22,839–41,730)
OK	Multi	337	14.3	2.47	(9.4–19.1)		18,964	(12,087–25,842)
OR	White	4,516	11.2	0.55	(10.1–12.3)		302,102	(272,617–331,586)
OR	Black	73	9.1	3.61	(1.9–16.3)		7,320	(1,301–13,338)
OR	Other	269	7.5	1.78	(4.0–11.0)		18,815	(9,836–27,794)
OR	Multi	281	16.5	2.52	(11.5–21.5)		14,948	(10,175–19,721)
PA	White	5,402	9.7	0.57	(8.6–10.9)		791,769	(697,076–886,461)
PA	Black	589	10.9	1.50	(8.0–13.8)		118,162	(85,106–151,218)
PA	Other	301	10.2	2.65	(5.0–15.4)		56,976	(25,927–88,025)
PA	Multi	96	19.0	4.69	(9.7–28.3)		21,303	(10,124–32,481)
RI	White	4,728	12.3	0.72	(10.9–13.7)		82,033	(72,163–91,903)
RI	Black	238	14.3	2.69	(9.0–19.6)		7,086	(4,344–9,828)
RI	Other	386	9.7	2.40	(4.9–14.4)		8,375	(4,023–12,727)
RI	Multi	93	23.8	7.61	(8.7–38.9)		3,336	(784–5,887)
SC	White	7,481	9.1	0.48	(8.2–10.0)		238,833	(213,564–264,103)
SC	Black	2,982	9.8	0.84	(8.1–11.4)		98,780	(81,382–116,178)
SC	Other	323	9.8	2.38	(5.1–14.5)		12,117	(6,043–18,192)
SC	Multi	215	9.8	2.85	(4.2–15.4)		5,634	(2,285–8,983)
SD	White	5,349	7.3	0.63	(6.1–8.5)		41,133	(34,078–48,187)
SD	Black	34	1.5		(–)		202	(–)
SD	Other	1,409	9.7	1.72	(6.4–13.1)		6,067	(3,950–8,184)
SD	Multi	121	5.1	1.85	(1.4–8.8)		554	(199–909)
TN	White	4,777	9.8	0.59	(8.7–11.0)		393,975	(346,976–440,974)
TN	Black	654	8.3	1.50	(5.4–11.3)		68,655	(43,628–93,682)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
TN	Other	175	15.5	6.62	(2.5–28.6)		30,588	(903–60,272)
TN	Multi	94	15.1	5.16	(4.9–25.4)		11,039	(3,219–18,859)
TX	White	9,699	7.0	0.53	(6.0–8.1)		1,042,861	(887,220–1,198,503)
TX	Black	1,038	12.4	2.10	(8.3–16.5)		327,657	(211,472–443,842)
TX	Other	572	2.6	0.76	(1.1–4.1)		43,932	(18,996–68,869)
TX	Multi	184	14.1	5.65	(2.9–25.2)		36,699	(4,765–68,633)
UT	White	9,155	9.0	0.38	(8.3–9.8)		167,654	(153,693–181,616)
UT	Black	71	8.6	3.86	(0.9–16.3)		2,534	(165–4,903)
UT	Other	520	7.6	1.37	(4.9–10.3)		12,759	(8,120–17,398)
UT	Multi	112	18.9	5.28	(8.4–29.3)		7,044	(2,576–11,513)
VT	White	6,017	11.8	0.60	(10.6–12.9)		54,785	(49,093–60,478)
VT	Black	45	23.2	9.32	(4.4–42.0)		1,516	(94–2,938)
VT	Other	178	9.1	2.63	(3.9–14.3)		1,492	(643–2,342)
VT	Multi	109	14.0	4.01	(6.0–21.9)		666	(285–1,047)
VA	White	7,088	9.3	0.51	(8.3–10.3)		409,378	(364,129–454,626)
VA	Black	1,574	9.8	1.03	(7.8–11.8)		120,616	(94,680–146,552)
VA	Other	496	4.4	1.04	(2.4–6.5)		28,050	(15,091–41,009)
VA	Multi	167	11.4	3.13	(5.2–17.6)		13,726	(6,010–21,442)
WA	White	10,997	10.8	0.41	(10.0–11.6)		462,998	(427,419–498,578)
WA	Black	260	8.6	1.82	(5.0–12.2)		17,976	(10,230–25,722)
WA	Other	1,178	8.9	1.11	(6.8–11.1)		80,246	(59,699–100,794)
WA	Multi	359	20.1	2.80	(14.6–25.6)		29,784	(20,641–38,926)
WV	White	5,107	12.6	0.58	(11.4–13.7)		168,047	(152,496–183,598)
WV	Black	123	13.2	3.89	(5.5–20.9)		6,252	(2,332–10,172)
WV	Other	82	25.5	5.82	(14.0–37.1)		6,057	(2,853–9,260)
WV	Multi	76	7.8	3.12	(1.6–14.1)		1,328	(264–2,392)
WI	White	5,098	9.3	0.53	(8.2–10.3)		360,003	(318,847–401,158)
WI	Black	241	14.4	3.99	(6.5–22.2)		37,309	(15,102–59,517)
WI	Other	314	8.1	2.17	(3.8–12.4)		21,486	(9,964–33,009)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
WI	Multi	61	16.0	6.76	(2.5–29.5)		5,083	(504–9,662)
WY	White	4,101	8.7	0.55	(7.6–9.8)		34,572	(30,209–38,936)
WY	Black	36	17.3	8.24	(0.5–34.0)		868	(0–1,784)
WY	Other	147	14.1	3.43	(7.4–20.9)		3,335	(1,627–5,043)
WY	Multi	64	11.5	4.80	(1.9–21.1)		1,224	(137–2,312)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.