

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White	341,976	14.1	0.12	(13.9–14.4)		25,568,043	(25,111,558–26,024,528)
U.S. Total**	Black	37,447	17.6	0.38	(16.9–18.4)		5,617,240	(5,357,493–5,876,987)
U.S. Total**	Other	30,372	13.0	0.43	(12.1–13.8)		3,735,122	(3,479,531–3,990,713)
U.S. Total**	Multi	9,300	23.2	0.85	(21.5–24.8)		936,057	(861,278–1,010,835)
AL	White	4,511	16.6	0.76	(15.1–18.1)		431,830	(390,596–473,064)
AL	Black	1,709	15.9	1.30	(13.3–18.4)		154,627	(127,583–181,670)
AL	Other	184	19.7	4.10	(11.6–27.8)		23,448	(12,941–33,954)
AL	Multi	94	21.4	5.63	(10.2–32.6)		8,474	(3,677–13,270)
AK	White	2,016	13.5	1.09	(11.4–15.7)		49,790	(41,669–57,911)
AK	Black	51	17.6	6.04	(5.5–29.7)		4,097	(1,107–7,086)
AK	Other	538	16.3	2.18	(12.1–20.6)		21,259	(15,359–27,158)
AK	Multi	97	23.4	6.68	(10.1–36.6)		5,228	(1,826–8,629)
AZ	White	6,209	15.2	0.71	(13.8–16.6)		606,523	(548,941–664,106)
AZ	Black	180	18.4	3.74	(11.1–25.8)		46,496	(26,085–66,907)
AZ	Other	1,306	13.9	1.75	(10.4–17.3)		134,275	(98,968–169,583)
AZ	Multi	147	23.6	5.56	(12.6–34.6)		19,788	(10,049–29,526)
AR	White	4,123	14.0	0.81	(12.4–15.6)		249,929	(220,379–279,480)
AR	Black	859	16.5	2.29	(12.0–21.0)		55,101	(38,526–71,677)
AR	Other	176	14.5	3.76	(7.1–22.0)		16,669	(7,719–25,620)
AR	Multi	127	25.4	5.63	(14.2–36.5)		9,656	(5,014–14,298)
CA	White	7,954	14.9	0.51	(13.9–15.9)		2,801,803	(2,604,356–2,999,249)
CA	Black	730	21.9	2.08	(17.8–26.0)		452,814	(355,745–549,884)
CA	Other	2,345	13.7	0.95	(11.8–15.6)		1,093,655	(936,007–1,251,303)
CA	Multi	363	26.5	3.03	(20.5–32.4)		171,268	(127,410–215,127)
CO	White	7,435	14.6	0.50	(13.6–15.6)		523,322	(486,764–559,880)
CO	Black	234	17.8	3.08	(11.7–23.9)		27,663	(17,235–38,092)
CO	Other	643	10.6	1.43	(7.8–13.4)		41,347	(29,826–52,869)
CO	Multi	144	28.3	4.39	(19.7–37.0)		22,070	(14,177–29,963)
CT	White	8,712	14.2	0.52	(13.2–15.3)		303,695	(281,040–326,351)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
CT	Black	825	20.1	1.86	(16.4–23.7)		61,708	(49,068–74,348)
CT	Other	711	15.4	1.77	(11.9–18.8)		42,273	(32,011–52,534)
CT	Multi	146	24.9	4.92	(15.1–34.6)		7,449	(4,132–10,766)
DE	White	3,743	13.9	0.79	(12.3–15.4)		71,401	(62,991–79,811)
DE	Black	753	17.4	2.00	(13.5–21.3)		28,129	(21,071–35,187)
DE	Other	382	10.2	2.33	(5.6–14.8)		5,423	(2,868–7,979)
DE	Multi	98	31.5	7.48	(16.6–46.3)		2,334	(869–3,800)
DC	White	1,980	14.8	1.26	(12.4–17.3)		39,172	(32,107–46,237)
DC	Black	1,953	20.1	1.19	(17.8–22.5)		48,461	(42,406–54,515)
DC	Other	247	18.1	2.93	(12.4–23.9)		8,306	(5,447–11,165)
DC	Multi	97	28.2	6.36	(15.6–40.8)		2,984	(1,399–4,569)
FL	White	12,066	13.1	0.64	(11.9–14.4)		1,605,638	(1,446,434–1,764,842)
FL	Black	1,593	14.7	1.75	(11.3–18.1)		388,912	(290,726–487,098)
FL	Other	869	15.4	2.53	(10.4–20.3)		224,957	(145,331–304,582)
FL	Multi	267	13.1	3.64	(6.0–20.3)		28,903	(13,247–44,560)
GA	White	5,838	12.8	0.55	(11.8–13.9)		593,357	(541,333–645,382)
GA	Black	2,293	16.4	1.00	(14.5–18.4)		403,391	(351,419–455,363)
GA	Other	615	7.1	1.26	(4.6–9.6)		40,185	(25,815–54,555)
GA	Multi	163	23.4	4.37	(14.8–32.0)		19,798	(11,237–28,358)
HI	White	2,816	13.2	0.93	(11.4–15.1)		38,432	(32,781–44,084)
HI	Black	91	14.1	4.43	(5.3–23.0)		2,894	(1,010–4,778)
HI	Other	3,412	15.3	0.83	(13.7–17.0)		92,422	(82,016–102,828)
HI	Multi	1,482	24.7	1.61	(21.5–27.8)		48,302	(41,201–55,403)
ID	White	3,333	13.3	0.78	(11.8–14.9)		154,410	(136,257–172,563)
ID	Black	19	22.5		(–)		2,469	(–)
ID	Other	197	13.4	3.06	(7.4–19.4)		11,633	(6,073–17,193)
ID	Multi	52	38.3	10.24	(17.8–58.9)		7,906	(1,919–13,894)
IL	White	3,895	12.6	0.62	(11.4–13.8)		897,611	(809,667–985,556)
IL	Black	738	21.0	1.96	(17.1–24.8)		297,558	(236,516–358,600)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
IL	Other	424	6.9	1.31	(4.3–9.5)		65,347	(40,377–90,318)
IL	Multi	79	21.4	5.26	(10.9–31.9)		18,520	(8,570–28,471)
IN	White	6,414	14.4	0.59	(13.2–15.5)		613,240	(562,435–664,044)
IN	Black	595	18.6	1.97	(14.7–22.4)		85,239	(66,003–104,476)
IN	Other	293	11.2	2.24	(6.8–15.6)		26,733	(15,968–37,498)
IN	Multi	141	25.6	4.89	(15.9–35.3)		13,852	(7,905–19,800)
IA	White	8,366	11.6	0.42	(10.8–12.5)		252,572	(234,449–270,694)
IA	Black	164	23.6	4.01	(15.7–31.5)		18,510	(11,238–25,782)
IA	Other	273	10.8	2.15	(6.6–15.0)		10,755	(6,291–15,219)
IA	Multi	119	29.2	4.67	(20.0–38.5)		7,752	(4,862–10,642)
KS	White	9,709	14.2	0.48	(13.3–15.1)		270,653	(252,042–289,265)
KS	Black	454	19.9	2.41	(15.1–24.6)		24,925	(18,339–31,512)
KS	Other	301	14.3	2.31	(9.8–18.9)		13,596	(9,037–18,155)
KS	Multi	166	29.7	4.48	(20.9–38.6)		12,266	(7,862–16,670)
KY	White	7,158	15.5	0.70	(14.2–16.9)		467,648	(424,701–510,596)
KY	Black	928	22.9	3.53	(15.9–29.8)		61,605	(39,753–83,458)
KY	Other	196	21.0	5.75	(9.7–32.3)		21,122	(7,911–34,333)
KY	Multi	145	29.0	7.01	(15.1–42.8)		11,345	(5,313–17,377)
LA	White	3,451	13.7	0.82	(12.1–15.3)		306,290	(267,828–344,752)
LA	Black	1,271	16.8	1.68	(13.5–20.1)		184,765	(144,452–225,078)
LA	Other	213	17.7	3.67	(10.4–24.9)		25,146	(13,879–36,413)
LA	Multi	96	20.2	6.24	(7.8–32.5)		7,570	(2,185–12,955)
ME	White	10,313	16.5	0.67	(15.2–17.8)		169,870	(155,438–184,303)
ME	Black	53	20.8	8.51	(3.7–37.8)		2,979	(365–5,593)
ME	Other	195	29.9	5.95	(18.1–41.6)		5,912	(3,091–8,732)
ME	Multi	215	30.9	5.69	(19.6–42.1)		3,911	(2,150–5,671)
MD	White	12,492	14.1	0.51	(13.1–15.1)		374,066	(345,995–402,137)
MD	Black	3,387	17.7	1.00	(15.7–19.6)		246,643	(216,447–276,839)
MD	Other	898	10.3	1.40	(7.5–13.0)		51,467	(37,046–65,888)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
MD	Multi	319	24.7	3.49	(17.8–31.5)		17,345	(11,718–22,972)
MA	White	5,419	15.9	0.68	(14.6–17.2)		667,725	(608,501–726,949)
MA	Black	393	13.7	2.11	(9.6–17.9)		57,076	(38,634–75,517)
MA	Other	431	10.9	1.95	(7.1–14.7)		58,558	(36,898–80,218)
MA	Multi	138	27.3	5.31	(16.8–37.8)		24,316	(12,904–35,729)
MI	White	8,414	15.3	0.52	(14.3–16.3)		929,920	(865,735–994,105)
MI	Black	981	21.5	1.61	(18.4–24.7)		220,151	(184,200–256,103)
MI	Other	435	12.2	1.79	(8.7–15.7)		49,101	(34,462–63,741)
MI	Multi	251	21.2	3.28	(14.7–27.6)		25,044	(16,460–33,628)
MN	White	14,970	11.2	0.32	(10.6–11.9)		408,543	(385,371–431,715)
MN	Black	546	17.3	1.94	(13.5–21.1)		41,112	(31,126–51,098)
MN	Other	904	11.0	1.24	(8.6–13.5)		35,749	(27,441–44,056)
MN	Multi	217	18.5	3.10	(12.4–24.6)		7,841	(4,986–10,696)
MS	White	3,351	14.8	0.82	(13.2–16.5)		199,410	(176,561–222,259)
MS	Black	2,257	15.9	1.17	(13.6–18.2)		127,962	(107,852–148,072)
MS	Other	124	16.4	3.84	(8.8–24.0)		11,982	(6,185–17,779)
MS	Multi	44	15.8	7.92	(0.0–31.7)		4,503	(0–9,495)
MO	White	5,278	14.4	0.71	(13.0–15.8)		563,462	(507,044–619,879)
MO	Black	573	18.1	2.76	(12.6–23.5)		94,163	(62,242–126,085)
MO	Other	174	17.6	4.66	(8.4–26.9)		30,400	(12,404–48,397)
MO	Multi	104	14.7	4.81	(5.2–24.2)		10,329	(3,330–17,327)
MT	White	4,276	14.0	0.72	(12.6–15.4)		104,265	(93,407–115,124)
MT	Black	26	16.2		(–)		756	(–)
MT	Other	671	19.0	2.73	(13.6–24.3)		10,971	(7,508–14,434)
MT	Multi	119	22.9	5.46	(12.1–33.7)		3,108	(1,498–4,719)
NE	White	13,364	13.1	0.47	(12.1–14.0)		163,194	(151,294–175,094)
NE	Black	270	15.3	2.68	(10.0–20.6)		10,022	(6,308–13,737)
NE	Other	357	12.1	2.23	(7.7–16.5)		6,003	(3,744–8,262)
NE	Multi	124	27.2	5.74	(15.8–38.5)		6,328	(3,189–9,466)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NV	White	2,372	12.0	0.93	(10.2–13.8)		169,997	(143,453–196,541)
NV	Black	147	14.6	3.15	(8.4–20.9)		31,128	(17,027–45,230)
NV	Other	443	13.4	2.68	(8.1–18.7)		75,999	(43,489–108,510)
NV	Multi	140	25.5	6.20	(13.2–37.7)		14,965	(6,424–23,507)
NH	White	5,364	17.7	0.79	(16.1–19.2)		178,592	(161,833–195,350)
NH	Black	46	13.8	7.79	(0.0–29.5)		1,783	(0–4,016)
NH	Other	143	14.0	4.16	(5.8–22.2)		4,956	(1,930–7,982)
NH	Multi	71	19.6	5.91	(7.8–31.4)		3,225	(1,253–5,197)
NJ	White	2,168	11.9	1.04	(9.9–14.0)		526,165	(435,191–617,139)
NJ	Black	408	20.1	3.00	(14.2–26.0)		200,082	(135,833–264,331)
NJ	Other	316	8.9	1.90	(5.2–12.7)		102,697	(59,337–146,056)
NJ	Multi	32	29.9	10.68	(8.2–51.7)		13,395	(2,509–24,280)
NM	White	5,147	15.8	0.74	(14.4–17.3)		188,414	(170,373–206,455)
NM	Black	98	20.4	5.57	(9.3–31.5)		5,518	(2,115–8,921)
NM	Other	972	16.1	1.70	(12.7–19.4)		37,932	(29,447–46,416)
NM	Multi	93	19.7	5.86	(8.1–31.4)		5,033	(1,778–8,287)
NY	White	28,027	15.4	0.41	(14.6–16.2)		1,459,020	(1,378,245–1,539,795)
NY	Black	2,796	17.1	0.98	(15.2–19.0)		433,603	(380,861–486,345)
NY	Other	2,975	13.2	1.04	(11.1–15.2)		337,312	(281,575–393,050)
NY	Multi	696	17.6	2.36	(12.9–22.2)		37,272	(27,233–47,312)
NC	White	3,256	14.0	0.81	(12.4–15.5)		759,537	(669,243–849,832)
NC	Black	922	16.1	1.60	(13.0–19.3)		279,827	(220,460–339,194)
NC	Other	353	14.1	2.39	(9.4–18.8)		83,935	(53,691–114,178)
NC	Multi	78	20.5	5.30	(10.0–31.1)		27,413	(12,027–42,799)
ND	White	5,163	12.7	0.68	(11.3–14.0)		63,982	(56,995–70,969)
ND	Black	76	8.7	4.21	(0.3–17.1)		1,702	(0–3,429)
ND	Other	266	16.0	3.31	(9.5–22.6)		6,500	(3,595–9,405)
ND	Multi	55	29.8	12.21	(5.3–54.3)		2,201	(0–4,600)
OH	White	11,218	12.5	0.49	(11.6–13.5)		928,079	(854,132–1,002,026)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
OH	Black	807	15.9	1.64	(12.7–19.1)		171,308	(134,564–208,052)
OH	Other	291	15.8	3.63	(8.7–23.0)		51,128	(25,705–76,552)
OH	Multi	235	24.7	4.61	(15.6–33.8)		32,340	(18,322–46,358)
OK	White	4,097	15.6	0.76	(14.1–17.1)		341,100	(306,440–375,761)
OK	Black	295	18.2	2.76	(12.8–23.6)		40,835	(27,448–54,221)
OK	Other	517	16.6	2.09	(12.5–20.7)		61,951	(45,202–78,700)
OK	Multi	264	16.2	3.16	(10.0–22.5)		24,058	(13,929–34,188)
OR	White	5,095	17.4	0.65	(16.1–18.7)		481,903	(445,131–518,675)
OR	Black	85	19.3	4.82	(9.8–28.9)		13,652	(6,264–21,039)
OR	Other	330	15.2	2.51	(10.2–20.1)		33,688	(21,744–45,633)
OR	Multi	227	27.3	3.99	(19.4–35.2)		40,846	(26,848–54,844)
PA	White	4,970	14.1	0.63	(12.9–15.4)		1,153,379	(1,048,738–1,258,021)
PA	Black	695	18.5	1.95	(14.6–22.3)		198,010	(153,140–242,880)
PA	Other	322	18.3	3.53	(11.3–25.2)		112,118	(63,234–161,003)
PA	Multi	93	17.5	4.45	(8.7–26.4)		18,857	(8,988–28,725)
RI	White	4,759	15.8	0.80	(14.3–17.4)		106,911	(95,769–118,052)
RI	Black	240	15.7	3.17	(9.4–21.9)		8,335	(4,691–11,980)
RI	Other	352	20.8	3.02	(14.9–26.7)		17,025	(11,522–22,527)
RI	Multi	94	22.0	4.94	(12.2–31.8)		3,325	(1,801–4,848)
SC	White	7,273	13.7	0.59	(12.5–14.8)		368,023	(335,565–400,480)
SC	Black	2,836	15.5	1.09	(13.3–17.6)		157,540	(133,870–181,211)
SC	Other	357	7.5	1.56	(4.5–10.6)		11,507	(6,813–16,201)
SC	Multi	176	18.8	4.42	(10.1–27.6)		8,762	(4,317–13,208)
SD	White	5,713	11.4	0.81	(9.8–12.9)		64,503	(55,226–73,780)
SD	Black	42	5.6		(–)		416	(–)
SD	Other	1,105	10.8	1.58	(7.7–13.9)		6,495	(4,769–8,221)
SD	Multi	138	23.6	8.00	(7.8–39.4)		3,240	(793–5,688)
TN	White	4,225	14.5	0.73	(13.1–15.9)		594,565	(534,166–654,964)
TN	Black	605	17.2	2.08	(13.1–21.3)		144,938	(108,034–181,842)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
TN	Other	150	13.0	3.84	(5.5–20.6)		25,462	(9,811–41,112)
TN	Multi	113	29.6	5.91	(17.8–41.3)		15,263	(7,754–22,772)
TX	White	8,446	13.5	0.77	(12.0–15.0)		1,939,150	(1,716,168–2,162,133)
TX	Black	1,053	18.2	2.23	(13.8–22.6)		479,474	(354,317–604,630)
TX	Other	1,050	12.6	2.13	(8.4–16.8)		379,971	(245,906–514,035)
TX	Multi	210	24.5	5.27	(14.1–34.9)		65,929	(35,190–96,668)
UT	White	9,431	15.0	0.48	(14.0–15.9)		285,831	(267,326–304,337)
UT	Black	84	20.7	4.92	(10.9–30.5)		4,749	(2,300–7,198)
UT	Other	528	9.3	1.44	(6.5–12.2)		14,695	(10,087–19,303)
UT	Multi	115	22.0	5.13	(11.8–32.1)		7,283	(3,411–11,156)
VT	White	6,081	17.1	0.75	(15.7–18.6)		81,056	(73,691–88,421)
VT	Black	35	11.2		(–)		504	(–)
VT	Other	204	21.8	4.73	(12.4–31.1)		3,511	(1,894–5,129)
VT	Multi	124	32.9	9.40	(14.3–51.5)		1,892	(395–3,389)
VA	White	7,558	13.1	0.55	(12.0–14.2)		579,331	(530,081–628,581)
VA	Black	1,650	16.5	1.33	(13.9–19.1)		206,189	(170,806–241,572)
VA	Other	570	8.0	1.41	(5.3–10.8)		51,988	(33,831–70,144)
VA	Multi	226	21.0	4.58	(11.9–30.0)		24,045	(12,047–36,044)
WA	White	11,016	16.4	0.49	(15.5–17.4)		727,177	(682,749–771,605)
WA	Black	242	18.0	3.05	(12.0–24.0)		33,370	(20,933–45,808)
WA	Other	1,060	12.9	1.32	(10.3–15.4)		110,785	(87,099–134,472)
WA	Multi	360	23.4	2.89	(17.7–29.1)		37,778	(27,516–48,040)
WV	White	4,571	15.6	0.67	(14.3–17.0)		208,696	(190,445–226,946)
WV	Black	115	23.5	5.02	(13.6–33.5)		11,656	(6,016–17,297)
WV	Other	81	23.3	5.76	(11.8–34.7)		5,480	(2,498–8,462)
WV	Multi	85	28.7	6.34	(16.1–41.3)		4,904	(2,306–7,502)
WI	White	4,315	11.7	0.65	(10.4–13.0)		457,271	(406,108–508,433)
WI	Black	225	16.0	3.74	(8.7–23.4)		41,742	(21,310–62,174)
WI	Other	304	7.8	2.13	(3.6–12.0)		18,709	(8,647–28,770)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
WI	Multi	61	32.6	9.85	(12.9–52.3)		12,875	(2,628–23,123)
WY	White	4,105	12.1	0.67	(10.8–13.4)		47,590	(42,332–52,847)
WY	Black	19	27.0	12.87	(0.0–54.0)		647	(0–1,400)
WY	Other	169	9.8	2.60	(4.7–15.0)		2,584	(1,172–3,997)
WY	Multi	60	31.9	7.56	(16.8–47.0)		2,964	(1,241–4,687)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.