

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White NH	323,695	14.4	0.12	(14.1–14.6)		22,691,479	(22,287,303–23,095,654)
U.S. Total**	Black NH	35,810	17.5	0.39	(16.8–18.3)		5,232,777	(4,984,692–5,480,861)
U.S. Total**	Other NH	21,543	12.4	0.52	(11.4–13.4)		2,167,345	(1,978,180–2,356,509)
U.S. Total**	Multirace NH	8,321	23.4	0.89	(21.6–25.1)		754,290	(690,142–818,438)
U.S. Total**	Hispanic	31,904	13.0	0.36	(12.3–13.7)		5,307,299	(5,005,929–5,608,670)
AL	White NH	4,445	16.8	0.77	(15.2–18.3)		423,798	(382,983–464,612)
AL	Black NH	1,689	15.7	1.28	(13.2–18.2)		149,857	(123,705–176,008)
AL	Other NH	161	23.1	4.80	(13.6–32.6)		20,649	(10,854–30,444)
AL	Multirace NH	92	20.2	5.57	(9.1–31.2)		7,830	(3,203–12,456)
AL	Hispanic	87	9.3	3.59	(2.1–16.4)		11,494	(2,427–20,561)
AK	White NH	1,962	13.4	1.09	(11.2–15.5)		46,786	(39,035–54,538)
AK	Black NH	49	16.9	6.12	(4.5–29.2)		3,788	(859–6,717)
AK	Other NH	497	16.1	2.20	(11.8–20.4)		19,089	(13,717–24,461)
AK	Multirace NH	93	21.3	6.42	(8.5–34.0)		4,307	(1,428–7,187)
AK	Hispanic	96	18.9	5.43	(8.1–29.7)		6,403	(2,321–10,484)
AZ	White NH	5,527	16.0	0.78	(14.4–17.5)		509,823	(458,788–560,858)
AZ	Black NH	164	19.2	3.96	(11.3–27.0)		43,062	(23,781–62,342)
AZ	Other NH	889	15.2	2.62	(10.1–20.4)		63,610	(40,451–86,769)
AZ	Multirace NH	128	30.2	6.31	(17.7–42.7)		14,500	(7,274–21,726)
AZ	Hispanic	1,162	12.6	1.38	(9.8–15.3)		186,745	(144,024–229,465)
AR	White NH	4,059	13.7	0.79	(12.1–15.2)		235,229	(207,594–262,865)
AR	Black NH	852	16.7	2.32	(12.2–21.3)		55,005	(38,431–71,580)
AR	Other NH	137	16.3	4.60	(7.2–25.4)		9,252	(3,809–14,695)
AR	Multirace NH	123	29.6	6.10	(17.5–41.7)		9,656	(5,013–14,299)
AR	Hispanic	103	14.8	4.31	(6.2–23.3)		21,033	(7,897–34,170)
CA	White NH	5,405	16.6	0.66	(15.3–17.9)		2,004,323	(1,837,757–2,170,889)
CA	Black NH	597	23.7	2.38	(19.0–28.4)		403,865	(310,781–496,948)
CA	Other NH	1,320	12.7	1.23	(10.3–15.1)		661,204	(529,618–792,789)
CA	Multirace NH	292	25.4	3.38	(18.8–32.1)		122,546	(85,988–159,105)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
CA	Hispanic	4,057	12.9	0.66	(11.6–14.2)		1,385,995	(1,238,347–1,533,642)
CO	White NH	6,561	14.7	0.54	(13.7–15.8)		452,857	(418,770–486,945)
CO	Black NH	212	18.7	3.28	(12.2–25.1)		26,493	(16,316–36,671)
CO	Other NH	271	13.3	2.50	(8.4–18.2)		23,275	(14,124–32,426)
CO	Multirace NH	119	27.5	4.69	(18.2–36.8)		17,424	(10,720–24,127)
CO	Hispanic	1,362	11.8	1.01	(9.8–13.8)		96,231	(79,157–113,305)
CT	White NH	8,315	13.5	0.51	(12.4–14.5)		260,459	(240,384–280,534)
CT	Black NH	764	19.1	1.94	(15.2–22.9)		51,784	(40,162–63,406)
CT	Other NH	435	13.0	2.17	(8.7–17.2)		17,427	(11,357–23,496)
CT	Multirace NH	126	26.4	5.62	(15.2–37.5)		6,098	(3,120–9,077)
CT	Hispanic	795	21.7	1.74	(18.3–25.1)		89,720	(74,105–105,335)
DE	White NH	3,530	14.1	0.82	(12.5–15.8)		69,218	(60,864–77,571)
DE	Black NH	715	17.0	2.05	(12.9–21.0)		26,505	(19,541–33,470)
DE	Other NH	202	9.1	2.69	(3.8–14.4)		3,237	(1,294–5,180)
DE	Multirace NH	80	29.0	8.80	(11.5–46.6)		1,600	(328–2,872)
DE	Hispanic	545	12.1	1.98	(8.2–16.0)		7,341	(4,837–9,845)
DC	White NH	1,875	14.6	1.28	(12.1–17.1)		34,039	(27,736–40,341)
DC	Black NH	1,923	20.1	1.20	(17.8–22.5)		46,834	(40,899–52,769)
DC	Other NH	195	18.0	3.28	(11.6–24.5)		5,265	(3,179–7,352)
DC	Multirace NH	91	30.2	6.58	(17.2–43.3)		2,643	(1,208–4,077)
DC	Hispanic	188	18.1	3.29	(11.6–24.5)		11,062	(6,661–15,464)
FL	White NH	11,061	12.6	0.58	(11.4–13.7)		1,198,282	(1,085,684–1,310,881)
FL	Black NH	1,508	13.8	1.69	(10.5–17.2)		335,318	(249,465–421,170)
FL	Other NH	464	11.4	2.67	(6.1–16.6)		65,450	(34,108–96,792)
FL	Multirace NH	230	13.2	3.86	(5.6–20.8)		18,499	(7,253–29,745)
FL	Hispanic	1,655	16.3	1.70	(13.0–19.7)		682,232	(532,931–831,534)
GA	White NH	5,446	13.2	0.58	(12.1–14.3)		571,132	(519,809–622,456)
GA	Black NH	2,226	16.5	1.01	(14.5–18.4)		395,075	(343,463–446,687)
GA	Other NH	371	7.5	1.67	(4.2–10.8)		27,737	(15,195–40,279)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
GA	Multirace NH	149	22.1	4.10	(14.0–30.2)		16,716	(9,805–23,627)
GA	Hispanic	848	7.6	1.08	(5.4–9.7)		50,055	(35,460–64,651)
HI	White NH	2,640	13.4	0.98	(11.4–15.3)		36,035	(30,479–41,591)
HI	Black NH	84	10.6	3.91	(2.8–18.4)		2,005	(495–3,515)
HI	Other NH	3,094	14.9	0.86	(13.3–16.6)		81,961	(72,189–91,733)
HI	Multirace NH	1,261	22.8	1.59	(19.7–26.0)		37,315	(31,622–43,008)
HI	Hispanic	684	24.4	2.51	(19.5–29.4)		24,638	(18,746–30,530)
ID	White NH	3,185	13.5	0.81	(11.9–15.1)		146,629	(128,970–164,288)
ID	Black NH	17	24.2		(–)		2,469	(–)
ID	Other NH	96	20.1	4.89	(10.4–29.8)		6,627	(3,147–10,106)
ID	Multirace NH	45	37.6	10.97	(15.5–59.7)		6,334	(1,214–11,453)
ID	Hispanic	265	9.6	2.34	(5.0–14.2)		13,069	(6,460–19,679)
IL	White NH	3,408	13.2	0.68	(11.9–14.5)		822,414	(737,554–907,274)
IL	Black NH	693	20.6	1.94	(16.8–24.4)		272,392	(217,103–327,682)
IL	Other NH	260	6.8	1.69	(3.5–10.2)		43,009	(21,527–64,491)
IL	Multirace NH	66	26.0	6.24	(13.5–38.4)		18,118	(8,168–28,067)
IL	Hispanic	790	9.0	1.29	(6.4–11.5)		134,121	(94,233–174,010)
IN	White NH	6,266	14.4	0.60	(13.3–15.6)		594,090	(544,037–644,143)
IN	Black NH	582	18.4	1.95	(14.6–22.3)		82,548	(64,044–101,051)
IN	Other NH	203	11.0	2.67	(5.7–16.3)		14,800	(7,785–21,815)
IN	Multirace NH	130	25.0	4.88	(15.4–34.7)		10,858	(6,040–15,676)
IN	Hispanic	260	11.8	2.26	(7.4–16.3)		35,262	(21,379–49,144)
IA	White NH	8,155	11.7	0.42	(10.9–12.5)		246,992	(229,070–264,915)
IA	Black NH	158	23.0	4.03	(15.0–31.0)		17,611	(10,508–24,714)
IA	Other NH	156	13.6	3.06	(7.6–19.7)		8,913	(4,666–13,161)
IA	Multirace NH	116	30.0	4.77	(20.6–39.5)		7,752	(4,861–10,643)
IA	Hispanic	401	7.9	1.52	(4.9–10.9)		9,218	(5,567–12,869)
KS	White NH	9,240	14.6	0.49	(13.7–15.6)		251,447	(234,004–268,889)
KS	Black NH	444	18.7	2.37	(14.1–23.4)		22,812	(16,589–29,036)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
KS	Other NH	266	12.8	2.34	(8.2–17.4)		10,151	(6,303–14,000)
KS	Multirace NH	159	28.4	4.56	(19.4–37.4)		10,694	(6,619–14,768)
KS	Hispanic	523	12.4	1.72	(9.1–15.8)		26,836	(19,079–34,593)
KY	White NH	7,071	15.6	0.70	(14.2–17.0)		459,860	(417,351–502,368)
KY	Black NH	924	22.3	3.55	(15.3–29.3)		59,399	(37,755–81,043)
KY	Other NH	173	19.3	6.35	(6.7–31.8)		15,117	(3,833–26,401)
KY	Multirace NH	140	24.6	6.16	(12.4–36.8)		8,805	(4,383–13,227)
KY	Hispanic	107	18.4	5.38	(7.8–29.1)		16,011	(5,653–26,368)
LA	White NH	3,339	13.8	0.83	(12.1–15.4)		292,301	(255,428–329,174)
LA	Black NH	1,252	17.0	1.71	(13.6–20.3)		182,195	(142,046–222,344)
LA	Other NH	163	13.5	3.11	(7.3–19.6)		12,443	(6,692–18,195)
LA	Multirace NH	89	20.6	6.76	(7.2–34.1)		6,953	(1,639–12,266)
LA	Hispanic	155	16.5	4.01	(8.6–24.4)		29,752	(14,003–45,502)
ME	White NH	10,182	16.4	0.66	(15.1–17.7)		166,402	(152,276–180,527)
ME	Black NH	48	20.1	8.74	(2.5–37.7)		2,760	(176–5,344)
ME	Other NH	177	31.1	6.47	(18.3–43.9)		5,069	(2,491–7,647)
ME	Multirace NH	205	30.9	5.87	(19.3–42.4)		3,763	(2,015–5,510)
ME	Hispanic	116	24.8	8.78	(7.4–42.2)		3,818	(524–7,112)
MD	White NH	12,167	14.3	0.52	(13.2–15.3)		351,641	(325,053–378,229)
MD	Black NH	3,306	17.7	1.02	(15.7–19.7)		239,898	(209,938–269,859)
MD	Other NH	689	9.1	1.56	(6.0–12.2)		32,139	(20,853–43,425)
MD	Multirace NH	285	19.9	3.29	(13.4–26.3)		10,943	(6,950–14,937)
MD	Hispanic	669	14.2	1.69	(10.9–17.5)		61,356	(46,044–76,668)
MA	White NH	5,169	15.8	0.70	(14.4–17.1)		624,991	(567,358–682,624)
MA	Black NH	333	11.8	2.05	(7.8–15.8)		41,041	(26,349–55,732)
MA	Other NH	316	9.4	2.28	(5.0–13.9)		38,822	(19,440–58,205)
MA	Multirace NH	117	22.6	4.95	(12.8–32.4)		15,584	(7,879–23,288)
MA	Hispanic	519	17.4	1.99	(13.5–21.3)		98,871	(74,859–122,884)
MI	White NH	8,236	15.1	0.51	(14.1–16.1)		891,864	(829,671–954,058)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
MI	Black NH	963	21.5	1.63	(18.3–24.7)		215,852	(180,174–251,531)
MI	Other NH	328	12.5	2.11	(8.4–16.7)		33,720	(22,018–45,422)
MI	Multirace NH	227	23.7	3.63	(16.5–30.8)		23,236	(15,098–31,374)
MI	Hispanic	292	16.4	2.75	(10.9–21.8)		51,521	(32,889–70,152)
MN	White NH	14,618	11.3	0.32	(10.7–11.9)		400,348	(377,319–423,376)
MN	Black NH	526	17.2	1.96	(13.3–21.0)		39,845	(29,956–49,733)
MN	Other NH	676	12.0	1.49	(9.1–14.9)		30,836	(22,951–38,722)
MN	Multirace NH	198	19.3	3.36	(12.7–25.9)		7,361	(4,546–10,176)
MN	Hispanic	684	7.8	1.08	(5.7–9.9)		14,602	(10,511–18,693)
MS	White NH	3,328	15.0	0.83	(13.4–16.6)		199,410	(176,561–222,260)
MS	Black NH	2,251	15.9	1.17	(13.6–18.2)		127,558	(107,457–147,659)
MS	Other NH	95	17.8	4.48	(8.9–26.7)		9,287	(4,495–14,080)
MS	Multirace NH	43	14.5	7.94	(0.0–30.5)		4,067	(0–8,985)
MS	Hispanic	49	8.9		(–)		2,904	(–)
MO	White NH	5,201	14.6	0.72	(13.1–16.0)		554,151	(498,238–610,064)
MO	Black NH	567	18.2	2.79	(12.7–23.7)		93,997	(62,076–125,918)
MO	Other NH	141	16.1	4.44	(7.4–24.9)		19,808	(7,925–31,691)
MO	Multirace NH	103	12.9	4.51	(3.9–21.8)		8,862	(2,493–15,232)
MO	Hispanic	110	10.9	4.38	(2.3–19.6)		17,632	(2,608–32,656)
MT	White NH	4,211	13.9	0.72	(12.5–15.3)		100,886	(90,315–111,457)
MT	Black NH	25	10.8		(–)		475	(–)
MT	Other NH	626	19.9	2.96	(14.1–25.7)		9,927	(6,630–13,223)
MT	Multirace NH	114	24.8	5.75	(13.5–36.2)		3,108	(1,498–4,719)
MT	Hispanic	110	15.9	4.65	(6.6–25.1)		3,849	(1,462–6,236)
NE	White NH	12,808	13.4	0.49	(12.5–14.4)		158,678	(146,879–170,478)
NE	Black NH	242	15.5	2.78	(10.0–21.0)		9,606	(5,964–13,248)
NE	Other NH	288	12.0	2.55	(7.0–17.0)		4,743	(2,682–6,804)
NE	Multirace NH	114	27.3	5.95	(15.5–39.1)		6,062	(2,946–9,179)
NE	Hispanic	1,000	7.4	1.06	(5.3–9.5)		9,670	(6,865–12,475)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NV	White NH	2,108	11.8	0.98	(9.9–13.8)		140,829	(117,170–164,489)
NV	Black NH	141	14.8	3.23	(8.5–21.2)		30,767	(16,678–44,855)
NV	Other NH	204	16.7	4.91	(7.1–26.4)		43,559	(15,243–71,876)
NV	Multirace NH	124	20.9	6.62	(7.8–34.0)		9,548	(2,581–16,514)
NV	Hispanic	558	10.9	1.67	(7.6–14.2)		64,652	(44,331–84,974)
NH	White NH	5,310	17.4	0.78	(15.8–18.9)		172,069	(155,966–188,173)
NH	Black NH	42	16.5	9.08	(0.0–34.9)		1,783	(0–4,022)
NH	Other NH	124	18.3	5.32	(7.8–28.8)		4,395	(1,576–7,215)
NH	Multirace NH	69	20.2	6.11	(8.1–32.4)		3,225	(1,252–5,198)
NH	Hispanic	68	25.5	7.57	(10.4–40.7)		7,474	(2,265–12,683)
NJ	White NH	1,982	12.2	1.10	(10.1–14.4)		474,938	(389,677–560,200)
NJ	Black NH	364	19.6	3.19	(13.3–25.8)		168,832	(109,675–227,989)
NJ	Other NH	200	5.6	1.83	(2.0–9.2)		42,512	(14,947–70,078)
NJ	Multirace NH	28	42.1	12.00	(17.4–66.7)		13,395	(2,443–24,346)
NJ	Hispanic	433	12.8	2.10	(8.7–16.9)		170,414	(113,717–227,111)
NM	White NH	3,459	17.3	0.93	(15.5–19.1)		109,669	(97,363–121,975)
NM	Black NH	79	14.0	4.29	(5.5–22.5)		2,688	(1,016–4,361)
NM	Other NH	722	16.3	1.90	(12.6–20.0)		25,316	(19,151–31,480)
NM	Multirace NH	69	21.4	7.00	(7.5–35.4)		3,181	(848–5,514)
NM	Hispanic	2,186	14.1	1.04	(12.1–16.2)		103,030	(87,231–118,829)
NY	White NH	26,877	14.9	0.41	(14.1–15.7)		1,284,527	(1,210,917–1,358,137)
NY	Black NH	2,434	16.3	1.01	(14.3–18.3)		351,153	(304,924–397,381)
NY	Other NH	1,970	10.8	1.28	(8.3–13.3)		169,459	(127,543–211,375)
NY	Multirace NH	599	21.4	2.83	(15.9–27.0)		27,105	(19,399–34,811)
NY	Hispanic	2,844	18.3	1.04	(16.2–20.3)		497,658	(436,521–558,795)
NC	White NH	3,138	14.1	0.82	(12.5–15.7)		742,280	(652,674–831,886)
NC	Black NH	877	16.0	1.64	(12.8–19.3)		266,264	(207,809–324,719)
NC	Other NH	186	18.6	3.90	(10.9–26.3)		55,860	(29,940–81,779)
NC	Multirace NH	71	23.4	5.94	(11.6–35.3)		27,413	(12,002–42,824)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NC	Hispanic	381	9.4	1.74	(6.0–12.9)		59,360	(36,948–81,773)
ND	White NH	5,117	12.6	0.69	(11.3–14.0)		62,665	(55,736–69,594)
ND	Black NH	75	8.8	4.23	(0.3–17.2)		1,702	(0–3,430)
ND	Other NH	243	15.7	3.13	(9.6–21.9)		5,316	(3,073–7,559)
ND	Multirace NH	54	17.2	6.08	(5.0–29.3)		1,073	(274–1,872)
ND	Hispanic	67	19.6	7.13	(5.4–33.9)		3,691	(575–6,808)
OH	White NH	11,072	12.4	0.49	(11.5–13.4)		902,687	(829,640–975,734)
OH	Black NH	794	15.6	1.64	(12.4–18.8)		164,817	(128,677–200,958)
OH	Other NH	235	9.2	3.27	(2.7–15.6)		21,076	(5,471–36,681)
OH	Multirace NH	217	20.2	3.96	(12.4–28.0)		21,261	(12,198–30,324)
OH	Hispanic	209	24.3	4.24	(16.0–32.7)		65,256	(39,243–91,270)
OK	White NH	3,930	15.6	0.79	(14.1–17.2)		320,571	(287,105–354,037)
OK	Black NH	284	19.4	2.91	(13.6–25.1)		40,835	(27,446–54,224)
OK	Other NH	428	16.8	2.34	(12.2–21.4)		47,704	(33,260–62,148)
OK	Multirace NH	258	16.6	3.24	(10.2–22.9)		23,843	(13,722–33,965)
OK	Hispanic	296	13.8	2.36	(9.1–18.4)		36,134	(23,029–49,238)
OR	White NH	4,774	17.3	0.67	(16.0–18.6)		443,648	(408,269–479,028)
OR	Black NH	69	20.0	5.50	(9.0–30.9)		11,512	(4,584–18,440)
OR	Other NH	214	16.5	3.36	(9.8–23.1)		23,234	(12,776–33,693)
OR	Multirace NH	201	28.0	4.38	(19.4–36.7)		36,298	(22,817–49,778)
OR	Hispanic	511	14.9	1.76	(11.5–18.4)		51,389	(38,714–64,064)
PA	White NH	4,815	13.8	0.63	(12.5–15.0)		1,081,232	(980,834–1,181,631)
PA	Black NH	670	18.6	2.01	(14.7–22.6)		189,834	(145,787–233,881)
PA	Other NH	234	13.6	3.50	(6.7–20.5)		53,361	(23,714–83,007)
PA	Multirace NH	83	17.2	4.58	(8.1–26.3)		14,450	(6,374–22,526)
PA	Hispanic	282	23.6	3.47	(16.8–30.4)		154,231	(102,143–206,319)
RI	White NH	4,563	15.6	0.82	(14.0–17.2)		97,947	(87,265–108,630)
RI	Black NH	198	14.2	3.37	(7.5–20.8)		5,991	(2,937–9,045)
RI	Other NH	198	24.5	4.08	(16.4–32.5)		9,237	(5,793–12,682)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
RI	Multirace NH	81	25.9	5.94	(14.1–37.8)		3,052	(1,564–4,540)
RI	Hispanic	429	18.3	2.42	(13.5–23.0)		20,736	(14,799–26,674)
SC	White NH	7,106	13.5	0.59	(12.4–14.7)		352,488	(320,771–384,205)
SC	Black NH	2,766	15.5	1.11	(13.3–17.7)		154,447	(130,891–178,002)
SC	Other NH	233	8.7	2.31	(4.2–13.3)		6,329	(3,009–9,649)
SC	Multirace NH	167	15.3	3.37	(8.6–21.9)		6,537	(3,663–9,411)
SC	Hispanic	313	10.6	2.15	(6.4–14.9)		20,502	(11,911–29,092)
SD	White NH	5,631	11.3	0.81	(9.7–12.9)		62,537	(53,420–71,654)
SD	Black NH	40	6.2		(–)		416	(–)
SD	Other NH	1,054	11.7	1.73	(8.3–15.1)		6,129	(4,444–7,814)
SD	Multirace NH	134	24.7	8.38	(8.2–41.3)		3,217	(769–5,665)
SD	Hispanic	130	7.4	3.82	(0.0–14.9)		1,648	(0–3,364)
TN	White NH	4,129	14.5	0.73	(13.1–15.9)		574,341	(516,401–632,280)
TN	Black NH	594	17.4	2.11	(13.2–21.5)		143,794	(106,913–180,676)
TN	Other NH	123	14.8	4.47	(6.0–23.7)		20,687	(7,587–33,787)
TN	Multirace NH	109	27.5	5.90	(15.8–39.2)		13,431	(6,499–20,362)
TN	Hispanic	120	15.0	4.65	(5.8–24.2)		32,708	(10,961–54,454)
TX	White NH	6,828	15.8	0.96	(13.9–17.7)		1,492,898	(1,303,532–1,682,263)
TX	Black NH	999	18.6	2.33	(14.0–23.2)		463,331	(339,276–587,386)
TX	Other NH	480	15.6	3.54	(8.7–22.6)		188,468	(96,413–280,524)
TX	Multirace NH	176	26.6	6.06	(14.7–38.6)		49,955	(23,629–76,282)
TX	Hispanic	2,419	9.4	1.06	(7.3–11.5)		715,618	(551,329–879,907)
UT	White NH	8,922	15.2	0.49	(14.2–16.2)		267,290	(249,517–285,064)
UT	Black NH	74	19.3	5.08	(9.2–29.4)		3,976	(1,732–6,221)
UT	Other NH	335	7.3	1.58	(4.2–10.4)		7,293	(4,126–10,460)
UT	Multirace NH	96	22.5	5.67	(11.2–33.8)		6,531	(2,761–10,301)
UT	Hispanic	920	10.3	1.14	(8.1–12.5)		28,634	(22,115–35,153)
VT	White NH	6,018	17.2	0.75	(15.8–18.7)		80,475	(73,127–87,822)
VT	Black NH	33	12.5		(–)		504	(–)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
VT	Other NH	177	21.9	5.35	(11.4–32.5)		2,900	(1,411–4,389)
VT	Multirace NH	122	24.7	4.99	(14.8–34.6)		1,185	(650–1,720)
VT	Hispanic	72	16.5	7.88	(0.7–32.2)		1,435	(0–2,997)
VA	White NH	7,276	13.1	0.56	(12.1–14.2)		550,087	(502,427–597,748)
VA	Black NH	1,602	16.5	1.36	(13.8–19.2)		200,688	(165,453–235,923)
VA	Other NH	369	7.5	1.70	(4.1–10.8)		32,974	(18,032–47,916)
VA	Multirace NH	208	22.8	5.07	(12.8–32.8)		23,012	(11,093–34,931)
VA	Hispanic	594	10.1	1.52	(7.1–13.1)		56,194	(38,890–73,498)
WA	White NH	10,519	16.7	0.50	(15.7–17.6)		691,299	(648,120–734,479)
WA	Black NH	221	16.8	3.08	(10.7–22.9)		28,923	(17,373–40,474)
WA	Other NH	729	14.1	1.64	(10.9–17.3)		92,553	(69,928–115,179)
WA	Multirace NH	329	25.0	3.16	(18.8–31.3)		35,113	(25,177–45,049)
WA	Hispanic	981	11.6	1.22	(9.2–14.0)		70,174	(54,744–85,604)
WV	White NH	4,527	15.7	0.68	(14.4–17.1)		207,760	(189,533–225,986)
WV	Black NH	110	21.1	4.84	(11.5–30.7)		9,832	(4,835–14,829)
WV	Other NH	68	26.6	6.78	(13.1–40.1)		4,955	(2,065–7,846)
WV	Multirace NH	83	29.1	6.49	(16.2–42.0)		4,820	(2,226–7,413)
WV	Hispanic	48	14.4	7.04	(0.2–28.5)		2,556	(0–5,320)
WI	White NH	4,231	11.4	0.65	(10.2–12.7)		431,307	(381,973–480,641)
WI	Black NH	216	16.2	3.88	(8.6–23.9)		40,464	(20,166–60,762)
WI	Other NH	241	5.6	2.27	(1.1–10.0)		8,591	(1,681–15,501)
WI	Multirace NH	58	33.1	10.43	(12.2–54.0)		12,048	(1,924–22,172)
WI	Hispanic	160	15.1	3.17	(8.8–21.3)		37,541	(21,060–54,022)
WY	White NH	3,953	11.9	0.67	(10.6–13.2)		43,848	(38,906–48,791)
WY	Black NH	14	13.5		(–)		175	(–)
WY	Other NH	87	14.4	4.52	(5.5–23.4)		1,867	(614–3,120)
WY	Multirace NH	50	37.8	8.58	(20.5–55.0)		2,964	(1,233–4,694)
WY	Hispanic	251	12.3	2.56	(7.3–17.4)		4,821	(2,710–6,933)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.