

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White	340,530	9.1	0.10	(8.9–9.2)		16,316,058	(15,960,150–16,671,967)
U.S. Total**	Black	37,257	11.9	0.31	(11.3–12.5)		3,781,182	(3,575,917–3,986,448)
U.S. Total**	Other	30,249	7.2	0.31	(6.6–7.8)		2,068,094	(1,890,183–2,246,005)
U.S. Total**	Multi	9,239	15.2	0.70	(13.8–16.5)		607,593	(549,536–665,651)
AL	White	4,493	10.3	0.62	(9.1–11.5)		266,614	(234,071–299,158)
AL	Black	1,704	11.0	1.11	(8.8–13.1)		106,426	(84,109–128,744)
AL	Other	184	11.6	3.03	(5.6–17.5)		13,753	(6,397–21,109)
AL	Multi	94	13.0	4.33	(4.4–21.6)		5,157	(1,635–8,680)
AK	White	2,007	8.3	0.84	(6.6–9.9)		30,295	(24,183–36,406)
AK	Black	50	7.8		(–)		1,746	(–)
AK	Other	535	11.3	1.92	(7.5–15.1)		14,656	(9,519–19,794)
AK	Multi	96	16.7	6.39	(4.0–29.4)		3,667	(557–6,777)
AZ	White	6,184	10.0	0.59	(8.8–11.1)		396,013	(349,378–442,649)
AZ	Black	179	13.0	3.31	(6.5–19.5)		32,772	(15,157–50,388)
AZ	Other	1,294	7.6	1.32	(5.1–10.2)		73,002	(47,512–98,492)
AZ	Multi	145	19.1	5.17	(8.9–29.3)		15,936	(6,978–24,895)
AR	White	4,106	9.3	0.66	(8.0–10.6)		165,034	(141,387–188,681)
AR	Black	858	12.1	2.11	(7.9–16.2)		40,115	(25,252–54,978)
AR	Other	175	11.2	3.35	(4.6–17.9)		12,898	(5,035–20,762)
AR	Multi	127	19.3	4.83	(9.7–28.9)		7,340	(3,516–11,165)
CA	White	7,937	8.3	0.39	(7.5–9.0)		1,552,924	(1,407,298–1,698,550)
CA	Black	725	14.2	1.78	(10.8–17.7)		292,004	(213,997–370,011)
CA	Other	2,341	7.3	0.76	(5.8–8.8)		584,127	(461,395–706,858)
CA	Multi	362	16.0	2.49	(11.1–20.9)		103,409	(69,466–137,352)
CO	White	7,381	9.3	0.40	(8.5–10.1)		330,761	(302,041–359,481)
CO	Black	230	12.0	2.70	(6.7–17.3)		18,444	(9,693–27,195)
CO	Other	641	6.3	1.07	(4.2–8.4)		24,619	(16,186–33,053)
CO	Multi	141	19.9	3.89	(12.2–27.6)		15,146	(8,667–21,625)
CT	White	8,672	9.5	0.42	(8.6–10.3)		200,646	(182,881–218,411)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
CT	Black	820	14.8	1.64	(11.6–18.0)		45,154	(34,489–55,818)
CT	Other	709	10.6	1.49	(7.7–13.5)		29,154	(20,736–37,571)
CT	Multi	144	14.0	4.12	(5.9–22.2)		4,116	(1,543–6,689)
DE	White	3,729	9.6	0.68	(8.2–10.9)		49,013	(41,936–56,091)
DE	Black	750	13.1	1.77	(9.6–16.5)		21,022	(14,987–27,057)
DE	Other	381	5.8	1.78	(2.3–9.3)		3,095	(1,182–5,009)
DE	Multi	98	21.7	7.10	(7.6–35.8)		1,610	(354–2,867)
DC	White	1,970	9.3	1.10	(7.1–11.4)		24,361	(18,398–30,325)
DC	Black	1,936	14.9	1.05	(12.8–16.9)		35,475	(30,295–40,654)
DC	Other	245	7.7	1.97	(3.8–11.6)		3,454	(1,655–5,253)
DC	Multi	96	15.4	5.00	(5.5–25.3)		1,615	(488–2,743)
FL	White	12,026	8.7	0.54	(7.6–9.7)		1,055,485	(923,337–1,187,632)
FL	Black	1,585	10.5	1.51	(7.6–13.5)		277,442	(195,487–359,396)
FL	Other	864	6.8	1.49	(3.8–9.7)		98,985	(54,955–143,015)
FL	Multi	265	10.0	3.32	(3.5–16.6)		21,925	(7,554–36,297)
GA	White	5,806	8.3	0.44	(7.5–9.2)		383,062	(342,640–423,483)
GA	Black	2,281	11.3	0.85	(9.7–13.0)		276,597	(233,682–319,512)
GA	Other	615	4.5	1.02	(2.5–6.5)		25,282	(13,701–36,862)
GA	Multi	163	15.2	3.49	(8.3–22.1)		12,835	(6,505–19,166)
HI	White	2,813	8.2	0.78	(6.6–9.7)		23,654	(19,003–28,305)
HI	Black	91	10.8	4.05	(2.8–18.8)		2,209	(497–3,921)
HI	Other	3,403	8.1	0.60	(6.9–9.3)		48,571	(41,349–55,793)
HI	Multi	1,480	14.9	1.37	(12.3–17.6)		29,205	(23,498–34,913)
ID	White	3,309	8.1	0.62	(6.9–9.3)		93,563	(79,424–107,703)
ID	Black	19	22.5		(–)		2,469	(–)
ID	Other	197	8.8	2.74	(3.4–14.2)		7,599	(2,684–12,513)
ID	Multi	51	30.1	10.57	(8.8–51.3)		6,044	(474–11,614)
IL	White	3,884	8.3	0.52	(7.3–9.3)		589,319	(516,604–662,035)
IL	Black	734	15.1	1.76	(11.6–18.5)		213,319	(160,175–266,464)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
IL	Other	423	4.4	1.14	(2.2–6.7)		41,771	(20,163–63,380)
IL	Multi	78	9.0	2.88	(3.3–14.8)		7,644	(2,807–12,482)
IN	White	6,382	9.8	0.49	(8.9–10.8)		416,374	(374,813–457,935)
IN	Black	593	12.5	1.61	(9.4–15.7)		57,473	(42,259–72,687)
IN	Other	289	7.7	1.90	(4.0–11.5)		18,304	(9,309–27,299)
IN	Multi	139	13.9	3.72	(6.5–21.2)		7,423	(3,252–11,594)
IA	White	8,337	7.5	0.33	(6.8–8.1)		161,791	(147,698–175,884)
IA	Black	164	20.1	3.80	(12.6–27.6)		15,761	(9,036–22,487)
IA	Other	273	6.3	1.67	(3.0–9.6)		6,292	(2,907–9,676)
IA	Multi	118	18.9	3.96	(11.1–26.8)		4,980	(2,718–7,243)
KS	White	9,668	9.3	0.39	(8.5–10.1)		175,985	(161,228–190,742)
KS	Black	450	15.2	2.22	(10.9–19.6)		18,969	(13,070–24,869)
KS	Other	301	10.4	1.98	(6.5–14.3)		9,895	(6,054–13,736)
KS	Multi	164	20.4	3.82	(12.9–28.0)		8,177	(4,815–11,540)
KY	White	7,124	11.1	0.60	(9.9–12.2)		331,761	(295,518–368,005)
KY	Black	923	14.6	2.95	(8.8–20.3)		39,129	(22,093–56,165)
KY	Other	196	15.3	5.03	(5.3–25.2)		15,347	(4,336–26,358)
KY	Multi	145	18.6	5.16	(8.4–28.8)		7,290	(3,282–11,298)
LA	White	3,433	7.9	0.63	(6.6–9.1)		174,835	(146,360–203,310)
LA	Black	1,262	11.0	1.57	(7.9–14.1)		120,081	(83,902–156,260)
LA	Other	210	6.6	2.41	(1.9–11.4)		9,243	(2,395–16,091)
LA	Multi	95	9.3	3.70	(1.9–16.6)		3,476	(611–6,341)
ME	White	10,253	11.9	0.57	(10.8–13.0)		121,323	(109,363–133,282)
ME	Black	52	18.1	8.34	(1.4–34.9)		2,589	(19–5,158)
ME	Other	192	21.1	5.42	(10.4–31.8)		4,157	(1,757–6,556)
ME	Multi	213	23.4	5.45	(12.7–34.2)		2,963	(1,363–4,564)
MD	White	12,422	8.4	0.39	(7.6–9.1)		220,332	(199,708–240,955)
MD	Black	3,372	12.8	0.89	(11.0–14.5)		177,371	(151,224–203,517)
MD	Other	895	5.0	0.95	(3.1–6.9)		25,053	(15,513–34,594)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
MD	Multi	318	14.0	2.61	(8.9–19.2)		9,846	(6,009–13,683)
MA	White	5,396	10.4	0.54	(9.4–11.5)		436,197	(390,300–482,095)
MA	Black	392	9.8	1.85	(6.2–13.5)		40,864	(25,045–56,684)
MA	Other	428	6.6	1.67	(3.3–9.9)		35,257	(17,040–53,473)
MA	Multi	138	23.0	5.25	(12.7–33.4)		20,540	(9,538–31,542)
MI	White	8,381	10.5	0.45	(9.6–11.4)		636,466	(581,340–691,592)
MI	Black	979	16.0	1.42	(13.2–18.8)		163,672	(133,049–194,296)
MI	Other	432	8.2	1.44	(5.4–11.0)		32,927	(21,327–44,528)
MI	Multi	249	16.4	3.07	(10.4–22.5)		19,270	(11,461–27,078)
MN	White	14,932	8.0	0.27	(7.4–8.5)		288,976	(269,205–308,748)
MN	Black	544	13.6	1.70	(10.3–17.0)		32,296	(23,832–40,759)
MN	Other	902	8.1	1.11	(5.9–10.3)		26,166	(18,843–33,489)
MN	Multi	216	10.3	2.13	(6.1–14.5)		4,330	(2,509–6,151)
MS	White	3,342	8.9	0.60	(7.7–10.1)		119,028	(103,230–134,827)
MS	Black	2,245	10.9	0.97	(9.0–12.8)		87,607	(71,541–103,672)
MS	Other	121	11.7	3.13	(5.5–17.9)		8,307	(3,843–12,770)
MS	Multi	43	4.9		(–)		1,386	(–)
MO	White	5,262	9.2	0.56	(8.1–10.3)		357,571	(314,118–401,024)
MO	Black	566	11.6	2.22	(7.3–16.0)		59,449	(35,490–83,409)
MO	Other	174	8.4	2.77	(2.9–13.8)		14,425	(4,666–24,185)
MO	Multi	103	11.0	4.08	(2.9–19.1)		7,516	(1,864–13,168)
MT	White	4,260	9.8	0.62	(8.6–11.0)		72,721	(63,583–81,858)
MT	Black	26	4.3		(–)		202	(–)
MT	Other	667	11.3	2.25	(6.9–15.8)		6,521	(3,815–9,226)
MT	Multi	118	20.0	5.31	(9.5–30.5)		2,711	(1,153–4,268)
NE	White	13,331	8.8	0.40	(8.0–9.6)		109,585	(99,666–119,504)
NE	Black	269	11.0	2.36	(6.3–15.6)		7,180	(3,971–10,389)
NE	Other	356	5.8	1.51	(2.9–8.8)		2,887	(1,404–4,371)
NE	Multi	124	24.4	5.62	(13.2–35.5)		5,675	(2,644–8,707)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NV	White	2,362	7.7	0.76	(6.2–9.2)		108,365	(86,954–129,775)
NV	Black	147	11.3	2.79	(5.8–16.8)		24,033	(11,744–36,323)
NV	Other	440	7.3	2.19	(3.0–11.6)		41,207	(15,822–66,591)
NV	Multi	140	16.7	5.68	(5.5–27.9)		9,809	(2,400–17,217)
NH	White	5,341	12.0	0.68	(10.6–13.3)		120,469	(106,352–134,586)
NH	Black	46	4.2		(–)		543	(–)
NH	Other	142	7.6	2.74	(2.2–13.0)		2,665	(759–4,572)
NH	Multi	71	15.8	5.59	(4.7–27.0)		2,599	(706–4,492)
NJ	White	2,159	7.7	0.87	(6.0–9.4)		336,992	(261,705–412,278)
NJ	Black	405	12.9	2.42	(8.2–17.7)		127,527	(78,394–176,661)
NJ	Other	316	6.6	1.64	(3.4–9.9)		76,059	(38,548–113,571)
NJ	Multi	32	20.9	9.50	(1.5–40.3)		9,359	(0–18,810)
NM	White	5,129	10.6	0.61	(9.4–11.8)		125,572	(111,010–140,134)
NM	Black	95	11.5	4.95	(1.7–21.3)		3,036	(231–5,842)
NM	Other	970	7.6	1.02	(5.6–9.6)		17,844	(13,061–22,627)
NM	Multi	93	17.3	5.76	(5.8–28.7)		4,400	(1,212–7,588)
NY	White	27,872	10.1	0.34	(9.4–10.8)		952,428	(887,061–1,017,795)
NY	Black	2,784	11.4	0.83	(9.8–13.0)		286,758	(243,591–329,925)
NY	Other	2,960	8.5	0.85	(6.8–10.1)		215,762	(171,567–259,956)
NY	Multi	690	11.0	1.76	(7.5–14.4)		23,011	(15,806–30,215)
NC	White	3,245	8.9	0.67	(7.6–10.2)		482,381	(408,353–556,410)
NC	Black	918	9.9	1.34	(7.2–12.5)		170,529	(122,428–218,631)
NC	Other	353	10.1	2.15	(5.9–14.3)		60,052	(33,348–86,755)
NC	Multi	78	18.1	5.14	(7.8–28.3)		24,087	(9,236–38,938)
ND	White	5,139	8.1	0.54	(7.1–9.2)		40,864	(35,398–46,331)
ND	Black	76	0.8		(–)		155	(–)
ND	Other	263	9.0	2.10	(4.9–13.2)		3,582	(1,910–5,254)
ND	Multi	55	25.3	12.52	(0.2–50.4)		1,867	(0–4,227)
OH	White	11,181	8.8	0.41	(8.0–9.6)		648,665	(588,205–709,124)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
OH	Black	802	11.7	1.43	(8.9–14.5)		125,445	(93,974–156,916)
OH	Other	291	13.3	3.50	(6.4–20.2)		42,894	(18,723–67,064)
OH	Multi	234	14.5	3.08	(8.4–20.5)		18,836	(10,625–27,047)
OK	White	4,083	10.3	0.63	(9.1–11.5)		224,714	(196,867–252,560)
OK	Black	295	13.4	2.54	(8.4–18.4)		30,123	(18,022–42,223)
OK	Other	515	8.4	1.50	(5.5–11.4)		31,348	(20,002–42,695)
OK	Multi	263	11.1	2.44	(6.3–15.9)		16,343	(8,903–23,783)
OR	White	5,064	11.7	0.57	(10.5–12.8)		321,044	(289,216–352,872)
OR	Black	84	14.3	4.16	(6.1–22.6)		10,051	(3,909–16,194)
OR	Other	326	7.2	1.71	(3.8–10.6)		15,711	(8,128–23,293)
OR	Multi	223	16.8	3.57	(9.8–23.8)		24,507	(13,065–35,949)
PA	White	4,947	9.5	0.52	(8.4–10.5)		770,112	(686,355–853,869)
PA	Black	694	15.0	1.84	(11.4–18.7)		161,087	(119,380–202,793)
PA	Other	320	9.2	2.57	(4.2–14.3)		56,413	(23,660–89,165)
PA	Multi	92	11.4	3.54	(4.3–18.4)		11,953	(4,429–19,476)
RI	White	4,744	11.3	0.67	(10.0–12.7)		76,423	(67,255–85,592)
RI	Black	238	11.6	2.85	(6.0–17.2)		6,136	(2,957–9,315)
RI	Other	349	14.6	2.74	(9.2–20.0)		11,826	(7,055–16,596)
RI	Multi	93	12.6	3.58	(5.5–19.7)		1,899	(832–2,966)
SC	White	7,256	8.9	0.49	(8.0–9.9)		239,693	(213,246–266,140)
SC	Black	2,827	10.4	0.85	(8.7–12.0)		105,068	(87,481–122,654)
SC	Other	356	3.9	1.04	(1.9–5.9)		5,940	(2,847–9,032)
SC	Multi	176	15.1	4.22	(6.8–23.4)		7,028	(2,826–11,230)
SD	White	5,687	8.1	0.68	(6.7–9.4)		45,540	(37,878–53,202)
SD	Black	42	1.8		(–)		136	(–)
SD	Other	1,099	7.4	1.24	(4.9–9.8)		4,418	(3,042–5,795)
SD	Multi	136	10.5	4.48	(1.6–19.3)		1,437	(224–2,650)
TN	White	4,206	9.7	0.63	(8.5–11.0)		396,810	(345,507–448,114)
TN	Black	599	10.6	1.62	(7.4–13.8)		88,194	(60,863–115,525)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
TN	Other	150	9.0	3.12	(2.8–15.1)		17,521	(5,100–29,943)
TN	Multi	113	16.4	4.71	(7.0–25.7)		8,451	(3,129–13,773)
TX	White	8,399	7.5	0.57	(6.4–8.6)		1,066,064	(905,685–1,226,442)
TX	Black	1,045	9.9	1.58	(6.8–13.0)		258,098	(175,400–340,796)
TX	Other	1,046	4.7	1.15	(2.4–6.9)		139,888	(71,312–208,464)
TX	Multi	207	16.0	4.03	(8.1–24.0)		42,874	(21,109–64,639)
UT	White	9,387	9.8	0.40	(9.0–10.6)		185,891	(170,495–201,288)
UT	Black	83	8.2	3.17	(1.9–14.5)		1,872	(395–3,349)
UT	Other	526	7.2	1.31	(4.6–9.8)		11,290	(7,133–15,448)
UT	Multi	113	7.1	3.30	(0.6–13.6)		2,314	(89–4,540)
VT	White	6,054	11.7	0.61	(10.5–12.9)		55,147	(49,300–60,993)
VT	Black	35	8.7		(–)		395	(–)
VT	Other	203	15.4	4.09	(7.3–23.5)		2,452	(1,102–3,802)
VT	Multi	122	29.2	9.76	(9.9–48.6)		1,661	(182–3,139)
VA	White	7,526	8.4	0.45	(7.5–9.3)		370,978	(330,923–411,033)
VA	Black	1,644	10.5	1.05	(8.4–12.5)		129,839	(103,026–156,652)
VA	Other	570	4.7	1.07	(2.6–6.7)		30,115	(16,458–43,772)
VA	Multi	225	13.5	3.26	(7.1–19.9)		14,933	(7,364–22,502)
WA	White	10,945	9.8	0.38	(9.0–10.5)		429,981	(396,861–463,100)
WA	Black	241	12.5	2.78	(7.1–18.0)		23,254	(12,246–34,263)
WA	Other	1,058	7.2	1.00	(5.2–9.2)		62,021	(44,494–79,549)
WA	Multi	357	17.2	2.67	(11.9–22.4)		27,649	(18,425–36,874)
WV	White	4,561	11.9	0.60	(10.7–13.0)		157,962	(142,021–173,903)
WV	Black	115	15.6	4.25	(7.2–24.0)		7,725	(3,197–12,254)
WV	Other	81	18.1	5.27	(7.7–28.6)		4,271	(1,601–6,942)
WV	Multi	85	22.6	5.95	(10.8–34.5)		3,869	(1,532–6,206)
WI	White	4,307	8.8	0.57	(7.7–9.9)		343,008	(299,003–387,014)
WI	Black	224	12.7	3.50	(5.8–19.6)		32,915	(14,068–51,761)
WI	Other	303	7.0	2.08	(2.9–11.1)		16,891	(7,042–26,740)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2018

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
WI	Multi	59	15.3	7.19	(0.9–29.7)		5,617	(0–11,404)
WY	White	4,096	8.5	0.56	(7.4–9.6)		33,265	(28,897–37,634)
WY	Black	19	17.8		(.–.)		427	(.–.)
WY	Other	169	8.3	2.43	(3.5–13.1)		2,176	(868–3,485)
WY	Multi	59	21.0	6.16	(8.7–33.4)		1,856	(657–3,056)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.