

Table C4
Child[§] Current Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
Total *	White	35,288	6.2	0.28	(5.7–6.8)		1,987,717	(1,808,638–2,166,796)
Total *	Black	3,887	12.7	0.98	(10.9–14.7)		920,923	(771,862–1,069,984)
Total *	Other	7,122	7.2	0.61	(6.0–8.5)		589,864	(487,825–691,902)
CA	White	1,786	6.8	0.74	(5.4–8.4)		371,720	(289,852–453,588)
CA	Black	181	10.9	2.66	(6.7–17.3)		71,878	(35,891–107,864)
CA	Other	603	7.8	1.38	(5.4–10.9)		176,671	(112,650–240,692)
CT	White	1,013	8.5	1.23	(6.3–11.2)		35,943	(25,406–46,479)
CT	Black	192	10.1	2.33	(6.4–15.7)		10,948	(5,858–16,038)
CT	Other	218	7.5	2.03	(4.4–12.6)		9,299	(4,309–14,289)
DC	White	153	7.2	2.66	(3.4–14.5)		2,772	(715–4,829)
DC	Black	228	12.2	2.35	(8.3–17.6)		8,512	(5,274–11,750)
DC	Other	49	22.8	10.80	(8.2–49.6)		3,539	(0–7,384)
FL	White	1,836	6.0	1.11	(4.1–8.6)		142,663	(89,744–195,582)
FL	Black	310	9.6	2.38	(5.8–15.3)		84,822	(42,459–127,186)
FL	Other	334	7.1	1.94	(4.1–12.0)		41,044	(18,667–63,420)
GA	White	788	7.2	1.67	(4.5–11.3)		82,504	(43,751–121,256)
GA	Black	328	16.8	3.19	(11.5–24.0)		146,915	(86,933–206,897)
GA	Other	174	2.0				5,926	
HI	White	288	3.7	1.23	(1.9–7.0)		1,693	(583–2,804)
HI	Black	8	0.0				0	
HI	Other	1,364	8.3	0.90	(6.7–10.3)		19,583	(15,392–23,775)
IL	White	923	5.1	0.90	(3.6–7.2)		95,216	(62,245–128,186)
IL	Black	160	14.3	3.48	(8.8–22.6)		66,466	(32,613–100,319)
IL	Other	140	8.1	3.30	(3.6–17.4)		26,265	(4,155–48,376)
IN	White	1,299	6.1	0.76	(4.7–7.7)		66,272	(49,840–82,705)
IN	Black	134	11.6	2.69	(7.3–18.0)		21,497	(11,564–31,430)
IN	Other	164	7.1	2.11	(3.9–12.5)		10,891	(4,369–17,414)
KS	White	2,104	7.4	0.68	(6.1–8.8)		37,830	(30,844–44,816)
KS	Black	121	16.9	4.01	(10.4–26.2)		8,890	(4,391–13,389)
KS	Other	249	11.6	3.25	(6.6–19.7)		11,275	(4,614–17,936)
ME	White	1,363	8.8	1.17	(6.8–11.4)		17,365	(12,774–21,955)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C4
Child[§] Current Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
ME	Black	18	0.0				0	
ME	Other	76	15.1	5.60	(7.0–29.5)		2,585	(558–4,612)
MA	White	461	7.4	1.86	(4.5–12.0)		57,935	(28,231–87,639)
MA	Black	71	12.5	5.05	(5.5–26.1)		21,621	(3,352–39,890)
MA	Other	97	14.7	5.26	(7.1–28.2)		34,247	(7,536–60,957)
MI	White	1,572	6.9	0.92	(5.3–8.9)		95,291	(69,822–120,760)
MI	Black	256	9.9	1.93	(6.7–14.3)		35,837	(21,710–49,963)
MI	Other	261	9.6	2.29	(6.0–15.1)		27,342	(13,991–40,694)
MN	White	2,617	4.9	0.56	(3.9–6.1)		42,497	(32,917–52,077)
MN	Black	156	7.1	2.16	(3.9–12.7)		8,836	(3,461–14,211)
MN	Other	461	5.1	1.09	(3.4–7.7)		11,920	(6,939–16,901)
MS	White	538	7.2	1.66	(4.5–11.2)		22,944	(12,150–33,739)
MS	Black	477	8.4	1.42	(6.0–11.6)		24,148	(15,969–32,327)
MS	Other	54	8.0				3,494	
MO	White	1,083	5.1	0.82	(3.7–7.0)		49,280	(33,765–64,794)
MO	Black	145	16.6	4.05	(10.1–26.1)		31,859	(15,609–48,109)
MO	Other	71	4.3				5,821	
MT	White	1,082	5.9	0.79	(4.5–7.7)		10,501	(7,728–13,274)
MT	Black	10	14.0				297	
MT	Other	314	9.9	2.72	(5.7–16.7)		4,218	(1,819–6,618)
NE	White	2,862	5.0	0.54	(4.1–6.2)		17,853	(14,042–21,664)
NE	Black	122	15.9	4.29	(9.2–26.2)		4,842	(2,049–7,635)
NE	Other	423	8.2	1.79	(5.3–12.4)		5,644	(3,152–8,135)
NV	White	386	7.3	1.88	(4.3–11.9)		20,861	(10,066–31,656)
NV	Black	47	8.5				7,598	
NV	Other	208	9.0	3.42	(4.2–18.3)		21,974	(4,552–39,397)
NH	White	770	6.3	1.00	(4.6–8.6)		12,826	(8,833–16,819)
NH	Black	14	0.0				0	
NH	Other	76	16.6	5.90	(8.0–31.5)		4,409	(946–7,873)
NM	White	845	4.9	0.97	(3.4–7.2)		16,078	(9,866–22,291)
NM	Black	36	22.7	11.26	(7.7–50.8)		5,836	(0–12,510)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C4
Child[§] Current Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
NM	Other	275	2.1	1.38	(0.6–7.4)		2,038	(0–4,700)
NY	White	523	4.6	1.06	(3.0–7.2)		101,730	(55,918–147,543)
NY	Black	108	18.8	5.40	(10.4–31.6)		140,867	(50,388–231,347)
NY	Other	118	6.1	2.86	(2.4–14.7)		40,693	(2,012–79,375)
OH	White	1,782	6.3	0.85	(4.8–8.1)		109,044	(79,519–138,570)
OH	Black	166	15.8	3.55	(10.0–24.1)		67,927	(35,855–99,999)
OH	Other	173	4.0	1.37	(2.0–7.7)		10,247	(3,385–17,109)
OR	White	928	5.6	1.16	(3.7–8.3)		30,330	(17,722–42,938)
OR	Black	21	1.8				331	
OR	Other	164	13.6	5.48	(5.9–28.2)		22,205	(2,499–41,911)
PA	White	997	7.4	1.01	(5.7–9.6)		130,122	(95,036–165,207)
PA	Black	203	12.4	2.44	(8.3–18.0)		47,776	(28,960–66,592)
PA	Other	146	6.2	1.92	(3.3–11.2)		17,212	(6,702–27,722)
RI	White	666	5.7	1.19	(3.8–8.5)		7,562	(4,430–10,694)
RI	Black	67	21.5	7.28	(10.5–38.9)		4,116	(958–7,275)
RI	Other	131	13.6	4.03	(7.4–23.6)		5,160	(2,004–8,317)
TX	White	1,719	6.5	1.15	(4.6–9.2)		318,274	(206,590–429,957)
TX	Black	207	9.9	3.21	(5.1–18.2)		91,677	(31,658–151,696)
TX	Other	334	5.2	2.05	(2.4–11.0)		52,616	(11,150–94,081)
UT	White	3,296	5.5	0.45	(4.7–6.5)		41,754	(35,011–48,496)
UT	Black	49	24.8	7.27	(13.3–41.4)		4,518	(1,531–7,505)
UT	Other	284	5.7	1.47	(3.4–9.3)		5,453	(2,627–8,279)
VT	White	972	8.1	1.21	(6.1–10.9)		8,098	(5,707–10,489)
VT	Black	11	0.0				0	
VT	Other	71	9.6	3.47	(4.6–18.9)		1,033	(313–1,753)
WI	White	636	4.6	1.20	(2.7–7.6)		40,760	(19,394–62,127)
WI	Black	41	2.7				2,907	
WI	Other	90	3.9				7,057	
Territory								

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**