

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
U.S. Total <sup>f</sup>	18–24	25,141	10.9	0.34	(10.2–11.6)		3,151,739	(2,950,849–3,352,628)
U.S. Total <sup>f</sup>	25–34	45,979	9.7	0.25	(9.2–10.2)		4,050,244	(3,839,960–4,260,528)
U.S. Total <sup>f</sup>	35–44	56,568	9.5	0.25	(9.0–10.0)		3,707,053	(3,503,186–3,910,921)
U.S. Total <sup>f</sup>	45–54	60,923	10.1	0.25	(9.6–10.6)		3,509,209	(3,331,473–3,686,946)
U.S. Total <sup>f</sup>	55–64	80,431	10.4	0.22	(10.0–10.8)		4,082,065	(3,904,715–4,259,415)
U.S. Total <sup>f</sup>	65+	149,855	8.6	0.19	(8.2–8.9)		4,505,944	(4,307,904–4,703,985)
AL	18–24	252	10.9	2.55	(5.9–16.0)		51,069	(26,136–76,001)
AL	25–34	467	9.3	1.66	(6.0–12.6)		59,248	(37,418–81,077)
AL	35–44	552	8.6	1.53	(5.6–11.6)		52,458	(33,370–71,546)
AL	45–54	600	12.8	1.68	(9.5–16.1)		74,243	(53,857–94,629)
AL	55–64	884	10.6	1.33	(8.0–13.2)		69,116	(51,309–86,923)
AL	65+	1,743	9.0	0.93	(7.1–10.8)		82,492	(65,020–99,964)
AK	18–24	298	7.9	1.72	(4.5–11.3)		5,322	(3,007–7,636)
AK	25–34	664	10.9	1.70	(7.6–14.3)		12,104	(8,220–15,988)
AK	35–44	756	7.0	1.14	(4.8–9.2)		6,729	(4,542–8,915)
AK	45–54	766	11.6	1.73	(8.2–15.0)		8,581	(5,909–11,252)
AK	55–64	1,092	8.7	1.31	(6.1–11.2)		7,593	(5,247–9,940)
AK	65+	1,707	8.1	0.95	(6.3–10.0)		8,053	(6,154–9,952)
AZ	18–24	639	14.0	1.70	(10.7–17.4)		94,568	(70,343–118,793)
AZ	25–34	1,018	7.4	0.92	(5.6–9.2)		72,396	(54,362–90,429)
AZ	35–44	1,362	9.2	0.97	(7.3–11.1)		80,816	(63,550–98,082)
AZ	45–54	1,526	7.9	0.76	(6.4–9.4)		62,098	(50,068–74,128)
AZ	55–64	1,943	11.9	1.00	(9.9–13.9)		97,913	(80,926–114,900)
AZ	65+	3,912	8.2	0.63	(6.9–9.4)		109,353	(92,332–126,374)
AR	18–24	191	8.5	2.23	(4.1–12.9)		23,915	(11,017–36,814)
AR	25–34	292	10.0	2.16	(5.8–14.3)		39,057	(21,493–56,620)
AR	35–44	432	9.2	1.60	(6.0–12.3)		33,681	(21,549–45,813)
AR	45–54	563	9.2	1.36	(6.6–11.9)		30,442	(21,325–39,558)
AR	55–64	919	11.0	1.34	(8.3–13.6)		39,532	(29,445–49,619)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>.-/blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
AR	65+	2,812	7.4	0.66	(6.1–8.7)		39,953	(32,796–47,110)
CA	18–24	619	8.1	1.25	(5.7–10.6)		293,207	(202,714–383,700)
CA	25–34	1,085	8.3	1.03	(6.2–10.3)		477,733	(356,452–599,015)
CA	35–44	1,048	9.6	1.20	(7.2–11.9)		499,313	(369,815–628,811)
CA	45–54	951	8.7	1.07	(6.6–10.8)		410,640	(309,354–511,925)
CA	55–64	1,125	9.3	1.07	(7.2–11.4)		443,385	(339,899–546,871)
CA	65+	1,788	9.0	1.05	(6.9–11.0)		555,445	(421,853–689,037)
CO	18–24	685	11.5	1.36	(8.8–14.2)		60,937	(45,995–75,878)
CO	25–34	1,525	10.5	0.90	(8.7–12.3)		92,499	(76,162–108,837)
CO	35–44	1,768	8.8	0.75	(7.3–10.2)		70,815	(58,532–83,099)
CO	45–54	1,665	10.9	0.97	(9.0–12.8)		70,585	(57,543–83,626)
CO	55–64	1,709	12.6	0.99	(10.7–14.6)		89,222	(74,638–103,805)
CO	65+	2,801	9.2	0.72	(7.8–10.7)		84,337	(70,849–97,825)
CT	18–24	472	13.9	2.07	(9.9–18.0)		47,341	(32,510–62,172)
CT	25–34	945	11.7	1.39	(9.0–14.4)		51,792	(38,989–64,595)
CT	35–44	1,225	10.4	1.08	(8.2–12.5)		43,873	(34,526–53,221)
CT	45–54	1,388	11.4	1.12	(9.1–13.6)		46,693	(37,193–56,193)
CT	55–64	1,748	10.4	0.94	(8.6–12.3)		54,008	(44,133–63,883)
CT	65+	2,280	8.1	0.85	(6.4–9.8)		53,028	(41,653–64,404)
DE	18–24	208	9.7	2.78	(4.2–15.1)		8,378	(3,349–13,407)
DE	25–34	369	9.6	1.98	(5.7–13.5)		12,125	(6,983–17,267)
DE	35–44	478	12.5	2.26	(8.1–17.0)		14,722	(9,092–20,351)
DE	45–54	527	11.3	1.59	(8.2–14.4)		12,391	(8,831–15,951)
DE	55–64	731	10.2	1.34	(7.5–12.8)		13,597	(9,944–17,250)
DE	65+	1,219	7.8	0.99	(5.9–9.8)		15,853	(11,806–19,900)
DC	18–24	107			(–)		6,547	(–)
DC	25–34	480	11.2	1.67	(7.9–14.5)		18,804	(13,032–24,577)
DC	35–44	545	10.8	1.65	(7.5–14.0)		11,450	(7,810–15,090)
DC	45–54	432	12.3	1.84	(8.7–16.0)		8,353	(5,766–10,939)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfsstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>–/blank: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
DC	55–64	524	14.0	1.94	(10.2–17.8)		9,361	(6,609–12,114)
DC	65+	993	9.5	1.26	(7.0–12.0)		8,256	(6,009–10,504)
GA	18–24	416	11.5	2.08	(7.4–15.6)		120,939	(75,359–166,518)
GA	25–34	751	12.2	1.60	(9.0–15.3)		174,818	(126,717–222,918)
GA	35–44	941	9.2	1.17	(6.9–11.5)		127,061	(94,457–159,666)
GA	45–54	1,135	8.0	1.09	(5.9–10.1)		99,936	(72,484–127,389)
GA	55–64	1,452	8.5	0.91	(6.7–10.3)		113,173	(88,915–137,431)
GA	65+	3,199	7.2	0.62	(6.0–8.5)		117,042	(97,024–137,061)
HI	18–24	514	9.7	1.71	(6.4–13.1)		11,793	(7,484–16,102)
HI	25–34	869	8.4	1.09	(6.2–10.5)		16,147	(11,902–20,392)
HI	35–44	1,079	6.9	0.91	(5.1–8.7)		12,961	(9,512–16,411)
HI	45–54	1,069	8.3	1.09	(6.1–10.4)		13,192	(9,674–16,710)
HI	55–64	1,381	8.1	0.96	(6.2–10.0)		14,451	(10,983–17,919)
HI	65+	2,740	8.2	0.87	(6.5–9.9)		23,454	(18,386–28,523)
ID	18–24	438	11.7	1.81	(8.1–15.2)		21,129	(14,281–27,978)
ID	25–34	818	8.7	1.18	(6.4–11.0)		20,668	(14,899–26,438)
ID	35–44	980	8.3	1.03	(6.2–10.3)		19,638	(14,661–24,614)
ID	45–54	942	11.2	1.22	(8.7–13.6)		21,624	(16,714–26,534)
ID	55–64	1,101	10.4	1.06	(8.3–12.5)		22,907	(18,110–27,704)
ID	65+	2,307	9.2	0.70	(7.8–10.6)		29,212	(24,701–33,723)
IL	18–24	270	12.4	2.85	(6.8–18.0)		146,476	(74,678–218,274)
IL	25–34	452	8.7	1.44	(5.9–11.5)		148,518	(99,044–197,992)
IL	35–44	455	9.1	1.99	(5.2–13.0)		147,532	(80,096–214,969)
IL	45–54	457	7.4	1.36	(4.7–10.0)		103,469	(65,042–141,896)
IL	55–64	553	7.5	1.28	(5.0–10.0)		122,936	(80,612–165,260)
IL	65+	934	8.1	1.52	(5.1–11.1)		174,211	(106,614–241,809)
IN	18–24	536	10.4	1.50	(7.4–13.3)		69,595	(48,680–90,510)
IN	25–34	1,021	13.4	1.25	(11.0–15.9)		116,178	(93,411–138,946)
IN	35–44	1,201	9.3	0.91	(7.6–11.1)		77,426	(62,011–92,841)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>–/blank: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
IN	45–54	1,516	8.7	0.80	(7.2–10.3)		63,345	(51,568–75,123)
IN	55–64	1,915	10.8	0.80	(9.2–12.3)		91,916	(77,941–105,892)
IN	65+	3,327	9.4	0.61	(8.2–10.6)		105,858	(91,740–119,975)
IA	18–24	785	10.7	1.51	(7.7–13.6)		34,710	(24,443–44,976)
IA	25–34	1,026	9.7	1.19	(7.4–12.1)		37,991	(28,439–47,544)
IA	35–44	1,272	10.1	1.09	(7.9–12.2)		38,683	(30,023–47,342)
IA	45–54	1,336	9.8	1.01	(7.8–11.8)		32,745	(25,858–39,632)
IA	55–64	1,698	9.2	0.91	(7.5–11.0)		37,489	(29,863–45,115)
IA	65+	3,278	7.0	0.55	(5.9–8.1)		40,687	(34,249–47,124)
KS	18–24	1,084	14.1	1.19	(11.8–16.5)		42,702	(35,154–50,249)
KS	25–34	1,973	9.8	0.78	(8.3–11.3)		36,519	(30,540–42,499)
KS	35–44	2,419	9.6	0.69	(8.2–10.9)		34,611	(29,538–39,684)
KS	45–54	2,432	12.8	0.90	(11.0–14.6)		38,927	(33,101–44,753)
KS	55–64	3,313	10.8	0.64	(9.5–12.0)		38,457	(33,726–43,187)
KS	65+	5,897	8.2	0.45	(7.3–9.1)		40,509	(35,981–45,037)
KY	18–24	348	12.8	2.05	(8.7–16.8)		53,559	(35,842–71,276)
KY	25–34	594	10.9	1.55	(7.9–14.0)		62,715	(44,363–81,066)
KY	35–44	683	9.6	1.42	(6.8–12.4)		52,992	(36,912–69,071)
KY	45–54	772	13.4	1.60	(10.3–16.5)		69,996	(52,634–87,359)
KY	55–64	1,058	15.0	1.55	(12.0–18.1)		88,219	(68,862–107,576)
KY	65+	1,839	9.7	1.00	(7.8–11.7)		77,320	(61,055–93,585)
LA	18–24	298	13.7	2.87	(8.0–19.3)		58,448	(32,085–84,812)
LA	25–34	493	9.8	1.53	(6.8–12.8)		61,471	(41,776–81,165)
LA	35–44	683	8.5	1.32	(5.9–11.1)		50,396	(34,357–66,436)
LA	45–54	815	10.0	1.35	(7.3–12.6)		49,305	(35,489–63,121)
LA	55–64	1,014	10.3	1.11	(8.1–12.5)		59,758	(46,638–72,878)
LA	65+	1,681	7.9	0.90	(6.1–9.6)		61,044	(46,962–75,126)
ME	18–24	430	13.3	2.00	(9.4–17.2)		14,869	(10,218–19,521)
ME	25–34	895	13.8	1.65	(10.6–17.0)		21,490	(16,024–26,955)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>././blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
ME	35–44	1,303	13.4	1.25	(10.9–15.8)		21,022	(16,937–25,107)
ME	45–54	1,523	13.8	1.25	(11.4–16.2)		21,457	(17,371–25,543)
ME	55–64	2,312	13.6	1.06	(11.5–15.7)		28,774	(24,009–33,540)
ME	65+	5,039	10.1	0.61	(8.9–11.3)		29,967	(26,296–33,639)
MD	18–24	713	9.7	1.44	(6.9–12.5)		53,205	(36,912–69,497)
MD	25–34	1,415	9.2	1.04	(7.1–11.2)		73,541	(56,259–90,823)
MD	35–44	2,026	9.1	0.80	(7.6–10.7)		72,084	(59,226–84,942)
MD	45–54	2,319	10.8	0.91	(9.0–12.6)		74,843	(61,678–88,009)
MD	55–64	3,108	10.2	0.75	(8.7–11.7)		84,583	(71,806–97,360)
MD	65+	5,409	8.2	0.54	(7.1–9.3)		83,320	(72,206–94,434)
MA	18–24	694	15.4	1.91	(11.7–19.2)		107,461	(78,584–136,339)
MA	25–34	1,032	13.0	1.43	(10.2–15.8)		117,916	(90,630–145,202)
MA	35–44	1,135	10.2	1.10	(8.1–12.4)		87,246	(68,070–106,421)
MA	45–54	1,170	11.6	1.16	(9.3–13.8)		91,958	(72,969–110,946)
MA	55–64	1,430	10.4	1.05	(8.3–12.4)		99,393	(78,706–120,079)
MA	65+	1,922	11.6	1.20	(9.3–14.0)		145,930	(114,269–177,590)
MI	18–24	530	16.1	1.98	(12.2–20.0)		153,247	(112,551–193,943)
MI	25–34	964	10.7	1.17	(8.4–13.0)		138,859	(107,545–170,173)
MI	35–44	1,135	12.5	1.17	(10.2–14.8)		146,193	(117,650–174,736)
MI	45–54	1,346	13.1	1.14	(10.8–15.3)		139,594	(113,877–165,311)
MI	55–64	1,861	11.1	0.90	(9.3–12.8)		151,522	(126,256–176,788)
MI	65+	3,250	8.9	0.63	(7.7–10.2)		165,951	(142,265–189,637)
MN	18–24	1,047	9.2	1.12	(7.0–11.4)		47,423	(35,431–59,416)
MN	25–34	1,822	9.7	0.82	(8.1–11.3)		71,615	(59,127–84,103)
MN	35–44	2,446	9.3	0.70	(8.0–10.7)		68,395	(57,798–78,991)
MN	45–54	2,459	9.3	0.68	(7.9–10.6)		57,512	(48,867–66,157)
MN	55–64	2,998	8.0	0.56	(6.9–9.1)		59,736	(51,338–68,134)
MN	65+	4,792	7.9	0.48	(6.9–8.8)		76,710	(67,333–86,086)
MS	18–24	278	14.7	3.21	(8.4–21.0)		42,228	(21,960–62,496)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfsstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>–./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
MS	25–34	471	7.8	1.58	(4.7–10.9)		29,709	(17,418–42,000)
MS	35–44	512	7.1	1.21	(4.7–9.5)		25,395	(16,734–34,057)
MS	45–54	604	11.0	1.59	(7.9–14.2)		36,811	(25,743–47,878)
MS	55–64	855	14.0	1.53	(11.0–17.0)		51,050	(39,341–62,758)
MS	65+	1,610	7.9	0.90	(6.2–9.7)		40,065	(30,856–49,273)
MO	18–24	886	11.4	1.61	(8.2–14.6)		64,352	(45,379–83,325)
MO	25–34	1,336	10.7	1.23	(8.3–13.1)		84,718	(64,496–104,940)
MO	35–44	1,512	10.2	1.12	(8.0–12.4)		76,247	(59,088–93,405)
MO	45–54	1,581	10.0	1.03	(8.0–12.0)		64,540	(51,073–78,007)
MO	55–64	2,158	9.3	0.89	(7.5–11.0)		74,460	(59,981–88,938)
MO	65+	4,430	7.0	0.60	(5.9–8.2)		78,296	(65,033–91,559)
MT	18–24	355	10.2	1.74	(6.7–13.6)		10,149	(6,576–13,721)
MT	25–34	647	11.3	1.53	(8.3–14.4)		15,688	(11,279–20,096)
MT	35–44	734	11.0	1.41	(8.2–13.7)		14,461	(10,599–18,323)
MT	45–54	725	11.8	1.36	(9.2–14.5)		12,792	(9,765–15,818)
MT	55–64	1,232	7.6	0.85	(5.9–9.3)		11,131	(8,626–13,637)
MT	65+	2,395	8.1	0.66	(6.8–9.4)		17,974	(15,012–20,936)
NE	18–24	977	9.0	1.14	(6.8–11.3)		17,626	(13,058–22,194)
NE	25–34	1,546	9.0	0.96	(7.1–10.9)		22,579	(17,652–27,507)
NE	35–44	1,858	8.9	0.88	(7.2–10.7)		22,274	(17,770–26,777)
NE	45–54	1,847	7.9	0.80	(6.3–9.4)		16,338	(12,976–19,699)
NE	55–64	2,760	8.0	0.78	(6.4–9.5)		18,786	(14,996–22,576)
NE	65+	5,695	7.3	0.46	(6.4–8.2)		24,173	(21,074–27,271)
NV	18–24	186	6.8	1.90	(3.1–10.6)		17,744	(7,821–27,666)
NV	25–34	299	8.7	2.17	(4.4–13.0)		38,009	(18,564–57,455)
NV	35–44	335	10.7	2.61	(5.6–15.9)		45,392	(22,043–68,740)
NV	45–54	390	9.5	1.76	(6.0–13.0)		34,911	(21,987–47,835)
NV	55–64	460	11.2	1.93	(7.4–15.0)		43,004	(27,755–58,252)
NV	65+	992	8.0	1.29	(5.5–10.5)		42,551	(28,810–56,292)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfsstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>.-/blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
NH	18–24	194	16.6	2.94	(10.8–22.4)		20,864	(12,939–28,789)
NH	25–34	403	12.4	1.79	(8.8–15.9)		20,990	(14,668–27,313)
NH	35–44	502	12.0	1.70	(8.7–15.4)		19,356	(13,690–25,022)
NH	45–54	805	14.5	1.46	(11.6–17.4)		23,385	(18,409–28,361)
NH	55–64	1,342	10.6	1.06	(8.5–12.7)		22,999	(18,244–27,755)
NH	65+	3,086	10.2	0.70	(8.8–11.5)		27,245	(23,437–31,053)
NJ	18–24	549	11.9	2.25	(7.5–16.3)		94,929	(56,573–133,285)
NJ	25–34	1,020	9.4	1.17	(7.1–11.7)		109,646	(81,642–137,649)
NJ	35–44	1,250	9.3	1.24	(6.8–11.7)		102,135	(73,810–130,459)
NJ	45–54	1,263	9.4	0.99	(7.5–11.3)		100,587	(79,143–122,031)
NJ	55–64	1,412	7.8	0.82	(6.2–9.4)		98,804	(78,067–119,540)
NJ	65+	2,097	7.9	0.74	(6.4–9.3)		123,712	(100,345–147,079)
NM	18–24	415	10.6	1.90	(6.9–14.3)		21,011	(13,248–28,775)
NM	25–34	771	11.3	1.49	(8.3–14.2)		31,458	(22,887–40,030)
NM	35–44	933	11.1	1.32	(8.5–13.7)		29,198	(22,061–36,334)
NM	45–54	881	8.9	1.22	(6.6–11.3)		20,109	(14,564–25,655)
NM	55–64	1,167	9.6	1.10	(7.5–11.8)		25,103	(19,273–30,934)
NM	65+	2,094	11.1	0.99	(9.2–13.0)		44,652	(36,461–52,843)
NY	18–24	2,026	12.1	1.07	(10.0–14.2)		214,063	(174,620–253,506)
NY	25–34	3,850	9.6	0.77	(8.1–11.1)		274,286	(228,672–319,900)
NY	35–44	4,599	9.1	0.64	(7.9–10.4)		224,479	(192,344–256,614)
NY	45–54	5,403	10.5	0.68	(9.2–11.9)		236,998	(205,359–268,636)
NY	55–64	7,695	11.3	0.66	(10.0–12.6)		296,062	(260,292–331,831)
NY	65+	13,916	8.6	0.49	(7.7–9.6)		297,965	(263,875–332,056)
NC	18–24	322	7.9	1.80	(4.4–11.5)		80,861	(43,473–118,249)
NC	25–34	699	9.9	1.32	(7.3–12.5)		136,438	(99,134–173,742)
NC	35–44	739	7.0	1.03	(5.0–9.0)		90,900	(64,191–117,609)
NC	45–54	773	11.0	1.45	(8.2–13.9)		132,148	(95,780–168,517)
NC	55–64	825	9.8	1.49	(6.9–12.7)		131,798	(90,114–173,481)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>././blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
NC	65+	1,441	7.4	0.87	(5.7–9.1)		136,964	(104,715–169,213)
ND	18–24	369	8.3	1.55	(5.3–11.4)		6,804	(4,216–9,391)
ND	25–34	540	10.0	1.54	(7.0–13.1)		11,381	(7,775–14,987)
ND	35–44	656	9.5	1.36	(6.8–12.1)		9,365	(6,592–12,138)
ND	45–54	688	9.2	1.33	(6.6–11.8)		6,825	(4,802–8,848)
ND	55–64	1,048	6.8	0.92	(5.0–8.6)		6,256	(4,554–7,958)
ND	65+	2,459	7.0	0.61	(5.8–8.2)		8,941	(7,390–10,492)
OH	18–24	811	13.2	1.59	(10.1–16.3)		140,696	(104,979–176,414)
OH	25–34	1,415	9.2	0.99	(7.2–11.1)		139,651	(109,012–170,290)
OH	35–44	1,855	11.6	1.03	(9.6–13.7)		163,880	(133,884–193,876)
OH	45–54	2,083	12.1	1.00	(10.2–14.1)		158,041	(131,025–185,058)
OH	55–64	2,739	11.1	0.83	(9.5–12.7)		173,320	(146,555–200,085)
OH	65+	5,061	7.9	0.56	(6.8–9.0)		171,770	(147,188–196,351)
OK	18–24	325	13.4	2.01	(9.4–17.3)		51,008	(35,039–66,978)
OK	25–34	576	10.1	1.42	(7.3–12.9)		52,229	(37,127–67,332)
OK	35–44	775	10.6	1.36	(7.9–13.3)		53,062	(38,965–67,158)
OK	45–54	712	11.8	1.44	(8.9–14.6)		50,678	(37,829–63,526)
OK	55–64	954	11.8	1.26	(9.4–14.3)		56,047	(43,730–68,363)
OK	65+	1,972	9.2	0.80	(7.6–10.8)		60,894	(50,213–71,575)
OR	18–24	362	12.0	1.89	(8.2–15.7)		43,765	(29,319–58,212)
OR	25–34	726	9.6	1.19	(7.3–12.0)		56,042	(41,930–70,154)
OR	35–44	925	12.2	1.14	(9.9–14.4)		68,655	(55,477–81,833)
OR	45–54	809	12.6	1.33	(10.0–15.2)		59,876	(46,887–72,865)
OR	55–64	859	12.9	1.48	(10.0–15.8)		67,908	(51,385–84,431)
OR	65+	1,526	9.7	1.11	(7.5–11.9)		77,764	(59,574–95,954)
PA	18–24	542	11.5	2.05	(7.5–15.5)		134,446	(83,551–185,341)
PA	25–34	854	12.2	1.41	(9.5–15.0)		201,891	(153,636–250,147)
PA	35–44	949	12.1	1.36	(9.4–14.7)		185,793	(142,490–229,097)
PA	45–54	1,002	8.3	1.04	(6.3–10.4)		117,052	(87,419–146,685)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>.-/blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
PA	55–64	1,187	11.3	1.17	(9.0–13.6)		202,994	(159,717–246,270)
PA	65+	1,696	8.0	0.86	(6.3–9.7)		203,052	(159,465–246,640)
RI	18–24	269	15.5	2.87	(9.9–21.2)		17,098	(10,281–23,915)
RI	25–34	624	12.3	1.62	(9.1–15.5)		18,217	(13,169–23,266)
RI	35–44	725	11.7	1.43	(8.9–14.5)		15,154	(11,319–18,988)
RI	45–54	866	12.9	1.38	(10.2–15.6)		15,447	(12,001–18,893)
RI	55–64	1,186	13.3	1.24	(10.8–15.7)		19,973	(16,051–23,895)
RI	65+	1,760	11.3	1.00	(9.4–13.3)		22,681	(18,575–26,788)
SC	18–24	356	10.5	2.11	(6.3–14.6)		49,611	(28,732–70,491)
SC	25–34	716	10.8	1.51	(7.9–13.8)		71,748	(50,817–92,680)
SC	35–44	1,045	6.5	0.86	(4.8–8.2)		41,006	(30,199–51,813)
SC	45–54	1,381	9.3	0.98	(7.3–11.2)		53,108	(41,597–64,620)
SC	55–64	1,853	10.6	0.97	(8.7–12.5)		70,629	(57,170–84,088)
SC	65+	4,371	8.3	0.59	(7.2–9.5)		81,648	(69,844–93,452)
SD	18–24	367	8.9	2.55	(3.9–14.0)		7,571	(3,175–11,966)
SD	25–34	668			(–)		8,092	(–)
SD	35–44	916	7.5	1.91	(3.8–11.2)		8,070	(3,923–12,218)
SD	45–54	968	7.1	1.51	(4.1–10.1)		5,941	(3,465–8,417)
SD	55–64	1,406	11.9	2.13	(7.7–16.1)		13,366	(8,351–18,381)
SD	65+	2,756	7.6	1.33	(5.0–10.2)		12,013	(7,765–16,260)
TN	18–24	289	14.7	2.51	(9.8–19.7)		91,386	(58,009–124,763)
TN	25–34	599	8.8	1.36	(6.1–11.5)		82,957	(57,053–108,861)
TN	35–44	688	9.3	1.36	(6.6–12.0)		78,777	(55,163–102,390)
TN	45–54	770	10.6	1.43	(7.8–13.4)		84,757	(61,113–108,401)
TN	55–64	861	12.0	1.47	(9.1–14.9)		107,097	(79,744–134,451)
TN	65+	1,439	8.8	1.11	(6.6–11.0)		106,770	(79,095–134,445)
TX	18–24	737	7.5	1.27	(5.0–10.0)		219,947	(145,748–294,147)
TX	25–34	1,465	7.5	1.04	(5.4–9.5)		306,330	(220,382–392,278)
TX	35–44	1,696	7.1	1.04	(5.1–9.1)		281,444	(198,204–364,684)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>‘–./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
TX	45–54	1,665	9.4	1.36	(6.7–12.1)		313,162	(219,261–407,063)
TX	55–64	1,772	10.2	1.13	(8.0–12.5)		340,500	(264,596–416,405)
TX	65+	3,179	9.0	0.85	(7.3–10.6)		364,028	(295,095–432,960)
UT	18–24	863	12.0	1.34	(9.4–14.7)		45,193	(34,689–55,698)
UT	25–34	1,473	9.3	0.90	(7.5–11.0)		44,016	(35,252–52,779)
UT	35–44	1,816	10.2	0.84	(8.5–11.8)		45,294	(37,598–52,989)
UT	45–54	1,615	9.5	0.88	(7.8–11.2)		32,049	(25,950–38,149)
UT	55–64	1,601	9.4	0.88	(7.7–11.1)		28,707	(23,257–34,156)
UT	65+	2,967	8.5	0.63	(7.2–9.7)		33,884	(28,753–39,015)
VT	18–24	238	11.5	2.36	(6.8–16.1)		7,581	(4,363–10,799)
VT	25–34	549	14.6	2.06	(10.5–18.6)		10,923	(7,632–14,214)
VT	35–44	811	12.4	1.54	(9.3–15.4)		9,140	(6,764–11,515)
VT	45–54	1,019	13.0	1.49	(10.1–15.9)		9,311	(7,059–11,563)
VT	55–64	1,410	12.0	1.24	(9.6–14.5)		11,514	(9,045–13,983)
VT	65+	2,373	9.5	0.92	(7.7–11.3)		12,614	(10,117–15,111)
VA	18–24	492	8.3	1.32	(5.7–10.8)		68,138	(46,167–90,109)
VA	25–34	954	9.6	1.06	(7.5–11.6)		108,920	(84,361–133,480)
VA	35–44	1,198	10.8	1.11	(8.6–13.0)		119,489	(94,292–144,686)
VA	45–54	1,376	9.5	1.05	(7.5–11.6)		95,097	(73,529–116,665)
VA	55–64	1,878	12.2	1.03	(10.2–14.3)		137,015	(112,942–161,087)
VA	65+	3,674	8.5	0.64	(7.3–9.8)		122,252	(103,689–140,814)
WA	18–24	615	8.1	1.25	(5.7–10.6)		54,661	(37,531–71,792)
WA	25–34	1,384	11.6	1.03	(9.6–13.6)		131,942	(107,452–156,432)
WA	35–44	1,691	12.0	0.96	(10.1–13.8)		124,893	(103,997–145,789)
WA	45–54	1,724	11.2	0.89	(9.5–13.0)		97,373	(81,460–113,287)
WA	55–64	2,379	10.0	0.75	(8.6–11.5)		95,473	(80,884–110,063)
WA	65+	4,990	9.4	0.58	(8.3–10.5)		122,986	(107,596–138,376)
WV	18–24	278	12.6	2.14	(8.4–16.9)		19,810	(12,777–26,842)
WV	25–34	622	11.9	1.45	(9.1–14.8)		24,318	(18,155–30,481)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>.-./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
WV	35–44	789	12.7	1.39	(10.0–15.4)		26,336	(20,302–32,369)
WV	45–54	978	13.3	1.30	(10.8–15.9)		27,772	(22,068–33,477)
WV	55–64	1,432	13.3	1.05	(11.3–15.4)		32,791	(27,367–38,215)
WV	65+	2,525	10.2	0.71	(8.8–11.6)		38,747	(33,281–44,212)
WI	18–24	329	13.6	2.45	(8.7–18.4)		74,732	(46,330–103,134)
WI	25–34	529	10.8	1.73	(7.4–14.2)		78,633	(52,637–104,630)
WI	35–44	696	7.1	1.15	(4.9–9.4)		50,894	(34,378–67,410)
WI	45–54	784	14.5	1.78	(11.0–18.0)		94,281	(69,683–118,878)
WI	55–64	1,287	12.5	1.29	(9.9–15.0)		102,252	(80,135–124,370)
WI	65+	2,361	8.8	0.82	(7.2–10.4)		95,000	(76,964–113,036)
WY	18–24	137	15.5	3.27	(9.0–21.9)		8,623	(4,726–12,520)
WY	25–34	273	7.3	1.64	(4.1–10.5)		5,227	(2,848–7,606)
WY	35–44	439	7.8	1.37	(5.2–10.5)		5,870	(3,804–7,936)
WY	45–54	502	13.7	1.80	(10.2–17.2)		7,888	(5,728–10,049)
WY	55–64	804	8.1	1.26	(5.6–10.6)		5,985	(4,087–7,882)
WY	65+	2,121	9.0	0.95	(7.1–10.8)		9,319	(7,292–11,346)
Territories								
GU	18–24	151			(.–)		1,142	(.–)
GU	25–34	247			(.–)		767	(.–)
GU	35–44	250			(.–)		704	(.–)
GU	45–54	273			(.–)		481	(.–)
GU	55–64	329			(.–)		1,427	(.–)
GU	65+	383			(.–)		475	(.–)
PR	18–24	287	11.4	2.31	(6.9–16.0)		39,606	(23,039–56,173)
PR	25–34	531	11.0	1.73	(7.6–14.4)		47,679	(32,220–63,137)
PR	35–44	600	11.0	1.65	(7.7–14.2)		47,975	(33,068–62,883)
PR	45–54	675	10.0	1.38	(7.3–12.7)		44,382	(31,945–56,819)
PR	55–64	752	14.2	1.70	(10.8–17.5)		61,336	(45,981–76,691)
PR	65+	1,131	11.1	1.26	(8.7–13.6)		69,773	(53,751–85,796)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechno.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>.–/blank: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2021**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
VI	18–24	86			(.–)		838	(.–)
VI	25–34	139			(.–)		1,205	(.–)
VI	35–44	140			(.–)		483	(.–)
VI	45–54	237			(.–)		331	(.–)
VI	55–64	292			(.–)		894	(.–)
VI	65+	421			(.–)		169	(.–)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

'.–./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%