

United States

2006 Codebook Report

ADULT Asthma Call-Back Survey

March 8, 2011



**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

STATE FIPS CODE

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Alaska	177	1.64	0.17
4	Arizona	230	2.13	3.95
6	California	353	3.27	21.00
8	Colorado	382	3.54	2.62
9	Connecticut	455	4.21	2.29
11	District of Columbia	197	1.82	0.42
13	Georgia	377	3.49	5.41
15	Hawaii	392	3.63	0.96
18	Indiana	439	4.06	3.68
19	Iowa	273	2.53	1.35
20	Kansas	514	4.76	1.55
23	Maine	243	2.25	0.91
24	Maryland	434	4.02	3.50
25	Massachusetts	378	3.50	4.45
26	Michigan	422	3.91	6.62
29	Missouri	362	3.35	3.45
30	Montana	299	2.77	0.55
31	Nebraska	301	2.79	0.91
33	New Hampshire	328	3.04	0.93
36	New York	365	3.38	11.92
41	Oregon	457	4.23	2.63
48	Texas	332	3.07	12.79
50	Vermont	582	5.39	0.42
53	Washington	2,219	20.54	4.24
55	Wisconsin	291	2.69	3.27

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	791	7.32	5.42
2	February	738	6.83	5.18
3	March	791	7.32	6.33
4	April	1,048	9.70	8.04
5	May	994	9.20	6.03
6	June	832	7.70	6.95
7	July	883	8.17	9.48
8	August	782	7.24	4.63
9	September	967	8.95	6.88
10	October	918	8.50	7.70
11	November	767	7.10	5.36
12	December	1,291	11.95	28.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	586	5.42	3.83
2	February	920	8.52	6.76
3	March	926	8.57	10.33
4	April	875	8.10	8.25
5	May	1,159	10.73	9.50
6	June	944	8.74	8.87
7	July	905	8.38	9.69
8	August	733	6.79	7.83
9	September	904	8.37	8.88
10	October	903	8.36	7.15
11	November	857	7.93	7.35
12	December	1,090	10.09	11.55

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		10,802	100.00	100.00

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2006	Interview year	10,459	96.82	97.90
2007	Interview year	343	3.18	2.10

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer identification	10,802	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

DISPOSITION OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: DISPCODE_F

Value	Value Label
110	Complete
120	Partial complete

Frequency	Percentage	Weighted Percentage
10,671	98.79	98.34
131	1.21	1.66

ANNUAL SEQUENCE NUMBER

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM

SAS Variable Name: SEQNO

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: NATTMPTS_F

Value	Value Label
HIDDEN	Number of attempts of asthma call-back

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

ARE YOU SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 40

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Type: NUM

SAS Variable Name: SAMP_NAME

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10,641	98.51	98.22
161	1.49	1.78

MAY I SPEAK WITH SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 41

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Type: NUM

SAS Variable Name: SAMP_PERS

Value	Value Label
1	Yes
2	No
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
98	60.87	80.62
63	39.13	19.38
10,641		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

CHECK CORRECT PERSON ON PHONE

Survey: ADULT Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,307	99.17	99.42
2	No	11	0.83	0.58
BLANK	Not asked or missing	9,484		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,318	100.00	100.00
BLANK	Not asked or missing	9,484		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	771	58.50	67.38
2	No	499	37.86	31.26
7	Don't know/Not sure	48	3.64	1.36
BLANK	Not asked or missing	9,484		

PERMISSION TO COMBINE THE ANSWER WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,830	100.00	100.00
BLANK	Not asked or missing	4,972		

AGE AT ASTHMA DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	9,733	90.10	91.38
777	Don't know	661	6.12	4.53
888	Less than 1 year old	397	3.68	4.02
999	Refused	11	0.10	0.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TIME SINCE DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 49

Prologue:

Description: Q3.2 How long ago was that?

Type: NUM
SAS Variable Name: INCIDNT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	288	2.67	2.65
2	One to five years ago	1,256	11.63	10.26
3	More than 5 years ago	9,213	85.29	86.74
7	Don't know	34	0.31	0.29
9	Refused	11	0.10	0.06

LAST TALKED TO A DOCTOR

Survey: ADULT Asthma Call-Back

Column: 50-51

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Type: NUM
SAS Variable Name: LAST_MD

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	5,916	54.77	50.52
5	One year to less than 3 years ago	1,607	14.88	15.56
6	Three years to five years ago	732	6.78	7.69
7	More than five years ago	2,337	21.63	25.15
77	Don't know	87	0.81	0.30
88	Never	110	1.02	0.72
99	Refused	13	0.12	0.06

LAST TOOK ASTHMA MEDICATION

Survey: ADULT Asthma Call-Back

Column: 52-53

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Type: NUM
SAS Variable Name: LAST_MED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	3,816	35.33	28.61
2	1-6 days ago	766	7.09	6.89
3	1 week to less than 3 months ago	1,183	10.95	13.11
4	3 months to less than 1 year ago	941	8.71	9.95
5	1 year to less than 3 years ago	906	8.39	8.21
6	3 years to 5 years ago	531	4.92	6.03
7	More than 5 years ago	2,163	20.02	23.88
77	Don't know	64	0.59	0.24
88	Never	420	3.89	2.89
99	Refused	12	0.11	0.19

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: ADULT Asthma Call-Back

Column: 54-55

Type: NUM

SAS Variable Name: LASTSYMP

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	2,931	27.13	22.83
2	1-6 days ago	1,236	11.44	10.48
3	1 week to less than 3 months ago	1,965	18.19	19.45
4	3 months to less than 1 year ago	1,191	11.03	11.64
5	1 year to less than 3 years ago	843	7.80	7.92
6	3 years to 5 years ago	444	4.11	4.38
7	More than 5 years ago	1,900	17.59	21.04
77	Don't know	203	1.88	1.08
88	Never	70	0.65	0.67
99	Refused	19	0.18	0.50

SYMPTOM DAYS

Survey: ADULT Asthma Call-Back

Column: 56-58

Type: NUM

SAS Variable Name: SYMP_30D

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	3,626	33.57	35.48
30	Every day	1,860	17.22	11.88
66	No symptoms past one year, skip filled	3,257	30.15	34.01
77	Don't know	238	2.20	1.18
88	No symptoms in the past 30 days	612	5.67	5.29
99	Refused	18	0.17	0.51
100	Symptoms 3 months to 1 year ago, skip filled	1,191	11.03	11.64

CONSTANT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,067	9.88	6.97
2	No	759	7.03	4.74
6	Last symptoms one+ years ago, skip filled	3,257	30.15	34.01
7	Don't know	34	0.31	0.18
10	Last symptoms 3 months - 1 year ago, skip filled	1,191	11.03	11.64
11	No symptoms 'SYMP_30D' skip filled	612	5.67	5.29
12	1-29 'SYMP_30D' skip filled	3,626	33.57	35.48
77	Don't know 'SYMP_30D' skip filled	238	2.20	1.18
99	Refused 'SYMP_30D' skip filled	18	0.17	0.51

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NIGHT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	2,361	21.86	20.33
66	No symptoms past one year, skip filled	3,257	30.15	34.01
77	Don't know	321	2.97	1.82
88	None	3,042	28.16	26.37
99	Refused	18	0.17	0.53
100	Symptoms 3 months to 1 year ago, skip filled	1,191	11.03	11.64
111	No symptoms in the past 30 days, skip filled	612	5.67	5.29

SYMPTOM-FREE DAYS

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is, no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	8,409	77.85	82.51
77	Don't know	182	1.68	1.82
88	None	2,191	20.28	15.13
99	Refused	20	0.19	0.54

ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,112	38.07	35.75
2	No	3,263	30.21	29.06
6	No symptoms past 1 year, skip filled	3,257	30.15	34.01
7	Don't know	136	1.26	0.78
9	Refused	34	0.31	0.40

NUMBER OF EPISODES / ATTACKS

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	3,029	28.04	26.98
666	No symptoms past 1 year, skip filled	3,257	30.15	34.01
777	Don't know	258	2.39	1.25
888	None	824	7.63	7.52
999	Refused	1	0.01	0.01
1111	No episode/asthma attack past year, skip filled	3,433	31.78	30.24

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

DURATION OF ATTACK

Survey: ADULT Asthma Call-Back

Column: 71-74

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Type: NUM

SAS Variable Name: DUR_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	1,619	14.99	14.18
201 - 299	Hours	1,078	9.98	10.42
301 - 399	Days	828	7.67	7.19
401 - 499	Weeks	333	3.08	2.29
555	Never	12	0.11	0.06
666	No symptoms past 1 year, skip filled	3,257	30.15	34.01
777	Don't know	234	2.17	1.51
999	Refused	8	0.07	0.11
1111	No episode/asthma attack past year, skip filled	3,433	31.78	30.24

TYPICAL ATTACK

Survey: ADULT Asthma Call-Back

Column: 75-76

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Type: NUM

SAS Variable Name: COMPASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	954	8.83	8.69
2	Longer	640	5.92	6.30
3	About the same	2,444	22.63	20.29
4	The most recent attack was actually the first attack	19	0.18	0.12
6	No symptoms past year, skip filled	3,257	30.15	34.01
7	Don't know	49	0.45	0.24
9	Refused	6	0.06	0.11
11	No episode/asthma attack past year, skip filled	3,433	31.78	30.24

INSURANCE

Survey: ADULT Asthma Call-Back

Column: 77

Prologue:

Description: QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Type: NUM

SAS Variable Name: INS1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,662	89.45	84.90
2	No	986	9.13	14.03
7	Don't know/Not sure	115	1.06	0.55
9	Refused	39	0.36	0.52

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

INSURANCE OR COVERAGE GAP

Survey: ADULT Asthma Call-Back

Column: 78

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	631	5.84	7.70
2	No	9,016	83.47	77.11
5	No insurance at time of interview, skip filled	986	9.13	14.03
7	Don't know	129	1.19	0.64
9	Refused	40	0.37	0.53

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: ADULT Asthma Call-Back

Column: 79-81

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	4,395	40.69	36.20
666	No MD visit past year, skip filled	4,786	44.31	49.12
777	Don't know	113	1.05	0.70
888	None	1,484	13.74	13.56
999	Refused	24	0.22	0.42

EMERGENCY ROOM VISIT

Survey: ADULT Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	926	8.57	8.00
2	No	5,034	46.60	42.14
6	No MD visit past year, skip filled	4,786	44.31	49.12
7	Don't know	19	0.18	0.11
9	Refused	37	0.34	0.63

NUMBER OF EMERGENCY ROOM VISITS

Survey: ADULT Asthma Call-Back

Column: 83-85

Type: NUM

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	910	8.42	7.90
666	No MD visit past year, skip filled	4,786	44.31	49.12
677	MD visit, no er visit past year, skip filled	5,034	46.60	42.14
777	Don't know	35	0.32	0.21
999	Refused	37	0.34	0.63

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NUMBER OF URGENT VISITS

Survey: ADULT Asthma Call-Back

Column: 86-88

Type: NUM

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,927	17.84	16.55
666	No MD visit past year, skip filled	4,786	44.31	49.12
777	Don't know	100	0.93	0.68
888	None	3,964	36.70	33.22
999	Refused	25	0.23	0.43

HOSPITAL VISIT

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	316	2.93	2.23
2	No	5,042	46.68	42.89
4	MD visit, no symptoms past year, skip filled	604	5.59	5.03
6	No MD visit past year, skip filled	4,786	44.31	49.12
7	Don't know	16	0.15	0.09
9	Refused	38	0.35	0.65

NUMBER OF HOSPITAL VISITS

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	310	2.87	2.21
444	MD visit, no symptoms past year, skip filled	604	5.59	5.03
455	MD visit, symptoms, no hospital visit past year, skip filled	5,042	46.68	42.89
666	No MD visit past year, skip filled	4,786	44.31	49.12
777	Don't know	22	0.20	0.11
999	Refused	38	0.35	0.65

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

HOSPITAL FOLLOW-UP

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	219	2.03	1.54
2	No	97	0.90	0.69
4	MD visit, no symptoms past year, skip filled	604	5.59	5.03
6	No MD visit past year, skip filled	4,786	44.31	49.12
7	Don't know	16	0.15	0.09
9	Refused	38	0.35	0.65
45	MD visit, symptoms, no hospital visit past year, skip filled	5,042	46.68	42.89

NUMBER OF MISSED DAYS

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	2,388	22.11	20.61
555	No current asthma, nothing happened past year, skip filled	2,145	19.86	24.10
777	Don't know	398	3.68	2.70
888	Zero	5,823	53.91	51.73
999	Refused	48	0.44	0.85

ACTIVITY LIMITATION

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT_DAYS

Prologue:

Description: Q5.9 During the past 12 months, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	3,327	30.80	30.27
2	A little	2,974	27.53	25.91
3	A moderate amount	1,459	13.51	11.56
4	A lot	743	6.88	6.04
5	No current asthma, nothing happened past year, skip filled	2,145	19.86	24.10
7	Don't know	86	0.80	1.09
9	Refused	68	0.63	1.03

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,162	57.04	57.75
2	No	4,346	40.23	39.38
7	Don't know/Not sure	233	2.16	2.04
9	Refused	61	0.56	0.82

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,326	67.82	68.89
2	No	3,228	29.88	28.80
7	Don't know/Not sure	186	1.72	1.39
9	Refused	62	0.57	0.93

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: ADULT Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,057	37.56	38.11
2	No	6,596	61.06	60.30
7	Don't know/Not sure	86	0.80	0.67
9	Refused	63	0.58	0.92

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: ADULT Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,358	21.83	22.21
2	No	8,202	75.93	75.62
7	Don't know/Not sure	177	1.64	1.25
9	Refused	65	0.60	0.92

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: ADULT Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	823	7.62	7.76
2	No	9,891	91.57	91.14
7	Don't know/Not sure	22	0.20	0.15
9	Refused	66	0.61	0.94

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

AIR CLEANER USED

Survey: ADULT Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,993	27.71	28.55
2	No	7,699	71.27	70.25
7	Don't know/Not sure	32	0.30	0.18
9	Refused	78	0.72	1.02

DEHUMIDIFIER USED

Survey: ADULT Asthma Call-Back

Column: 105

Type: NUM

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,260	20.92	20.69
2	No	8,422	77.97	77.60
7	Don't know/Not sure	40	0.37	0.69
9	Refused	80	0.74	1.02

EXHAUST FAN USED

Survey: ADULT Asthma Call-Back

Column: 106

Type: NUM

SAS Variable Name: KITC_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,161	57.04	55.92
2	No	4,505	41.71	42.51
7	Don't know/Not sure	54	0.50	0.53
9	Refused	82	0.76	1.04

GAS USED

Survey: ADULT Asthma Call-Back

Column: 107

Type: NUM

SAS Variable Name: COOK_GAS

Prologue:

Description: Q7.4 Is gas used for cooking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,621	33.52	46.81
2	No	7,090	65.64	52.10
7	Don't know/Not sure	11	0.10	0.05
9	Refused	80	0.74	1.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 108

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Type: NUM

SAS Variable Name: ENV_MOLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,369	12.67	11.57
2	No	9,297	86.07	87.12
7	Don't know/Not sure	53	0.49	0.24
9	Refused	83	0.77	1.08

INDOOR PETS

Survey: ADULT Asthma Call-Back

Column: 109

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Type: NUM

SAS Variable Name: ENV_PETS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,178	57.19	57.43
2	No	4,542	42.05	41.51
7	Don't know/Not sure	2	0.02	0.00
9	Refused	80	0.74	1.06

PETS ALLOWED IN BEDROOM

Survey: ADULT Asthma Call-Back

Column: 110

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Type: NUM

SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,782	44.27	43.83
2	No	1,366	12.65	13.37
3	Some are/some aren't	27	0.25	0.19
6	No pets, skip coded	4,624	42.81	42.57
7	Don't know	3	0.03	0.03

SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 112

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Type: NUM

SAS Variable Name: C_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	685	6.34	9.77
2	No	10,021	92.77	89.00
7	Don't know/Not sure	16	0.15	0.17
9	Refused	80	0.74	1.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 113

Type: NUM

SAS Variable Name: C_RODENT

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	727	6.73	6.38
2	No	9,984	92.43	92.52
7	Don't know/Not sure	11	0.10	0.05
9	Refused	80	0.74	1.06

FIREPLACE OR WOOD STOVE USED

Survey: ADULT Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: WOOD_STOVE

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,256	20.89	19.85
2	No	8,459	78.31	78.88
7	Don't know/Not sure	7	0.06	0.02
9	Refused	80	0.74	1.25

GAS APPLIANCE USED

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	591	5.47	7.08
2	No	10,069	93.21	91.20
7	Don't know/Not sure	60	0.56	0.45
9	Refused	82	0.76	1.27

ANYONE SMOKED INSIDE YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,774	16.42	17.34
2	No	8,938	82.74	81.35
7	Don't know/Not sure	7	0.06	0.04
9	Refused	83	0.77	1.27

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

EVER ADVISED CHANGE THINGS IN YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,928	36.36	38.25
2	No	6,738	62.38	60.39
7	Don't know/Not sure	51	0.47	0.28
9	Refused	85	0.79	1.08

USE A MATTRESS COVER

Survey: ADULT Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,659	24.62	22.87
2	No	7,837	72.55	73.63
7	Don't know/Not sure	222	2.06	2.42
9	Refused	84	0.78	1.07

USE A PILLOW COVER

Survey: ADULT Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,623	24.28	22.16
2	No	7,959	73.68	74.90
7	Don't know/Not sure	137	1.27	1.89
9	Refused	83	0.77	1.05

CARPETING OR RUGS IN YOUR BEDROOM

Survey: ADULT Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,015	74.20	68.37
2	No	2,701	25.00	30.55
7	Don't know/Not sure	2	0.02	0.00
9	Refused	84	0.78	1.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

WASH WATER TEMPERATURE

Survey: ADULT Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	2,300	21.29	21.22
2	Warm	3,751	34.73	33.85
3	Hot	4,048	37.47	37.18
4	Varies	366	3.39	3.20
7	Don't know/Not sure	252	2.33	3.45
9	Refused	85	0.79	1.09

USE AN EXHAUST FAN IN YOUR BATHROOM

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,392	59.17	56.04
2	No or "No Fan"	4,241	39.26	42.31
7	Don't know/Not sure	83	0.77	0.55
9	Refused	86	0.80	1.10

EVER USED OVER-THE-COUNTER MEDICATION

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,838	26.27	26.84
2	No	7,376	68.28	68.27
5	Never took asthma medication, skip filled	420	3.89	2.89
7	Don't know	84	0.78	0.73
9	Refused	84	0.78	1.27

EVER USED PRESCRIPTION INHALER

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,493	87.88	87.87
2	No	772	7.15	7.80
5	Never took asthma medication, skip filled	420	3.89	2.89
7	Don't know	35	0.32	0.18
9	Refused	82	0.76	1.26

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PROFESSIONAL INHALER INSTRUCTION

Survey: ADULT Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,084	84.10	84.38
2	No	370	3.43	3.30
5	Never took asthma medication, skip filled	420	3.89	2.89
6	Never used prescription inhaler, skip filled	889	8.23	9.24
7	Don't know	39	0.36	0.19

INHALER USE WATCHED

Survey: ADULT Asthma Call-Back

Column: 127

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,148	66.17	64.78
2	No	1,978	18.31	20.13
5	Never took asthma medication, skip filled	420	3.89	2.89
6	Never used prescription inhaler, skip filled	889	8.23	9.24
7	Don't know	366	3.39	2.97
9	Refused	1	0.01	0.00

MEDICATION IN HAND

Survey: ADULT Asthma Call-Back

Column: 128

Type: NUM

SAS Variable Name: SCR_MED1

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,547	32.84	28.10
2	No	265	2.45	2.45
3	Respondent knows the meds	1,803	16.69	13.32
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
7	Don't know	81	0.75	3.94
9	Refused	69	0.64	0.80

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

HAVE ALL THE MEDICATIONS

Survey: ADULT Asthma Call-Back

Column: 130-131

Prologue:

Description: Q8.7 Do you have all the medications?

Type: NUM

SAS Variable Name: SCR_MED3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	3,404	31.51	27.01
2	Yes, I have some of the medications but not all	100	0.93	0.75
3	No	37	0.34	0.25
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
7	Don't know	3	0.03	0.05
9	Refused	3	0.03	0.04
10	Know or no handy asthma medicines, skip filled	2,218	20.53	20.52

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 132

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Type: NUM

SAS Variable Name: INH_SCR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	5,168	47.84	43.43
2	No inhaler in past 3 months	442	4.09	3.48
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
6	Asthma med. past 3 months, never used inhaler, skip filled	89	0.82	0.91
7	Don't know	9	0.08	0.04
9	Refused	57	0.53	0.76

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 133

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Type: NUM

SAS Variable Name: PILLS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	1,531	14.17	13.42
2	No pills in past 3 months	4,131	38.24	34.20
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
7	Don't know	30	0.28	0.14
9	Refused	73	0.68	0.86

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	50	0.46	0.70
2	No syrup in past 3 months	5,633	52.15	47.01
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
7	Don't know	9	0.08	0.07
9	Refused	73	0.68	0.83

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	1,232	11.41	10.00
2	No nebulizer in past 3 months	4,450	41.20	37.76
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
7	Don't know	13	0.12	0.03
9	Refused	70	0.65	0.82

NEBULIZER AT HOME

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,102	10.20	8.74
2	No	129	1.19	1.22
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
8	No neb. in past 3 months, skip filled	4,533	41.96	38.61
9	Refused	1	0.01	0.04

NEBULIZER AT DOCTOR'S OFFICE

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	419	3.88	3.73
2	No	812	7.52	6.27
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
7	Don't know/Not sure	1	0.01	0.01
8	No neb. in past 3 months, skip filled	4,533	41.96	38.61

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NEBULIZER IN EMERGENCY ROOM

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	365	3.38	2.95
2	No	862	7.98	7.05
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
7	Don't know/Not sure	5	0.05	0.01
8	No neb. in past 3 months, skip filled	4,533	41.96	38.61

NEBULIZER AT WORK OR SCHOOL

Survey: ADULT Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	108	1.00	0.82
2	No	1,121	10.38	9.16
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
8	No neb. in past 3 months, skip filled	4,533	41.96	38.61
9	Refused	3	0.03	0.02

NEBULIZER AT ANY OTHER PLACE

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	264	2.44	1.80
2	No	967	8.95	8.16
4	No asthma med. past 3 months, skip filled	4,617	42.74	48.50
5	Never took asthma medication, skip filled	420	3.89	2.89
8	No neb. in past 3 months, skip filled	4,533	41.96	38.61
9	Refused	1	0.01	0.04

COST BARRIER: PRIMARY CARE DOCTOR

Survey: ADULT Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	663	6.15	6.98
2	No	6,772	62.81	57.37
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	20	0.19	0.10
9	Refused	118	1.09	1.23
BLANK	Partial complete	20		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

COST BARRIER: SPECIALIST

Survey: ADULT Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	355	3.29	4.41
2	No	7,082	65.68	59.80
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	19	0.18	0.24
9	Refused	117	1.09	1.23
BLANK	Partial complete	20		

COST BARRIER: MEDICATION

Survey: ADULT Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,048	9.72	9.86
2	No	6,385	59.22	54.32
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	21	0.19	0.25
9	Refused	119	1.10	1.24
BLANK	Partial complete	20		

CURRENT EMPLOYMENT STATUS

Survey: ADULT Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: EMP_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	4,230	39.16	43.96
2	Employed part-time	1,340	12.41	14.45
3	Not employed	5,108	47.29	40.07
7	Don't know	7	0.06	0.04
9	Refused	116	1.07	1.49
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

REASON NOT NOW EMPLOYED

Survey: ADULT Asthma Call-Back

Column: 145-146

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Type: NUM

SAS Variable Name: UNEMP_R

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	459	4.30	4.38
2	Going to school	129	1.21	3.25
3	Retired	2,520	23.59	14.10
4	Disabled	1,136	10.63	7.78
5	Unable to work for other health reasons	413	3.87	3.77
6	Looking for work	124	1.16	2.50
7	Laid off	79	0.74	1.10
8	Other	235	2.20	3.76
66	Employed, skip filled	5,562	52.06	59.24
77	Don't know	5	0.05	0.03
88	Current employment status don't know or refused	13	0.12	0.06
99	Refused	8	0.07	0.01
BLANK	Partial complete	119		

EVER EMPLOYED OUTSIDE HOME

Survey: ADULT Asthma Call-Back

Column: 147

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Type: NUM

SAS Variable Name: EMP_EVER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,852	44.96	37.18
2	No	261	2.42	2.95
6	Employed now, skip filled	5,562	51.54	58.37
7	Don't know/Not sure	1	0.01	0.00
9	Refused	116	1.07	1.50
BLANK	Partial complete	10		

ASTHMA CAUSED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 148-149

Prologue:

Description: Q10.4 Was your asthma CAUSED by chemicals, smoke, fumes or dust in your CURRENT job?

Type: NUM

SAS Variable Name: WORKENV1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	643	6.02	5.94
2	No	4,720	44.20	52.07
6	Never employed outside home, skip filled	260	2.43	3.00
7	Don't know	206	1.93	1.31
8	Past employment unknown, skip filled	6	0.06	0.01
9	Refused	1	0.01	0.00
10	Not employed now but employed before, skip filled	4,843	45.35	37.66
BLANK	Partial complete	123		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ASTHMA AGGRAVATED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 150-151

Type: NUM

SAS Variable Name: WORKENV2

Prologue:

Description: Q10.5 Is your asthma MADE WORSE by chemicals, smoke, fumes or dust in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,147	10.74	11.41
2	No	2,466	23.10	25.05
5	No current asthma, skip filled	1,955	18.31	23.24
6	Never employed outside home, skip filled	198	1.85	2.06
7	Don't know	60	0.56	0.55
8	Past employment unknown, skip filled	6	0.06	0.01
9	Refused	1	0.01	0.00
10	Not employed now but employed before, skip filled	4,843	45.36	37.68
BLANK	Partial complete	126		

ASTHMA CAUSED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKENV3

Prologue:

Description: Q10.6 Was your asthma CAUSED by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,838	17.20	15.88
2	No	7,142	66.82	70.50
5	Caused by current job, skip filled	643	6.02	5.94
6	Never employed outside home, skip filled	260	2.43	2.99
7	Don't know	797	7.46	4.65
8	Past employment unknown, skip filled	6	0.06	0.01
9	Refused	2	0.02	0.02
BLANK	Partial complete	114		

ASTHMA AGGRAVATED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: WORKENV4

Prologue:

Description: Q10.7 Was your asthma MADE WORSE by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,180	29.75	26.83
2	No	6,223	58.22	62.11
5	Caused by current job, skip filled	643	6.02	5.94
6	Never employed outside home, skip filled	260	2.43	2.99
7	Don't know	370	3.46	2.05
8	Past employment unknown, skip filled	6	0.06	0.01
9	Refused	6	0.06	0.06
BLANK	Partial complete	114		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

EVER CHANGE OR QUIT A JOB

Survey: ADULT Asthma Call-Back

Column: 154-155

Type: NUM

SAS Variable Name: WORKQUIT

Prologue:

Description: Q10.75 Did you ever change or quit a job because chemicals, smoke, fumes, or dust caused your asthma or made your asthma worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	868	8.13	7.42
2	No	2,809	26.31	24.52
6	Never employed outside home, skip filled	260	2.44	3.00
7	Don't know	10	0.09	0.09
8	Past employment unknown, skip filled	6	0.06	0.01
9	Refused	1	0.01	0.02
10	Skip filled	6,721	62.96	64.95
BLANK	Partial complete	127		

DOCTOR DIAGNOSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: WORKSEN1

Prologue:

Description: Q10.8 Were you ever told by a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	902	8.44	7.83
2	No	9,451	88.43	88.89
6	Never employed outside home, skip filled	260	2.43	2.99
7	Don't know	62	0.58	0.20
8	Past employment unknown, skip filled	6	0.06	0.01
9	Refused	7	0.07	0.07
BLANK	Partial complete	114		

SELF-IDENTIFIED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: WORKSEN2

Prologue:

Description: Q10.9 Did you ever tell a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,164	10.89	8.60
2	No	9,179	85.88	87.76
6	Never employed outside home, skip filled	260	2.43	2.99
7	Don't know	72	0.67	0.56
8	Past employment unknown, skip filled	6	0.06	0.01
9	Refused	7	0.07	0.07
BLANK	Partial complete	114		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Survey: ADULT Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,170	10.83	6.72
2	No	9,330	86.40	90.27
7	Don't know/Not sure	177	1.64	1.42
9	Refused	122	1.13	1.59
BLANK	Partial complete	3		

EVER TOLD HAVE EMPHYSEMA

Survey: ADULT Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	931	8.62	5.19
2	No	9,692	89.76	92.99
7	Don't know/Not sure	54	0.50	0.24
9	Refused	121	1.12	1.58
BLANK	Partial complete	4		

EVER TOLD HAVE CHRONIC BRONCHITIS

Survey: ADULT Asthma Call-Back

Column: 160

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,903	26.89	22.70
2	No	7,642	70.78	75.10
7	Don't know/Not sure	131	1.21	0.61
9	Refused	121	1.12	1.58
BLANK	Partial complete	5		

EVER TOLD DEPRESSED

Survey: ADULT Asthma Call-Back

Column: 161

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,852	35.68	31.54
2	No	6,796	62.94	66.74
7	Don't know/Not sure	20	0.19	0.09
9	Refused	129	1.19	1.63
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

USED HERBS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	423	3.92	3.64
2	No	6,979	64.73	60.45
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	18	0.17	0.09
9	Refused	153	1.42	1.48
BLANK	Partial complete	20		

USED VITAMINS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 163

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q12.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	605	5.61	5.16
2	No	6,783	62.91	58.85
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	32	0.30	0.17
9	Refused	153	1.42	1.48
BLANK	Partial complete	20		

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 164

Type: NUM

SAS Variable Name: CAM_PUNC

Prologue:

Description: Q12.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	104	0.96	1.14
2	No	7,303	67.73	62.92
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	14	0.13	0.13
9	Refused	152	1.41	1.48
BLANK	Partial complete	20		

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 165

Type: NUM

SAS Variable Name: CAM_PRES

Prologue:

Description: Q12.4 . . . acupressure . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	111	1.03	1.28
2	No	7,297	67.68	62.83
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	13	0.12	0.08
9	Refused	152	1.41	1.48
BLANK	Partial complete	20		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM
SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	365	3.39	3.31
2	No	7,036	65.26	60.66
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	20	0.19	0.22
9	Refused	152	1.41	1.48
BLANK	Partial complete	20		

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM
SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	168	1.56	1.56
2	No	7,212	66.89	62.34
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	41	0.38	0.29
9	Refused	152	1.41	1.48
BLANK	Partial complete	20		

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 168

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM
SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	107	0.99	0.58
2	No	7,279	67.51	63.40
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	35	0.32	0.21
9	Refused	152	1.41	1.48
BLANK	Partial complete	20		

USED YOGA TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 169

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM
SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	268	2.49	2.05
2	No	7,138	66.20	62.01
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	14	0.13	0.13
9	Refused	153	1.42	1.48
BLANK	Partial complete	20		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

USED BREATHING TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 170

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,234	20.72	19.18
2	No	5,161	47.87	44.88
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	26	0.24	0.14
9	Refused	152	1.41	1.48
BLANK	Partial complete	20		

USED NATUROPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 171

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	105	0.97	0.73
2	No	7,276	67.48	63.28
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	40	0.37	0.18
9	Refused	152	1.41	1.48
BLANK	Partial complete	20		

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 172

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	712	6.60	5.56
2	No	6,685	62.00	58.50
5	No current asthma, skip filled	3,209	29.76	34.33
7	Don't know	21	0.19	0.10
9	Refused	155	1.44	1.51
BLANK	Partial complete	20		

TEXT FOR OTHER TYPE CARE

Survey: ADULT Asthma Call-Back

Column: 173-272

Prologue:

Description: Q12.12 What else have you used?

Type: CHAR

SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		10,086		
HIDDEN	Text field - up to 100 characters	716	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

LANGUAGE IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 273-274

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM

SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	10,321	98.19	93.32
2	Spanish	126	1.20	2.97
3	Other	64	0.61	3.71
BLANK	Not asked or missing	291		

END OF THE RAW CALL BACK DATA

Survey: ADULT Asthma Call-Back

Column: 275

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM

SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,802	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 276

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA2) AND CALL BACK (EVER_ASTH)

Type: NUM

SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,802	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 277

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Type: NUM

SAS Variable Name: _CUR_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,573	70.11	65.35
2	No	2,957	27.37	32.40
7	Don't know/Not sure	269	2.49	2.24
9	Refused	3	0.03	0.02

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 824

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM

SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	10,802	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ADVAIR

Survey: ADULT Asthma Call-Back

Column: 279

Prologue:

Description: ADVAIR

Type: NUM

SAS Variable Name: INHALER_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,806	16.72	13.41
8,996	83.28	86.59

AEROBID

Survey: ADULT Asthma Call-Back

Column: 280

Prologue:

Description: AEROBID

Type: NUM

SAS Variable Name: INHALER_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
59	0.55	0.53
10,743	99.45	99.47

ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 281

Prologue:

Description: ALBUTEROL

Type: NUM

SAS Variable Name: INHALER_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3,463	32.06	28.80
7,339	67.94	71.20

ALUPENT

Survey: ADULT Asthma Call-Back

Column: 282

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
27	0.25	0.21
10,775	99.75	99.79

ATROVENT

Survey: ADULT Asthma Call-Back

Column: 283

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
158	1.46	1.11
10,644	98.54	98.89

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

AZMACORT

Survey: ADULT Asthma Call-Back

Column: 284

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
169	1.56	1.01
10,633	98.44	98.99

BECLOMETHASONE DIPROPIONATE

Survey: ADULT Asthma Call-Back

Column: 285

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.14	0.05
10,787	99.86	99.95

BECLOVENT

Survey: ADULT Asthma Call-Back

Column: 286

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
10,801	99.99	99.99

BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 287

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.04	0.29
10,798	99.96	99.71

BRETHAIRE

Survey: ADULT Asthma Call-Back

Column: 288

Prologue:

Description: BRETHAIRE

Type: NUM

SAS Variable Name: INHALER_ID_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 289
Prologue:
Description: BUDESONIDE

Type: NUM
SAS Variable Name: INHALER_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.04	0.01
10,798	99.96	99.99

COMBIVENT

Survey: ADULT Asthma Call-Back
Column: 290
Prologue:
Description: COMBIVENT

Type: NUM
SAS Variable Name: INHALER_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
460	4.26	3.27
10,342	95.74	96.73

CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 291
Prologue:
Description: CROMOLYN

Type: NUM
SAS Variable Name: INHALER_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.01
10,799	99.97	99.99

FLOVENT

Survey: ADULT Asthma Call-Back
Column: 292
Prologue:
Description: FLOVENT

Type: NUM
SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
506	4.68	3.26
10,296	95.32	96.74

FLOVENT ROTADISK

Survey: ADULT Asthma Call-Back
Column: 293
Prologue:
Description: FLOVENT ROTADISK

Type: NUM
SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	0.17	0.06
10,784	99.83	99.94

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FLUNISOLIDE

Survey: ADULT Asthma Call-Back
Column: 294
Prologue:
Description: FLUNISOLIDE

Type: NUM
SAS Variable Name: INHALER_ID_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.08	0.04
2	No	10,793	99.92	99.96

FLUTICASONE

Survey: ADULT Asthma Call-Back
Column: 295
Prologue:
Description: FLUTICASONE

Type: NUM
SAS Variable Name: INHALER_ID_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.06	0.02
2	No	10,795	99.94	99.98

INTAL

Survey: ADULT Asthma Call-Back
Column: 296
Prologue:
Description: INTAL

Type: NUM
SAS Variable Name: INHALER_ID_18

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	0.15	0.16
2	No	10,786	99.85	99.84

IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back
Column: 297
Prologue:
Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	0.20	0.09
2	No	10,780	99.80	99.91

MAXAIR

Survey: ADULT Asthma Call-Back
Column: 298
Prologue:
Description: MAXAIR

Type: NUM
SAS Variable Name: INHALER_ID_20

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	84	0.78	0.67
2	No	10,718	99.22	99.33

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 299
Prologue:
Description: METAPROTERONOL

Type: NUM
SAS Variable Name: INHALER_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.01
10,800	99.98	99.99

NEDOCROMIL

Survey: ADULT Asthma Call-Back
Column: 300
Prologue:
Description: NEDOCROMIL

Type: NUM
SAS Variable Name: INHALER_ID_22

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
10,801	99.99	99.99

PIRBUTEROL

Survey: ADULT Asthma Call-Back
Column: 301
Prologue:
Description: PIRBUTEROL

Type: NUM
SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.06	0.12
10,796	99.94	99.88

PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 302
Prologue:
Description: PROVENTIL

Type: NUM
SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
177	1.64	1.98
10,625	98.36	98.02

PULMICORT TURBUHALER

Survey: ADULT Asthma Call-Back
Column: 303
Prologue:
Description: PULMICORT TURBUHALER

Type: NUM
SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
160	1.48	1.34
10,642	98.52	98.66

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SALMETEROL

Survey: ADULT Asthma Call-Back
Column: 304
Prologue:
Description: SALMETEROL

Type: NUM
SAS Variable Name: INHALER_ID_26

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.01
2	No	10,799	99.97	99.99

SEREVENT

Survey: ADULT Asthma Call-Back
Column: 305
Prologue:
Description: SEREVENT

Type: NUM
SAS Variable Name: INHALER_ID_27

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	203	1.88	1.62
2	No	10,599	98.12	98.38

TERBUTALINE

Survey: ADULT Asthma Call-Back
Column: 306
Prologue:
Description: TERBUTALINE

Type: NUM
SAS Variable Name: INHALER_ID_28

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	10,801	99.99	100.00

TILADE

Survey: ADULT Asthma Call-Back
Column: 307
Prologue:
Description: TILADE

Type: NUM
SAS Variable Name: INHALER_ID_29

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.05	0.10
2	No	10,797	99.95	99.90

TORNALATE

Survey: ADULT Asthma Call-Back
Column: 308
Prologue:
Description: TORNALATE

Type: NUM
SAS Variable Name: INHALER_ID_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.02
2	No	10,801	99.99	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TRIAMCINOLONE

Survey: ADULT Asthma Call-Back
Column: 309
Prologue:
Description: TRIAMCINOLONE

Type: NUM
SAS Variable Name: INHALER_ID_31

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.00
2	No	10,800	99.98	100.00

VANCERIL

Survey: ADULT Asthma Call-Back
Column: 310
Prologue:
Description: VANCERIL

Type: NUM
SAS Variable Name: INHALER_ID_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.12	0.08
2	No	10,789	99.88	99.92

VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 311
Prologue:
Description: VENTOLIN

Type: NUM
SAS Variable Name: INHALER_ID_33

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	92	0.85	1.46
2	No	10,710	99.15	98.54

FORADIL

Survey: ADULT Asthma Call-Back
Column: 312
Prologue:
Description: FORADIL

Type: NUM
SAS Variable Name: INHALER_ID_34

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	66	0.61	0.39
2	No	10,736	99.39	99.61

FORMOTEROL

Survey: ADULT Asthma Call-Back
Column: 313
Prologue:
Description: FORMOTEROL

Type: NUM
SAS Variable Name: INHALER_ID_35

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.04	0.01
2	No	10,798	99.96	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

QVAR

Survey: ADULT Asthma Call-Back

Column: 314

Prologue:

Description: QVAR

Type: NUM

SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
192	1.78	1.91
10,610	98.22	98.09

OTHER INHALER

Survey: ADULT Asthma Call-Back

Column: 315

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
105	0.97	0.72
10,697	99.03	99.28

PILL ACCOLATE

Survey: ADULT Asthma Call-Back

Column: 316

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
70	0.65	0.33
10,732	99.35	99.67

PILL AEROLATE

Survey: ADULT Asthma Call-Back

Column: 317

Prologue:

Description: PILL AEROLATE

Type: NUM

SAS Variable Name: PILLS_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
10,800	99.98	100.00

PILL ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 318

Prologue:

Description: PILL ALBUTEROL

Type: NUM

SAS Variable Name: PILLS_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
27	0.25	0.39
10,775	99.75	99.61

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL ALUPENT

Survey: ADULT Asthma Call-Back
Column: 319
Prologue:
Description: PILL ALUPENT

Type: NUM
SAS Variable Name: PILLS_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
10,801	99.99	99.99

PILL CHOLEDYL

Survey: ADULT Asthma Call-Back
Column: 320
Prologue:
Description: PILL CHOLEDYL

Type: NUM
SAS Variable Name: PILLS_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
10,801	99.99	100.00

PILL DELTASONE

Survey: ADULT Asthma Call-Back
Column: 321
Prologue:
Description: PILL DELTASONE

Type: NUM
SAS Variable Name: PILLS_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.02
10,801	99.99	99.98

PILL ELIXOPHYLLIN

Survey: ADULT Asthma Call-Back
Column: 322
Prologue:
Description: PILL ELIXOPHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
10,801	99.99	99.99

PILL MARAX

Survey: ADULT Asthma Call-Back
Column: 323
Prologue:
Description: PILL MARAX

Type: NUM
SAS Variable Name: PILLS_ID_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL MEDROL

Survey: ADULT Asthma Call-Back
Column: 324
Prologue:
Description: PILL MEDROL

Type: NUM
SAS Variable Name: PILLS_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.02
2	No	10,799	99.97	99.98

PILL METAPREL

Survey: ADULT Asthma Call-Back
Column: 325
Prologue:
Description: PILL METAPREL

Type: NUM
SAS Variable Name: PILLS_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10,802	100.00	100.00

PILL METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 326
Prologue:
Description: PILL METAPROTERONOL

Type: NUM
SAS Variable Name: PILLS_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10,802	100.00	100.00

PILL METHYLPREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 327
Prologue:
Description: PILL METHYLPREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.04	0.05
2	No	10,798	99.96	99.95

PILL MONTELUKAST

Survey: ADULT Asthma Call-Back
Column: 328
Prologue:
Description: PILL MONTELUKAST

Type: NUM
SAS Variable Name: PILLS_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.10	0.08
2	No	10,791	99.90	99.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL PEDIAPRED

Survey: ADULT Asthma Call-Back
Column: 329
Prologue:
Description: PILL PEDIAPRED

Type: NUM
SAS Variable Name: PILLS_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

PILL PREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 330
Prologue:
Description: PILL PREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
22	0.20	0.20
10,780	99.80	99.80

PILL PREDNISONONE

Survey: ADULT Asthma Call-Back
Column: 331
Prologue:
Description: PILL PREDNISONONE

Type: NUM
SAS Variable Name: PILLS_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
195	1.81	1.52
10,607	98.19	98.48

PILL PRELONE

Survey: ADULT Asthma Call-Back
Column: 332
Prologue:
Description: PILL PRELONE

Type: NUM
SAS Variable Name: PILLS_ID_20

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

PILL PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 333
Prologue:
Description: PILL PROVENTIL

Type: NUM
SAS Variable Name: PILLS_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.04	0.01
10,798	99.96	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL QUIBRON

Survey: ADULT Asthma Call-Back
Column: 334
Prologue:
Description: PILL QUIBRON

Type: NUM
SAS Variable Name: PILLS_ID_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

PILL RESPID

Survey: ADULT Asthma Call-Back
Column: 335
Prologue:
Description: PILL RESPID

Type: NUM
SAS Variable Name: PILLS_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.01
10,800	99.98	99.99

PILL SINGULAIR

Survey: ADULT Asthma Call-Back
Column: 336
Prologue:
Description: PILL SINGULAIR

Type: NUM
SAS Variable Name: PILLS_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,062	9.83	9.51
9,740	90.17	90.49

PILL SLO-PHYLLIN

Survey: ADULT Asthma Call-Back
Column: 337
Prologue:
Description: PILL SLO-PHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.04	0.02
10,798	99.96	99.98

PILL SLO-BID

Survey: ADULT Asthma Call-Back
Column: 338
Prologue:
Description: PILL SLO-BID

Type: NUM
SAS Variable Name: PILLS_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
10,801	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL SUSTAIRE

Survey: ADULT Asthma Call-Back
Column: 339
Prologue:
Description: PILL SUSTAIRE

Type: NUM
SAS Variable Name: PILLS_ID_27

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

PILL THEO-24

Survey: ADULT Asthma Call-Back
Column: 340
Prologue:
Description: PILL THEO-24

Type: NUM
SAS Variable Name: PILLS_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.05	0.01
10,797	99.95	99.99

PILL THEOBID

Survey: ADULT Asthma Call-Back
Column: 341
Prologue:
Description: PILL THEOBID

Type: NUM
SAS Variable Name: PILLS_ID_29

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

PILL THEOCHRON

Survey: ADULT Asthma Call-Back
Column: 342
Prologue:
Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.01
10,800	99.98	99.99

PILL THEOCLEAR

Survey: ADULT Asthma Call-Back
Column: 343
Prologue:
Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
10,801	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL THEODUR

Survey: ADULT Asthma Call-Back
Column: 344
Prologue:
Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
20	0.19	0.26
10,782	99.81	99.74

PILL THEO-DUR

Survey: ADULT Asthma Call-Back
Column: 345
Prologue:
Description: PILL THEO-DUR

Type: NUM
SAS Variable Name: PILLS_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.09	0.05
10,792	99.91	99.95

PILL THEOLAIR

Survey: ADULT Asthma Call-Back
Column: 346
Prologue:
Description: PILL THEOLAIR

Type: NUM
SAS Variable Name: PILLS_ID_34

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

PILL THEOPHYLLINE

Survey: ADULT Asthma Call-Back
Column: 347
Prologue:
Description: PILL THEOPHYLLINE

Type: NUM
SAS Variable Name: PILLS_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
122	1.13	1.25
10,680	98.87	98.75

PILL THEO-SAV

Survey: ADULT Asthma Call-Back
Column: 348
Prologue:
Description: PILL THEO-SAV

Type: NUM
SAS Variable Name: PILLS_ID_36

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL THEOSPAN

Survey: ADULT Asthma Call-Back
Column: 349
Prologue:
Description: PILL THEOSPAN

Type: NUM
SAS Variable Name: PILLS_ID_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
10,801	99.99	99.99

PILL THEOX

Survey: ADULT Asthma Call-Back
Column: 350
Prologue:
Description: PILL THEOX

Type: NUM
SAS Variable Name: PILLS_ID_38

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PILL T-PHYL

Survey: ADULT Asthma Call-Back
Column: 351
Prologue:
Description: PILL T-PHYL

Type: NUM
SAS Variable Name: PILLS_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
10,801	99.99	99.99

PILL UNIDUR

Survey: ADULT Asthma Call-Back
Column: 352
Prologue:
Description: PILL UNIDUR

Type: NUM
SAS Variable Name: PILLS_ID_41

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PILL UNIPHYL

Survey: ADULT Asthma Call-Back
Column: 353
Prologue:
Description: PILL UNIPHYL

Type: NUM
SAS Variable Name: PILLS_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.14	0.10
10,787	99.86	99.90

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 354
Prologue:
Description: PILL VENTOLIN

Type: NUM
SAS Variable Name: PILLS_ID_43

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
10,801	99.99	100.00

PILL VOLMAX

Survey: ADULT Asthma Call-Back
Column: 355
Prologue:
Description: PILL VOLMAX

Type: NUM
SAS Variable Name: PILLS_ID_44

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.05
10,799	99.97	99.95

PILL ZAFIRLUKAST

Survey: ADULT Asthma Call-Back
Column: 356
Prologue:
Description: PILL ZAFIRLUKAST

Type: NUM
SAS Variable Name: PILLS_ID_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.00
10,799	99.97	100.00

PILL ZILEUTON

Survey: ADULT Asthma Call-Back
Column: 357
Prologue:
Description: PILL ZILEUTON

Type: NUM
SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

PILL ZYFLO FILMTAB

Survey: ADULT Asthma Call-Back
Column: 358
Prologue:
Description: PILL ZYFLO FILMTAB

Type: NUM
SAS Variable Name: PILLS_ID_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.07
10,801	99.99	99.93

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

OTHER PILLS

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER_PILLS

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.01
10,799	99.97	99.99

SYRUP AEROLATE

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
10,800	99.98	100.00

SYRUP ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.08	0.27
10,793	99.92	99.73

SYRUP ALUPENT

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.01
10,799	99.97	99.99

SYRUP METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SYRUP PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: SYRUP PREDNISOLONE

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_5

Frequency	Percentage	Weighted Percentage
3	0.03	0.22
10,799	99.97	99.78

SYRUP PRELONE

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: SYRUP PRELONE

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_6

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
10,801	99.99	100.00

SYRUP PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: SYRUP PROVENTIL

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_7

Frequency	Percentage	Weighted Percentage
3	0.03	0.00
10,799	99.97	100.00

SYRUP SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 367

Prologue:

Description: SYRUP SLO-PHYLLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_8

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

SYRUP THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 368

Prologue:

Description: SYRUP THEOPHYLLINE

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_9

Frequency	Percentage	Weighted Percentage
2	0.02	0.03
10,800	99.98	99.97

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SYRUP VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 369
Prologue:
Description: SYRUP VENTOLIN

Type: NUM
SAS Variable Name: SYRUP_ID_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	10,801	99.99	100.00

OTHER SYRUP

Survey: ADULT Asthma Call-Back
Column: 370
Prologue:
Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM
SAS Variable Name: OTHER_SYRUP

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10,802	100.00	100.00

NEB ALBUTEROL

Survey: ADULT Asthma Call-Back
Column: 371
Prologue:
Description: NEB ALBUTEROL

Type: NUM
SAS Variable Name: NEB_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	817	7.56	6.47
2	No	9,985	92.44	93.53

NEB ALUPENT

Survey: ADULT Asthma Call-Back
Column: 372
Prologue:
Description: NEB ALUPENT

Type: NUM
SAS Variable Name: NEB_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.08	0.03
2	No	10,793	99.92	99.97

NEB ATROVENT

Survey: ADULT Asthma Call-Back
Column: 373
Prologue:
Description: NEB ATROVENT

Type: NUM
SAS Variable Name: NEB_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	56	0.52	0.49
2	No	10,746	99.48	99.51

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NEB BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 374

Prologue:

Description: NEB BITOLTEROL

Type: NUM

SAS Variable Name: NEB_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.04	0.02
10,798	99.96	99.98

NEB BUDESONIDE

Survey: ADULT Asthma Call-Back

Column: 375

Prologue:

Description: NEB BUDESONIDE

Type: NUM

SAS Variable Name: NEB_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	0.13	0.05
10,788	99.87	99.95

NEB CROMOLYN

Survey: ADULT Asthma Call-Back

Column: 376

Prologue:

Description: NEB CROMOLYN

Type: NUM

SAS Variable Name: NEB_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
12	0.11	0.03
10,790	99.89	99.97

NEB DUONEB

Survey: ADULT Asthma Call-Back

Column: 377

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
145	1.34	1.25
10,657	98.66	98.75

NEB INTAL

Survey: ADULT Asthma Call-Back

Column: 378

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.02
10,799	99.97	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NEB IPRATROPRIMUM

Survey: ADULT Asthma Call-Back

Column: 379

Prologue:

Description: NEB IPRATROPRIMUM

Type: NUM

SAS Variable Name: NEB_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
123	1.14	0.50
10,679	98.86	99.50

NEB LEVALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 380

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.02
10,799	99.97	99.98

NEB METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 381

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.05	0.09
10,797	99.95	99.91

NEB PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 382

Prologue:

Description: NEB PROVENTIL

Type: NUM

SAS Variable Name: NEB_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
16	0.15	0.17
10,786	99.85	99.83

NEB PULMICORT

Survey: ADULT Asthma Call-Back

Column: 383

Prologue:

Description: NEB PULMICORT

Type: NUM

SAS Variable Name: NEB_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
41	0.38	0.24
10,761	99.62	99.76

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NEB TORNALATE

Survey: ADULT Asthma Call-Back

Column: 384

Prologue:

Description: NEB TORNALATE

Type: NUM

SAS Variable Name: NEB_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
10,801	99.99	100.00

NEB VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 385

Prologue:

Description: NEB VENTOLIN

Type: NUM

SAS Variable Name: NEB_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.08	0.11
10,793	99.92	99.89

NEB XOPENEX

Survey: ADULT Asthma Call-Back

Column: 386

Prologue:

Description: NEB XOPENEX

Type: NUM

SAS Variable Name: NEB_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
87	0.81	0.74
10,715	99.19	99.26

OTHER NEBULIZER

Survey: ADULT Asthma Call-Back

Column: 387

Prologue:

Description: New other prescription nebulizer name

Type: NUM

SAS Variable Name: OTHER_NEB

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

OTHER INHALER TEXT

Survey: ADULT Asthma Call-Back

Column: 388-487

Prologue:

Description: New other prescription inhaler name

Type: CHAR

SAS Variable Name: OTH_I1R

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

OTHER PILLS TEXT

Survey: ADULT Asthma Call-Back

Column: 488-587

Prologue:

Description: New other prescription pills name

Type: CHAR
SAS Variable Name: OTH_P1R

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

OTHER SYRUP TEXT

Survey: ADULT Asthma Call-Back

Column: 588-687

Prologue:

Description: New other prescription syrup name

Type: CHAR
SAS Variable Name: OTH_S1R

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

OTHER NEBULIZER TEXT

Survey: ADULT Asthma Call-Back

Column: 688-787

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
10,802	100.00	100.00

INHALER_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 788

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
444	4.11	2.95
10,357	95.88	97.04

INHALER_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 789

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT2

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
54	0.50	0.34
391	3.62	2.62
10,357	95.88	97.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 790

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	198	1.83	1.14
2	No	247	2.29	1.82
3	No other medication text filled	10,357	95.88	97.04

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: ADULT Asthma Call-Back

Column: 791

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	0.16	0.12
2	No	428	3.96	2.84
3	No other medication text filled	10,357	95.88	97.04

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 792

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	0.31	0.20
2	No	411	3.80	2.75
3	No other medication text filled	10,357	95.88	97.04

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: ADULT Asthma Call-Back

Column: 793

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	0.47	0.43
2	No	394	3.65	2.52
3	No other medication text filled	10,357	95.88	97.04

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 794

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.08
2	No	442	4.09	2.88
3	No other medication text filled	10,357	95.88	97.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 795

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	105	0.97	0.72
2	No	340	3.15	2.23
3	No other medication text filled	10,357	95.88	97.04

INHALER_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 796

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.00
2	No	442	4.09	2.95
3	No other medication text filled	10,357	95.88	97.04

PILLS_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 797

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	0.25	0.16
2	No	339	3.14	2.71
3	No other medication text filled	10,436	96.61	97.13

PILLS_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 798

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	238	2.20	1.98
2	No	128	1.18	0.89
3	No other medication text filled	10,436	96.61	97.13

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 799

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	0.33	0.19
2	No	330	3.05	2.68
3	No other medication text filled	10,436	96.61	97.13

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: ADULT Asthma Call-Back

Column: 800

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.10	0.05
2	No	355	3.29	2.82
3	No other medication text filled	10,436	96.61	97.13

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 801

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	0.15	0.14
2	No	350	3.24	2.73
3	No other medication text filled	10,436	96.61	97.13

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: ADULT Asthma Call-Back

Column: 802

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	0.39	0.42
2	No	324	3.00	2.45
3	No other medication text filled	10,436	96.61	97.13

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 803

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.02
2	No	363	3.36	2.85
3	No other medication text filled	10,436	96.61	97.13

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 804

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.01
2	No	363	3.36	2.86
3	No other medication text filled	10,436	96.61	97.13

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILLS_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 805

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	365	3.38	2.87
3	No other medication text filled	10,436	96.61	97.13

SYRUP_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 806

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	0.24	0.09
2	No	15	0.14	0.03
3	No other medication text filled	10,761	99.62	99.87

SYRUP_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 807

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.05	0.01
2	No	36	0.33	0.12
3	No other medication text filled	10,761	99.62	99.87

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 808

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.01
2	No	39	0.36	0.12
3	No other medication text filled	10,761	99.62	99.87

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: ADULT Asthma Call-Back

Column: 809

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	40	0.37	0.12
3	No other medication text filled	10,761	99.62	99.87

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 810

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.00
2	No	38	0.35	0.12
3	No other medication text filled	10,761	99.62	99.87

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: ADULT Asthma Call-Back

Column: 811

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	40	0.37	0.12
3	No other medication text filled	10,761	99.62	99.87

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 812

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	41	0.38	0.13
3	No other medication text filled	10,761	99.62	99.87

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 813

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	41	0.38	0.13
3	No other medication text filled	10,761	99.62	99.87

SYRUP_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 814

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	41	0.38	0.13
3	No other medication text filled	10,761	99.62	99.87

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NEB_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 815

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	71	0.66	0.71
3	No other medication text filled	10,731	99.34	99.29

NEB_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 816

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	71	0.66	0.71
3	No other medication text filled	10,731	99.34	99.29

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 817

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.08	0.05
2	No	62	0.57	0.66
3	No other medication text filled	10,731	99.34	99.29

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: ADULT Asthma Call-Back

Column: 818

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	0.27	0.46
2	No	42	0.39	0.25
3	No other medication text filled	10,731	99.34	99.29

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 819

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	0.18	0.14
2	No	52	0.48	0.57
3	No other medication text filled	10,731	99.34	99.29

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: ADULT Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	0.18	0.13
2	No	52	0.48	0.57
3	No other medication text filled	10,731	99.34	99.29

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	71	0.66	0.71
3	No other medication text filled	10,731	99.34	99.29

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	71	0.66	0.71
3	No other medication text filled	10,731	99.34	99.29

NEB_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	71	0.66	0.71
3	No other medication text filled	10,731	99.34	99.29

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 824

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM

SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	10,802	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

INHALED CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 825-826

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM
SAS Variable Name: INH_CS

Value	Value Label
0 - 14	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,717	99.21	99.54
85	0.79	0.46

INHALED ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 827-828

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: INH_AI

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,717	99.21	99.54
85	0.79	0.46

INHALED ANTI-CHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 829-830

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM
SAS Variable Name: INH_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,717	99.21	99.54
85	0.79	0.46

INHALED BETA 2 AGONIST SHORT ACTING

Survey: ADULT Asthma Call-Back

Column: 831-832

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,717	99.21	99.54
85	0.79	0.46

INHALED BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 833-834

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,717	99.21	99.54
85	0.79	0.46

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 835-836

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
32,088	99.02	99.44
318	0.98	0.56

PILL LEUKOTRIENE MODIFIERS

Survey: ADULT Asthma Call-Back

Column: 837-838

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,696	99.02	99.44
106	0.98	0.56

PILL BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 839-840

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,696	99.02	99.44
106	0.98	0.56

PILL METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 841-842

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,696	99.02	99.44
106	0.98	0.56

SYRUP METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 843-844

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,717	99.21	99.50
85	0.79	0.50

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 845-846

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM

SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,717	99.21	99.50
85	0.79	0.50

SYRUP CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 847-848

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM

SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,717	99.21	99.50
85	0.79	0.50

NEBULIZER ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 849-850

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,713	99.18	99.54
89	0.82	0.46

NEBULIZER CORTICOSTEROID

Survey: ADULT Asthma Call-Back

Column: 851-852

Prologue:

Description: NEBULIZER CORTICOSTEROID

Type: NUM

SAS Variable Name: NEB_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,713	99.18	99.54
89	0.82	0.46

NEBULIZER ANTICHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 853-854

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM

SAS Variable Name: NEB_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
10,713	99.18	99.54
89	0.82	0.46

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NEBULIZER BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 855-856

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8	Count	10,713	99.18	99.54
99	Missing	89	0.82	0.46

NEBULIZER ADRENERGIC BRONCHODILATOR

Survey: ADULT Asthma Call-Back

Column: 857-858

Prologue:

Description: NEBULIZER ADRENERGIC BRONCHODILATOR

Type: NUM
SAS Variable Name: NEB_AB

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	10,713	99.18	99.54
99	Missing	89	0.82	0.46

ADVAIR: SIZE

Survey: ADULT Asthma Call-Back

Column: 859

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Type: NUM
SAS Variable Name: ILP01_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

ADVAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 860

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Type: NUM
SAS Variable Name: ILP02_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	206	11.47	13.27
2	6 months to 1 year	259	14.42	15.01
3	Longer than 1 year	1,311	73.00	71.37
7	Don't know/Not sure	20	1.11	0.35
BLANK	Skip filled	9,006		

ADVAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 861

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM
SAS Variable Name: ILP03_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ADVAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 862

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	578	32.18	35.78
2	No	1,043	58.07	57.49
3	No attack in past 3 months	153	8.52	6.29
7	Don't know/Not sure	22	1.22	0.44
BLANK	Skip filled	9,006		

ADVAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 863

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	499	27.78	30.89
2	No	1,154	64.25	62.94
3	Didn't exercise in past 3 months	123	6.85	5.32
7	Don't know/Not sure	20	1.11	0.84
BLANK	Skip filled	9,006		

ADVAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 864

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,532	85.30	85.83
2	No	247	13.75	13.92
7	Don't know/Not sure	17	0.95	0.25
BLANK	Skip filled	9,006		

ADVAIR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 865-866

Type: NUM

SAS Variable Name: ILP07_1

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1,789	99.61	99.61
77	Don't know	6	0.33	0.36
99	Refused	1	0.06	0.02
BLANK	Skip filled	9,006		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ADVAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 867-869

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,540	85.75	83.84
401 - 499	Weeks	156	8.69	11.21
555	Never	9	0.50	0.54
666	Less often than once a week	67	3.73	3.56
777	Don't know	23	1.28	0.83
999	Refused	1	0.06	0.02
BLANK	Skip filled	9,006		

ADVAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 870-871

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

AEROBID: SIZE

Survey: ADULT Asthma Call-Back

Column: 872

Type: NUM

SAS Variable Name: ILP01_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

AEROBID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 873

Type: NUM

SAS Variable Name: ILP02_2

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	8.33	19.18
2	6 months to 1 year	7	11.67	10.07
3	Longer than 1 year	48	80.00	70.75
BLANK	Skip filled	10,742		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

AEROBID: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 874

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	35.00	15.46
2	No	36	60.00	80.22
7	Don't know/Not sure	3	5.00	4.32
BLANK	Skip filled	10,742		

AEROBID: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 875

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	41.67	29.68
2	No	24	40.00	54.97
3	No attack in past 3 months	9	15.00	15.03
7	Don't know/Not sure	2	3.33	0.32
BLANK	Skip filled	10,742		

AEROBID: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 876

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	23.33	8.94
2	No	40	66.67	87.20
3	Didn't exercise in past 3 months	5	8.33	3.62
7	Don't know/Not sure	1	1.67	0.25
BLANK	Skip filled	10,742		

AEROBID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 877

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	49	81.67	72.68
2	No	10	16.67	26.34
7	Don't know/Not sure	1	1.67	0.98
BLANK	Skip filled	10,742		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

AEROBID: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 878-879

Type: NUM

SAS Variable Name: ILP07_2

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	60	100.00	100.00
BLANK	Skip filled	10,742		

AEROBID: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 880-882

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	46	76.67	57.79
401 - 499	Weeks	7	11.67	19.51
666	Less often than once a week	4	6.67	9.58
777	Don't know	2	3.33	12.82
999	Refused	1	1.67	0.31
BLANK	Skip filled	10,742		

AEROBID: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 883-884

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

ALBUTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 885

Type: NUM

SAS Variable Name: ILP01_3

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	322	9.31	11.38
2	100 puffs	420	12.15	10.98
3	200 puffs	1,952	56.45	59.26
4	Other number of puffs	182	5.26	4.39
5	Used different sizes of this medication in the past 3 months	11	0.32	0.29
7	Don't know/Not sure	567	16.40	13.55
9	Refused	4	0.12	0.15
BLANK	Skip filled	7,344		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ALBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 886

Type: NUM

SAS Variable Name: ILP02_3

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	185	5.35	6.57
2	6 months to 1 year	189	5.47	4.22
3	Longer than 1 year	3,070	88.78	88.99
7	Don't know/Not sure	10	0.29	0.07
9	Refused	4	0.12	0.15
BLANK	Skip filled	7,344		

ALBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 887

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,088	31.46	27.96
2	No	2,250	65.07	64.97
3	Medication is a disk inhaler, not a canister inhaler	9	0.26	0.51
7	Don't know/Not sure	84	2.43	5.89
9	Refused	27	0.78	0.67
BLANK	Skip filled	7,344		

ALBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 888

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,996	86.64	88.43
2	No	266	7.69	6.07
3	No attack in past 3 months	179	5.18	5.25
7	Don't know/Not sure	13	0.38	0.11
9	Refused	4	0.12	0.15
BLANK	Skip filled	7,344		

ALBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 889

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,379	39.88	43.11
2	No	1,783	51.56	50.63
3	Didn't exercise in past 3 months	275	7.95	5.93
7	Don't know/Not sure	16	0.46	0.17
9	Refused	5	0.14	0.16
BLANK	Skip filled	7,344		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 890

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	907	26.23	22.23
2	No	2,541	73.48	77.51
7	Don't know/Not sure	6	0.17	0.11
9	Refused	4	0.12	0.15
BLANK	Skip filled	7,344		

ALBUTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 891-892

Type: NUM

SAS Variable Name: ILP07_3

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3,415	98.76	99.23
77	Don't know	38	1.10	0.61
99	Refused	5	0.14	0.16
BLANK	Skip filled	7,344		

ALBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 893-895

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,311	37.91	32.89
401 - 499	Weeks	1,101	31.84	38.42
555	Never	40	1.16	0.68
666	Less often than once a week	818	23.66	21.80
777	Don't know	180	5.21	5.99
999	Refused	8	0.23	0.22
BLANK	Skip filled	7,344		

ALBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 896-897

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2,503	72.38	74.49
77	Don't know	189	5.47	3.36
88	None/Less than 1 full canister	761	22.01	22.00
99	Refused	5	0.14	0.16
BLANK	Skip filled	7,344		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ALUPENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 898

Type: NUM

SAS Variable Name: ILP01_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	100 puffs	3	11.54	0.60
3	200 puffs	16	61.54	40.80
4	Other number of puffs	1	3.85	0.15
7	Don't know/Not sure	6	23.08	58.46
BLANK	Skip filled	10,776		

ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 899

Type: NUM

SAS Variable Name: ILP02_4

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	2	7.69	1.49
3	Longer than 1 year	23	88.46	96.98
7	Don't know/Not sure	1	3.85	1.53
BLANK	Skip filled	10,776		

ALUPENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 900

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	23.08	12.98
2	No	17	65.38	62.78
7	Don't know/Not sure	2	7.69	21.62
9	Refused	1	3.85	2.62
BLANK	Skip filled	10,776		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 901

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	88.46	80.70
3	No attack in past 3 months	2	7.69	17.77
7	Don't know/Not sure	1	3.85	1.53
BLANK	Skip filled	10,776		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ALUPENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 902

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	26.92	10.37
2	No	15	57.69	71.46
3	Didn't exercise in past 3 months	3	11.54	16.64
7	Don't know/Not sure	1	3.85	1.53
BLANK	Skip filled	10,776		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 903

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	23.08	6.91
2	No	19	73.08	91.56
7	Don't know/Not sure	1	3.85	1.53
BLANK	Skip filled	10,776		

ALUPENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 904-905

Type: NUM

SAS Variable Name: ILP07_4

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	26	100.00	100.00
BLANK	Skip filled	10,776		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 906-908

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	11	42.31	43.10
401 - 499	Weeks	7	26.92	41.30
555	Never	1	3.85	1.53
666	Less often than once a week	6	23.08	10.46
777	Don't know	1	3.85	3.61
BLANK	Skip filled	10,776		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ALUPENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 909-910

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	20	76.92	93.90
77	Don't know	2	7.69	1.66
88	None/Less than 1 full canister	4	15.38	4.44
BLANK	Skip filled	10,776		

ATROVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 912

Type: NUM

SAS Variable Name: ILP01_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

ATROVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 913

Type: NUM

SAS Variable Name: ILP02_5

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	10	6.45	2.22
2	6 months to 1 year	14	9.03	6.86
3	Longer than 1 year	129	83.23	90.28
7	Don't know/Not sure	2	1.29	0.64
BLANK	Skip filled	10,647		

ATROVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 914

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	63	40.65	40.89
2	No	84	54.19	56.54
3	Medication is a disk inhaler, not a canister inhaler	1	0.65	0.83
7	Don't know/Not sure	6	3.87	1.18
9	Refused	1	0.65	0.55
BLANK	Skip filled	10,647		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 915

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	97	62.58	57.64
2	No	50	32.26	33.94
3	No attack in past 3 months	6	3.87	8.01
7	Don't know/Not sure	2	1.29	0.42
BLANK	Skip filled	10,647		

ATROVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 916

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	27.74	23.15
2	No	88	56.77	66.74
3	Didn't exercise in past 3 months	23	14.84	10.08
7	Don't know/Not sure	1	0.65	0.03
BLANK	Skip filled	10,647		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 917

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	90	58.06	46.05
2	No	64	41.29	53.92
7	Don't know/Not sure	1	0.65	0.03
BLANK	Skip filled	10,647		

ATROVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 918-919

Type: NUM

SAS Variable Name: ILP07_5

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	151	97.42	97.79
77	Don't know	4	2.58	2.21
BLANK	Skip filled	10,647		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 920-922

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	104	67.10	54.10
401 - 499	Weeks	24	15.48	21.33
555	Never	1	0.65	0.03
666	Less often than once a week	20	12.90	22.57
777	Don't know	6	3.87	1.98
BLANK	Skip filled	10,647		

ATROVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 923-924

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

AZMACORT: SIZE

Survey: ADULT Asthma Call-Back

Column: 925

Type: NUM

SAS Variable Name: ILP01_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

AZMACORT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 926

Type: NUM

SAS Variable Name: ILP02_6

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	19	11.59	15.96
2	6 months to 1 year	16	9.76	8.90
3	Longer than 1 year	129	78.66	75.14
BLANK	Skip filled	10,638		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

AZMACORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 927

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	92	56.10	45.38
2	No	64	39.02	42.93
3	Medication is a disk inhaler, not a canister inhaler	1	0.61	8.57
7	Don't know/Not sure	4	2.44	2.12
9	Refused	3	1.83	0.99
BLANK	Skip filled	10,638		

AZMACORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 928

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	69	42.07	34.62
2	No	86	52.44	61.30
3	No attack in past 3 months	9	5.49	4.08
BLANK	Skip filled	10,638		

AZMACORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 929

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	26.83	27.59
2	No	107	65.24	65.56
3	Didn't exercise in past 3 months	9	5.49	4.75
7	Don't know/Not sure	4	2.44	2.10
BLANK	Skip filled	10,638		

AZMACORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 930

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	66.46	65.61
2	No	55	33.54	34.39
BLANK	Skip filled	10,638		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

AZMACORT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 931-932

Type: NUM

SAS Variable Name: ILP07_6

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	164	100.00	100.00
BLANK	Skip filled	10,638		

AZMACORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 933-935

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	117	71.34	67.77
401 - 499	Weeks	23	14.02	15.21
555	Never	1	0.61	0.52
666	Less often than once a week	20	12.20	16.02
777	Don't know	3	1.83	0.48
BLANK	Skip filled	10,638		

AZMACORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 936-937

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BECLOMETHASONE DIPROPIONATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP01_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BECLOMETHASONE DIPROPIONATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP02_7

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	9.09	4.98
3	Longer than 1 year	9	81.82	91.64
7	Don't know/Not sure	1	9.09	3.38
BLANK	Skip filled	10,791		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	18.18	25.15
2	No	7	63.64	61.93
3	Medication is a disk inhaler, not a canister inhaler	1	9.09	9.55
7	Don't know/Not sure	1	9.09	3.38
BLANK	Skip filled	10,791		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	18.18	28.79
2	No	6	54.55	44.83
3	No attack in past 3 months	2	18.18	23.01
7	Don't know/Not sure	1	9.09	3.38
BLANK	Skip filled	10,791		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	18.18	18.45
2	No	8	72.73	78.18
7	Don't know/Not sure	1	9.09	3.38
BLANK	Skip filled	10,791		

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	63.64	62.00
2	No	3	27.27	34.62
7	Don't know/Not sure	1	9.09	3.38
BLANK	Skip filled	10,791		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 944-945

Type: NUM

SAS Variable Name: ILP07_7

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	11	100.00	100.00
BLANK	Skip filled	10,791		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 946-948

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	54.55	52.46
401 - 499	Weeks	2	18.18	14.53
666	Less often than once a week	2	18.18	29.64
777	Don't know	1	9.09	3.38
BLANK	Skip filled	10,791		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 949-950

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BECLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 951

Type: NUM

SAS Variable Name: ILP01_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BECLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 952

Type: NUM

SAS Variable Name: ILP02_8

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BECLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 953

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	10,801		

BECLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	10,801		

BECLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	10,801		

BECLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	10,801		

BECLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 957-958

Type: NUM

SAS Variable Name: ILP07_8

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	10,801		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BECLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 959-961

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	10,801		

BECLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 962-963

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BITOLTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 964

Type: NUM

SAS Variable Name: ILP01_9

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BITOLTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 965

Type: NUM

SAS Variable Name: ILP02_9

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	44.03
3	Longer than 1 year	3	75.00	55.97
BLANK	Skip filled	10,798		

BITOLTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	0.07
2	No	3	75.00	99.93
BLANK	Skip filled	10,798		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	10,798		

BITOLTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	0.42
2	No	3	75.00	99.58
BLANK	Skip filled	10,798		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	44.03
2	No	3	75.00	55.97
BLANK	Skip filled	10,798		

BITOLTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 970-971

Type: NUM

SAS Variable Name: ILP07_9

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	10,798		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 972-974

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	50.00	44.46
401 - 499	Weeks	1	25.00	55.47
666	Less often than once a week	1	25.00	0.07
BLANK	Skip filled	10,798		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BITOLTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 975-976

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	75.00	99.93
88	None/Less than 1 full canister	1	25.00	0.07
BLANK	Skip filled	10,798		

BRETHAIRE: SIZE

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP01_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BRETHAIRE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP02_10

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BRETHAIRE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 979

Type: NUM

SAS Variable Name: ILP03_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BRETHAIRE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 980

Type: NUM

SAS Variable Name: ILP04_10

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BRETHAIRE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP05_10

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BRETHAIRE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP06_10

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BRETHAIRE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 983-984

Type: NUM

SAS Variable Name: ILP07_10

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BRETHAIRE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 985-987

Type: NUM

SAS Variable Name: ILP08_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BRETHAIRE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 988-989

Type: NUM

SAS Variable Name: ILP10_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

BUDESONIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP01_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BUDESONIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP02_11

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	10,800		

BUDESONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	10,800		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	10,800		

BUDESONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	52.07
2	No	1	50.00	47.93
BLANK	Skip filled	10,800		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	10,800		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

BUDESONIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 996-997

Type: NUM

SAS Variable Name: ILP07_11

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	50.00	47.93
99	Refused	1	50.00	52.07
BLANK	Skip filled	10,800		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 998-1000

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	10,800		

BUDESONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1001-1002

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

COMBIVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP01_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

COMBIVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1004

Type: NUM

SAS Variable Name: ILP02_12

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	51	11.23	13.31
2	6 months to 1 year	49	10.79	15.48
3	Longer than 1 year	351	77.31	70.87
7	Don't know/Not sure	3	0.66	0.34
BLANK	Skip filled	10,348		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

COMBIVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1005

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	176	38.77	39.29
2	No	267	58.81	54.72
3	Medication is a disk inhaler, not a canister inhaler	1	0.22	0.02
7	Don't know/Not sure	10	2.20	5.96
BLANK	Skip filled	10,348		

COMBIVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1006

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	346	76.21	72.45
2	No	78	17.18	23.37
3	No attack in past 3 months	30	6.61	4.18
BLANK	Skip filled	10,348		

COMBIVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1007

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	152	33.48	47.94
2	No	239	52.64	40.96
3	Didn't exercise in past 3 months	61	13.44	11.08
7	Don't know/Not sure	2	0.44	0.01
BLANK	Skip filled	10,348		

COMBIVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	224	49.34	53.66
2	No	230	50.66	46.34
BLANK	Skip filled	10,348		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

COMBIVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1009-1010

Type: NUM

SAS Variable Name: ILP07_12

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	452	99.56	99.98
77	Don't know	2	0.44	0.02
BLANK	Skip filled	10,348		

COMBIVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1011-1013

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	283	62.33	63.39
401 - 499	Weeks	95	20.93	23.02
555	Never	2	0.44	0.36
666	Less often than once a week	53	11.67	11.74
777	Don't know	21	4.63	1.50
BLANK	Skip filled	10,348		

COMBIVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1014-1015

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

CROMOLYN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1016

Type: NUM

SAS Variable Name: ILP01_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

CROMOLYN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1017

Type: NUM

SAS Variable Name: ILP02_13

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	33.33	47.69
2	6 months to 1 year	1	33.33	33.45
3	Longer than 1 year	1	33.33	18.86
BLANK	Skip filled	10,799		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

CROMOLYN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	10,799		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	10,799		

CROMOLYN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	66.67	66.55
3	Didn't exercise in past 3 months	1	33.33	33.45
BLANK	Skip filled	10,799		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	18.86
2	No	2	66.67	81.14
BLANK	Skip filled	10,799		

CROMOLYN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1022-1023

Type: NUM

SAS Variable Name: ILP07_13

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	66.67	81.14
77	Don't know	1	33.33	18.86
BLANK	Skip filled	10,799		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1024-1026

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	66.55
666	Less often than once a week	1	33.33	33.45
BLANK	Skip filled	10,799		

CROMOLYN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1027-1028

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

FLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP01_14

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

FLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP02_14

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	65	12.87	12.36
2	6 months to 1 year	43	8.51	17.79
3	Longer than 1 year	394	78.02	69.29
7	Don't know/Not sure	3	0.59	0.57
BLANK	Skip filled	10,297		

FLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	210	41.58	41.27
2	No	286	56.63	52.60
3	Medication is a disk inhaler, not a canister inhaler	1	0.20	0.08
7	Don't know/Not sure	8	1.58	6.05
BLANK	Skip filled	10,297		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1032

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	210	41.58	40.21
2	No	255	50.50	48.87
3	No attack in past 3 months	36	7.13	10.23
7	Don't know/Not sure	4	0.79	0.69
BLANK	Skip filled	10,297		

FLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1033

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	123	24.36	29.74
2	No	344	68.12	67.87
3	Didn't exercise in past 3 months	35	6.93	2.24
7	Don't know/Not sure	3	0.59	0.15
BLANK	Skip filled	10,297		

FLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1034

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	385	76.24	78.21
2	No	119	23.56	21.69
7	Don't know/Not sure	1	0.20	0.10
BLANK	Skip filled	10,297		

FLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1035-1036

Type: NUM

SAS Variable Name: ILP07_14

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	504	99.80	99.90
77	Don't know	1	0.20	0.10
BLANK	Skip filled	10,297		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1037-1039

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	391	77.43	77.81
401 - 499	Weeks	73	14.46	16.32
555	Never	3	0.59	0.14
666	Less often than once a week	30	5.94	4.83
777	Don't know	8	1.58	0.89
BLANK	Skip filled	10,297		

FLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1040-1041

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

FLOVENT ROTADISK: SIZE

Survey: ADULT Asthma Call-Back

Column: 1042

Type: NUM

SAS Variable Name: ILP01_15

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

FLOVENT ROTADISK: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1043

Type: NUM

SAS Variable Name: ILP02_15

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	5.88	0.51
2	6 months to 1 year	4	23.53	25.30
3	Longer than 1 year	11	64.71	71.63
9	Refused	1	5.88	2.56
BLANK	Skip filled	10,785		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1044

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FLOVENT ROTADISK: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1045

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	29.41	37.57
2	No	10	58.82	56.05
3	No attack in past 3 months	1	5.88	3.82
9	Refused	1	5.88	2.56
BLANK	Skip filled	10,785		

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	11.76	11.02
2	No	11	64.71	79.39
3	Didn't exercise in past 3 months	3	17.65	7.03
9	Refused	1	5.88	2.56
BLANK	Skip filled	10,785		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	58.82	71.94
2	No	6	35.29	25.50
9	Refused	1	5.88	2.56
BLANK	Skip filled	10,785		

FLOVENT ROTADISK: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1048-1049

Type: NUM

SAS Variable Name: ILP07_15

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	16	94.12	97.91
77	Don't know	1	5.88	2.09
BLANK	Skip filled	10,785		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1050-1052

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	52.94	70.60
401 - 499	Weeks	2	11.76	8.53
666	Less often than once a week	5	29.41	18.31
999	Refused	1	5.88	2.56
BLANK	Skip filled	10,785		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1053-1054

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

FLUNISOLIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP01_16

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

FLUNISOLIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP02_16

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	14.29	2.20
3	Longer than 1 year	5	71.43	66.49
7	Don't know/Not sure	1	14.29	31.31
BLANK	Skip filled	10,795		

FLUNISOLIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	85.71	68.69
7	Don't know/Not sure	1	14.29	31.31
BLANK	Skip filled	10,795		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FLUNISOLIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1058

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	63.94
2	No	1	14.29	4.75
7	Don't know/Not sure	1	14.29	31.31
BLANK	Skip filled	10,795		

FLUNISOLIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1059

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	0.96
2	No	5	71.43	67.73
7	Don't know/Not sure	1	14.29	31.31
BLANK	Skip filled	10,795		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1060

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	63.60
2	No	1	14.29	5.09
7	Don't know/Not sure	1	14.29	31.31
BLANK	Skip filled	10,795		

FLUNISOLIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1061-1062

Type: NUM

SAS Variable Name: ILP07_16

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	85.71	68.69
77	Don't know	1	14.29	31.31
BLANK	Skip filled	10,795		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1063-1065

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	71.43	63.60
666	Less often than once a week	1	14.29	5.09
777	Don't know	1	14.29	31.31
BLANK	Skip filled	10,795		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1066-1067

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

FLUTICASONE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP01_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

FLUTICASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1069

Type: NUM

SAS Variable Name: ILP02_17

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	16.67	6.33
3	Longer than 1 year	5	83.33	93.67
BLANK	Skip filled	10,796		

FLUTICASONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1070

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	56.84
2	No	5	83.33	43.16
BLANK	Skip filled	10,796		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FLUTICASONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	27.18
2	No	3	50.00	72.82
BLANK	Skip filled	10,796		

FLUTICASONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	63.95
2	No	4	66.67	36.05
BLANK	Skip filled	10,796		

FLUTICASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	10,796		

FLUTICASONE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1074-1075

Type: NUM

SAS Variable Name: ILP07_17

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	100.00	100.00
BLANK	Skip filled	10,796		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1076-1078

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	100.00	100.00
BLANK	Skip filled	10,796		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FLUTICASONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1079-1080

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

INTAL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP01_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

INTAL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP02_18

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	6.25	0.73
3	Longer than 1 year	15	93.75	99.27
BLANK	Skip filled	10,786		

INTAL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP03_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	18.75	14.44
2	No	13	81.25	85.56
BLANK	Skip filled	10,786		

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP04_18

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	31.25	23.17
2	No	10	62.50	76.60
3	No attack in past 3 months	1	6.25	0.23
BLANK	Skip filled	10,786		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

INTAL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP05_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	25.00	14.42
2	No	11	68.75	76.76
3	Didn't exercise in past 3 months	1	6.25	8.82
BLANK	Skip filled	10,786		

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP06_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	93.75	91.18
2	No	1	6.25	8.82
BLANK	Skip filled	10,786		

INTAL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1087-1088

Type: NUM

SAS Variable Name: ILP07_18

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	16	100.00	100.00
BLANK	Skip filled	10,786		

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1089-1091

Type: NUM

SAS Variable Name: ILP08_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	15	93.75	99.27
401 - 499	Weeks	1	6.25	0.73
BLANK	Skip filled	10,786		

INTAL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1092-1093

Type: NUM

SAS Variable Name: ILP10_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

IPRATROPIUM: SIZE

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP01_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

IPRATROPIUM: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1095

Type: NUM

SAS Variable Name: ILP02_19

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	2	9.09	18.61
3	Longer than 1 year	15	68.18	76.24
7	Don't know/Not sure	5	22.73	5.15
BLANK	Skip filled	10,780		

IPRATROPIUM: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1096

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	45.45	40.52
2	No	8	36.36	56.02
7	Don't know/Not sure	4	18.18	3.46
BLANK	Skip filled	10,780		

IPRATROPIUM: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1097

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	45.45	24.46
2	No	8	36.36	72.08
7	Don't know/Not sure	4	18.18	3.46
BLANK	Skip filled	10,780		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

IPRATROPIUM: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	31.82	45.83
2	No	10	45.45	48.57
3	Didn't exercise in past 3 months	1	4.55	2.13
7	Don't know/Not sure	4	18.18	3.46
BLANK	Skip filled	10,780		

IPRATROPIUM: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	68.18	66.21
2	No	3	13.64	30.33
7	Don't know/Not sure	4	18.18	3.46
BLANK	Skip filled	10,780		

IPRATROPIUM: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1100-1101

Type: NUM

SAS Variable Name: ILP07_19

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	12	54.55	60.76
77	Don't know	10	45.45	39.24
BLANK	Skip filled	10,780		

IPRATROPIUM: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1102-1104

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	14	63.64	64.59
666	Less often than once a week	2	9.09	16.05
777	Don't know	6	27.27	19.36
BLANK	Skip filled	10,780		

IPRATROPIUM: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1105-1106

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

MAXAIR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1107

Type: NUM

SAS Variable Name: ILP01_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

MAXAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP02_20

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	2.35	0.83
2	6 months to 1 year	4	4.71	3.34
3	Longer than 1 year	79	92.94	95.83
BLANK	Skip filled	10,717		

MAXAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	5.88	3.58
2	No	77	90.59	89.84
7	Don't know/Not sure	2	2.35	5.83
9	Refused	1	1.18	0.75
BLANK	Skip filled	10,717		

MAXAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	73	85.88	94.29
2	No	8	9.41	3.39
3	No attack in past 3 months	4	4.71	2.32
BLANK	Skip filled	10,717		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

MAXAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	38.82	49.00
2	No	49	57.65	45.23
3	Didn't exercise in past 3 months	3	3.53	5.76
BLANK	Skip filled	10,717		

MAXAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	16.47	20.35
2	No	71	83.53	79.65
BLANK	Skip filled	10,717		

MAXAIR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1113-1114

Type: NUM

SAS Variable Name: ILP07_20

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	85	100.00	100.00
BLANK	Skip filled	10,717		

MAXAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1115-1117

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	22	25.88	25.66
401 - 499	Weeks	27	31.76	39.97
666	Less often than once a week	30	35.29	23.51
777	Don't know	6	7.06	10.87
BLANK	Skip filled	10,717		

MAXAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1118-1119

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	61	71.76	78.54
88	None/Less than 1 full canister	24	28.24	21.46
BLANK	Skip filled	10,717		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

METAPROTERONOL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP01_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	200 puffs	1	50.00	72.56
7	Don't know/Not sure	1	50.00	27.44
BLANK	Skip filled	10,800		

METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP02_21

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	27.44
3	Longer than 1 year	1	50.00	72.56
BLANK	Skip filled	10,800		

METAPROTERONOL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1122

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	27.44
2	No	1	50.00	72.56
BLANK	Skip filled	10,800		

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1123

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	27.44
3	No attack in past 3 months	1	50.00	72.56
BLANK	Skip filled	10,800		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

METAPROTERONOL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1124

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	72.56
2	No	1	50.00	27.44
BLANK	Skip filled	10,800		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	10,800		

METAPROTERONOL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1126-1127

Type: NUM

SAS Variable Name: ILP07_21

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	10,800		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1128-1130

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	50.00	27.44
777	Don't know	1	50.00	72.56
BLANK	Skip filled	10,800		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1131-1132

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	50.00	27.44
88	None/Less than 1 full canister	1	50.00	72.56
BLANK	Skip filled	10,800		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NEDOCROMIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1133

Type: NUM

SAS Variable Name: ILP01_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

NEDOCROMIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1134

Type: NUM

SAS Variable Name: ILP02_22

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

NEDOCROMIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	10,801		

NEDOCROMIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	10,801		

NEDOCROMIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	10,801		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

NEDOCROMIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	10,801		

NEDOCROMIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1139-1140

Type: NUM

SAS Variable Name: ILP07_22

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	10,801		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1141-1143

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	10,801		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1144-1145

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PIRBUTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP01_23

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PIRBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP02_23

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	16.67	10.79
3	Longer than 1 year	5	83.33	89.21
BLANK	Skip filled	10,796		

PIRBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	10.79
2	No	4	66.67	77.25
7	Don't know/Not sure	1	16.67	11.96
BLANK	Skip filled	10,796		

PIRBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	6.82
3	No attack in past 3 months	3	50.00	93.18
BLANK	Skip filled	10,796		

PIRBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	14.80
2	No	3	50.00	74.42
3	Didn't exercise in past 3 months	1	16.67	10.79
BLANK	Skip filled	10,796		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PIRBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	100.00	100.00
BLANK	Skip filled	10,796		

PIRBUTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1152-1153

Type: NUM

SAS Variable Name: ILP07_23

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	83.33	89.21
77	Don't know	1	16.67	10.79
BLANK	Skip filled	10,796		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1154-1156

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	3	50.00	85.23
666	Less often than once a week	2	33.33	3.99
777	Don't know	1	16.67	10.79
BLANK	Skip filled	10,796		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1157-1158

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	4	66.67	96.01
88	None/Less than 1 full canister	2	33.33	3.99
BLANK	Skip filled	10,796		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PROVENTIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1159

Type: NUM

SAS Variable Name: ILP01_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	31	17.71	35.45
2	100 puffs	21	12.00	16.99
3	200 puffs	66	37.71	29.96
4	Other number of puffs	15	8.57	7.18
5	Used different sizes of this medication in the past 3 months	1	0.57	0.02
7	Don't know/Not sure	40	22.86	10.31
9	Refused	1	0.57	0.10
BLANK	Skip filled	10,627		

PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1160

Type: NUM

SAS Variable Name: ILP02_24

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	16	9.14	5.57
2	6 months to 1 year	9	5.14	7.51
3	Longer than 1 year	148	84.57	86.71
7	Don't know/Not sure	1	0.57	0.11
9	Refused	1	0.57	0.10
BLANK	Skip filled	10,627		

PROVENTIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1161

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	24.00	35.99
2	No	127	72.57	61.63
7	Don't know/Not sure	5	2.86	2.29
9	Refused	1	0.57	0.10
BLANK	Skip filled	10,627		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	138	78.86	90.22
2	No	26	14.86	7.87
3	No attack in past 3 months	9	5.14	1.73
7	Don't know/Not sure	1	0.57	0.08
9	Refused	1	0.57	0.10
BLANK	Skip filled	10,627		

PROVENTIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	65	37.14	45.68
2	No	98	56.00	51.66
3	Didn't exercise in past 3 months	10	5.71	2.50
7	Don't know/Not sure	1	0.57	0.06
9	Refused	1	0.57	0.10
BLANK	Skip filled	10,627		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	26.86	13.69
2	No	127	72.57	86.22
9	Refused	1	0.57	0.10
BLANK	Skip filled	10,627		

PROVENTIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1165-1166

Type: NUM

SAS Variable Name: ILP07_24

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	173	98.86	99.79
77	Don't know	1	0.57	0.11
99	Refused	1	0.57	0.10
BLANK	Skip filled	10,627		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1167-1169

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	65	37.14	18.18
401 - 499	Weeks	47	26.86	42.42
555	Never	2	1.14	4.67
666	Less often than once a week	52	29.71	26.86
777	Don't know	8	4.57	7.78
999	Refused	1	0.57	0.10
BLANK	Skip filled	10,627		

PROVENTIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1170-1171

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	112	64.00	76.15
77	Don't know	13	7.43	4.22
88	None/Less than 1 full canister	49	28.00	19.53
99	Refused	1	0.57	0.10
BLANK	Skip filled	10,627		

PULMICORT TURBUHALER: SIZE

Survey: ADULT Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP01_25

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PULMICORT TURBUHALER: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP02_25

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	21	13.13	17.60
2	6 months to 1 year	16	10.00	17.52
3	Longer than 1 year	122	76.25	64.64
7	Don't know/Not sure	1	0.63	0.24
BLANK	Skip filled	10,642		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PULMICORT TURBUHALER: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1174

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	8.13	19.22
2	No	138	86.25	76.44
3	Medication is a disk inhaler, not a canister inhaler	6	3.75	2.70
7	Don't know/Not sure	3	1.88	1.64
BLANK	Skip filled	10,642		

PULMICORT TURBUHALER: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1175

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	23.13	23.58
2	No	101	63.13	67.64
3	No attack in past 3 months	20	12.50	7.57
7	Don't know/Not sure	2	1.25	1.21
BLANK	Skip filled	10,642		

PULMICORT TURBUHALER: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	22.50	18.08
2	No	112	70.00	78.76
3	Didn't exercise in past 3 months	10	6.25	1.95
7	Don't know/Not sure	2	1.25	1.21
BLANK	Skip filled	10,642		

PULMICORT TURBUHALER: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1177

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	132	82.50	72.76
2	No	27	16.88	27.00
7	Don't know/Not sure	1	0.63	0.24
BLANK	Skip filled	10,642		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PULMICORT TURBUHALER: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1178-1179

Type: NUM

SAS Variable Name: ILP07_25

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	153	95.63	96.02
77	Don't know	6	3.75	3.35
99	Refused	1	0.63	0.63
BLANK	Skip filled	10,642		

PULMICORT TURBUHALER: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1180-1182

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	132	82.50	76.44
401 - 499	Weeks	15	9.38	17.24
555	Never	1	0.63	0.13
666	Less often than once a week	10	6.25	5.78
777	Don't know	2	1.25	0.41
BLANK	Skip filled	10,642		

PULMICORT TURBUHALER: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1183-1184

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

SALMETEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP01_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

SALMETEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1186

Type: NUM

SAS Variable Name: ILP02_26

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	10,799		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SALMETEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1187

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	10,799		

SALMETEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	83.12
2	No	2	66.67	16.88
BLANK	Skip filled	10,799		

SALMETEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	12.44
2	No	2	66.67	87.56
BLANK	Skip filled	10,799		

SALMETEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	16.88
2	No	1	33.33	83.12
BLANK	Skip filled	10,799		

SALMETEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1191-1192

Type: NUM

SAS Variable Name: ILP07_26

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	10,799		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SALMETEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1193-1195

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	12.44
401 - 499	Weeks	1	33.33	4.44
666	Less often than once a week	1	33.33	83.12
BLANK	Skip filled	10,799		

SALMETEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1196-1197

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

SEREVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP01_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

SEREVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP02_27

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	13	6.57	5.76
2	6 months to 1 year	13	6.57	6.12
3	Longer than 1 year	168	84.85	86.46
7	Don't know/Not sure	2	1.01	0.69
9	Refused	2	1.01	0.97
BLANK	Skip filled	10,604		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SEREVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	9.60	8.15
2	No	135	68.18	67.71
3	Medication is a disk inhaler, not a canister inhaler	39	19.70	22.63
7	Don't know/Not sure	3	1.52	0.53
9	Refused	2	1.01	0.97
BLANK	Skip filled	10,604		

SEREVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	26.77	33.18
2	No	127	64.14	60.68
3	No attack in past 3 months	15	7.58	5.05
7	Don't know/Not sure	1	0.51	0.11
9	Refused	2	1.01	0.97
BLANK	Skip filled	10,604		

SEREVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	16.67	16.44
2	No	150	75.76	81.21
3	Didn't exercise in past 3 months	11	5.56	1.20
7	Don't know/Not sure	2	1.01	0.18
9	Refused	2	1.01	0.97
BLANK	Skip filled	10,604		

SEREVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1203

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	161	81.31	72.02
2	No	34	17.17	26.90
7	Don't know/Not sure	1	0.51	0.11
9	Refused	2	1.01	0.97
BLANK	Skip filled	10,604		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

SEREVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1204-1205

Type: NUM

SAS Variable Name: ILP07_27

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	193	97.47	98.55
77	Don't know	2	1.01	0.32
99	Refused	3	1.52	1.13
BLANK	Skip filled	10,604		

SEREVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1206-1208

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	165	83.33	73.66
401 - 499	Weeks	16	8.08	14.11
555	Never	1	0.51	0.65
666	Less often than once a week	11	5.56	9.18
777	Don't know	3	1.52	1.43
999	Refused	2	1.01	0.97
BLANK	Skip filled	10,604		

SEREVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1209-1210

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TERBUTALINE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP01_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TERBUTALINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1212

Type: NUM

SAS Variable Name: ILP02_28

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TERBUTALINE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1213

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TERBUTALINE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TERBUTALINE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TERBUTALINE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TERBUTALINE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1217-1218

Type: NUM

SAS Variable Name: ILP07_28

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TERBUTALINE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1219-1221

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TERBUTALINE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1222-1223

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TILADE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1224

Type: NUM

SAS Variable Name: ILP01_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TILADE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP02_29

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	5	100.00	100.00
BLANK	Skip filled	10,797		

TILADE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP03_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	97.83
3	Medication is a disk inhaler, not a canister inhaler	1	20.00	2.17
BLANK	Skip filled	10,797		

TILADE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP04_29

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	2.17
2	No	3	60.00	94.58
3	No attack in past 3 months	1	20.00	3.24
BLANK	Skip filled	10,797		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TILADE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP05_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	7.63
2	No	4	80.00	92.37
BLANK	Skip filled	10,797		

TILADE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP06_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	100.00	100.00
BLANK	Skip filled	10,797		

TILADE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1230-1231

Type: NUM

SAS Variable Name: ILP07_29

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	100.00	100.00
BLANK	Skip filled	10,797		

TILADE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1232-1234

Type: NUM

SAS Variable Name: ILP08_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	100.00	100.00
BLANK	Skip filled	10,797		

TILADE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1235-1236

Type: NUM

SAS Variable Name: ILP10_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TORNALATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP01_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

TORNALATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1238

Type: NUM

SAS Variable Name: ILP02_30

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

TORNALATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	10,801		

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1240

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	10,801		

TORNALATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1241

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	10,801		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	10,801		

TORNALATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1243-1244

Type: NUM

SAS Variable Name: ILP07_30

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	10,801		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1245-1247

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	10,801		

TORNALATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1248-1249

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	10,801		

TRIAMCINOLONE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1250

Type: NUM

SAS Variable Name: ILP01_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TRIAMCINOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1251

Type: NUM

SAS Variable Name: ILP02_31

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	10,800		

TRIAMCINOLONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	10,800		

TRIAMCINOLONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	17.79
2	No	1	50.00	82.21
BLANK	Skip filled	10,800		

TRIAMCINOLONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	50.00	82.21
3	Didn't exercise in past 3 months	1	50.00	17.79
BLANK	Skip filled	10,800		

TRIAMCINOLONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	82.21
2	No	1	50.00	17.79
BLANK	Skip filled	10,800		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

TRIAMCINOLONE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1256-1257

Type: NUM

SAS Variable Name: ILP07_31

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	10,800		

TRIAMCINOLONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1258-1260

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	82.21
401 - 499	Weeks	1	50.00	17.79
BLANK	Skip filled	10,800		

TRIAMCINOLONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1261-1262

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

VANCERIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP01_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

VANCERIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP02_32

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	10.00	9.75
2	6 months to 1 year	2	20.00	54.18
3	Longer than 1 year	7	70.00	36.07
BLANK	Skip filled	10,792		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

VANCERIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	10.00	1.32
2	No	8	80.00	45.82
7	Don't know/Not sure	1	10.00	52.86
BLANK	Skip filled	10,792		

VANCERIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	60.00	65.57
2	No	3	30.00	30.20
3	No attack in past 3 months	1	10.00	4.23
BLANK	Skip filled	10,792		

VANCERIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1267

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	50.00	69.28
2	No	5	50.00	30.72
BLANK	Skip filled	10,792		

VANCERIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1268

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	31.29
2	No	6	60.00	68.71
BLANK	Skip filled	10,792		

VANCERIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1269-1270

Type: NUM

SAS Variable Name: ILP07_32

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	10	100.00	100.00
BLANK	Skip filled	10,792		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

VANCERIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1271-1273

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	40.00	32.01
401 - 499	Weeks	4	40.00	60.18
666	Less often than once a week	2	20.00	7.82
BLANK	Skip filled	10,792		

VANCERIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1274-1275

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

VENTOLIN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1276

Type: NUM

SAS Variable Name: ILP01_33

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	13	14.61	11.53
2	100 puffs	15	16.85	18.48
3	200 puffs	38	42.70	62.16
4	Other number of puffs	7	7.87	2.71
7	Don't know/Not sure	15	16.85	5.11
9	Refused	1	1.12	0.02
BLANK	Skip filled	10,713		

VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1277

Type: NUM

SAS Variable Name: ILP02_33

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	4.49	0.64
2	6 months to 1 year	3	3.37	1.92
3	Longer than 1 year	80	89.89	97.34
7	Don't know/Not sure	1	1.12	0.08
9	Refused	1	1.12	0.02
BLANK	Skip filled	10,713		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

VENTOLIN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1278

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	30.34	23.01
2	No	60	67.42	76.59
9	Refused	2	2.25	0.40
BLANK	Skip filled	10,713		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	71	79.78	94.98
2	No	13	14.61	4.22
3	No attack in past 3 months	4	4.49	0.79
9	Refused	1	1.12	0.02
BLANK	Skip filled	10,713		

VENTOLIN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	31.46	60.12
2	No	58	65.17	39.45
3	Didn't exercise in past 3 months	1	1.12	0.23
7	Don't know/Not sure	1	1.12	0.19
9	Refused	1	1.12	0.02
BLANK	Skip filled	10,713		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	16.85	21.17
2	No	73	82.02	78.81
9	Refused	1	1.12	0.02
BLANK	Skip filled	10,713		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

VENTOLIN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1282-1283

Type: NUM

SAS Variable Name: ILP07_33

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	88	98.88	99.89
99	Refused	1	1.12	0.11
BLANK	Skip filled	10,713		

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1284-1286

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	25	28.09	11.29
401 - 499	Weeks	31	34.83	41.37
555	Never	1	1.12	0.25
666	Less often than once a week	22	24.72	43.06
777	Don't know	8	8.99	3.91
999	Refused	2	2.25	0.13
BLANK	Skip filled	10,713		

VENTOLIN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1287-1288

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	59	66.29	50.20
77	Don't know	10	11.24	5.70
88	None/Less than 1 full canister	18	20.22	43.97
99	Refused	2	2.25	0.13
BLANK	Skip filled	10,713		

FORADIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP01_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FORADIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP02_34

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	15	23.08	34.76
2	6 months to 1 year	12	18.46	21.99
3	Longer than 1 year	38	58.46	43.25
BLANK	Skip filled	10,737		

FORADIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	13.85	8.97
2	No	50	76.92	83.10
3	Medication is a disk inhaler, not a canister inhaler	6	9.23	7.94
BLANK	Skip filled	10,737		

FORADIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	16.92	30.69
2	No	48	73.85	61.39
3	No attack in past 3 months	6	9.23	7.92
BLANK	Skip filled	10,737		

FORADIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	26.15	35.06
2	No	42	64.62	59.63
3	Didn't exercise in past 3 months	6	9.23	5.31
BLANK	Skip filled	10,737		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FORADIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	57	87.69	87.91
2	No	8	12.31	12.09
BLANK	Skip filled	10,737		

FORADIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1295-1296

Type: NUM

SAS Variable Name: ILP07_34

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	63	96.92	89.71
77	Don't know	1	1.54	0.43
99	Refused	1	1.54	9.86
BLANK	Skip filled	10,737		

FORADIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1297-1299

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	55	84.62	82.76
401 - 499	Weeks	4	6.15	11.36
666	Less often than once a week	4	6.15	4.87
777	Don't know	2	3.08	1.01
BLANK	Skip filled	10,737		

FORADIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1300-1301

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

FORMOTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP01_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FORMOTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1303

Type: NUM

SAS Variable Name: ILP02_35

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	2	50.00	17.16
3	Longer than 1 year	2	50.00	82.84
BLANK	Skip filled	10,798		

FORMOTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1304

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	75.00	88.88
3	Medication is a disk inhaler, not a canister inhaler	1	25.00	11.12
BLANK	Skip filled	10,798		

FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	58.00
2	No	2	50.00	30.88
3	No attack in past 3 months	1	25.00	11.12
BLANK	Skip filled	10,798		

FORMOTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	64.04
2	No	2	50.00	35.96
BLANK	Skip filled	10,798		

FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	10,798		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

FORMOTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1308-1309

Type: NUM

SAS Variable Name: ILP07_35

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	75.00	93.96
99	Refused	1	25.00	6.04
BLANK	Skip filled	10,798		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1310-1312

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	100.00	100.00
BLANK	Skip filled	10,798		

FORMOTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1313-1314

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

QVAR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP01_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

QVAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: ILP02_36

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	38	20.43	19.90
2	6 months to 1 year	33	17.74	14.34
3	Longer than 1 year	115	61.83	65.76
BLANK	Skip filled	10,616		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

QVAR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	76	40.86	32.15
2	No	105	56.45	64.26
3	Medication is a disk inhaler, not a canister inhaler	2	1.08	2.08
7	Don't know/Not sure	2	1.08	1.26
9	Refused	1	0.54	0.26
BLANK	Skip filled	10,616		

QVAR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	63	33.87	29.63
2	No	105	56.45	57.75
3	No attack in past 3 months	18	9.68	12.62
BLANK	Skip filled	10,616		

QVAR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	18.82	16.17
2	No	134	72.04	75.10
3	Didn't exercise in past 3 months	15	8.06	6.51
7	Don't know/Not sure	2	1.08	2.22
BLANK	Skip filled	10,616		

QVAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	144	77.42	82.33
2	No	42	22.58	17.67
BLANK	Skip filled	10,616		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

QVAR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1321-1322

Type: NUM

SAS Variable Name: ILP07_36

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	186	100.00	100.00
BLANK	Skip filled	10,616		

QVAR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1323-1325

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399		148	79.57	88.06
401 - 499	Weeks	18	9.68	5.27
666	Less often than once a week	16	8.60	2.80
777	Don't know	4	2.15	3.87
BLANK	Skip filled	10,616		

QVAR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1326-1327

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL ACCOLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: PILLX_1

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	4.48	1.26
2	6 months to 1 year	2	2.99	2.10
3	Longer than 1 year	61	91.04	93.98
7	Don't know/Not sure	1	1.49	2.67
BLANK	Skip filled	10,735		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL AEROLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: PILLX_2

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	50.00	23.33
3	Longer than 1 year	1	50.00	76.67
BLANK	Skip filled	10,800		

PILL ALBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: PILLX_3

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	14.29	1.94
2	6 months to 1 year	2	9.52	1.94
3	Longer than 1 year	16	76.19	96.12
BLANK	Skip filled	10,781		

PILL ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: PILLX_4

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

PILL CHOLEDYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: PILLX_5

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL DELTASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: PILLX_7

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

PILL ELIXOPHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: PILLX_8

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

PILL MARAX: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: PILLX_10

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,801		

PILL MEDROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1336

Type: NUM

SAS Variable Name: PILLX_11

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	10,799		

PILL METAPREL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1337

Type: NUM

SAS Variable Name: PILLX_12

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1338

Type: NUM

SAS Variable Name: PILLX_13

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL METHYLPREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1339

Type: NUM

SAS Variable Name: PILLX_14

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	50.00	56.04
3	Longer than 1 year	2	50.00	43.96
BLANK	Skip filled	10,798		

PILL MONTELUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1340

Type: NUM

SAS Variable Name: PILLX_15

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	27.27	4.42
3	Longer than 1 year	8	72.73	95.58
BLANK	Skip filled	10,791		

PILL PEDIAPRED: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: PILLX_17

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL PREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: PILLX_18

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	11	52.38	22.39
3	Longer than 1 year	10	47.62	77.61
BLANK	Skip filled	10,781		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL PREDNISONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: PILLX_19

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	85	44.04	47.77
2	6 months to 1 year	7	3.63	2.52
3	Longer than 1 year	95	49.22	48.70
7	Don't know/Not sure	5	2.59	0.97
9	Refused	1	0.52	0.04
BLANK	Skip filled	10,609		

PILL PRELONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: PILLX_20

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: PILLX_21

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	16.65
2	6 months to 1 year	2	50.00	65.74
3	Longer than 1 year	1	25.00	17.61
BLANK	Skip filled	10,798		

PILL QUIBRON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: PILLX_22

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL RESPID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: PILLX_23

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	10,800		

PILL SINGULAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: PILLX_24

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	120	11.58	8.90
2	6 months to 1 year	116	11.20	10.28
3	Longer than 1 year	794	76.64	80.32
7	Don't know/Not sure	6	0.58	0.49
BLANK	Skip filled	9,766		

PILL SLO-PHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: PILLX_25

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	10,799		

PILL SLO-BID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: PILLX_26

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

PILL SUSTAIRE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: PILLX_27

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL THEO-24: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: PILLX_28

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	20.00	6.91
3	Longer than 1 year	4	80.00	93.09
BLANK	Skip filled	10,797		

PILL THEOBID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: PILLX_29

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL THEOCHRON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: PILLX_30

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	10,800		

PILL THEOCLEAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: PILLX_31

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

PILL THEODUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: PILLX_32

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	5.00	30.97
3	Longer than 1 year	18	90.00	68.82
9	Refused	1	5.00	0.22
BLANK	Skip filled	10,782		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL THEO-DUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: PILLX_33

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	10	100.00	100.00
BLANK	Skip filled	10,792		

PILL THEOLAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: PILLX_34

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL THEOPHYLLINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: PILLX_35

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	8	6.67	2.69
3	Longer than 1 year	111	92.50	97.02
7	Don't know/Not sure	1	0.83	0.29
BLANK	Skip filled	10,682		

PILL THEO-SAV: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: PILLX_36

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL THEOSPAN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: PILLX_37

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL THEOX: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: PILLX_38

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL T-PHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: PILLX_40

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

PILL UNIDUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: PILLX_41

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL UNIPHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: PILLX_42

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	14	100.00	100.00
BLANK	Skip filled	10,788		

PILL VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: PILLX_43

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	10,801		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

PILL VOLMAX: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: PILLX_44

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	10,799		

PILL ZAFIRLUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: PILLX_45

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	10,799		

PILL ZILEUTON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: PILLX_46

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	10,802		

PILL ZYFLO FILMTAB: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: PILLX_47

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	10,801		

INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1371-1380

Type: NUM

SAS Variable Name: WEIGHT_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	10,802	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: ADULT Asthma Call-Back

Column: 1381-1390

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM
SAS Variable Name: POST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	10,802	100.00	100.00

FINAL ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1391-1400

Prologue:

Description: FINAL ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: FINALWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back weight	10,802	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: ADULT Asthma Call-Back

Column: 1401

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		10,802	100.00	100.00

RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1402

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: RACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	2,587	100.00	100.00
BLANK	Missing	8,215		

AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1403

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	245	4.70	16.32
2	Age 25 - 34	582	11.16	18.53
3	Age 35 - 44	831	15.93	18.62
4	Age 45 - 54	1,207	23.14	18.87
5	Age 55 - 64	1,210	23.19	14.24
6	Age 65 - 74	685	13.13	7.62
7	Age 75+	457	8.76	5.80
BLANK	Missing	5,585		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1404

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	1,301	15.94	35.97
2	Age 35 - 44	1,265	15.50	18.34
3	Age 45 - 54	1,869	22.90	18.24
4	Age 55 - 64	1,889	23.15	13.83
5	Age 65+	1,837	22.51	13.61
BLANK	Missing	2,641		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1405

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	71	13.37	44.67
2	Age 45 - 54	66	12.43	23.20
3	Age 55 - 64	123	23.16	14.32
4	Age 65+	271	51.04	17.80
BLANK	Missing	10,271		

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1406

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	57	10.73	32.73
2	Age 35 - 54	139	26.18	37.21
3	Age 55+	335	63.09	30.07
BLANK	Missing	10,271		

AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1407

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 54	137	25.80	67.88
2	Age 55+	394	74.20	32.12
BLANK	Missing	10,271		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2006**

ADULT ASTHMA CALL-BACK ADJUST FACTOR

Survey: ADULT Asthma Call-Back

Column: 1408-1415

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: ADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification adjust factor	10,802	100.00	100.00