

United States

2007 Codebook Report

ADULT Asthma Call-Back Survey

March 9, 2011



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**STATE FIPS CODE**

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM  
SAS Variable Name: \_STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Alaska	160	1.05	0.28
4	Arizona	219	1.44	2.75
6	California	286	1.88	15.15
8	Colorado	386	2.53	1.35
9	Connecticut	389	2.55	1.64
11	District of Columbia	189	1.24	0.30
12	Florida	904	5.93	6.54
13	Georgia	389	2.55	3.59
15	Hawaii	494	3.24	0.59
17	Illinois	280	1.84	5.27
18	Indiana	391	2.56	2.71
19	Iowa	291	1.91	1.01
20	Kansas	545	3.57	1.09
23	Maine	472	3.10	0.69
24	Maryland	446	2.93	2.37
25	Massachusetts	246	1.61	3.57
26	Michigan	551	3.61	4.88
29	Missouri	313	2.05	2.55
30	Montana	326	2.14	0.42
31	Nebraska	572	3.75	0.66
32	Nevada	311	2.04	1.08
33	New Hampshire	325	2.13	0.66
35	New Mexico	379	2.49	0.88
36	New York	385	2.53	8.92
39	Ohio	561	3.68	4.93
40	Oklahoma	390	2.56	1.58
41	Oregon	488	3.20	1.93
42	Pennsylvania	307	2.01	5.42
48	Texas	395	2.59	9.54
49	Utah	338	2.22	1.01
50	Vermont	530	3.48	0.31
53	Washington	2,346	15.39	3.10
54	West Virginia	326	2.14	0.76
55	Wisconsin	315	2.07	2.48

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,198	7.86	6.35
2	February	1,027	6.74	5.25
3	March	1,111	7.29	5.70
4	April	1,357	8.90	7.74
5	May	1,114	7.31	5.63
6	June	1,165	7.64	7.22
7	July	1,452	9.52	8.26
8	August	1,233	8.09	7.98
9	September	1,238	8.12	6.56
10	October	1,353	8.88	9.04
11	November	1,110	7.28	6.39
12	December	1,887	12.38	23.89

**MONTH OF ASTHMA CALL-BACK INTERVIEW**

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	860	5.64	4.74
2	February	1,322	8.67	7.43
3	March	1,331	8.73	8.48
4	April	1,276	8.37	7.69
5	May	1,153	7.56	8.79
6	June	1,081	7.09	7.48
7	July	1,362	8.93	8.18
8	August	1,323	8.68	9.10
9	September	1,281	8.40	8.32
10	October	1,650	10.82	10.71
11	November	1,153	7.56	8.36
12	December	1,453	9.53	10.71

**DAY OF ASTHMA CALL-BACK INTERVIEW**

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		15,245	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**YEAR OF ASTHMA CALL-BACK INTERVIEW**

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM  
SAS Variable Name: IYEAR\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2007	Interview year	14,795	97.05	98.08
2008	Interview year	450	2.95	1.92

**INTERVIEWER ID OF ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: INTVID\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer identification	15,245	100.00	100.00

**DISPOSITION OF ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: DISPCODE\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Complete	15,225	99.87	99.91
120	Partial complete	20	0.13	0.09

**ANNUAL SEQUENCE NUMBER**

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM  
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		15,245	100.00	100.00

**NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: NATTMPTS\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Number of attempts of asthma call-back	15,245	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ARE YOU SAMPLE PERSON**

Survey: ADULT Asthma Call-Back

Column: 40

Type: NUM

SAS Variable Name: SAMP\_NAME

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14,851	97.42	97.60
2	No	394	2.58	2.40

**MAY I SPEAK WITH SAMPLE PERSON**

Survey: ADULT Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: SAMP\_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	270	68.53	77.13
2	No	124	31.47	22.87
BLANK	Not asked or missing	14,851		

**CHECK CORRECT PERSON ON PHONE**

Survey: ADULT Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,082	100.00	100.00
BLANK	Not asked or missing	13,163		

**EVER HAVE ASTHMA INCONSISTENT WITH BRFSS**

Survey: ADULT Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER\_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,765	100.00	100.00
BLANK	Not asked or missing	13,480		

**STILL HAVE ASTHMA INCONSISTENT WITH BRFSS**

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR\_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,353	64.99	62.62
2	No	665	31.94	36.16
7	Don't know/Not sure	64	3.07	1.22
BLANK	Not asked or missing	13,163		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PERMISSION TO COMBINE THE ANSWER WITH BRFS**

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,792	100.00	100.00
BLANK	Not asked or missing	9,453		

**AGE AT ASTHMA DIAGNOSIS**

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	14,001	91.84	92.12
777	Don't know	698	4.58	3.89
888	Less than one year old	538	3.53	3.87
999	Refused	8	0.05	0.11

**TIME SINCE DIAGNOSIS**

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	383	2.51	2.62
2	One to five years ago	1,680	11.02	9.33
3	More than 5 years ago	13,144	86.22	87.93
7	Don't know	36	0.24	0.12
9	Refused	2	0.01	0.00

**LAST TALKED TO A DOCTOR**

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST\_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	8,470	55.56	52.26
5	One year to less than 3 years ago	2,139	14.03	14.30
6	Three years to less than five years ago	972	6.38	7.42
7	More than five years ago	3,423	22.45	24.55
77	Don't know	100	0.66	0.57
88	Never	138	0.91	0.89
99	Refused	3	0.02	0.01

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**LAST TOOK ASTHMA MEDICATION**

Survey: ADULT Asthma Call-Back

Column: 52-53

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Type: NUM

SAS Variable Name: LAST\_MED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	5,391	35.36	28.91
2	1-6 days ago	1,179	7.73	8.27
3	1 week to less than 3 months ago	1,703	11.17	11.78
4	3 months to less than 1 year ago	1,315	8.63	8.85
5	1 year to less than 3 years ago	1,147	7.52	8.28
6	3 years to 5 years ago	707	4.64	5.77
7	More than 5 years ago	3,146	20.64	23.76
77	Don't know	84	0.55	0.34
88	Never	567	3.72	4.01
99	Refused	6	0.04	0.02

**LAST HAD ANY SYMPTOMS OF ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 54-55

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Type: NUM

SAS Variable Name: LASTSYMP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	4,169	27.35	22.34
2	1-6 days ago	1,773	11.63	11.45
3	1 week to less than 3 months ago	2,838	18.62	20.02
4	3 months to less than 1 year ago	1,665	10.92	11.92
5	1 year to less than 3 years ago	1,167	7.65	8.59
6	3 years to 5 years ago	605	3.97	3.92
7	More than 5 years ago	2,674	17.54	20.42
77	Don't know	256	1.68	0.91
88	Never	92	0.60	0.39
99	Refused	6	0.04	0.03

**SYMPTOM DAYS**

Survey: ADULT Asthma Call-Back

Column: 56-58

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Type: NUM

SAS Variable Name: SYMP\_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	5,309	34.82	35.35
30	Every day	2,638	17.30	12.76
66	No symptoms past one year, skip filled	4,538	29.77	33.32
77	Don't know	277	1.82	1.25
88	No symptoms in the past 30 days	811	5.32	5.38
99	Refused	7	0.05	0.02
100	Symptoms 3 months to 1 year ago, skip filled	1,665	10.92	11.92

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**CONSTANT SYMPTOMS**

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR\_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,442	9.46	7.61
2	No	1,144	7.50	5.00
6	Last symptoms one+ years ago, skip filled	4,538	29.77	33.32
7	Don't know	51	0.33	0.15
9	Refused	1	0.01	0.00
10	Last symptoms 3 months - 1 year ago, skip filled	1,665	10.92	11.92
11	No symptoms 'SYMP_30D' skip filled	811	5.32	5.38
12	1-29 'SYMP_30D' skip filled	5,309	34.82	35.35
77	Don't know 'SYMP_30D' skip filled	277	1.82	1.25
99	Refused 'SYMP_30D' skip filled	7	0.05	0.02

**NIGHT SYMPTOMS**

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	3,430	22.50	21.31
66	No symptoms past one year, skip filled	4,538	29.77	33.32
77	Don't know	405	2.66	1.94
88	None	4,387	28.78	26.12
99	Refused	9	0.06	0.01
100	Symptoms 3 months to 1 year ago, skip filled	1,665	10.92	11.92
111	No symptoms in the past 30 days, skip filled	811	5.32	5.38

**SYMPTOM FREE DAYS**

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is, no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	11,758	77.34	82.21
77	Don't know	274	1.80	1.02
88	None	3,162	20.80	16.74
99	Refused	9	0.06	0.03
BLANK	Not asked or missing	42		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ASTHMA EPISODE OR ATTACK**

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS\_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,805	38.08	36.90
2	No	4,673	30.65	28.60
6	No symptoms past 1 year, skip filled	4,538	29.77	33.32
7	Don't know	223	1.46	1.17
9	Refused	6	0.04	0.01

**NUMBER OF EPISODES / ATTACKS**

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS\_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	4,348	28.52	27.83
666	No symptoms past 1 year, skip filled	4,538	29.77	33.32
777	Don't know	358	2.35	1.85
888	None	1,097	7.20	7.16
999	Refused	2	0.01	0.05
1111	No episode/asthma attack past year, skip filled	4,902	32.15	29.78

**DURATION OF ATTACK**

Survey: ADULT Asthma Call-Back

Column: 71-74

Type: NUM

SAS Variable Name: DUR\_ASTH

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	2,342	15.36	16.16
201 - 299	Hours	1,511	9.91	9.50
301 - 399	Days	1,190	7.81	7.61
401 - 499	Weeks	493	3.23	2.30
555	Never	6	0.04	0.07
666	No symptoms past 1 year, skip filled	4,538	29.77	33.32
777	Don't know	260	1.71	1.21
999	Refused	3	0.02	0.05
1111	No episode/asthma attack past year, skip filled	4,902	32.15	29.78

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TYPICAL ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 75-76

**Type:** NUM

**SAS Variable Name:** COMPASTH

**Prologue:**

**Description:** Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	1,330	8.72	8.95
2	Longer	865	5.67	5.32
3	About the same	3,515	23.06	22.11
4	The most recent attack was actually the first attack	34	0.22	0.25
6	No symptoms past year, skip filled	4,538	29.77	33.32
7	Don't know	60	0.39	0.23
9	Refused	1	0.01	0.03
11	No episode/asthma attack past year, skip filled	4,902	32.15	29.78

**INSURANCE**

**Survey:** ADULT Asthma Call-Back

**Column:** 77

**Type:** NUM

**SAS Variable Name:** INS1

**Prologue:**

**Description:** QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13,774	90.35	86.05
2	No	1,427	9.36	13.83
7	Don't know/Not sure	33	0.22	0.08
9	Refused	11	0.07	0.05

**INSURANCE OR COVERAGE GAP**

**Survey:** ADULT Asthma Call-Back

**Column:** 78

**Type:** NUM

**SAS Variable Name:** INS2

**Prologue:**

**Description:** QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	814	5.34	6.50
2	No	12,951	84.95	79.51
5	No insurance at time of interview, skip filled	1,427	9.36	13.83
7	Don't know	40	0.26	0.09
9	Refused	13	0.09	0.08

**NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Column:** 79-81

**Type:** NUM

**SAS Variable Name:** NER\_TIME

**Prologue:**

**Description:** Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	6,511	42.71	38.76
666	No MD visit past year, skip filled	6,672	43.77	47.17
777	Don't know	132	0.87	0.67
888	None	1,921	12.60	13.35
999	Refused	9	0.06	0.05

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**EMERGENCY ROOM VISIT**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 82

**SAS Variable Name:** ER\_VISIT

**Prologue:** An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

**Description:** Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,284	8.42	8.42
2	No	7,249	47.55	44.20
6	No MD visit past year, skip filled	6,672	43.77	47.17
7	Don't know	33	0.22	0.15
9	Refused	7	0.05	0.05

**NUMBER OF EMERGENCY ROOM VISITS**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 83-85

**SAS Variable Name:** ER\_TIMES

**Prologue:**

**Description:** Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,269	8.32	8.36
666	No MD visit past year, skip filled	6,672	43.77	47.17
677	MD visit, no ER visit past year, skip filled	7,249	47.55	44.20
777	Don't know	48	0.31	0.21
999	Refused	7	0.05	0.05

**NUMBER OF URGENT VISITS**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 86-88

**SAS Variable Name:** URG\_TIME

**Prologue:**

**Description:** Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	2,744	18.00	16.80
666	No MD visit past year, skip filled	6,672	43.77	47.17
777	Don't know	130	0.85	0.76
888	None	5,692	37.34	35.20
999	Refused	7	0.05	0.07

**HOSPITAL VISIT**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 89

**SAS Variable Name:** HOSP\_VST

**Prologue:**

**Description:** Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	427	2.80	2.10
2	No	7,280	47.75	44.23
4	MD visit, no symptoms past year, skip filled	838	5.50	6.38
6	No MD visit past year, skip filled	6,672	43.77	47.17
7	Don't know	21	0.14	0.07
9	Refused	7	0.05	0.06

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NUMBER OF HOSPITAL VISITS**

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	416	2.73	2.06
444	MD visit, no symptoms past year, skip filled	838	5.50	6.38
455	MD visit, symptoms, no hospital visit past year, skip filled	7,280	47.75	44.23
666	No MD visit past year, skip filled	6,672	43.77	47.17
777	Don't know	31	0.20	0.09
999	Refused	8	0.05	0.07

**HOSPITAL FOLLOW-UP**

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	302	1.98	1.45
2	No	120	0.79	0.62
4	MD visit, no symptoms past year, skip filled	838	5.50	6.38
6	No MD visit past year, skip filled	6,672	43.77	47.17
7	Don't know	26	0.17	0.10
9	Refused	7	0.05	0.06
45	MD visit, symptoms, no hospital visit past year, skip filled	7,280	47.75	44.23

**NUMBER OF MISSED DAYS**

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS\_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	3,585	23.52	22.00
555	No current asthma, nothing happened past year, skip filled	3,009	19.74	22.35
777	Don't know	555	3.64	2.65
888	Zero	8,063	52.89	52.85
999	Refused	33	0.22	0.15

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ACTIVITY LIMITATION**

**Survey:** ADULT Asthma Call-Back

**Column:** 98

**Type:** NUM

**SAS Variable Name:** ACT\_DAYS

**Prologue:**

**Description:** Q5.9 During the past 12 months, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	4,654	30.53	32.30
2	A little	4,213	27.64	27.15
3	A moderate amount	2,107	13.82	11.98
4	A lot	1,136	7.45	5.73
5	No current asthma, nothing happened past year, skip filled	3,009	19.74	22.35
7	Don't know	110	0.72	0.40
9	Refused	16	0.10	0.09

**EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS**

**Survey:** ADULT Asthma Call-Back

**Column:** 99

**Type:** NUM

**SAS Variable Name:** TCH\_SIGN

**Prologue:** Has a doctor or other health professional ever taught you . . .

**Description:** Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,943	58.66	62.57
2	No	5,954	39.06	35.60
7	Don't know/Not sure	337	2.21	1.77
9	Refused	11	0.07	0.07

**EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 100

**Type:** NUM

**SAS Variable Name:** TCH\_RESP

**Prologue:** Has a doctor or other health professional ever taught you . . .

**Description:** Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,497	68.86	70.37
2	No	4,449	29.18	27.88
7	Don't know/Not sure	287	1.88	1.68
9	Refused	12	0.08	0.08

**EVER TAUGHT HOW TO USE A PEAK FLOW**

**Survey:** ADULT Asthma Call-Back

**Column:** 101

**Type:** NUM

**SAS Variable Name:** TCH\_MON

**Prologue:** A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

**Description:** Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,608	36.79	37.80
2	No	9,474	62.14	61.39
7	Don't know/Not sure	147	0.96	0.73
9	Refused	16	0.10	0.08

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**EVER GIVEN AN ASTHMA ACTION PLAN**

**Survey:** ADULT Asthma Call-Back

**Column:** 102

**Type:** NUM

**SAS Variable Name:** MGT\_PLAN

**Prologue:** An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

**Description:** Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,398	22.29	23.45
2	No	11,565	75.86	74.87
7	Don't know/Not sure	269	1.76	1.58
9	Refused	13	0.09	0.09

**EVER TAKEN A COURSE TO MANAGE ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 103

**Type:** NUM

**SAS Variable Name:** MGT\_CLAS

**Prologue:**

**Description:** Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,196	7.85	7.90
2	No	14,005	91.87	91.69
7	Don't know/Not sure	30	0.20	0.32
9	Refused	14	0.09	0.09

**AIR CLEANER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 104

**Type:** NUM

**SAS Variable Name:** AIRCLEANER

**Prologue:** An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

**Description:** Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,314	28.30	27.69
2	No	10,847	71.15	71.68
7	Don't know/Not sure	71	0.47	0.55
9	Refused	13	0.09	0.07

**DEHUMIDIFIER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 105

**Type:** NUM

**SAS Variable Name:** DEHUMID

**Prologue:**

**Description:** Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,314	21.74	23.20
2	No	11,878	77.91	76.49
7	Don't know/Not sure	40	0.26	0.24
9	Refused	13	0.09	0.07

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**EXHAUST FAN USED**

Survey: ADULT Asthma Call-Back

Column: 106

Type: NUM

SAS Variable Name: KITC\_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,865	58.15	59.12
2	No	6,279	41.19	40.32
7	Don't know/Not sure	88	0.58	0.49
9	Refused	13	0.09	0.07

**GAS USED**

Survey: ADULT Asthma Call-Back

Column: 107

Type: NUM

SAS Variable Name: COOK\_GAS

Prologue:

Description: Q7.4 Is gas used for cooking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,328	34.95	45.83
2	No	9,889	64.87	53.99
7	Don't know/Not sure	15	0.10	0.10
9	Refused	13	0.09	0.09

**SAW OR SMELLED MOLD PAST 30 DAYS**

Survey: ADULT Asthma Call-Back

Column: 108

Type: NUM

SAS Variable Name: ENV\_MOLD

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,656	10.86	10.12
2	No	13,509	88.61	89.40
7	Don't know/Not sure	68	0.45	0.41
9	Refused	12	0.08	0.06

**INDOOR PETS**

Survey: ADULT Asthma Call-Back

Column: 109

Type: NUM

SAS Variable Name: ENV\_PETS

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,831	57.93	60.63
2	No	6,402	41.99	39.31
9	Refused	12	0.08	0.07

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PETS ALLOWED IN BEDROOM**

Survey: ADULT Asthma Call-Back

Column: 110

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Type: NUM  
SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,763	44.36	45.15
2	No	2,017	13.23	15.14
3	Some are/some aren't	51	0.33	0.33
6	No pets, skip coded	6,414	42.07	39.37

**SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS**

Survey: ADULT Asthma Call-Back

Column: 112

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Type: NUM  
SAS Variable Name: C\_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,293	8.48	10.81
2	No	13,922	91.32	88.99
7	Don't know/Not sure	18	0.12	0.13
9	Refused	12	0.08	0.06

**SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS**

Survey: ADULT Asthma Call-Back

Column: 113

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Type: NUM  
SAS Variable Name: C\_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,136	7.45	6.53
2	No	14,082	92.37	93.36
7	Don't know/Not sure	16	0.10	0.05
9	Refused	11	0.07	0.06

**FIREPLACE OR WOOD STOVE USED**

Survey: ADULT Asthma Call-Back

Column: 114

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Type: NUM  
SAS Variable Name: WOOD\_STOVE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,039	19.93	17.92
2	No	12,185	79.93	81.99
7	Don't know/Not sure	10	0.07	0.02
9	Refused	11	0.07	0.06

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**GAS APPLIANCE USED**

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: GAS\_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	883	5.79	7.62
2	No	14,300	93.80	92.02
7	Don't know/Not sure	50	0.33	0.29
9	Refused	12	0.08	0.07

**ANYONE SMOKED INSIDE YOUR HOME**

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: S\_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,617	17.17	18.31
2	No	12,615	82.75	81.62
7	Don't know/Not sure	2	0.01	0.01
9	Refused	11	0.07	0.06

**EVER ADVISED CHANGE THINGS IN YOUR HOME**

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MOD\_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,486	35.99	38.37
2	No	9,661	63.37	61.16
7	Don't know/Not sure	84	0.55	0.40
9	Refused	14	0.09	0.07

**USE A MATTRESS COVER**

Survey: ADULT Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,962	25.99	24.13
2	No	10,873	71.32	73.88
7	Don't know/Not sure	397	2.60	1.93
9	Refused	13	0.09	0.07

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**USE A PILLOW COVER**

Survey: ADULT Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: E\_PILLOW

Prologue:

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,834	25.15	22.81
2	No	11,189	73.39	76.12
7	Don't know/Not sure	208	1.36	1.00
9	Refused	14	0.09	0.07

**CARPETING OR RUGS IN YOUR BEDROOM**

Survey: ADULT Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,389	74.71	72.44
2	No	3,839	25.18	27.47
7	Don't know/Not sure	4	0.03	0.01
9	Refused	13	0.09	0.07

**WASH WATER TEMPERATURE**

Survey: ADULT Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	3,391	22.24	22.38
2	Warm	5,244	34.40	34.46
3	Hot	5,837	38.29	36.80
4	Varies	414	2.72	2.85
7	Don't know/Not sure	345	2.26	3.44
9	Refused	14	0.09	0.08

**USE AN EXHAUST FAN IN YOUR BATHROOM**

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: BATH\_FAN

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,997	59.02	59.20
2	No or "No Fan"	6,155	40.37	40.45
7	Don't know/Not sure	79	0.52	0.25
9	Refused	14	0.09	0.10

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**EVER USED OVER-THE-COUNTER MEDICATION**

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,003	26.26	26.38
2	No	10,544	69.16	68.66
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know	118	0.77	0.87
9	Refused	13	0.09	0.08

**EVER USED PRESCRIPTION INHALER**

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13,610	89.28	89.43
2	No	1,015	6.66	6.12
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know	40	0.26	0.36
9	Refused	13	0.09	0.08

**PROFESSIONAL INHALER INSTRUCTION**

Survey: ADULT Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,975	85.11	85.67
2	No	564	3.70	3.52
5	Never took asthma medication, skip filled	567	3.72	4.01
6	Never used prescription inhaler, skip filled	1,068	7.01	6.56
7	Don't know	69	0.45	0.24
9	Refused	2	0.01	0.00

**INHALER USE WATCHED**

Survey: ADULT Asthma Call-Back

Column: 127

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,189	66.84	69.27
2	No	2,907	19.07	17.44
5	Never took asthma medication, skip filled	567	3.72	4.01
6	Never used prescription inhaler, skip filled	1,068	7.01	6.56
7	Don't know	512	3.36	2.72
9	Refused	2	0.01	0.01

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**MEDICATION IN HAND**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 128

**SAS Variable Name:** SCR\_MED1

**Prologue:** Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

**Description:** Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,927	32.32	28.55
2	No	312	2.05	2.44
3	Respondent knows the meds	2,987	19.59	17.54
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know	14	0.09	0.11
9	Refused	33	0.22	0.33

**HAVE ALL THE MEDICATIONS**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 130-131

**SAS Variable Name:** SCR\_MED3

**Prologue:**

**Description:** Q8.7 Do you have all the medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	4,735	31.06	27.52
2	Yes, I have some of the medications but not all	133	0.87	0.68
3	No	54	0.35	0.33
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know	1	0.01	0.01
9	Refused	4	0.03	0.02
10	Know or no handy asthma medicines, skip filled	3,346	21.95	20.41

**TAKEN PRESCRIPTION INHALER PAST 3 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 132

**SAS Variable Name:** INH\_SCR

**Prologue:**

**Description:** Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	7,253	47.58	42.49
2	No inhaler in past 3 months	811	5.32	5.12
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
6	Asthma med. past 3 months, never used inhaler, skip filled	109	0.71	0.54
7	Don't know	8	0.05	0.02
9	Refused	92	0.60	0.80

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TAKEN MEDICATION IN PILL PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	2,246	14.73	12.30
2	No pills in past 3 months	5,962	39.11	36.39
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know	53	0.35	0.21
9	Refused	12	0.08	0.07

**TAKEN MEDICATION IN SYRUP PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	67	0.44	0.52
2	No syrup in past 3 months	8,179	53.65	48.33
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know	15	0.10	0.05
9	Refused	12	0.08	0.07

**TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB\_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	1,804	11.83	9.72
2	No nebulizer in past 3 months	6,442	42.26	39.06
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know	16	0.10	0.13
9	Refused	11	0.07	0.06

**NEBULIZER AT HOME**

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB\_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,640	10.76	8.93
2	No	163	1.07	0.78
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know/Not sure	1	0.01	0.00
8	No neb. in past 3 months, skip filled	6,469	42.43	39.25

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEBULIZER AT DOCTOR'S OFFICE**

Survey: ADULT Asthma Call-Back

Column: 137

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Type: NUM  
SAS Variable Name: NEB\_PLCB

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	542	3.56	2.72
2	No	1,259	8.26	7.00
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know/Not sure	2	0.01	0.00
8	No neb. in past 3 months, skip filled	6,469	42.43	39.25
9	Refused	1	0.01	0.00

**NEBULIZER IN EMERGENCY ROOM**

Survey: ADULT Asthma Call-Back

Column: 138

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Type: NUM  
SAS Variable Name: NEB\_PLCC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	504	3.31	3.00
2	No	1,292	8.47	6.70
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know/Not sure	7	0.05	0.01
8	No neb. in past 3 months, skip filled	6,469	42.43	39.25
9	Refused	1	0.01	0.00

**NEBULIZER AT WORK OR SCHOOL**

Survey: ADULT Asthma Call-Back

Column: 139

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Type: NUM  
SAS Variable Name: NEB\_PLCD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	145	0.95	1.02
2	No	1,655	10.86	8.67
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know/Not sure	1	0.01	0.00
8	No neb. in past 3 months, skip filled	6,469	42.43	39.25
9	Refused	3	0.02	0.02

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEBULIZER AT ANY OTHER PLACE**

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: NEB\_PLCE

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	345	2.26	1.51
2	No	1,457	9.56	8.20
4	No asthma med. past 3 months, skip filled	6,405	42.01	47.03
5	Never took asthma medication, skip filled	567	3.72	4.01
7	Don't know/Not sure	1	0.01	0.00
8	No neb. in past 3 months, skip filled	6,469	42.43	39.25
9	Refused	1	0.01	0.00

**COST BARRIER: PRIMARY CARE DOCTOR**

Survey: ADULT Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	992	6.51	7.01
2	No	9,673	63.46	59.17
5	No current asthma, skip filled	4,537	29.77	33.54
7	Don't know	28	0.18	0.22
9	Refused	12	0.08	0.06
BLANK	Partial complete	3		

**COST BARRIER: SPECIALIST**

Survey: ADULT Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	502	3.29	3.47
2	No	10,164	66.68	62.75
5	No current asthma, skip filled	4,537	29.77	33.54
7	Don't know	28	0.18	0.18
9	Refused	11	0.07	0.06
BLANK	Partial complete	3		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**COST BARRIER: MEDICATION**

Survey: ADULT Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,517	9.95	10.14
2	No	9,149	60.02	56.08
5	No current asthma, skip filled	4,537	29.77	33.54
7	Don't know	25	0.16	0.16
9	Refused	14	0.09	0.07
BLANK	Partial complete	3		

**CURRENT EMPLOYMENT STATUS**

Survey: ADULT Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: EMP\_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	5,921	38.85	47.05
2	Employed part-time	1,748	11.47	12.73
3	Not employed	7,538	49.46	40.00
7	Don't know	10	0.07	0.11
9	Refused	24	0.16	0.12
BLANK	Partial complete	4		

**REASON NOT NOW EMPLOYED**

Survey: ADULT Asthma Call-Back

Column: 145-146

Type: NUM

SAS Variable Name: UNEMP\_R

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	732	4.80	5.65
2	Going to school	188	1.23	3.42
3	Retired	3,772	24.75	13.53
4	Disabled	1,660	10.89	8.12
5	Unable to work for other health reasons	550	3.61	3.03
6	Looking for work	181	1.19	1.60
7	Laid off	120	0.79	0.85
8	Other	306	2.01	3.40
66	Employed, skip filled	7,669	50.32	59.78
77	Don't know	12	0.08	0.08
88	Current employment status don't know or refused	34	0.22	0.23
99	Refused	17	0.11	0.32
BLANK	Partial complete	4		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**EVER EMPLOYED OUTSIDE HOME**

Survey: ADULT Asthma Call-Back

Column: 147

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Type: NUM

SAS Variable Name: EMP\_EVER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,133	46.80	36.94
2	No	409	2.68	3.06
6	Employed now, skip filled	7,669	50.32	59.78
7	Don't know/Not sure	1	0.01	0.00
9	Refused	29	0.19	0.23
BLANK	Partial complete	4		

**ASTHMA CAUSED BY CURRENT JOB**

Survey: ADULT Asthma Call-Back

Column: 148-149

Prologue:

Description: Q10.4 Was your asthma CAUSED by chemicals, smoke, fumes or dust in your CURRENT job?

Type: NUM

SAS Variable Name: WORKENV1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	815	5.35	6.67
2	No	6,594	43.26	51.66
6	Never employed outside home, skip filled	409	2.68	3.06
7	Don't know	259	1.70	1.45
8	Past employment unknown, skip filled	30	0.20	0.23
9	Refused	1	0.01	0.00
10	Not employed now but employed before, skip filled	7,133	46.80	36.94
BLANK	Partial complete	4		

**ASTHMA AGGRAVATED BY CURRENT JOB**

Survey: ADULT Asthma Call-Back

Column: 150-151

Prologue:

Description: Q10.5 Is your asthma MADE WORSE by chemicals, smoke, fumes or dust in your CURRENT job?

Type: NUM

SAS Variable Name: WORKENV2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,505	9.87	10.95
2	No	3,344	21.94	24.99
5	No current asthma, skip filled	2,701	17.72	23.07
6	Never employed outside home, skip filled	310	2.03	2.20
7	Don't know	225	1.48	1.67
8	Past employment unknown, skip filled	23	0.15	0.18
10	Not employed now but employed before, skip filled	7,133	46.80	36.94
BLANK	Partial complete	4		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ASTHMA CAUSED BY PREVIOUS JOB**

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKENV3

Prologue:

Description: Q10.6 Was your asthma CAUSED by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,658	17.44	14.68
2	No	10,278	67.44	70.94
5	Caused by current job, skip filled	815	5.35	6.67
6	Never employed outside home, skip filled	409	2.68	3.06
7	Don't know	1,048	6.88	4.43
8	Past employment unknown, skip filled	30	0.20	0.23
9	Refused	3	0.02	0.00
BLANK	Partial complete	4		

**ASTHMA AGGRAVATED BY PREVIOUS JOB**

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: WORKENV4

Prologue:

Description: Q10.7 Was your asthma MADE WORSE by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,615	30.28	25.98
2	No	8,823	57.89	61.82
5	Caused by current job, skip filled	815	5.35	6.67
6	Never employed outside home, skip filled	409	2.68	3.06
7	Don't know	544	3.57	2.21
8	Past employment unknown, skip filled	30	0.20	0.23
9	Refused	5	0.03	0.05
BLANK	Partial complete	4		

**EVER CHANGE OR QUIT A JOB**

Survey: ADULT Asthma Call-Back

Column: 154-155

Type: NUM

SAS Variable Name: WORKQUIT

Prologue:

Description: Q10.75 Did you ever change or quit a job because chemicals, smoke, fumes, or dust caused your asthma or made your asthma worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,302	8.54	7.27
2	No	3,851	25.27	21.30
6	Never employed outside home, skip filled	409	2.68	3.06
7	Don't know	709	4.65	6.24
8	Past employment unknown, skip filled	30	0.20	0.23
9	Refused	2	0.01	0.02
10	Skip filled	8,938	58.64	61.88
BLANK	Partial complete	4		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**DOCTOR DIAGNOSED WORK ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: WORKSEN1

Prologue:

Description: Q10.8 Were you ever told by a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,316	8.64	7.45
2	No	13,379	87.79	88.78
6	Never employed outside home, skip filled	409	2.68	3.06
7	Don't know	100	0.66	0.43
8	Past employment unknown, skip filled	30	0.20	0.23
9	Refused	6	0.04	0.05
BLANK	Partial complete	5		

**SELF IDENTIFIED WORK ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: WORKSEN2

Prologue:

Description: Q10.9 Did you ever tell a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,597	10.48	9.71
2	No	13,097	85.94	86.57
6	Never employed outside home, skip filled	409	2.68	3.06
7	Don't know	102	0.67	0.39
8	Past employment unknown, skip filled	30	0.20	0.23
9	Refused	5	0.03	0.05
BLANK	Partial complete	5		

**EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE**

Survey: ADULT Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,072	13.60	8.41
2	No	12,930	84.84	90.38
7	Don't know/Not sure	212	1.39	1.04
9	Refused	26	0.17	0.16
BLANK	Partial complete	5		

**EVER TOLD HAVE EMPHYSEMA**

Survey: ADULT Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,515	9.94	6.28
2	No	13,613	89.33	93.23
7	Don't know/Not sure	82	0.54	0.25
9	Refused	29	0.19	0.24
BLANK	Partial complete	6		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**EVER TOLD HAVE CHRONIC BRONCHITIS**

Survey: ADULT Asthma Call-Back

Column: 160

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,412	28.95	25.50
2	No	10,631	69.76	73.66
7	Don't know/Not sure	169	1.11	0.67
9	Refused	27	0.18	0.17
BLANK	Partial complete	6		

**EVER TOLD DEPRESSED**

Survey: ADULT Asthma Call-Back

Column: 161

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,393	35.39	32.33
2	No	9,772	64.12	67.18
7	Don't know/Not sure	38	0.25	0.14
9	Refused	36	0.24	0.35
BLANK	Partial complete	6		

**USED HERBS TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: CAM\_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	675	4.43	3.99
2	No	9,967	65.46	62.13
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	27	0.18	0.14
9	Refused	19	0.12	0.17
BLANK	Partial complete	20		

**USED VITAMINS TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 163

Type: NUM

SAS Variable Name: CAM\_VITA

Prologue:

Description: Q12.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	917	6.02	5.79
2	No	9,689	63.64	60.29
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	64	0.42	0.23
9	Refused	18	0.12	0.12
BLANK	Partial complete	20		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**USED ACUPUNCTURE TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 164

Prologue:

Description: Q12.3 ... acupuncture ...

Type: NUM  
SAS Variable Name: CAM\_PUNC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	178	1.17	0.92
2	No	10,469	68.76	65.21
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	22	0.14	0.18
9	Refused	19	0.12	0.12
BLANK	Partial complete	20		

**USED ACUPRESSURE TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 165

Prologue:

Description: Q12.4 ... acupressure ...

Type: NUM  
SAS Variable Name: CAM\_PRES

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	176	1.16	1.06
2	No	10,469	68.76	65.11
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	25	0.16	0.15
9	Refused	18	0.12	0.12
BLANK	Partial complete	20		

**USED AROMATHERAPY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM  
SAS Variable Name: CAM\_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	543	3.57	3.38
2	No	10,098	66.33	62.77
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	28	0.18	0.16
9	Refused	19	0.12	0.12
BLANK	Partial complete	20		

**USED HOMEOPATHY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM  
SAS Variable Name: CAM\_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	260	1.71	1.13
2	No	10,341	67.92	64.70
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	69	0.45	0.49
9	Refused	18	0.12	0.11
BLANK	Partial complete	20		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**USED REFLEXOLOGY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 168

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM

SAS Variable Name: CAM\_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	176	1.16	1.47
2	No	10,450	68.64	64.58
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	43	0.28	0.27
9	Refused	19	0.12	0.12
BLANK	Partial complete	20		

**USED YOGA TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 169

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM

SAS Variable Name: CAM\_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	437	2.87	3.19
2	No	10,208	67.05	62.99
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	24	0.16	0.14
9	Refused	19	0.12	0.12
BLANK	Partial complete	20		

**USED BREATHING TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 170

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM\_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,338	21.92	20.79
2	No	7,296	47.92	45.32
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	34	0.22	0.19
9	Refused	20	0.13	0.12
BLANK	Partial complete	20		

**USED NATUROPATHY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 171

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM\_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	174	1.14	1.15
2	No	10,442	68.58	64.71
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	52	0.34	0.44
9	Refused	20	0.13	0.13
BLANK	Partial complete	20		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**OTHER ALTERNATIVE CARE TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 172

**Type:** NUM

**SAS Variable Name:** CAM\_OTHR

**Prologue:**

**Description:** Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	953	6.26	5.87
2	No	9,691	63.65	60.29
5	No current asthma, skip filled	4,537	29.80	33.57
7	Don't know	24	0.16	0.14
9	Refused	20	0.13	0.13
BLANK	Partial complete	20		

**TEXT FOR OTHER TYPE CARE**

**Survey:** ADULT Asthma Call-Back

**Column:** 173-272

**Type:** CHAR

**SAS Variable Name:** CAM\_TEXT

**Prologue:**

**Description:** Q12.12 What else have you used?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		14,291		
HIDDEN	Text field - up to 100 characters	954	100.00	100.00

**LANGUAGE IDENTIFIER**

**Survey:** ADULT Asthma Call-Back

**Column:** 273-274

**Type:** NUM

**SAS Variable Name:** QSTLANG\_F

**Prologue:**

**Description:** Language identifier: Language in which the interview was conducted.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	14,699	96.75	89.00
2	Spanish	182	1.20	3.53
3	Other	312	2.05	7.47
BLANK	Not asked or missing	52		

**END OF THE RAW CALL BACK DATA**

**Survey:** ADULT Asthma Call-Back

**Column:** 275

**Type:** NUM

**SAS Variable Name:** END\_OF\_FILE

**Prologue:**

**Description:** END OF THE RAW CALL BACK DATA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,245	100.00	100.00

**EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 276

**Type:** NUM

**SAS Variable Name:** \_EVER\_ASTH\_C

**Prologue:**

**Description:** EVER HAVE ASTHMA COMBINED BRFSS ( ASTHMA2 ) AND CALL BACK (EVER\_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,245	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK**

Survey: ADULT Asthma Call-Back

Column: 277

Type: NUM

SAS Variable Name: \_CUR\_ASTH\_C

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR\_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,705	70.22	66.44
2	No	4,193	27.50	31.70
7	Don't know/Not sure	345	2.26	1.83
9	Refused	2	0.01	0.02

**FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY**

Survey: ADULT Asthma Call-Back

Column: 824

Type: NUM

SAS Variable Name: FLAG1

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	14,883	97.63	97.97
1	AGEDX is greater than AGE	31	0.20	0.46
2	AGE, AGEDX and INCIDNT are inconsistent	331	2.17	1.56

**ADVAIR**

Survey: ADULT Asthma Call-Back

Column: 279

Type: NUM

SAS Variable Name: INHALER\_ID\_1

Prologue:

Description: ADVAIR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,615	17.15	14.64
2	No	12,630	82.85	85.36

**AEROBID**

Survey: ADULT Asthma Call-Back

Column: 280

Type: NUM

SAS Variable Name: INHALER\_ID\_2

Prologue:

Description: AEROBID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	73	0.48	0.22
2	No	15,172	99.52	99.78

**ALBUTEROL**

Survey: ADULT Asthma Call-Back

Column: 281

Type: NUM

SAS Variable Name: INHALER\_ID\_3

Prologue:

Description: ALBUTEROL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,776	31.33	29.31
2	No	10,469	68.67	70.69

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ALUPENT**

Survey: ADULT Asthma Call-Back

Column: 282

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
40	0.26	0.24
15,205	99.74	99.76

**ATROVENT**

Survey: ADULT Asthma Call-Back

Column: 283

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
188	1.23	0.88
15,057	98.77	99.12

**AZMACORT**

Survey: ADULT Asthma Call-Back

Column: 284

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
239	1.57	0.99
15,006	98.43	99.01

**BECLOMETHASONE DIPROPIONATE**

Survey: ADULT Asthma Call-Back

Column: 285

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.10	0.03
15,230	99.90	99.97

**BECLOVENT**

Survey: ADULT Asthma Call-Back

Column: 286

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.05	0.02
15,238	99.95	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BITOLTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 287  
**Prologue:**  
**Description:** BITOLTEROL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.04
2	No	15,241	99.97	99.96

**BRETHAIRE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 288  
**Prologue:**  
**Description:** BRETHAIRE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	15,244	99.99	100.00

**BUDESONIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 289  
**Prologue:**  
**Description:** BUDESONIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.04	0.04
2	No	15,239	99.96	99.96

**COMBIVENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 290  
**Prologue:**  
**Description:** COMBIVENT

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	598	3.92	3.03
2	No	14,647	96.08	96.97

**CROMOLYN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 291  
**Prologue:**  
**Description:** CROMOLYN

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.00
2	No	15,243	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FLOVENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 292  
**Prologue:**  
**Description:** FLOVENT

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
620	4.07	3.18
14,625	95.93	96.82

**FLOVENT ROTADISK**

**Survey:** ADULT Asthma Call-Back  
**Column:** 293  
**Prologue:**  
**Description:** FLOVENT ROTADISK

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
29	0.19	0.10
15,216	99.81	99.90

**FLUNISOLIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 294  
**Prologue:**  
**Description:** FLUNISOLIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.07	0.02
15,234	99.93	99.98

**FLUTICASONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 295  
**Prologue:**  
**Description:** FLUTICASONE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
34	0.22	0.12
15,211	99.78	99.88

**INTAL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 296  
**Prologue:**  
**Description:** INTAL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
28	0.18	0.14
15,217	99.82	99.86

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**IPRATROPIUM**

**Survey:** ADULT Asthma Call-Back  
**Column:** 297  
**Prologue:**  
**Description:** IPRATROPIUM

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_19

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	0.22	0.16
2	No	15,211	99.78	99.84

**MAXAIR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 298  
**Prologue:**  
**Description:** MAXAIR

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_20

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	105	0.69	0.57
2	No	15,140	99.31	99.43

**METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 299  
**Prologue:**  
**Description:** METAPROTERONOL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_21

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.04
2	No	15,241	99.97	99.96

**NEDOCROMIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 300  
**Prologue:**  
**Description:** NEDOCROMIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_22

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	15,245	100.00	100.00

**PIRBUTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 301  
**Prologue:**  
**Description:** PIRBUTEROL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_23

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.05	0.04
2	No	15,238	99.95	99.96

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PROVENTIL**

Survey: ADULT Asthma Call-Back

Column: 302

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER\_ID\_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
399	2.62	2.35
14,846	97.38	97.65

**PULMICORT TURBUHALER**

Survey: ADULT Asthma Call-Back

Column: 303

Prologue:

Description: PULMICORT TURBUHALER

Type: NUM

SAS Variable Name: INHALER\_ID\_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
209	1.37	1.13
15,036	98.63	98.87

**SALMETEROL**

Survey: ADULT Asthma Call-Back

Column: 304

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER\_ID\_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,244	99.99	100.00

**SEREVENT**

Survey: ADULT Asthma Call-Back

Column: 305

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
249	1.63	0.90
14,996	98.37	99.10

**TERBUTALINE**

Survey: ADULT Asthma Call-Back

Column: 306

Prologue:

Description: TERBUTALINE

Type: NUM

SAS Variable Name: INHALER\_ID\_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
15,244	99.99	99.99

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TILADE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 307  
**Prologue:**  
**Description:** TILADE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_29

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,243	99.99	100.00

**TORNALATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 308  
**Prologue:**  
**Description:** TORNALATE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**TRIAMCINOLONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 309  
**Prologue:**  
**Description:** TRIAMCINOLONE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_31

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
15,241	99.97	99.99

**VANCERIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 310  
**Prologue:**  
**Description:** VANCERIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.06	0.03
15,236	99.94	99.97

**VENTOLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 311  
**Prologue:**  
**Description:** VENTOLIN

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
119	0.78	0.76
15,126	99.22	99.24

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FORADIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 312  
**Prologue:**  
**Description:** FORADIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
88	0.58	0.38
15,157	99.42	99.62

**FORMOTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 313  
**Prologue:**  
**Description:** FORMOTEROL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.00
15,240	99.97	100.00

**QVAR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 314  
**Prologue:**  
**Description:** QVAR

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
246	1.61	1.39
14,999	98.39	98.61

**OTHER INHALER**

**Survey:** ADULT Asthma Call-Back  
**Column:** 315  
**Prologue:**  
**Description:** NEW OTHER PRESCRIPTION INHALER

**Type:** NUM  
**SAS Variable Name:** OTHER\_INHALER

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
35	0.23	0.12
15,210	99.77	99.88

**PILL ACCOLATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 316  
**Prologue:**  
**Description:** PILL ACCOLATE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
86	0.56	0.27
15,159	99.44	99.73

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL AEROLATE**

Survey: ADULT Asthma Call-Back  
Column: 317  
Prologue:  
Description: PILL AEROLATE

Type: NUM  
SAS Variable Name: PILLS\_ID\_2

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL ALBUTEROL**

Survey: ADULT Asthma Call-Back  
Column: 318  
Prologue:  
Description: PILL ALBUTEROL

Type: NUM  
SAS Variable Name: PILLS\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
47	0.31	0.18
15,198	99.69	99.82

**PILL ALUPENT**

Survey: ADULT Asthma Call-Back  
Column: 319  
Prologue:  
Description: PILL ALUPENT

Type: NUM  
SAS Variable Name: PILLS\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.02
15,241	99.97	99.98

**PILL CHOLEDYL**

Survey: ADULT Asthma Call-Back  
Column: 320  
Prologue:  
Description: PILL CHOLEDYL

Type: NUM  
SAS Variable Name: PILLS\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.00
15,242	99.98	100.00

**PILL DELTASONE**

Survey: ADULT Asthma Call-Back  
Column: 321  
Prologue:  
Description: PILL DELTASONE

Type: NUM  
SAS Variable Name: PILLS\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.02
15,244	99.99	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL ELIXOPHYLLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 322  
**Prologue:**  
**Description:** PILL ELIXOPHYLLIN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
15,242	99.98	99.99

**PILL MARAX**

**Survey:** ADULT Asthma Call-Back  
**Column:** 323  
**Prologue:**  
**Description:** PILL MARAX

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL MEDROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 324  
**Prologue:**  
**Description:** PILL MEDROL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.04	0.02
15,239	99.96	99.98

**PILL METAPREL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 325  
**Prologue:**  
**Description:** PILL METAPREL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 326  
**Prologue:**  
**Description:** PILL METAPROTERONOL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,244	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL METHYLPREDNISOLONE**

Survey: ADULT Asthma Call-Back

Column: 327

Prologue:

Description: PILL METHYLPREDNISOLONE

Type: NUM

SAS Variable Name: PILLS\_ID\_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.02
15,237	99.95	99.98

**PILL MONTELUKAST**

Survey: ADULT Asthma Call-Back

Column: 328

Prologue:

Description: PILL MONTELUKAST

Type: NUM

SAS Variable Name: PILLS\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	0.12	0.07
15,227	99.88	99.93

**PILL PEDIAPRED**

Survey: ADULT Asthma Call-Back

Column: 329

Prologue:

Description: PILL PEDIAPRED

Type: NUM

SAS Variable Name: PILLS\_ID\_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL PREDNISOLONE**

Survey: ADULT Asthma Call-Back

Column: 330

Prologue:

Description: PILL PREDNISOLONE

Type: NUM

SAS Variable Name: PILLS\_ID\_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	0.12	0.17
15,227	99.88	99.83

**PILL PREDNISONONE**

Survey: ADULT Asthma Call-Back

Column: 331

Prologue:

Description: PILL PREDNISONONE

Type: NUM

SAS Variable Name: PILLS\_ID\_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
298	1.95	1.77
14,947	98.05	98.23

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL PRELONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 332  
**Prologue:**  
**Description:** PILL PRELONE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_20

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL PROVENTIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 333  
**Prologue:**  
**Description:** PILL PROVENTIL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
15,242	99.98	99.99

**PILL QUIBRON**

**Survey:** ADULT Asthma Call-Back  
**Column:** 334  
**Prologue:**  
**Description:** PILL QUIBRON

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_22

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.02
15,244	99.99	99.98

**PILL RESPID**

**Survey:** ADULT Asthma Call-Back  
**Column:** 335  
**Prologue:**  
**Description:** PILL RESPID

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_23

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL SINGULAIR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 336  
**Prologue:**  
**Description:** PILL SINGULAIR

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,583	10.38	8.91
13,662	89.62	91.09

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL SLO-PHYLLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 337  
**Prologue:**  
**Description:** PILL SLO-PHYLLIN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.02
15,241	99.97	99.98

**PILL SLO-BID**

**Survey:** ADULT Asthma Call-Back  
**Column:** 338  
**Prologue:**  
**Description:** PILL SLO-BID

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.00
15,242	99.98	100.00

**PILL SUSTAIRE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 339  
**Prologue:**  
**Description:** PILL SUSTAIRE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_27

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL THEO-24**

**Survey:** ADULT Asthma Call-Back  
**Column:** 340  
**Prologue:**  
**Description:** PILL THEO-24

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.09	0.03
15,232	99.91	99.97

**PILL THEOBID**

**Survey:** ADULT Asthma Call-Back  
**Column:** 341  
**Prologue:**  
**Description:** PILL THEOBID

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_29

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL THEOCHRON**

Survey: ADULT Asthma Call-Back  
Column: 342  
Prologue:  
Description: PILL THEOCHRON

Type: NUM  
SAS Variable Name: PILLS\_ID\_30

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,244	99.99	100.00

**PILL THEOCLEAR**

Survey: ADULT Asthma Call-Back  
Column: 343  
Prologue:  
Description: PILL THEOCLEAR

Type: NUM  
SAS Variable Name: PILLS\_ID\_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	0.00	0.00
15,245	100.00	100.00

**PILL THEODUR**

Survey: ADULT Asthma Call-Back  
Column: 344  
Prologue:  
Description: PILL THEODUR

Type: NUM  
SAS Variable Name: PILLS\_ID\_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
24	0.16	0.07
15,221	99.84	99.93

**PILL THEO-DUR**

Survey: ADULT Asthma Call-Back  
Column: 345  
Prologue:  
Description: PILL THEO-DUR

Type: NUM  
SAS Variable Name: PILLS\_ID\_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.09	0.05
15,232	99.91	99.95

**PILL THEOLAIR**

Survey: ADULT Asthma Call-Back  
Column: 346  
Prologue:  
Description: PILL THEOLAIR

Type: NUM  
SAS Variable Name: PILLS\_ID\_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,244	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL THEOPHYLLINE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 347  
**Prologue:**  
**Description:** PILL THEOPHYLLINE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
158	1.04	0.63
15,087	98.96	99.37

**PILL THEO-SAV**

**Survey:** ADULT Asthma Call-Back  
**Column:** 348  
**Prologue:**  
**Description:** PILL THEO-SAV

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,244	99.99	100.00

**PILL THEOSPAN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 349  
**Prologue:**  
**Description:** PILL THEOSPAN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL THEOX**

**Survey:** ADULT Asthma Call-Back  
**Column:** 350  
**Prologue:**  
**Description:** PILL THEOX

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_38

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL T-PHYL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 351  
**Prologue:**  
**Description:** PILL T-PHYL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,244	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL UNIDUR**

Survey: ADULT Asthma Call-Back  
Column: 352  
Prologue:  
Description: PILL UNIDUR

Type: NUM  
SAS Variable Name: PILLS\_ID\_41

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL UNIPHYL**

Survey: ADULT Asthma Call-Back  
Column: 353  
Prologue:  
Description: PILL UNIPHYL

Type: NUM  
SAS Variable Name: PILLS\_ID\_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
23	0.15	0.08
15,222	99.85	99.92

**PILL VENTOLIN**

Survey: ADULT Asthma Call-Back  
Column: 354  
Prologue:  
Description: PILL VENTOLIN

Type: NUM  
SAS Variable Name: PILLS\_ID\_43

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.08
15,240	99.97	99.92

**PILL VOLMAX**

Survey: ADULT Asthma Call-Back  
Column: 355  
Prologue:  
Description: PILL VOLMAX

Type: NUM  
SAS Variable Name: PILLS\_ID\_44

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
15,244	99.99	99.99

**PILL ZAFIRLUKAST**

Survey: ADULT Asthma Call-Back  
Column: 356  
Prologue:  
Description: PILL ZAFIRLUKAST

Type: NUM  
SAS Variable Name: PILLS\_ID\_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,243	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL ZILEUTON**

**Survey:** ADULT Asthma Call-Back  
**Column:** 357  
**Prologue:**  
**Description:** PILL ZILEUTON

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**PILL ZYFLO FILMTAB**

**Survey:** ADULT Asthma Call-Back  
**Column:** 358  
**Prologue:**  
**Description:** PILL ZYFLO FILMTAB

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.04
15,240	99.97	99.96

**OTHER PILLS**

**Survey:** ADULT Asthma Call-Back  
**Column:** 359  
**Prologue:**  
**Description:** NEW OTHER PRESCRIPTION PILLS

**Type:** NUM  
**SAS Variable Name:** OTHER\_PILLS

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.09	0.02
15,232	99.91	99.98

**SYRUP AEROLATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 360  
**Prologue:**  
**Description:** SYRUP AEROLATE

**Type:** NUM  
**SAS Variable Name:** SYRUP\_ID\_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**SYRUP ALBUTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 361  
**Prologue:**  
**Description:** SYRUP ALBUTEROL

**Type:** NUM  
**SAS Variable Name:** SYRUP\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	0.09	0.20
15,231	99.91	99.80

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**SYRUP ALUPENT**

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,243	99.99	100.00

**SYRUP METAPROTERONOL**

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,243	99.99	100.00

**SYRUP PREDNISOLONE**

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.04
15,240	99.97	99.96

**SYRUP PRELONE**

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,244	99.99	100.00

**SYRUP PROVENTIL**

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: SYRUP PROVENTIL

Type: NUM

SAS Variable Name: SYRUP\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.03
15,242	99.98	99.97

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**SYRUP SLO-PHYLLIN**

Survey: ADULT Asthma Call-Back

Column: 367

Prologue:

Description: SYRUP SLO-PHYLLIN

Type: NUM

SAS Variable Name: SYRUP\_ID\_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**SYRUP THEOPHYLLINE**

Survey: ADULT Asthma Call-Back

Column: 368

Prologue:

Description: SYRUP THEOPHYLLINE

Type: NUM

SAS Variable Name: SYRUP\_ID\_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.02
15,243	99.99	99.98

**SYRUP VENTOLIN**

Survey: ADULT Asthma Call-Back

Column: 369

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP\_ID\_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**OTHER SYRUP**

Survey: ADULT Asthma Call-Back

Column: 370

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER\_SYRUP

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,244	99.99	100.00

**NEB ALBUTEROL**

Survey: ADULT Asthma Call-Back

Column: 371

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,202	7.88	6.47
14,043	92.12	93.53

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEB ALUPENT**

Survey: ADULT Asthma Call-Back  
Column: 372  
Prologue:  
Description: NEB ALUPENT

Type: NUM  
SAS Variable Name: NEB\_ID\_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.09	0.02
2	No	15,232	99.91	99.98

**NEB ATROVENT**

Survey: ADULT Asthma Call-Back  
Column: 373  
Prologue:  
Description: NEB ATROVENT

Type: NUM  
SAS Variable Name: NEB\_ID\_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	0.31	0.41
2	No	15,198	99.69	99.59

**NEB BITOLTEROL**

Survey: ADULT Asthma Call-Back  
Column: 374  
Prologue:  
Description: NEB BITOLTEROL

Type: NUM  
SAS Variable Name: NEB\_ID\_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.03
2	No	15,242	99.98	99.97

**NEB BUDESONIDE**

Survey: ADULT Asthma Call-Back  
Column: 375  
Prologue:  
Description: NEB BUDESONIDE

Type: NUM  
SAS Variable Name: NEB\_ID\_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	0.11	0.05
2	No	15,228	99.89	99.95

**NEB CROMOLYN**

Survey: ADULT Asthma Call-Back  
Column: 376  
Prologue:  
Description: NEB CROMOLYN

Type: NUM  
SAS Variable Name: NEB\_ID\_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.05	0.03
2	No	15,238	99.95	99.97

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEB DUONEB**

Survey: ADULT Asthma Call-Back

Column: 377

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
208	1.36	0.65
15,037	98.64	99.35

**NEB INTAL**

Survey: ADULT Asthma Call-Back

Column: 378

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB\_ID\_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.02
15,243	99.99	99.98

**NEB IPRATROPIUM**

Survey: ADULT Asthma Call-Back

Column: 379

Prologue:

Description: NEB IPRATROPIUM

Type: NUM

SAS Variable Name: NEB\_ID\_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
186	1.22	0.74
15,059	98.78	99.26

**NEB LEVALBUTEROL**

Survey: ADULT Asthma Call-Back

Column: 380

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB\_ID\_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.04	0.05
15,239	99.96	99.95

**NEB METAPROTERONOL**

Survey: ADULT Asthma Call-Back

Column: 381

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB\_ID\_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
15,242	99.98	99.99

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEB PROVENTIL**

Survey: ADULT Asthma Call-Back  
Column: 382  
Prologue:  
Description: NEB PROVENTIL

Type: NUM  
SAS Variable Name: NEB\_ID\_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
21	0.14	0.17
15,224	99.86	99.83

**NEB PULMICORT**

Survey: ADULT Asthma Call-Back  
Column: 383  
Prologue:  
Description: NEB PULMICORT

Type: NUM  
SAS Variable Name: NEB\_ID\_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
98	0.64	0.46
15,147	99.36	99.54

**NEB TORNALATE**

Survey: ADULT Asthma Call-Back  
Column: 384  
Prologue:  
Description: NEB TORNALATE

Type: NUM  
SAS Variable Name: NEB\_ID\_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,245	100.00	100.00

**NEB VENTOLIN**

Survey: ADULT Asthma Call-Back  
Column: 385  
Prologue:  
Description: NEB VENTOLIN

Type: NUM  
SAS Variable Name: NEB\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.04	0.01
15,239	99.96	99.99

**NEB XOPENEX**

Survey: ADULT Asthma Call-Back  
Column: 386  
Prologue:  
Description: NEB XOPENEX

Type: NUM  
SAS Variable Name: NEB\_ID\_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
177	1.16	1.30
15,068	98.84	98.70

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**OTHER NEBULIZER**

**Survey:** ADULT Asthma Call-Back

**Column:** 387

**Prologue:**

**Description:** New other prescription nebulizer name

**Type:** NUM

**SAS Variable Name:** OTHER\_NEB

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
15,243	99.99	99.99

**OTHER INHALER TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 388-487

**Prologue:**

**Description:** New other prescription inhaler name

**Type:** CHAR

**SAS Variable Name:** OTH\_I1R

Value	Value Label
BLANK	
HIDDEN	

Frequency	Percentage	Weighted Percentage
15,210		
35	100.00	100.00

**OTHER PILLS TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 488-587

**Prologue:**

**Description:** New other prescription pills name

**Type:** CHAR

**SAS Variable Name:** OTH\_P1R

Value	Value Label
BLANK	
HIDDEN	

Frequency	Percentage	Weighted Percentage
15,232		
13	100.00	100.00

**OTHER SYRUP TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 588-687

**Prologue:**

**Description:** New other prescription syrup name

**Type:** CHAR

**SAS Variable Name:** OTH\_S1R

Value	Value Label
BLANK	
HIDDEN	

Frequency	Percentage	Weighted Percentage
15,244		
1	100.00	100.00

**OTHER NEBULIZER TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 688-787

**Prologue:**

**Description:** New other prescription nebulizer name

**Type:** CHAR

**SAS Variable Name:** OTH\_N1R

Value	Value Label
BLANK	
HIDDEN	

Frequency	Percentage	Weighted Percentage
15,243		
2	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**INHALER\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 788

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	86	0.56	0.27
3	No other medication text filled	15,159	99.44	99.73

**INHALER\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 789

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.05	0.02
2	No	78	0.51	0.24
3	No other medication text filled	15,159	99.44	99.73

**INHALER\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 790

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	0.12	0.04
2	No	67	0.44	0.23
3	No other medication text filled	15,159	99.44	99.73

**INHALER\_TEXT: ASTHMA MED., BUT NOT INHALER**

Survey: ADULT Asthma Call-Back

Column: 791

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.04	0.02
2	No	80	0.52	0.25
3	No other medication text filled	15,159	99.44	99.73

**INHALER\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 792

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	86	0.56	0.27
3	No other medication text filled	15,159	99.44	99.73

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**INHALER\_TEXT: WAS BACK CODED TO EXISTING INHALER**

Survey: ADULT Asthma Call-Back

Column: 793

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	0.12	0.07
2	No	68	0.45	0.20
3	No other medication text filled	15,159	99.44	99.73

**INHALER\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 794

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	86	0.56	0.27
3	No other medication text filled	15,159	99.44	99.73

**INHALER\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 795

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	0.23	0.12
2	No	51	0.33	0.15
3	No other medication text filled	15,159	99.44	99.73

**INHALER\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 796

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.00
2	No	84	0.55	0.26
3	No other medication text filled	15,159	99.44	99.73

**PILLS\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 797

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	0.26	0.11
2	No	464	3.04	2.00
3	No other medication text filled	14,742	96.70	97.88

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILLS\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 798

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	337	2.21	1.55
2	No	166	1.09	0.57
3	No other medication text filled	14,742	96.70	97.88

**PILLS\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 799

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	62	0.41	0.20
2	No	441	2.89	1.92
3	No other medication text filled	14,742	96.70	97.88

**PILLS\_TEXT: ASTHMA MED., BUT NOT PILLS**

Survey: ADULT Asthma Call-Back

Column: 800

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	0.14	0.11
2	No	481	3.16	2.01
3	No other medication text filled	14,742	96.70	97.88

**PILLS\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 801

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	503	3.30	2.12
3	No other medication text filled	14,742	96.70	97.88

**PILLS\_TEXT: WAS BACK CODED TO EXISTING PILLS**

Survey: ADULT Asthma Call-Back

Column: 802

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	0.19	0.13
2	No	474	3.11	1.99
3	No other medication text filled	14,742	96.70	97.88

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILLS\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 803

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.00
2	No	501	3.29	2.11
3	No other medication text filled	14,742	96.70	97.88

**PILLS\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 804

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.09	0.02
2	No	490	3.21	2.10
3	No other medication text filled	14,742	96.70	97.88

**PILLS\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 805

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	0.09	0.04
2	No	489	3.21	2.07
3	No other medication text filled	14,742	96.70	97.88

**SYRUP\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 806

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	0.29	0.17
2	No	29	0.19	0.09
3	No other medication text filled	15,172	99.52	99.74

**SYRUP\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 807

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.10	0.04
2	No	58	0.38	0.22
3	No other medication text filled	15,172	99.52	99.74

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**SYRUP\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 808

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.05	0.02
2	No	66	0.43	0.24
3	No other medication text filled	15,172	99.52	99.74

**SYRUP\_TEXT: ASTHMA MED., BUT NOT SYRUP**

Survey: ADULT Asthma Call-Back

Column: 809

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.02
2	No	72	0.47	0.24
3	No other medication text filled	15,172	99.52	99.74

**SYRUP\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 810

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	73	0.48	0.26
3	No other medication text filled	15,172	99.52	99.74

**SYRUP\_TEXT: WAS BACK CODED TO EXISTING SYRUP**

Survey: ADULT Asthma Call-Back

Column: 811

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	73	0.48	0.26
3	No other medication text filled	15,172	99.52	99.74

**SYRUP\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 812

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	73	0.48	0.26
3	No other medication text filled	15,172	99.52	99.74

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**SYRUP\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 813

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	72	0.47	0.26
3	No other medication text filled	15,172	99.52	99.74

**SYRUP\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 814

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.05	0.02
2	No	66	0.43	0.24
3	No other medication text filled	15,172	99.52	99.74

**NEB\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 815

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	93	0.61	0.52
3	No other medication text filled	15,152	99.39	99.48

**NEB\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 816

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.01
2	No	90	0.59	0.52
3	No other medication text filled	15,152	99.39	99.48

**NEB\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 817

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	0.13	0.17
2	No	73	0.48	0.36
3	No other medication text filled	15,152	99.39	99.48

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEB\_TEXT: ASTHMA MED., BUT NOT NEB**

Survey: ADULT Asthma Call-Back

Column: 818

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	0.16	0.08
2	No	69	0.45	0.44
3	No other medication text filled	15,152	99.39	99.48

**NEB\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 819

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.02
2	No	91	0.60	0.50
3	No other medication text filled	15,152	99.39	99.48

**NEB\_TEXT: WAS BACK CODED TO EXISTING NEB**

Survey: ADULT Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	0.20	0.15
2	No	62	0.41	0.37
3	No other medication text filled	15,152	99.39	99.48

**NEB\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	93	0.61	0.52
3	No other medication text filled	15,152	99.39	99.48

**NEB\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.01
2	No	91	0.60	0.51
3	No other medication text filled	15,152	99.39	99.48

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEB\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	0.08	0.07
2	No	81	0.53	0.46
3	No other medication text filled	15,152	99.39	99.48

**FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY**

Survey: ADULT Asthma Call-Back

Column: 824

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM

SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	14,883	97.63	97.97
1	AGEDX is greater than AGE	31	0.20	0.46
2	AGE, AGEDX and INCIDNT are inconsistent	331	2.17	1.56

**INHALED CORTICOSTEROIDS**

Survey: ADULT Asthma Call-Back

Column: 825-826

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH\_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	15,055	98.75	98.82
99	Missing	190	1.25	1.18

**INHALED ANTI-INFLAMMATORY**

Survey: ADULT Asthma Call-Back

Column: 827-828

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH\_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 4	Count	15,055	98.75	98.82
99	Missing	190	1.25	1.18

**INHALED ANTI-CHOLINERGIC**

Survey: ADULT Asthma Call-Back

Column: 829-830

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM

SAS Variable Name: INH\_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	15,055	98.75	98.82
99	Missing	190	1.25	1.18

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**INHALED BETA 2 AGONIST SHORT ACTING**

Survey: ADULT Asthma Call-Back

Column: 831-832

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM  
SAS Variable Name: INH\_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,055	98.75	98.82
190	1.25	1.18

**INHALED BETA 2 AGONIST LONG ACTING**

Survey: ADULT Asthma Call-Back

Column: 833-834

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM  
SAS Variable Name: INH\_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,055	98.75	98.82
190	1.25	1.18

**PILL CORTICOSTEROIDS**

Survey: ADULT Asthma Call-Back

Column: 835-836

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM  
SAS Variable Name: PILL\_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,090	98.98	99.36
155	1.02	0.64

**PILL LEUKOTRIENE MODIFIERS**

Survey: ADULT Asthma Call-Back

Column: 837-838

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM  
SAS Variable Name: PILL\_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,090	98.98	99.36
155	1.02	0.64

**PILL BETA 2 AGONIST**

Survey: ADULT Asthma Call-Back

Column: 839-840

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM  
SAS Variable Name: PILL\_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,090	98.98	99.36
155	1.02	0.64

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL METHYLXANTHINES**

**Survey:** ADULT Asthma Call-Back

**Column:** 841-842

**Prologue:**

**Description:** PILL METHYLXANTHINES

**Type:** NUM  
**SAS Variable Name:** PILL\_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,090	98.98	99.36
155	1.02	0.64

**SYRUP METHYLXANTHINES**

**Survey:** ADULT Asthma Call-Back

**Column:** 843-844

**Prologue:**

**Description:** SYRUP METHYLXANTHINES

**Type:** NUM  
**SAS Variable Name:** SYRP\_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,128	99.23	99.52
117	0.77	0.48

**SYRUP SHORT ACTING BETA 2 AGONIST**

**Survey:** ADULT Asthma Call-Back

**Column:** 845-846

**Prologue:**

**Description:** SYRUP SHORT ACTING BETA 2 AGONIST

**Type:** NUM  
**SAS Variable Name:** SYRP\_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,128	99.23	99.52
117	0.77	0.48

**SYRUP CORTICOSTEROIDS**

**Survey:** ADULT Asthma Call-Back

**Column:** 847-848

**Prologue:**

**Description:** SYRUP CORTICOSTEROIDS

**Type:** NUM  
**SAS Variable Name:** SYRP\_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,128	99.23	99.52
117	0.77	0.48

**NEBULIZER ANTI-INFLAMMATORY**

**Survey:** ADULT Asthma Call-Back

**Column:** 849-850

**Prologue:**

**Description:** NEBULIZER ANTI-INFLAMMATORY

**Type:** NUM  
**SAS Variable Name:** NEB\_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,128	99.23	99.45
117	0.77	0.55

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEBULIZER CORTICOSTEROID**

**Survey:** ADULT Asthma Call-Back

**Column:** 851-852

**Prologue:**

**Description:** NEBULIZER CORTICOSTEROID

**Type:** NUM  
**SAS Variable Name:** NEB\_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	15,128	99.23	99.45
99	Missing	117	0.77	0.55

**NEBULIZER ANTICHOLINERGIC**

**Survey:** ADULT Asthma Call-Back

**Column:** 853-854

**Prologue:**

**Description:** NEBULIZER ANTICHOLINERGIC

**Type:** NUM  
**SAS Variable Name:** NEB\_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	15,128	99.23	99.45
99	Missing	117	0.77	0.55

**NEBULIZER BETA 2 AGONIST**

**Survey:** ADULT Asthma Call-Back

**Column:** 855-856

**Prologue:**

**Description:** NEBULIZER BETA 2 AGONIST

**Type:** NUM  
**SAS Variable Name:** NEB\_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8	Count	15,128	99.23	99.45
99	Missing	117	0.77	0.55

**NEBULIZER ADRENERGIC BRONCHODILATOR**

**Survey:** ADULT Asthma Call-Back

**Column:** 857-858

**Prologue:**

**Description:** NEBULIZER ADRENERGIC BRONCHODILATOR

**Type:** NUM  
**SAS Variable Name:** NEB\_AB

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	15,128	99.23	99.45
99	Missing	117	0.77	0.55

**ADVAIR: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 859

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

**Type:** NUM  
**SAS Variable Name:** ILP01\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ADVAIR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 860

Type: NUM

SAS Variable Name: ILP02\_1

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	280	10.80	14.04
2	6 months to 1 year	290	11.18	11.80
3	Longer than 1 year	2,019	77.86	74.10
7	Don't know/Not sure	4	0.15	0.06
BLANK	Skip filled	12,652		

**ADVAIR: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 861

Type: NUM

SAS Variable Name: ILP03\_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ADVAIR: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 862

Type: NUM

SAS Variable Name: ILP04\_1

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	869	33.51	36.18
2	No	1,454	56.07	56.19
3	No attack in past 3 months	257	9.91	7.36
7	Don't know/Not sure	12	0.46	0.20
9	Refused	1	0.04	0.06
BLANK	Skip filled	12,652		

**ADVAIR: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 863

Type: NUM

SAS Variable Name: ILP05\_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	693	26.73	30.34
2	No	1,665	64.21	63.85
3	Didn't exercise in past 3 months	223	8.60	5.38
7	Don't know/Not sure	11	0.42	0.33
9	Refused	1	0.04	0.10
BLANK	Skip filled	12,652		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ADVAIR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 864

Type: NUM

SAS Variable Name: ILP06\_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,231	86.04	87.74
2	No	357	13.77	12.13
7	Don't know/Not sure	4	0.15	0.07
9	Refused	1	0.04	0.06
BLANK	Skip filled	12,652		

**ADVAIR: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 865-866

Type: NUM

SAS Variable Name: ILP07\_1

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2,579	99.46	99.82
77	Don't know	12	0.46	0.14
99	Refused	2	0.08	0.04
BLANK	Skip filled	12,652		

**ADVAIR: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 867-869

Type: NUM

SAS Variable Name: ILP08\_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2,193	84.57	84.32
401 - 499	Weeks	272	10.49	11.67
555	Never	15	0.58	0.99
666	Less often than once a week	89	3.43	2.32
777	Don't know	22	0.85	0.65
999	Refused	2	0.08	0.04
BLANK	Skip filled	12,652		

**ADVAIR: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 870-871

Type: NUM

SAS Variable Name: ILP10\_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**AEROBID: SIZE**

Survey: ADULT Asthma Call-Back

Column: 872

Type: NUM

SAS Variable Name: ILP01\_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**AEROBID: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 873

Type: NUM

SAS Variable Name: ILP02\_2

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	6.94	6.22
2	6 months to 1 year	8	11.11	12.56
3	Longer than 1 year	59	81.94	81.23
BLANK	Skip filled	15,173		

**AEROBID: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 874

Type: NUM

SAS Variable Name: ILP03\_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	43.06	42.27
2	No	38	52.78	55.91
3	Medication is a disk inhaler, not a canister inhaler	1	1.39	0.61
7	Don't know/Not sure	2	2.78	1.21
BLANK	Skip filled	15,173		

**AEROBID: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 875

Type: NUM

SAS Variable Name: ILP04\_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	47.22	48.98
2	No	32	44.44	36.14
3	No attack in past 3 months	6	8.33	14.88
BLANK	Skip filled	15,173		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**AEROBID: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 876

Type: NUM

SAS Variable Name: ILP05\_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	27.78	35.46
2	No	46	63.89	58.31
3	Didn't exercise in past 3 months	6	8.33	6.22
BLANK	Skip filled	15,173		

**AEROBID: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 877

Type: NUM

SAS Variable Name: ILP06\_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	65.28	65.96
2	No	25	34.72	34.04
BLANK	Skip filled	15,173		

**AEROBID: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 878-879

Type: NUM

SAS Variable Name: ILP07\_2

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	72	100.00	100.00
BLANK	Skip filled	15,173		

**AEROBID: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 880-882

Type: NUM

SAS Variable Name: ILP08\_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	51	70.83	63.96
401 - 499	Weeks	5	6.94	14.70
666	Less often than once a week	14	19.44	19.61
777	Don't know	2	2.78	1.73
BLANK	Skip filled	15,173		

**AEROBID: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 883-884

Type: NUM

SAS Variable Name: ILP10\_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ALBUTEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 885

Type: NUM

SAS Variable Name: ILP01\_3

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	477	9.99	11.10
2	100 puffs	444	9.30	11.42
3	200 puffs	2,647	55.46	57.17
4	Other number of puffs	312	6.54	6.10
5	Used different sizes of this medication in the past 3 months	18	0.38	0.32
7	Don't know/Not sure	871	18.25	13.88
9	Refused	4	0.08	0.01
BLANK	Skip filled	10,472		

**ALBUTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 886

Type: NUM

SAS Variable Name: ILP02\_3

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	246	5.15	5.69
2	6 months to 1 year	232	4.86	5.28
3	Longer than 1 year	4,283	89.73	88.87
7	Don't know/Not sure	10	0.21	0.16
9	Refused	2	0.04	0.00
BLANK	Skip filled	10,472		

**ALBUTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 887

Type: NUM

SAS Variable Name: ILP03\_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,442	30.21	25.68
2	No	3,220	67.46	68.53
3	Medication is a disk inhaler, not a canister inhaler	1	0.02	0.02
7	Don't know/Not sure	106	2.22	5.76
9	Refused	4	0.08	0.01
BLANK	Skip filled	10,472		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ALBUTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 888

Type: NUM

SAS Variable Name: ILP04\_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,144	86.82	88.37
2	No	330	6.91	7.05
3	No attack in past 3 months	281	5.89	4.43
7	Don't know/Not sure	15	0.31	0.12
9	Refused	3	0.06	0.03
BLANK	Skip filled	10,472		

**ALBUTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 889

Type: NUM

SAS Variable Name: ILP05\_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,803	37.77	42.74
2	No	2,544	53.30	51.52
3	Didn't exercise in past 3 months	405	8.49	5.53
7	Don't know/Not sure	19	0.40	0.20
9	Refused	2	0.04	0.00
BLANK	Skip filled	10,472		

**ALBUTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 890

Type: NUM

SAS Variable Name: ILP06\_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,210	25.35	22.89
2	No	3,548	74.33	77.05
7	Don't know/Not sure	12	0.25	0.05
9	Refused	3	0.06	0.01
BLANK	Skip filled	10,472		

**ALBUTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 891-892

Type: NUM

SAS Variable Name: ILP07\_3

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4,731	99.12	99.55
77	Don't know	38	0.80	0.41
99	Refused	4	0.08	0.04
BLANK	Skip filled	10,472		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ALBUTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 893-895

Type: NUM

SAS Variable Name: ILP08\_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,668	34.95	32.99
401 - 499	Weeks	1,637	34.30	40.86
555	Never	34	0.71	0.68
666	Less often than once a week	1,181	24.74	21.16
777	Don't know	245	5.13	4.24
999	Refused	8	0.17	0.07
BLANK	Skip filled	10,472		

**ALBUTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 896-897

Type: NUM

SAS Variable Name: ILP10\_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3,420	71.65	78.88
77	Don't know	266	5.57	3.70
88	None/Less than 1 full canister	1,083	22.69	17.40
99	Refused	4	0.08	0.02
BLANK	Skip filled	10,472		

**ALUPENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 898

Type: NUM

SAS Variable Name: ILP01\_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	5	12.50	36.57
2	100 puffs	8	20.00	32.10
3	200 puffs	12	30.00	18.96
4	Other number of puffs	2	5.00	1.52
5	Used different sizes of this medication in the past 3 months	1	2.50	0.63
7	Don't know/Not sure	12	30.00	10.22
BLANK	Skip filled	15,205		

**ALUPENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 899

Type: NUM

SAS Variable Name: ILP02\_4

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	2.50	0.16
2	6 months to 1 year	5	12.50	10.96
3	Longer than 1 year	34	85.00	88.88
BLANK	Skip filled	15,205		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ALUPENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 900

Type: NUM

SAS Variable Name: ILP03\_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	20.00	46.28
2	No	31	77.50	50.64
7	Don't know/Not sure	1	2.50	3.08
BLANK	Skip filled	15,205		

**ALUPENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 901

Type: NUM

SAS Variable Name: ILP04\_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	80.00	89.70
2	No	4	10.00	5.51
3	No attack in past 3 months	4	10.00	4.79
BLANK	Skip filled	15,205		

**ALUPENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 902

Type: NUM

SAS Variable Name: ILP05\_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	20.00	23.66
2	No	27	67.50	70.41
3	Didn't exercise in past 3 months	5	12.50	5.93
BLANK	Skip filled	15,205		

**ALUPENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 903

Type: NUM

SAS Variable Name: ILP06\_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	25.00	15.45
2	No	30	75.00	84.55
BLANK	Skip filled	15,205		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ALUPENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 904-905

Type: NUM

SAS Variable Name: ILP07\_4

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	40	100.00	100.00
BLANK	Skip filled	15,205		

**ALUPENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 906-908

Type: NUM

SAS Variable Name: ILP08\_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	25.00	15.24
401 - 499	Weeks	15	37.50	57.93
555	Never	1	2.50	0.46
666	Less often than once a week	10	25.00	20.91
777	Don't know	4	10.00	5.46
BLANK	Skip filled	15,205		

**ALUPENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 909-910

Type: NUM

SAS Variable Name: ILP10\_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	26	65.00	74.67
77	Don't know	2	5.00	0.33
88	None/Less than 1 full canister	12	30.00	24.99
BLANK	Skip filled	15,205		

**ATROVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 912

Type: NUM

SAS Variable Name: ILP01\_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ATROVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 913

Type: NUM

SAS Variable Name: ILP02\_5

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	11	5.85	4.59
2	6 months to 1 year	19	10.11	9.68
3	Longer than 1 year	156	82.98	85.64
7	Don't know/Not sure	1	0.53	0.04
9	Refused	1	0.53	0.05
BLANK	Skip filled	15,057		

**ATROVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 914

Type: NUM

SAS Variable Name: ILP03\_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	36.17	41.44
2	No	113	60.11	51.80
3	Medication is a disk inhaler, not a canister inhaler	1	0.53	0.47
7	Don't know/Not sure	5	2.66	6.25
9	Refused	1	0.53	0.05
BLANK	Skip filled	15,057		

**ATROVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 915

Type: NUM

SAS Variable Name: ILP04\_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	122	64.89	69.02
2	No	52	27.66	26.26
3	No attack in past 3 months	11	5.85	4.54
7	Don't know/Not sure	2	1.06	0.14
9	Refused	1	0.53	0.05
BLANK	Skip filled	15,057		

**ATROVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 916

Type: NUM

SAS Variable Name: ILP05\_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	25.53	15.10
2	No	106	56.38	69.94
3	Didn't exercise in past 3 months	31	16.49	14.56
7	Don't know/Not sure	2	1.06	0.36
9	Refused	1	0.53	0.05
BLANK	Skip filled	15,057		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ATROVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 917

Type: NUM

SAS Variable Name: ILP06\_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	111	59.04	50.54
2	No	74	39.36	49.06
7	Don't know/Not sure	2	1.06	0.36
9	Refused	1	0.53	0.05
BLANK	Skip filled	15,057		

**ATROVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 918-919

Type: NUM

SAS Variable Name: ILP07\_5

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	182	96.81	96.73
77	Don't know	5	2.66	3.23
99	Refused	1	0.53	0.05
BLANK	Skip filled	15,057		

**ATROVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 920-922

Type: NUM

SAS Variable Name: ILP08\_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	119	63.30	51.80
401 - 499	Weeks	35	18.62	20.10
666	Less often than once a week	24	12.77	26.27
777	Don't know	9	4.79	1.77
999	Refused	1	0.53	0.05
BLANK	Skip filled	15,057		

**ATROVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 923-924

Type: NUM

SAS Variable Name: ILP10\_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**AZMACORT: SIZE**

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 925

SAS Variable Name: ILP01\_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**AZMACORT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 926

SAS Variable Name: ILP02\_6

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	24	10.08	6.61
2	6 months to 1 year	17	7.14	9.86
3	Longer than 1 year	195	81.93	83.00
7	Don't know/Not sure	1	0.42	0.48
9	Refused	1	0.42	0.06
BLANK	Skip filled	15,007		

**AZMACORT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 927

SAS Variable Name: ILP03\_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	140	58.82	55.80
2	No	89	37.39	36.55
7	Don't know/Not sure	8	3.36	7.60
9	Refused	1	0.42	0.06
BLANK	Skip filled	15,007		

**AZMACORT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 928

SAS Variable Name: ILP04\_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	108	45.38	53.87
2	No	115	48.32	40.14
3	No attack in past 3 months	12	5.04	5.40
7	Don't know/Not sure	2	0.84	0.53
9	Refused	1	0.42	0.06
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**AZMACORT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 929

Type: NUM

SAS Variable Name: ILP05\_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	56	23.53	28.03
2	No	150	63.03	61.70
3	Didn't exercise in past 3 months	29	12.18	9.66
7	Don't know/Not sure	2	0.84	0.55
9	Refused	1	0.42	0.06
BLANK	Skip filled	15,007		

**AZMACORT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 930

Type: NUM

SAS Variable Name: ILP06\_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	174	73.11	75.53
2	No	62	26.05	23.94
7	Don't know/Not sure	1	0.42	0.48
9	Refused	1	0.42	0.06
BLANK	Skip filled	15,007		

**AZMACORT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 931-932

Type: NUM

SAS Variable Name: ILP07\_6

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	234	98.32	98.77
77	Don't know	3	1.26	1.17
99	Refused	1	0.42	0.06
BLANK	Skip filled	15,007		

**AZMACORT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 933-935

Type: NUM

SAS Variable Name: ILP08\_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	177	74.37	74.41
401 - 499	Weeks	23	9.66	8.09
555	Never	2	0.84	0.36
666	Less often than once a week	30	12.61	12.11
777	Don't know	6	2.52	5.04
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**AZMACORT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 936-937

Type: NUM

SAS Variable Name: ILP10\_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**BECLOMETHASONE DIPROPIONATE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP01\_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**BECLOMETHASONE DIPROPIONATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP02\_7

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	13.33	13.50
2	6 months to 1 year	2	13.33	4.59
3	Longer than 1 year	11	73.33	81.91
BLANK	Skip filled	15,230		

**BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP03\_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	40.00	13.58
2	No	8	53.33	75.32
7	Don't know/Not sure	1	6.67	11.11
BLANK	Skip filled	15,230		

**BECLOMETHASONE DIPROPIONATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP04\_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	53.33	32.57
2	No	7	46.67	67.43
BLANK	Skip filled	15,230		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP05\_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	33.33	22.27
2	No	9	60.00	75.78
3	Didn't exercise in past 3 months	1	6.67	1.95
BLANK	Skip filled	15,230		

**BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP06\_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	80.00	87.38
2	No	3	20.00	12.62
BLANK	Skip filled	15,230		

**BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 944-945

Type: NUM

SAS Variable Name: ILP07\_7

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	15	100.00	100.00
BLANK	Skip filled	15,230		

**BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 946-948

Type: NUM

SAS Variable Name: ILP08\_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	60.00	73.85
401 - 499	Weeks	2	13.33	3.57
666	Less often than once a week	4	26.67	22.58
BLANK	Skip filled	15,230		

**BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 949-950

Type: NUM

SAS Variable Name: ILP10\_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BECLOVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 951

Type: NUM

SAS Variable Name: ILP01\_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**BECLOVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 952

Type: NUM

SAS Variable Name: ILP02\_8

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	33.33	23.93
3	Longer than 1 year	2	66.67	76.07
BLANK	Skip filled	15,242		

**BECLOVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 953

Type: NUM

SAS Variable Name: ILP03\_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	15,242		

**BECLOVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP04\_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	23.93
2	No	1	33.33	42.77
3	No attack in past 3 months	1	33.33	33.30
BLANK	Skip filled	15,242		

**BECLOVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP05\_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	66.70
3	Didn't exercise in past 3 months	1	33.33	33.30
BLANK	Skip filled	15,242		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BECLOVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP06\_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	23.93
2	No	1	33.33	42.77
7	Don't know/Not sure	1	33.33	33.30
BLANK	Skip filled	15,242		

**BECLOVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 957-958

Type: NUM

SAS Variable Name: ILP07\_8

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	15,242		

**BECLOVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 959-961

Type: NUM

SAS Variable Name: ILP08\_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	23.93
401 - 499	Weeks	1	33.33	42.77
777	Don't know	1	33.33	33.30
BLANK	Skip filled	15,242		

**BECLOVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 962-963

Type: NUM

SAS Variable Name: ILP10\_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**BITOLTEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 964

Type: NUM

SAS Variable Name: ILP01\_9

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BITOLTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 965

Type: NUM

SAS Variable Name: ILP02\_9

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	15.67
3	Longer than 1 year	3	75.00	84.33
BLANK	Skip filled	15,241		

**BITOLTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP03\_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	100.00	100.00
BLANK	Skip filled	15,241		

**BITOLTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP04\_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	33.69
2	No	1	25.00	66.31
BLANK	Skip filled	15,241		

**BITOLTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP05\_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	31.80
2	No	2	50.00	68.20
BLANK	Skip filled	15,241		

**BITOLTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP06\_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	83.87
2	No	1	25.00	16.13
BLANK	Skip filled	15,241		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BITOLTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 970-971

Type: NUM

SAS Variable Name: ILP07\_9

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	15,241		

**BITOLTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 972-974

Type: NUM

SAS Variable Name: ILP08\_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	50.00	68.20
401 - 499	Weeks	1	25.00	15.67
666	Less often than once a week	1	25.00	16.13
BLANK	Skip filled	15,241		

**BITOLTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 975-976

Type: NUM

SAS Variable Name: ILP10\_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	4	100.00	100.00
BLANK	Skip filled	15,241		

**BRETHAIRE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP01\_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**BRETHAIRE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP02\_10

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	15,244		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BRETHAIRE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 979

Type: NUM

SAS Variable Name: ILP03\_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	15,244		

**BRETHAIRE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 980

Type: NUM

SAS Variable Name: ILP04\_10

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	15,244		

**BRETHAIRE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP05\_10

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	15,244		

**BRETHAIRE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP06\_10

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	15,244		

**BRETHAIRE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 983-984

Type: NUM

SAS Variable Name: ILP07\_10

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know	1	100.00	100.00
BLANK	Skip filled	15,244		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BRETHAIRE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 985-987

Type: NUM

SAS Variable Name: ILP08\_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know	1	100.00	100.00
BLANK	Skip filled	15,244		

**BRETHAIRE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 988-989

Type: NUM

SAS Variable Name: ILP10\_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know	1	100.00	100.00
BLANK	Skip filled	15,244		

**BUDESONIDE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP01\_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**BUDESONIDE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP02\_11

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	40.00	31.16
2	6 months to 1 year	1	20.00	30.68
3	Longer than 1 year	2	40.00	38.16
BLANK	Skip filled	15,240		

**BUDESONIDE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP03\_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	14.61
2	No	4	80.00	85.39
BLANK	Skip filled	15,240		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BUDESONIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP04\_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	80.00	90.69
3	No attack in past 3 months	1	20.00	9.31
BLANK	Skip filled	15,240		

**BUDESONIDE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP05\_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	5	100.00	100.00
BLANK	Skip filled	15,240		

**BUDESONIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP06\_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	100.00	100.00
BLANK	Skip filled	15,240		

**BUDESONIDE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 996-997

Type: NUM

SAS Variable Name: ILP07\_11

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	80.00	85.39
77	Don't know	1	20.00	14.61
BLANK	Skip filled	15,240		

**BUDESONIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 998-1000

Type: NUM

SAS Variable Name: ILP08\_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	80.00	78.15
401 - 499	Weeks	1	20.00	21.85
BLANK	Skip filled	15,240		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**BUDESONIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1001-1002

Type: NUM

SAS Variable Name: ILP10\_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**COMBIVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP01\_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**COMBIVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1004

Type: NUM

SAS Variable Name: ILP02\_12

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	48	8.04	5.89
2	6 months to 1 year	59	9.88	4.89
3	Longer than 1 year	487	81.57	89.05
7	Don't know/Not sure	3	0.50	0.17
BLANK	Skip filled	14,648		

**COMBIVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1005

Type: NUM

SAS Variable Name: ILP03\_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	209	35.01	36.90
2	No	370	61.98	54.54
7	Don't know/Not sure	18	3.02	8.56
BLANK	Skip filled	14,648		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**COMBIVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1006

Type: NUM

SAS Variable Name: ILP04\_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	447	74.87	83.96
2	No	112	18.76	10.81
3	No attack in past 3 months	34	5.70	4.98
7	Don't know/Not sure	4	0.67	0.25
BLANK	Skip filled	14,648		

**COMBIVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1007

Type: NUM

SAS Variable Name: ILP05\_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	206	34.51	44.03
2	No	301	50.42	44.00
3	Didn't exercise in past 3 months	87	14.57	11.77
7	Don't know/Not sure	3	0.50	0.19
BLANK	Skip filled	14,648		

**COMBIVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP06\_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	302	50.59	46.14
2	No	293	49.08	53.75
7	Don't know/Not sure	2	0.34	0.11
BLANK	Skip filled	14,648		

**COMBIVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1009-1010

Type: NUM

SAS Variable Name: ILP07\_12

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	594	99.50	99.81
77	Don't know	2	0.34	0.03
99	Refused	1	0.17	0.17
BLANK	Skip filled	14,648		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**COMBIVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1011-1013

Type: NUM

SAS Variable Name: ILP08\_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	359	60.13	50.49
401 - 499	Weeks	133	22.28	27.84
555	Never	1	0.17	0.01
666	Less often than once a week	75	12.56	14.58
777	Don't know	28	4.69	7.08
999	Refused	1	0.17	0.00
BLANK	Skip filled	14,648		

**COMBIVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1014-1015

Type: NUM

SAS Variable Name: ILP10\_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**CROMOLYN: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1016

Type: NUM

SAS Variable Name: ILP01\_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**CROMOLYN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1017

Type: NUM

SAS Variable Name: ILP02\_13

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	15,243		

**CROMOLYN: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP03\_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	25.71
2	No	1	50.00	74.29
BLANK	Skip filled	15,243		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**CROMOLYN: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP04\_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	74.29
3	No attack in past 3 months	1	50.00	25.71
BLANK	Skip filled	15,243		

**CROMOLYN: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP05\_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Didn't exercise in past 3 months	2	100.00	100.00
BLANK	Skip filled	15,243		

**CROMOLYN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP06\_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	25.71
2	No	1	50.00	74.29
BLANK	Skip filled	15,243		

**CROMOLYN: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1022-1023

Type: NUM

SAS Variable Name: ILP07\_13

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	15,243		

**CROMOLYN: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1024-1026

Type: NUM

SAS Variable Name: ILP08\_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	25.71
666	Less often than once a week	1	50.00	74.29
BLANK	Skip filled	15,243		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**CROMOLYN: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1027-1028

Type: NUM

SAS Variable Name: ILP10\_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FLOVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP01\_14

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FLOVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP02\_14

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	60	9.69	15.71
2	6 months to 1 year	58	9.37	10.17
3	Longer than 1 year	496	80.13	73.98
7	Don't know/Not sure	4	0.65	0.06
9	Refused	1	0.16	0.08
BLANK	Skip filled	14,626		

**FLOVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP03\_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	264	42.65	37.50
2	No	346	55.90	61.77
3	Medication is a disk inhaler, not a canister inhaler	3	0.48	0.61
7	Don't know/Not sure	6	0.97	0.12
BLANK	Skip filled	14,626		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FLOVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1032

Type: NUM

SAS Variable Name: ILP04\_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	242	39.10	36.17
2	No	317	51.21	57.13
3	No attack in past 3 months	50	8.08	6.02
7	Don't know/Not sure	10	1.62	0.67
BLANK	Skip filled	14,626		

**FLOVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1033

Type: NUM

SAS Variable Name: ILP05\_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	153	24.72	25.79
2	No	414	66.88	68.55
3	Didn't exercise in past 3 months	46	7.43	5.32
7	Don't know/Not sure	6	0.97	0.33
BLANK	Skip filled	14,626		

**FLOVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1034

Type: NUM

SAS Variable Name: ILP06\_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	465	75.12	74.10
2	No	150	24.23	25.83
7	Don't know/Not sure	4	0.65	0.06
BLANK	Skip filled	14,626		

**FLOVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1035-1036

Type: NUM

SAS Variable Name: ILP07\_14

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	614	99.19	99.87
77	Don't know	5	0.81	0.13
BLANK	Skip filled	14,626		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FLOVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1037-1039

Type: NUM

SAS Variable Name: ILP08\_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	476	76.90	75.99
401 - 499	Weeks	84	13.57	14.65
555	Never	6	0.97	1.19
666	Less often than once a week	38	6.14	7.17
777	Don't know	15	2.42	1.00
BLANK	Skip filled	14,626		

**FLOVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1040-1041

Type: NUM

SAS Variable Name: ILP10\_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FLOVENT ROTADISK: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1042

Type: NUM

SAS Variable Name: ILP01\_15

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FLOVENT ROTADISK: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1043

Type: NUM

SAS Variable Name: ILP02\_15

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	10.34	21.13
2	6 months to 1 year	3	10.34	7.12
3	Longer than 1 year	22	75.86	70.32
9	Refused	1	3.45	1.43
BLANK	Skip filled	15,216		

**FLOVENT ROTADISK: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1044

Type: NUM

SAS Variable Name: ILP03\_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FLOVENT ROTADISK: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1045

Type: NUM

SAS Variable Name: ILP04\_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	68.97	80.67
2	No	5	17.24	6.76
3	No attack in past 3 months	3	10.34	11.14
9	Refused	1	3.45	1.43
BLANK	Skip filled	15,216		

**FLOVENT ROTADISK: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP05\_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	17.24	33.78
2	No	15	51.72	54.17
3	Didn't exercise in past 3 months	8	27.59	10.62
9	Refused	1	3.45	1.43
BLANK	Skip filled	15,216		

**FLOVENT ROTADISK: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP06\_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	51.72	38.81
2	No	13	44.83	59.76
9	Refused	1	3.45	1.43
BLANK	Skip filled	15,216		

**FLOVENT ROTADISK: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1048-1049

Type: NUM

SAS Variable Name: ILP07\_15

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	28	96.55	98.57
99	Refused	1	3.45	1.43
BLANK	Skip filled	15,216		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FLOVENT ROTADISK: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1050-1052

**Type:** NUM

**SAS Variable Name:** ILP08\_15

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	18	62.07	56.47
401 - 499	Weeks	6	20.69	33.19
666	Less often than once a week	4	13.79	8.92
777	Don't know	1	3.45	1.43
BLANK	Skip filled	15,216		

**FLOVENT ROTADISK: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1053-1054

**Type:** NUM

**SAS Variable Name:** ILP10\_15

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FLUNISOLIDE: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1055

**Type:** NUM

**SAS Variable Name:** ILP01\_16

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FLUNISOLIDE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1056

**Type:** NUM

**SAS Variable Name:** ILP02\_16

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	9.09	33.28
3	Longer than 1 year	10	90.91	66.72
BLANK	Skip filled	15,234		

**FLUNISOLIDE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1057

**Type:** NUM

**SAS Variable Name:** ILP03\_16

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	36.36	22.32
2	No	6	54.55	72.85
3	Medication is a disk inhaler, not a canister inhaler	1	9.09	4.82
BLANK	Skip filled	15,234		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FLUNISOLIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1058

Type: NUM

SAS Variable Name: ILP04\_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	36.36	34.74
2	No	5	45.45	22.98
3	No attack in past 3 months	2	18.18	42.28
BLANK	Skip filled	15,234		

**FLUNISOLIDE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1059

Type: NUM

SAS Variable Name: ILP05\_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	27.27	12.78
2	No	5	45.45	66.85
3	Didn't exercise in past 3 months	2	18.18	11.37
7	Don't know/Not sure	1	9.09	9.01
BLANK	Skip filled	15,234		

**FLUNISOLIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1060

Type: NUM

SAS Variable Name: ILP06\_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	81.82	78.07
2	No	2	18.18	21.93
BLANK	Skip filled	15,234		

**FLUNISOLIDE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1061-1062

Type: NUM

SAS Variable Name: ILP07\_16

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	10	90.91	81.45
77	Don't know	1	9.09	18.55
BLANK	Skip filled	15,234		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FLUNISOLIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1063-1065

Type: NUM

SAS Variable Name: ILP08\_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	90.91	81.45
777	Don't know	1	9.09	18.55
BLANK	Skip filled	15,234		

**FLUNISOLIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1066-1067

Type: NUM

SAS Variable Name: ILP10\_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FLUTICASONE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP01\_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FLUTICASONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1069

Type: NUM

SAS Variable Name: ILP02\_17

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	7	21.21	22.96
2	6 months to 1 year	3	9.09	6.94
3	Longer than 1 year	22	66.67	67.71
7	Don't know/Not sure	1	3.03	2.40
BLANK	Skip filled	15,212		

**FLUTICASONE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1070

Type: NUM

SAS Variable Name: ILP03\_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	24.24	18.95
2	No	24	72.73	78.65
7	Don't know/Not sure	1	3.03	2.40
BLANK	Skip filled	15,212		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FLUTICASONE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP04\_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	36.36	23.22
2	No	16	48.48	65.03
3	No attack in past 3 months	4	12.12	9.35
7	Don't know/Not sure	1	3.03	2.40
BLANK	Skip filled	15,212		

**FLUTICASONE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP05\_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	12.12	15.58
2	No	26	78.79	78.19
3	Didn't exercise in past 3 months	2	6.06	3.83
7	Don't know/Not sure	1	3.03	2.40
BLANK	Skip filled	15,212		

**FLUTICASONE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP06\_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	81.82	81.03
2	No	5	15.15	16.57
7	Don't know/Not sure	1	3.03	2.40
BLANK	Skip filled	15,212		

**FLUTICASONE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1074-1075

Type: NUM

SAS Variable Name: ILP07\_17

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	32	96.97	97.60
77	Don't know	1	3.03	2.40
BLANK	Skip filled	15,212		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FLUTICASONE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1076-1078

Type: NUM

SAS Variable Name: ILP08\_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	25	75.76	67.83
401 - 499	Weeks	7	21.21	29.78
777	Don't know	1	3.03	2.40
BLANK	Skip filled	15,212		

**FLUTICASONE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1079-1080

Type: NUM

SAS Variable Name: ILP10\_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**INTAL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP01\_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**INTAL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP02\_18

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	7.14	6.81
2	6 months to 1 year	1	3.57	0.04
3	Longer than 1 year	25	89.29	93.16
BLANK	Skip filled	15,217		

**INTAL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP03\_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	28.57	27.00
2	No	20	71.43	73.00
BLANK	Skip filled	15,217		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**INTAL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP04\_18

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	28.57	32.76
2	No	15	53.57	50.39
3	No attack in past 3 months	4	14.29	16.76
7	Don't know/Not sure	1	3.57	0.10
BLANK	Skip filled	15,217		

**INTAL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP05\_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	35.71	39.85
2	No	17	60.71	58.28
3	Didn't exercise in past 3 months	1	3.57	1.88
BLANK	Skip filled	15,217		

**INTAL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP06\_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	67.86	55.71
2	No	9	32.14	44.29
BLANK	Skip filled	15,217		

**INTAL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1087-1088

Type: NUM

SAS Variable Name: ILP07\_18

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	28	100.00	100.00
BLANK	Skip filled	15,217		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**INTAL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1089-1091

Type: NUM

SAS Variable Name: ILP08\_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	60.71	54.00
401 - 499	Weeks	8	28.57	41.73
555	Never	1	3.57	0.10
666	Less often than once a week	2	7.14	4.18
BLANK	Skip filled	15,217		

**INTAL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1092-1093

Type: NUM

SAS Variable Name: ILP10\_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**IPRATROPIUM: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP01\_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**IPRATROPIUM: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1095

Type: NUM

SAS Variable Name: ILP02\_19

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	11.76	39.34
2	6 months to 1 year	4	11.76	20.60
3	Longer than 1 year	19	55.88	35.68
7	Don't know/Not sure	4	11.76	3.60
9	Refused	3	8.82	0.78
BLANK	Skip filled	15,211		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**IPRATROPIUM: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1096

Type: NUM

SAS Variable Name: ILP03\_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	20.59	44.14
2	No	19	55.88	46.84
7	Don't know/Not sure	6	17.65	8.39
9	Refused	2	5.88	0.63
BLANK	Skip filled	15,211		

**IPRATROPIUM: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1097

Type: NUM

SAS Variable Name: ILP04\_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	41.18	68.38
2	No	12	35.29	26.30
3	No attack in past 3 months	2	5.88	1.09
7	Don't know/Not sure	4	11.76	3.60
9	Refused	2	5.88	0.63
BLANK	Skip filled	15,211		

**IPRATROPIUM: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP05\_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	14.71	8.20
2	No	14	41.18	30.48
3	Didn't exercise in past 3 months	9	26.47	57.08
7	Don't know/Not sure	4	11.76	3.60
9	Refused	2	5.88	0.63
BLANK	Skip filled	15,211		

**IPRATROPIUM: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP06\_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	50.00	67.01
2	No	10	29.41	25.52
7	Don't know/Not sure	5	14.71	6.85
9	Refused	2	5.88	0.63
BLANK	Skip filled	15,211		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**IPRATROPIUM: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1100-1101

Type: NUM

SAS Variable Name: ILP07\_19

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	24	70.59	90.37
77	Don't know	7	20.59	5.96
99	Refused	3	8.82	3.68
BLANK	Skip filled	15,211		

**IPRATROPIUM: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1102-1104

Type: NUM

SAS Variable Name: ILP08\_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	19	55.88	59.17
401 - 499	Weeks	7	20.59	4.22
666	Less often than once a week	1	2.94	15.67
777	Don't know	5	14.71	20.31
999	Refused	2	5.88	0.63
BLANK	Skip filled	15,211		

**IPRATROPIUM: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1105-1106

Type: NUM

SAS Variable Name: ILP10\_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**MAXAIR: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1107

Type: NUM

SAS Variable Name: ILP01\_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**MAXAIR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP02\_20

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	6	5.71	4.70
3	Longer than 1 year	98	93.33	95.25
9	Refused	1	0.95	0.05
BLANK	Skip filled	15,140		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**MAXAIR: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP03\_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	14.29	8.38
2	No	87	82.86	83.66
3	Medication is a disk inhaler, not a canister inhaler	1	0.95	0.21
7	Don't know/Not sure	1	0.95	7.70
9	Refused	1	0.95	0.05
BLANK	Skip filled	15,140		

**MAXAIR: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP04\_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	87	82.86	79.30
2	No	10	9.52	11.31
3	No attack in past 3 months	7	6.67	9.34
9	Refused	1	0.95	0.05
BLANK	Skip filled	15,140		

**MAXAIR: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP05\_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	38.10	62.43
2	No	53	50.48	34.17
3	Didn't exercise in past 3 months	11	10.48	3.35
9	Refused	1	0.95	0.05
BLANK	Skip filled	15,140		

**MAXAIR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP06\_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	18.10	14.95
2	No	85	80.95	85.00
9	Refused	1	0.95	0.05
BLANK	Skip filled	15,140		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**MAXAIR: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1113-1114

Type: NUM

SAS Variable Name: ILP07\_20

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	104	99.05	99.95
99	Refused	1	0.95	0.05
BLANK	Skip filled	15,140		

**MAXAIR: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1115-1117

Type: NUM

SAS Variable Name: ILP08\_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	25	23.81	23.38
401 - 499	Weeks	41	39.05	37.48
555	Never	2	1.90	0.93
666	Less often than once a week	30	28.57	35.77
777	Don't know	6	5.71	2.40
999	Refused	1	0.95	0.05
BLANK	Skip filled	15,140		

**MAXAIR: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1118-1119

Type: NUM

SAS Variable Name: ILP10\_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	73	69.52	83.35
77	Don't know	1	0.95	0.20
88	None/Less than 1 full canister	30	28.57	16.40
99	Refused	1	0.95	0.05
BLANK	Skip filled	15,140		

**METAPROTERONOL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP01\_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	1	25.00	8.81
2	100 puffs	1	25.00	2.15
3	200 puffs	1	25.00	82.33
4	Other number of puffs	1	25.00	6.71
BLANK	Skip filled	15,241		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**METAPROTERONOL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP02\_21

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	25.00	6.71
3	Longer than 1 year	3	75.00	93.29
BLANK	Skip filled	15,241		

**METAPROTERONOL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1122

Type: NUM

SAS Variable Name: ILP03\_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	82.33
2	No	3	75.00	17.67
BLANK	Skip filled	15,241		

**METAPROTERONOL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1123

Type: NUM

SAS Variable Name: ILP04\_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	91.14
2	No	2	50.00	8.86
BLANK	Skip filled	15,241		

**METAPROTERONOL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1124

Type: NUM

SAS Variable Name: ILP05\_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	82.33
2	No	2	50.00	8.86
3	Didn't exercise in past 3 months	1	25.00	8.81
BLANK	Skip filled	15,241		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**METAPROTERONOL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP06\_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	93.29
2	No	1	25.00	6.71
BLANK	Skip filled	15,241		

**METAPROTERONOL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1126-1127

Type: NUM

SAS Variable Name: ILP07\_21

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	15,241		

**METAPROTERONOL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1128-1130

Type: NUM

SAS Variable Name: ILP08\_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	93.29
666	Less often than once a week	1	25.00	6.71
BLANK	Skip filled	15,241		

**METAPROTERONOL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1131-1132

Type: NUM

SAS Variable Name: ILP10\_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	75.00	93.29
88	None/Less than 1 full canister	1	25.00	6.71
BLANK	Skip filled	15,241		

**NEDOCROMIL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1133

Type: NUM

SAS Variable Name: ILP01\_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEDOCROMIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1134

Type: NUM

SAS Variable Name: ILP02\_22

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**NEDOCROMIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP03\_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**NEDOCROMIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP04\_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**NEDOCROMIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP05\_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**NEDOCROMIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP06\_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**NEDOCROMIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1139-1140

Type: NUM

SAS Variable Name: ILP07\_22

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**NEDOCROMIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1141-1143

Type: NUM

SAS Variable Name: ILP08\_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**NEDOCROMIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1144-1145

Type: NUM

SAS Variable Name: ILP10\_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PIRBUTEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP01\_23

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PIRBUTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP02\_23

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	6	85.71	95.22
7	Don't know/Not sure	1	14.29	4.78
BLANK	Skip filled	15,238		

**PIRBUTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP03\_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	21.77
2	No	5	71.43	73.44
7	Don't know/Not sure	1	14.29	4.78
BLANK	Skip filled	15,238		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PIRBUTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP04\_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	44.50
2	No	1	14.29	50.72
7	Don't know/Not sure	1	14.29	4.78
BLANK	Skip filled	15,238		

**PIRBUTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP05\_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	50.72
2	No	5	71.43	44.50
7	Don't know/Not sure	1	14.29	4.78
BLANK	Skip filled	15,238		

**PIRBUTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP06\_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	85.71	95.22
7	Don't know/Not sure	1	14.29	4.78
BLANK	Skip filled	15,238		

**PIRBUTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1152-1153

Type: NUM

SAS Variable Name: ILP07\_23

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	85.71	95.22
77	Don't know	1	14.29	4.78
BLANK	Skip filled	15,238		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PIRBUTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1154-1156

Type: NUM

SAS Variable Name: ILP08\_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	3	42.86	28.09
666	Less often than once a week	3	42.86	67.13
777	Don't know	1	14.29	4.78
BLANK	Skip filled	15,238		

**PIRBUTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1157-1158

Type: NUM

SAS Variable Name: ILP10\_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	28.57	37.37
77	Don't know	1	14.29	4.78
88	None/Less than 1 full canister	4	57.14	57.85
BLANK	Skip filled	15,238		

**PROVENTIL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1159

Type: NUM

SAS Variable Name: ILP01\_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	49	12.31	11.64
2	100 puffs	69	17.34	15.94
3	200 puffs	164	41.21	45.86
4	Other number of puffs	29	7.29	4.51
5	Used different sizes of this medication in the past 3 months	1	0.25	0.98
7	Don't know/Not sure	85	21.36	20.38
9	Refused	1	0.25	0.68
BLANK	Skip filled	14,847		

**PROVENTIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1160

Type: NUM

SAS Variable Name: ILP02\_24

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	80	20.10	22.74
2	6 months to 1 year	35	8.79	7.52
3	Longer than 1 year	279	70.10	68.88
7	Don't know/Not sure	3	0.75	0.19
9	Refused	1	0.25	0.68
BLANK	Skip filled	14,847		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PROVENTIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1161

Type: NUM

SAS Variable Name: ILP03\_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	111	27.89	25.38
2	No	271	68.09	71.06
3	Medication is a disk inhaler, not a canister inhaler	1	0.25	0.02
7	Don't know/Not sure	14	3.52	2.87
9	Refused	1	0.25	0.68
BLANK	Skip filled	14,847		

**PROVENTIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP04\_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	315	79.15	84.45
2	No	57	14.32	12.43
3	No attack in past 3 months	21	5.28	2.16
7	Don't know/Not sure	4	1.01	0.28
9	Refused	1	0.25	0.68
BLANK	Skip filled	14,847		

**PROVENTIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP05\_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	139	34.92	30.71
2	No	220	55.28	61.52
3	Didn't exercise in past 3 months	34	8.54	6.89
7	Don't know/Not sure	4	1.01	0.19
9	Refused	1	0.25	0.68
BLANK	Skip filled	14,847		

**PROVENTIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP06\_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	107	26.88	23.51
2	No	287	72.11	75.62
7	Don't know/Not sure	3	0.75	0.19
9	Refused	1	0.25	0.68
BLANK	Skip filled	14,847		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PROVENTIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1165-1166

Type: NUM

SAS Variable Name: ILP07\_24

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	389	97.74	97.73
77	Don't know	9	2.26	2.27
BLANK	Skip filled	14,847		

**PROVENTIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1167-1169

Type: NUM

SAS Variable Name: ILP08\_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	147	36.93	35.59
401 - 499	Weeks	123	30.90	34.31
555	Never	3	0.75	0.23
666	Less often than once a week	100	25.13	24.91
777	Don't know	24	6.03	4.28
999	Refused	1	0.25	0.68
BLANK	Skip filled	14,847		

**PROVENTIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1170-1171

Type: NUM

SAS Variable Name: ILP10\_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	275	69.10	69.95
77	Don't know	26	6.53	3.19
88	None/Less than 1 full canister	97	24.37	26.87
BLANK	Skip filled	14,847		

**PULMICORT TURBUHALER: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP01\_25

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PULMICORT TURBUHALER: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1173

**Type:** NUM

**SAS Variable Name:** ILP02\_25

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	35	16.83	17.88
2	6 months to 1 year	23	11.06	9.09
3	Longer than 1 year	149	71.63	72.85
7	Don't know/Not sure	1	0.48	0.18
BLANK	Skip filled	15,037		

**PULMICORT TURBUHALER: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1174

**Type:** NUM

**SAS Variable Name:** ILP03\_25

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	9.13	4.41
2	No	181	87.02	91.26
3	Medication is a disk inhaler, not a canister inhaler	6	2.88	2.50
7	Don't know/Not sure	2	0.96	1.83
BLANK	Skip filled	15,037		

**PULMICORT TURBUHALER: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1175

**Type:** NUM

**SAS Variable Name:** ILP04\_25

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	25.96	44.08
2	No	132	63.46	49.67
3	No attack in past 3 months	22	10.58	6.25
BLANK	Skip filled	15,037		

**PULMICORT TURBUHALER: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1176

**Type:** NUM

**SAS Variable Name:** ILP05\_25

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	45	21.63	30.02
2	No	149	71.63	60.60
3	Didn't exercise in past 3 months	14	6.73	9.38
BLANK	Skip filled	15,037		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PULMICORT TURBUHALER: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1177

Type: NUM

SAS Variable Name: ILP06\_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	183	87.98	84.26
2	No	25	12.02	15.74
BLANK	Skip filled	15,037		

**PULMICORT TURBUHALER: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1178-1179

Type: NUM

SAS Variable Name: ILP07\_25

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	201	96.63	98.36
77	Don't know	6	2.88	0.98
99	Refused	1	0.48	0.66
BLANK	Skip filled	15,037		

**PULMICORT TURBUHALER: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1180-1182

Type: NUM

SAS Variable Name: ILP08\_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	178	85.58	72.69
401 - 499	Weeks	18	8.65	21.82
555	Never	2	0.96	2.85
666	Less often than once a week	7	3.37	2.06
777	Don't know	3	1.44	0.58
BLANK	Skip filled	15,037		

**PULMICORT TURBUHALER: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1183-1184

Type: NUM

SAS Variable Name: ILP10\_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**SALMETEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP01\_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**SALMETEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1186

Type: NUM

SAS Variable Name: ILP02\_26

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,244		

**SALMETEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1187

Type: NUM

SAS Variable Name: ILP03\_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,244		

**SALMETEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP04\_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,244		

**SALMETEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP05\_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,244		

**SALMETEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP06\_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,244		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**SALMETEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1191-1192

Type: NUM

SAS Variable Name: ILP07\_26

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	15,244		

**SALMETEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1193-1195

Type: NUM

SAS Variable Name: ILP08\_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	15,244		

**SALMETEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1196-1197

Type: NUM

SAS Variable Name: ILP10\_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**SEREVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP01\_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**SEREVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP02\_27

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	10	4.05	2.98
2	6 months to 1 year	18	7.29	3.71
3	Longer than 1 year	218	88.26	93.24
7	Don't know/Not sure	1	0.40	0.08
BLANK	Skip filled	14,998		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**SEREVENT: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1200

**Type:** NUM

**SAS Variable Name:** ILP03\_27

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	10.12	7.62
2	No	177	71.66	75.12
3	Medication is a disk inhaler, not a canister inhaler	43	17.41	17.07
7	Don't know/Not sure	2	0.81	0.19
BLANK	Skip filled	14,998		

**SEREVENT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1201

**Type:** NUM

**SAS Variable Name:** ILP04\_27

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	67	27.13	23.53
2	No	156	63.16	68.97
3	No attack in past 3 months	24	9.72	7.50
BLANK	Skip filled	14,998		

**SEREVENT: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1202

**Type:** NUM

**SAS Variable Name:** ILP05\_27

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	21.86	20.03
2	No	171	69.23	72.85
3	Didn't exercise in past 3 months	20	8.10	6.66
7	Don't know/Not sure	2	0.81	0.46
BLANK	Skip filled	14,998		

**SEREVENT: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1203

**Type:** NUM

**SAS Variable Name:** ILP06\_27

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	204	82.59	87.76
2	No	42	17.00	12.21
7	Don't know/Not sure	1	0.40	0.03
BLANK	Skip filled	14,998		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**SEREVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1204-1205

Type: NUM

SAS Variable Name: ILP07\_27

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	243	98.38	99.60
77	Don't know	4	1.62	0.40
BLANK	Skip filled	14,998		

**SEREVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1206-1208

Type: NUM

SAS Variable Name: ILP08\_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	201	81.38	86.34
401 - 499	Weeks	30	12.15	8.96
666	Less often than once a week	14	5.67	4.18
777	Don't know	2	0.81	0.52
BLANK	Skip filled	14,998		

**SEREVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1209-1210

Type: NUM

SAS Variable Name: ILP10\_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TERBUTALINE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP01\_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TERBUTALINE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1212

Type: NUM

SAS Variable Name: ILP02\_28

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TERBUTALINE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1213

Type: NUM

SAS Variable Name: ILP03\_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TERBUTALINE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP04\_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TERBUTALINE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP05\_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TERBUTALINE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP06\_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TERBUTALINE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1217-1218

Type: NUM

SAS Variable Name: ILP07\_28

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TERBUTALINE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1219-1221

Type: NUM

SAS Variable Name: ILP08\_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TERBUTALINE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1222-1223

Type: NUM

SAS Variable Name: ILP10\_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TILADE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1224

Type: NUM

SAS Variable Name: ILP01\_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TILADE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP02\_29

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	15,243		

**TILADE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP03\_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	15,243		

**TILADE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP04\_29

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	15,243		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TILADE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP05\_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	15,243		

**TILADE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP06\_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	86.34
2	No	1	50.00	13.66
BLANK	Skip filled	15,243		

**TILADE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1230-1231

Type: NUM

SAS Variable Name: ILP07\_29

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	15,243		

**TILADE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1232-1234

Type: NUM

SAS Variable Name: ILP08\_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	86.34
666	Less often than once a week	1	50.00	13.66
BLANK	Skip filled	15,243		

**TILADE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1235-1236

Type: NUM

SAS Variable Name: ILP10\_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TORNALATE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP01\_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TORNALATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1238

Type: NUM

SAS Variable Name: ILP02\_30

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TORNALATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP03\_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TORNALATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1240

Type: NUM

SAS Variable Name: ILP04\_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TORNALATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1241

Type: NUM

SAS Variable Name: ILP05\_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TORNALATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP06\_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TORNALATE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back  
Column: 1243-1244

Type: NUM  
SAS Variable Name: ILP07\_30

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TORNALATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back  
Column: 1245-1247

Type: NUM  
SAS Variable Name: ILP08\_30

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TORNALATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back  
Column: 1248-1249

Type: NUM  
SAS Variable Name: ILP10\_30

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TRIAMCINOLONE: SIZE**

Survey: ADULT Asthma Call-Back  
Column: 1250

Type: NUM  
SAS Variable Name: ILP01\_31

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**TRIAMCINOLONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back  
Column: 1251

Type: NUM  
SAS Variable Name: ILP02\_31

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	50.00	13.04
3	Longer than 1 year	2	50.00	86.96
BLANK	Skip filled	15,241		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TRIAMCINOLONE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP03\_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	27.38
7	Don't know/Not sure	1	25.00	72.62
BLANK	Skip filled	15,241		

**TRIAMCINOLONE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP04\_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	85.66
2	No	1	25.00	14.34
BLANK	Skip filled	15,241		

**TRIAMCINOLONE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP05\_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	14.34
2	No	2	50.00	81.02
3	Didn't exercise in past 3 months	1	25.00	4.64
BLANK	Skip filled	15,241		

**TRIAMCINOLONE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP06\_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	18.98
2	No	1	25.00	8.40
7	Don't know/Not sure	1	25.00	72.62
BLANK	Skip filled	15,241		

**TRIAMCINOLONE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1256-1257

Type: NUM

SAS Variable Name: ILP07\_31

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	15,241		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**TRIAMCINOLONE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1258-1260

Type: NUM

SAS Variable Name: ILP08\_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	50.00	18.98
666	Less often than once a week	2	50.00	81.02
BLANK	Skip filled	15,241		

**TRIAMCINOLONE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1261-1262

Type: NUM

SAS Variable Name: ILP10\_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**VANCERIL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP01\_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**VANCERIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP02\_32

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	9	100.00	100.00
BLANK	Skip filled	15,236		

**VANCERIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP03\_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	33.33	11.19
2	No	6	66.67	88.81
BLANK	Skip filled	15,236		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**VANCERIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP04\_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	88.89	98.94
3	No attack in past 3 months	1	11.11	1.06
BLANK	Skip filled	15,236		

**VANCERIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1267

Type: NUM

SAS Variable Name: ILP05\_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	33.33	5.87
2	No	5	55.56	90.88
3	Didn't exercise in past 3 months	1	11.11	3.25
BLANK	Skip filled	15,236		

**VANCERIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1268

Type: NUM

SAS Variable Name: ILP06\_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	3.36
2	No	7	77.78	96.64
BLANK	Skip filled	15,236		

**VANCERIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1269-1270

Type: NUM

SAS Variable Name: ILP07\_32

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	9	100.00	100.00
BLANK	Skip filled	15,236		

**VANCERIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1271-1273

Type: NUM

SAS Variable Name: ILP08\_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	33.33	10.08
401 - 499	Weeks	2	22.22	19.89
666	Less often than once a week	4	44.44	70.04
BLANK	Skip filled	15,236		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**VANCERIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back  
Column: 1274-1275

Type: NUM  
SAS Variable Name: ILP10\_32

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**VENTOLIN: SIZE**

Survey: ADULT Asthma Call-Back  
Column: 1276

Type: NUM  
SAS Variable Name: ILP01\_33

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	12	10.17	11.76
2	100 puffs	8	6.78	6.26
3	200 puffs	65	55.08	48.18
4	Other number of puffs	9	7.63	8.73
7	Don't know/Not sure	24	20.34	25.07
BLANK	Skip filled	15,127		

**VENTOLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back  
Column: 1277

Type: NUM  
SAS Variable Name: ILP02\_33

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	20	16.95	18.95
2	6 months to 1 year	10	8.47	6.56
3	Longer than 1 year	88	74.58	74.49
BLANK	Skip filled	15,127		

**VENTOLIN: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back  
Column: 1278

Type: NUM  
SAS Variable Name: ILP03\_33

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	29.66	11.95
2	No	80	67.80	86.18
7	Don't know/Not sure	3	2.54	1.87
BLANK	Skip filled	15,127		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**VENTOLIN: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP04\_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	97	82.20	63.50
2	No	14	11.86	32.49
3	No attack in past 3 months	7	5.93	4.01
BLANK	Skip filled	15,127		

**VENTOLIN: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP05\_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	61	51.69	54.78
2	No	48	40.68	25.32
3	Didn't exercise in past 3 months	9	7.63	19.90
BLANK	Skip filled	15,127		

**VENTOLIN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP06\_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	27.97	28.71
2	No	85	72.03	71.29
BLANK	Skip filled	15,127		

**VENTOLIN: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1282-1283

Type: NUM

SAS Variable Name: ILP07\_33

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	118	100.00	100.00
BLANK	Skip filled	15,127		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**VENTOLIN: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1284-1286

Type: NUM

SAS Variable Name: ILP08\_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	43	36.44	36.06
401 - 499	Weeks	40	33.90	44.69
555	Never	1	0.85	0.32
666	Less often than once a week	32	27.12	17.55
777	Don't know	2	1.69	1.38
BLANK	Skip filled	15,127		

**VENTOLIN: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1287-1288

Type: NUM

SAS Variable Name: ILP10\_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	78	66.10	73.28
77	Don't know	9	7.63	6.37
88	None/Less than 1 full canister	31	26.27	20.35
BLANK	Skip filled	15,127		

**FORADIL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP01\_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FORADIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP02\_34

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	12	13.95	14.21
2	6 months to 1 year	21	24.42	20.22
3	Longer than 1 year	53	61.63	65.56
BLANK	Skip filled	15,159		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FORADIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP03\_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	29.07	25.37
2	No	55	63.95	72.66
3	Medication is a disk inhaler, not a canister inhaler	6	6.98	1.96
BLANK	Skip filled	15,159		

**FORADIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP04\_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	22.09	13.88
2	No	59	68.60	79.67
3	No attack in past 3 months	8	9.30	6.45
BLANK	Skip filled	15,159		

**FORADIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP05\_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	29.07	24.58
2	No	55	63.95	73.68
3	Didn't exercise in past 3 months	6	6.98	1.74
BLANK	Skip filled	15,159		

**FORADIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP06\_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	89.53	88.53
2	No	9	10.47	11.47
BLANK	Skip filled	15,159		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FORADIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1295-1296

Type: NUM

SAS Variable Name: ILP07\_34

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	81	94.19	98.77
77	Don't know	5	5.81	1.23
BLANK	Skip filled	15,159		

**FORADIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1297-1299

Type: NUM

SAS Variable Name: ILP08\_34

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	75	87.21	83.93
401 - 499	Weeks	5	5.81	6.73
666	Less often than once a week	6	6.98	9.34
BLANK	Skip filled	15,159		

**FORADIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1300-1301

Type: NUM

SAS Variable Name: ILP10\_34

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FORMOTEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP01\_35

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**FORMOTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1303

Type: NUM

SAS Variable Name: ILP02\_35

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,242		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FORMOTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1304

Type: NUM

SAS Variable Name: ILP03\_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	26.61
2	No	1	33.33	26.85
3	Medication is a disk inhaler, not a canister inhaler	1	33.33	46.54
BLANK	Skip filled	15,242		

**FORMOTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP04\_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	26.85
2	No	2	66.67	73.15
BLANK	Skip filled	15,242		

**FORMOTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP05\_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	53.46
2	No	1	33.33	46.54
BLANK	Skip filled	15,242		

**FORMOTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP06\_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	15,242		

**FORMOTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1308-1309

Type: NUM

SAS Variable Name: ILP07\_35

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	66.67	53.46
77	Don't know	1	33.33	46.54
BLANK	Skip filled	15,242		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**FORMOTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1310-1312

Type: NUM

SAS Variable Name: ILP08\_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	100.00	100.00
BLANK	Skip filled	15,242		

**FORMOTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1313-1314

Type: NUM

SAS Variable Name: ILP10\_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**QVAR: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP01\_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**QVAR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: ILP02\_36

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	52	21.14	24.81
2	6 months to 1 year	44	17.89	11.87
3	Longer than 1 year	149	60.57	63.25
7	Don't know/Not sure	1	0.41	0.06
BLANK	Skip filled	14,999		

**QVAR: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP03\_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	112	45.53	41.54
2	No	127	51.63	51.19
7	Don't know/Not sure	7	2.85	7.26
BLANK	Skip filled	14,999		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**QVAR: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP04\_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	102	41.46	38.44
2	No	126	51.22	56.29
3	No attack in past 3 months	17	6.91	5.20
7	Don't know/Not sure	1	0.41	0.06
BLANK	Skip filled	14,999		

**QVAR: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: ILP05\_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	55	22.36	17.57
2	No	172	69.92	77.44
3	Didn't exercise in past 3 months	17	6.91	4.48
7	Don't know/Not sure	2	0.81	0.52
BLANK	Skip filled	14,999		

**QVAR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP06\_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	198	80.49	86.51
2	No	47	19.11	13.42
7	Don't know/Not sure	1	0.41	0.06
BLANK	Skip filled	14,999		

**QVAR: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1321-1322

Type: NUM

SAS Variable Name: ILP07\_36

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	244	99.19	99.82
77	Don't know	2	0.81	0.18
BLANK	Skip filled	14,999		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**QVAR: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1323-1325

Type: NUM

SAS Variable Name: ILP08\_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399		195	79.27	82.35
401 - 499	Weeks	31	12.60	11.45
666	Less often than once a week	16	6.50	3.71
777	Don't know	4	1.63	2.49
BLANK	Skip filled	14,999		

**QVAR: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1326-1327

Type: NUM

SAS Variable Name: ILP10\_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL ACCOLATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: PILLX\_1

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	1.16	0.92
2	6 months to 1 year	1	1.16	0.91
3	Longer than 1 year	84	97.67	98.17
BLANK	Skip filled	15,159		

**PILL AEROLATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: PILLX\_2

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL ALBUTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: PILLX\_3

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	11.36	3.08
2	6 months to 1 year	5	11.36	15.43
3	Longer than 1 year	34	77.27	81.49
BLANK	Skip filled	15,201		

**PILL ALUPENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: PILLX\_4

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	75.00	93.21
7	Don't know/Not sure	1	25.00	6.79
BLANK	Skip filled	15,241		

**PILL CHOLEDYL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: PILLX\_5

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,242		

**PILL DELTASONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: PILLX\_7

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,244		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL ELIXOPHYLLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: PILLX\_8

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	33.33	46.57
3	Longer than 1 year	2	66.67	53.43
BLANK	Skip filled	15,242		

**PILL MARAX: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: PILLX\_10

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL MEDROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1336

Type: NUM

SAS Variable Name: PILLX\_11

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	50.00	76.16
3	Longer than 1 year	3	50.00	23.84
BLANK	Skip filled	15,239		

**PILL METAPREL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1337

Type: NUM

SAS Variable Name: PILLX\_12

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL METAPROTERONOL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1338

Type: NUM

SAS Variable Name: PILLX\_13

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,244		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL METHYLPREDNISOLONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1339

Type: NUM

SAS Variable Name: PILLX\_14

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	50.00	35.17
2	6 months to 1 year	1	12.50	5.57
3	Longer than 1 year	3	37.50	59.26
BLANK	Skip filled	15,237		

**PILL MONTELUKAST: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1340

Type: NUM

SAS Variable Name: PILLX\_15

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	5.56	1.32
2	6 months to 1 year	1	5.56	11.07
3	Longer than 1 year	16	88.89	87.61
BLANK	Skip filled	15,227		

**PILL PEDIAPRED: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: PILLX\_17

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL PREDNISOLONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: PILLX\_18

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	8	44.44	22.05
2	6 months to 1 year	3	16.67	53.63
3	Longer than 1 year	7	38.89	24.33
BLANK	Skip filled	15,227		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL PREDNISONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: PILLX\_19

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	119	40.48	52.60
2	6 months to 1 year	17	5.78	3.27
3	Longer than 1 year	149	50.68	37.13
7	Don't know/Not sure	9	3.06	7.00
BLANK	Skip filled	14,951		

**PILL PRELONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: PILLX\_20

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL PROVENTIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: PILLX\_21

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,242		

**PILL QUIBRON: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: PILLX\_22

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,244		

**PILL RESPID: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: PILLX\_23

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL SINGULAIR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: PILLX\_24

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	158	10.08	8.99
2	6 months to 1 year	169	10.78	12.63
3	Longer than 1 year	1,215	77.49	77.15
7	Don't know/Not sure	25	1.59	1.22
9	Refused	1	0.06	0.01
BLANK	Skip filled	13,677		

**PILL SLO-PHYLLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: PILLX\_25

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	15,241		

**PILL SLO-BID: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: PILLX\_26

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,242		

**PILL SUSTAIRE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: PILLX\_27

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL THEO-24: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: PILLX\_28

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	9.09	28.48
3	Longer than 1 year	10	90.91	71.52
BLANK	Skip filled	15,234		

**PILL THEOBID: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: PILLX\_29

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL THEOCHRON: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: PILLX\_30

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,244		

**PILL THEOCLEAR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: PILLX\_31

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL THEODUR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: PILLX\_32

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	4.17	7.38
3	Longer than 1 year	22	91.67	92.33
7	Don't know/Not sure	1	4.17	0.29
BLANK	Skip filled	15,221		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL THEO-DUR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: PILLX\_33

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	13	100.00	100.00
BLANK	Skip filled	15,232		

**PILL THEOLAIR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: PILLX\_34

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,244		

**PILL THEOPHYLLINE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: PILLX\_35

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	1.32	0.61
2	6 months to 1 year	5	3.29	1.48
3	Longer than 1 year	143	94.08	96.24
7	Don't know/Not sure	2	1.32	1.67
BLANK	Skip filled	15,093		

**PILL THEO-SAV: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: PILLX\_36

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,244		

**PILL THEOSPAN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: PILLX\_37

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL THEOX: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: PILLX\_38

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL T-PHYL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: PILLX\_40

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,244		

**PILL UNIDUR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: PILLX\_41

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL UNIPHYL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: PILLX\_42

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	4.35	13.24
2	6 months to 1 year	1	4.35	0.37
3	Longer than 1 year	20	86.96	85.77
9	Refused	1	4.35	0.61
BLANK	Skip filled	15,222		

**PILL VENTOLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: PILLX\_43

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	20.00	1.28
3	Longer than 1 year	4	80.00	98.72
BLANK	Skip filled	15,240		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**PILL VOLMAX: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: PILLX\_44

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,244		

**PILL ZAFIRLUKAST: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: PILLX\_45

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	15,243		

**PILL ZILEUTON: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: PILLX\_46

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,245		

**PILL ZYFLO FILMTAB: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: PILLX\_47

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	20.00	35.29
3	Longer than 1 year	4	80.00	64.71
BLANK	Skip filled	15,240		

**INTERIM ADULT ASTHMA CALL-BACK WEIGHT**

Survey: ADULT Asthma Call-Back

Column: 1371-1380

Type: NUM

SAS Variable Name: WEIGHT\_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	15,245	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR**

Survey: ADULT Asthma Call-Back

Column: 1381-1390

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM  
SAS Variable Name: POST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	15,245	100.00	100.00

**FINAL ADULT ASTHMA CALL-BACK WEIGHT**

Survey: ADULT Asthma Call-Back

Column: 1391-1400

Prologue:

Description: FINAL ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM  
SAS Variable Name: FINALWT\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back weight	15,245	100.00	100.00

**REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.**

Survey: ADULT Asthma Call-Back

Column: 1401

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: REGION\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions collapsed to 1 region for asthma call-back.	6,733	100.00	100.00
BLANK	Missing	8,512		

**RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1402

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: RACEG\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	4,641	100.00	100.00
BLANK	Missing	10,604		

**AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1403

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEF\_F7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	406	3.85	13.39
2	Age 25 - 34	1,087	10.32	21.13
3	Age 35 - 44	1,554	14.75	19.14
4	Age 45 - 54	2,365	22.44	18.77
5	Age 55 - 64	2,492	23.65	13.96
6	Age 65 - 74	1,618	15.35	8.17
7	Age 75+	1,016	9.64	5.43
BLANK	Missing	4,707		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1404

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	1,725	13.98	34.42
2	Age 35 - 44	1,796	14.56	19.09
3	Age 45 - 54	2,791	22.62	18.84
4	Age 55 - 64	2,943	23.85	13.99
5	Age 65+	3,083	24.99	13.66
BLANK	Missing	2,907		

**AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1405

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	158	14.36	30.94
2	Age 35 - 44	169	15.36	20.90
3	Age 45 - 54	252	22.91	19.49
4	Age 55 +	521	47.36	28.66
BLANK	Missing	14,145		

**AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1406

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	158	14.36	30.94
2	Age 35 - 54	421	38.27	40.40
3	Age 55 +	521	47.36	28.66
BLANK	Missing	14,145		

**AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1407

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	203	31.97	52.90
2	Age 45 +	432	68.03	47.10
BLANK	Missing	14,610		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2007**

**ADULT ASTHMA CALL-BACK ADJUST FACTOR**

**Survey:** ADULT Asthma Call-Back

**Column:** 1408-1415

**Prologue:**

**Description:** ADULT ASTHMA CALL-BACK ADJUST FACTOR

**Type:** NUM  
**SAS Variable Name:** ADJUST

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
HIDDEN	Adult asthma call-back post stratification adjust factor	15,245	100.00	100.00