

United States

2007 Codebook Report

CHILD Asthma Call-Back Survey

March 28, 2011



**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

STATE FIPS CODE

Survey: CHILD Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Alaska	39	1.29	0.31
4	Arizona	52	1.72	3.29
6	California	80	2.65	18.12
9	Connecticut	119	3.94	1.83
11	District of Columbia	44	1.46	0.32
13	Georgia	149	4.93	5.33
15	Hawaii	188	6.22	0.78
17	Illinois	45	1.49	5.27
18	Indiana	81	2.68	2.54
19	Iowa	86	2.84	0.82
20	Kansas	127	4.20	1.13
23	Maine	115	3.80	0.54
24	Maryland	117	3.87	2.78
25	Massachusetts	60	1.98	3.10
26	Michigan	129	4.27	5.02
28	Mississippi	112	3.70	1.59
29	Missouri	80	2.65	2.61
30	Montana	70	2.31	0.29
31	Nebraska	133	4.40	0.71
33	New Hampshire	70	2.31	0.50
35	New Mexico	93	3.08	0.90
36	New York	100	3.31	10.23
39	Ohio	141	4.66	5.41
40	Oklahoma	109	3.60	1.92
41	Oregon	81	2.68	1.47
42	Pennsylvania	92	3.04	6.02
48	Texas	127	4.20	12.84
49	Utah	117	3.87	1.31
50	Vermont	120	3.97	0.23
54	West Virginia	85	2.81	0.77
55	Wisconsin	63	2.08	1.98

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	246	8.13	7.07
2	February	234	7.74	5.70
3	March	236	7.80	5.46
4	April	260	8.60	8.46
5	May	217	7.18	4.13
6	June	225	7.44	6.53
7	July	284	9.39	8.29
8	August	248	8.20	8.01
9	September	258	8.53	6.46
10	October	269	8.90	7.93
11	November	232	7.67	7.01
12	December	315	10.42	24.94

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	172	5.69	6.16
2	February	285	9.42	8.34
3	March	250	8.27	7.01
4	April	259	8.56	10.04
5	May	201	6.65	5.02
6	June	237	7.84	7.56
7	July	210	6.94	5.92
8	August	277	9.16	9.56
9	September	263	8.70	7.16
10	October	349	11.54	13.76
11	November	232	7.67	6.80
12	December	289	9.56	12.67

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		3,024	100.00	100.00

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2007	Interview year	2,915	96.40	97.37
2008	Interview year	109	3.60	2.63

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

DISPOSITION OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: DISPCODE_F

Value	Value Label
110	Complete
120	Partial complete

Frequency	Percentage	Weighted Percentage
3,020	99.87	99.77
4	0.13	0.23

ANNUAL SEQUENCE NUMBER

Survey: CHILD Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM

SAS Variable Name: SEQNO

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: NATTMPTS_F

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

ARE YOU SAMPLE PERSON

Survey: CHILD Asthma Call-Back

Column: 40

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Type: NUM

SAS Variable Name: SAMP_NAME

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2,897	95.80	97.46
127	4.20	2.54

MAY I SPEAK WITH SAMPLE PERSON

Survey: CHILD Asthma Call-Back

Column: 41

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Type: NUM

SAS Variable Name: SAMP_PERS

Value	Value Label
1	Yes
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
127	100.00	100.00
2,897		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

INTRODUCTION TO CORRECT RESPONDENT

Survey: CHILD Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: CORR_PERS

Prologue: This field is used for tracking transfer to more knowledgeable respondent.

Description: Q1.3 Repeat the introduction when BRFSS respondent comes to the phone and use code 1 below. Use code 2 below only if the BRFSS respondent transfers to another more knowledgeable person

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	BRFSS respondent will continue	1,018	95.77	95.21
2	Alternate respondent will continue	45	4.23	4.79
BLANK	Not asked or missing	1,961		

CHECK CORRECT PERSON ON PHONE

Survey: CHILD Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	313	100.00	100.00
BLANK	Not asked or missing	2,711		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: CHILD Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that [child's name] had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	199	100.00	100.00
BLANK	Not asked or missing	2,825		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: CHILD Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

Description: Q2.2 Does [he/she] still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	183	59.03	53.09
2	No	117	37.74	45.80
7	Don't know/Not sure	10	3.23	1.11
BLANK	Not asked or missing	2,714		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

RELATIONSHIP TO CHILD FROM QUESTION

Survey: CHILD Asthma Call-Back

Column: 46

Prologue:

Description: Q2.3 What is your relationship to the child?

Type: NUM

SAS Variable Name: RELATION

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mother (Birth/Adoptive/Step)	298	76.80	82.28
2	Father (Birth/Adoptive/Step)	81	20.88	16.85
4	Grandparent (Father/Mother)	5	1.29	0.59
5	Other relative	2	0.52	0.19
6	Unrelated	1	0.26	0.02
7	Don't know/Not sure	1	0.26	0.07
BLANK	Not asked or missing	2,636		

LEGAL GUARDIAN

Survey: CHILD Asthma Call-Back

Column: 47

Prologue:

Description: Q2.4 Are you the legal guardian for [child's name]?

Type: NUM

SAS Variable Name: GUARDIAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	100.00	100.00
BLANK	Not asked or missing	3,008		

PERMISSION TO COMBINE THE ANSWER WITH BRFS

Survey: CHILD Asthma Call-Back

Column: 48

Prologue:

Description: Q2.5 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Type: NUM

SAS Variable Name: PERMISS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	624	100.00	100.00
BLANK	Not asked or missing	2,400		

AGE AT ASTHMA DIAGNOSIS

Survey: CHILD Asthma Call-Back

Column: 49-51

Prologue:

Description: Q3.1 How old was [child's name] when a doctor or other health professional first said [he/she] had asthma?

Type: NUM

SAS Variable Name: AGEDX

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 17	Age in years	2,430	80.36	81.19
777	Don't know	53	1.75	2.12
888	Less than 1 year old	539	17.82	16.67
999	Refused	2	0.07	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

TIME SINCE DIAGNOSIS

Survey: CHILD Asthma Call-Back

Column: 52

Prologue:

Type: NUM

SAS Variable Name: INCIDNT

Description: Q3.2 How long ago was that? Was it . . . [READ CATEGORIES]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	186	6.15	6.54
2	One to five years ago	1,059	35.02	37.69
3	More than 5 years ago	1,769	58.50	55.65
7	Don't know	7	0.23	0.09
9	Refused	3	0.10	0.03

LAST TALKED TO A DOCTOR

Survey: CHILD Asthma Call-Back

Column: 53-54

Prologue:

Type: NUM

SAS Variable Name: LAST_MD

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about [child's name]'s asthma? This could have been in a doctor's office, the hospital, an emergency room or urgent care center.

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	1,940	64.15	65.07
5	One year to less than 3 years ago	548	18.12	14.62
6	Three years to five years ago	214	7.08	8.56
7	More than five years ago	294	9.72	11.19
77	Don't know	16	0.53	0.34
88	Never	10	0.33	0.19
99	Refused	2	0.07	0.03

LAST TOOK ASTHMA MEDICATION

Survey: CHILD Asthma Call-Back

Column: 55-56

Prologue:

Type: NUM

SAS Variable Name: LAST_MED

Description: Q3.4 How long has it been since [he/she] last took asthma medication?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	772	25.53	24.27
2	1-6 days ago	230	7.61	8.02
3	1 week to less than 3 months ago	510	16.87	16.80
4	3 months to less than 1 year ago	431	14.25	13.22
5	1 year to less than 3 years ago	468	15.48	14.35
6	3 years to 5 years ago	223	7.37	8.39
7	More than 5 years ago	328	10.85	12.42
77	Don't know	27	0.89	1.20
88	Never	33	1.09	1.31
99	Refused	2	0.07	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: CHILD Asthma Call-Back

Column: 57-58

Type: NUM

SAS Variable Name: LASTSYMP

Prologue:

Description: Q3.5 How long has it been since [he/she] last had any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	263	8.70	10.76
2	1-6 days ago	259	8.56	8.06
3	1 week to less than 3 months ago	823	27.22	25.86
4	3 months to less than 1 year ago	562	18.58	18.71
5	1 year to less than 3 years ago	472	15.61	13.90
6	3 years to 5 years ago	226	7.47	7.47
7	More than 5 years ago	332	10.98	12.69
77	Don't know	51	1.69	1.46
88	Never	33	1.09	1.06
99	Refused	3	0.10	0.03

SYMPTOM DAYS

Survey: CHILD Asthma Call-Back

Column: 59-61

Type: NUM

SAS Variable Name: SYMP_30D

Prologue:

Description: Q4.1 During the past 30 days, on how many days did [child's name] have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	967	31.98	30.57
30	Every day	102	3.37	4.25
66	No symptoms past one year, skip filled	1,063	35.15	35.12
77	Don't know	43	1.42	1.28
88	No symptoms in the past 30 days	284	9.39	10.05
99	Refused	3	0.10	0.03
100	Symptoms 3 months to 1 year ago, skip filled	562	18.58	18.71

CONSTANT SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 62-63

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Does [he/she] have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	1.39	2.62
2	No	60	1.98	1.63
6	Last symptoms one+ years ago, skip filled	1,063	35.15	35.12
10	Last symptoms 3 months - 1 year ago, skip filled	562	18.58	18.71
11	No symptoms 'SYMP_30D' skip filled	284	9.39	10.05
12	1-29 'SYMP_30D' skip filled	967	31.98	30.57
77	Don't know 'SYMP_30D' skip filled	43	1.42	1.28
99	Refused 'SYMP_30D' skip filled	3	0.10	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NIGHT SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 64-66

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for [him/her] to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	492	16.27	17.50
66	No symptoms past one year, skip filled	1,063	35.15	35.12
77	Don't know	49	1.62	1.48
88	None	571	18.88	17.12
99	Refused	3	0.10	0.03
100	Symptoms 3 months to 1 year ago, skip filled	562	18.58	18.71
111	No symptoms in the past 30 days, skip filled	284	9.39	10.05

SYMPTOM FREE DAYS

Survey: CHILD Asthma Call-Back

Column: 67-68

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days was [child's name] completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	2,732	90.34	91.86
77	Don't know	102	3.37	2.59
88	None	187	6.18	5.52
99	Refused	3	0.10	0.03

ASTHMA EPISODE OR ATTACK

Survey: CHILD Asthma Call-Back

Column: 69

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, has [he/she] had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,194	39.48	40.33
2	No	752	24.87	24.12
6	No symptoms past 1 year, skip filled	1,063	35.15	35.12
7	Don't know	13	0.43	0.41
9	Refused	2	0.07	0.03

NUMBER OF EPISODES/ATTACKS

Survey: CHILD Asthma Call-Back

Column: 70-73

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks has [he/she] had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	854	28.24	28.82
666	No symptoms past 1 year, skip filled	1,063	35.15	35.12
777	Don't know	40	1.32	1.37
888	None	300	9.92	10.14
1111	No episode/asthma attack past year, skip filled	767	25.36	24.56

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

DURATION OF ATTACK

Survey: CHILD Asthma Call-Back

Column: 74-77

Prologue:

Description: Q4.7 How long did [his/her] most recent asthma episode or attack last?

Type: NUM

SAS Variable Name: DUR_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	440	14.55	14.10
201 - 299	Hours	214	7.08	7.30
301 - 399	Days	395	13.06	13.57
401 - 499	Weeks	87	2.88	3.62
555	Never	1	0.03	0.01
666	No symptoms past 1 year, skip filled	1,063	35.15	35.12
777	Don't know	56	1.85	1.74
999	Refused	1	0.03	0.00
1111	No episode/asthma attack past year, skip filled	767	25.36	24.56

TYPICAL ATTACK

Survey: CHILD Asthma Call-Back

Column: 78-79

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Type: NUM

SAS Variable Name: COMPASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	357	11.81	12.51
2	Longer	114	3.77	3.79
3	About the same	692	22.88	23.37
4	The most recent attack was actually the first attack	11	0.36	0.21
6	No symptoms past year, skip filled	1,063	35.15	35.12
7	Don't know	19	0.63	0.44
9	Refused	1	0.03	0.00
11	No episode/asthma attack past year, skip filled	767	25.36	24.56

INSURANCE

Survey: CHILD Asthma Call-Back

Column: 80

Prologue:

Description: Q5.1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Type: NUM

SAS Variable Name: INS1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,883	95.34	96.28
2	No	131	4.33	3.59
7	Don't know/Not sure	7	0.23	0.10
9	Refused	3	0.10	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

TYPE OF INSURANCE COVERAGE

Survey: CHILD Asthma Call-Back

Column: 81

Type: NUM

SAS Variable Name: INS_TYP

Prologue:

Description: Q5.2 What kind of health care coverage, does [child's name] have? Is it paid through the parent's employer, or is it Medicaid, Medicare, Children's Health Insurance Program (CHIP), or some other type of insurance?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent's employer	2,031	67.16	64.84
2	Medicaid/Medicare	446	14.75	18.22
3	CHIP (Replace with state specific name)	183	6.05	6.43
4	Other	218	7.21	6.68
5	No insurance at time of interview, skip filled	131	4.33	3.59
7	Don't know	10	0.33	0.12
9	Refused	5	0.17	0.11

INSURANCE OR COVERAGE GAP

Survey: CHILD Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: Q5.3 During the past 12 months, was there any time that [he/she] did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	149	4.93	8.24
2	No	2,733	90.38	88.04
5	No insurance at time of interview, skip filled	131	4.33	3.59
7	Don't know	8	0.26	0.10
9	Refused	3	0.10	0.03

HAD A FLU SHOT

Survey: CHILD Asthma Call-Back

Column: 83

Type: NUM

SAS Variable Name: FLU_SHOT

Prologue: A flu shot is an influenza vaccine injected in your arm.

Description: Q5.4 During the past 12 months, did [child's name] have a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,146	37.90	37.10
2	No	1,817	60.09	61.69
7	Don't know/Not sure	58	1.92	1.18
9	Refused	3	0.10	0.03

HAD A FLU VACCINE SPRAY

Survey: CHILD Asthma Call-Back

Column: 84

Type: NUM

SAS Variable Name: FLU_SPRAY

Prologue: A flu vaccine that is sprayed in the nose is called FluMist™.

Description: Q5.5 During the past 12 months, did [he/she] have a flu vaccine that was sprayed in [his/her] nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	66	2.18	1.71
2	No	2,920	96.56	96.69
7	Don't know/Not sure	35	1.16	1.58
9	Refused	3	0.10	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ACTIVITY LIMITATION

Survey: CHILD Asthma Call-Back

Column: 85

Type: NUM

SAS Variable Name: ACT_DAYS

Prologue:

Description: Q5.6 During the past 12 months, would you say [child's name] limited [his/her] usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	1,113	36.81	34.10
2	A little	911	30.13	31.16
3	A moderate amount	264	8.73	8.01
4	A lot	75	2.48	3.10
5	No current asthma, nothing happened past year, skip filled	608	20.11	22.97
7	Don't know	42	1.39	0.46
9	Refused	11	0.36	0.19

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 86-88

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.7 During the past 12 months how many times did [he/she] see a doctor or other health professional for a routine checkup for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,584	52.38	53.58
666	No MD visit past year, skip filled	1,066	35.25	34.57
777	Don't know	36	1.19	0.84
888	None	335	11.08	10.99
999	Refused	3	0.10	0.03

EMERGENCY ROOM VISIT

Survey: CHILD Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illnesses or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.8 During the past 12 months, has [child's name] had to visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	349	11.54	12.64
2	No	1,586	52.45	52.55
6	No MD visit past year, skip filled	1,066	35.25	34.57
7	Don't know	20	0.66	0.21
9	Refused	3	0.10	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NUMBER OF EMERGENCY ROOM VISITS

Survey: CHILD Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.9 During the past 12 months, how many times did [he/she] visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	344	11.38	12.56
666	No MD visit past year, skip filled	1,066	35.25	34.57
677	MD visit, no ER visit past year, skip filled	1,586	52.45	52.55
777	Don't know	24	0.79	0.26
999	Refused	4	0.13	0.06

NUMBER OF URGENT VISITS

Survey: CHILD Asthma Call-Back

Column: 93-95

Type: NUM

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.10 During the past 12 months, how many times did [child's name] see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	666	22.02	23.07
666	No MD visit past year, skip filled	1,066	35.25	34.57
777	Don't know	31	1.03	0.80
888	None	1,259	41.63	41.54
999	Refused	2	0.07	0.03

HOSPITAL VISIT

Survey: CHILD Asthma Call-Back

Column: 96

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.11 During the past 12 months, that is since [one year ago today], has [child's name] had to stay overnight in a hospital because of [his/her] asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	2.25	2.39
2	No	1,773	58.63	60.85
6	No MD visit past year, skip filled	1,066	35.25	34.57
7	Don't know	114	3.77	2.17
9	Refused	3	0.10	0.03

NUMBER OF HOSPITAL VISITS

Survey: CHILD Asthma Call-Back

Column: 97-99

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.12 During the past 12 months, how many different times did [he/she] stay in any hospital overnight or longer because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	67	2.22	2.38
455	MD visit, symptoms, no hospital visit past year, skip filled	1,773	58.63	60.85
666	No MD visit past year, skip filled	1,066	35.25	34.57
777	Don't know	115	3.80	2.17
999	Refused	3	0.10	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

HOSPITAL FOLLOW-UP

Survey: CHILD Asthma Call-Back

Column: 100-101

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.13 The last time [he/she] left the hospital, did a health professional talk with you or [child's name] about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	57	1.88	2.18
2	No	11	0.36	0.21
6	No MD visit past year, skip filled	1,066	35.25	34.57
7	Don't know	114	3.77	2.17
9	Refused	3	0.10	0.03
45	MD visit, symptoms, no hospital visit past year, skip filled	1,773	58.63	60.85

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,374	78.51	79.88
2	No	596	19.71	19.37
7	Don't know/Not sure	51	1.69	0.72
9	Refused	3	0.10	0.03

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: CHILD Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,511	83.04	83.96
2	No	458	15.15	14.60
7	Don't know/Not sure	52	1.72	1.41
9	Refused	3	0.10	0.03

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: CHILD Asthma Call-Back

Column: 105

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly [child's name] can blow air out of [his/her] lungs. Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust [his/her] daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,247	41.24	41.46
2	No	1,730	57.21	57.83
7	Don't know/Not sure	43	1.42	0.68
9	Refused	4	0.13	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: CHILD Asthma Call-Back

Column: 106

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you or [child's name] an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,178	38.96	39.39
2	No	1,749	57.84	58.05
7	Don't know/Not sure	93	3.08	2.53
9	Refused	4	0.13	0.04

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: CHILD Asthma Call-Back

Column: 107

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you or [child's name] ever taken a course or class on how to manage [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	360	11.90	12.53
2	No	2,627	86.87	87.09
7	Don't know/Not sure	34	1.12	0.36
9	Refused	3	0.10	0.03

AIR CLEANER USED

Survey: CHILD Asthma Call-Back

Column: 109

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier can filter out pollutants like dust, pollen, mold and chemicals. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside [child's name]'s home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	843	27.88	27.49
2	No	2,169	71.73	72.29
7	Don't know/Not sure	9	0.30	0.19
9	Refused	3	0.10	0.03

DEHUMIDIFIER USED

Survey: CHILD Asthma Call-Back

Column: 110

Type: NUM

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	881	29.13	28.91
2	No	2,130	70.44	70.47
7	Don't know/Not sure	10	0.33	0.59
9	Refused	3	0.10	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

EXHAUST FAN USED

Survey: CHILD Asthma Call-Back

Column: 111

Type: NUM

SAS Variable Name: KITC_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in the kitchen in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,779	58.83	61.59
2	No	1,231	40.71	38.09
7	Don't know/Not sure	11	0.36	0.29
9	Refused	3	0.10	0.03

GAS USED

Survey: CHILD Asthma Call-Back

Column: 112

Type: NUM

SAS Variable Name: COOK_GAS

Prologue:

Description: Q7.4 Is gas used for cooking in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,225	40.51	48.86
2	No	1,793	59.29	51.09
7	Don't know/Not sure	3	0.10	0.02
9	Refused	3	0.10	0.03

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 113

Type: NUM

SAS Variable Name: ENV_MOLD

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside [his/her] home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	316	10.45	9.12
2	No	2,695	89.12	90.37
7	Don't know/Not sure	10	0.33	0.48
9	Refused	3	0.10	0.03

INDOOR PETS

Survey: CHILD Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: ENV_PETS

Prologue:

Description: Q7.6 Does [child's name]'s home have pets such as dogs, cats, hamsters, birds, or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,902	62.90	58.67
2	No	1,117	36.94	41.27
9	Refused	5	0.17	0.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PETS ALLOWED IN BEDROOM

Survey: CHILD Asthma Call-Back

Column: 115

Prologue:

Description: Q7.7 Is the pet allowed in [his/her] bedroom?

Type: NUM

SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,272	42.06	36.28
2	No	611	20.21	21.68
3	Some are/some aren't	15	0.50	0.59
6	No pets, skip coded	1,122	37.10	41.33
7	Don't know	3	0.10	0.08
9	Refused	1	0.03	0.04

SAW COCKROACH INSIDE HOME PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 116

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside [child's name]'s home?

Type: NUM

SAS Variable Name: C_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	280	9.26	9.39
2	No	2,737	90.51	90.55
7	Don't know/Not sure	3	0.10	0.03
9	Refused	4	0.13	0.03

SAW MICE OR RATS INSIDE HOME PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 117

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside [his/her] home? Do not include mice or rats kept as pets.

Type: NUM

SAS Variable Name: C_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	204	6.75	4.78
2	No	2,813	93.02	95.03
7	Don't know/Not sure	4	0.13	0.17
9	Refused	3	0.10	0.03

FIREPLACE OR WOOD STOVE USED

Survey: CHILD Asthma Call-Back

Column: 118

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in [child's name]'s home?

Type: NUM

SAS Variable Name: WOOD_STOVE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	650	21.49	21.83
2	No	2,367	78.27	78.03
7	Don't know/Not sure	4	0.13	0.11
9	Refused	3	0.10	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

GAS APPLIANCE USED

Survey: CHILD Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stoves used in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	187	6.18	6.58
2	No	2,824	93.39	93.15
7	Don't know/Not sure	10	0.33	0.24
9	Refused	3	0.10	0.03

ANYONE SMOKED INSIDE CHILD'S HOME

Survey: CHILD Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	348	11.51	10.55
2	No	2,667	88.19	89.35
7	Don't know/Not sure	5	0.17	0.06
9	Refused	4	0.13	0.03

EVER ADVISED CHANGE THINGS IN CHILD'S HOME

Survey: CHILD Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in [his/her] home, school, or work to improve [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,244	41.14	40.67
2	No	1,764	58.33	58.88
7	Don't know/Not sure	12	0.40	0.35
9	Refused	4	0.13	0.09

USE A MATTRESS COVER

Survey: CHILD Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Does [he/she] use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	960	31.75	32.30
2	No	2,012	66.53	66.21
7	Don't know/Not sure	47	1.55	1.40
9	Refused	5	0.17	0.10

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

USE A PILLOW COVER

Survey: CHILD Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Does [he/she] use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	939	31.05	31.53
2	No	2,067	68.35	68.02
7	Don't know/Not sure	14	0.46	0.36
9	Refused	4	0.13	0.09

CARPETING OR RUGS IN CHILD'S BEDROOM

Survey: CHILD Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Does [he/she] have carpeting or rugs in [his/her] bedroom? This does not include throw rugs small enough to be laundered.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,140	70.77	70.98
2	No	877	29.00	28.90
7	Don't know/Not sure	2	0.07	0.02
9	Refused	5	0.17	0.10

WASH WATER TEMPERATURE

Survey: CHILD Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are [his/her] sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	659	21.79	18.05
2	Warm	1,056	34.92	35.75
3	Hot	1,170	38.69	41.48
4	Varies	85	2.81	3.66
7	Don't know/Not sure	50	1.65	0.97
9	Refused	4	0.13	0.09

USE AN EXHAUST FAN IN CHILD'S BATHROOM

Survey: CHILD Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In [child's name]'s bathroom, does [he/she] regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,587	52.48	52.62
2	No or "No fan"	1,402	46.36	46.47
7	Don't know/Not sure	30	0.99	0.81
9	Refused	5	0.17	0.11

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

EVER USED OVER-THE-COUNTER MEDICATION

Survey: CHILD Asthma Call-Back

Column: 128

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to [child's name]'s medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Has [child's name] ever used over-the-counter medication for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	484	16.01	14.58
2	No	2,473	81.78	83.29
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know	27	0.89	0.66
9	Refused	7	0.23	0.16

EVER USED PRESCRIPTION INHALER

Survey: CHILD Asthma Call-Back

Column: 129

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Has [he/she] ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,537	83.90	81.66
2	No	436	14.42	16.72
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know	9	0.30	0.11
9	Refused	9	0.30	0.20

PROFESSIONAL INHALER INSTRUCTION

Survey: CHILD Asthma Call-Back

Column: 130

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a health professional show [him/her] how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,422	80.09	78.18
2	No	99	3.27	3.06
5	Never took asthma medication, skip filled	33	1.09	1.31
6	Never used prescription inhaler, skip filled	454	15.01	17.03
7	Don't know	16	0.53	0.41

INHALER USE WATCHED

Survey: CHILD Asthma Call-Back

Column: 131

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch [him/her] use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,056	67.99	64.26
2	No	365	12.07	14.69
5	Never took asthma medication, skip filled	33	1.09	1.31
6	Never used prescription inhaler, skip filled	454	15.01	17.03
7	Don't know	116	3.84	2.71

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

MEDICATION IN HAND

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 132

SAS Variable Name: SCR_MED1

Prologue: Now I am going to ask questions about specific prescription medications [child's name] may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often [he/she] takes each medicine.

Description: Q8.5 It will help to get [child's name]'s medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	929	30.72	29.42
2	No	67	2.22	3.01
3	Respondent knows the meds	492	16.27	15.78
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know	16	0.53	0.48
9	Refused	8	0.26	0.40

HAVE ALL THE MEDICATIONS

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 134-135

SAS Variable Name: SCR_MED3

Prologue:

Description: Q8.7 Do you have all the medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	861	28.47	26.18
2	Yes, I have some of the medications but not all	50	1.65	2.05
3	No	13	0.43	0.41
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know	5	0.17	0.77
10	Know or no handy asthma medicines, skip filled	583	19.28	19.66

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 136

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months has [child's name] taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	1,160	38.36	36.65
2	No inhaler in past 3 months	181	5.99	5.79
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
6	Asthma med. past 3 months, never used inhaler, skip filled	153	5.06	6.17
7	Don't know	7	0.23	0.10
9	Refused	11	0.36	0.37

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, has [he/she] taken any prescription medicine in pill form for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	557	18.42	17.05
2	No pills in past 3 months	943	31.18	31.73
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know	7	0.23	0.19
9	Refused	5	0.17	0.10

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, has [he/she] taken prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	99	3.27	4.84
2	No syrup in past 3 months	1,405	46.46	43.95
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know	3	0.10	0.19
9	Refused	5	0.17	0.10

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that [child's name] breathes through continuously.

Description: Q8.25 In the past 3 months, were any of [child's name]'s prescription asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	561	18.55	19.06
2	No nebulizer in past 3 months	944	31.22	29.90
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know	4	0.13	0.02
9	Refused	3	0.10	0.10

NEBULIZER AT HOME

Survey: CHILD Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where [child's name] might have used a nebulizer. Please answer "yes" if [he/she] used a nebulizer in the place I mention; otherwise answer "no." In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26a . . . at home ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	529	17.49	18.03
2	No	24	0.79	0.52
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know/Not sure	8	0.26	0.51
8	No neb. in past 3 months, skip filled	951	31.45	30.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEBULIZER AT DOCTOR'S OFFICE

Survey: CHILD Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	161	5.32	5.80
2	No	390	12.90	12.67
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know/Not sure	10	0.33	0.59
8	No neb. in past 3 months, skip filled	951	31.45	30.02

NEBULIZER IN EMERGENCY ROOM

Survey: CHILD Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	119	3.94	5.06
2	No	433	14.32	13.49
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know/Not sure	9	0.30	0.52
8	No neb. in past 3 months, skip filled	951	31.45	30.02

NEBULIZER AT WORK OR SCHOOL

Survey: CHILD Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	80	2.65	2.77
2	No	471	15.58	15.77
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know/Not sure	10	0.33	0.53
8	No neb. in past 3 months, skip filled	951	31.45	30.02

NEBULIZER AT ANY OTHER PLACE

Survey: CHILD Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	101	3.34	3.13
2	No	449	14.85	15.30
4	No asthma med. past 3 months, skip filled	1,479	48.91	49.61
5	Never took asthma medication, skip filled	33	1.09	1.31
7	Don't know/Not sure	11	0.36	0.63
8	No neb. in past 3 months, skip filled	951	31.45	30.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

COST BARRIER: PRIMARY CARE DOCTOR

Survey: CHILD Asthma Call-Back

Column: 146

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when [child's name] needed to see [his/her] primary care doctor for asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	95	3.14	3.07
2	No	1,889	62.47	59.09
5	No current asthma, skip filled	1,026	33.93	37.61
7	Don't know	8	0.26	0.11
9	Refused	6	0.20	0.12

COST BARRIER: SPECIALIST

Survey: CHILD Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when [child's name] was referred to a specialist for [his/her] asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	1.79	1.42
2	No	1,930	63.82	60.44
5	No current asthma, skip filled	1,026	33.93	37.61
7	Don't know	8	0.26	0.41
9	Refused	6	0.20	0.12

COST BARRIER: MEDICATION

Survey: CHILD Asthma Call-Back

Column: 148

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when [he/she] needed medication for [his/her] asthma, but you could not buy it because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	152	5.03	3.80
2	No	1,835	60.68	58.38
5	No current asthma, skip filled	1,026	33.93	37.61
7	Don't know	5	0.17	0.09
9	Refused	6	0.20	0.12

CURRENT GO TO SCHOOL OUTSIDE HOME

Survey: CHILD Asthma Call-Back

Column: 150

Type: NUM

SAS Variable Name: SCH_STAT

Prologue: Next, we are interested in things that might affect [child's name]'s asthma when [he/she] is not at home.

Description: Q10.1 Does [child's name] currently go to school or preschool outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,731	90.31	89.04
2	No	286	9.46	10.81
7	Don't know/Not sure	1	0.03	0.02
9	Refused	6	0.20	0.12

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

REASON NOT IN SCHOOL NOW

Survey: CHILD Asthma Call-Back

Column: 151

Type: NUM

SAS Variable Name: NO_SCHL

Prologue:

Description: Q10.2 What is the main reason [he/she] is not now in school? [READ RESPONSE CATEGORIES]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not old enough	165	5.46	6.52
2	Home schooled	67	2.22	3.39
3	Unable to attend for health reason	12	0.40	0.31
4	On vacation or break	17	0.56	0.18
5	Other	25	0.83	0.41
6	Now goes to outside school, skip filled	2,731	90.31	89.04
7	Don't know/Not sure	1	0.03	0.02
9	Refused	6	0.20	0.12

GONE TO OUTSIDE SCHOOL PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: SCHL_12

Prologue:

Description: Q10.3 Has [child's name] gone to school in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	0.96	0.45
2	No	24	0.79	0.45
3	Home school, skip filled	67	2.22	3.39
5	Not old enough for school, skip filled	165	5.46	6.52
6	Now goes to outside school, skip filled	2,731	90.31	89.04
7	Don't know	2	0.07	0.02
9	Refused	6	0.20	0.12

WHAT GRADE WAS CHILD IN LAST TIME

Survey: CHILD Asthma Call-Back

Column: 153-154

Type: NUM

SAS Variable Name: SCHGRADE

Prologue:

Description: Q10.4 What grade was [he/she] in the last time [he/she] was in school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Grade	2,492	82.41	82.10
44	No school past year, skip filled	24	0.79	0.45
55	Not old enough for school, skip filled	165	5.46	6.52
66	Kindergarten	134	4.43	4.02
77	Don't know	8	0.26	0.11
88	Preschool	189	6.25	6.51
99	Refused	12	0.40	0.28

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

HOW MANY DAYS MISSED SCHOOL

Survey: CHILD Asthma Call-Back

Column: 155-157

Type: NUM

SAS Variable Name: MISS_SCHL

Prologue:

Description: Q10.5 During the past 12 months, about how many days of school did [he/she] miss because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	771	25.50	25.06
444	No school past year, skip filled	24	0.79	0.45
555	Not old enough for school, skip filled	165	5.46	6.52
666	No current asthma, skip filled	971	32.11	35.28
777	Don't know	74	2.45	3.10
888	None	1,013	33.50	29.46
999	Refused	6	0.20	0.12

WRITTEN ASTHMA ACTION PLAN IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: SCH_APL

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q10.6 Does [child's name] have a written asthma action plan or asthma management plan on file at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	687	22.72	19.71
2	No	1,023	33.83	33.14
3	Home school, skip filled	67	2.22	3.39
4	No school past year, skip filled	24	0.79	0.45
5	Not old enough for school, skip filled	165	5.46	6.52
6	No current asthma, skip filled	950	31.42	34.35
7	Don't know	101	3.34	2.30
9	Refused	7	0.23	0.13

ASTHMA MEDICATION ALLOWED WITH CHILD IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: SCH_MED

Prologue:

Description: Q10.7 Does the school [he/she] goes to allow children with asthma to carry their medication with them while at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	837	27.68	24.21
2	No	751	24.83	24.84
3	Home school, skip filled	67	2.22	3.39
4	No school past year, skip filled	24	0.79	0.45
5	Not old enough for school, skip filled	165	5.46	6.52
6	No current asthma, skip filled	950	31.42	34.35
7	Don't know	224	7.41	6.11
9	Refused	6	0.20	0.12

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PETS IN CLASSROOM

Survey: CHILD Asthma Call-Back

Column: 160

Type: NUM

SAS Variable Name: SCH_ANML

Prologue:

Description: Q10.8 Are there any pets such as dogs, cats, hamsters, birds or other feathered or furry pets in [his/her] classroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	138	4.56	4.60
2	No	2,447	80.92	79.30
3	Home school, skip filled	67	2.22	3.39
4	No school past year, skip filled	24	0.79	0.45
5	Not old enough for school, skip filled	165	5.46	6.52
7	Don't know	176	5.82	5.60
9	Refused	7	0.23	0.13

AWARE OF MOLD PROBLEM IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 161

Type: NUM

SAS Variable Name: SCH_MOLD

Prologue:

Description: Q10.9 Are you aware of any mold problems in [child's name]'s school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	86	2.84	1.83
2	No	2,621	86.67	86.25
3	Home school, skip filled	67	2.22	3.39
4	No school past year, skip filled	24	0.79	0.45
5	Not old enough for school, skip filled	165	5.46	6.52
7	Don't know	54	1.79	1.43
9	Refused	7	0.23	0.13

GO TO DAYCARE OUTSIDE HOME

Survey: CHILD Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: DAYCARE

Prologue:

Description: Q10.10 Does [child's name] go to day care outside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	244	8.07	8.92
2	No	841	27.81	32.20
3	Home school, skip filled	67	2.22	3.39
6	Over age ten, skip filled	1,795	59.36	52.84
7	Don't know	74	2.45	2.62
9	Refused	3	0.10	0.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

WENT TO DAYCARE PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 163

Prologue:

Description: Q10.11 Has [he/she] gone to daycare in the past 12 months?

Type: NUM
SAS Variable Name: DAYCARE1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	91	3.01	3.02
2	No	749	24.77	29.17
3	Home school, skip filled	67	2.22	3.39
5	Go to daycare now, skip filled	244	8.07	8.92
6	Over age ten, skip filled	1,795	59.36	52.84
7	Don't know	75	2.48	2.63
9	Refused	3	0.10	0.04

DAYS MISSED DAYCARE BECAUSE OF ASTHMA

Survey: CHILD Asthma Call-Back

Column: 164-167

Prologue:

Description: Q10.12 During the past 12 months, about how many days of daycare did [he/she] miss because of [his/her] asthma?

Type: NUM
SAS Variable Name: MISS_DCAR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	106	3.51	3.20
444	No current asthma, skip filled	122	4.03	5.30
555	No daycare past year, skip filled	749	24.77	29.17
666	Over age ten, skip filled	1,795	59.36	52.84
777	Don't know	60	1.98	2.73
888	Zero	123	4.07	3.35
999	Refused	2	0.07	0.02
3333	Home school, skip filled	67	2.22	3.39

WRITTEN ASTHMA ACTION PLAN IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 168

Prologue:

Description: Q10.13 Does [child's name] have a written asthma action plan or asthma management plan on file at the daycare [he/she] went to last?

Type: NUM
SAS Variable Name: DCARE_APL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	75	2.48	2.42
2	No	159	5.26	4.79
3	Home school, skip filled	67	2.22	3.39
4	No current asthma, skip filled	122	4.03	5.30
5	No daycare past year, skip filled	749	24.77	29.17
6	Over age ten, skip filled	1,795	59.36	52.84
7	Don't know	54	1.79	2.04
9	Refused	3	0.10	0.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PETS IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 169

Prologue:

Type: NUM

SAS Variable Name: DCARE_ANML

Description: Q10.14 Are there any pets such as dogs, cats, hamsters, birds, or other feathered or furry pets in [his/her] room at daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	70	2.31	1.63
2	No	219	7.24	8.45
3	Home school, skip filled	67	2.22	3.39
5	No daycare past year, skip filled	749	24.77	29.17
6	Over age ten, skip filled	1,795	59.36	52.84
7	Don't know	120	3.97	4.44
9	Refused	4	0.13	0.07

AWARE OF MOLD PROBLEM IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 170

Prologue:

Type: NUM

SAS Variable Name: DCARE_MLD

Description: Q10.15 Are you aware of any mold problems in [his/her] daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.10	0.10
2	No	284	9.39	10.08
3	Home school, skip filled	67	2.22	3.39
5	No daycare past year, skip filled	749	24.77	29.17
6	Over age ten, skip filled	1,795	59.36	52.84
7	Don't know	122	4.03	4.36
9	Refused	4	0.13	0.07

SMOKING ALLOWED IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 171

Prologue:

Type: NUM

SAS Variable Name: DCARE_SMK

Description: Q10.16 Is smoking allowed at [his/her] daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.13	0.15
2	No	285	9.42	9.92
3	Home school, skip filled	67	2.22	3.39
5	No daycare past year, skip filled	749	24.77	29.17
6	Over age ten, skip filled	1,795	59.36	52.84
7	Don't know	120	3.97	4.46
9	Refused	4	0.13	0.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

USED HERBS TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 173

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, has [he/she] used . . . to control asthma?

Description: Q11.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	1.59	2.22
2	No	1,892	62.65	50.45
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	50	1.66	9.55
9	Refused	4	0.13	0.08
BLANK	Partial complete	4		

USED VITAMINS TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 174

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q11.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	140	4.64	4.46
2	No	1,797	59.50	48.20
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	53	1.75	9.56
9	Refused	4	0.13	0.08
BLANK	Partial complete	4		

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 175

Type: NUM

SAS Variable Name: CAM_PUNC

Prologue:

Description: Q11.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.20	0.06
2	No	1,934	64.04	52.56
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	50	1.66	9.60
9	Refused	4	0.13	0.08
BLANK	Partial complete	4		

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 176

Type: NUM

SAS Variable Name: CAM_PRES

Prologue:

Description: Q11.4 . . . acupressure . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	0.40	0.28
2	No	1,926	63.77	52.29
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	52	1.72	9.66
9	Refused	4	0.13	0.08
BLANK	Partial complete	4		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 177

Prologue:

Description: Q11.5 ... aromatherapy ...

Type: NUM
SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	61	2.02	2.03
2	No	1,878	62.19	50.65
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	51	1.69	9.55
9	Refused	4	0.13	0.08
BLANK	Partial complete	4		

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 178

Prologue:

Description: Q11.6 ... homeopathy ...

Type: NUM
SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	1.13	1.46
2	No	1,900	62.91	51.09
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	55	1.82	9.66
9	Refused	5	0.17	0.10
BLANK	Partial complete	4		

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 179

Prologue:

Description: Q11.7 ... reflexology ...

Type: NUM
SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.33	0.49
2	No	1,927	63.81	52.13
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	51	1.69	9.56
9	Refused	6	0.20	0.13
BLANK	Partial complete	4		

USED YOGA TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 180

Prologue:

Description: Q11.8 ... yoga ...

Type: NUM
SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	0.46	0.25
2	No	1,925	63.74	52.42
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	50	1.66	9.54
9	Refused	5	0.17	0.10
BLANK	Partial complete	4		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

USED BREATHING TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 181

Prologue:

Description: Q11.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	294	9.74	7.38
2	No	1,635	54.14	45.20
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	60	1.99	9.64
9	Refused	5	0.17	0.10
BLANK	Partial complete	4		

USED NATUROPATHY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 182

Prologue:

Description: Q11.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	0.63	0.30
2	No	1,917	63.48	52.30
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	53	1.75	9.61
9	Refused	5	0.17	0.10
BLANK	Partial complete	4		

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 183

Prologue:

Description: Q11.11 Besides the types I have just asked about, has [child's name] used any other type of alternative care for [his/her] asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	136	4.50	4.71
2	No	1,805	59.77	49.48
5	No current asthma, skip filled	1,026	33.97	37.69
7	Don't know	48	1.59	8.03
9	Refused	5	0.17	0.10
BLANK	Partial complete	4		

TEXT FOR OTHER TYPE CARE

Survey: CHILD Asthma Call-Back

Column: 184-283

Prologue:

Description: Q11.12 What else has [child's name] used?

Type: CHAR

SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		2,886		
HIDDEN	Text field - up to 100 characters	138	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

HEIGHT OF CHILD

Survey: CHILD Asthma Call-Back

Column: 285-288

Prologue:

Description: Q12.1 How tall is [child's name]?

Type: CHAR
SAS Variable Name: HEIGHT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Partial complete	4		
HIDDEN		3,020	100.00	100.00

WEIGHT OF CHILD

Survey: CHILD Asthma Call-Back

Column: 289-292

Prologue:

Description: Q12.2 How much does [he/she] weigh?

Type: CHAR
SAS Variable Name: WEIGHT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Partial complete	4		
HIDDEN		3,020	100.00	100.00

BIRTH WEIGHT

Survey: CHILD Asthma Call-Back

Column: 293-298

Prologue:

Description: Q12.3 How much did [he/she] weigh at birth (in pounds)?

Type: CHAR
SAS Variable Name: BIRTHW1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Partial complete	4		
HIDDEN		3,020	100.00	100.00

WHETHER BIRTH WEIGHT LESS THAN 5.5 POUNDS

Survey: CHILD Asthma Call-Back

Column: 299

Prologue:

Description: Q12.4 At birth, did [child's name] weigh less than 5 ½ pounds?

Type: NUM
SAS Variable Name: BIRTHRF

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Partial complete	4	2.05	2.81
1	Yes	12	6.15	17.78
2	No	104	53.33	28.87
7	Don't know	41	21.03	31.33
9	Refused	34	17.44	19.20
BLANK	Have reported birth weight	2,829		

LANGUAGE IDENTIFIER

Survey: CHILD Asthma Call-Back

Column: 300-301

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM
SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	2,372	97.41	94.79
2	Spanish	63	2.59	5.21
BLANK	Not asked or missing	589		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

END OF THE RAW CALL BACK DATA

Survey: CHILD Asthma Call-Back

Column: 302

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM
SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,024	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFS AND CALL BACK

Survey: CHILD Asthma Call-Back

Column: 304

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFS (ASTHMA2) AND CALL BACK (EVER_ASTH)

Type: NUM
SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,024	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFS AND CALL BACK

Survey: CHILD Asthma Call-Back

Column: 305

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Type: NUM
SAS Variable Name: _CUR_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,998	66.07	62.39
2	No	951	31.45	35.85
7	Don't know/Not sure	75	2.48	1.76

RELATIONSHIP TO CHILD COMBINED BRFS

Survey: CHILD Asthma Call-Back

Column: 306

Prologue:

Description: RELATIONSHIP TO CHILD COMBINED BRFS

Type: NUM
SAS Variable Name: RELATED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parents	2,885	95.40	95.24
2	Guardian	47	1.55	0.93
3	Other relative	74	2.45	3.32
4	Unrelated	8	0.26	0.29
7	Don't know	10	0.33	0.21

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: CHILD Asthma Call-Back

Column: 853

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM
SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	2,881	95.27	94.74
1	AGEDS is greater than AGE	10	0.33	0.45
2	AGE, AGEDX and INCIDNT are inconsistent	133	4.40	4.82

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ADVAIR

Survey: CHILD Asthma Call-Back

Column: 308

Prologue:

Description: ADVAIR

Type: NUM

SAS Variable Name: INHALER_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
233	7.71	6.76
2,791	92.29	93.24

AEROBID

Survey: CHILD Asthma Call-Back

Column: 309

Prologue:

Description: AEROBID

Type: NUM

SAS Variable Name: INHALER_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.03
3,022	99.93	99.97

ALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 310

Prologue:

Description: ALBUTEROL

Type: NUM

SAS Variable Name: INHALER_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
880	29.10	28.19
2,144	70.90	71.81

ALUPENT

Survey: CHILD Asthma Call-Back

Column: 311

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

ATROVENT

Survey: CHILD Asthma Call-Back

Column: 312

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.13	0.22
3,020	99.87	99.78

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

AZMACORT

Survey: CHILD Asthma Call-Back
Column: 313
Prologue:
Description: AZMACORT

Type: NUM
SAS Variable Name: INHALER_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.20	0.13
3,018	99.80	99.87

BECLOMETHASONE DIPROPIONATE

Survey: CHILD Asthma Call-Back
Column: 314
Prologue:
Description: BECLOMETHASONE DIPROPIONATE

Type: NUM
SAS Variable Name: INHALER_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.02
3,023	99.97	99.98

BECLOVENT

Survey: CHILD Asthma Call-Back
Column: 315
Prologue:
Description: BECLOVENT

Type: NUM
SAS Variable Name: INHALER_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

BITOLTEROL

Survey: CHILD Asthma Call-Back
Column: 316
Prologue:
Description: BITOLTEROL

Type: NUM
SAS Variable Name: INHALER_ID_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

BRETHAIRE

Survey: CHILD Asthma Call-Back
Column: 317
Prologue:
Description: BRETHAIRE

Type: NUM
SAS Variable Name: INHALER_ID_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

BUDESONIDE

Survey: CHILD Asthma Call-Back
Column: 318
Prologue:
Description: BUDESONIDE

Type: NUM
SAS Variable Name: INHALER_ID_11

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

COMBIVENT

Survey: CHILD Asthma Call-Back

Column: 319

Prologue:

Description: COMBIVENT

Type: NUM

SAS Variable Name: INHALER_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.13	0.10
3,020	99.87	99.90

CROMOLYN

Survey: CHILD Asthma Call-Back

Column: 320

Prologue:

Description: CROMOLYN

Type: NUM

SAS Variable Name: INHALER_ID_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

FLOVENT

Survey: CHILD Asthma Call-Back

Column: 321

Prologue:

Description: FLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
198	6.55	6.07
2,826	93.45	93.93

FLOVENT ROTADISK

Survey: CHILD Asthma Call-Back

Column: 322

Prologue:

Description: FLOVENT ROTADISK

Type: NUM

SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.10	0.05
3,021	99.90	99.95

FLUNISOLIDE

Survey: CHILD Asthma Call-Back

Column: 323

Prologue:

Description: FLUNISOLIDE

Type: NUM

SAS Variable Name: INHALER_ID_16

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FLUTICASONE

Survey: CHILD Asthma Call-Back
Column: 324
Prologue:
Description: FLUTICASONE

Type: NUM
SAS Variable Name: INHALER_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.23	0.31
3,017	99.77	99.69

INTAL

Survey: CHILD Asthma Call-Back
Column: 325
Prologue:
Description: INTAL

Type: NUM
SAS Variable Name: INHALER_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.17	0.14
3,019	99.83	99.86

IPRATROPIUM BROMIDE

Survey: CHILD Asthma Call-Back
Column: 326
Prologue:
Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.01
3,023	99.97	99.99

MAXAIR

Survey: CHILD Asthma Call-Back
Column: 327
Prologue:
Description: MAXAIR

Type: NUM
SAS Variable Name: INHALER_ID_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
20	0.66	0.47
3,004	99.34	99.53

METAPROTERONOL

Survey: CHILD Asthma Call-Back
Column: 328
Prologue:
Description: METAPROTERONOL

Type: NUM
SAS Variable Name: INHALER_ID_21

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEDOCROMIL

Survey: CHILD Asthma Call-Back
Column: 329
Prologue:
Description: NEDOCROMIL

Type: NUM
SAS Variable Name: INHALER_ID_22

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.02
3,023	99.97	99.98

PIRBUTEROL

Survey: CHILD Asthma Call-Back
Column: 330
Prologue:
Description: PIRBUTEROL

Type: NUM
SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.12
3,022	99.93	99.88

PROVENTIL

Survey: CHILD Asthma Call-Back
Column: 331
Prologue:
Description: PROVENTIL

Type: NUM
SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
39	1.29	1.29
2,985	98.71	98.71

PULMICORT TURBUHALER

Survey: CHILD Asthma Call-Back
Column: 332
Prologue:
Description: PULMICORT TURBUHALER

Type: NUM
SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
62	2.05	1.98
2,962	97.95	98.02

SALMETEROL

Survey: CHILD Asthma Call-Back
Column: 333
Prologue:
Description: SALMETEROL

Type: NUM
SAS Variable Name: INHALER_ID_26

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

SEREVENT

Survey: CHILD Asthma Call-Back
Column: 334
Prologue:
Description: SEREVENT

Type: NUM
SAS Variable Name: INHALER_ID_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.17	0.13
3,019	99.83	99.87

TERBUTALINE

Survey: CHILD Asthma Call-Back
Column: 335
Prologue:
Description: TERBUTALINE

Type: NUM
SAS Variable Name: INHALER_ID_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

TILADE

Survey: CHILD Asthma Call-Back
Column: 336
Prologue:
Description: TILADE

Type: NUM
SAS Variable Name: INHALER_ID_29

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

TORNALATE

Survey: CHILD Asthma Call-Back
Column: 337
Prologue:
Description: TORNALATE

Type: NUM
SAS Variable Name: INHALER_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

TRIAMCINOLONE ACETONIDE

Survey: CHILD Asthma Call-Back
Column: 338
Prologue:
Description: TRIAMCINOLONE ACETONIDE

Type: NUM
SAS Variable Name: INHALER_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

VANCERIL

Survey: CHILD Asthma Call-Back
Column: 339
Prologue:
Description: VANCERIL

Type: NUM
SAS Variable Name: INHALER_ID_32

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

VENTOLIN

Survey: CHILD Asthma Call-Back
Column: 340
Prologue:
Description: VENTOLIN

Type: NUM
SAS Variable Name: INHALER_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	0.46	0.56
3,010	99.54	99.44

FORADIL

Survey: CHILD Asthma Call-Back
Column: 341
Prologue:
Description: FORADIL

Type: NUM
SAS Variable Name: INHALER_ID_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.23	0.17
3,017	99.77	99.83

FORMOTEROL

Survey: CHILD Asthma Call-Back
Column: 342
Prologue:
Description: FORMOTEROL

Type: NUM
SAS Variable Name: INHALER_ID_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

QVAR

Survey: CHILD Asthma Call-Back
Column: 343
Prologue:
Description: QVAR

Type: NUM
SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
28	0.93	1.40
2,996	99.07	98.60

OTHER INHALER

Survey: CHILD Asthma Call-Back
Column: 344
Prologue:
Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM
SAS Variable Name: OTHER_INHALER

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
26	0.86	0.56
2,998	99.14	99.44

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL ACCOLATE

Survey: CHILD Asthma Call-Back
Column: 345
Prologue:
Description: PILL ACCOLATE

Type: NUM
SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.10	0.03
3,021	99.90	99.97

PILL AEROLATE

Survey: CHILD Asthma Call-Back
Column: 346
Prologue:
Description: PILL AEROLATE

Type: NUM
SAS Variable Name: PILLS_ID_2

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL ALBUTEROL

Survey: CHILD Asthma Call-Back
Column: 347
Prologue:
Description: PILL ALBUTEROL

Type: NUM
SAS Variable Name: PILLS_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.10	0.08
3,021	99.90	99.92

PILL ALUPENT

Survey: CHILD Asthma Call-Back
Column: 348
Prologue:
Description: PILL ALUPENT

Type: NUM
SAS Variable Name: PILLS_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL CHOLEDYL

Survey: CHILD Asthma Call-Back
Column: 349
Prologue:
Description: PILL CHOLEDYL

Type: NUM
SAS Variable Name: PILLS_ID_5

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL DELTASONE

Survey: CHILD Asthma Call-Back
Column: 350
Prologue:
Description: PILL DELTASONE

Type: NUM
SAS Variable Name: PILLS_ID_7

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL ELIXOPHYLLIN

Survey: CHILD Asthma Call-Back
Column: 351
Prologue:
Description: PILL ELIXOPHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL MARAX

Survey: CHILD Asthma Call-Back
Column: 352
Prologue:
Description: PILL MARAX

Type: NUM
SAS Variable Name: PILLS_ID_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL MEDROL

Survey: CHILD Asthma Call-Back
Column: 353
Prologue:
Description: PILL MEDROL

Type: NUM
SAS Variable Name: PILLS_ID_11

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL METAPREL

Survey: CHILD Asthma Call-Back
Column: 354
Prologue:
Description: PILL METAPREL

Type: NUM
SAS Variable Name: PILLS_ID_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL METAPROTERONOL

Survey: CHILD Asthma Call-Back
Column: 355
Prologue:
Description: PILL METAPROTERONOL

Type: NUM
SAS Variable Name: PILLS_ID_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL METHYLPREDNISOLONE

Survey: CHILD Asthma Call-Back
Column: 356
Prologue:
Description: PILL METHYLPREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.00
3,023	99.97	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL MONTELUKAST

Survey: CHILD Asthma Call-Back

Column: 357

Prologue:

Description: PILL MONTELUKAST

Type: NUM

SAS Variable Name: PILLS_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.10	0.19
3,021	99.90	99.81

PILL PEDIAPRED

Survey: CHILD Asthma Call-Back

Column: 358

Prologue:

Description: PILL PEDIAPRED

Type: NUM

SAS Variable Name: PILLS_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL PREDNISOLONE

Survey: CHILD Asthma Call-Back

Column: 359

Prologue:

Description: PILL PREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.04
3,022	99.93	99.96

PILL PREDNISONONE

Survey: CHILD Asthma Call-Back

Column: 360

Prologue:

Description: PILL PREDNISONONE

Type: NUM

SAS Variable Name: PILLS_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
26	0.86	1.29
2,998	99.14	98.71

PILL PRELONE

Survey: CHILD Asthma Call-Back

Column: 361

Prologue:

Description: PILL PRELONE

Type: NUM

SAS Variable Name: PILLS_ID_20

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL PROVENTIL

Survey: CHILD Asthma Call-Back
Column: 362
Prologue:
Description: PILL PROVENTIL

Type: NUM
SAS Variable Name: PILLS_ID_21

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL QUIBRON

Survey: CHILD Asthma Call-Back
Column: 363
Prologue:
Description: PILL QUIBRON

Type: NUM
SAS Variable Name: PILLS_ID_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL RESPID

Survey: CHILD Asthma Call-Back
Column: 364
Prologue:
Description: PILL RESPID

Type: NUM
SAS Variable Name: PILLS_ID_23

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL SINGULAIR

Survey: CHILD Asthma Call-Back
Column: 365
Prologue:
Description: PILL SINGULAIR

Type: NUM
SAS Variable Name: PILLS_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
502	16.60	14.66
2,522	83.40	85.34

PILL SLO-PHYLLIN

Survey: CHILD Asthma Call-Back
Column: 366
Prologue:
Description: PILL SLO-PHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_25

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL SLO-BID

Survey: CHILD Asthma Call-Back
Column: 367
Prologue:
Description: PILL SLO-BID

Type: NUM
SAS Variable Name: PILLS_ID_26

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007

PILL SUSTAIRE

Survey: CHILD Asthma Call-Back
Column: 368
Prologue:
Description: PILL SUSTAIRE

Type: NUM
SAS Variable Name: PILLS_ID_27

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL THEO-24

Survey: CHILD Asthma Call-Back
Column: 369
Prologue:
Description: PILL THEO-24

Type: NUM
SAS Variable Name: PILLS_ID_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL THEOBID

Survey: CHILD Asthma Call-Back
Column: 370
Prologue:
Description: PILL THEOBID

Type: NUM
SAS Variable Name: PILLS_ID_29

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL THEOCHRON

Survey: CHILD Asthma Call-Back
Column: 371
Prologue:
Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL THEOCLEAR

Survey: CHILD Asthma Call-Back
Column: 372
Prologue:
Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL THEODUR

Survey: CHILD Asthma Call-Back
Column: 373
Prologue:
Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007

PILL THEO-DUR

Survey: CHILD Asthma Call-Back
Column: 374
Prologue:
Description: PILL THEO-DUR

Type: NUM
SAS Variable Name: PILLS_ID_33

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL THEOLAIR

Survey: CHILD Asthma Call-Back
Column: 375
Prologue:
Description: PILL THEOLAIR

Type: NUM
SAS Variable Name: PILLS_ID_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.17
3,023	99.97	99.83

PILL THEOPHYLLINE

Survey: CHILD Asthma Call-Back
Column: 376
Prologue:
Description: PILL THEOPHYLLINE

Type: NUM
SAS Variable Name: PILLS_ID_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL THEO-SAV

Survey: CHILD Asthma Call-Back
Column: 377
Prologue:
Description: PILL THEO-SAV

Type: NUM
SAS Variable Name: PILLS_ID_36

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL THEOSPAN

Survey: CHILD Asthma Call-Back
Column: 378
Prologue:
Description: PILL THEOSPAN

Type: NUM
SAS Variable Name: PILLS_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL THEOX

Survey: CHILD Asthma Call-Back
Column: 379
Prologue:
Description: PILL THEOX

Type: NUM
SAS Variable Name: PILLS_ID_38

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007

PILL T-PHYL

Survey: CHILD Asthma Call-Back
Column: 380
Prologue:
Description: PILL T-PHYL

Type: NUM
SAS Variable Name: PILLS_ID_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL UNIDUR

Survey: CHILD Asthma Call-Back
Column: 381
Prologue:
Description: PILL UNIDUR

Type: NUM
SAS Variable Name: PILLS_ID_41

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL UNIPHYL

Survey: CHILD Asthma Call-Back
Column: 382
Prologue:
Description: PILL UNIPHYL

Type: NUM
SAS Variable Name: PILLS_ID_42

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL VENTOLIN

Survey: CHILD Asthma Call-Back
Column: 383
Prologue:
Description: PILL VENTOLIN

Type: NUM
SAS Variable Name: PILLS_ID_43

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL VOLMAX

Survey: CHILD Asthma Call-Back
Column: 384
Prologue:
Description: PILL VOLMAX

Type: NUM
SAS Variable Name: PILLS_ID_44

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL ZAFIRLUKAST

Survey: CHILD Asthma Call-Back
Column: 385
Prologue:
Description: PILL ZAFIRLUKAST

Type: NUM
SAS Variable Name: PILLS_ID_45

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL ZILEUTON

Survey: CHILD Asthma Call-Back
Column: 386
Prologue:
Description: PILL ZILEUTON

Type: NUM
SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

PILL ZYFLO FILMTAB

Survey: CHILD Asthma Call-Back
Column: 387
Prologue:
Description: PILL ZYFLO FILMTAB

Type: NUM
SAS Variable Name: PILLS_ID_47

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

OTHER PILLS

Survey: CHILD Asthma Call-Back
Column: 388
Prologue:
Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM
SAS Variable Name: OTHER_PILLS

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.10	0.14
3,021	99.90	99.86

SYRUP AEROLATE

Survey: CHILD Asthma Call-Back
Column: 389
Prologue:
Description: SYRUP AEROLATE

Type: NUM
SAS Variable Name: SYRUP_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.00
3,023	99.97	100.00

SYRUP ALBUTEROL

Survey: CHILD Asthma Call-Back
Column: 390
Prologue:
Description: SYRUP ALBUTEROL

Type: NUM
SAS Variable Name: SYRUP_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
24	0.79	1.45
3,000	99.21	98.55

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

SYRUP ALUPENT

Survey: CHILD Asthma Call-Back

Column: 391

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.02
3,023	99.97	99.98

SYRUP METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 392

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,024	100.00	100.00

SYRUP PREDNISOLONE

Survey: CHILD Asthma Call-Back

Column: 393

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
44	1.46	1.83
2,980	98.54	98.17

SYRUP PRELONE

Survey: CHILD Asthma Call-Back

Column: 394

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.20	0.62
3,018	99.80	99.38

SYRUP PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 395

Prologue:

Description: SYRUP PROVENTIL

Type: NUM

SAS Variable Name: SYRUP_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.03
3,023	99.97	99.97

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

SYRUP SLO-PHYLLIN

Survey: CHILD Asthma Call-Back

Column: 396

Prologue:

Description: SYRUP SLO-PHYLLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_8

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

SYRUP THEOPHYLLINE

Survey: CHILD Asthma Call-Back

Column: 397

Prologue:

Description: SYRUP THEOPHYLLINE

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_9

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

SYRUP VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 398

Prologue:

Description: SYRUP VENTOLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_10

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

OTHER SYRUP

Survey: CHILD Asthma Call-Back

Column: 399

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: OTHER_SYRUP

Frequency	Percentage	Weighted Percentage
4	0.13	0.12
3,020	99.87	99.88

NEB ALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 400

Prologue:

Description: NEB ALBUTEROL

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: NEB_ID_1

Frequency	Percentage	Weighted Percentage
395	13.06	13.09
2,629	86.94	86.91

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEB ALUPENT

Survey: CHILD Asthma Call-Back
Column: 401
Prologue:
Description: NEB ALUPENT

Type: NUM
SAS Variable Name: NEB_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.06
3,022	99.93	99.94

NEB ATROVENT

Survey: CHILD Asthma Call-Back
Column: 402
Prologue:
Description: NEB ATROVENT

Type: NUM
SAS Variable Name: NEB_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.23	0.20
3,017	99.77	99.80

NEB BITOLTEROL

Survey: CHILD Asthma Call-Back
Column: 403
Prologue:
Description: NEB BITOLTEROL

Type: NUM
SAS Variable Name: NEB_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.08
3,023	99.97	99.92

NEB BUDESONIDE

Survey: CHILD Asthma Call-Back
Column: 404
Prologue:
Description: NEB BUDESONIDE

Type: NUM
SAS Variable Name: NEB_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.01
3,023	99.97	99.99

NEB CROMOLYN

Survey: CHILD Asthma Call-Back
Column: 405
Prologue:
Description: NEB CROMOLYN

Type: NUM
SAS Variable Name: NEB_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.10	0.01
3,021	99.90	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEB DUONEB

Survey: CHILD Asthma Call-Back

Column: 406

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.33	0.14
3,014	99.67	99.86

NEB INTAL

Survey: CHILD Asthma Call-Back

Column: 407

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.04
3,022	99.93	99.96

NEB IPRATROPIUM

Survey: CHILD Asthma Call-Back

Column: 408

Prologue:

Description: NEB IPRATROPIUM

Type: NUM

SAS Variable Name: NEB_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.26	0.21
3,016	99.74	99.79

NEB LEVALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 409

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

NEB METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 410

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.01
3,023	99.97	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEB PROVENTIL

Survey: CHILD Asthma Call-Back
Column: 411
Prologue:
Description: NEB PROVENTIL

Type: NUM
SAS Variable Name: NEB_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.11
3,022	99.93	99.89

NEB PULMICORT

Survey: CHILD Asthma Call-Back
Column: 412
Prologue:
Description: NEB PULMICORT

Type: NUM
SAS Variable Name: NEB_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
159	5.26	6.33
2,865	94.74	93.67

NEB TORNALATE

Survey: CHILD Asthma Call-Back
Column: 413
Prologue:
Description: NEB TORNALATE

Type: NUM
SAS Variable Name: NEB_ID_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

NEB VENTOLIN

Survey: CHILD Asthma Call-Back
Column: 414
Prologue:
Description: NEB VENTOLIN

Type: NUM
SAS Variable Name: NEB_ID_15

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
3,024	100.00	100.00

NEB XOPENEX

Survey: CHILD Asthma Call-Back
Column: 415
Prologue:
Description: NEB XOPENEX

Type: NUM
SAS Variable Name: NEB_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
121	4.00	4.77
2,903	96.00	95.23

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

OTHER NEBULIZER

Survey: CHILD Asthma Call-Back

Column: 416

Prologue:

Description: NEW OTHER PRESCRIPTION NEBULIZER

Type: NUM

SAS Variable Name: OTHER_NEB

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.03	0.07
3,023	99.97	99.93

OTHER INHALER TEXT

Survey: CHILD Asthma Call-Back

Column: 417-516

Prologue:

Description: New other prescription inhaler name

Type: CHAR

SAS Variable Name: OTH_I1R

Value	Value Label
BLANK	
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,998		
26	100.00	100.00

OTHER PILLS TEXT

Survey: CHILD Asthma Call-Back

Column: 517-616

Prologue:

Description: New other prescription pills name

Type: CHAR

SAS Variable Name: OTH_P1R

Value	Value Label
BLANK	
HIDDEN	

Frequency	Percentage	Weighted Percentage
3,021		
3	100.00	100.00

OTHER SYRUP TEXT

Survey: CHILD Asthma Call-Back

Column: 617-716

Prologue:

Description: New other prescription syrup name

Type: CHAR

SAS Variable Name: OTH_S1R

Value	Value Label
BLANK	
HIDDEN	

Frequency	Percentage	Weighted Percentage
3,020		
4	100.00	100.00

OTHER NEBULIZER TEXT

Survey: CHILD Asthma Call-Back

Column: 717-816

Prologue:

Description: New other prescription nebulizer name

Type: CHAR

SAS Variable Name: OTH_N1R

Value	Value Label
BLANK	
HIDDEN	

Frequency	Percentage	Weighted Percentage
3,023		
1	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

INHALER_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 817

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	67	2.22	1.91
3	No other medication text filled	2,957	97.78	98.09

INHALER_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 818

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.26	0.26
2	No	59	1.95	1.65
3	No other medication text filled	2,957	97.78	98.09

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 819

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	67	2.22	1.91
3	No other medication text filled	2,957	97.78	98.09

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: CHILD Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	0.46	0.58
2	No	53	1.75	1.33
3	No other medication text filled	2,957	97.78	98.09

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	67	2.22	1.91
3	No other medication text filled	2,957	97.78	98.09

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: CHILD Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.36	0.40
2	No	56	1.85	1.51
3	No other medication text filled	2,957	97.78	98.09

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	67	2.22	1.91
3	No other medication text filled	2,957	97.78	98.09

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 824

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	0.86	0.56
2	No	41	1.36	1.35
3	No other medication text filled	2,957	97.78	98.09

INHALER_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 825

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.06
2	No	65	2.15	1.85
3	No other medication text filled	2,957	97.78	98.09

PILLS_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 826

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.03	0.03
2	No	67	2.22	1.50
3	No other medication text filled	2,956	97.75	98.47

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILLS_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 827

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
53	1.75	1.14
15	0.50	0.38
2,956	97.75	98.47

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 828

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
68	2.25	1.53
2,956	97.75	98.47

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: CHILD Asthma Call-Back

Column: 829

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
68	2.25	1.53
2,956	97.75	98.47

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 830

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
68	2.25	1.53
2,956	97.75	98.47

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: CHILD Asthma Call-Back

Column: 831

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
3	0.10	0.15
65	2.15	1.38
2,956	97.75	98.47

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 832

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	68	2.25	1.53
3	No other medication text filled	2,956	97.75	98.47

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 833

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.10	0.14
2	No	65	2.15	1.38
3	No other medication text filled	2,956	97.75	98.47

PILLS_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 834

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.02
2	No	66	2.18	1.51
3	No other medication text filled	2,956	97.75	98.47

SYRUP_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 835

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.03
2	No	48	1.59	1.07
3	No other medication text filled	2,974	98.35	98.90

SYRUP_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 836

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	0.86	0.62
2	No	24	0.79	0.48
3	No other medication text filled	2,974	98.35	98.90

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 837

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.10	0.07
2	No	47	1.55	1.03
3	No other medication text filled	2,974	98.35	98.90

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: CHILD Asthma Call-Back

Column: 838

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.17	0.18
2	No	45	1.49	0.92
3	No other medication text filled	2,974	98.35	98.90

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 839

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	50	1.65	1.10
3	No other medication text filled	2,974	98.35	98.90

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: CHILD Asthma Call-Back

Column: 840

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	50	1.65	1.10
3	No other medication text filled	2,974	98.35	98.90

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 841

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	50	1.65	1.10
3	No other medication text filled	2,974	98.35	98.90

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 842

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.13	0.12
2	No	46	1.52	0.98
3	No other medication text filled	2,974	98.35	98.90

SYRUP_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 843

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.17	0.06
2	No	45	1.49	1.04
3	No other medication text filled	2,974	98.35	98.90

NEB_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 844

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	16	0.53	0.62
3	No other medication text filled	3,008	99.47	99.38

NEB_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 845

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.03	0.01
2	No	15	0.50	0.62
3	No other medication text filled	3,008	99.47	99.38

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 846

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	16	0.53	0.62
3	No other medication text filled	3,008	99.47	99.38

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: CHILD Asthma Call-Back

Column: 847

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.08
2	No	14	0.46	0.54
3	No other medication text filled	3,008	99.47	99.38

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 848

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.03	0.13
2	No	15	0.50	0.49
3	No other medication text filled	3,008	99.47	99.38

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: CHILD Asthma Call-Back

Column: 849

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.09
2	No	14	0.46	0.54
3	No other medication text filled	3,008	99.47	99.38

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 850

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	16	0.53	0.62
3	No other medication text filled	3,008	99.47	99.38

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 851

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.03	0.07
2	No	15	0.50	0.55
3	No other medication text filled	3,008	99.47	99.38

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEB_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 852

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.10	0.20
2	No	13	0.43	0.42
3	No other medication text filled	3,008	99.47	99.38

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: CHILD Asthma Call-Back

Column: 853

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM

SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	2,881	95.27	94.74
1	AGEDS is greater than AGE	10	0.33	0.45
2	AGE, AGEDX and INCIDNT are inconsistent	133	4.40	4.82

INHALED CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 854-855

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	2,977	98.45	98.30
99	Missing	47	1.55	1.70

INHALED ANTI-INFLAMMATORY

Survey: CHILD Asthma Call-Back

Column: 856-857

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 4	Count	2,977	98.45	98.30
99	Missing	47	1.55	1.70

INHALED ANTI-CHOLINERGIC

Survey: CHILD Asthma Call-Back

Column: 858-859

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM

SAS Variable Name: INH_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	2,977	98.45	98.30
99	Missing	47	1.55	1.70

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

INHALED BETA 2 AGONIST SHORT ACTING

Survey: CHILD Asthma Call-Back

Column: 860-861

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,977	98.45	98.30
47	1.55	1.70

INHALED BETA 2 AGONIST LONG ACTING

Survey: CHILD Asthma Call-Back

Column: 862-863

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,977	98.45	98.30
47	1.55	1.70

PILL CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 864-865

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,983	98.64	98.48
41	1.36	1.52

PILL LEUKOTRIENE MODIFIERS

Survey: CHILD Asthma Call-Back

Column: 866-867

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,983	98.64	98.48
41	1.36	1.52

PILL BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 868-869

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,983	98.64	98.48
41	1.36	1.52

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL METHYLXANTHINES

Survey: CHILD Asthma Call-Back

Column: 870-871

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,983	98.64	98.48
41	1.36	1.52

SYRUP METHYLXANTHINES

Survey: CHILD Asthma Call-Back

Column: 872-873

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,987	98.78	98.48
37	1.22	1.52

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 874-875

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,987	98.78	98.48
37	1.22	1.52

SYRUP CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 876-877

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,987	98.78	98.48
37	1.22	1.52

NEBULIZER ANTI-INFLAMMATORY

Survey: CHILD Asthma Call-Back

Column: 878-879

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,988	98.81	98.65
36	1.19	1.35

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEBULIZER CORTICOSTEROID

Survey: CHILD Asthma Call-Back

Column: 880-881

Prologue:

Description: NEBULIZER CORTICOSTEROID

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	2,988	98.81	98.65
99	Missing	36	1.19	1.35

NEBULIZER ANTICHOLINERGIC

Survey: CHILD Asthma Call-Back

Column: 882-883

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	2,988	98.81	98.65
99	Missing	36	1.19	1.35

NEBULIZER BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 884-885

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8	Count	2,988	98.81	98.65
99	Missing	36	1.19	1.35

NEBULIZER ADRENERGIC BRONCHODILATOR

Survey: CHILD Asthma Call-Back

Column: 886-887

Prologue:

Description: NEBULIZER ADRENERGIC BRONCHODILATOR

Type: NUM
SAS Variable Name: NEB_AB

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	2,988	98.81	98.65
99	Missing	36	1.19	1.35

ADVAIR: SIZE

Survey: CHILD Asthma Call-Back

Column: 888

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Type: NUM
SAS Variable Name: ILP01_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ADVAIR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 889

Type: NUM

SAS Variable Name: ILP02_1

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	32	13.79	16.08
2	6 months to 1 year	32	13.79	11.03
3	Longer than 1 year	166	71.55	72.70
7	Don't know/Not sure	2	0.86	0.19
BLANK	Skip filled	2,792		

ADVAIR: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 890

Type: NUM

SAS Variable Name: ILP03_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ADVAIR: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 891

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	91	39.22	35.91
2	No	115	49.57	57.28
3	No attack in past 3 months	23	9.91	6.57
7	Don't know/Not sure	3	1.29	0.25
BLANK	Skip filled	2,792		

ADVAIR: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 892

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	74	31.90	29.13
2	No	149	64.22	68.94
3	Didn't exercise in past 3 months	4	1.72	0.84
7	Don't know/Not sure	5	2.16	1.09
BLANK	Skip filled	2,792		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ADVAIR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 893

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	187	80.60	77.45
2	No	41	17.67	21.79
7	Don't know/Not sure	4	1.72	0.76
BLANK	Skip filled	2,792		

ADVAIR: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 894-895

Type: NUM

SAS Variable Name: ILP07_1

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	229	98.71	99.68
77	Don't know	3	1.29	0.32
BLANK	Skip filled	2,792		

ADVAIR: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 896-898

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	183	78.88	75.70
401 - 499	Weeks	24	10.34	18.72
555	Never	2	0.86	0.40
666	Less often than once a week	14	6.03	4.02
777	Don't know	9	3.88	1.16
BLANK	Skip filled	2,792		

ADVAIR: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 899-900

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

AEROBID: SIZE

Survey: CHILD Asthma Call-Back

Column: 901

Type: NUM

SAS Variable Name: ILP01_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

AEROBID: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 902

Type: NUM

SAS Variable Name: ILP02_2

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	3,022		

AEROBID: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 903

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	3,022		

AEROBID: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 904

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	3,022		

AEROBID: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 905

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	3,022		

AEROBID: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 906

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	3,022		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

AEROBID: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 907-908

Type: NUM

SAS Variable Name: ILP07_2

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	3,022		

AEROBID: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 909-911

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	3,022		

AEROBID: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 912-913

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ALBUTEROL: SIZE

Survey: CHILD Asthma Call-Back

Column: 914

Type: NUM

SAS Variable Name: ILP01_3

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	119	13.58	15.20
2	100 puffs	107	12.21	15.49
3	200 puffs	394	44.98	43.38
4	Other number of puffs	55	6.28	5.80
5	Used different sizes of this medication in the past 3 months	3	0.34	0.71
7	Don't know/Not sure	198	22.60	19.42
BLANK	Skip filled	2,148		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ALBUTEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 915

Type: NUM

SAS Variable Name: ILP02_3

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	62	7.08	7.79
2	6 months to 1 year	82	9.36	7.61
3	Longer than 1 year	729	83.22	84.31
7	Don't know/Not sure	3	0.34	0.28
BLANK	Skip filled	2,148		

ALBUTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 916

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	446	50.91	53.95
2	No	414	47.26	41.69
3	Medication is a disk inhaler, not a canister inhaler	2	0.23	0.64
7	Don't know/Not sure	14	1.60	3.72
BLANK	Skip filled	2,148		

ALBUTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 917

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	758	86.53	87.35
2	No	63	7.19	7.98
3	No attack in past 3 months	49	5.59	4.36
7	Don't know/Not sure	6	0.68	0.32
BLANK	Skip filled	2,148		

ALBUTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 918

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	419	47.83	46.91
2	No	427	48.74	50.57
3	Didn't exercise in past 3 months	15	1.71	1.24
7	Don't know/Not sure	15	1.71	1.27
BLANK	Skip filled	2,148		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ALBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 919

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	188	21.46	25.19
2	No	681	77.74	74.34
7	Don't know/Not sure	7	0.80	0.47
BLANK	Skip filled	2,148		

ALBUTEROL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 920-921

Type: NUM

SAS Variable Name: ILP07_3

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	849	96.92	97.78
77	Don't know	27	3.08	2.22
BLANK	Skip filled	2,148		

ALBUTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 922-924

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	244	27.85	35.71
401 - 499	Weeks	311	35.50	36.09
555	Never	12	1.37	1.11
666	Less often than once a week	242	27.63	20.54
777	Don't know	65	7.42	6.19
999	Refused	2	0.23	0.36
BLANK	Skip filled	2,148		

ALBUTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 925-926

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	583	66.55	68.63
77	Don't know	35	4.00	3.07
88	None/Less than 1 full canister	258	29.45	28.30
BLANK	Skip filled	2,148		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ALUPENT: SIZE

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 927

SAS Variable Name: ILP01_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ALUPENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 928

SAS Variable Name: ILP02_4

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ALUPENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 929

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ALUPENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 930

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ALUPENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 931

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ALUPENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 932

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ALUPENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back
Column: 933-934

Type: NUM
SAS Variable Name: ILP07_4

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ALUPENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back
Column: 935-937

Type: NUM
SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ALUPENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back
Column: 938-939

Type: NUM
SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ATROVENT: SIZE

Survey: CHILD Asthma Call-Back
Column: 941

Type: NUM
SAS Variable Name: ILP01_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

ATROVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back
Column: 942

Type: NUM
SAS Variable Name: ILP02_5

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	3,020		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ATROVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	3,020		

ATROVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 944

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	22.25
2	No	1	25.00	32.76
3	No attack in past 3 months	1	25.00	44.99
BLANK	Skip filled	3,020		

ATROVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 945

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	22.25
2	No	2	50.00	77.75
BLANK	Skip filled	3,020		

ATROVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 946

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	32.76
2	No	3	75.00	67.24
BLANK	Skip filled	3,020		

ATROVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 947-948

Type: NUM

SAS Variable Name: ILP07_5

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	3,020		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

ATROVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 949-951

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	2	50.00	36.56
666	Less often than once a week	1	25.00	44.99
777	Don't know	1	25.00	18.45
BLANK	Skip filled	3,020		

ATROVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 952-953

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

AZMACORT: SIZE

Survey: CHILD Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP01_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

AZMACORT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP02_6

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	16.67	32.51
3	Longer than 1 year	5	83.33	67.49
BLANK	Skip filled	3,018		

AZMACORT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	32.55
2	No	3	50.00	67.45
BLANK	Skip filled	3,018		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

AZMACORT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 957

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	66.67	75.33
2	No	2	33.33	24.67
BLANK	Skip filled	3,018		

AZMACORT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 958

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	21.51
2	No	5	83.33	78.49
BLANK	Skip filled	3,018		

AZMACORT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 959

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	83.33	90.82
2	No	1	16.67	9.18
BLANK	Skip filled	3,018		

AZMACORT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 960-961

Type: NUM

SAS Variable Name: ILP07_6

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	100.00	100.00
BLANK	Skip filled	3,018		

AZMACORT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 962-964

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	83.33	78.49
401 - 499	Weeks	1	16.67	21.51
BLANK	Skip filled	3,018		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

AZMACORT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 965-966

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BECLOMETHASONE DIPROPIONATE: SIZE

Survey: CHILD Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP01_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BECLOMETHASONE DIPROPIONATE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP02_7

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	3,023		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	3,023		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 970

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	3,023		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 971

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	3,023		

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 972

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	3,023		

BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 973-974

Type: NUM

SAS Variable Name: ILP07_7

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	3,023		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 975-977

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	3,023		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 978-979

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

BECLOVENT: SIZE

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 980

SAS Variable Name: ILP01_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BECLOVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 981

SAS Variable Name: ILP02_8

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BECLOVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 982

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BECLOVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 983

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BECLOVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 984

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BECLOVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 985

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

BECLOVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back
Column: 986-987

Type: NUM
SAS Variable Name: ILP07_8

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BECLOVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back
Column: 988-990

Type: NUM
SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BECLOVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back
Column: 991-992

Type: NUM
SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BITOLTEROL: SIZE

Survey: CHILD Asthma Call-Back
Column: 993

Type: NUM
SAS Variable Name: ILP01_9

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BITOLTEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back
Column: 994

Type: NUM
SAS Variable Name: ILP02_9

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BITOLTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back
Column: 995

Type: NUM
SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

BITOLTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 996

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BITOLTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 997

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BITOLTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 998

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BITOLTEROL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 999-1000

Type: NUM

SAS Variable Name: ILP07_9

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1001-1003

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BITOLTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1004-1005

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

BRETHAIRE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1006

Type: NUM

SAS Variable Name: ILP01_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BRETHAIRE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1007

Type: NUM

SAS Variable Name: ILP02_10

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BRETHAIRE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP03_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BRETHAIRE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1009

Type: NUM

SAS Variable Name: ILP04_10

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BRETHAIRE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1010

Type: NUM

SAS Variable Name: ILP05_10

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

BRETHAIRE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1011

Type: NUM

SAS Variable Name: ILP06_10

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BRETHAIRE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1012-1013

Type: NUM

SAS Variable Name: ILP07_10

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BRETHAIRE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1014-1016

Type: NUM

SAS Variable Name: ILP08_10

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BRETHAIRE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1017-1018

Type: NUM

SAS Variable Name: ILP10_10

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BUDESONIDE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP01_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BUDESONIDE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP02_11

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

BUDESONIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BUDESONIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1022

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BUDESONIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1023

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BUDESONIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1024

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BUDESONIDE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1025-1026

Type: NUM

SAS Variable Name: ILP07_11

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1027-1029

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

BUDESONIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1030-1031

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

COMBIVENT: SIZE

Survey: CHILD Asthma Call-Back

Column: 1032

Type: NUM

SAS Variable Name: ILP01_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

COMBIVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1033

Type: NUM

SAS Variable Name: ILP02_12

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	25.00	26.44
3	Longer than 1 year	3	75.00	73.56
BLANK	Skip filled	3,020		

COMBIVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1034

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	56.74
2	No	3	75.00	43.26
BLANK	Skip filled	3,020		

COMBIVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1035

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	89.76
7	Don't know/Not sure	1	25.00	10.24
BLANK	Skip filled	3,020		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

COMBIVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1036

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	56.74
2	No	3	75.00	43.26
BLANK	Skip filled	3,020		

COMBIVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1037

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	100.00	100.00
BLANK	Skip filled	3,020		

COMBIVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1038-1039

Type: NUM

SAS Variable Name: ILP07_12

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	3,020		

COMBIVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1040-1042

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	2	50.00	63.32
666	Less often than once a week	2	50.00	36.68
BLANK	Skip filled	3,020		

COMBIVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1043-1044

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

CROMOLYN: SIZE

Survey: CHILD Asthma Call-Back

Column: 1045

Type: NUM

SAS Variable Name: ILP01_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

CROMOLYN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP02_13

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

CROMOLYN: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

CROMOLYN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1048

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

CROMOLYN: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1049

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

CROMOLYN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1050

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

CROMOLYN: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back
Column: 1051-1052

Type: NUM
SAS Variable Name: ILP07_13

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

CROMOLYN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back
Column: 1053-1055

Type: NUM
SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

CROMOLYN: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back
Column: 1056-1057

Type: NUM
SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLOVENT: SIZE

Survey: CHILD Asthma Call-Back
Column: 1058

Type: NUM
SAS Variable Name: ILP01_14

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLOVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back
Column: 1059

Type: NUM
SAS Variable Name: ILP02_14

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	35	17.68	24.25
2	6 months to 1 year	31	15.66	14.19
3	Longer than 1 year	132	66.67	61.57
BLANK	Skip filled	2,826		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FLOVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1060

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	151	76.26	76.28
2	No	45	22.73	22.80
7	Don't know/Not sure	2	1.01	0.92
BLANK	Skip filled	2,826		

FLOVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1061

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	92	46.46	46.11
2	No	93	46.97	49.19
3	No attack in past 3 months	12	6.06	4.65
7	Don't know/Not sure	1	0.51	0.05
BLANK	Skip filled	2,826		

FLOVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1062

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	27.27	24.29
2	No	141	71.21	75.39
3	Didn't exercise in past 3 months	1	0.51	0.26
7	Don't know/Not sure	2	1.01	0.06
BLANK	Skip filled	2,826		

FLOVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1063

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	153	77.27	82.77
2	No	43	21.72	16.51
7	Don't know/Not sure	2	1.01	0.72
BLANK	Skip filled	2,826		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FLOVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1064-1065

Type: NUM

SAS Variable Name: ILP07_14

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	197	99.49	99.96
77	Don't know	1	0.51	0.04
BLANK	Skip filled	2,826		

FLOVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1066-1068

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	161	81.31	83.82
401 - 499	Weeks	17	8.59	6.69
555	Never	2	1.01	0.76
666	Less often than once a week	13	6.57	7.65
777	Don't know	5	2.53	1.08
BLANK	Skip filled	2,826		

FLOVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1069-1070

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLOVENT ROTADISK: SIZE

Survey: CHILD Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP01_15

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLOVENT ROTADISK: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP02_15

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	33.33	62.82
2	6 months to 1 year	1	33.33	18.97
3	Longer than 1 year	1	33.33	18.21
BLANK	Skip filled	3,021		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLOVENT ROTADISK: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1074

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	3,021		

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1075

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	66.67	81.03
3	Didn't exercise in past 3 months	1	33.33	18.97
BLANK	Skip filled	3,021		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1076

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	3,021		

FLOVENT ROTADISK: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1077-1078

Type: NUM

SAS Variable Name: ILP07_15

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	3,021		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1079-1081

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	100.00	100.00
BLANK	Skip filled	3,021		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1082-1083

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLUNISOLIDE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP01_16

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLUNISOLIDE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP02_16

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLUNISOLIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FLUNISOLIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1087

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLUNISOLIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1088

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1089

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLUNISOLIDE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1090-1091

Type: NUM

SAS Variable Name: ILP07_16

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1092-1094

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1095-1096

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FLUTICASONE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1097

Type: NUM

SAS Variable Name: ILP01_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FLUTICASONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP02_17

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	42.86	11.68
2	6 months to 1 year	1	14.29	1.16
3	Longer than 1 year	3	42.86	87.16
BLANK	Skip filled	3,017		

FLUTICASONE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	57.14	47.40
2	No	3	42.86	52.60
BLANK	Skip filled	3,017		

FLUTICASONE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1100

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	94.31
2	No	2	28.57	5.69
BLANK	Skip filled	3,017		

FLUTICASONE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1101

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	0.27
2	No	6	85.71	99.73
BLANK	Skip filled	3,017		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FLUTICASONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1102

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	98.57
2	No	2	28.57	1.43
BLANK	Skip filled	3,017		

FLUTICASONE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1103-1104

Type: NUM

SAS Variable Name: ILP07_17

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	7	100.00	100.00
BLANK	Skip filled	3,017		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1105-1107

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	71.43	98.57
401 - 499	Weeks	1	14.29	0.27
666	Less often than once a week	1	14.29	1.16
BLANK	Skip filled	3,017		

FLUTICASONE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1108-1109

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

INTAL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP01_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

INTAL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP02_18

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	5	100.00	100.00
BLANK	Skip filled	3,019		

INTAL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP03_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	17.49
2	No	3	60.00	82.51
BLANK	Skip filled	3,019		

INTAL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1113

Type: NUM

SAS Variable Name: ILP04_18

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	98.22
7	Don't know/Not sure	1	20.00	1.78
BLANK	Skip filled	3,019		

INTAL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1114

Type: NUM

SAS Variable Name: ILP05_18

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	84.02
2	No	2	40.00	14.20
7	Don't know/Not sure	1	20.00	1.78
BLANK	Skip filled	3,019		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

INTAL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1115

Type: NUM

SAS Variable Name: ILP06_18

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	22.80
2	No	1	20.00	75.42
7	Don't know/Not sure	1	20.00	1.78
BLANK	Skip filled	3,019		

INTAL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1116-1117

Type: NUM

SAS Variable Name: ILP07_18

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	100.00	100.00
BLANK	Skip filled	3,019		

INTAL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1118-1120

Type: NUM

SAS Variable Name: ILP08_18

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	60.00	22.80
401 - 499	Weeks	1	20.00	75.42
777	Don't know	1	20.00	1.78
BLANK	Skip filled	3,019		

INTAL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1121-1122

Type: NUM

SAS Variable Name: ILP10_18

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

IPRATROPIUM: SIZE

Survey: CHILD Asthma Call-Back

Column: 1123

Type: NUM

SAS Variable Name: ILP01_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

IPRATROPIUM: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1124

Type: NUM

SAS Variable Name: ILP02_19

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	3,023		

IPRATROPIUM: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	3,023		

IPRATROPIUM: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1126

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	3,023		

IPRATROPIUM: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1127

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	3,023		

IPRATROPIUM: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1128

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	3,023		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

IPRATROPIUM: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1129-1130

Type: NUM

SAS Variable Name: ILP07_19

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know	1	100.00	100.00
BLANK	Skip filled	3,023		

IPRATROPIUM: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1131-1133

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know	1	100.00	100.00
BLANK	Skip filled	3,023		

IPRATROPIUM: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1134-1135

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

MAXAIR: SIZE

Survey: CHILD Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP01_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

MAXAIR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP02_20

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	10.00	6.80
2	6 months to 1 year	1	5.00	10.28
3	Longer than 1 year	17	85.00	82.92
BLANK	Skip filled	3,004		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

MAXAIR: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	5.00	2.61
2	No	18	90.00	92.00
3	Medication is a disk inhaler, not a canister inhaler	1	5.00	5.39
BLANK	Skip filled	3,004		

MAXAIR: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1139

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	65.00	69.02
2	No	5	25.00	11.38
3	No attack in past 3 months	2	10.00	19.60
BLANK	Skip filled	3,004		

MAXAIR: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1140

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	55.00	65.48
2	No	9	45.00	34.52
BLANK	Skip filled	3,004		

MAXAIR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1141

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	15.00	32.19
2	No	17	85.00	67.81
BLANK	Skip filled	3,004		

MAXAIR: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1142-1143

Type: NUM

SAS Variable Name: ILP07_20

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	20	100.00	100.00
BLANK	Skip filled	3,004		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

MAXAIR: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1144-1146

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	10.00	11.32
401 - 499	Weeks	7	35.00	50.12
555	Never	2	10.00	5.34
666	Less often than once a week	9	45.00	33.22
BLANK	Skip filled	3,004		

MAXAIR: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1147-1148

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	7	35.00	43.62
77	Don't know	1	5.00	0.80
88	None/Less than 1 full canister	12	60.00	55.58
BLANK	Skip filled	3,004		

METAPROTERONOL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP01_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

METAPROTERONOL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP02_21

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

METAPROTERONOL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

METAPROTERONOL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1152

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

METAPROTERONOL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1153

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

METAPROTERONOL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1154

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

METAPROTERONOL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1155-1156

Type: NUM

SAS Variable Name: ILP07_21

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1157-1159

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1160-1161

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEDOCROMIL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP01_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

NEDOCROMIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP02_22

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	3,023		

NEDOCROMIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	3,023		

NEDOCROMIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1165

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	3,023		

NEDOCROMIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1166

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	3,023		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

NEDOCROMIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1167

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	3,023		

NEDOCROMIL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1168-1169

Type: NUM

SAS Variable Name: ILP07_22

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	3,023		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1170-1172

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	3,023		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1173-1174

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PIRBUTEROL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1175

Type: NUM

SAS Variable Name: ILP01_23

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PIRBUTEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP02_23

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	2.55
3	Longer than 1 year	1	50.00	97.45
BLANK	Skip filled	3,022		

PIRBUTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1177

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	3,022		

PIRBUTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1178

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	3,022		

PIRBUTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1179

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	2.55
2	No	1	50.00	97.45
BLANK	Skip filled	3,022		

PIRBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1180

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	3,022		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PIRBUTEROL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1181-1182

Type: NUM

SAS Variable Name: ILP07_23

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	50.00	2.55
77	Don't know	1	50.00	97.45
BLANK	Skip filled	3,022		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1183-1185

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	97.45
401 - 499	Weeks	1	50.00	2.55
BLANK	Skip filled	3,022		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1186-1187

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
88	None/Less than 1 full canister	2	100.00	100.00
BLANK	Skip filled	3,022		

PROVENTIL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP01_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	3	7.89	5.40
2	100 puffs	8	21.05	10.39
3	200 puffs	17	44.74	43.69
4	Other number of puffs	4	10.53	13.81
7	Don't know/Not sure	6	15.79	26.72
BLANK	Skip filled	2,986		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PROVENTIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP02_24

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	16	42.11	68.85
2	6 months to 1 year	5	13.16	10.08
3	Longer than 1 year	17	44.74	21.07
BLANK	Skip filled	2,986		

PROVENTIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	47.37	42.11
2	No	19	50.00	37.45
7	Don't know/Not sure	1	2.63	20.44
BLANK	Skip filled	2,986		

PROVENTIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1191

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	68.42	52.51
2	No	11	28.95	47.19
3	No attack in past 3 months	1	2.63	0.30
BLANK	Skip filled	2,986		

PROVENTIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1192

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	42.11	37.46
2	No	20	52.63	61.35
3	Didn't exercise in past 3 months	1	2.63	0.25
7	Don't know/Not sure	1	2.63	0.94
BLANK	Skip filled	2,986		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PROVENTIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1193

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	26.32	26.49
2	No	28	73.68	73.51
BLANK	Skip filled	2,986		

PROVENTIL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1194-1195

Type: NUM

SAS Variable Name: ILP07_24

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	38	100.00	100.00
BLANK	Skip filled	2,986		

PROVENTIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1196-1198

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	23.68	24.08
401 - 499	Weeks	16	42.11	55.26
555	Never	3	7.89	4.67
666	Less often than once a week	7	18.42	10.24
777	Don't know	3	7.89	5.75
BLANK	Skip filled	2,986		

PROVENTIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1199-1200

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	28	73.68	84.92
88	None/Less than 1 full canister	10	26.32	15.08
BLANK	Skip filled	2,986		

PULMICORT TURBUHALER: SIZE

Survey: CHILD Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP01_25

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PULMICORT TURBUHALER: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP02_25

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	14	23.73	28.76
2	6 months to 1 year	10	16.95	12.70
3	Longer than 1 year	34	57.63	58.22
7	Don't know/Not sure	1	1.69	0.32
BLANK	Skip filled	2,965		

PULMICORT TURBUHALER: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1203

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	11.86	15.04
2	No	49	83.05	80.04
3	Medication is a disk inhaler, not a canister inhaler	1	1.69	1.33
7	Don't know/Not sure	2	3.39	3.59
BLANK	Skip filled	2,965		

PULMICORT TURBUHALER: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1204

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	38.98	40.96
2	No	32	54.24	57.62
3	No attack in past 3 months	3	5.08	1.10
7	Don't know/Not sure	1	1.69	0.32
BLANK	Skip filled	2,965		

PULMICORT TURBUHALER: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1205

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	18.64	11.71
2	No	47	79.66	87.97
7	Don't know/Not sure	1	1.69	0.32
BLANK	Skip filled	2,965		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PULMICORT TURBUHALER: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1206

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	45	76.27	81.61
2	No	13	22.03	18.07
7	Don't know/Not sure	1	1.69	0.32
BLANK	Skip filled	2,965		

PULMICORT TURBUHALER: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1207-1208

Type: NUM

SAS Variable Name: ILP07_25

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	55	93.22	96.66
77	Don't know	4	6.78	3.34
BLANK	Skip filled	2,965		

PULMICORT TURBUHALER: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1209-1211

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	43	72.88	72.27
401 - 499	Weeks	7	11.86	11.46
555	Never	1	1.69	2.21
666	Less often than once a week	7	11.86	13.75
777	Don't know	1	1.69	0.32
BLANK	Skip filled	2,965		

PULMICORT TURBUHALER: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1212-1213

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

SALMETEROL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP01_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

SALMETEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP02_26

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

SALMETEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

SALMETEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1217

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

SALMETEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1218

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

SALMETEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1219

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

SALMETEROL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1220-1221

Type: NUM

SAS Variable Name: ILP07_26

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

SALMETEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1222-1224

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

SALMETEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1225-1226

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

SEREVENT: SIZE

Survey: CHILD Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP01_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

SEREVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP02_27

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	20.00	21.47
2	6 months to 1 year	1	20.00	24.36
3	Longer than 1 year	3	60.00	54.17
BLANK	Skip filled	3,019		

SEREVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	40.55
2	No	3	60.00	59.45
BLANK	Skip filled	3,019		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

SEREVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1230

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	65.12
2	No	1	20.00	34.88
BLANK	Skip filled	3,019		

SEREVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1231

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	24.36
2	No	4	80.00	75.64
BLANK	Skip filled	3,019		

SEREVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1232

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	80.72
2	No	2	40.00	19.28
BLANK	Skip filled	3,019		

SEREVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1233-1234

Type: NUM

SAS Variable Name: ILP07_27

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	100.00	100.00
BLANK	Skip filled	3,019		

SEREVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1235-1237

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	60.00	80.72
666	Less often than once a week	2	40.00	19.28
BLANK	Skip filled	3,019		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

SEREVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1238-1239

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TERBUTALINE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1240

Type: NUM

SAS Variable Name: ILP01_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TERBUTALINE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1241

Type: NUM

SAS Variable Name: ILP02_28

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TERBUTALINE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TERBUTALINE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1243

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TERBUTALINE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1244

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

TERBUTALINE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1245

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TERBUTALINE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1246-1247

Type: NUM

SAS Variable Name: ILP07_28

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TERBUTALINE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1248-1250

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TERBUTALINE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1251-1252

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TILADE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP01_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TILADE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP02_29

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

TILADE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back
Column: 1255

Type: NUM
SAS Variable Name: ILP03_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TILADE: WHEN ATTACK

Survey: CHILD Asthma Call-Back
Column: 1256

Type: NUM
SAS Variable Name: ILP04_29

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TILADE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back
Column: 1257

Type: NUM
SAS Variable Name: ILP05_29

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TILADE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back
Column: 1258

Type: NUM
SAS Variable Name: ILP06_29

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TILADE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back
Column: 1259-1260

Type: NUM
SAS Variable Name: ILP07_29

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TILADE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back
Column: 1261-1263

Type: NUM
SAS Variable Name: ILP08_29

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

TILADE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1264-1265

Type: NUM

SAS Variable Name: ILP10_29

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TORNALATE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP01_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TORNALATE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1267

Type: NUM

SAS Variable Name: ILP02_30

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TORNALATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1268

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TORNALATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1269

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

TORNALATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1270

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TORNALATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1271

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TORNALATE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1272-1273

Type: NUM

SAS Variable Name: ILP07_30

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TORNALATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1274-1276

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TORNALATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1277-1278

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TRIAMCINOLONE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP01_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

TRIAMCINOLONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP02_31

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TRIAMCINOLONE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TRIAMCINOLONE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1282

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TRIAMCINOLONE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1283

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TRIAMCINOLONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1284

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TRIAMCINOLONE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1285-1286

Type: NUM

SAS Variable Name: ILP07_31

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

TRIAMCINOLONE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1287-1289

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

TRIAMCINOLONE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1290-1291

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

VANCERIL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP01_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

VANCERIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP02_32

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

VANCERIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

VANCERIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1295

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

VANCERIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1296

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

VANCERIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1297

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

VANCERIL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1298-1299

Type: NUM

SAS Variable Name: ILP07_32

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

VANCERIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1300-1302

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

VANCERIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1303-1304

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

VENTOLIN: SIZE

Survey: CHILD Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP01_33

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	2	15.38	6.62
2	100 puffs	1	7.69	22.42
3	200 puffs	4	30.77	37.67
4	Other number of puffs	1	7.69	11.96
7	Don't know/Not sure	5	38.46	21.32
BLANK	Skip filled	3,011		

VENTOLIN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP02_33

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	15.38	24.74
2	6 months to 1 year	3	23.08	32.37
3	Longer than 1 year	8	61.54	42.89
BLANK	Skip filled	3,011		

VENTOLIN: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	46.15	65.61
2	No	7	53.85	34.39
BLANK	Skip filled	3,011		

VENTOLIN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	84.62	78.82
2	No	1	7.69	3.29
3	No attack in past 3 months	1	7.69	17.89
BLANK	Skip filled	3,011		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

VENTOLIN: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1309

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	53.85	66.10
2	No	6	46.15	33.90
BLANK	Skip filled	3,011		

VENTOLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1310

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	30.77	39.89
2	No	9	69.23	60.11
BLANK	Skip filled	3,011		

VENTOLIN: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1311-1312

Type: NUM

SAS Variable Name: ILP07_33

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	13	100.00	100.00
BLANK	Skip filled	3,011		

VENTOLIN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1313-1315

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	46.15	52.75
401 - 499	Weeks	6	46.15	33.41
666	Less often than once a week	1	7.69	13.84
BLANK	Skip filled	3,011		

VENTOLIN: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1316-1317

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	11	84.62	84.55
88	None/Less than 1 full canister	2	15.38	15.45
BLANK	Skip filled	3,011		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FORADIL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP01_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FORADIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: ILP02_34

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	28.57	13.36
3	Longer than 1 year	5	71.43	86.64
BLANK	Skip filled	3,017		

FORADIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	9.78
2	No	6	85.71	90.22
BLANK	Skip filled	3,017		

FORADIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1321

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	16.94
2	No	5	71.43	83.06
BLANK	Skip filled	3,017		

FORADIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1322

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	57.14	25.14
2	No	3	42.86	74.86
BLANK	Skip filled	3,017		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FORADIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1323

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	42.86	76.25
2	No	4	57.14	23.75
BLANK	Skip filled	3,017		

FORADIL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1324-1325

Type: NUM

SAS Variable Name: ILP07_34

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	7	100.00	100.00
BLANK	Skip filled	3,017		

FORADIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1326-1328

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	71.43	88.22
401 - 499	Weeks	2	28.57	11.78
BLANK	Skip filled	3,017		

FORADIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1329-1330

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FORMOTEROL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: ILP01_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FORMOTEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: ILP02_35

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FORMOTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FORMOTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FORMOTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FORMOTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1336

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FORMOTEROL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1337-1338

Type: NUM

SAS Variable Name: ILP07_35

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

FORMOTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1339-1341

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

FORMOTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1342-1343

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

QVAR: SIZE

Survey: CHILD Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: ILP01_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

QVAR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: ILP02_36

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	15.38	5.11
2	6 months to 1 year	10	38.46	66.07
3	Longer than 1 year	12	46.15	28.82
BLANK	Skip filled	2,998		

QVAR: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	73.08	79.57
2	No	7	26.92	20.43
BLANK	Skip filled	2,998		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

QVAR: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	50.00	58.89
2	No	10	38.46	31.94
3	No attack in past 3 months	3	11.54	9.18
BLANK	Skip filled	2,998		

QVAR: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	26.92	29.56
2	No	18	69.23	69.82
3	Didn't exercise in past 3 months	1	3.85	0.62
BLANK	Skip filled	2,998		

QVAR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	65.38	65.26
2	No	9	34.62	34.74
BLANK	Skip filled	2,998		

QVAR: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1350-1351

Type: NUM

SAS Variable Name: ILP07_36

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	26	100.00	100.00
BLANK	Skip filled	2,998		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

QVAR: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1352-1354

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399		19	73.08	72.89
401 - 499	Weeks	4	15.38	23.93
666	Less often than once a week	3	11.54	3.18
BLANK	Skip filled	2,998		

QVAR: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1355-1356

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL ACCOLATE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: PILLX_1

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	33.33	19.39
3	Longer than 1 year	2	66.67	80.61
BLANK	Skip filled	3,021		

PILL AEROLATE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: PILLX_2

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL ALBUTEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: PILLX_3

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	33.33	83.99
3	Longer than 1 year	2	66.67	16.01
BLANK	Skip filled	3,021		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL ALUPENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: PILLX_4

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL CHOLEDYL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: PILLX_5

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL DELTASONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: PILLX_7

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL ELIXOPHYLLIN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: PILLX_8

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL MARAX: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: PILLX_10

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL MEDROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: PILLX_11

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL METAPREL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: PILLX_12

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL METAPROTERONOL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: PILLX_13

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL METHYLPREDNISOLONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: PILLX_14

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	3,023		

PILL MONTELUKAST: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: PILLX_15

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	3,021		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL PEDIAPRED: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: PILLX_17

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL PREDNISOLONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: PILLX_18

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	100.00	100.00
BLANK	Skip filled	3,022		

PILL PREDNISONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: PILLX_19

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	19	73.08	82.64
2	6 months to 1 year	1	3.85	2.27
3	Longer than 1 year	5	19.23	10.49
7	Don't know/Not sure	1	3.85	4.60
BLANK	Skip filled	2,998		

PILL PRELONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: PILLX_20

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL PROVENTIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1374

Type: NUM

SAS Variable Name: PILLX_21

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL QUIBRON: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1375

Type: NUM

SAS Variable Name: PILLX_22

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL RESPID: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1376

Type: NUM

SAS Variable Name: PILLX_23

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL SINGLAIR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1377

Type: NUM

SAS Variable Name: PILLX_24

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	68	13.65	11.11
2	6 months to 1 year	58	11.65	11.34
3	Longer than 1 year	369	74.10	77.46
7	Don't know/Not sure	3	0.60	0.09
BLANK	Skip filled	2,526		

PILL SLO-PHYLLIN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1378

Type: NUM

SAS Variable Name: PILLX_25

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL SLO-BID: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1379

Type: NUM

SAS Variable Name: PILLX_26

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL SUSTAIRE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: PILLX_27

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL THEO-24: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: PILLX_28

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL THEOBID: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: PILLX_29

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL THEOCHRON: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: PILLX_30

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL THEOCLEAR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: PILLX_31

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL THEODUR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: PILLX_32

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL THEO-DUR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: PILLX_33

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL THEOLAIR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: PILLX_34

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	3,023		

PILL THEOPHYLLINE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1388

Type: NUM

SAS Variable Name: PILLX_35

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL THEO-SAV: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1389

Type: NUM

SAS Variable Name: PILLX_36

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL THEOSPAN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1390

Type: NUM

SAS Variable Name: PILLX_37

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL THEOX: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1391

Type: NUM

SAS Variable Name: PILLX_38

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL T-PHYL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1392

Type: NUM

SAS Variable Name: PILLX_40

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL UNIDUR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: PILLX_41

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL UNIPHYL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: PILLX_42

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

PILL VENTOLIN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: PILLX_43

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL VOLMAX: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: PILLX_44

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL ZAFIRLUKAST: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: PILLX_45

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL ZILEUTON: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1398

Type: NUM

SAS Variable Name: PILLX_46

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

PILL ZYFLO FILMTAB: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1399

Type: NUM

SAS Variable Name: PILLX_47

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	3,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

INTERIM CHILD ASTHMA CALL-BACK WEIGHT

Survey: CHILD Asthma Call-Back

Column: 1400-1409

Prologue:

Description: INTERIM CHILD ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: CWEIGHT_IN

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim child asthma call-back weight	3,024	100.00	100.00

CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: CHILD Asthma Call-Back

Column: 1410-1419

Prologue:

Description: CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM
SAS Variable Name: CPOST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child asthma call-back post stratification factor	3,024	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: CHILD Asthma Call-Back

Column: 1420

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		1,477	100.00	100.00
BLANK		1,547		

CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION

Survey: CHILD Asthma Call-Back

Column: 1421

Prologue:

Description: CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION

Type: NUM
SAS Variable Name: CRACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	1,245	100.00	100.00
BLANK	Missing	1,779		

IMPUTED CHILD AGE FOR ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 1423-1425

Prologue:

Description: IMPUTED CHILD AGE FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: _CIMPAGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child age in months, combined imputed and reported	3,024	100.00	100.00

FINAL CHILD ASTHMA CALL-BACK WEIGHT

Survey: CHILD Asthma Call-Back

Column: 1426-1435

Prologue:

Description: FINAL CHILD ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: CHILDWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final child asthma call-back weight	3,024	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2007**

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1436

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 4	350	11.57	15.15
2	Age 5 - 9	759	25.10	27.59
3	Age 10-14	1,129	37.33	31.77
4	Age 15-17	786	25.99	25.49

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1437

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 6	624	20.63	24.86
2	Age 7 - 12	1,149	38.00	38.84
3	age 13 - 17	1,251	41.37	36.30

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1438

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 9	673	34.39	41.28
2	Age 10 - 17	1,284	65.61	58.72
BLANK	Missing	1,067		

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1439

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 17	320	100.00	100.00
BLANK	Missing	2,704		