

United States

2008 Codebook Report

ADULT Asthma Call-Back Survey

March 8, 2011



**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

State FIPS Code

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: State FIPS Code .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Arizona	201	1.34	2.92
6	California	600	4.00	15.89
9	Connecticut	358	2.39	1.50
11	District of Columbia	241	1.61	0.31
12	Florida	458	3.05	6.15
13	Georgia	274	1.83	3.75
15	Hawaii	476	3.17	0.67
17	Illinois	316	2.11	5.32
18	Indiana	325	2.17	2.68
19	Iowa	330	2.20	1.02
20	Kansas	566	3.77	1.14
23	Maine	556	3.70	0.68
24	Maryland	485	3.23	2.55
25	Massachusetts	419	2.79	3.01
26	Michigan	691	4.60	4.90
29	Missouri	330	2.20	2.53
30	Montana	329	2.19	0.45
31	Nebraska	797	5.31	0.57
32	Nevada	286	1.91	1.10
33	New Hampshire	457	3.05	0.66
34	New Jersey	465	3.10	3.54
35	New Mexico	392	2.61	0.77
36	New York	473	3.15	8.62
38	North Dakota	283	1.89	0.24
39	Ohio	475	3.17	5.13
40	Oklahoma	395	2.63	1.56
41	Oregon	434	2.89	1.80
44	Rhode Island	384	2.56	0.53
48	Texas	583	3.88	8.80
49	Utah	351	2.34	0.99
50	Vermont	561	3.74	0.31
51	Virginia	318	2.12	3.47
53	Washington	765	5.10	3.08
54	West Virginia	321	2.14	0.81
55	Wisconsin	312	2.08	2.51

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: File month

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,158	7.72	6.53
2	February	1,254	8.36	7.70
3	March	1,213	8.08	7.78
4	April	1,466	9.77	9.13
5	May	1,053	7.02	6.67
6	June	1,166	7.77	6.36
7	July	1,297	8.64	7.17
8	August	1,052	7.01	5.84
9	September	1,063	7.08	5.98
10	October	1,322	8.81	7.67
11	November	1,238	8.25	6.65
12	December	1,725	11.49	22.50

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	939	6.26	5.13
2	February	1,372	9.14	10.01
3	March	1,450	9.66	10.27
4	April	1,267	8.44	9.20
5	May	1,095	7.30	6.87
6	June	1,345	8.96	8.56
7	July	1,245	8.30	8.13
8	August	1,100	7.33	7.18
9	September	1,225	8.16	8.46
10	October	1,201	8.00	7.89
11	November	1,315	8.76	8.62
12	December	1,453	9.68	9.69

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		15,007	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2008	Interview year	14,558	97.01	97.35
2009	Interview year	449	2.99	2.65

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer Identification	15,007	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: DISPCODE_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Complete	14,980	99.82	99.85
120	Partial complete	27	0.18	0.15

ANNUAL SEQUENCE NUMBER

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		15,007	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: NATTMPTS_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Number of attempts of asthma call-back	15,007	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ARE YOU SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 40

Type: NUM

SAS Variable Name: SAMP_NAME

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14,513	96.71	96.85
2	No	494	3.29	3.15

MAY I SPEAK WITH SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: SAMP_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	494	100.00	100.00
BLANK	Not asked or missing	14,513		

CHECK CORRECT PERSON ON PHONE

Survey: ADULT Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,416	100.00	100.00
BLANK	Not asked or missing	13,591		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,416	100.00	100.00
BLANK	Not asked or missing	13,591		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	848	59.93	62.57
2	No	520	36.75	35.51
7	Don't know/Not sure	47	3.32	1.93
BLANK	Not asked or missing	13,592		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PERMISSION TO COMBINE THE ANSWER WITH BRFS

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,110	100.00	100.00
BLANK	Not asked or missing	8,897		

AGE AT ASTHMA DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	13,799	91.95	92.16
777	Don't know	737	4.91	3.73
888	Less than 1 year old	460	3.07	4.09
999	Refused	11	0.07	0.02

TIME SINCE DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	362	2.41	2.35
2	One to five years ago	1,612	10.74	10.42
3	More than 5 years ago	12,980	86.49	86.77
7	Don't know	48	0.32	0.41
9	Refused	5	0.03	0.04

LAST TALKED TO A DOCTOR

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	8,406	56.01	50.28
5	One year to less than 3 years ago	2,116	14.10	15.48
6	Three years to five years ago	1,014	6.76	8.30
7	More than five years ago	3,255	21.69	24.84
77	Don't know	92	0.61	0.43
88	Never	116	0.77	0.63
99	Refused	8	0.05	0.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

LAST TOOK ASTHMA MEDICATION

Survey: ADULT Asthma Call-Back

Column: 52-53

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Type: NUM

SAS Variable Name: LAST_MED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	5,370	35.78	28.40
2	1-6 days ago	1,096	7.30	6.92
3	1 week to less than 3 months ago	1,550	10.33	11.49
4	3 months to less than 1 year ago	1,366	9.10	9.42
5	1 year to less than 3 years ago	1,170	7.80	9.35
6	3 years to 5 years ago	735	4.90	5.76
7	More than 5 years ago	3,062	20.40	24.56
77	Don't know	101	0.67	0.53
88	Never	553	3.68	3.54
99	Refused	4	0.03	0.03

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: ADULT Asthma Call-Back

Column: 54-55

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Type: NUM

SAS Variable Name: LASTSYMP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	3,926	26.16	21.81
2	1-6 days ago	1,715	11.43	11.11
3	1 week to less than 3 months ago	2,720	18.12	19.10
4	3 months to less than 1 year ago	1,797	11.97	11.78
5	1 year to less than 3 years ago	1,175	7.83	8.41
6	3 years to 5 years ago	630	4.20	4.77
7	More than 5 years ago	2,690	17.92	20.83
77	Don't know	261	1.74	1.43
88	Never	87	0.58	0.72
99	Refused	6	0.04	0.04

SYMPTOM DAYS

Survey: ADULT Asthma Call-Back

Column: 56-58

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Type: NUM

SAS Variable Name: SYMP_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	5,119	34.11	35.83
30	Everyday	2,423	16.15	11.24
66	No symptoms past one year, skip filled	4,582	30.53	34.73
77	Don't know	248	1.65	1.33
88	No symptoms in the past 30 days	832	5.54	5.02
99	Refused	6	0.04	0.07
100	Symptoms 3 months to 1 year ago, skip filled	1,797	11.97	11.78

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

CONSTANT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,303	8.68	6.38
2	No	1,092	7.28	4.75
6	Last symptoms one+ years ago, skip filled	4,582	30.53	34.73
7	Don't know	28	0.19	0.11
10	Last symptoms 3 months - 1 year ago, skip filled	1,797	11.97	11.78
11	No symptoms 'SYMP_30D' skip filled	832	5.54	5.02
12	1-29 'SYMP_30D' skip filled	5,119	34.11	35.83
77	Don't know 'SYMP_30D' skip filled	248	1.65	1.33
99	Refused 'SYMP_30D' skip filled	6	0.04	0.07

NIGHT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	3,347	22.30	21.07
66	No symptoms past one year, skip filled	4,582	30.53	34.73
77	Don't know	354	2.36	1.83
88	None	4,085	27.22	25.52
99	Refused	10	0.07	0.05
100	Symptoms 3 months to 1 year ago, skip filled	1,797	11.97	11.78
111	No symptoms in the past 30 days, skip filled	832	5.54	5.02

SYMPTOM FREE DAYS

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	11,830	78.83	84.44
77	Don't know	223	1.49	1.00
88	None	2,942	19.60	14.50
99	Refused	12	0.08	0.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

AN ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,675	37.82	35.04
2	No	4,632	30.87	29.60
6	No symptoms past 1 year, skip filled	4,582	30.53	34.73
7	Don't know	116	0.77	0.60
9	Refused	2	0.01	0.02

NUMBER OF EPISODES / ATTACKS

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	4,211	28.06	26.70
666	No symptoms past 1 year, skip filled	4,582	30.53	34.73
777	Don't know	327	2.18	1.65
888	None	1,127	7.51	6.66
999	Refused	10	0.07	0.02
1111	No episode/asthma attack past year, skip filled	4,750	31.65	30.23

DURATION OF ATTACK

Survey: ADULT Asthma Call-Back

Column: 71-74

Type: NUM

SAS Variable Name: DUR_ASTH

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	2,277	15.17	15.49
201 - 299	Hours	1,488	9.92	9.32
301 - 399	Days	1,163	7.75	6.51
401 - 499	Weeks	486	3.24	2.61
555	Never	7	0.05	0.01
666	No symptoms past 1 year, skip filled	4,582	30.53	34.73
777	Don't know	252	1.68	1.08
999	Refused	2	0.01	0.03
1111	No episode/asthma attack past year, skip filled	4,750	31.65	30.23

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TYPICAL ATTACK

Survey: ADULT Asthma Call-Back

Column: 75-76

Type: NUM

SAS Variable Name: COMPASTH

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	1,342	8.94	8.35
2	Longer	853	5.68	5.65
3	About the same	3,377	22.50	20.60
4	The most recent attack was actually the first attack	28	0.19	0.14
6	No symptoms past year, skip filled	4,582	30.53	34.73
7	Don't know	67	0.45	0.28
9	Refused	8	0.05	0.02
11	No episode/asthma attack past year, skip filled	4,750	31.65	30.23

INSURANCE

Survey: ADULT Asthma Call-Back

Column: 77

Type: NUM

SAS Variable Name: INS1

Prologue:

Description: QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13,666	91.06	86.00
2	No	1,328	8.85	13.83
7	Don't know/Not sure	8	0.05	0.15
9	Refused	5	0.03	0.03

INSURANCE OR COVERAGE GAP

Survey: ADULT Asthma Call-Back

Column: 78

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	704	4.69	6.58
2	No	12,954	86.32	79.39
5	No insurance at time of interview, skip filled	1,328	8.85	13.83
7	Don't know	16	0.11	0.16
9	Refused	5	0.03	0.03

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: ADULT Asthma Call-Back

Column: 79-81

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	6,471	43.12	38.50
555	No current asthma, nothing happened past year, skip filled	3,025	20.16	23.82
666	No MD visit past year, skip filled	3,504	23.35	25.64
777	Don't know	151	1.01	0.75
888	None	1,834	12.22	11.16
999	Refused	22	0.15	0.13

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

EMERGENCY ROOM VISIT

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 82

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,335	8.90	8.29
2	No	7,100	47.31	42.09
5	No current asthma, nothing happened past year, skip filled	3,025	20.16	23.82
6	No MD visit past year, skip filled	3,504	23.35	25.64
7	Don't know	27	0.18	0.05
9	Refused	16	0.11	0.10

NUMBER OF EMERGENCY ROOM VISITS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 83-85

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,317	8.78	8.21
555	No current asthma, nothing happened past year, skip filled	3,025	20.16	23.82
666	No MD visit past year, skip filled	3,504	23.35	25.64
677	MD visit, no ER visit past year, skip filled	7,100	47.31	42.09
777	Don't know	39	0.26	0.12
888	None	5	0.03	0.01
999	Refused	17	0.11	0.11

NUMBER OF URGENT VISITS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 86-88

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	2,643	17.61	15.77
555	No current asthma, nothing happened past year, skip filled	3,025	20.16	23.82
666	No MD visit past year, skip filled	3,504	23.35	25.64
777	Don't know	121	0.81	0.62
888	None	5,652	37.66	33.80
999	Refused	62	0.41	0.35

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

HOSPITAL VISIT

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	481	3.21	2.43
2	No	7,003	46.66	41.04
4	MD visit, no symptoms past year, skip filled	916	6.10	6.70
5	No current asthma, nothing happened past year, skip filled	3,025	20.16	23.82
6	No MD visit past year, skip filled	3,504	23.35	25.64
7	Don't know	30	0.20	0.12
9	Refused	48	0.32	0.25

NUMBER OF HOSPITAL VISITS

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	470	3.13	2.40
444	MD visit, no symptoms past year, skip filled	916	6.10	6.70
455	MD visit, symptoms, no hospital visit past year, skip filled	7,003	46.66	41.04
555	No current asthma, nothing happened past year, skip filled	3,025	20.16	23.82
666	No MD visit past year, skip filled	3,504	23.35	25.64
777	Don't know	41	0.27	0.15
999	Refused	48	0.32	0.25

HOSPITAL FOLLOW-UP

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	324	2.16	1.77
2	No	151	1.01	0.62
4	MD visit, no symptoms past year, skip filled	916	6.10	6.70
5	No current asthma, nothing happened past year, skip filled	3,025	20.16	23.82
6	No MD visit past year, skip filled	3,504	23.35	25.64
7	Don't know	35	0.23	0.16
9	Refused	49	0.33	0.25
45	MD visit, symptoms, no hospital visit past year, skip filled	7,003	46.66	41.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NUMBER OF MISSED DAYS

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	3,676	24.50	23.00
555	No current asthma, nothing happened past year, skip filled	3,025	20.16	23.82
777	Don't know	464	3.09	2.55
888	Zero	7,807	52.02	50.38
999	Refused	35	0.23	0.25

ACTIVITY LIMITATION

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT_DAYS

Prologue:

Description: Q5.9 During the past 12 months, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	4,647	30.97	32.77
2	A little	4,189	27.91	25.97
3	A moderate amount	1,965	13.09	10.81
4	A lot	1,064	7.09	6.14
5	No current asthma, nothing happened past year, skip filled	3,025	20.16	23.82
7	Don't know	57	0.38	0.17
9	Refused	60	0.40	0.30

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,713	58.06	60.32
2	No	6,001	39.99	38.21
7	Don't know/Not sure	283	1.89	1.46
9	Refused	10	0.07	0.02

EVER TAUGHT WHAT TO DO DURING AN ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,360	69.03	70.76
2	No	4,335	28.89	27.87
7	Don't know/Not sure	301	2.01	1.36
9	Refused	11	0.07	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: ADULT Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,761	38.39	40.18
2	No	9,092	60.59	58.86
7	Don't know/Not sure	142	0.95	0.93
9	Refused	12	0.08	0.03

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: ADULT Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,349	22.32	22.93
2	No	11,365	75.73	75.02
7	Don't know/Not sure	283	1.89	1.88
9	Refused	10	0.07	0.17

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: ADULT Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,140	7.60	7.41
2	No	13,835	92.19	92.43
7	Don't know/Not sure	31	0.21	0.16
9	Refused	1	0.01	0.01

AIR CLEANER USED

Survey: ADULT Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,091	27.26	27.67
2	No	10,853	72.32	71.90
7	Don't know/Not sure	59	0.39	0.41
9	Refused	4	0.03	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

DEHUMIDIFIER USED

Survey: ADULT Asthma Call-Back

Column: 105

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Type: NUM

SAS Variable Name: DEHUMID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,659	24.38	23.17
2	No	11,299	75.29	76.55
7	Don't know/Not sure	44	0.29	0.24
9	Refused	5	0.03	0.04

EXHAUST FAN USED

Survey: ADULT Asthma Call-Back

Column: 106

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Type: NUM

SAS Variable Name: KITC_FAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,558	57.03	58.99
2	No	6,371	42.45	40.45
7	Don't know/Not sure	76	0.51	0.53
9	Refused	2	0.01	0.03

GAS USED

Survey: ADULT Asthma Call-Back

Column: 107

Prologue:

Description: Q7.4 Is gas used for cooking?

Type: NUM

SAS Variable Name: COOK_GAS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,805	38.68	47.46
2	No	9,180	61.17	52.43
7	Don't know/Not sure	18	0.12	0.08
9	Refused	4	0.03	0.03

SEE OR SMELL MOLD PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 108

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Type: NUM

SAS Variable Name: ENV_MOLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,613	10.75	10.03
2	No	13,312	88.71	89.40
7	Don't know/Not sure	80	0.53	0.54
9	Refused	2	0.01	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

INDOOR PETS

Survey: ADULT Asthma Call-Back

Column: 109

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Type: NUM

SAS Variable Name: ENV_PETS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,332	55.52	58.70
2	No	6,666	44.42	41.25
7	Don't know/Not sure	8	0.05	0.05
9	Refused	1	0.01	0.00

PETS ALLOWED IN BEDROOM

Survey: ADULT Asthma Call-Back

Column: 110

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Type: NUM

SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,428	42.83	44.41
2	No	1,855	12.36	13.99
3	Some are/some aren't	45	0.30	0.29
6	No pets, skip coded	6,675	44.48	41.30
7	Don't know	2	0.01	0.01
9	Refused	2	0.01	0.01

SEE COCKROACH INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 112

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Type: NUM

SAS Variable Name: C_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,129	7.52	8.69
2	No	13,861	92.36	91.23
7	Don't know/Not sure	16	0.11	0.08
9	Refused	1	0.01	0.00

SEE MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 113

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Type: NUM

SAS Variable Name: C_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,011	6.74	6.11
2	No	13,987	93.20	93.84
7	Don't know/Not sure	8	0.05	0.05
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FIREPLACE OR WOOD STOVE USED

Survey: ADULT Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: WOOD_STOVE

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,942	19.60	19.00
2	No	12,058	80.35	80.98
7	Don't know/Not sure	6	0.04	0.02
9	Refused	1	0.01	0.00

GAS APPLIANCE USED

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	930	6.20	7.39
2	No	14,025	93.46	92.01
7	Don't know/Not sure	51	0.34	0.59
9	Refused	1	0.01	0.00

ANYONE SMOKED INSIDE YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,330	15.53	16.33
2	No	12,670	84.43	83.66
7	Don't know/Not sure	6	0.04	0.01
9	Refused	1	0.01	0.00

EVER ADVISED CHANGE THINGS IN YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,254	35.01	35.39
2	No	9,675	64.47	64.12
7	Don't know/Not sure	77	0.51	0.49
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

USE A MATTRESS COVER

Survey: ADULT Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,251	28.33	27.76
2	No	10,387	69.21	70.23
7	Don't know/Not sure	368	2.45	2.01
9	Refused	1	0.01	0.00

USE A PILLOW COVER

Survey: ADULT Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,028	26.84	24.29
2	No	10,758	71.69	74.46
7	Don't know/Not sure	220	1.47	1.24
9	Refused	1	0.01	0.00

CARPETING OR RUGS IN YOUR BEDROOM

Survey: ADULT Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,733	71.52	69.26
2	No	4,267	28.43	30.70
7	Don't know/Not sure	6	0.04	0.03
9	Refused	1	0.01	0.00

WASH WATER TEMPERATURE

Survey: ADULT Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	3,571	23.80	25.22
2	Warm	5,056	33.69	32.12
3	Hot	5,587	37.23	35.99
4	Varies	403	2.69	2.78
7	Don't know/Not sure	387	2.58	3.88
9	Refused	3	0.02	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

USE AN EXHAUST FAN IN YOUR BATHROOM

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,786	58.55	58.49
2	No or "No Fan"	6,147	40.96	41.01
7	Don't know/Not sure	73	0.49	0.49
9	Refused	1	0.01	0.00

EVER USED OVER-THE-COUNTER MEDICATION

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,014	26.75	27.26
2	No	10,304	68.66	68.51
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know	131	0.87	0.66
9	Refused	5	0.03	0.03

USED PRESCRIPTION INHALER

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13,450	89.62	89.25
2	No	970	6.46	6.85
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know	31	0.21	0.35
9	Refused	3	0.02	0.01

PROFESSIONAL INHALER INSTRUCTION

Survey: ADULT Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,775	85.13	85.28
2	No	616	4.10	3.68
5	Never took asthma medication, skip filled	553	3.68	3.54
6	Never used prescription inhaler, skip filled	1,004	6.69	7.21
7	Don't know	59	0.39	0.30

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

INHALER USE WATCHED

Survey: ADULT Asthma Call-Back

Column: 127

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,957	66.35	67.06
2	No	2,979	19.85	19.23
5	Never took asthma medication, skip filled	553	3.68	3.54
6	Never used prescription inhaler, skip filled	1,004	6.69	7.21
7	Don't know	511	3.41	2.96
9	Refused	3	0.02	0.00

MEDICATION IN HAND

Survey: ADULT Asthma Call-Back

Column: 128

Type: NUM

SAS Variable Name: SCR_MED1

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,043	33.60	29.55
2	No	335	2.23	2.49
3	Respondent knows the meds	2,586	17.23	14.55
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know	23	0.15	0.11
9	Refused	29	0.19	0.11

HAVE ALL THE MEDICATIONS

Survey: ADULT Asthma Call-Back

Column: 130-131

Type: NUM

SAS Variable Name: SCR_MED3

Prologue:

Description: Q8.7 Do you have all the medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	4,822	32.13	27.96
2	Yes, I have some of the medications but not all	167	1.11	1.26
3	No	51	0.34	0.29
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know	3	0.02	0.04
10	Know or no handy asthma medicines, skip filled	2,973	19.81	17.26

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	7,258	48.36	42.28
2	No inhaler in past 3 months	87	0.58	0.41
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
6	Asthma med. past 3 months, never used inhaler, skip filled	126	0.84	0.84
7	Don't know	545	3.63	3.29

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	2,215	14.76	12.69
2	No pills in past 3 months	5,752	38.33	33.92
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know	46	0.31	0.18
9	Refused	3	0.02	0.03

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	64	0.43	0.37
2	No syrup in past 3 months	7,930	52.84	46.36
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know	17	0.11	0.05
9	Refused	5	0.03	0.04

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	1,819	12.12	10.34
2	No nebulizer in past 3 months	6,197	41.29	36.48
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NEBULIZER AT HOME

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,584	10.56	7.94
2	No	164	1.09	0.73
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know/Not sure	71	0.47	1.67
8	No neb. in past 3 months, skip filled	6,197	41.29	36.48

NEBULIZER AT DOCTOR'S OFFICE

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	561	3.74	2.76
2	No	1,184	7.89	5.90
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know/Not sure	74	0.49	1.67
8	No neb. in past 3 months, skip filled	6,197	41.29	36.48

NEBULIZER AT EMERGENCY ROOM

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	534	3.56	2.97
2	No	1,211	8.07	5.68
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know/Not sure	74	0.49	1.68
8	No neb. in past 3 months, skip filled	6,197	41.29	36.48

NEBULIZER AT WORK OR SCHOOL

Survey: ADULT Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	146	0.97	0.96
2	No	1,596	10.64	7.69
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know/Not sure	75	0.50	1.67
8	No neb. in past 3 months, skip filled	6,197	41.29	36.48
9	Refused	2	0.01	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NEBULIZER AT ANY OTHER PLACE

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	302	2.01	1.43
2	No	1,445	9.63	7.23
4	No asthma med. past 3 months, skip filled	6,438	42.90	49.65
5	Never took asthma medication, skip filled	553	3.68	3.54
7	Don't know/Not sure	72	0.48	1.67
8	No neb. in past 3 months, skip filled	6,197	41.29	36.48

COST BARRIER: PRIMARY CARE DOCTOR

Survey: ADULT Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	929	6.19	7.33
2	No	9,630	64.17	58.26
5	No current asthma, skip filled	4,405	29.35	34.19
7	Don't know	31	0.21	0.16
9	Refused	12	0.08	0.07

COST BARRIER: SPECIALIST

Survey: ADULT Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	518	3.45	4.43
2	No	10,051	66.98	61.20
5	No current asthma, skip filled	4,405	29.35	34.19
7	Don't know	19	0.13	0.11
9	Refused	14	0.09	0.07

COST BARRIER: MEDICATION

Survey: ADULT Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,532	10.21	10.62
2	No	9,041	60.25	55.07
5	No current asthma, skip filled	4,405	29.35	34.19
7	Don't know	17	0.11	0.05
9	Refused	12	0.08	0.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

CURRENT EMPLOYMENT STATUS

Survey: ADULT Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: EMP_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status? Would you say . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	5,816	38.77	43.98
2	Employed part-time	1,786	11.91	15.47
3	Not employed	7,375	49.17	40.35
7	Don't know	11	0.07	0.11
9	Refused	12	0.08	0.09
BLANK	Partial complete	7		

REASON FOR NOT NOW EMPLOYED

Survey: ADULT Asthma Call-Back

Column: 145-146

Type: NUM

SAS Variable Name: UNEMP_R

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	615	4.10	4.65
2	Going to school	150	1.00	2.91
3	Retired	3,672	24.48	13.55
4	Disabled	1,588	10.59	7.97
5	Unable to work for other health reasons	599	3.99	3.44
6	Looking for work	183	1.22	2.29
7	Laid off	158	1.05	1.44
8	Other	392	2.61	4.03
66	Employed, skip filled	7,602	50.68	59.45
77	Don't know	9	0.06	0.05
88	Current employment status don't know or refused	23	0.15	0.20
99	Refused	9	0.06	0.03
BLANK	Partial complete	7		

EVER EMPLOYED OUTSIDE HOME

Survey: ADULT Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: EMP_EVER

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,016	46.77	37.07
2	No	364	2.43	3.31
6	Employed now, skip filled	7,602	50.68	59.45
7	Don't know/Not sure	11	0.07	0.12
9	Refused	7	0.05	0.05
BLANK	Partial complete	7		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ASTHMA CAUSED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 148-149

Type: NUM

SAS Variable Name: WORKENV1

Prologue:

Description: Q10.4 Was your asthma CAUSED by chemicals, smoke, fumes or dust in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	777	5.18	5.78
2	No	6,543	43.62	52.19
6	Never employed outside home, skip filled	364	2.43	3.31
7	Don't know	281	1.87	1.48
8	Past employment unknown, skip filled	18	0.12	0.17
9	Refused	1	0.01	0.00
10	Not employed now but employed before, skip filled	7,016	46.77	37.07
BLANK	Partial complete	7		

ASTHMA AGGRAVATED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 150-151

Type: NUM

SAS Variable Name: WORKENV2

Prologue:

Description: Q10.5 Is your asthma MADE WORSE by chemicals, smoke, fumes or dust in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,549	10.33	10.20
2	No	3,392	22.61	26.58
5	No current asthma, skip filled	2,630	17.53	23.04
6	Never employed outside home, skip filled	291	1.94	2.32
7	Don't know	107	0.71	0.62
8	Past employment unknown, skip filled	14	0.09	0.16
9	Refused	1	0.01	0.00
10	Not employed now but employed before, skip filled	7,016	46.77	37.07
BLANK	Partial complete	7		

ASTHMA CAUSED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKENV3

Prologue:

Description: Q10.6 Was your asthma CAUSED by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,522	16.81	13.94
2	No	10,200	68.00	72.19
5	Caused by current job, skip filled	777	5.18	5.78
6	Never employed outside home, skip filled	364	2.43	3.31
7	Don't know	1,108	7.39	4.56
8	Past employment unknown, skip filled	18	0.12	0.17
9	Refused	11	0.07	0.05
BLANK	Partial complete	7		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ASTHMA AGGRAVATED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: WORKENV4

Prologue:

Description: Q10.7 Was your asthma MADE WORSE by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,365	29.10	24.32
2	No	8,957	59.71	64.25
5	Caused by current job, skip filled	777	5.18	5.78
6	Never employed outside home, skip filled	364	2.43	3.31
7	Don't know	516	3.44	2.15
8	Past employment unknown, skip filled	18	0.12	0.17
9	Refused	3	0.02	0.02
BLANK	Partial complete	7		

EVER CHANGE OR QUIT A JOB

Survey: ADULT Asthma Call-Back

Column: 154-155

Type: NUM

SAS Variable Name: WORKQUIT

Prologue:

Description: Q10.75 Did you ever change or quit a job because chemicals, smoke, fumes, or dust caused your asthma or made your asthma worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,188	7.92	7.27
2	No	3,479	23.19	18.72
6	Never employed outside home, skip filled	364	2.43	3.31
7	Don't know	31	0.21	0.10
8	Past employment unknown, skip filled	18	0.12	0.17
9	Refused	2	0.01	0.00
10	Skip filled	9,918	66.12	70.43
BLANK	Partial complete	7		

DOCTOR DIAGNOSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: WORKSEN1

Prologue:

Description: Q10.8 Were you ever told by a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,240	8.27	6.37
2	No	13,253	88.35	89.62
6	Never employed outside home, skip filled	364	2.43	3.31
7	Don't know	120	0.80	0.50
8	Past employment unknown, skip filled	18	0.12	0.17
9	Refused	5	0.03	0.04
BLANK	Partial complete	7		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SELF IDENTIFIED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: WORKSEN2

Prologue:

Description: Q10.9 Did you ever tell a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,609	10.73	8.38
2	No	12,903	86.02	87.63
6	Never employed outside home, skip filled	364	2.43	3.31
7	Don't know	101	0.67	0.48
8	Past employment unknown, skip filled	18	0.12	0.17
9	Refused	5	0.03	0.03
BLANK	Partial complete	7		

EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Survey: ADULT Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,220	14.81	9.09
2	No	12,563	83.84	89.91
7	Don't know/Not sure	193	1.29	0.95
9	Refused	9	0.06	0.05
BLANK	Partial complete	22		

EVER TOLD HAVE EMPHYSEMA

Survey: ADULT Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,448	9.66	6.04
2	No	13,436	89.66	93.24
7	Don't know/Not sure	92	0.61	0.67
9	Refused	9	0.06	0.05
BLANK	Partial complete	22		

EVER TOLD HAVE CHRONIC BRONCHITIS

Survey: ADULT Asthma Call-Back

Column: 160

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,307	28.74	24.47
2	No	10,506	70.11	74.81
7	Don't know/Not sure	163	1.09	0.67
9	Refused	9	0.06	0.05
BLANK	Partial complete	22		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

EVER TOLD DEPRESSED

Survey: ADULT Asthma Call-Back

Column: 161

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,276	35.21	30.91
2	No	9,648	64.38	68.48
7	Don't know/Not sure	39	0.26	0.48
9	Refused	22	0.15	0.13
BLANK	Partial complete	22		

USED HERBS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	627	4.19	4.34
2	No	9,927	66.27	61.37
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	22	0.15	0.09
9	Refused	7	0.05	0.04
BLANK	Partial complete	27		

USED VITAMINS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 163

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q12.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	892	5.95	5.20
2	No	9,646	64.39	60.48
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	39	0.26	0.12
9	Refused	6	0.04	0.04
BLANK	Partial complete	27		

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 164

Type: NUM

SAS Variable Name: CAM_PUNC

Prologue:

Description: Q12.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	156	1.04	0.88
2	No	10,406	69.47	64.87
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	15	0.10	0.05
9	Refused	6	0.04	0.04
BLANK	Partial complete	27		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 165

Prologue:

Description: Q12.4 ... acupressure ...

Type: NUM

SAS Variable Name: CAM_PRES

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	149	0.99	0.97
2	No	10,409	69.49	64.79
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	19	0.13	0.04
9	Refused	6	0.04	0.04
BLANK	Partial complete	27		

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM

SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	448	2.99	3.33
2	No	10,103	67.44	62.36
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	25	0.17	0.11
9	Refused	7	0.05	0.04
BLANK	Partial complete	27		

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM

SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	231	1.54	1.48
2	No	10,279	68.62	64.01
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	65	0.43	0.31
9	Refused	8	0.05	0.04
BLANK	Partial complete	27		

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 168

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM

SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	172	1.15	0.80
2	No	10,358	69.15	64.82
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	46	0.31	0.18
9	Refused	7	0.05	0.04
BLANK	Partial complete	27		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

USED YOGA TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 169

Prologue:

Description: Q12.8 ...yoga...

Type: NUM

SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	422	2.82	2.98
2	No	10,139	67.68	62.77
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	14	0.09	0.05
9	Refused	8	0.05	0.04
BLANK	Partial complete	27		

USED BREATHING TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 170

Prologue:

Description: Q12.9 ...breathing techniques...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,240	21.63	20.81
2	No	7,312	48.81	44.91
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	22	0.15	0.07
9	Refused	9	0.06	0.04
BLANK	Partial complete	27		

USED NATUROPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 171

Prologue:

Description: Q12.10 ...naturopathy...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	185	1.23	1.05
2	No	10,339	69.02	64.39
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	51	0.34	0.36
9	Refused	8	0.05	0.04
BLANK	Partial complete	27		

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 172

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,082	7.22	7.00
2	No	9,473	63.24	58.74
5	No current asthma, skip filled	4,397	29.35	34.16
7	Don't know	20	0.13	0.06
9	Refused	8	0.05	0.04
BLANK	Partial complete	27		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TEXT FOR OTHER TYPE CARE

Survey: ADULT Asthma Call-Back

Column: 173-272

Prologue:

Description: Q12.12 What else have you used?

Type: CHAR
SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		13,915		
HIDDEN	Text field - up to 100 characters	1,092	100.00	100.00

LANGUAGE IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 273-274

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM
SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	14,256	95.00	82.76
2	Spanish	217	1.45	3.66
3	Other	533	3.55	13.58
BLANK	Not asked or missing	1		

END OF THE RAW CALL BACK DATA

Survey: ADULT Asthma Call-Back

Column: 275

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM
SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,007	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 276

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA2) AND CALL BACK (EVER_ASTH)

Type: NUM
SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,007	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 277

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Type: NUM
SAS Variable Name: _CUR_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,602	70.65	65.81
2	No	4,086	27.23	32.09
7	Don't know/Not sure	318	2.12	2.10
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 278

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM
SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Age, agedx and incidnt are consistent	14,690	97.89	97.40
1	Agedx is greater than age	43	0.29	0.61
2	Age, agedx and incidnt are inconsistent	274	1.83	1.99

ADVAIR (+ A. DISKUS)

Survey: ADULT Asthma Call-Back

Column: 279

Prologue:

Description: ADVAIR (+ A. DISKUS)

Type: NUM
SAS Variable Name: INHALER_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,695	17.96	13.61
2	No	12,312	82.04	86.39

AEROBID

Survey: ADULT Asthma Call-Back

Column: 280

Prologue:

Description: AEROBID

Type: NUM
SAS Variable Name: INHALER_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	0.34	0.21
2	No	14,956	99.66	99.79

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: ADULT Asthma Call-Back

Column: 281

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM
SAS Variable Name: INHALER_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,923	26.14	24.03
2	No	11,084	73.86	75.97

ALUPENT

Survey: ADULT Asthma Call-Back

Column: 282

Prologue:

Description: ALUPENT

Type: NUM
SAS Variable Name: INHALER_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	0.24	0.20
2	No	14,971	99.76	99.80

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ATROVENT

Survey: ADULT Asthma Call-Back
Column: 283
Prologue:
Description: ATROVENT

Type: NUM
SAS Variable Name: INHALER_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	169	1.13	0.78
2	No	14,838	98.87	99.22

AZMACORT

Survey: ADULT Asthma Call-Back
Column: 284
Prologue:
Description: AZMACORT

Type: NUM
SAS Variable Name: INHALER_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	185	1.23	1.02
2	No	14,822	98.77	98.98

BECLOMETHASONE DIPROPIONATE

Survey: ADULT Asthma Call-Back
Column: 285
Prologue:
Description: BECLOMETHASONE DIPROPIONATE

Type: NUM
SAS Variable Name: INHALER_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.10	0.11
2	No	14,992	99.90	99.89

BECLOVENT

Survey: ADULT Asthma Call-Back
Column: 286
Prologue:
Description: BECLOVENT

Type: NUM
SAS Variable Name: INHALER_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.03	0.02
2	No	15,002	99.97	99.98

BITOLTEROL

Survey: ADULT Asthma Call-Back
Column: 287
Prologue:
Description: BITOLTEROL

Type: NUM
SAS Variable Name: INHALER_ID_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.01
2	No	15,005	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BRETHAIRE

Survey: ADULT Asthma Call-Back
Column: 288
Prologue:
Description: BRETHAIRE

Type: NUM
SAS Variable Name: INHALER_ID_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	15,006	99.99	100.00

BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 289
Prologue:
Description: BUDESONIDE

Type: NUM
SAS Variable Name: INHALER_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.02
2	No	15,003	99.97	99.98

COMBIVENT

Survey: ADULT Asthma Call-Back
Column: 290
Prologue:
Description: COMBIVENT

Type: NUM
SAS Variable Name: INHALER_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	553	3.68	2.12
2	No	14,454	96.32	97.88

CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 291
Prologue:
Description: CROMOLYN

Type: NUM
SAS Variable Name: INHALER_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.02
2	No	15,004	99.98	99.98

FLOVENT

Survey: ADULT Asthma Call-Back
Column: 292
Prologue:
Description: FLOVENT

Type: NUM
SAS Variable Name: INHALER_ID_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	626	4.17	2.91
2	No	14,381	95.83	97.09

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLOVENT ROTADISK

Survey: ADULT Asthma Call-Back
Column: 293
Prologue:
Description: FLOVENT ROTADISK

Type: NUM
SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.07	0.04
14,997	99.93	99.96

FLUNISOLIDE

Survey: ADULT Asthma Call-Back
Column: 294
Prologue:
Description: FLUNISOLIDE

Type: NUM
SAS Variable Name: INHALER_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.07	0.02
14,996	99.93	99.98

FLUTICASONE

Survey: ADULT Asthma Call-Back
Column: 295
Prologue:
Description: FLUTICASONE

Type: NUM
SAS Variable Name: INHALER_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
34	0.23	0.14
14,973	99.77	99.86

INTAL

Survey: ADULT Asthma Call-Back
Column: 296
Prologue:
Description: INTAL

Type: NUM
SAS Variable Name: INHALER_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
35	0.23	0.19
14,972	99.77	99.81

IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back
Column: 297
Prologue:
Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
34	0.23	0.19
14,973	99.77	99.81

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

MAXAIR

Survey: ADULT Asthma Call-Back

Column: 298

Prologue:

Description: MAXAIR

Type: NUM

SAS Variable Name: INHALER_ID_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
98	0.65	0.80
14,909	99.35	99.20

METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 299

Prologue:

Description: METAPROTERONOL

Type: NUM

SAS Variable Name: INHALER_ID_21

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,007	100.00	100.00

NEDOCROMIL

Survey: ADULT Asthma Call-Back

Column: 300

Prologue:

Description: NEDOCROMIL

Type: NUM

SAS Variable Name: INHALER_ID_22

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,006	99.99	100.00

PIRBUTEROL

Survey: ADULT Asthma Call-Back

Column: 301

Prologue:

Description: PIRBUTEROL

Type: NUM

SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.06	0.05
14,998	99.94	99.95

PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 302

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
575	3.83	4.25
14,432	96.17	95.75

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PULMICORT TURBUHALER

Survey: ADULT Asthma Call-Back

Column: 303

Prologue:

Description: PULMICORT TURBUHALER

Type: NUM

SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
181	1.21	0.87
14,826	98.79	99.13

SALMETEROL

Survey: ADULT Asthma Call-Back

Column: 304

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.01
15,002	99.97	99.99

SEREVENT

Survey: ADULT Asthma Call-Back

Column: 305

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
190	1.27	0.82
14,817	98.73	99.18

TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 306

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.05
15,004	99.98	99.95

TILADE

Survey: ADULT Asthma Call-Back

Column: 307

Prologue:

Description: TILADE

Type: NUM

SAS Variable Name: INHALER_ID_29

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
15,003	99.97	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TORNALATE

Survey: ADULT Asthma Call-Back
Column: 308
Prologue:
Description: TORNALATE

Type: NUM
SAS Variable Name: INHALER_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,007	100.00	100.00

TRIAMCINOLONE ACETONIDE

Survey: ADULT Asthma Call-Back
Column: 309
Prologue:
Description: TRIAMCINOLONE ACETONIDE

Type: NUM
SAS Variable Name: INHALER_ID_31

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.00
15,004	99.98	100.00

VANCERIL

Survey: ADULT Asthma Call-Back
Column: 310
Prologue:
Description: VANCERIL

Type: NUM
SAS Variable Name: INHALER_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.05	0.02
15,000	99.95	99.98

VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 311
Prologue:
Description: VENTOLIN

Type: NUM
SAS Variable Name: INHALER_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
201	1.34	1.15
14,806	98.66	98.85

FORADIL

Survey: ADULT Asthma Call-Back
Column: 312
Prologue:
Description: FORADIL

Type: NUM
SAS Variable Name: INHALER_ID_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
95	0.63	0.34
14,912	99.37	99.66

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FORMOTEROL

Survey: ADULT Asthma Call-Back
Column: 313
Prologue:
Description: FORMOTEROL

Type: NUM
SAS Variable Name: INHALER_ID_35

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.09	0.07
2	No	14,994	99.91	99.93

QVAR

Survey: ADULT Asthma Call-Back
Column: 314
Prologue:
Description: QVAR

Type: NUM
SAS Variable Name: INHALER_ID_36

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	222	1.48	1.54
2	No	14,785	98.52	98.46

LEVALBUTEROL TARTRATE

Survey: ADULT Asthma Call-Back
Column: 315
Prologue:
Description: LEVALBUTEROL TARTRATE

Type: NUM
SAS Variable Name: INHALER_ID_37

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.03	0.01
2	No	15,002	99.97	99.99

XOPENEX HFA

Survey: ADULT Asthma Call-Back
Column: 316
Prologue:
Description: XOPENEX HFA

Type: NUM
SAS Variable Name: INHALER_ID_38

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	237	1.58	1.48
2	No	14,770	98.42	98.52

MOMETASONE FUROATE

Survey: ADULT Asthma Call-Back
Column: 317
Prologue:
Description: MOMETASONE FUROATE

Type: NUM
SAS Variable Name: INHALER_ID_39

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.06	0.07
2	No	14,998	99.94	99.93

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ASMANEX (TWISTHALER)

Survey: ADULT Asthma Call-Back

Column: 318

Prologue:

Description: ASMANEX (TWISTHALER)

Type: NUM

SAS Variable Name: INHALER_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
221	1.47	1.19
14,786	98.53	98.81

PRO-AIR HFA

Survey: ADULT Asthma Call-Back

Column: 319

Prologue:

Description: PRO-AIR HFA

Type: NUM

SAS Variable Name: INHALER_ID_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
452	3.01	3.13
14,555	96.99	96.87

SYMBICORT

Survey: ADULT Asthma Call-Back

Column: 320

Prologue:

Description: SYMBICORT

Type: NUM

SAS Variable Name: INHALER_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
209	1.39	1.07
14,798	98.61	98.93

OTHER INHALER

Survey: ADULT Asthma Call-Back

Column: 321

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
15,005	99.99	99.99

PILL ACCOLATE

Survey: ADULT Asthma Call-Back

Column: 322

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
59	0.39	0.28
14,948	99.61	99.72

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL AEROLATE

Survey: ADULT Asthma Call-Back
Column: 323
Prologue:
Description: PILL AEROLATE

Type: NUM
SAS Variable Name: PILLS_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	15,006	99.99	100.00

PILL ALBUTEROL

Survey: ADULT Asthma Call-Back
Column: 324
Prologue:
Description: PILL ALBUTEROL

Type: NUM
SAS Variable Name: PILLS_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	0.25	0.30
2	No	14,969	99.75	99.70

PILL ALUPENT

Survey: ADULT Asthma Call-Back
Column: 325
Prologue:
Description: PILL ALUPENT

Type: NUM
SAS Variable Name: PILLS_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.04
2	No	15,005	99.99	99.96

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: ADULT Asthma Call-Back
Column: 326
Prologue:
Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM
SAS Variable Name: PILLS_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.00
2	No	15,005	99.99	100.00

PILL DELTASONE

Survey: ADULT Asthma Call-Back
Column: 327
Prologue:
Description: PILL DELTASONE

Type: NUM
SAS Variable Name: PILLS_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	15,006	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL ELIXOPHYLLIN

Survey: ADULT Asthma Call-Back
Column: 328
Prologue:
Description: PILL ELIXOPHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,005	99.99	100.00

PILL MEDROL

Survey: ADULT Asthma Call-Back
Column: 329
Prologue:
Description: PILL MEDROL

Type: NUM
SAS Variable Name: PILLS_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.02
15,002	99.97	99.98

PILL METAPREL

Survey: ADULT Asthma Call-Back
Column: 330
Prologue:
Description: PILL METAPREL

Type: NUM
SAS Variable Name: PILLS_ID_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,007	100.00	100.00

PILL METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 331
Prologue:
Description: PILL METAPROTERONOL

Type: NUM
SAS Variable Name: PILLS_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,006	99.99	100.00

PILL METHYLPREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 332
Prologue:
Description: PILL METHYLPREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.06	0.06
14,998	99.94	99.94

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL MONTELUKAST

Survey: ADULT Asthma Call-Back
Column: 333
Prologue:
Description: PILL MONTELUKAST

Type: NUM
SAS Variable Name: PILLS_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.02
15,002	99.97	99.98

PILL PEDIAPRED

Survey: ADULT Asthma Call-Back
Column: 334
Prologue:
Description: PILL PEDIAPRED

Type: NUM
SAS Variable Name: PILLS_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,007	100.00	100.00

PILL PREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 335
Prologue:
Description: PILL PREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	0.12	0.08
14,989	99.88	99.92

PILL PREDNISONE

Survey: ADULT Asthma Call-Back
Column: 336
Prologue:
Description: PILL PREDNISONE

Type: NUM
SAS Variable Name: PILLS_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
322	2.15	1.89
14,685	97.85	98.11

PILL PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 337
Prologue:
Description: PILL PROVENTIL

Type: NUM
SAS Variable Name: PILLS_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,005	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL RESPID

Survey: ADULT Asthma Call-Back

Column: 338

Prologue:

Description: PILL RESPID

Type: NUM

SAS Variable Name: PILLS_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,006	99.99	100.00

PILL SINGULAIR

Survey: ADULT Asthma Call-Back

Column: 339

Prologue:

Description: PILL SINGULAIR

Type: NUM

SAS Variable Name: PILLS_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,575	10.50	9.25
13,432	89.50	90.75

PILL SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 340

Prologue:

Description: PILL SLO-PHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
15,004	99.98	99.99

PILL SLO-BID

Survey: ADULT Asthma Call-Back

Column: 341

Prologue:

Description: PILL SLO-BID

Type: NUM

SAS Variable Name: PILLS_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
15,003	99.97	99.99

PILL THEO-24

Survey: ADULT Asthma Call-Back

Column: 342

Prologue:

Description: PILL THEO-24

Type: NUM

SAS Variable Name: PILLS_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.09	0.03
14,994	99.91	99.97

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL THEOCHRON

Survey: ADULT Asthma Call-Back
Column: 343
Prologue:
Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
15,004	99.98	99.99

PILL THEOCLEAR

Survey: ADULT Asthma Call-Back
Column: 344
Prologue:
Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,007	100.00	100.00

PILL THEODUR

Survey: ADULT Asthma Call-Back
Column: 345
Prologue:
Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
16	0.11	0.06
14,991	99.89	99.94

PILL THEO-DUR

Survey: ADULT Asthma Call-Back
Column: 346
Prologue:
Description: PILL THEO-DUR

Type: NUM
SAS Variable Name: PILLS_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.06	0.05
14,998	99.94	99.95

PILL THEOPHYLLINE

Survey: ADULT Asthma Call-Back
Column: 347
Prologue:
Description: PILL THEOPHYLLINE

Type: NUM
SAS Variable Name: PILLS_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
132	0.88	0.57
14,875	99.12	99.43

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL THEOSPAN

Survey: ADULT Asthma Call-Back
Column: 348
Prologue:
Description: PILL THEOSPAN

Type: NUM
SAS Variable Name: PILLS_ID_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
15,005	99.99	99.99

PILL T-PHYL

Survey: ADULT Asthma Call-Back
Column: 349
Prologue:
Description: PILL T-PHYL

Type: NUM
SAS Variable Name: PILLS_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,006	99.99	100.00

PILL UNIPHYL

Survey: ADULT Asthma Call-Back
Column: 350
Prologue:
Description: PILL UNIPHYL

Type: NUM
SAS Variable Name: PILLS_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.10	0.16
14,992	99.90	99.84

PILL VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 351
Prologue:
Description: PILL VENTOLIN

Type: NUM
SAS Variable Name: PILLS_ID_43

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,007	100.00	100.00

PILL VOLMAX

Survey: ADULT Asthma Call-Back
Column: 352
Prologue:
Description: PILL VOLMAX

Type: NUM
SAS Variable Name: PILLS_ID_44

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,007	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL ZAFIRLUKAST

Survey: ADULT Asthma Call-Back

Column: 353

Prologue:

Description: PILL ZAFIRLUKAST

Type: NUM

SAS Variable Name: PILLS_ID_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,005	99.99	100.00

PILL ZILEUTON

Survey: ADULT Asthma Call-Back

Column: 354

Prologue:

Description: PILL ZILEUTON

Type: NUM

SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PILL ZYFLO FILMTAB

Survey: ADULT Asthma Call-Back

Column: 355

Prologue:

Description: PILL ZYFLO FILMTAB

Type: NUM

SAS Variable Name: PILLS_ID_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.06	0.09
14,998	99.94	99.91

PILL TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 356

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: PILLS_ID_48

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.06	0.09
14,998	99.94	99.91

PILL BRETHINE

Survey: ADULT Asthma Call-Back

Column: 357

Prologue:

Description: PILL BRETHINE

Type: NUM

SAS Variable Name: PILLS_ID_49

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.02
15,003	99.97	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

OTHER PILLS

Survey: ADULT Asthma Call-Back

Column: 358

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER_PILLS

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,006	99.99	100.00

SYRUP AEROLATE

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
15,006	99.99	99.99

SYRUP ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	0.12	0.07
14,989	99.88	99.93

SYRUP ALUPENT

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,006	99.99	100.00

SYRUP METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
15,005	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SYRUP PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: SYRUP PREDNISOLONE

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_5

Frequency	Percentage	Weighted Percentage
5	0.03	0.05
15,002	99.97	99.95

SYRUP PRELONE

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: SYRUP PRELONE

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_6

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,005	99.99	100.00

SYRUP PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: SYRUP PROVENTIL

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_7

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
15,006	99.99	99.99

SYRUP SLO_PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: SYRUP SLO_PHYLLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_8

Frequency	Percentage	Weighted Percentage
15,007	100.00	100.00

SYRUP THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 367

Prologue:

Description: SYRUP THEOPHYLLINE

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_9

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,006	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SYRUP VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 368

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
15,006	99.99	99.99

OTHER SYRUP

Survey: ADULT Asthma Call-Back

Column: 369

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

NEB ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 370

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,222	8.14	6.95
13,785	91.86	93.05

NEB ALUPENT

Survey: ADULT Asthma Call-Back

Column: 371

Prologue:

Description: NEB ALUPENT

Type: NUM

SAS Variable Name: NEB_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.02
14,999	99.95	99.98

NEB ATROVENT

Survey: ADULT Asthma Call-Back

Column: 372

Prologue:

Description: NEB ATROVENT

Type: NUM

SAS Variable Name: NEB_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
42	0.28	0.21
14,965	99.72	99.79

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NEB BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 373

Prologue:

Description: NEB BITOLTEROL

Type: NUM

SAS Variable Name: NEB_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
15,003	99.97	99.99

NEB BUDESONIDE

Survey: ADULT Asthma Call-Back

Column: 374

Prologue:

Description: NEB BUDESONIDE

Type: NUM

SAS Variable Name: NEB_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.05	0.06
15,000	99.95	99.94

NEB CROMOLYN

Survey: ADULT Asthma Call-Back

Column: 375

Prologue:

Description: NEB CROMOLYN

Type: NUM

SAS Variable Name: NEB_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
15,003	99.97	99.99

NEB DUONEB

Survey: ADULT Asthma Call-Back

Column: 376

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
129	0.86	0.69
14,878	99.14	99.31

NEB INTAL

Survey: ADULT Asthma Call-Back

Column: 377

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
15,003	99.97	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NEB IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back

Column: 378

Prologue:

Description: NEB IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: NEB_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
188	1.25	0.99
14,819	98.75	99.01

NEB LEVALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 379

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.01
15,002	99.97	99.99

NEB METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 380

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.00
15,003	99.97	100.00

NEB PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 381

Prologue:

Description: NEB PROVENTIL

Type: NUM

SAS Variable Name: NEB_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
23	0.15	0.13
14,984	99.85	99.87

NEB PULMICORT

Survey: ADULT Asthma Call-Back

Column: 382

Prologue:

Description: NEB PULMICORT

Type: NUM

SAS Variable Name: NEB_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
102	0.68	0.61
14,905	99.32	99.39

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NEB TORNALATE

Survey: ADULT Asthma Call-Back
Column: 383
Prologue:
Description: NEB TORNALATE

Type: NUM
SAS Variable Name: NEB_ID_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.00
2	No	15,005	99.99	100.00

NEB VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 384
Prologue:
Description: NEB VENTOLIN

Type: NUM
SAS Variable Name: NEB_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.07	0.10
2	No	14,997	99.93	99.90

NEB XOPENEX

Survey: ADULT Asthma Call-Back
Column: 385
Prologue:
Description: NEB XOPENEX

Type: NUM
SAS Variable Name: NEB_ID_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	200	1.33	1.04
2	No	14,807	98.67	98.96

OTHER NEBULIZER

Survey: ADULT Asthma Call-Back
Column: 386
Prologue:
Description: New other prescription nebulizer name

Type: NUM
SAS Variable Name: OTHER_NEB

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.04
2	No	15,005	99.99	99.96

OTHER INHALER TEXT

Survey: ADULT Asthma Call-Back
Column: 387-486
Prologue:
Description: New other prescription inhaler name

Type: CHAR
SAS Variable Name: OTH_I1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	15,006		
HIDDEN		1	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

OTHER PILLS TEXT

Survey: ADULT Asthma Call-Back

Column: 487-586

Prologue:

Description: New other prescription pills name

Type: CHAR
SAS Variable Name: OTH_P1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	15,006		
HIDDEN		1	100.00	100.00

OTHER SYRUP TEXT

Survey: ADULT Asthma Call-Back

Column: 587-686

Prologue:

Description: New other prescription syrup name

Type: CHAR
SAS Variable Name: OTH_S1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	15,007		

OTHER NEBULIZER TEXT

Survey: ADULT Asthma Call-Back

Column: 687-786

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	15,005		
HIDDEN		2	100.00	100.00

INHALER_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 787

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.01
2	No	452	3.01	2.00
3	No other medication text filled	14,552	96.97	97.99

INHALER_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 788

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	0.32	0.20
2	No	407	2.71	1.81
3	No other medication text filled	14,552	96.97	97.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 789

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	317	2.11	1.28
2	No	138	0.92	0.73
3	No other medication text filled	14,552	96.97	97.99

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: ADULT Asthma Call-Back

Column: 790

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	0.12	0.13
2	No	437	2.91	1.88
3	No other medication text filled	14,552	96.97	97.99

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 791

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.06	0.06
2	No	446	2.97	1.95
3	No other medication text filled	14,552	96.97	97.99

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: ADULT Asthma Call-Back

Column: 792

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	0.36	0.32
2	No	401	2.67	1.69
3	No other medication text filled	14,552	96.97	97.99

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 793

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.01
2	No	451	3.01	2.00
3	No other medication text filled	14,552	96.97	97.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 794

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	454	3.03	2.00
3	No other medication text filled	14,552	96.97	97.99

INHALER_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 795

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.07	0.02
2	No	444	2.96	1.99
3	No other medication text filled	14,552	96.97	97.99

PILLS_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 796

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	0.13	0.10
2	No	341	2.27	1.70
3	No other medication text filled	14,647	97.60	98.20

PILLS_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 797

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	243	1.62	1.13
2	No	117	0.78	0.67
3	No other medication text filled	14,647	97.60	98.20

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 798

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	61	0.41	0.24
2	No	299	1.99	1.56
3	No other medication text filled	14,647	97.60	98.20

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: ADULT Asthma Call-Back

Column: 799

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.10	0.12
2	No	345	2.30	1.68
3	No other medication text filled	14,647	97.60	98.20

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 800

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.05	0.04
2	No	352	2.35	1.76
3	No other medication text filled	14,647	97.60	98.20

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: ADULT Asthma Call-Back

Column: 801

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	0.13	0.20
2	No	341	2.27	1.60
3	No other medication text filled	14,647	97.60	98.20

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 802

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	359	2.39	1.79
3	No other medication text filled	14,647	97.60	98.20

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 803

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	359	2.39	1.80
3	No other medication text filled	14,647	97.60	98.20

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILLS_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 804

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.04	0.02
2	No	354	2.36	1.78
3	No other medication text filled	14,647	97.60	98.20

SYRUP_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 805

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	0.25	0.14
2	No	39	0.26	0.13
3	No other medication text filled	14,930	99.49	99.73

SYRUP_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 806

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	0.20	0.12
2	No	47	0.31	0.15
3	No other medication text filled	14,930	99.49	99.73

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 807

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.01
2	No	73	0.49	0.26
3	No other medication text filled	14,930	99.49	99.73

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: ADULT Asthma Call-Back

Column: 808

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	76	0.51	0.27
3	No other medication text filled	14,930	99.49	99.73

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 809

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.00
2	No	75	0.50	0.27
3	No other medication text filled	14,930	99.49	99.73

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: ADULT Asthma Call-Back

Column: 810

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	77	0.51	0.27
3	No other medication text filled	14,930	99.49	99.73

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 811

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	77	0.51	0.27
3	No other medication text filled	14,930	99.49	99.73

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 812

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	77	0.51	0.27
3	No other medication text filled	14,930	99.49	99.73

SYRUP_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 813

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	76	0.51	0.26
3	No other medication text filled	14,930	99.49	99.73

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NEB_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 814

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.01
2	No	95	0.63	0.37
3	No other medication text filled	14,908	99.34	99.63

NEB_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 815

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	99	0.66	0.37
3	No other medication text filled	14,908	99.34	99.63

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 816

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	0.15	0.10
2	No	76	0.51	0.28
3	No other medication text filled	14,908	99.34	99.63

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: ADULT Asthma Call-Back

Column: 817

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	0.27	0.17
2	No	58	0.39	0.21
3	No other medication text filled	14,908	99.34	99.63

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 818

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.07	0.02
2	No	89	0.59	0.35
3	No other medication text filled	14,908	99.34	99.63

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: ADULT Asthma Call-Back

Column: 819

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	0.11	0.05
2	No	83	0.55	0.32
3	No other medication text filled	14,908	99.34	99.63

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	99	0.66	0.37
3	No other medication text filled	14,908	99.34	99.63

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.04
2	No	97	0.65	0.34
3	No other medication text filled	14,908	99.34	99.63

NEB_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.05	0.01
2	No	92	0.61	0.36
3	No other medication text filled	14,908	99.34	99.63

INHALED CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 823-824

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	14,357	95.67	96.15
99	Missing	650	4.33	3.85

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

INHALED ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 825-826

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: INH_AI

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,357	95.67	96.15
650	4.33	3.85

INHALED ANTI-CHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 827-828

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM
SAS Variable Name: INH_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,357	95.67	96.15
650	4.33	3.85

INHALED BETA 2 AGONIST SHORT ACTING

Survey: ADULT Asthma Call-Back

Column: 829-830

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,357	95.67	96.15
650	4.33	3.85

INHALED BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 831-832

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,357	95.67	96.15
650	4.33	3.85

PILL CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 833-834

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,853	98.97	99.24
154	1.03	0.76

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL LEUKOTRIENE MODIFIERS

Survey: ADULT Asthma Call-Back

Column: 835-836

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,853	98.97	99.24
154	1.03	0.76

PILL BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 837-838

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,853	98.97	99.24
154	1.03	0.76

PILL METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 839-840

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,853	98.97	99.24
154	1.03	0.76

SYRUP METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 841-842

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,880	99.15	99.35
127	0.85	0.65

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 843-844

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,880	99.15	99.35
127	0.85	0.65

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SYRUP CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 845-846

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,880	99.15	99.35
127	0.85	0.65

NEBULIZER ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 847-848

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,902	99.30	99.44
105	0.70	0.56

NEBULIZER CORTICOSTEROID

Survey: ADULT Asthma Call-Back

Column: 849-850

Prologue:

Description: NEBULIZER CORTICOSTEROID

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,902	99.30	99.44
105	0.70	0.56

NEBULIZER ANTICHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 851-852

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,902	99.30	99.44
105	0.70	0.56

NEBULIZER BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 853-854

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label
0 - 8	Count
99	Missing

Frequency	Percentage	Weighted Percentage
14,902	99.30	99.44
105	0.70	0.56

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ADVAIR (+ A. DISKUS): SIZE

Survey: ADULT Asthma Call-Back

Column: 855

Type: NUM

SAS Variable Name: ILP01_1

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

ADVAIR (+ A. DISKUS): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 856

Type: NUM

SAS Variable Name: ILP02_1

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	257	9.62	11.34
2	6 months to 1 year	307	11.49	11.66
3	Longer than 1 year	2,104	78.77	76.99
7	Don't know/Not sure	3	0.11	0.01
BLANK	Skip filled	12,336		

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 857

Type: NUM

SAS Variable Name: ILP03_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 858

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	892	33.40	34.81
2	No	1,513	56.65	57.31
3	No attack in past 3 months	252	9.43	7.66
7	Don't know/Not sure	13	0.49	0.22
9	Refused	1	0.04	0.01
BLANK	Skip filled	12,336		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 859

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	695	26.02	33.72
2	No	1,742	65.22	59.37
3	Didn't exercise in past 3 months	227	8.50	6.79
7	Don't know/Not sure	6	0.22	0.12
9	Refused	1	0.04	0.01
BLANK	Skip filled	12,336		

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 860

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,275	85.17	84.66
2	No	391	14.64	15.24
7	Don't know/Not sure	5	0.19	0.10
BLANK	Skip filled	12,336		

ADVAIR (+ A. DISKUS): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 861-862

Type: NUM

SAS Variable Name: ILP07_1

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2,659	99.55	99.73
77	Don't know	12	0.45	0.27
BLANK	Skip filled	12,336		

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 863-865

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2,281	85.40	85.34
401 - 499	Weeks	266	9.96	10.65
555	Never	11	0.41	0.22
666	Less often than once a week	95	3.56	3.12
777	Don't know	17	0.64	0.66
999	Refused	1	0.04	0.00
BLANK	Skip filled	12,336		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 866-867

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

AEROBID: SIZE

Survey: ADULT Asthma Call-Back

Column: 868

Type: NUM

SAS Variable Name: ILP01_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

AEROBID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 869

Type: NUM

SAS Variable Name: ILP02_2

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	10.20	6.79
2	6 months to 1 year	5	10.20	3.90
3	Longer than 1 year	38	77.55	87.32
9	Refused	1	2.04	1.98
BLANK	Skip filled	14,958		

AEROBID: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 870

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	61.22	75.21
2	No	18	36.73	22.81
9	Refused	1	2.04	1.98
BLANK	Skip filled	14,958		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

AEROBID: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 871

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	38.78	56.71
2	No	24	48.98	35.90
3	No attack in past 3 months	5	10.20	5.42
9	Refused	1	2.04	1.98
BLANK	Skip filled	14,958		

AEROBID: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 872

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	16.33	7.82
2	No	36	73.47	83.10
3	Didn't exercise in past 3 months	4	8.16	7.09
9	Refused	1	2.04	1.98
BLANK	Skip filled	14,958		

AEROBID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 873

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	69.39	45.52
2	No	14	28.57	52.50
9	Refused	1	2.04	1.98
BLANK	Skip filled	14,958		

AEROBID: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 874-875

Type: NUM

SAS Variable Name: ILP07_2

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	48	97.96	98.02
99	Refused	1	2.04	1.98
BLANK	Skip filled	14,958		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

AEROBID: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 876-878

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	37	75.51	51.29
401 - 499	Weeks	7	14.29	45.06
666	Less often than once a week	3	6.12	1.53
777	Don't know	1	2.04	0.14
999	Refused	1	2.04	1.98
BLANK	Skip filled	14,958		

AEROBID: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 879-880

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): SIZE

Survey: ADULT Asthma Call-Back

Column: 881

Type: NUM

SAS Variable Name: ILP01_3

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	435	11.11	13.00
2	100 puffs	362	9.24	9.63
3	200 puffs	2,140	54.65	53.79
4	Other number of puffs	287	7.33	6.44
5	Used different sizes of this medication in the past 3 months	12	0.31	0.10
7	Don't know/Not sure	663	16.93	16.55
9	Refused	17	0.43	0.50
BLANK	Skip filled	11,091		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 882

Type: NUM

SAS Variable Name: ILP02_3

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	186	4.75	4.94
2	6 months to 1 year	187	4.78	4.87
3	Longer than 1 year	3,528	90.09	90.04
7	Don't know/Not sure	14	0.36	0.13
9	Refused	1	0.03	0.02
BLANK	Skip filled	11,091		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 883

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,195	30.52	25.25
2	No	2,620	66.91	70.55
3	Medication is a disk inhaler, not a canister inhaler	5	0.13	0.06
7	Don't know/Not sure	95	2.43	4.13
9	Refused	1	0.03	0.02
BLANK	Skip filled	11,091		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 884

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,374	86.16	86.79
2	No	296	7.56	6.89
3	No attack in past 3 months	223	5.69	6.03
7	Don't know/Not sure	21	0.54	0.27
9	Refused	2	0.05	0.02
BLANK	Skip filled	11,091		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 885

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,484	37.90	41.30
2	No	2,068	52.81	51.24
3	Didn't exercise in past 3 months	343	8.76	7.13
7	Don't know/Not sure	18	0.46	0.30
9	Refused	3	0.08	0.03
BLANK	Skip filled	11,091		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 886

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,004	25.64	25.57
2	No	2,895	73.93	74.25
7	Don't know/Not sure	16	0.41	0.16
9	Refused	1	0.03	0.02
BLANK	Skip filled	11,091		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 887-888

Type: NUM

SAS Variable Name: ILP07_3

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3,870	98.83	99.26
77	Don't know	43	1.10	0.72
99	Refused	3	0.08	0.03
BLANK	Skip filled	11,091		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 889-891

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,364	34.83	32.27
401 - 499	Weeks	1,287	32.87	39.31
555	Never	53	1.35	2.16
666	Less often than once a week	982	25.08	22.22
777	Don't know	223	5.69	3.91
999	Refused	7	0.18	0.13
BLANK	Skip filled	11,091		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 892-893

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2,844	72.63	79.11
77	Don't know	206	5.26	3.32
88	None/Less than 1 full canister	850	21.71	17.06
99	Refused	16	0.41	0.51
BLANK	Skip filled	11,091		

ALUPENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 894

Type: NUM

SAS Variable Name: ILP01_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	3	8.33	24.81
2	100 puffs	5	13.89	10.37
3	200 puffs	14	38.89	37.35
4	Other number of puffs	5	13.89	20.17
7	Don't know/Not sure	9	25.00	7.30
BLANK	Skip filled	14,971		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 895

Type: NUM

SAS Variable Name: ILP02_4

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	3	8.33	20.46
3	Longer than 1 year	32	88.89	77.34
7	Don't know/Not sure	1	2.78	2.20
BLANK	Skip filled	14,971		

ALUPENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 896

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	33.33	15.48
2	No	23	63.89	83.61
7	Don't know/Not sure	1	2.78	0.91
BLANK	Skip filled	14,971		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 897

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	91.67	97.79
2	No	2	5.56	0.45
3	No attack in past 3 months	1	2.78	1.77
BLANK	Skip filled	14,971		

ALUPENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 898

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	30.56	29.30
2	No	20	55.56	66.21
3	Didn't exercise in past 3 months	5	13.89	4.49
BLANK	Skip filled	14,971		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 899

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	27.78	39.65
2	No	26	72.22	60.35
BLANK	Skip filled	14,971		

ALUPENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 900-901

Type: NUM

SAS Variable Name: ILP07_4

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	35	97.22	99.09
77	Don't know	1	2.78	0.91
BLANK	Skip filled	14,971		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 902-904

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	12	33.33	44.94
401 - 499	Weeks	10	27.78	21.80
555	Never	2	5.56	11.59
666	Less often than once a week	10	27.78	13.20
777	Don't know	2	5.56	8.47
BLANK	Skip filled	14,971		

ALUPENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 905-906

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	29	80.56	91.54
88	None/Less than 1 full canister	7	19.44	8.46
BLANK	Skip filled	14,971		

ATROVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 908

Type: NUM

SAS Variable Name: ILP01_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ATROVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 909

Type: NUM

SAS Variable Name: ILP02_5

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	17	10.18	9.73
2	6 months to 1 year	6	3.59	0.86
3	Longer than 1 year	144	86.23	89.40
BLANK	Skip filled	14,840		

ATROVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 910

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	69	41.32	36.37
2	No	92	55.09	46.29
3	Medication is a disk inhaler, not a canister inhaler	2	1.20	1.00
7	Don't know/Not sure	4	2.40	16.34
BLANK	Skip filled	14,840		

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 911

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	104	62.28	66.83
2	No	52	31.14	27.39
3	No attack in past 3 months	10	5.99	5.56
7	Don't know/Not sure	1	0.60	0.22
BLANK	Skip filled	14,840		

ATROVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 912

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	28.14	24.52
2	No	96	57.49	61.80
3	Didn't exercise in past 3 months	23	13.77	13.48
7	Don't know/Not sure	1	0.60	0.19
BLANK	Skip filled	14,840		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 913

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	105	62.87	45.66
2	No	62	37.13	54.34
BLANK	Skip filled	14,840		

ATROVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 914-915

Type: NUM

SAS Variable Name: ILP07_5

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	166	99.40	99.06
99	Refused	1	0.60	0.94
BLANK	Skip filled	14,840		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 916-918

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	114	68.26	65.13
401 - 499	Weeks	28	16.77	19.89
555	Never	1	0.60	0.94
666	Less often than once a week	22	13.17	12.90
777	Don't know	2	1.20	1.15
BLANK	Skip filled	14,840		

ATROVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 919-920

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

AZMACORT: SIZE

Survey: ADULT Asthma Call-Back

Column: 921

Type: NUM

SAS Variable Name: ILP01_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

AZMACORT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 922

Type: NUM

SAS Variable Name: ILP02_6

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	23	12.50	20.35
2	6 months to 1 year	11	5.98	15.38
3	Longer than 1 year	148	80.43	61.29
7	Don't know/Not sure	1	0.54	0.65
9	Refused	1	0.54	2.32
BLANK	Skip filled	14,823		

AZMACORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 923

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	95	51.63	56.59
2	No	81	44.02	37.84
3	Medication is a disk inhaler, not a canister inhaler	2	1.09	0.60
7	Don't know/Not sure	6	3.26	4.98
BLANK	Skip filled	14,823		

AZMACORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 924

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	80	43.48	52.83
2	No	88	47.83	35.06
3	No attack in past 3 months	16	8.70	12.11
BLANK	Skip filled	14,823		

AZMACORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 925

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	27.72	21.89
2	No	113	61.41	66.18
3	Didn't exercise in past 3 months	20	10.87	11.92
BLANK	Skip filled	14,823		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

AZMACORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 926

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	134	72.83	77.69
2	No	50	27.17	22.31
BLANK	Skip filled	14,823		

AZMACORT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 927-928

Type: NUM

SAS Variable Name: ILP07_6

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	183	99.46	99.35
77	Don't know	1	0.54	0.65
BLANK	Skip filled	14,823		

AZMACORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 929-931

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	139	75.54	72.94
401 - 499	Weeks	19	10.33	18.76
555	Never	1	0.54	0.17
666	Less often than once a week	24	13.04	7.94
777	Don't know	1	0.54	0.19
BLANK	Skip filled	14,823		

AZMACORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 932-933

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

BECLOMETHASONE DIPROPIONATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 934

Type: NUM

SAS Variable Name: ILP01_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BECLOMETHASONE DIPROPIONATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 935

Type: NUM

SAS Variable Name: ILP02_7

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	7.14	6.61
2	6 months to 1 year	5	35.71	20.12
3	Longer than 1 year	8	57.14	73.27
BLANK	Skip filled	14,993		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 936

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	42.86	50.53
2	No	7	50.00	47.48
7	Don't know/Not sure	1	7.14	1.99
BLANK	Skip filled	14,993		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 937

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	57.14	73.66
2	No	5	35.71	24.35
7	Don't know/Not sure	1	7.14	1.99
BLANK	Skip filled	14,993		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	21.43	19.43
2	No	10	71.43	79.26
3	Didn't exercise in past 3 months	1	7.14	1.31
BLANK	Skip filled	14,993		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	57.14	33.09
2	No	6	42.86	66.91
BLANK	Skip filled	14,993		

BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 940-941

Type: NUM

SAS Variable Name: ILP07_7

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	14	100.00	100.00
BLANK	Skip filled	14,993		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 942-944

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	57.14	31.66
401 - 499	Weeks	2	14.29	9.06
666	Less often than once a week	4	28.57	59.28
BLANK	Skip filled	14,993		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 945-946

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

BECLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 947

Type: NUM

SAS Variable Name: ILP01_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BECLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 948

Type: NUM

SAS Variable Name: ILP02_8

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	80.00	72.54
9	Refused	1	20.00	27.46
BLANK	Skip filled	15,002		

BECLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 949

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	55.88
2	No	1	20.00	16.66
9	Refused	1	20.00	27.46
BLANK	Skip filled	15,002		

BECLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 950

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	33.94
3	No attack in past 3 months	2	40.00	38.60
9	Refused	1	20.00	27.46
BLANK	Skip filled	15,002		

BECLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 951

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	17.95
2	No	3	60.00	54.59
9	Refused	1	20.00	27.46
BLANK	Skip filled	15,002		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BECLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 952

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	34.61
2	No	2	40.00	37.93
9	Refused	1	20.00	27.46
BLANK	Skip filled	15,002		

BECLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 953-954

Type: NUM

SAS Variable Name: ILP07_8

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	80.00	72.54
99	Refused	1	20.00	27.46
BLANK	Skip filled	15,002		

BECLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 955-957

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	40.00	34.61
666	Less often than once a week	2	40.00	37.93
999	Refused	1	20.00	27.46
BLANK	Skip filled	15,002		

BECLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 958-959

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

BITOLTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 960

Type: NUM

SAS Variable Name: ILP01_9

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BITOLTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 961

Type: NUM

SAS Variable Name: ILP02_9

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	96.17
2	6 months to 1 year	1	50.00	3.83
BLANK	Skip filled	15,005		

BITOLTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 962

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	50.00	3.83
9	Refused	1	50.00	96.17
BLANK	Skip filled	15,005		

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 963

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	15,005		

BITOLTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 964

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	50.00	96.17
3	Didn't exercise in past 3 months	1	50.00	3.83
BLANK	Skip filled	15,005		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 965

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	15,005		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BITOLTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 966-967

Type: NUM

SAS Variable Name: ILP07_9

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	15,005		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 968-970

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
555	Never	1	50.00	3.83
777	Don't know	1	50.00	96.17
BLANK	Skip filled	15,005		

BITOLTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 971-972

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	50.00	3.83
77	Don't know	1	50.00	96.17
BLANK	Skip filled	15,005		

BRETHAIRE: SIZE

Survey: ADULT Asthma Call-Back

Column: 973

Type: NUM

SAS Variable Name: ILP01_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

BRETHAIRE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 974

Type: NUM

SAS Variable Name: ILP02_10

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	15,006		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BRETHAIRE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 975

Type: NUM

SAS Variable Name: ILP03_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,006		

BRETHAIRE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 976

Type: NUM

SAS Variable Name: ILP04_10

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,006		

BRETHAIRE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP05_10

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,006		

BRETHAIRE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP06_10

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,006		

BRETHAIRE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 979-980

Type: NUM

SAS Variable Name: ILP07_10

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	15,006		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BRETHAIRE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 981-983

Type: NUM

SAS Variable Name: ILP08_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	15,006		

BRETHAIRE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 984-985

Type: NUM

SAS Variable Name: ILP10_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know	1	100.00	100.00
BLANK	Skip filled	15,006		

BUDESONIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 986

Type: NUM

SAS Variable Name: ILP01_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

BUDESONIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 987

Type: NUM

SAS Variable Name: ILP02_11

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	62.26
2	6 months to 1 year	2	50.00	34.57
3	Longer than 1 year	1	25.00	3.17
BLANK	Skip filled	15,003		

BUDESONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 988

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	79.88
2	No	2	50.00	20.12
BLANK	Skip filled	15,003		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 989

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	62.26
2	No	2	50.00	20.79
3	No attack in past 3 months	1	25.00	16.95
BLANK	Skip filled	15,003		

BUDESONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	3.17
2	No	3	75.00	96.83
BLANK	Skip filled	15,003		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	37.74
2	No	1	25.00	62.26
BLANK	Skip filled	15,003		

BUDESONIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 992-993

Type: NUM

SAS Variable Name: ILP07_11

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	15,003		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 994-996

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	37.74
401 - 499	Weeks	1	25.00	62.26
BLANK	Skip filled	15,003		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

BUDESONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 997-998

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

COMBIVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 999

Type: NUM

SAS Variable Name: ILP01_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

COMBIVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1000

Type: NUM

SAS Variable Name: ILP02_12

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	53	9.69	9.23
2	6 months to 1 year	40	7.31	12.87
3	Longer than 1 year	452	82.63	77.57
7	Don't know/Not sure	1	0.18	0.14
9	Refused	1	0.18	0.18
BLANK	Skip filled	14,460		

COMBIVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1001

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	201	36.75	37.05
2	No	334	61.06	60.17
7	Don't know/Not sure	11	2.01	2.61
9	Refused	1	0.18	0.18
BLANK	Skip filled	14,460		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

COMBIVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1002

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	415	75.87	72.82
2	No	86	15.72	21.67
3	No attack in past 3 months	43	7.86	5.07
7	Don't know/Not sure	2	0.37	0.26
9	Refused	1	0.18	0.18
BLANK	Skip filled	14,460		

COMBIVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	212	38.76	37.30
2	No	251	45.89	50.39
3	Didn't exercise in past 3 months	82	14.99	11.99
7	Don't know/Not sure	1	0.18	0.14
9	Refused	1	0.18	0.18
BLANK	Skip filled	14,460		

COMBIVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1004

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	264	48.26	43.99
2	No	280	51.19	55.68
7	Don't know/Not sure	2	0.37	0.15
9	Refused	1	0.18	0.18
BLANK	Skip filled	14,460		

COMBIVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1005-1006

Type: NUM

SAS Variable Name: ILP07_12

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	541	98.90	99.33
77	Don't know	5	0.91	0.48
99	Refused	1	0.18	0.18
BLANK	Skip filled	14,460		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

COMBIVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1007-1009

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	340	62.16	54.74
401 - 499	Weeks	109	19.93	24.55
555	Never	5	0.91	1.05
666	Less often than once a week	82	14.99	17.98
777	Don't know	11	2.01	1.68
BLANK	Skip filled	14,460		

COMBIVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1010-1011

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

CROMOLYN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1012

Type: NUM

SAS Variable Name: ILP01_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

CROMOLYN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1013

Type: NUM

SAS Variable Name: ILP02_13

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	33.33	2.64
3	Longer than 1 year	2	66.67	97.36
BLANK	Skip filled	15,004		

CROMOLYN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1014

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	63.64
2	No	1	33.33	36.36
BLANK	Skip filled	15,004		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1015

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	2.64
2	No	2	66.67	97.36
BLANK	Skip filled	15,004		

CROMOLYN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1016

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	39.00
2	No	1	33.33	61.00
BLANK	Skip filled	15,004		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1017

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	63.64
2	No	1	33.33	36.36
BLANK	Skip filled	15,004		

CROMOLYN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1018-1019

Type: NUM

SAS Variable Name: ILP07_13

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	15,004		

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1020-1022

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	63.64
401 - 499	Weeks	1	33.33	36.36
BLANK	Skip filled	15,004		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

CROMOLYN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1023-1024

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1025

Type: NUM

SAS Variable Name: ILP01_14

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1026

Type: NUM

SAS Variable Name: ILP02_14

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	81	12.98	14.85
2	6 months to 1 year	49	7.85	8.82
3	Longer than 1 year	493	79.01	76.01
7	Don't know/Not sure	1	0.16	0.32
BLANK	Skip filled	14,383		

FLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1027

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	246	39.42	30.14
2	No	371	59.46	67.34
7	Don't know/Not sure	7	1.12	2.52
BLANK	Skip filled	14,383		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1028

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	241	38.62	43.63
2	No	317	50.80	44.99
3	No attack in past 3 months	61	9.78	10.58
7	Don't know/Not sure	5	0.80	0.81
BLANK	Skip filled	14,383		

FLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	157	25.16	26.00
2	No	419	67.15	69.12
3	Didn't exercise in past 3 months	46	7.37	4.17
7	Don't know/Not sure	2	0.32	0.70
BLANK	Skip filled	14,383		

FLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	489	78.37	70.63
2	No	133	21.31	29.33
7	Don't know/Not sure	2	0.32	0.04
BLANK	Skip filled	14,383		

FLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1031-1032

Type: NUM

SAS Variable Name: ILP07_14

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	623	99.84	99.85
77	Don't know	1	0.16	0.15
BLANK	Skip filled	14,383		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1033-1035

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	496	79.49	72.88
401 - 499	Weeks	73	11.70	15.15
555	Never	8	1.28	3.64
666	Less often than once a week	40	6.41	6.22
777	Don't know	7	1.12	2.11
BLANK	Skip filled	14,383		

FLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1036-1037

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FLOVENT ROTADISK: SIZE

Survey: ADULT Asthma Call-Back

Column: 1038

Type: NUM

SAS Variable Name: ILP01_15

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FLOVENT ROTADISK: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1039

Type: NUM

SAS Variable Name: ILP02_15

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	30.00	13.08
3	Longer than 1 year	7	70.00	86.92
BLANK	Skip filled	14,997		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1040

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLOVENT ROTADISK: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1041

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	54.41
2	No	3	30.00	34.02
3	No attack in past 3 months	3	30.00	11.57
BLANK	Skip filled	14,997		

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1042

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	20.00	11.04
2	No	7	70.00	81.13
3	Didn't exercise in past 3 months	1	10.00	7.84
BLANK	Skip filled	14,997		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1043

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	90.00	98.51
2	No	1	10.00	1.49
BLANK	Skip filled	14,997		

FLOVENT ROTADISK: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1044-1045

Type: NUM

SAS Variable Name: ILP07_15

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	10	100.00	100.00
BLANK	Skip filled	14,997		

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1046-1048

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	70.00	51.65
401 - 499	Weeks	3	30.00	48.35
BLANK	Skip filled	14,997		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1049-1050

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FLUNISOLIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1051

Type: NUM

SAS Variable Name: ILP01_16

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FLUNISOLIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1052

Type: NUM

SAS Variable Name: ILP02_16

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	9.09	8.62
2	6 months to 1 year	1	9.09	4.80
3	Longer than 1 year	7	63.64	54.13
7	Don't know/Not sure	2	18.18	32.45
BLANK	Skip filled	14,996		

FLUNISOLIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1053

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	9.09	8.62
2	No	9	81.82	86.12
7	Don't know/Not sure	1	9.09	5.26
BLANK	Skip filled	14,996		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLUNISOLIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1054

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	27.27	22.61
2	No	5	45.45	47.59
3	No attack in past 3 months	2	18.18	24.54
7	Don't know/Not sure	1	9.09	5.26
BLANK	Skip filled	14,996		

FLUNISOLIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	27.27	32.24
2	No	6	54.55	35.31
3	Didn't exercise in past 3 months	1	9.09	27.19
7	Don't know/Not sure	1	9.09	5.26
BLANK	Skip filled	14,996		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	45.45	41.69
2	No	5	45.45	53.06
7	Don't know/Not sure	1	9.09	5.26
BLANK	Skip filled	14,996		

FLUNISOLIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1057-1058

Type: NUM

SAS Variable Name: ILP07_16

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	10	90.91	94.74
77	Don't know	1	9.09	5.26
BLANK	Skip filled	14,996		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1059-1061

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	45.45	31.19
666	Less often than once a week	2	18.18	10.47
777	Don't know	4	36.36	58.34
BLANK	Skip filled	14,996		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1062-1063

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FLUTICASONE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1064

Type: NUM

SAS Variable Name: ILP01_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FLUTICASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1065

Type: NUM

SAS Variable Name: ILP02_17

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	8	23.53	38.57
2	6 months to 1 year	4	11.76	7.15
3	Longer than 1 year	21	61.76	49.50
7	Don't know/Not sure	1	2.94	4.78
BLANK	Skip filled	14,973		

FLUTICASONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1066

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	11.76	4.56
2	No	29	85.29	90.66
7	Don't know/Not sure	1	2.94	4.78
BLANK	Skip filled	14,973		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLUTICASONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1067

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	20.59	9.05
2	No	24	70.59	85.47
3	No attack in past 3 months	1	2.94	0.20
7	Don't know/Not sure	2	5.88	5.28
BLANK	Skip filled	14,973		

FLUTICASONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	14.71	6.42
2	No	23	67.65	60.62
3	Didn't exercise in past 3 months	5	14.71	28.18
7	Don't know/Not sure	1	2.94	4.78
BLANK	Skip filled	14,973		

FLUTICASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1069

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	85.29	79.95
2	No	4	11.76	15.27
7	Don't know/Not sure	1	2.94	4.78
BLANK	Skip filled	14,973		

FLUTICASONE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1070-1071

Type: NUM

SAS Variable Name: ILP07_17

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	33	97.06	95.22
77	Don't know	1	2.94	4.78
BLANK	Skip filled	14,973		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FLUTICASONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1072-1074

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	29	85.29	78.05
401 - 499	Weeks	1	2.94	2.33
666	Less often than once a week	2	5.88	14.34
777	Don't know	2	5.88	5.28
BLANK	Skip filled	14,973		

FLUTICASONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1075-1076

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

INTAL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1077

Type: NUM

SAS Variable Name: ILP01_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

INTAL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1078

Type: NUM

SAS Variable Name: ILP02_18

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	11.43	51.39
2	6 months to 1 year	2	5.71	1.77
3	Longer than 1 year	29	82.86	46.84
BLANK	Skip filled	14,972		

INTAL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1079

Type: NUM

SAS Variable Name: ILP03_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	22.86	4.99
2	No	26	74.29	72.90
7	Don't know/Not sure	1	2.86	22.11
BLANK	Skip filled	14,972		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1080

Type: NUM

SAS Variable Name: ILP04_18

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	28.57	14.72
2	No	21	60.00	82.20
3	No attack in past 3 months	4	11.43	3.09
BLANK	Skip filled	14,972		

INTAL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP05_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	45.71	53.21
2	No	17	48.57	42.27
3	Didn't exercise in past 3 months	2	5.71	4.51
BLANK	Skip filled	14,972		

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP06_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	57.14	43.88
2	No	15	42.86	56.12
BLANK	Skip filled	14,972		

INTAL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1083-1084

Type: NUM

SAS Variable Name: ILP07_18

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	35	100.00	100.00
BLANK	Skip filled	14,972		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1085-1087

Type: NUM

SAS Variable Name: ILP08_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	22	62.86	68.03
401 - 499	Weeks	7	20.00	15.36
666	Less often than once a week	5	14.29	11.07
777	Don't know	1	2.86	5.55
BLANK	Skip filled	14,972		

INTAL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1088-1089

Type: NUM

SAS Variable Name: ILP10_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

IPRATROPIUM BROMIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1090

Type: NUM

SAS Variable Name: ILP01_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

IPRATROPIUM BROMIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1091

Type: NUM

SAS Variable Name: ILP02_19

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	7	21.21	16.97
2	6 months to 1 year	7	21.21	25.01
3	Longer than 1 year	18	54.55	57.93
7	Don't know/Not sure	1	3.03	0.09
BLANK	Skip filled	14,974		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1092

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	36.36	16.88
2	No	17	51.52	64.85
7	Don't know/Not sure	4	12.12	18.28
BLANK	Skip filled	14,974		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1093

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	75.76	86.16
2	No	6	18.18	13.34
3	No attack in past 3 months	1	3.03	0.41
7	Don't know/Not sure	1	3.03	0.09
BLANK	Skip filled	14,974		

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	24.24	20.76
2	No	16	48.48	50.22
3	Didn't exercise in past 3 months	8	24.24	28.93
7	Don't know/Not sure	1	3.03	0.09
BLANK	Skip filled	14,974		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1095

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	63.64	62.37
2	No	11	33.33	37.54
7	Don't know/Not sure	1	3.03	0.09
BLANK	Skip filled	14,974		

IPRATROPIUM BROMIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1096-1097

Type: NUM

SAS Variable Name: ILP07_19

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	20	60.61	66.34
77	Don't know	13	39.39	33.66
BLANK	Skip filled	14,974		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1098-1100

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	22	66.67	52.29
401 - 499	Weeks	4	12.12	10.81
666	Less often than once a week	4	12.12	22.57
777	Don't know	3	9.09	14.33
BLANK	Skip filled	14,974		

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1101-1102

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

MAXAIR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1103

Type: NUM

SAS Variable Name: ILP01_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

MAXAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1104

Type: NUM

SAS Variable Name: ILP02_20

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	5.15	2.99
2	6 months to 1 year	6	6.19	1.45
3	Longer than 1 year	86	88.66	95.56
BLANK	Skip filled	14,910		

MAXAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1105

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	9.28	5.93
2	No	85	87.63	93.08
7	Don't know/Not sure	3	3.09	0.99
BLANK	Skip filled	14,910		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

MAXAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1106

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	79	81.44	58.04
2	No	16	16.49	41.70
3	No attack in past 3 months	2	2.06	0.26
BLANK	Skip filled	14,910		

MAXAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1107

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	45.36	58.33
2	No	49	50.52	39.88
3	Didn't exercise in past 3 months	3	3.09	1.38
7	Don't know/Not sure	1	1.03	0.41
BLANK	Skip filled	14,910		

MAXAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	12.37	6.80
2	No	85	87.63	93.20
BLANK	Skip filled	14,910		

MAXAIR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1109-1110

Type: NUM

SAS Variable Name: ILP07_20

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	97	100.00	100.00
BLANK	Skip filled	14,910		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

MAXAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1111-1113

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	18	18.56	8.03
401 - 499	Weeks	37	38.14	57.47
555	Never	4	4.12	8.25
666	Less often than once a week	34	35.05	24.36
777	Don't know	4	4.12	1.89
BLANK	Skip filled	14,910		

MAXAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1114-1115

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	61	62.89	77.01
77	Don't know	3	3.09	0.66
88	None/Less than 1 full canister	33	34.02	22.33
BLANK	Skip filled	14,910		

METAPROTERONOL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1116

Type: NUM

SAS Variable Name: ILP01_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1117

Type: NUM

SAS Variable Name: ILP02_21

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

METAPROTERONOL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1118

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1119

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

METAPROTERONOL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

METAPROTERONOL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1122-1123

Type: NUM

SAS Variable Name: ILP07_21

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1124-1126

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1127-1128

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NEDOCROMIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1129

Type: NUM

SAS Variable Name: ILP01_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

NEDOCROMIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1130

Type: NUM

SAS Variable Name: ILP02_22

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,006		

NEDOCROMIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1131

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,006		

NEDOCROMIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1132

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,006		

NEDOCROMIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1133

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Didn't exercise in past 3 months	1	100.00	100.00
BLANK	Skip filled	15,006		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

NEDOCROMIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1134

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,006		

NEDOCROMIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1135-1136

Type: NUM

SAS Variable Name: ILP07_22

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	15,006		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1137-1139

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	15,006		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1140-1141

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

PIRBUTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1142

Type: NUM

SAS Variable Name: ILP01_23

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PIRBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1143

Type: NUM

SAS Variable Name: ILP02_23

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	11.11	1.43
2	6 months to 1 year	3	33.33	45.16
3	Longer than 1 year	5	55.56	53.41
BLANK	Skip filled	14,998		

PIRBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1144

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	47.30
2	No	7	77.78	52.70
BLANK	Skip filled	14,998		

PIRBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1145

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	88.89	90.44
2	No	1	11.11	9.56
BLANK	Skip filled	14,998		

PIRBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	11.11	33.66
2	No	6	66.67	44.89
3	Didn't exercise in past 3 months	2	22.22	21.45
BLANK	Skip filled	14,998		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PIRBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	33.33	57.20
2	No	6	66.67	42.80
BLANK	Skip filled	14,998		

PIRBUTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1148-1149

Type: NUM

SAS Variable Name: ILP07_23

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	8	88.89	86.35
77	Don't know	1	11.11	13.65
BLANK	Skip filled	14,998		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1150-1152

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	33.33	48.07
401 - 499	Weeks	1	11.11	4.90
666	Less often than once a week	3	33.33	31.96
777	Don't know	2	22.22	15.08
BLANK	Skip filled	14,998		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1153-1154

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	6	66.67	70.36
88	None/Less than 1 full canister	3	33.33	29.64
BLANK	Skip filled	14,998		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PROVENTIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1155

Type: NUM

SAS Variable Name: ILP01_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	71	12.54	12.43
2	100 puffs	67	11.84	13.73
3	200 puffs	279	49.29	47.86
4	Other number of puffs	50	8.83	6.76
7	Don't know/Not sure	91	16.08	18.41
9	Refused	8	1.41	0.81
BLANK	Skip filled	14,441		

PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1156

Type: NUM

SAS Variable Name: ILP02_24

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	86	15.19	19.12
2	6 months to 1 year	67	11.84	16.63
3	Longer than 1 year	411	72.61	64.03
9	Refused	2	0.35	0.22
BLANK	Skip filled	14,441		

PROVENTIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1157

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	150	26.50	30.12
2	No	397	70.14	62.88
3	Medication is a disk inhaler, not a canister inhaler	2	0.35	0.04
7	Don't know/Not sure	15	2.65	6.74
9	Refused	2	0.35	0.22
BLANK	Skip filled	14,441		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1158

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	465	82.16	77.87
2	No	69	12.19	17.73
3	No attack in past 3 months	25	4.42	3.58
7	Don't know/Not sure	5	0.88	0.59
9	Refused	2	0.35	0.22
BLANK	Skip filled	14,441		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PROVENTIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1159

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	199	35.16	41.14
2	No	312	55.12	52.68
3	Didn't exercise in past 3 months	51	9.01	5.70
7	Don't know/Not sure	2	0.35	0.26
9	Refused	2	0.35	0.22
BLANK	Skip filled	14,441		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1160

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	151	26.68	23.75
2	No	412	72.79	75.99
7	Don't know/Not sure	1	0.18	0.04
9	Refused	2	0.35	0.22
BLANK	Skip filled	14,441		

PROVENTIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1161-1162

Type: NUM

SAS Variable Name: ILP07_24

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	561	99.12	99.75
77	Don't know	4	0.71	0.17
99	Refused	1	0.18	0.08
BLANK	Skip filled	14,441		

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1163-1165

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	206	36.40	30.63
401 - 499	Weeks	166	29.33	36.25
555	Never	16	2.83	3.73
666	Less often than once a week	142	25.09	25.57
777	Don't know	34	6.01	3.60
999	Refused	2	0.35	0.22
BLANK	Skip filled	14,441		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PROVENTIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1166-1167

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	414	73.14	79.96
77	Don't know	23	4.06	2.48
88	None/Less than 1 full canister	122	21.55	16.85
99	Refused	7	1.24	0.72
BLANK	Skip filled	14,441		

PULMICORT TURBUHALER: SIZE

Survey: ADULT Asthma Call-Back

Column: 1168

Type: NUM

SAS Variable Name: ILP01_25

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

PULMICORT TURBUHALER: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1169

Type: NUM

SAS Variable Name: ILP02_25

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	16	9.36	7.24
2	6 months to 1 year	16	9.36	5.29
3	Longer than 1 year	136	79.53	87.34
7	Don't know/Not sure	3	1.75	0.13
BLANK	Skip filled	14,836		

PULMICORT TURBUHALER: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1170

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	12.28	13.02
2	No	142	83.04	83.87
3	Medication is a disk inhaler, not a canister inhaler	4	2.34	1.65
7	Don't know/Not sure	4	2.34	1.46
BLANK	Skip filled	14,836		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PULMICORT TURBUHALER: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1171

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	30.99	31.05
2	No	100	58.48	63.19
3	No attack in past 3 months	16	9.36	5.69
7	Don't know/Not sure	2	1.17	0.06
BLANK	Skip filled	14,836		

PULMICORT TURBUHALER: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	20.47	28.88
2	No	121	70.76	63.83
3	Didn't exercise in past 3 months	12	7.02	5.51
7	Don't know/Not sure	3	1.75	1.78
BLANK	Skip filled	14,836		

PULMICORT TURBUHALER: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	139	81.29	71.54
2	No	28	16.37	27.72
7	Don't know/Not sure	4	2.34	0.74
BLANK	Skip filled	14,836		

PULMICORT TURBUHALER: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1174-1175

Type: NUM

SAS Variable Name: ILP07_25

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	162	94.74	97.64
77	Don't know	8	4.68	2.34
99	Refused	1	0.58	0.01
BLANK	Skip filled	14,836		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PULMICORT TURBUHALER: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1176-1178

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	143	83.63	83.04
401 - 499	Weeks	18	10.53	13.75
555	Never	1	0.58	0.31
666	Less often than once a week	4	2.34	2.22
777	Don't know	4	2.34	0.66
999	Refused	1	0.58	0.01
BLANK	Skip filled	14,836		

PULMICORT TURBUHALER: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1179-1180

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

SALMETEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1181

Type: NUM

SAS Variable Name: ILP01_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

SALMETEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1182

Type: NUM

SAS Variable Name: ILP02_26

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	20.00	21.70
2	6 months to 1 year	1	20.00	26.68
3	Longer than 1 year	3	60.00	51.63
BLANK	Skip filled	15,002		

SALMETEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1183

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	5	100.00	100.00
BLANK	Skip filled	15,002		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SALMETEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1184

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	34.75
2	No	3	60.00	43.55
3	No attack in past 3 months	1	20.00	21.70
BLANK	Skip filled	15,002		

SALMETEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	5	100.00	100.00
BLANK	Skip filled	15,002		

SALMETEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1186

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	78.30
2	No	1	20.00	21.70
BLANK	Skip filled	15,002		

SALMETEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1187-1188

Type: NUM

SAS Variable Name: ILP07_26

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	100.00	100.00
BLANK	Skip filled	15,002		

SALMETEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1189-1191

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	40.00	49.26
401 - 499	Weeks	2	40.00	29.04
666	Less often than once a week	1	20.00	21.70
BLANK	Skip filled	15,002		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SALMETEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1192-1193

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

SEREVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1194

Type: NUM

SAS Variable Name: ILP01_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

SEREVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1195

Type: NUM

SAS Variable Name: ILP02_27

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	10	5.29	3.96
2	6 months to 1 year	11	5.82	8.46
3	Longer than 1 year	166	87.83	87.26
7	Don't know/Not sure	2	1.06	0.31
BLANK	Skip filled	14,818		

SEREVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1196

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	12.17	8.97
2	No	135	71.43	75.73
3	Medication is a disk inhaler, not a canister inhaler	26	13.76	12.28
7	Don't know/Not sure	5	2.65	3.03
BLANK	Skip filled	14,818		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SEREVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1197

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	25.40	24.58
2	No	119	62.96	68.81
3	No attack in past 3 months	18	9.52	5.94
7	Don't know/Not sure	4	2.12	0.67
BLANK	Skip filled	14,818		

SEREVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	24.87	25.23
2	No	125	66.14	67.64
3	Didn't exercise in past 3 months	14	7.41	6.40
7	Don't know/Not sure	3	1.59	0.74
BLANK	Skip filled	14,818		

SEREVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	158	83.60	83.69
2	No	28	14.81	15.88
7	Don't know/Not sure	3	1.59	0.43
BLANK	Skip filled	14,818		

SEREVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1200-1201

Type: NUM

SAS Variable Name: ILP07_27

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	186	98.41	98.87
77	Don't know	3	1.59	1.13
BLANK	Skip filled	14,818		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SEREVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1202-1204

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	155	82.01	83.85
401 - 499	Weeks	22	11.64	11.21
666	Less often than once a week	8	4.23	4.36
777	Don't know	4	2.12	0.58
BLANK	Skip filled	14,818		

SEREVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1205-1206

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TERBUTALINE (+ T. SULFATE): SIZE

Survey: ADULT Asthma Call-Back

Column: 1207

Type: NUM

SAS Variable Name: ILP01_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1208

Type: NUM

SAS Variable Name: ILP02_28

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1209

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1210

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1212

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TERBUTALINE (+ T. SULFATE): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1213-1214

Type: NUM

SAS Variable Name: ILP07_28

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1215-1217

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1218-1219

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TILADE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1220

Type: NUM

SAS Variable Name: ILP01_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TILADE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1221

Type: NUM

SAS Variable Name: ILP02_29

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	8.64
3	Longer than 1 year	3	75.00	91.36
BLANK	Skip filled	15,003		

TILADE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1222

Type: NUM

SAS Variable Name: ILP03_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	34.07
2	No	1	25.00	65.93
BLANK	Skip filled	15,003		

TILADE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1223

Type: NUM

SAS Variable Name: ILP04_29

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	8.64
2	No	2	50.00	76.96
3	No attack in past 3 months	1	25.00	14.40
BLANK	Skip filled	15,003		

TILADE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1224

Type: NUM

SAS Variable Name: ILP05_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	15,003		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TILADE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP06_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	34.07
2	No	1	25.00	65.93
BLANK	Skip filled	15,003		

TILADE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1226-1227

Type: NUM

SAS Variable Name: ILP07_29

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	15,003		

TILADE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1228-1230

Type: NUM

SAS Variable Name: ILP08_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	34.07
401 - 499	Weeks	1	25.00	65.93
BLANK	Skip filled	15,003		

TILADE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1231-1232

Type: NUM

SAS Variable Name: ILP10_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TORNALATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1233

Type: NUM

SAS Variable Name: ILP01_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TORNALATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1234

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Type: NUM

SAS Variable Name: ILP02_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TORNALATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1235

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM

SAS Variable Name: ILP03_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1236

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM

SAS Variable Name: ILP04_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TORNALATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1237

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Type: NUM

SAS Variable Name: ILP05_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1238

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Type: NUM

SAS Variable Name: ILP06_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TORNALATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1239-1240

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM

SAS Variable Name: ILP07_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1241-1243

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TORNALATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1244-1245

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TRIAMCINOLONE ACETONIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1246

Type: NUM

SAS Variable Name: ILP01_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

TRIAMCINOLONE ACETONIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1247

Type: NUM

SAS Variable Name: ILP02_31

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	15,005		

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1248

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	15,005		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1249

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	40.43
2	No	1	50.00	59.57
BLANK	Skip filled	15,005		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1250

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	40.43
3	Didn't exercise in past 3 months	1	50.00	59.57
BLANK	Skip filled	15,005		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1251

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	15,005		

TRIAMCINOLONE ACETONIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1252-1253

Type: NUM

SAS Variable Name: ILP07_31

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	15,005		

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1254-1256

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	15,005		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1257-1258

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

VANCERIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1259

Type: NUM

SAS Variable Name: ILP01_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

VANCERIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1260

Type: NUM

SAS Variable Name: ILP02_32

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	7	100.00	100.00
BLANK	Skip filled	15,000		

VANCERIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1261

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	17.81
2	No	5	71.43	82.19
BLANK	Skip filled	15,000		

VANCERIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1262

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	48.97
2	No	2	28.57	51.03
BLANK	Skip filled	15,000		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

VANCERIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	29.18
2	No	5	71.43	70.82
BLANK	Skip filled	15,000		

VANCERIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	21.66
2	No	4	57.14	55.49
7	Don't know/Not sure	1	14.29	22.86
BLANK	Skip filled	15,000		

VANCERIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1265-1266

Type: NUM

SAS Variable Name: ILP07_32

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	7	100.00	100.00
BLANK	Skip filled	15,000		

VANCERIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1267-1269

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	57.14	68.08
401 - 499	Weeks	2	28.57	3.74
666	Less often than once a week	1	14.29	28.17
BLANK	Skip filled	15,000		

VANCERIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1270-1271

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

VENTOLIN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1272

Type: NUM

SAS Variable Name: ILP01_33

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	12	6.00	2.86
2	100 puffs	14	7.00	12.07
3	200 puffs	123	61.50	65.54
4	Other number of puffs	14	7.00	3.95
7	Don't know/Not sure	36	18.00	15.54
9	Refused	1	0.50	0.05
BLANK	Skip filled	14,807		

VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1273

Type: NUM

SAS Variable Name: ILP02_33

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	41	20.50	24.08
2	6 months to 1 year	20	10.00	6.86
3	Longer than 1 year	136	68.00	68.73
7	Don't know/Not sure	3	1.50	0.33
BLANK	Skip filled	14,807		

VENTOLIN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1274

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	61	30.50	30.38
2	No	134	67.00	67.45
7	Don't know/Not sure	5	2.50	2.17
BLANK	Skip filled	14,807		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1275

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	163	81.50	86.14
2	No	22	11.00	6.94
3	No attack in past 3 months	11	5.50	4.08
7	Don't know/Not sure	4	2.00	2.85
BLANK	Skip filled	14,807		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

VENTOLIN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1276

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	65	32.50	40.74
2	No	115	57.50	51.05
3	Didn't exercise in past 3 months	19	9.50	8.14
7	Don't know/Not sure	1	0.50	0.07
BLANK	Skip filled	14,807		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1277

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	21.50	17.67
2	No	156	78.00	82.26
7	Don't know/Not sure	1	0.50	0.07
BLANK	Skip filled	14,807		

VENTOLIN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1278-1279

Type: NUM

SAS Variable Name: ILP07_33

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	198	99.00	99.69
77	Don't know	2	1.00	0.31
BLANK	Skip filled	14,807		

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1280-1282

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	69	34.50	32.27
401 - 499	Weeks	76	38.00	45.28
555	Never	1	0.50	0.02
666	Less often than once a week	40	20.00	17.51
777	Don't know	13	6.50	4.67
999	Refused	1	0.50	0.24
BLANK	Skip filled	14,807		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

VENTOLIN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1283-1284

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	136	68.00	75.08
77	Don't know	8	4.00	3.23
88	None/Less than 1 full canister	55	27.50	21.64
99	Refused	1	0.50	0.05
BLANK	Skip filled	14,807		

FORADIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1285

Type: NUM

SAS Variable Name: ILP01_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FORADIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1286

Type: NUM

SAS Variable Name: ILP02_34

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	11	11.70	10.24
2	6 months to 1 year	14	14.89	12.85
3	Longer than 1 year	69	73.40	76.91
BLANK	Skip filled	14,913		

FORADIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1287

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	14.89	7.03
2	No	73	77.66	77.54
3	Medication is a disk inhaler, not a canister inhaler	4	4.26	7.66
7	Don't know/Not sure	3	3.19	7.77
BLANK	Skip filled	14,913		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FORADIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1288

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	28.72	30.19
2	No	57	60.64	59.37
3	No attack in past 3 months	9	9.57	10.27
7	Don't know/Not sure	1	1.06	0.17
BLANK	Skip filled	14,913		

FORADIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	29.79	29.42
2	No	57	60.64	64.82
3	Didn't exercise in past 3 months	8	8.51	5.51
7	Don't know/Not sure	1	1.06	0.25
BLANK	Skip filled	14,913		

FORADIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	90.43	84.91
2	No	8	8.51	13.25
7	Don't know/Not sure	1	1.06	1.84
BLANK	Skip filled	14,913		

FORADIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1291-1292

Type: NUM

SAS Variable Name: ILP07_34

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	91	96.81	97.09
77	Don't know	3	3.19	2.91
BLANK	Skip filled	14,913		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FORADIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1293-1295

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	84	89.36	85.08
401 - 499	Weeks	7	7.45	12.40
666	Less often than once a week	2	2.13	1.00
999	Refused	1	1.06	1.52
BLANK	Skip filled	14,913		

FORADIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1296-1297

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FORMOTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1298

Type: NUM

SAS Variable Name: ILP01_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

FORMOTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1299

Type: NUM

SAS Variable Name: ILP02_35

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	16.67	2.82
2	6 months to 1 year	1	16.67	4.95
3	Longer than 1 year	4	66.67	92.23
BLANK	Skip filled	15,001		

FORMOTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1300

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	88.34
2	No	3	50.00	11.66
BLANK	Skip filled	15,001		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1301

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	2.82
2	No	4	66.67	92.23
3	No attack in past 3 months	1	16.67	4.95
BLANK	Skip filled	15,001		

FORMOTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	2.82
2	No	3	50.00	51.12
3	Didn't exercise in past 3 months	1	16.67	43.68
7	Don't know/Not sure	1	16.67	2.38
BLANK	Skip filled	15,001		

FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1303

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	15,001		

FORMOTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1304-1305

Type: NUM

SAS Variable Name: ILP07_35

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	100.00	100.00
BLANK	Skip filled	15,001		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1306-1308

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	83.33	56.32
401 - 499	Weeks	1	16.67	43.68
BLANK	Skip filled	15,001		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FORMOTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1309-1310

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

QVAR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1311

Type: NUM

SAS Variable Name: ILP01_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

QVAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1312

Type: NUM

SAS Variable Name: ILP02_36

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	40	18.26	21.59
2	6 months to 1 year	34	15.53	14.62
3	Longer than 1 year	143	65.30	62.64
7	Don't know/Not sure	2	0.91	1.14
BLANK	Skip filled	14,788		

QVAR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1313

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	89	40.64	46.71
2	No	127	57.99	52.01
3	Medication is a disk inhaler, not a canister inhaler	1	0.46	0.61
7	Don't know/Not sure	2	0.91	0.67
BLANK	Skip filled	14,788		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

QVAR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1314

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	87	39.73	41.23
2	No	113	51.60	50.26
3	No attack in past 3 months	17	7.76	8.22
7	Don't know/Not sure	2	0.91	0.30
BLANK	Skip filled	14,788		

QVAR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	23.74	32.02
2	No	151	68.95	62.81
3	Didn't exercise in past 3 months	15	6.85	5.05
7	Don't know/Not sure	1	0.46	0.11
BLANK	Skip filled	14,788		

QVAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	174	79.45	71.82
2	No	43	19.63	27.98
7	Don't know/Not sure	2	0.91	0.20
BLANK	Skip filled	14,788		

QVAR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1317-1318

Type: NUM

SAS Variable Name: ILP07_36

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	219	100.00	100.00
BLANK	Skip filled	14,788		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

QVAR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1319-1321

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	176	80.37	76.87
401 - 499	Weeks	23	10.50	17.38
555	Never	1	0.46	1.75
666	Less often than once a week	15	6.85	3.34
777	Don't know	4	1.83	0.66
BLANK	Skip filled	14,788		

QVAR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1322-1323

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

LEVALBUTEROL TARTRATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1324

Type: NUM

SAS Variable Name: ILP01_37

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

LEVALBUTEROL TARTRATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1325

Type: NUM

SAS Variable Name: ILP02_37

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	3	60.00	30.06
3	Longer than 1 year	1	20.00	40.01
7	Don't know/Not sure	1	20.00	29.93
BLANK	Skip filled	15,002		

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1326

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	9.38
2	No	3	60.00	60.69
7	Don't know/Not sure	1	20.00	29.93
BLANK	Skip filled	15,002		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1327

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	70.07
7	Don't know/Not sure	1	20.00	29.93
BLANK	Skip filled	15,002		

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	40.01
2	No	2	40.00	20.68
3	Didn't exercise in past 3 months	1	20.00	9.38
7	Don't know/Not sure	1	20.00	29.93
BLANK	Skip filled	15,002		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	80.00	70.07
7	Don't know/Not sure	1	20.00	29.93
BLANK	Skip filled	15,002		

LEVALBUTEROL TARTRATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1330-1331

Type: NUM

SAS Variable Name: ILP07_37

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	80.00	70.07
77	Don't know	1	20.00	29.93
BLANK	Skip filled	15,002		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1332-1334

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	20.00	9.38
401 - 499	Weeks	2	40.00	50.24
666	Less often than once a week	1	20.00	10.45
777	Don't know	1	20.00	29.93
BLANK	Skip filled	15,002		

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1335-1336

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	60.00	59.83
77	Don't know	1	20.00	29.93
88	None/Less than 1 full canister	1	20.00	10.23
BLANK	Skip filled	15,002		

XOPENEX HFA: SIZE

Survey: ADULT Asthma Call-Back

Column: 1337

Type: NUM

SAS Variable Name: ILP01_38

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

XOPENEX HFA: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1338

Type: NUM

SAS Variable Name: ILP02_38

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	57	24.15	19.74
2	6 months to 1 year	52	22.03	22.21
3	Longer than 1 year	124	52.54	57.92
7	Don't know/Not sure	3	1.27	0.12
BLANK	Skip filled	14,771		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

XOPENEX HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1339

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	32.63	17.18
2	No	149	63.14	73.89
3	Medication is a disk inhaler, not a canister inhaler	1	0.42	0.05
7	Don't know/Not sure	9	3.81	8.89
BLANK	Skip filled	14,771		

XOPENEX HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1340

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	182	77.12	83.80
2	No	38	16.10	12.41
3	No attack in past 3 months	13	5.51	3.67
7	Don't know/Not sure	3	1.27	0.12
BLANK	Skip filled	14,771		

XOPENEX HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	75	31.78	26.70
2	No	131	55.51	65.75
3	Didn't exercise in past 3 months	26	11.02	7.22
7	Don't know/Not sure	4	1.69	0.33
BLANK	Skip filled	14,771		

XOPENEX HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	69	29.24	33.20
2	No	162	68.64	65.53
7	Don't know/Not sure	5	2.12	1.27
BLANK	Skip filled	14,771		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

XOPENEX HFA: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1343-1344

Type: NUM

SAS Variable Name: ILP07_38

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	225	95.34	98.81
77	Don't know	11	4.66	1.19
BLANK	Skip filled	14,771		

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1345-1347

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	94	39.83	41.53
401 - 499	Weeks	75	31.78	26.49
555	Never	3	1.27	1.41
666	Less often than once a week	48	20.34	16.67
777	Don't know	15	6.36	13.81
999	Refused	1	0.42	0.10
BLANK	Skip filled	14,771		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1348-1349

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	153	64.83	48.33
77	Don't know	21	8.90	17.17
88	None/Less than 1 full canister	41	17.37	12.65
99	Refused	21	8.90	21.86
BLANK	Skip filled	14,771		

MOMETASONE FUROATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: ILP01_39

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

MOMETASONE FUROATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: ILP02_39

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	37.50	62.29
2	6 months to 1 year	2	25.00	21.31
3	Longer than 1 year	3	37.50	16.40
BLANK	Skip filled	14,999		

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

MOMETASONE FUROATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	37.50	17.55
2	No	3	37.50	32.90
3	No attack in past 3 months	2	25.00	49.55
BLANK	Skip filled	14,999		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	12.50	2.46
2	No	5	62.50	47.99
3	Didn't exercise in past 3 months	2	25.00	49.55
BLANK	Skip filled	14,999		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	87.50	95.52
2	No	1	12.50	4.48
BLANK	Skip filled	14,999		

MOMETASONE FUROATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1356-1357

Type: NUM

SAS Variable Name: ILP07_39

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	8	100.00	100.00
BLANK	Skip filled	14,999		

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1358-1360

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	87.50	95.52
401 - 499	Weeks	1	12.50	4.48
BLANK	Skip filled	14,999		

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1361-1362

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

ASMANEX (TWISTHALER): SIZE

Survey: ADULT Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: ILP01_40

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ASMANEX (TWISTHALER): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: ILP02_40

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	53	24.09	30.04
2	6 months to 1 year	66	30.00	31.87
3	Longer than 1 year	97	44.09	36.85
7	Don't know/Not sure	3	1.36	0.87
9	Refused	1	0.45	0.38
BLANK	Skip filled	14,787		

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	24.09	22.88
2	No	142	64.55	68.54
3	No attack in past 3 months	17	7.73	5.28
7	Don't know/Not sure	7	3.18	3.26
9	Refused	1	0.45	0.05
BLANK	Skip filled	14,787		

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	20.00	20.86
2	No	156	70.91	69.91
3	Didn't exercise in past 3 months	17	7.73	8.46
7	Don't know/Not sure	3	1.36	0.76
BLANK	Skip filled	14,787		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	193	87.73	88.56
2	No	25	11.36	10.95
7	Don't know/Not sure	2	0.91	0.49
BLANK	Skip filled	14,787		

ASMANEX (TWISTHALER): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1369-1370

Type: NUM

SAS Variable Name: ILP07_40

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	217	98.64	99.13
77	Don't know	3	1.36	0.87
BLANK	Skip filled	14,787		

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1371-1373

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	177	80.45	84.39
401 - 499	Weeks	32	14.55	10.94
555	Never	2	0.91	0.90
666	Less often than once a week	6	2.73	2.90
777	Don't know	2	0.91	0.49
999	Refused	1	0.45	0.38
BLANK	Skip filled	14,787		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1374-1375

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

PRO-AIR HFA: SIZE

Survey: ADULT Asthma Call-Back

Column: 1376

Type: NUM

SAS Variable Name: ILP01_41

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PRO-AIR HFA: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1377

Type: NUM

SAS Variable Name: ILP02_41

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	119	26.50	27.27
2	6 months to 1 year	130	28.95	31.46
3	Longer than 1 year	196	43.65	40.88
7	Don't know/Not sure	4	0.89	0.40
BLANK	Skip filled	14,558		

PRO-AIR HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1378

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	122	27.17	23.17
2	No	321	71.49	75.81
7	Don't know/Not sure	6	1.34	1.01
BLANK	Skip filled	14,558		

PRO-AIR HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1379

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	368	81.96	87.42
2	No	56	12.47	8.93
3	No attack in past 3 months	24	5.35	3.64
7	Don't know/Not sure	1	0.22	0.01
BLANK	Skip filled	14,558		

PRO-AIR HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	142	31.63	35.88
2	No	260	57.91	58.89
3	Didn't exercise in past 3 months	46	10.24	5.22
7	Don't know/Not sure	1	0.22	0.01
BLANK	Skip filled	14,558		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PRO-AIR HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	124	27.62	17.58
2	No	324	72.16	82.42
7	Don't know/Not sure	1	0.22	0.01
BLANK	Skip filled	14,558		

PRO-AIR HFA: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1382-1383

Type: NUM

SAS Variable Name: ILP07_41

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	447	99.55	99.90
77	Don't know	2	0.45	0.10
BLANK	Skip filled	14,558		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1384-1386

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	184	40.98	28.20
401 - 499	Weeks	141	31.40	49.10
555	Never	5	1.11	1.23
666	Less often than once a week	99	22.05	19.02
777	Don't know	20	4.45	2.45
BLANK	Skip filled	14,558		

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1387-1388

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	323	71.94	68.85
77	Don't know	28	6.24	12.79
88	None/Less than 1 full canister	82	18.26	8.67
99	Refused	16	3.56	9.69
BLANK	Skip filled	14,558		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SYMBICORT: SIZE

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1389

SAS Variable Name: ILP01_42

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

SYMBICORT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1390

SAS Variable Name: ILP02_42

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	121	58.45	53.09
2	6 months to 1 year	53	25.60	21.53
3	Longer than 1 year	31	14.98	22.95
7	Don't know/Not sure	2	0.97	2.43
BLANK	Skip filled	14,800		

SYMBICORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1391

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	46	22.22	16.57
2	No	157	75.85	80.10
7	Don't know/Not sure	4	1.93	3.33
BLANK	Skip filled	14,800		

SYMBICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1392

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	32.85	39.16
2	No	128	61.84	56.20
3	No attack in past 3 months	8	3.86	2.84
7	Don't know/Not sure	3	1.45	1.81
BLANK	Skip filled	14,800		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SYMBICORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	25.12	23.11
2	No	134	64.73	69.19
3	Didn't exercise in past 3 months	19	9.18	6.43
7	Don't know/Not sure	2	0.97	1.27
BLANK	Skip filled	14,800		

SYMBICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	173	83.57	87.91
2	No	32	15.46	11.80
7	Don't know/Not sure	2	0.97	0.30
BLANK	Skip filled	14,800		

SYMBICORT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1395-1396

Type: NUM

SAS Variable Name: ILP07_42

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	206	99.52	99.78
77	Don't know	1	0.48	0.22
BLANK	Skip filled	14,800		

SYMBICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1397-1399

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	169	81.64	84.85
401 - 499	Weeks	22	10.63	10.11
666	Less often than once a week	11	5.31	4.16
777	Don't know	5	2.42	0.88
BLANK	Skip filled	14,800		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

SYMBICORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1400-1401

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

PILL ACCOLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1402

Type: NUM

SAS Variable Name: PILLX_1

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	55	93.22	95.19
7	Don't know/Not sure	4	6.78	4.81
BLANK	Skip filled	14,948		

PILL AEROLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1403

Type: NUM

SAS Variable Name: PILLX_2

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,006		

PILL ALBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1404

Type: NUM

SAS Variable Name: PILLX_3

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	7	18.92	22.50
2	6 months to 1 year	6	16.22	25.44
3	Longer than 1 year	23	62.16	51.19
7	Don't know/Not sure	1	2.70	0.87
BLANK	Skip filled	14,970		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1405

Type: NUM

SAS Variable Name: PILLX_4

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	66.46
2	6 months to 1 year	1	50.00	33.54
BLANK	Skip filled	15,005		

PILL CHOLEDYL (OXTRIPHYLLINE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1406

Type: NUM

SAS Variable Name: PILLX_5

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	15,006		

PILL DELTASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1407

Type: NUM

SAS Variable Name: PILLX_7

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,006		

PILL ELIXOPHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: PILLX_8

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	58.36
3	Longer than 1 year	1	50.00	41.64
BLANK	Skip filled	15,005		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL MEDROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1409

Type: NUM

SAS Variable Name: PILLX_11

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	80.00	92.99
7	Don't know/Not sure	1	20.00	7.01
BLANK	Skip filled	15,002		

PILL METAPREL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1410

Type: NUM

SAS Variable Name: PILLX_12

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

PILL METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1411

Type: NUM

SAS Variable Name: PILLX_13

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,006		

PILL METHYLPREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1412

Type: NUM

SAS Variable Name: PILLX_14

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	50.00	27.98
3	Longer than 1 year	3	37.50	57.25
7	Don't know/Not sure	1	12.50	14.77
BLANK	Skip filled	14,999		

PILL MONTELUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1413

Type: NUM

SAS Variable Name: PILLX_15

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	5	100.00	100.00
BLANK	Skip filled	15,002		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL PEDIAPRED: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1414

Type: NUM

SAS Variable Name: PILLX_17

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

PILL PREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1415

Type: NUM

SAS Variable Name: PILLX_18

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	6	33.33	32.27
2	6 months to 1 year	1	5.56	4.94
3	Longer than 1 year	11	61.11	62.79
BLANK	Skip filled	14,989		

PILL PREDNISONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1416

Type: NUM

SAS Variable Name: PILLX_19

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	127	39.81	36.29
2	6 months to 1 year	18	5.64	3.10
3	Longer than 1 year	159	49.84	57.87
7	Don't know/Not sure	14	4.39	2.53
9	Refused	1	0.31	0.21
BLANK	Skip filled	14,688		

PILL PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1417

Type: NUM

SAS Variable Name: PILLX_21

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	15,005		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL RESPID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1418

Type: NUM

SAS Variable Name: PILLX_23

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,006		

PILL SINGULAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1419

Type: NUM

SAS Variable Name: PILLX_24

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	137	8.75	8.07
2	6 months to 1 year	136	8.69	11.49
3	Longer than 1 year	1,263	80.70	76.55
7	Don't know/Not sure	28	1.79	3.85
9	Refused	1	0.06	0.04
BLANK	Skip filled	13,442		

PILL SLO-PHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1420

Type: NUM

SAS Variable Name: PILLX_25

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,004		

PILL SLO-BID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1421

Type: NUM

SAS Variable Name: PILLX_26

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	15,003		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL THEO-24: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1422

Type: NUM

SAS Variable Name: PILLX_28

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	7.69	1.83
3	Longer than 1 year	11	84.62	63.53
7	Don't know/Not sure	1	7.69	34.64
BLANK	Skip filled	14,994		

PILL THEOCHRON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1423

Type: NUM

SAS Variable Name: PILLX_30

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,004		

PILL THEOCLEAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1424

Type: NUM

SAS Variable Name: PILLX_31

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

PILL THEODUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: PILLX_32

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	6.25	3.33
3	Longer than 1 year	15	93.75	96.67
BLANK	Skip filled	14,991		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL THEO-DUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: PILLX_33

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	11.11	2.42
3	Longer than 1 year	8	88.89	97.58
BLANK	Skip filled	14,998		

PILL THEOPHYLLINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1427

Type: NUM

SAS Variable Name: PILLX_35

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	0.76	0.26
2	6 months to 1 year	9	6.87	8.51
3	Longer than 1 year	118	90.08	82.90
7	Don't know/Not sure	3	2.29	8.32
BLANK	Skip filled	14,876		

PILL THEOSPAN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1428

Type: NUM

SAS Variable Name: PILLX_37

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	16.01
3	Longer than 1 year	1	50.00	83.99
BLANK	Skip filled	15,005		

PILL T-PHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1429

Type: NUM

SAS Variable Name: PILLX_40

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,006		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL UNIPHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1430

Type: NUM

SAS Variable Name: PILLX_42

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	7.69	7.35
3	Longer than 1 year	12	92.31	92.65
BLANK	Skip filled	14,994		

PILL VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1431

Type: NUM

SAS Variable Name: PILLX_43

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

PILL VOLMAX: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1432

Type: NUM

SAS Variable Name: PILLX_44

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

PILL ZAFIRLUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1433

Type: NUM

SAS Variable Name: PILLX_45

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	15,005		

PILL ZILEUTON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1434

Type: NUM

SAS Variable Name: PILLX_46

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,007		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

PILL ZYFLO FILMTAB: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1435

Type: NUM

SAS Variable Name: PILLX_47

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	25.00	7.97
2	6 months to 1 year	1	12.50	4.15
3	Longer than 1 year	5	62.50	87.88
BLANK	Skip filled	14,999		

PILL TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1436

Type: NUM

SAS Variable Name: PILLX_48

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	11.11	5.76
3	Longer than 1 year	8	88.89	94.24
BLANK	Skip filled	14,998		

PILL BRETHINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1437

Type: NUM

SAS Variable Name: PILLX_49

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,004		

INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1438-1447

Type: NUM

SAS Variable Name: WEIGHT_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	15,007	100.00	100.00

ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: ADULT Asthma Call-Back

Column: 1448-1457

Type: NUM

SAS Variable Name: POST

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	15,007	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

FINAL ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1458-1467

Prologue:

Description: FINAL ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: FINALWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back weight	15,007	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: ADULT Asthma Call-Back

Column: 1468

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	5,974	100.00	100.00
BLANK	No Region Collapsed	9,033		

RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1469

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: RACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	15,007		

AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1470

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEF7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	454	3.63	15.13
2	Age 25 - 34	1,134	9.07	20.40
3	Age 35 - 44	1,775	14.20	17.78
4	Age 45 - 54	2,797	22.37	18.25
5	Age 55 - 64	3,045	24.36	14.22
6	Age 65 - 74	2,055	16.44	8.47
7	Age 75+	1,242	9.93	5.76
BLANK	Missing	2,505		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1471

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	1,426	12.08	35.10
2	Age 35 - 44	1,671	14.15	17.70
3	Age 45 - 54	2,571	21.78	18.51
4	Age 55 - 64	2,945	24.94	14.40
5	Age 65+	3,193	27.05	14.30
BLANK	Missing	3,201		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1472

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	244	11.83	35.49
2	Age 35 - 44	304	14.74	19.07
3	Age 45 - 54	439	21.29	18.83
4	Age 55+	1,075	52.13	26.60
BLANK	Missing	12,945		

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1473

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	193	10.60	35.26
2	Age 35 - 54	652	35.80	38.05
3	Age 55+	976	53.60	26.69
BLANK	Missing	13,186		

AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1474

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	311	25.31	55.77
2	Age 45+	918	74.69	44.23
BLANK	Missing	13,778		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2008**

ADULT ASTHMA CALL-BACK ADJUST FACTOR

Survey: ADULT Asthma Call-Back

Column: 1475-1482

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: ADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification adjust factor	15,007	100.00	100.00