

United States

2009 Codebook Report

ADULT Asthma Call-Back Survey

November 8, 2011



**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

STATE FIPS CODE

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Arizona	166	1.08	3.06
6	California	707	4.59	15.23
9	Connecticut	355	2.30	1.68
11	District of Columbia	206	1.34	0.31
12	Florida	588	3.82	6.95
13	Georgia	259	1.68	3.32
15	Hawaii	414	2.69	0.65
17	Illinois	280	1.82	5.18
18	Indiana	523	3.40	2.56
19	Iowa	339	2.20	0.96
20	Kansas	1,136	7.38	1.07
22	Louisiana	285	1.85	1.47
23	Maine	319	2.07	0.62
24	Maryland	389	2.53	2.42
25	Massachusetts	317	2.06	3.19
26	Michigan	669	4.34	4.87
30	Montana	445	2.89	0.36
31	Nebraska	754	4.90	0.60
32	Nevada	178	1.16	1.11
33	New Hampshire	350	2.27	0.69
34	New Jersey	508	3.30	3.40
35	New Mexico	302	1.96	0.82
36	New York	438	2.84	8.68
38	North Dakota	253	1.64	0.24
39	Ohio	387	2.51	5.27
40	Oklahoma	392	2.54	1.71
41	Oregon	224	1.45	1.95
44	Rhode Island	403	2.62	0.53
48	Texas	691	4.49	8.78
49	Utah	662	4.30	1.04
50	Vermont	469	3.04	0.29
51	Virginia	258	1.67	3.08
53	Washington	769	4.99	3.07
54	West Virginia	319	2.07	0.70
55	Wisconsin	289	1.88	2.41
72	Puerto Rico	360	2.34	1.74

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,363	8.85	8.07
2	February	1,301	8.45	7.18
3	March	1,242	8.06	6.25
4	April	1,268	8.23	6.89
5	May	1,130	7.34	6.92
6	June	1,129	7.33	7.10
7	July	1,278	8.30	7.86
8	August	1,247	8.10	8.12
9	September	1,195	7.76	6.68
10	October	2,138	13.88	24.22
11	November	1,157	7.51	5.93
12	December	955	6.20	4.78

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	761	4.94	4.25
2	February	1,356	8.80	8.43
3	March	1,580	10.26	9.95
4	April	1,300	8.44	7.06
5	May	1,217	7.90	7.90
6	June	1,270	8.25	8.60
7	July	1,243	8.07	7.67
8	August	1,382	8.97	10.32
9	September	1,328	8.62	8.59
10	October	1,366	8.87	10.05
11	November	1,439	9.34	9.57
12	December	1,161	7.54	7.62

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		15,403	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2009	Interview year	15,022	97.53	98.25
2010	Interview year	381	2.47	1.75

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer Identification	15,403	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: DISPCODE_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Complete	15,395	99.95	99.99
120	Partial complete	8	0.05	0.01

ANNUAL SEQUENCE NUMBER

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		15,403	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: NATTMPTS_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Number of attempts of asthma call-back	15,403	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ARE YOU SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 40

Type: NUM

SAS Variable Name: SAMP_NAME

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14,828	96.27	95.73
2	No	575	3.73	4.27

MAY I SPEAK WITH SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: SAMP_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	575	100.00	100.00
BLANK	Not asked or missing	14,828		

CHECK CORRECT PERSON ON PHONE

Survey: ADULT Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,450	100.00	100.00
BLANK	Not asked or missing	13,953		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,449	100.00	100.00
BLANK	Not asked or missing	13,954		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	888	61.28	59.30
2	No	503	34.71	38.65
7	Don't know/Not sure	58	4.00	2.06
BLANK	Not asked or missing	13,954		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PERMISSION TO COMBINE THE ANSWER WITH BRFS

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,790	100.00	100.00
BLANK	Not asked or missing	8,613		

AGE AT ASTHMA DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	13,997	90.87	91.45
777	Don't know	904	5.87	4.39
888	Less than 1 year old	478	3.10	3.78
999	Refused	24	0.16	0.39

TIME SINCE DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	358	2.32	2.20
2	One to five years ago	1,509	9.80	9.68
3	More than 5 years ago	13,469	87.44	87.70
7	Don't know	66	0.43	0.42
9	Refused	1	0.01	0.00

LAST TALKED TO A DOCTOR

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	8,683	56.37	50.66
5	One year to less than 3 years ago	2,196	14.26	14.97
6	Three years to five years ago	952	6.18	7.01
7	More than five years ago	3,280	21.29	25.79
77	Don't know	133	0.86	0.57
88	Never	156	1.01	1.00
99	Refused	3	0.02	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

LAST TOOK ASTHMA MEDICATION

Survey: ADULT Asthma Call-Back

Column: 52-53

Type: NUM

SAS Variable Name: LAST_MED

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	5,540	35.97	27.85
2	1-6 days ago	1,154	7.49	6.95
3	1 week to less than 3 months ago	1,690	10.97	12.50
4	3 months to less than 1 year ago	1,344	8.73	10.02
5	1 year to less than 3 years ago	1,234	8.01	8.22
6	3 years to 5 years ago	666	4.32	4.88
7	More than 5 years ago	3,104	20.15	25.71
77	Don't know	119	0.77	0.42
88	Never	548	3.56	3.36
99	Refused	4	0.03	0.09

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: ADULT Asthma Call-Back

Column: 54-55

Type: NUM

SAS Variable Name: LASTSYMP

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	4,083	26.51	20.50
2	1-6 days ago	1,784	11.58	10.70
3	1 week to less than 3 months ago	2,852	18.52	19.33
4	3 months to less than 1 year ago	1,800	11.69	13.02
5	1 year to less than 3 years ago	1,196	7.76	8.31
6	3 years to 5 years ago	602	3.91	4.62
7	More than 5 years ago	2,671	17.34	21.80
77	Don't know	301	1.95	1.04
88	Never	110	0.71	0.66
99	Refused	4	0.03	0.00

SYMPTOM DAYS

Survey: ADULT Asthma Call-Back

Column: 56-58

Type: NUM

SAS Variable Name: SYMP_30D

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	5,250	34.08	32.54
30	Every day	2,609	16.94	11.62
66	No symptoms past one year, skip filled	4,579	29.73	35.40
77	Don't know	277	1.80	1.21
88	No symptoms in the past 30 days	883	5.73	6.21
99	Refused	5	0.03	0.00
100	Symptoms 3 months to 1 year ago, skip filled	1,800	11.69	13.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

CONSTANT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,416	9.19	6.71
2	No	1,154	7.49	4.79
6	Last symptoms one+ years ago, skip filled	4,579	29.73	35.40
7	Don't know	37	0.24	0.12
9	Refused	2	0.01	0.00
10	Last symptoms 3 months - 1 year ago, skip filled	1,800	11.69	13.02
11	No symptoms 'SYMP_30D' skip filled	883	5.73	6.21
12	1-29 'SYMP_30D' skip filled	5,250	34.08	32.54
77	Don't know 'SYMP_30D' skip filled	277	1.80	1.21
99	Refused 'SYMP_30D' skip filled	5	0.03	0.00

NIGHT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	3,413	22.16	20.05
66	No symptoms past one year, skip filled	4,579	29.73	35.40
77	Don't know	392	2.54	1.45
88	None	4,325	28.08	23.84
99	Refused	11	0.07	0.03
100	Symptoms 3 months to 1 year ago, skip filled	1,800	11.69	13.02
111	No symptoms in the past 30 days, skip filled	883	5.73	6.21

SYMPTOM-FREE DAYS

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	11,931	77.46	83.73
77	Don't know	276	1.79	1.29
88	None	3,192	20.72	14.97
99	Refused	4	0.03	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,807	37.70	34.91
2	No	4,875	31.65	29.32
6	No symptoms past 1 year, skip filled	4,579	29.73	35.40
7	Don't know	137	0.89	0.35
9	Refused	5	0.03	0.03

NUMBER OF EPISODES / ATTACKS

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	4,264	27.68	25.82
666	No symptoms past 1 year, skip filled	4,579	29.73	35.40
777	Don't know	390	2.53	1.51
888	None	1,145	7.43	7.54
999	Refused	8	0.05	0.03
1111	No episode/asthma attack past year, skip filled	5,017	32.57	29.69

DURATION OF ATTACK

Survey: ADULT Asthma Call-Back

Column: 71-74

Type: NUM

SAS Variable Name: DUR_ASTH

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	2,410	15.65	15.65
201 - 299	Hours	1,396	9.06	8.69
301 - 399	Days	1,203	7.81	6.07
401 - 499	Weeks	481	3.12	3.04
555	Never	17	0.11	0.06
666	No symptoms past 1 year, skip filled	4,579	29.73	35.40
777	Don't know	288	1.87	1.38
999	Refused	12	0.08	0.01
1111	No episode/asthma attack past year, skip filled	5,017	32.57	29.69

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TYPICAL ATTACK

Survey: ADULT Asthma Call-Back

Column: 75-76

Type: NUM

SAS Variable Name: COMPASTH

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	1,346	8.74	7.80
2	Longer	833	5.41	4.65
3	About the same	3,521	22.86	22.08
4	The most recent attack was actually the first attack	28	0.18	0.09
6	No symptoms past year, skip filled	4,579	29.73	35.40
7	Don't know	74	0.48	0.27
9	Refused	5	0.03	0.01
11	No episode/asthma attack past year, skip filled	5,017	32.57	29.69

INSURANCE

Survey: ADULT Asthma Call-Back

Column: 77

Type: NUM

SAS Variable Name: INS1

Prologue:

Description: QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13,999	90.88	86.28
2	No	1,381	8.97	13.54
7	Don't know/Not sure	19	0.12	0.17
9	Refused	4	0.03	0.02

INSURANCE OR COVERAGE GAP

Survey: ADULT Asthma Call-Back

Column: 78

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	723	4.69	5.80
2	No	13,262	86.10	80.21
5	No insurance at time of interview, skip filled	1,381	8.97	13.54
7	Don't know	31	0.20	0.43
9	Refused	6	0.04	0.02

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: ADULT Asthma Call-Back

Column: 79-81

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	6,665	43.51	37.62
555	No current asthma, nothing happened past year, skip filled	3,050	19.91	26.01
666	No MD visit past year, skip filled	3,572	23.32	23.86
777	Don't know	182	1.19	0.83
888	None	1,841	12.02	11.60
999	Refused	8	0.05	0.07
BLANK	Not asked or missing	85		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

EMERGENCY ROOM VISIT

Survey: ADULT Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,383	9.03	8.29
2	No	7,282	47.54	41.75
5	No current asthma, nothing happened past year, skip filled	3,050	19.91	26.01
6	No MD visit past year, skip filled	3,572	23.32	23.86
7	Don't know	30	0.20	0.07
9	Refused	1	0.01	0.00
BLANK	Not asked or missing	85		

NUMBER OF EMERGENCY ROOM VISITS

Survey: ADULT Asthma Call-Back

Column: 83-85

Type: NUM

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,352	8.83	8.15
555	No current asthma, nothing happened past year, skip filled	3,050	19.91	26.01
666	No MD visit past year, skip filled	3,572	23.32	23.86
677	MD visit, no ER visit past year, skip filled	7,282	47.54	41.75
777	Don't know	46	0.30	0.16
888	None	6	0.04	0.01
999	Refused	10	0.07	0.05
BLANK	Not asked or missing	85		

NUMBER OF URGENT VISITS

Survey: ADULT Asthma Call-Back

Column: 86-88

Type: NUM

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	2,703	17.65	15.48
555	No current asthma, nothing happened past year, skip filled	3,050	19.91	26.01
666	No MD visit past year, skip filled	3,572	23.32	23.86
777	Don't know	164	1.07	0.82
888	None	5,816	37.97	33.64
999	Refused	13	0.08	0.18
BLANK	Not asked or missing	85		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

HOSPITAL VISIT

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	497	3.24	2.30
2	No	7,299	47.62	41.94
4	MD visit, no symptoms past year, skip filled	887	5.79	5.85
5	No current asthma, nothing happened past year, skip filled	3,050	19.90	25.98
6	No MD visit past year, skip filled	3,572	23.31	23.83
7	Don't know	19	0.12	0.06
9	Refused	3	0.02	0.04
BLANK	Not asked or missing	76		

NUMBER OF HOSPITAL VISITS

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	489	3.19	2.26
444	MD visit, no symptoms past year, skip filled	887	5.79	5.85
455	MD visit, symptoms, no hospital visit past year, skip filled	7,299	47.62	41.94
555	No current asthma, nothing happened past year, skip filled	3,050	19.90	25.98
666	No MD visit past year, skip filled	3,572	23.31	23.83
777	Don't know	27	0.18	0.09
999	Refused	3	0.02	0.04
BLANK	Not asked or missing	76		

HOSPITAL FOLLOW-UP

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	343	2.24	1.54
2	No	148	0.97	0.75
4	MD visit, no symptoms past year, skip filled	887	5.79	5.85
5	No current asthma, nothing happened past year, skip filled	3,050	19.90	25.98
6	No MD visit past year, skip filled	3,572	23.31	23.83
7	Don't know	25	0.16	0.07
9	Refused	3	0.02	0.04
45	MD visit, symptoms, no hospital visit past year, skip filled	7,299	47.62	41.94
BLANK	Not asked or missing	76		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

NUMBER OF MISSED DAYS

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	3,422	22.38	20.65
555	No current asthma, nothing happened past year, skip filled	3,050	19.95	26.19
777	Don't know	634	4.15	2.67
888	Zero	8,151	53.30	50.25
999	Refused	35	0.23	0.24
BLANK	Not asked or missing	111		

ACTIVITY LIMITATION

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT_DAYS

Prologue:

Description: Q5.9 During the past 12 months, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	4,653	30.43	30.99
2	A little	4,362	28.52	26.90
3	A moderate amount	2,007	13.12	10.16
4	A lot	1,150	7.52	5.52
5	No current asthma, nothing happened past year, skip filled	3,050	19.95	26.19
7	Don't know	67	0.44	0.24
9	Refused	3	0.02	0.00
BLANK	Not asked or missing	111		

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,051	58.76	61.95
2	No	5,968	38.75	36.09
7	Don't know/Not sure	374	2.43	1.94
9	Refused	10	0.06	0.02

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,610	68.88	73.46
2	No	4,468	29.01	25.07
7	Don't know/Not sure	309	2.01	1.45
9	Refused	16	0.10	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: ADULT Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,835	37.88	39.67
2	No	9,417	61.14	59.23
7	Don't know/Not sure	143	0.93	1.10
9	Refused	8	0.05	0.01

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: ADULT Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,557	23.09	24.95
2	No	11,554	75.01	73.17
7	Don't know/Not sure	287	1.86	1.83
9	Refused	5	0.03	0.05

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: ADULT Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,275	8.28	7.96
2	No	14,095	91.51	91.89
7	Don't know/Not sure	32	0.21	0.14
9	Refused	1	0.01	0.01

AIR CLEANER USED

Survey: ADULT Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,292	27.86	28.80
2	No	11,036	71.65	70.85
7	Don't know/Not sure	67	0.43	0.33
9	Refused	8	0.05	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

DEHUMIDIFIER USED

Survey: ADULT Asthma Call-Back

Column: 105

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Type: NUM

SAS Variable Name: DEHUMID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,615	23.47	22.78
2	No	11,729	76.15	76.87
7	Don't know/Not sure	57	0.37	0.34
9	Refused	2	0.01	0.00

EXHAUST FAN USED

Survey: ADULT Asthma Call-Back

Column: 106

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Type: NUM

SAS Variable Name: KITC_FAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,777	56.98	59.83
2	No	6,549	42.52	39.55
7	Don't know/Not sure	74	0.48	0.61
9	Refused	3	0.02	0.01

GAS USED

Survey: ADULT Asthma Call-Back

Column: 107

Prologue:

Description: Q7.4 Is gas used for cooking?

Type: NUM

SAS Variable Name: COOK_GAS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,952	38.64	45.82
2	No	9,423	61.18	54.06
7	Don't know/Not sure	26	0.17	0.12
9	Refused	2	0.01	0.00

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 108

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Type: NUM

SAS Variable Name: ENV_MOLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,626	10.56	10.10
2	No	13,708	89.00	89.50
7	Don't know/Not sure	68	0.44	0.39
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

INDOOR PETS

Survey: ADULT Asthma Call-Back

Column: 109

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Type: NUM
SAS Variable Name: ENV_PETS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,668	56.27	58.16
2	No	6,728	43.68	41.79
7	Don't know/Not sure	6	0.04	0.05
9	Refused	1	0.01	0.00

PETS ALLOWED IN BEDROOM

Survey: ADULT Asthma Call-Back

Column: 110

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Type: NUM
SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,572	42.67	43.10
2	No	2,041	13.25	14.69
3	Some are/some aren't	51	0.33	0.36
6	No pets, skip coded	6,735	43.73	41.84
7	Don't know	4	0.03	0.01

SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 112

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Type: NUM
SAS Variable Name: C_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,384	8.99	11.13
2	No	13,997	90.87	88.72
7	Don't know/Not sure	20	0.13	0.14
9	Refused	2	0.01	0.01

SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 113

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Type: NUM
SAS Variable Name: C_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,049	6.81	6.31
2	No	14,340	93.10	93.64
7	Don't know/Not sure	14	0.09	0.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FIREPLACE OR WOOD STOVE USED

Survey: ADULT Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: WOOD_STOVE

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,827	18.35	19.37
2	No	12,561	81.55	80.53
7	Don't know/Not sure	15	0.10	0.10

GAS APPLIANCE USED

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	972	6.31	7.04
2	No	14,363	93.25	92.38
7	Don't know/Not sure	68	0.44	0.58

ANYONE SMOKED INSIDE YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,314	15.02	15.24
2	No	13,079	84.91	84.66
7	Don't know/Not sure	8	0.05	0.09
9	Refused	2	0.01	0.01

EVER ADVISED CHANGE THINGS IN YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,134	33.33	33.17
2	No	10,173	66.05	66.00
7	Don't know/Not sure	93	0.60	0.83
9	Refused	3	0.02	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

USE A MATTRESS COVER

Survey: ADULT Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,491	29.16	28.41
2	No	10,517	68.28	69.60
7	Don't know/Not sure	393	2.55	1.98
9	Refused	2	0.01	0.00

USE A PILLOW COVER

Survey: ADULT Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,176	27.11	26.78
2	No	11,039	71.67	72.34
7	Don't know/Not sure	184	1.19	0.88
9	Refused	4	0.03	0.01

CARPETING OR RUGS IN YOUR BEDROOM

Survey: ADULT Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,759	69.85	68.18
2	No	4,633	30.08	31.75
7	Don't know/Not sure	9	0.06	0.06
9	Refused	2	0.01	0.00

WASH WATER TEMPERATURE

Survey: ADULT Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	3,867	25.11	26.78
2	Warm	5,016	32.57	29.04
3	Hot	5,638	36.60	37.83
4	Varies	470	3.05	3.14
7	Don't know/Not sure	408	2.65	3.20
9	Refused	4	0.03	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

USE AN EXHAUST FAN IN YOUR BATHROOM

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,856	57.50	58.73
2	No or "No Fan"	6,471	42.01	40.81
7	Don't know/Not sure	71	0.46	0.44
9	Refused	5	0.03	0.01

EVER USED OVER-THE-COUNTER MEDICATION

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,059	26.35	25.72
2	No	10,655	69.17	70.16
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know	136	0.88	0.75
9	Refused	5	0.03	0.01

EVER USED PRESCRIPTION INHALER

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13,729	89.13	89.98
2	No	1,085	7.04	6.48
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know	39	0.25	0.18
9	Refused	2	0.01	0.00

PROFESSIONAL INHALER INSTRUCTION

Survey: ADULT Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13,023	84.55	85.96
2	No	642	4.17	3.79
5	Never took asthma medication, skip filled	548	3.56	3.36
6	Never used prescription inhaler, skip filled	1,126	7.31	6.66
7	Don't know	63	0.41	0.23
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

INHALER USE WATCHED

Survey: ADULT Asthma Call-Back

Column: 127

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Type: NUM

SAS Variable Name: INHALERW

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,248	66.53	68.74
2	No	2,993	19.43	18.93
5	Never took asthma medication, skip filled	548	3.56	3.36
6	Never used prescription inhaler, skip filled	1,126	7.31	6.66
7	Don't know	486	3.16	2.31
9	Refused	2	0.01	0.00

MEDICATION IN HAND

Survey: ADULT Asthma Call-Back

Column: 128

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Type: NUM

SAS Variable Name: SCR_MED1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,135	33.34	28.38
2	No	384	2.49	2.16
3	Respondent knows the meds	2,792	18.13	16.09
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know	37	0.24	0.44
9	Refused	36	0.23	0.24

HAVE ALL THE MEDICATIONS

Survey: ADULT Asthma Call-Back

Column: 130-131

Prologue:

Description: Q8.7 Do you have all the medications?

Type: NUM

SAS Variable Name: SCR_MED3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	4,887	31.73	26.94
2	Yes, I have some of the medications but not all	172	1.12	1.07
3	No	73	0.47	0.36
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know	3	0.02	0.01
10	Know or no handy asthma medicines, skip filled	3,249	21.09	18.93

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	7,574	49.17	42.83
2	No inhaler in past 3 months	665	4.32	3.96
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
6	Asthma med. past 3 months, never used inhaler, skip filled	120	0.78	0.45
7	Don't know	21	0.14	0.06
9	Refused	4	0.03	0.00

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	2,210	14.35	12.18
2	No pills in past 3 months	6,119	39.73	34.88
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know	49	0.32	0.17
9	Refused	6	0.04	0.08

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	87	0.56	0.61
2	No syrup in past 3 months	8,277	53.74	46.62
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know	17	0.11	0.07
9	Refused	3	0.02	0.01

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	1,993	12.94	10.25
2	No nebulizer in past 3 months	6,372	41.37	37.02
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know	18	0.12	0.04
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

NEBULIZER AT HOME

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,826	11.85	9.20
2	No	166	1.08	1.05
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know/Not sure	1	0.01	0.00
8	No neb. in past 3 months, skip filled	6,391	41.49	37.06

NEBULIZER AT DOCTOR'S OFFICE

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	601	3.90	3.25
2	No	1,390	9.02	6.99
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know/Not sure	2	0.01	0.00
8	No neb. in past 3 months, skip filled	6,391	41.49	37.06

NEBULIZER IN EMERGENCY ROOM

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	523	3.40	3.27
2	No	1,464	9.50	6.97
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know/Not sure	6	0.04	0.01
8	No neb. in past 3 months, skip filled	6,391	41.49	37.06

NEBULIZER AT WORK OR SCHOOL

Survey: ADULT Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	154	1.00	0.84
2	No	1,837	11.93	9.40
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know/Not sure	2	0.01	0.00
8	No neb. in past 3 months, skip filled	6,391	41.49	37.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

NEBULIZER AT ANY OTHER PLACE

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	350	2.27	1.54
2	No	1,641	10.65	8.70
4	No asthma med. past 3 months, skip filled	6,471	42.01	49.34
5	Never took asthma medication, skip filled	548	3.56	3.36
7	Don't know/Not sure	2	0.01	0.01
8	No neb. in past 3 months, skip filled	6,391	41.49	37.06

COST BARRIER: PRIMARY CARE DOCTOR

Survey: ADULT Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,021	6.63	7.51
2	No	9,867	64.07	56.32
5	No current asthma, skip filled	4,491	29.16	35.95
7	Don't know	19	0.12	0.21
9	Refused	2	0.01	0.00
BLANK	Partial complete	3		

COST BARRIER: SPECIALIST

Survey: ADULT Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	567	3.68	4.45
2	No	10,329	67.07	59.51
5	No current asthma, skip filled	4,491	29.16	35.95
7	Don't know	11	0.07	0.09
9	Refused	2	0.01	0.00
BLANK	Partial complete	3		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

COST BARRIER: MEDICATION

Survey: ADULT Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,656	10.75	10.04
2	No	9,233	59.95	53.86
5	No current asthma, skip filled	4,491	29.16	35.95
7	Don't know	18	0.12	0.14
9	Refused	2	0.01	0.00
BLANK	Partial complete	3		

CURRENT EMPLOYMENT STATUS

Survey: ADULT Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: EMP_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	5,441	35.33	41.46
2	Employed part-time	1,791	11.63	13.92
3	Not employed	8,148	52.91	44.50
7	Don't know	13	0.08	0.08
9	Refused	6	0.04	0.04
BLANK	Partial complete	4		

REASON NOT NOW EMPLOYED

Survey: ADULT Asthma Call-Back

Column: 145-146

Type: NUM

SAS Variable Name: UNEMP_R

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	663	4.31	5.26
2	Going to school	188	1.22	4.34
3	Retired	3,966	25.75	12.80
4	Disabled	1,808	11.74	9.07
5	Unable to work for other health reasons	547	3.55	3.05
6	Looking for work	243	1.58	3.55
7	Laid off	369	2.40	3.59
8	Other	348	2.26	2.81
66	Employed, skip filled	7,232	46.96	55.38
77	Don't know	8	0.05	0.04
88	Current employment status don't know or refused	19	0.12	0.12
99	Refused	8	0.05	0.01
BLANK	Partial complete	4		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

EVER EMPLOYED OUTSIDE HOME

Survey: ADULT Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: EMP_EVER

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,648	49.67	40.57
2	No	508	3.30	3.99
6	Employed now, skip filled	7,232	46.96	55.38
7	Don't know/Not sure	6	0.04	0.05
9	Refused	5	0.03	0.02
BLANK	Partial complete	4		

ASTHMA CAUSED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 148-149

Type: NUM

SAS Variable Name: WORKENV1

Prologue:

Description: Q10.4 Was your asthma CAUSED by chemicals, smoke, fumes or dust in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	761	4.94	4.90
2	No	6,250	40.59	49.32
6	Never employed outside home, skip filled	508	3.30	3.99
7	Don't know	217	1.41	1.12
8	Past employment unknown, skip filled	11	0.07	0.07
9	Refused	4	0.03	0.04
10	Not employed now but employed before, skip filled	7,648	49.67	40.57
BLANK	Partial complete	4		

ASTHMA AGGRAVATED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 150-151

Type: NUM

SAS Variable Name: WORKENV2

Prologue:

Description: Q10.5 Is your asthma MADE WORSE by chemicals, smoke, fumes or dust in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,467	9.53	9.63
2	No	3,297	21.41	23.23
5	No current asthma, skip filled	2,511	16.31	23.10
6	Never employed outside home, skip filled	384	2.49	2.84
7	Don't know	86	0.56	0.59
8	Past employment unknown, skip filled	4	0.03	0.04
9	Refused	2	0.01	0.00
10	Not employed now but employed before, skip filled	7,648	49.67	40.57
BLANK	Partial complete	4		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ASTHMA CAUSED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKENV3

Prologue:

Description: Q10.6 Was your asthma CAUSED by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,550	16.56	13.91
2	No	10,508	68.24	73.17
5	Caused by current job, skip filled	761	4.94	4.90
6	Never employed outside home, skip filled	508	3.30	3.99
7	Don't know	1,051	6.83	3.94
8	Past employment unknown, skip filled	11	0.07	0.07
9	Refused	10	0.06	0.03
BLANK	Partial complete	4		

ASTHMA AGGRAVATED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: WORKENV4

Prologue:

Description: Q10.7 Was your asthma MADE WORSE by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,562	29.63	24.26
2	No	9,026	58.61	64.51
5	Caused by current job, skip filled	761	4.94	4.90
6	Never employed outside home, skip filled	508	3.30	3.99
7	Don't know	524	3.40	2.20
8	Past employment unknown, skip filled	11	0.07	0.07
9	Refused	7	0.05	0.07
BLANK	Partial complete	4		

EVER CHANGE OR QUIT A JOB

Survey: ADULT Asthma Call-Back

Column: 154-155

Type: NUM

SAS Variable Name: WORKQUIT

Prologue:

Description: Q10.75 Did you ever change or quit a job because chemicals, smoke, fumes, or dust caused your asthma or made your asthma worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,224	7.95	6.58
2	No	3,390	22.01	19.16
6	Never employed outside home, skip filled	508	3.30	3.99
7	Don't know	261	1.69	0.28
8	Past employment unknown, skip filled	11	0.07	0.07
10	Skip filled	10,005	64.97	69.93
BLANK	Partial complete	4		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

DOCTOR DIAGNOSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: WORKSEN1

Prologue:

Description: Q10.8 Were you ever told by a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,298	8.43	7.26
2	No	13,471	87.48	88.21
6	Never employed outside home, skip filled	508	3.30	3.99
7	Don't know	100	0.65	0.46
8	Past employment unknown, skip filled	11	0.07	0.07
9	Refused	11	0.07	0.02
BLANK	Partial complete	4		

SELF-IDENTIFIED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: WORKSEN2

Prologue:

Description: Q10.9 Did you ever tell a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,677	10.89	9.10
2	No	13,095	85.04	86.40
6	Never employed outside home, skip filled	508	3.30	3.99
7	Don't know	100	0.65	0.42
8	Past employment unknown, skip filled	11	0.07	0.07
9	Refused	8	0.05	0.02
BLANK	Partial complete	4		

EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Survey: ADULT Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,505	16.27	9.55
2	No	12,655	82.19	89.21
7	Don't know/Not sure	230	1.49	1.21
9	Refused	7	0.05	0.03
BLANK	Partial complete	6		

EVER TOLD HAVE EMPHYSEMA

Survey: ADULT Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,549	10.06	5.76
2	No	13,746	89.28	93.77
7	Don't know/Not sure	93	0.60	0.43
9	Refused	9	0.06	0.04
BLANK	Partial complete	6		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

EVER TOLD HAVE CHRONIC BRONCHITIS

Survey: ADULT Asthma Call-Back

Column: 160

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,431	28.78	22.54
2	No	10,768	69.94	76.62
7	Don't know/Not sure	186	1.21	0.81
9	Refused	12	0.08	0.04
BLANK	Partial complete	6		

EVER TOLD DEPRESSED

Survey: ADULT Asthma Call-Back

Column: 161

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,422	35.21	31.33
2	No	9,917	64.41	68.41
7	Don't know/Not sure	37	0.24	0.16
9	Refused	21	0.14	0.09
BLANK	Partial complete	6		

USED HERBS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	587	3.81	3.82
2	No	10,302	66.92	60.14
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	10	0.06	0.06
9	Refused	6	0.04	0.03
BLANK	Partial complete	8		

USED VITAMINS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 163

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q12.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	974	6.33	5.64
2	No	9,893	64.26	58.22
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	29	0.19	0.14
9	Refused	9	0.06	0.05
BLANK	Partial complete	8		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 164

Prologue:

Description: Q12.3 ... acupuncture ...

Type: NUM
SAS Variable Name: CAM_PUNC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	170	1.10	1.49
2	No	10,721	69.64	62.47
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	7	0.05	0.05
9	Refused	7	0.05	0.05
BLANK	Partial complete	8		

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 165

Prologue:

Description: Q12.4 ... acupressure ...

Type: NUM
SAS Variable Name: CAM_PRES

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	153	0.99	1.14
2	No	10,728	69.68	62.74
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	16	0.10	0.13
9	Refused	8	0.05	0.05
BLANK	Partial complete	8		

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM
SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	474	3.08	3.26
2	No	10,404	67.58	60.68
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	19	0.12	0.06
9	Refused	8	0.05	0.05
BLANK	Partial complete	8		

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM
SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	239	1.55	1.71
2	No	10,609	68.91	61.90
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	47	0.31	0.35
9	Refused	10	0.06	0.09
BLANK	Partial complete	8		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 168

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM
SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	185	1.20	1.25
2	No	10,676	69.35	62.51
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	36	0.23	0.24
9	Refused	8	0.05	0.05
BLANK	Partial complete	8		

USED YOGA TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 169

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM
SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	425	2.76	3.40
2	No	10,462	67.96	60.55
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	10	0.06	0.06
9	Refused	8	0.05	0.05
BLANK	Partial complete	8		

USED BREATHING TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 170

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM
SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,319	21.56	19.84
2	No	7,554	49.07	44.05
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	24	0.16	0.12
9	Refused	8	0.05	0.05
BLANK	Partial complete	8		

USED NATUROPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 171

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM
SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	165	1.07	0.91
2	No	10,694	69.46	62.82
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	37	0.24	0.27
9	Refused	9	0.06	0.05
BLANK	Partial complete	8		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 172

Type: NUM

SAS Variable Name: CAM_OTHR

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,002	6.51	5.84
2	No	9,866	64.09	57.91
5	No current asthma, skip filled	4,490	29.17	35.95
7	Don't know	25	0.16	0.14
9	Refused	12	0.08	0.16
BLANK	Partial complete	8		

TEXT FOR OTHER TYPE CARE

Survey: ADULT Asthma Call-Back

Column: 173-272

Type: CHAR

SAS Variable Name: CAM_TEXT

Prologue:

Description: Q12.12 What else have you used?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		14,401		
HIDDEN	Text field - up to 100 characters	1,002	100.00	100.00

LANGUAGE IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 273-274

Type: NUM

SAS Variable Name: QSTLANG_F

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	14,271	96.81	96.24
2	Spanish	471	3.19	3.76
BLANK	Not asked or missing	661		

END OF THE RAW CALL BACK DATA

Survey: ADULT Asthma Call-Back

Column: 275

Type: NUM

SAS Variable Name: END_OF_FILE

Prologue:

Description: END OF THE RAW CALL BACK DATA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,403	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 276

Type: NUM

SAS Variable Name: _EVER_ASTH_C

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA2) AND CALL BACK (EVER_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,403	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

STILL HAVE ASTHMA COMBINED BRFS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 277

Type: NUM

SAS Variable Name: _CUR_ASTH_C

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,912	70.84	64.05
2	No	4,175	27.11	34.40
7	Don't know/Not sure	311	2.02	1.52
9	Refused	5	0.03	0.02

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 278

Type: NUM

SAS Variable Name: FLAG1

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	15,119	98.16	97.59
1	AGEDX is greater than AGE	11	0.07	0.15
2	AGE, AGEDX and INCIDNT are inconsistent	273	1.77	2.26

ADVAIR (+ A. DISKUS)

Survey: ADULT Asthma Call-Back

Column: 279

Type: NUM

SAS Variable Name: INHALER_ID_1

Prologue:

Description: ADVAIR (+ A. DISKUS)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,717	17.64	12.99
2	No	12,686	82.36	87.01

AEROBID

Survey: ADULT Asthma Call-Back

Column: 280

Type: NUM

SAS Variable Name: INHALER_ID_2

Prologue:

Description: AEROBID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	0.23	0.16
2	No	15,368	99.77	99.84

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: ADULT Asthma Call-Back

Column: 281

Type: NUM

SAS Variable Name: INHALER_ID_3

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,189	20.70	20.17
2	No	12,214	79.30	79.83

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ALUPENT

Survey: ADULT Asthma Call-Back

Column: 282

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
22	0.14	0.05
15,381	99.86	99.95

ATROVENT

Survey: ADULT Asthma Call-Back

Column: 283

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
132	0.86	0.52
15,271	99.14	99.48

AZMACORT

Survey: ADULT Asthma Call-Back

Column: 284

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
153	0.99	0.87
15,250	99.01	99.13

BECLOMETHASONE DIPROPIONATE

Survey: ADULT Asthma Call-Back

Column: 285

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.07	0.11
15,392	99.93	99.89

BECLOVENT

Survey: ADULT Asthma Call-Back

Column: 286

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.02
15,401	99.99	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BITOLTEROL

Survey: ADULT Asthma Call-Back
Column: 287
Prologue:
Description: BITOLTEROL

Type: NUM
SAS Variable Name: INHALER_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
15,401	99.99	99.99

BRETHAIRE

Survey: ADULT Asthma Call-Back
Column: 288
Prologue:
Description: BRETHAIRE

Type: NUM
SAS Variable Name: INHALER_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.00
15,400	99.98	100.00

BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 289
Prologue:
Description: BUDESONIDE

Type: NUM
SAS Variable Name: INHALER_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.06	0.04
15,394	99.94	99.96

COMBIVENT

Survey: ADULT Asthma Call-Back
Column: 290
Prologue:
Description: COMBIVENT

Type: NUM
SAS Variable Name: INHALER_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
532	3.45	2.07
14,871	96.55	97.93

CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 291
Prologue:
Description: CROMOLYN

Type: NUM
SAS Variable Name: INHALER_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FLOVENT

Survey: ADULT Asthma Call-Back

Column: 292

Prologue:

Description: FLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
562	3.65	2.90
14,841	96.35	97.10

FLOVENT ROTADISK

Survey: ADULT Asthma Call-Back

Column: 293

Prologue:

Description: FLOVENT ROTADISK

Type: NUM

SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
12	0.08	0.03
15,391	99.92	99.97

FLUNISOLIDE

Survey: ADULT Asthma Call-Back

Column: 294

Prologue:

Description: FLUNISOLIDE

Type: NUM

SAS Variable Name: INHALER_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.10
15,395	99.95	99.99

FLUTICASONE

Survey: ADULT Asthma Call-Back

Column: 295

Prologue:

Description: FLUTICASONE

Type: NUM

SAS Variable Name: INHALER_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
28	0.18	0.10
15,375	99.82	99.90

INTAL

Survey: ADULT Asthma Call-Back

Column: 296

Prologue:

Description: INTAL

Type: NUM

SAS Variable Name: INHALER_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
35	0.23	0.12
15,368	99.77	99.88

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back
Column: 297
Prologue:
Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
30	0.19	0.10
15,373	99.81	99.90

MAXAIR

Survey: ADULT Asthma Call-Back
Column: 298
Prologue:
Description: MAXAIR

Type: NUM
SAS Variable Name: INHALER_ID_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
100	0.65	0.52
15,303	99.35	99.48

METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 299
Prologue:
Description: METAPROTERONOL

Type: NUM
SAS Variable Name: INHALER_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
15,400	99.98	99.99

NEDOCROMIL

Survey: ADULT Asthma Call-Back
Column: 300
Prologue:
Description: NEDOCROMIL

Type: NUM
SAS Variable Name: INHALER_ID_22

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

PIRBUTEROL

Survey: ADULT Asthma Call-Back
Column: 301
Prologue:
Description: PIRBUTEROL

Type: NUM
SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.03
15,393	99.94	99.97

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 302

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
777	5.04	4.83
14,626	94.96	95.17

PULMICORT TURBUHALER

Survey: ADULT Asthma Call-Back

Column: 303

Prologue:

Description: PULMICORT TURBUHALER

Type: NUM

SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
160	1.04	0.80
15,243	98.96	99.20

SALMETEROL

Survey: ADULT Asthma Call-Back

Column: 304

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
15,400	99.98	99.99

SEREVENT

Survey: ADULT Asthma Call-Back

Column: 305

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
128	0.83	0.77
15,275	99.17	99.23

TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 306

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
15,401	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TILADE

Survey: ADULT Asthma Call-Back
Column: 307
Prologue:
Description: TILADE

Type: NUM
SAS Variable Name: INHALER_ID_29

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.01
2	No	15,400	99.98	99.99

TORNALATE

Survey: ADULT Asthma Call-Back
Column: 308
Prologue:
Description: TORNALATE

Type: NUM
SAS Variable Name: INHALER_ID_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	15,402	99.99	100.00

TRIAMCINOLONE ACETONIDE

Survey: ADULT Asthma Call-Back
Column: 309
Prologue:
Description: TRIAMCINOLONE ACETONIDE

Type: NUM
SAS Variable Name: INHALER_ID_31

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	15,403	100.00	100.00

VANCERIL

Survey: ADULT Asthma Call-Back
Column: 310
Prologue:
Description: VANCERIL

Type: NUM
SAS Variable Name: INHALER_ID_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.04	0.03
2	No	15,397	99.96	99.97

VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 311
Prologue:
Description: VENTOLIN

Type: NUM
SAS Variable Name: INHALER_ID_33

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	455	2.95	2.33
2	No	14,948	97.05	97.67

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FORADIL

Survey: ADULT Asthma Call-Back
Column: 312
Prologue:
Description: FORADIL

Type: NUM
SAS Variable Name: INHALER_ID_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
94	0.61	0.41
15,309	99.39	99.59

FORMOTEROL

Survey: ADULT Asthma Call-Back
Column: 313
Prologue:
Description: FORMOTEROL

Type: NUM
SAS Variable Name: INHALER_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	0.09	0.04
15,389	99.91	99.96

QVAR

Survey: ADULT Asthma Call-Back
Column: 314
Prologue:
Description: QVAR

Type: NUM
SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
212	1.38	1.40
15,191	98.62	98.60

LEVALBUTEROL TARTRATE

Survey: ADULT Asthma Call-Back
Column: 315
Prologue:
Description: LEVALBUTEROL TARTRATE

Type: NUM
SAS Variable Name: INHALER_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,403	100.00	100.00

XOPENEX HFA

Survey: ADULT Asthma Call-Back
Column: 316
Prologue:
Description: XOPENEX HFA

Type: NUM
SAS Variable Name: INHALER_ID_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
265	1.72	1.56
15,138	98.28	98.44

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

MOMETASONE FUROATE

Survey: ADULT Asthma Call-Back

Column: 317

Prologue:

Description: MOMETASONE FUROATE

Type: NUM

SAS Variable Name: INHALER_ID_39

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
12	0.08	0.06
15,391	99.92	99.94

ASMANEX (TWISTHALER)

Survey: ADULT Asthma Call-Back

Column: 318

Prologue:

Description: ASMANEX (TWISTHALER)

Type: NUM

SAS Variable Name: INHALER_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
269	1.75	1.09
15,134	98.25	98.91

PRO-AIR HFA

Survey: ADULT Asthma Call-Back

Column: 319

Prologue:

Description: PRO-AIR HFA

Type: NUM

SAS Variable Name: INHALER_ID_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,017	6.60	6.65
14,386	93.40	93.35

SYMBICORT

Survey: ADULT Asthma Call-Back

Column: 320

Prologue:

Description: SYMBICORT

Type: NUM

SAS Variable Name: INHALER_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
408	2.65	2.40
14,995	97.35	97.60

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 321

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
102	0.66	0.71
15,301	99.34	99.29

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

OTHER INHALER

Survey: ADULT Asthma Call-Back

Column: 322

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	0.12	0.08
15,385	99.88	99.92

PILL ACCOLATE

Survey: ADULT Asthma Call-Back

Column: 323

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
46	0.30	0.14
15,357	99.70	99.86

PILL AEROLATE

Survey: ADULT Asthma Call-Back

Column: 324

Prologue:

Description: PILL AEROLATE

Type: NUM

SAS Variable Name: PILLS_ID_2

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,403	100.00	100.00

PILL ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 325

Prologue:

Description: PILL ALBUTEROL

Type: NUM

SAS Variable Name: PILLS_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
30	0.19	0.11
15,373	99.81	99.89

PILL ALUPENT

Survey: ADULT Asthma Call-Back

Column: 326

Prologue:

Description: PILL ALUPENT

Type: NUM

SAS Variable Name: PILLS_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
15,400	99.98	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: ADULT Asthma Call-Back

Column: 327

Prologue:

Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM

SAS Variable Name: PILLS_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

PILL DELTASONE

Survey: ADULT Asthma Call-Back

Column: 328

Prologue:

Description: PILL DELTASONE

Type: NUM

SAS Variable Name: PILLS_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
15,399	99.97	99.99

PILL ELIXOPHYLLIN

Survey: ADULT Asthma Call-Back

Column: 329

Prologue:

Description: PILL ELIXOPHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

PILL MEDROL

Survey: ADULT Asthma Call-Back

Column: 330

Prologue:

Description: PILL MEDROL

Type: NUM

SAS Variable Name: PILLS_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.04
15,393	99.94	99.96

PILL METAPREL

Survey: ADULT Asthma Call-Back

Column: 331

Prologue:

Description: PILL METAPREL

Type: NUM

SAS Variable Name: PILLS_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,401	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 332

Prologue:

Description: PILL METAPROTERONOL

Type: NUM

SAS Variable Name: PILLS_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

PILL METHYLPREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 333

Prologue:

Description: PILL METHYLPREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.07
15,395	99.95	99.93

PILL MONTELUKAST

Survey: ADULT Asthma Call-Back

Column: 334

Prologue:

Description: PILL MONTELUKAST

Type: NUM

SAS Variable Name: PILLS_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
12	0.08	0.08
15,391	99.92	99.92

PILL PEDIAPRED

Survey: ADULT Asthma Call-Back

Column: 335

Prologue:

Description: PILL PEDIAPRED

Type: NUM

SAS Variable Name: PILLS_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

PILL PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 336

Prologue:

Description: PILL PREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
25	0.16	0.32
15,378	99.84	99.68

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL PREDNISON

Survey: ADULT Asthma Call-Back
Column: 337
Prologue:
Description: PILL PREDNISON

Type: NUM
SAS Variable Name: PILLS_ID_19

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	327	2.12	2.01
2	No	15,076	97.88	97.99

PILL PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 338
Prologue:
Description: PILL PROVENTIL

Type: NUM
SAS Variable Name: PILLS_ID_21

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	0.09	0.05
2	No	15,389	99.91	99.95

PILL RESPID

Survey: ADULT Asthma Call-Back
Column: 339
Prologue:
Description: PILL RESPID

Type: NUM
SAS Variable Name: PILLS_ID_23

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	15,402	99.99	100.00

PILL SINGULAIR

Survey: ADULT Asthma Call-Back
Column: 340
Prologue:
Description: PILL SINGULAIR

Type: NUM
SAS Variable Name: PILLS_ID_24

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,572	10.21	8.71
2	No	13,831	89.79	91.29

PILL SLO-PHYLLIN

Survey: ADULT Asthma Call-Back
Column: 341
Prologue:
Description: PILL SLO-PHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_25

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.02
2	No	15,400	99.98	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL SLO-BID

Survey: ADULT Asthma Call-Back
Column: 342
Prologue:
Description: PILL SLO-BID

Type: NUM
SAS Variable Name: PILLS_ID_26

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,403	100.00	100.00

PILL THEO-24

Survey: ADULT Asthma Call-Back
Column: 343
Prologue:
Description: PILL THEO-24

Type: NUM
SAS Variable Name: PILLS_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.00
15,399	99.97	100.00

PILL THEOCHRON

Survey: ADULT Asthma Call-Back
Column: 344
Prologue:
Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

PILL THEOCLEAR

Survey: ADULT Asthma Call-Back
Column: 345
Prologue:
Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,403	100.00	100.00

PILL THEODUR

Survey: ADULT Asthma Call-Back
Column: 346
Prologue:
Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
19	0.12	0.17
15,384	99.88	99.83

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL THEO-DUR

Survey: ADULT Asthma Call-Back

Column: 347

Prologue:

Description: PILL THEO-DUR

Type: NUM

SAS Variable Name: PILLS_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.04
15,398	99.97	99.96

PILL THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 348

Prologue:

Description: PILL THEOPHYLLINE

Type: NUM

SAS Variable Name: PILLS_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
140	0.91	0.47
15,263	99.09	99.53

PILL THEOSPAN

Survey: ADULT Asthma Call-Back

Column: 349

Prologue:

Description: PILL THEOSPAN

Type: NUM

SAS Variable Name: PILLS_ID_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.02
15,402	99.99	99.98

PILL T-PHYL

Survey: ADULT Asthma Call-Back

Column: 350

Prologue:

Description: PILL T-PHYL

Type: NUM

SAS Variable Name: PILLS_ID_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,403	100.00	100.00

PILL UNIPHYL

Survey: ADULT Asthma Call-Back

Column: 351

Prologue:

Description: PILL UNIPHYL

Type: NUM

SAS Variable Name: PILLS_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.07	0.06
15,392	99.93	99.94

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 352
Prologue:
Description: PILL VENTOLIN

Type: NUM
SAS Variable Name: PILLS_ID_43

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,403	100.00	100.00

PILL VOLMAX

Survey: ADULT Asthma Call-Back
Column: 353
Prologue:
Description: PILL VOLMAX

Type: NUM
SAS Variable Name: PILLS_ID_44

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
15,402	99.99	99.99

PILL ZAFIRLUKAST

Survey: ADULT Asthma Call-Back
Column: 354
Prologue:
Description: PILL ZAFIRLUKAST

Type: NUM
SAS Variable Name: PILLS_ID_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.01
15,398	99.97	99.99

PILL ZILEUTON

Survey: ADULT Asthma Call-Back
Column: 355
Prologue:
Description: PILL ZILEUTON

Type: NUM
SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,403	100.00	100.00

PILL ZYFLO FILMTAB

Survey: ADULT Asthma Call-Back
Column: 356
Prologue:
Description: PILL ZYFLO FILMTAB

Type: NUM
SAS Variable Name: PILLS_ID_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.00
15,399	99.97	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 357

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: PILLS_ID_48

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.01
15,398	99.97	99.99

PILL BRETHINE

Survey: ADULT Asthma Call-Back

Column: 358

Prologue:

Description: PILL BRETHINE

Type: NUM

SAS Variable Name: PILLS_ID_49

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: PILLS_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
90	0.58	0.50
15,313	99.42	99.50

OTHER PILLS

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER_PILLS

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.04	0.03
15,397	99.96	99.97

SYRUP AEROLATE

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP_ID_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
15,403	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SYRUP ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
21	0.14	0.17
15,382	99.86	99.83

SYRUP ALUPENT

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

SYRUP METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
15,401	99.99	100.00

SYRUP PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
12	0.08	0.06
15,391	99.92	99.94

SYRUP PRELONE

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.04	0.11
15,397	99.96	99.89

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SYRUP PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 367
Prologue:
Description: SYRUP PROVENTIL

Type: NUM
SAS Variable Name: SYRUP_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.04
15,395	99.95	99.96

SYRUP SLO-PHYLLIN

Survey: ADULT Asthma Call-Back
Column: 368
Prologue:
Description: SYRUP SLO-PHYLLIN

Type: NUM
SAS Variable Name: SYRUP_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
15,401	99.99	99.99

SYRUP THEOPHYLLINE

Survey: ADULT Asthma Call-Back
Column: 369
Prologue:
Description: SYRUP THEOPHYLLINE

Type: NUM
SAS Variable Name: SYRUP_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.04
15,398	99.97	99.96

SYRUP VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 370
Prologue:
Description: SYRUP VENTOLIN

Type: NUM
SAS Variable Name: SYRUP_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back
Column: 371
Prologue:
Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: SYRUP_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
34	0.22	0.22
15,369	99.78	99.78

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

OTHER SYRUP

Survey: ADULT Asthma Call-Back

Column: 372

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.00
15,399	99.97	100.00

NEB ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 373

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,422	9.23	7.62
13,981	90.77	92.38

NEB ALUPENT

Survey: ADULT Asthma Call-Back

Column: 374

Prologue:

Description: NEB ALUPENT

Type: NUM

SAS Variable Name: NEB_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.06	0.02
15,394	99.94	99.98

NEB ATROVENT

Survey: ADULT Asthma Call-Back

Column: 375

Prologue:

Description: NEB ATROVENT

Type: NUM

SAS Variable Name: NEB_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
34	0.22	0.20
15,369	99.78	99.80

NEB BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 376

Prologue:

Description: NEB BITOLTEROL

Type: NUM

SAS Variable Name: NEB_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

NEB BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 377
Prologue:
Description: NEB BUDESONIDE

Type: NUM
SAS Variable Name: NEB_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.08	0.09
2	No	15,390	99.92	99.91

NEB CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 378
Prologue:
Description: NEB CROMOLYN

Type: NUM
SAS Variable Name: NEB_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.06	0.04
2	No	15,394	99.94	99.96

NEB DUONEB

Survey: ADULT Asthma Call-Back
Column: 379
Prologue:
Description: NEB DUONEB

Type: NUM
SAS Variable Name: NEB_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	114	0.74	0.43
2	No	15,289	99.26	99.57

NEB INTAL

Survey: ADULT Asthma Call-Back
Column: 380
Prologue:
Description: NEB INTAL

Type: NUM
SAS Variable Name: NEB_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.03	0.01
2	No	15,398	99.97	99.99

NEB IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back
Column: 381
Prologue:
Description: NEB IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: NEB_ID_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	271	1.76	0.95
2	No	15,132	98.24	99.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

NEB LEVALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 382

Prologue:

Description: NEB LEVALBUTEROL

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: NEB_ID_10

Frequency	Percentage	Weighted Percentage
7	0.05	0.11
15,396	99.95	99.89

NEB METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 383

Prologue:

Description: NEB METAPROTERONOL

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: NEB_ID_11

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
15,402	99.99	100.00

NEB PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 384

Prologue:

Description: NEB PROVENTIL

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: NEB_ID_12

Frequency	Percentage	Weighted Percentage
40	0.26	0.20
15,363	99.74	99.80

NEB PULMICORT

Survey: ADULT Asthma Call-Back

Column: 385

Prologue:

Description: NEB PULMICORT

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: NEB_ID_13

Frequency	Percentage	Weighted Percentage
125	0.81	0.42
15,278	99.19	99.58

NEB TORNALATE

Survey: ADULT Asthma Call-Back

Column: 386

Prologue:

Description: NEB TORNALATE

Value	Value Label
2	No

Type: NUM
SAS Variable Name: NEB_ID_14

Frequency	Percentage	Weighted Percentage
15,403	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

NEB VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 387
Prologue:
Description: NEB VENTOLIN

Type: NUM
SAS Variable Name: NEB_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	0.11	0.07
2	No	15,386	99.89	99.93

NEB XOPENEX

Survey: ADULT Asthma Call-Back
Column: 388
Prologue:
Description: NEB XOPENEX

Type: NUM
SAS Variable Name: NEB_ID_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	159	1.03	0.79
2	No	15,244	98.97	99.21

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back
Column: 389
Prologue:
Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: NEB_ID_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	199	1.29	0.94
2	No	15,204	98.71	99.06

OTHER NEBULIZER

Survey: ADULT Asthma Call-Back
Column: 390
Prologue:
Description: New other prescription nebulizer

Type: NUM
SAS Variable Name: OTHER_NEB

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.06	0.04
2	No	15,393	99.94	99.96

OTHER INHALER TEXT

Survey: ADULT Asthma Call-Back
Column: 391-490
Prologue:
Description: New other prescription inhaler name

Type: CHAR
SAS Variable Name: OTH_I1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	15,385		
HIDDEN		18	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

OTHER PILLS TEXT

Survey: ADULT Asthma Call-Back

Column: 491-590

Prologue:

Description: New other prescription pills name

Type: CHAR
SAS Variable Name: OTH_P1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	15,397		
HIDDEN		6	100.00	100.00

OTHER SYRUP TEXT

Survey: ADULT Asthma Call-Back

Column: 591-690

Prologue:

Description: New other prescription syrup name

Type: CHAR
SAS Variable Name: OTH_S1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	15,399		
HIDDEN		4	100.00	100.00

OTHER NEBULIZER TEXT

Survey: ADULT Asthma Call-Back

Column: 691-790

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	15,393		
HIDDEN		10	100.00	100.00

INHALER_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 791

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	522	3.39	2.01
3	No other medication text filled	14,881	96.61	97.99

INHALER_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 792

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	0.31	0.16
2	No	474	3.08	1.86
3	No other medication text filled	14,881	96.61	97.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 793

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	370	2.40	1.25
2	No	152	0.99	0.76
3	No other medication text filled	14,881	96.61	97.99

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: ADULT Asthma Call-Back

Column: 794

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	0.12	0.15
2	No	503	3.27	1.86
3	No other medication text filled	14,881	96.61	97.99

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 795

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	0.12	0.12
2	No	504	3.27	1.90
3	No other medication text filled	14,881	96.61	97.99

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: ADULT Asthma Call-Back

Column: 796

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	0.32	0.24
2	No	472	3.06	1.78
3	No other medication text filled	14,881	96.61	97.99

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 797

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.03	0.03
2	No	517	3.36	1.99
3	No other medication text filled	14,881	96.61	97.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 798

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	0.12	0.08
2	No	504	3.27	1.94
3	No other medication text filled	14,881	96.61	97.99

INHALER_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 799

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.00
2	No	520	3.38	2.01
3	No other medication text filled	14,881	96.61	97.99

PILLS_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 800

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	0.15	0.06
2	No	364	2.36	1.52
3	No other medication text filled	15,016	97.49	98.42

PILLS_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 801

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	248	1.61	1.08
2	No	139	0.90	0.50
3	No other medication text filled	15,016	97.49	98.42

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 802

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	76	0.49	0.19
2	No	311	2.02	1.39
3	No other medication text filled	15,016	97.49	98.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: ADULT Asthma Call-Back

Column: 803

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.06	0.10
2	No	377	2.45	1.49
3	No other medication text filled	15,016	97.49	98.42

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 804

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.07	0.02
2	No	376	2.44	1.57
3	No other medication text filled	15,016	97.49	98.42

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: ADULT Asthma Call-Back

Column: 805

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	0.13	0.10
2	No	367	2.38	1.48
3	No other medication text filled	15,016	97.49	98.42

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 806

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.02
2	No	384	2.49	1.56
3	No other medication text filled	15,016	97.49	98.42

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 807

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.04	0.03
2	No	381	2.47	1.56
3	No other medication text filled	15,016	97.49	98.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILLS_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 808

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.00
2	No	384	2.49	1.58
3	No other medication text filled	15,016	97.49	98.42

SYRUP_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 809

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	74	0.48	0.22
2	No	22	0.14	0.04
3	No other medication text filled	15,307	99.38	99.75

SYRUP_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 810

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.03	0.01
2	No	91	0.59	0.24
3	No other medication text filled	15,307	99.38	99.75

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 811

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.00
2	No	93	0.60	0.25
3	No other medication text filled	15,307	99.38	99.75

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: ADULT Asthma Call-Back

Column: 812

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.01
2	No	94	0.61	0.24
3	No other medication text filled	15,307	99.38	99.75

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 813

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
7	0.05	0.01
89	0.58	0.24
15,307	99.38	99.75

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: ADULT Asthma Call-Back

Column: 814

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
96	0.62	0.25
15,307	99.38	99.75

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 815

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
96	0.62	0.25
15,307	99.38	99.75

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 816

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
4	0.03	0.00
92	0.60	0.25
15,307	99.38	99.75

SYRUP_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 817

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
94	0.61	0.25
15,307	99.38	99.75

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

NEB_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 818

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	94	0.61	0.33
3	No other medication text filled	15,309	99.39	99.67

NEB_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 819

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.01
2	No	92	0.60	0.31
3	No other medication text filled	15,309	99.39	99.67

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	0.15	0.07
2	No	71	0.46	0.26
3	No other medication text filled	15,309	99.39	99.67

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: ADULT Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	0.22	0.15
2	No	60	0.39	0.18
3	No other medication text filled	15,309	99.39	99.67

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.08	0.03
2	No	81	0.53	0.29
3	No other medication text filled	15,309	99.39	99.67

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: ADULT Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.10	0.04
2	No	79	0.51	0.28
3	No other medication text filled	15,309	99.39	99.67

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 824

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	94	0.61	0.33
3	No other medication text filled	15,309	99.39	99.67

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 825

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.06	0.04
2	No	84	0.55	0.29
3	No other medication text filled	15,309	99.39	99.67

NEB_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 826

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	93	0.60	0.32
3	No other medication text filled	15,309	99.39	99.67

INHALED CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 827-828

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	15,255	99.04	99.43
99	Missing	148	0.96	0.57

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

INHALED ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 829-830

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: INH_AI

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,255	99.04	99.43
148	0.96	0.57

INHALED ANTI-CHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 831-832

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM
SAS Variable Name: INH_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,255	99.04	99.43
148	0.96	0.57

INHALED BETA 2 AGONIST SHORT ACTING

Survey: ADULT Asthma Call-Back

Column: 833-834

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,255	99.04	99.43
148	0.96	0.57

INHALED BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 835-836

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,255	99.04	99.43
148	0.96	0.57

PILL CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 837-838

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,225	98.84	99.24
178	1.16	0.76

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL LEUKOTRIENE MODIFIERS

Survey: ADULT Asthma Call-Back

Column: 839-840

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,225	98.84	99.24
178	1.16	0.76

PILL BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 841-842

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,225	98.84	99.24
178	1.16	0.76

PILL METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 843-844

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,225	98.84	99.24
178	1.16	0.76

SYRUP METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 845-846

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,260	99.07	99.41
143	0.93	0.59

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 847-848

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,260	99.07	99.41
143	0.93	0.59

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SYRUP CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 849-850

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,260	99.07	99.41
143	0.93	0.59

NEBULIZER ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 851-852

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,261	99.08	99.46
142	0.92	0.54

NEBULIZER CORTICOSTEROID

Survey: ADULT Asthma Call-Back

Column: 853-854

Prologue:

Description: NEBULIZER CORTICOSTEROIDS

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,261	99.08	99.46
142	0.92	0.54

NEBULIZER ANTICHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 855-856

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,261	99.08	99.46
142	0.92	0.54

NEBULIZER BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 857-858

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label
0 - 8	Count
99	Missing

Frequency	Percentage	Weighted Percentage
15,261	99.08	99.46
142	0.92	0.54

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ADVAIR (+ A. DISKUS): SIZE

Survey: ADULT Asthma Call-Back

Column: 859

Type: NUM

SAS Variable Name: ILP01_1

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

ADVAIR (+ A. DISKUS): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 860

Type: NUM

SAS Variable Name: ILP02_1

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	243	8.99	12.54
2	6 months to 1 year	237	8.77	10.13
3	Longer than 1 year	2,214	81.91	77.25
7	Don't know/Not sure	8	0.30	0.09
9	Refused	1	0.04	0.00
BLANK	Skip filled	12,700		

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 861

Type: NUM

SAS Variable Name: ILP03_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 862

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	894	33.07	35.09
2	No	1,525	56.42	57.30
3	No attack in past 3 months	271	10.03	7.48
7	Don't know/Not sure	12	0.44	0.13
9	Refused	1	0.04	0.01
BLANK	Skip filled	12,700		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 863

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	759	28.08	34.66
2	No	1,717	63.52	58.90
3	Didn't exercise in past 3 months	219	8.10	6.32
7	Don't know/Not sure	8	0.30	0.13
BLANK	Skip filled	12,700		

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 864

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,318	85.76	83.39
2	No	383	14.17	16.42
7	Don't know/Not sure	2	0.07	0.19
BLANK	Skip filled	12,700		

ADVAIR (+ A. DISKUS): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 865-866

Type: NUM

SAS Variable Name: ILP07_1

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2,694	99.67	99.87
77	Don't know	9	0.33	0.13
BLANK	Skip filled	12,700		

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 867-869

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2,263	83.72	79.13
401 - 499	Weeks	320	11.84	14.07
555	Never	14	0.52	0.54
666	Less often than once a week	89	3.29	5.47
777	Don't know	16	0.59	0.78
999	Refused	1	0.04	0.01
BLANK	Skip filled	12,700		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 870-871

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

AEROBID: SIZE

Survey: ADULT Asthma Call-Back

Column: 872

Type: NUM

SAS Variable Name: ILP01_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

AEROBID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 873

Type: NUM

SAS Variable Name: ILP02_2

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	2.94	0.37
2	6 months to 1 year	1	2.94	0.09
3	Longer than 1 year	32	94.12	99.54
BLANK	Skip filled	15,369		

AEROBID: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 874

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	42.42	51.31
2	No	18	54.55	48.36
9	Refused	1	3.03	0.33
BLANK	Skip filled	15,370		

AEROBID: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 875

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	52.94	67.87
2	No	12	35.29	29.50
3	No attack in past 3 months	3	8.82	2.31
9	Refused	1	2.94	0.32
BLANK	Skip filled	15,369		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

AEROBID: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 876

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	20.59	46.17
2	No	26	76.47	53.51
9	Refused	1	2.94	0.32
BLANK	Skip filled	15,369		

AEROBID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 877

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	64.71	77.60
2	No	11	32.35	22.08
9	Refused	1	2.94	0.32
BLANK	Skip filled	15,369		

AEROBID: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 878-879

Type: NUM

SAS Variable Name: ILP07_2

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	33	97.06	99.68
99	Refused	1	2.94	0.32
BLANK	Skip filled	15,369		

AEROBID: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 880-882

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	22	64.71	74.51
401 - 499	Weeks	5	14.71	15.85
666	Less often than once a week	6	17.65	9.32
999	Refused	1	2.94	0.32
BLANK	Skip filled	15,369		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

AEROBID: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 883-884

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): SIZE

Survey: ADULT Asthma Call-Back

Column: 885

Type: NUM

SAS Variable Name: ILP01_3

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	393	12.34	12.58
2	100 puffs	364	11.43	15.24
3	200 puffs	1,618	50.80	51.51
4	Other number of puffs	226	7.10	4.93
5	Used different sizes of this medication in the past 3 months	11	0.35	0.24
7	Don't know/Not sure	569	17.86	15.40
9	Refused	4	0.13	0.09
BLANK	Skip filled	12,218		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 886

Type: NUM

SAS Variable Name: ILP02_3

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	141	4.43	4.83
2	6 months to 1 year	105	3.30	4.01
3	Longer than 1 year	2,931	92.03	91.10
7	Don't know/Not sure	8	0.25	0.06
BLANK	Skip filled	12,218		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 887

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	970	30.73	25.64
2	No	2,142	67.85	73.41
3	Medication is a disk inhaler, not a canister inhaler	5	0.16	0.06
7	Don't know/Not sure	40	1.27	0.89
BLANK	Skip filled	12,246		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 888

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,775	87.13	88.31
2	No	220	6.91	6.49
3	No attack in past 3 months	173	5.43	4.68
7	Don't know/Not sure	17	0.53	0.52
BLANK	Skip filled	12,218		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 889

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,142	35.86	39.83
2	No	1,729	54.29	54.30
3	Didn't exercise in past 3 months	306	9.61	5.80
7	Don't know/Not sure	7	0.22	0.06
9	Refused	1	0.03	0.00
BLANK	Skip filled	12,218		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 890

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	774	24.30	21.82
2	No	2,407	75.57	78.14
7	Don't know/Not sure	4	0.13	0.04
BLANK	Skip filled	12,218		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 891-892

Type: NUM

SAS Variable Name: ILP07_3

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3,146	98.78	99.23
77	Don't know	39	1.22	0.77
BLANK	Skip filled	12,218		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 893-895

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,048	32.90	31.25
401 - 499	Weeks	1,063	33.38	37.83
555	Never	44	1.38	2.01
666	Less often than once a week	858	26.94	25.38
777	Don't know	166	5.21	3.52
999	Refused	6	0.19	0.01
BLANK	Skip filled	12,218		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 896-897

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2,241	70.36	75.85
77	Don't know	183	5.75	3.41
88	None/Less than 1 full canister	758	23.80	20.64
99	Refused	3	0.09	0.11
BLANK	Skip filled	12,218		

ALUPENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 898

Type: NUM

SAS Variable Name: ILP01_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	1	4.55	0.95
2	100 puffs	5	22.73	42.37
3	200 puffs	13	59.09	42.52
7	Don't know/Not sure	3	13.64	14.16
BLANK	Skip filled	15,381		

ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 899

Type: NUM

SAS Variable Name: ILP02_4

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	4.55	2.42
2	6 months to 1 year	1	4.55	4.14
3	Longer than 1 year	20	90.91	93.44
BLANK	Skip filled	15,381		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ALUPENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 900

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	27.27	22.26
2	No	16	72.73	77.74
BLANK	Skip filled	15,381		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 901

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	81.82	80.84
2	No	2	9.09	11.26
3	No attack in past 3 months	2	9.09	7.90
BLANK	Skip filled	15,381		

ALUPENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 902

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	36.36	30.83
2	No	12	54.55	38.83
3	Didn't exercise in past 3 months	2	9.09	30.33
BLANK	Skip filled	15,381		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 903

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	27.27	12.68
2	No	16	72.73	87.32
BLANK	Skip filled	15,381		

ALUPENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 904-905

Type: NUM

SAS Variable Name: ILP07_4

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	22	100.00	100.00
BLANK	Skip filled	15,381		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 906-908

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	45.45	57.95
401 - 499	Weeks	3	13.64	7.17
666	Less often than once a week	9	40.91	34.87
BLANK	Skip filled	15,381		

ALUPENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 909-910

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	14	63.64	69.14
77	Don't know	1	4.55	1.32
88	None/Less than 1 full canister	7	31.82	29.54
BLANK	Skip filled	15,381		

ATROVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 912

Type: NUM

SAS Variable Name: ILP01_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

ATROVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 913

Type: NUM

SAS Variable Name: ILP02_5

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	15	11.45	6.92
2	6 months to 1 year	7	5.34	6.77
3	Longer than 1 year	109	83.21	86.31
BLANK	Skip filled	15,272		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ATROVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 914

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	39.53	33.77
2	No	78	60.47	66.23
BLANK	Skip filled	15,274		

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 915

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83	63.36	68.80
2	No	41	31.30	28.05
3	No attack in past 3 months	7	5.34	3.15
BLANK	Skip filled	15,272		

ATROVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 916

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	31.30	46.61
2	No	73	55.73	46.16
3	Didn't exercise in past 3 months	16	12.21	7.15
7	Don't know/Not sure	1	0.76	0.08
BLANK	Skip filled	15,272		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 917

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	81	61.83	59.72
2	No	50	38.17	40.28
BLANK	Skip filled	15,272		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ATROVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 918-919

Type: NUM

SAS Variable Name: ILP07_5

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	130	99.24	98.69
77	Don't know	1	0.76	1.31
BLANK	Skip filled	15,272		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 920-922

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	84	64.12	64.07
401 - 499	Weeks	20	15.27	11.23
555	Never	2	1.53	2.70
666	Less often than once a week	22	16.79	19.78
777	Don't know	3	2.29	2.22
BLANK	Skip filled	15,272		

ATROVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 923-924

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

AZMACORT: SIZE

Survey: ADULT Asthma Call-Back

Column: 925

Type: NUM

SAS Variable Name: ILP01_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

AZMACORT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 926

Type: NUM

SAS Variable Name: ILP02_6

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	6	3.92	1.00
2	6 months to 1 year	11	7.19	17.78
3	Longer than 1 year	134	87.58	80.56
7	Don't know/Not sure	2	1.31	0.67
BLANK	Skip filled	15,250		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

AZMACORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 927

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	96	63.16	71.60
2	No	52	34.21	27.12
7	Don't know/Not sure	4	2.63	1.27
BLANK	Skip filled	15,251		

AZMACORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 928

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	62	40.52	42.53
2	No	75	49.02	49.27
3	No attack in past 3 months	13	8.50	7.67
7	Don't know/Not sure	3	1.96	0.52
BLANK	Skip filled	15,250		

AZMACORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 929

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	19.61	18.05
2	No	106	69.28	73.52
3	Didn't exercise in past 3 months	15	9.80	7.28
7	Don't know/Not sure	2	1.31	1.15
BLANK	Skip filled	15,250		

AZMACORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 930

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	104	67.97	68.75
2	No	48	31.37	30.88
7	Don't know/Not sure	1	0.65	0.36
BLANK	Skip filled	15,250		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

AZMACORT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 931-932

Type: NUM

SAS Variable Name: ILP07_6

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	152	99.35	99.64
77	Don't know	1	0.65	0.36
BLANK	Skip filled	15,250		

AZMACORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 933-935

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	111	72.55	72.39
401 - 499	Weeks	22	14.38	15.06
555	Never	1	0.65	1.45
666	Less often than once a week	16	10.46	10.39
777	Don't know	3	1.96	0.71
BLANK	Skip filled	15,250		

AZMACORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 936-937

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

BECLOMETHASONE DIPROPIONATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP01_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

BECLOMETHASONE DIPROPIONATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP02_7

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	36.36	21.39
2	6 months to 1 year	1	9.09	2.32
3	Longer than 1 year	6	54.55	76.29
BLANK	Skip filled	15,392		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	36.36	12.95
2	No	7	63.64	87.05
BLANK	Skip filled	15,392		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	90.91	99.82
3	No attack in past 3 months	1	9.09	0.18
BLANK	Skip filled	15,392		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11	100.00	100.00
BLANK	Skip filled	15,392		

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	72.73	83.08
2	No	3	27.27	16.92
BLANK	Skip filled	15,392		

BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 944-945

Type: NUM

SAS Variable Name: ILP07_7

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	11	100.00	100.00
BLANK	Skip filled	15,392		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 946-948

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	63.64	68.10
401 - 499	Weeks	1	9.09	14.98
666	Less often than once a week	3	27.27	16.92
BLANK	Skip filled	15,392		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 949-950

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

BECLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 951

Type: NUM

SAS Variable Name: ILP01_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

BECLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 952

Type: NUM

SAS Variable Name: ILP02_8

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	50.00	97.93
3	Longer than 1 year	1	50.00	2.07
BLANK	Skip filled	15,401		

BECLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 953

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	97.93
2	No	1	50.00	2.07
BLANK	Skip filled	15,401		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BECLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	15,401		

BECLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	2.07
2	No	1	50.00	97.93
BLANK	Skip filled	15,401		

BECLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	2.07
2	No	1	50.00	97.93
BLANK	Skip filled	15,401		

BECLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 957-958

Type: NUM

SAS Variable Name: ILP07_8

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	15,401		

BECLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 959-961

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	2.07
666	Less often than once a week	1	50.00	97.93
BLANK	Skip filled	15,401		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BECLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 962-963

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

BITOLTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 964

Type: NUM

SAS Variable Name: ILP01_9

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

BITOLTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 965

Type: NUM

SAS Variable Name: ILP02_9

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	15,401		

BITOLTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	15,401		

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	15,401		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BITOLTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	15,401		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	90.30
2	No	1	50.00	9.70
BLANK	Skip filled	15,401		

BITOLTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 970-971

Type: NUM

SAS Variable Name: ILP07_9

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	15,401		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 972-974

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	50.00	90.30
666	Less often than once a week	1	50.00	9.70
BLANK	Skip filled	15,401		

BITOLTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 975-976

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	100.00	100.00
BLANK	Skip filled	15,401		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BRETHAIRE: SIZE

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP01_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

BRETHAIRE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP02_10

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	33.33	53.39
3	Longer than 1 year	1	33.33	18.24
7	Don't know/Not sure	1	33.33	28.38
BLANK	Skip filled	15,400		

BRETHAIRE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 979

Type: NUM

SAS Variable Name: ILP03_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	53.39
2	No	2	66.67	46.61
BLANK	Skip filled	15,400		

BRETHAIRE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 980

Type: NUM

SAS Variable Name: ILP04_10

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	71.62
2	No	1	33.33	28.38
BLANK	Skip filled	15,400		

BRETHAIRE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP05_10

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	66.67	81.76
3	Didn't exercise in past 3 months	1	33.33	18.24
BLANK	Skip filled	15,400		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BRETHAIRE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP06_10

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	15,400		

BRETHAIRE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 983-984

Type: NUM

SAS Variable Name: ILP07_10

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	66.67	71.62
77	Don't know	1	33.33	28.38
BLANK	Skip filled	15,400		

BRETHAIRE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 985-987

Type: NUM

SAS Variable Name: ILP08_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	53.39
401 - 499	Weeks	1	33.33	18.24
555	Never	1	33.33	28.38
BLANK	Skip filled	15,400		

BRETHAIRE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 988-989

Type: NUM

SAS Variable Name: ILP10_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	33.33	53.39
88	None/Less than 1 full canister	2	66.67	46.61
BLANK	Skip filled	15,400		

BUDESONIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP01_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,400		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BUDESONIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP02_11

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	61.27
2	6 months to 1 year	1	50.00	38.73
BLANK	Skip filled	15,401		

BUDESONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	15,401		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	61.27
2	No	1	50.00	38.73
BLANK	Skip filled	15,401		

BUDESONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	15,401		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	15,401		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

BUDESONIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 996-997

Type: NUM

SAS Variable Name: ILP07_11

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	15,401		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 998-1000

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	15,401		

BUDESONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1001-1002

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

COMBIVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP01_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

COMBIVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1004

Type: NUM

SAS Variable Name: ILP02_12

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	44	8.37	7.13
2	6 months to 1 year	40	7.60	16.02
3	Longer than 1 year	441	83.84	76.84
7	Don't know/Not sure	1	0.19	0.01
BLANK	Skip filled	14,877		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

COMBIVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1005

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	185	35.58	34.76
2	No	328	63.08	64.45
3	Medication is a disk inhaler, not a canister inhaler	2	0.38	0.20
7	Don't know/Not sure	4	0.77	0.58
9	Refused	1	0.19	0.02
BLANK	Skip filled	14,883		

COMBIVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1006

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	405	77.00	83.81
2	No	79	15.02	9.81
3	No attack in past 3 months	38	7.22	6.29
7	Don't know/Not sure	4	0.76	0.09
BLANK	Skip filled	14,877		

COMBIVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1007

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	178	33.84	41.86
2	No	269	51.14	45.72
3	Didn't exercise in past 3 months	77	14.64	11.74
7	Don't know/Not sure	2	0.38	0.68
BLANK	Skip filled	14,877		

COMBIVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	238	45.25	52.47
2	No	287	54.56	47.51
7	Don't know/Not sure	1	0.19	0.02
BLANK	Skip filled	14,877		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

COMBIVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1009-1010

Type: NUM

SAS Variable Name: ILP07_12

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	525	99.81	99.94
77	Don't know	1	0.19	0.06
BLANK	Skip filled	14,877		

COMBIVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1011-1013

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	309	58.75	57.10
401 - 499	Weeks	127	24.14	24.87
555	Never	4	0.76	0.73
666	Less often than once a week	61	11.60	11.06
777	Don't know	24	4.56	6.03
999	Refused	1	0.19	0.21
BLANK	Skip filled	14,877		

COMBIVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1014-1015

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

CROMOLYN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1016

Type: NUM

SAS Variable Name: ILP01_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

CROMOLYN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1017

Type: NUM

SAS Variable Name: ILP02_13

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

CROMOLYN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,402		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,402		

CROMOLYN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,402		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,402		

CROMOLYN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1022-1023

Type: NUM

SAS Variable Name: ILP07_13

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	15,402		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1024-1026

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	15,402		

CROMOLYN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1027-1028

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

FLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP01_14

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

FLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP02_14

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	85	15.34	18.60
2	6 months to 1 year	50	9.03	15.18
3	Longer than 1 year	417	75.27	66.07
7	Don't know/Not sure	1	0.18	0.11
9	Refused	1	0.18	0.03
BLANK	Skip filled	14,849		

FLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	226	41.09	34.76
2	No	319	58.00	64.57
3	Medication is a disk inhaler, not a canister inhaler	1	0.18	0.01
7	Don't know/Not sure	3	0.55	0.55
9	Refused	1	0.18	0.10
BLANK	Skip filled	14,853		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1032

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	229	41.34	46.19
2	No	275	49.64	47.11
3	No attack in past 3 months	45	8.12	5.89
7	Don't know/Not sure	4	0.72	0.41
9	Refused	1	0.18	0.41
BLANK	Skip filled	14,849		

FLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1033

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	120	21.66	21.74
2	No	384	69.31	70.78
3	Didn't exercise in past 3 months	46	8.30	6.87
7	Don't know/Not sure	4	0.72	0.62
BLANK	Skip filled	14,849		

FLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1034

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	436	78.70	72.38
2	No	116	20.94	27.45
7	Don't know/Not sure	2	0.36	0.17
BLANK	Skip filled	14,849		

FLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1035-1036

Type: NUM

SAS Variable Name: ILP07_14

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	552	99.64	99.87
77	Don't know	2	0.36	0.13
BLANK	Skip filled	14,849		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1037-1039

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	431	77.80	69.61
401 - 499	Weeks	77	13.90	23.71
555	Never	2	0.36	0.31
666	Less often than once a week	38	6.86	5.59
777	Don't know	6	1.08	0.78
BLANK	Skip filled	14,849		

FLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1040-1041

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

FLOVENT ROTADISK: SIZE

Survey: ADULT Asthma Call-Back

Column: 1042

Type: NUM

SAS Variable Name: ILP01_15

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

FLOVENT ROTADISK: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1043

Type: NUM

SAS Variable Name: ILP02_15

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	3	25.00	20.29
3	Longer than 1 year	8	66.67	67.16
7	Don't know/Not sure	1	8.33	12.55
BLANK	Skip filled	15,391		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1044

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FLOVENT ROTADISK: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1045

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	50.00	54.53
2	No	5	41.67	32.92
3	No attack in past 3 months	1	8.33	12.55
BLANK	Skip filled	15,391		

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	8.33	0.58
2	No	11	91.67	99.42
BLANK	Skip filled	15,391		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	75.00	61.63
2	No	2	16.67	37.48
9	Refused	1	8.33	0.90
BLANK	Skip filled	15,391		

FLOVENT ROTADISK: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1048-1049

Type: NUM

SAS Variable Name: ILP07_15

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	12	100.00	100.00
BLANK	Skip filled	15,391		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1050-1052

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	75.00	44.27
401 - 499	Weeks	1	8.33	7.02
555	Never	1	8.33	18.26
777	Don't know	1	8.33	30.45
BLANK	Skip filled	15,391		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1053-1054

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

FLUNISOLIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP01_16

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

FLUNISOLIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP02_16

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	8	100.00	100.00
BLANK	Skip filled	15,395		

FLUNISOLIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	8	100.00	100.00
BLANK	Skip filled	15,395		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FLUNISOLIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1058

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	37.50	46.65
2	No	4	50.00	37.44
3	No attack in past 3 months	1	12.50	15.90
BLANK	Skip filled	15,395		

FLUNISOLIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1059

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	12.50	4.53
2	No	7	87.50	95.47
BLANK	Skip filled	15,395		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1060

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	75.00	85.08
2	No	2	25.00	14.92
BLANK	Skip filled	15,395		

FLUNISOLIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1061-1062

Type: NUM

SAS Variable Name: ILP07_16

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	7	87.50	94.60
77	Don't know	1	12.50	5.40
BLANK	Skip filled	15,395		

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1063-1065

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	75.00	52.89
401 - 499	Weeks	2	25.00	47.11
BLANK	Skip filled	15,395		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1066-1067

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

FLUTICASONE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP01_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

FLUTICASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1069

Type: NUM

SAS Variable Name: ILP02_17

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	6	21.43	57.71
2	6 months to 1 year	4	14.29	10.34
3	Longer than 1 year	18	64.29	31.95
BLANK	Skip filled	15,375		

FLUTICASONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1070

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	28.57	29.85
2	No	20	71.43	70.15
BLANK	Skip filled	15,375		

FLUTICASONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	57.14	57.22
2	No	9	32.14	33.73
3	No attack in past 3 months	3	10.71	9.05
BLANK	Skip filled	15,375		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FLUTICASONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	32.14	39.89
2	No	11	39.29	31.73
3	Didn't exercise in past 3 months	8	28.57	28.38
BLANK	Skip filled	15,375		

FLUTICASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	57.14	55.53
2	No	12	42.86	44.47
BLANK	Skip filled	15,375		

FLUTICASONE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1074-1075

Type: NUM

SAS Variable Name: ILP07_17

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	28	100.00	100.00
BLANK	Skip filled	15,375		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1076-1078

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	16	57.14	48.26
401 - 499	Weeks	9	32.14	34.52
555	Never	1	3.57	3.36
666	Less often than once a week	2	7.14	13.86
BLANK	Skip filled	15,375		

FLUTICASONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1079-1080

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

INTAL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP01_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

INTAL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP02_18

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	8.57	1.18
2	6 months to 1 year	1	2.86	0.13
3	Longer than 1 year	31	88.57	98.69
BLANK	Skip filled	15,368		

INTAL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP03_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	28.57	28.21
2	No	25	71.43	71.79
BLANK	Skip filled	15,368		

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP04_18

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	25.71	13.83
2	No	25	71.43	85.37
7	Don't know/Not sure	1	2.86	0.80
BLANK	Skip filled	15,368		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

INTAL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP05_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	37.14	31.98
2	No	20	57.14	66.29
3	Didn't exercise in past 3 months	2	5.71	1.73
BLANK	Skip filled	15,368		

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP06_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	62.86	51.97
2	No	13	37.14	48.03
BLANK	Skip filled	15,368		

INTAL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1087-1088

Type: NUM

SAS Variable Name: ILP07_18

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	35	100.00	100.00
BLANK	Skip filled	15,368		

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1089-1091

Type: NUM

SAS Variable Name: ILP08_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	25	71.43	55.60
401 - 499	Weeks	7	20.00	27.15
555	Never	1	2.86	16.12
666	Less often than once a week	2	5.71	1.14
BLANK	Skip filled	15,368		

INTAL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1092-1093

Type: NUM

SAS Variable Name: ILP10_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

IPRATROPIUM BROMIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP01_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

IPRATROPIUM BROMIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1095

Type: NUM

SAS Variable Name: ILP02_19

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	10.00	3.64
2	6 months to 1 year	3	10.00	2.12
3	Longer than 1 year	24	80.00	94.24
BLANK	Skip filled	15,373		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1096

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	43.33	43.53
2	No	15	50.00	54.26
3	Medication is a disk inhaler, not a canister inhaler	1	3.33	1.68
7	Don't know/Not sure	1	3.33	0.54
BLANK	Skip filled	15,373		

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1097

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	73.33	80.59
2	No	8	26.67	19.41
BLANK	Skip filled	15,373		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	20.00	20.78
2	No	17	56.67	65.57
3	Didn't exercise in past 3 months	7	23.33	13.65
BLANK	Skip filled	15,373		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	73.33	70.08
2	No	8	26.67	29.92
BLANK	Skip filled	15,373		

IPRATROPIUM BROMIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1100-1101

Type: NUM

SAS Variable Name: ILP07_19

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	22	73.33	89.70
77	Don't know	8	26.67	10.30
BLANK	Skip filled	15,373		

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1102-1104

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	19	63.33	63.64
401 - 499	Weeks	8	26.67	34.62
666	Less often than once a week	3	10.00	1.74
BLANK	Skip filled	15,373		

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1105-1106

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

MAXAIR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1107

Type: NUM

SAS Variable Name: ILP01_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

MAXAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP02_20

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	7	7.00	5.07
2	6 months to 1 year	6	6.00	5.61
3	Longer than 1 year	87	87.00	89.32
BLANK	Skip filled	15,303		

MAXAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	8.00	2.75
2	No	91	91.00	95.70
7	Don't know/Not sure	1	1.00	1.54
BLANK	Skip filled	15,303		

MAXAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	82	82.00	85.09
2	No	11	11.00	10.62
3	No attack in past 3 months	6	6.00	4.01
7	Don't know/Not sure	1	1.00	0.27
BLANK	Skip filled	15,303		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

MAXAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	39.00	47.55
2	No	52	52.00	47.97
3	Didn't exercise in past 3 months	9	9.00	4.48
BLANK	Skip filled	15,303		

MAXAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	15.00	15.44
2	No	85	85.00	84.56
BLANK	Skip filled	15,303		

MAXAIR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1113-1114

Type: NUM

SAS Variable Name: ILP07_20

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	100	100.00	100.00
BLANK	Skip filled	15,303		

MAXAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1115-1117

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	23	23.00	19.18
401 - 499	Weeks	30	30.00	42.98
666	Less often than once a week	40	40.00	34.52
777	Don't know	7	7.00	3.32
BLANK	Skip filled	15,303		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

MAXAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1118-1119

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	68	68.00	71.21
77	Don't know	2	2.00	0.55
88	None/Less than 1 full canister	30	30.00	28.24
BLANK	Skip filled	15,303		

METAPROTERONOL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP01_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	1	33.33	67.01
2	100 puffs	1	33.33	11.91
3	200 puffs	1	33.33	21.08
BLANK	Skip filled	15,400		

METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP02_21

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,400		

METAPROTERONOL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1122

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	67.01
2	No	2	66.67	32.99
BLANK	Skip filled	15,400		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1123

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	32.99
2	No	1	33.33	67.01
BLANK	Skip filled	15,400		

METAPROTERONOL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1124

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	21.08
2	No	2	66.67	78.92
BLANK	Skip filled	15,400		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	21.08
2	No	2	66.67	78.92
BLANK	Skip filled	15,400		

METAPROTERONOL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1126-1127

Type: NUM

SAS Variable Name: ILP07_21

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	15,400		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1128-1130

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	32.99
401 - 499	Weeks	1	33.33	67.01
BLANK	Skip filled	15,400		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

METAPROTERONOL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1131-1132

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	100.00	100.00
BLANK	Skip filled	15,400		

NEDOCROMIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1133

Type: NUM

SAS Variable Name: ILP01_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

NEDOCROMIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1134

Type: NUM

SAS Variable Name: ILP02_22

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

NEDOCROMIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,402		

NEDOCROMIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,402		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

NEDOCROMIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Didn't exercise in past 3 months	1	100.00	100.00
BLANK	Skip filled	15,402		

NEDOCROMIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,402		

NEDOCROMIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1139-1140

Type: NUM

SAS Variable Name: ILP07_22

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	15,402		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1141-1143

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	15,402		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1144-1145

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PIRBUTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP01_23

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

PIRBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP02_23

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	20.00	29.56
2	6 months to 1 year	1	10.00	4.36
3	Longer than 1 year	5	50.00	32.53
7	Don't know/Not sure	2	20.00	33.55
BLANK	Skip filled	15,393		

PIRBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	30.00	33.92
2	No	7	70.00	66.08
BLANK	Skip filled	15,393		

PIRBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	70.00	66.80
2	No	2	20.00	26.46
3	No attack in past 3 months	1	10.00	6.74
BLANK	Skip filled	15,393		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PIRBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	50.00	49.22
2	No	3	30.00	17.23
3	Didn't exercise in past 3 months	2	20.00	33.55
BLANK	Skip filled	15,393		

PIRBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	24.93
2	No	6	60.00	75.07
BLANK	Skip filled	15,393		

PIRBUTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1152-1153

Type: NUM

SAS Variable Name: ILP07_23

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	10	100.00	100.00
BLANK	Skip filled	15,393		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1154-1156

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	40.00	22.89
401 - 499	Weeks	5	50.00	69.65
555	Never	1	10.00	7.45
BLANK	Skip filled	15,393		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1157-1158

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	8	80.00	59.91
77	Don't know	1	10.00	8.95
88	None/Less than 1 full canister	1	10.00	31.14
BLANK	Skip filled	15,393		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PROVENTIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1159

Type: NUM

SAS Variable Name: ILP01_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	111	14.42	10.86
2	100 puffs	83	10.78	12.33
3	200 puffs	383	49.74	54.93
4	Other number of puffs	67	8.70	8.17
5	Used different sizes of this medication in the past 3 months	1	0.13	0.01
7	Don't know/Not sure	123	15.97	13.41
9	Refused	2	0.26	0.29
BLANK	Skip filled	14,633		

PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1160

Type: NUM

SAS Variable Name: ILP02_24

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	115	14.94	14.83
2	6 months to 1 year	95	12.34	11.66
3	Longer than 1 year	556	72.21	73.09
7	Don't know/Not sure	3	0.39	0.17
9	Refused	1	0.13	0.25
BLANK	Skip filled	14,633		

PROVENTIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1161

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	207	27.31	28.14
2	No	541	71.37	70.78
3	Medication is a disk inhaler, not a canister inhaler	1	0.13	0.02
7	Don't know/Not sure	7	0.92	0.53
9	Refused	2	0.26	0.53
BLANK	Skip filled	14,645		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	661	85.84	88.09
2	No	63	8.18	5.80
3	No attack in past 3 months	41	5.32	5.43
7	Don't know/Not sure	4	0.52	0.43
9	Refused	1	0.13	0.25
BLANK	Skip filled	14,633		

PROVENTIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	281	36.49	48.23
2	No	413	53.64	47.36
3	Didn't exercise in past 3 months	73	9.48	3.96
7	Don't know/Not sure	2	0.26	0.19
9	Refused	1	0.13	0.25
BLANK	Skip filled	14,633		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	197	25.58	23.96
2	No	570	74.03	75.58
7	Don't know/Not sure	2	0.26	0.21
9	Refused	1	0.13	0.25
BLANK	Skip filled	14,633		

PROVENTIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1165-1166

Type: NUM

SAS Variable Name: ILP07_24

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	764	99.22	99.15
77	Don't know	5	0.65	0.60
99	Refused	1	0.13	0.25
BLANK	Skip filled	14,633		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1167-1169

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	288	37.40	33.41
401 - 499	Weeks	248	32.21	40.35
555	Never	13	1.69	2.08
666	Less often than once a week	178	23.12	20.50
777	Don't know	42	5.45	3.40
999	Refused	1	0.13	0.25
BLANK	Skip filled	14,633		

PROVENTIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1170-1171

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	579	75.19	74.52
77	Don't know	35	4.55	7.28
88	None/Less than 1 full canister	153	19.87	17.66
99	Refused	3	0.39	0.54
BLANK	Skip filled	14,633		

PULMICORT TURBUHALER: SIZE

Survey: ADULT Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP01_25

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

PULMICORT TURBUHALER: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP02_25

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	22	13.84	6.75
2	6 months to 1 year	19	11.95	17.78
3	Longer than 1 year	118	74.21	75.47
BLANK	Skip filled	15,244		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PULMICORT TURBUHALER: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1174

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	12.03	11.67
2	No	136	86.08	87.19
3	Medication is a disk inhaler, not a canister inhaler	2	1.27	0.42
7	Don't know/Not sure	1	0.63	0.72
BLANK	Skip filled	15,245		

PULMICORT TURBUHALER: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1175

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	32.08	29.87
2	No	93	58.49	65.04
3	No attack in past 3 months	15	9.43	5.09
BLANK	Skip filled	15,244		

PULMICORT TURBUHALER: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	19.50	22.16
2	No	117	73.58	70.74
3	Didn't exercise in past 3 months	11	6.92	7.11
BLANK	Skip filled	15,244		

PULMICORT TURBUHALER: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1177

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	133	83.65	84.91
2	No	26	16.35	15.09
BLANK	Skip filled	15,244		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PULMICORT TURBUHALER: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1178-1179

Type: NUM

SAS Variable Name: ILP07_25

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	154	96.86	97.52
77	Don't know	5	3.14	2.48
BLANK	Skip filled	15,244		

PULMICORT TURBUHALER: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1180-1182

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	130	81.76	86.71
401 - 499	Weeks	15	9.43	5.66
555	Never	1	0.63	0.67
666	Less often than once a week	9	5.66	4.54
777	Don't know	3	1.89	2.37
999	Refused	1	0.63	0.05
BLANK	Skip filled	15,244		

PULMICORT TURBUHALER: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1183-1184

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

SALMETEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP01_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

SALMETEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1186

Type: NUM

SAS Variable Name: ILP02_26

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	15,401		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SALMETEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1187

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	30.78
2	No	1	50.00	69.22
BLANK	Skip filled	15,401		

SALMETEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	30.78
3	No attack in past 3 months	1	50.00	69.22
BLANK	Skip filled	15,401		

SALMETEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	15,401		

SALMETEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	69.22
2	No	1	50.00	30.78
BLANK	Skip filled	15,401		

SALMETEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1191-1192

Type: NUM

SAS Variable Name: ILP07_26

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	15,401		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SALMETEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1193-1195

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	69.22
666	Less often than once a week	1	50.00	30.78
BLANK	Skip filled	15,401		

SALMETEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1196-1197

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

SEREVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP01_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

SEREVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP02_27

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	8	6.45	3.64
2	6 months to 1 year	5	4.03	6.77
3	Longer than 1 year	111	89.52	89.59
BLANK	Skip filled	15,279		

SEREVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	10.66	6.26
2	No	84	68.85	80.29
3	Medication is a disk inhaler, not a canister inhaler	25	20.49	13.45
BLANK	Skip filled	15,281		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SEREVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	25.00	26.80
2	No	80	64.52	67.15
3	No attack in past 3 months	13	10.48	6.06
BLANK	Skip filled	15,279		

SEREVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	26.61	41.55
2	No	84	67.74	56.83
3	Didn't exercise in past 3 months	7	5.65	1.61
BLANK	Skip filled	15,279		

SEREVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1203

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	105	84.68	87.49
2	No	19	15.32	12.51
BLANK	Skip filled	15,279		

SEREVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1204-1205

Type: NUM

SAS Variable Name: ILP07_27

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	123	99.19	99.89
77	Don't know	1	0.81	0.11
BLANK	Skip filled	15,279		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SEREVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1206-1208

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	104	83.87	89.44
401 - 499	Weeks	13	10.48	8.95
666	Less often than once a week	5	4.03	1.04
777	Don't know	2	1.61	0.57
BLANK	Skip filled	15,279		

SEREVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1209-1210

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TERBUTALINE (+ T. SULFATE): SIZE

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP01_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1212

Type: NUM

SAS Variable Name: ILP02_28

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1213

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,402		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,402		

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,402		

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,402		

TERBUTALINE (+ T. SULFATE): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1217-1218

Type: NUM

SAS Variable Name: ILP07_28

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	15,402		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1219-1221

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
555	Never	1	100.00	100.00
BLANK	Skip filled	15,402		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1222-1223

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	15,402		

TILADE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1224

Type: NUM

SAS Variable Name: ILP01_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TILADE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP02_29

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,400		

TILADE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP03_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	79.10
2	No	1	33.33	20.90
BLANK	Skip filled	15,400		

TILADE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP04_29

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	15,400		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TILADE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP05_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	15,400		

TILADE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP06_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	64.55
2	No	2	66.67	35.45
BLANK	Skip filled	15,400		

TILADE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1230-1231

Type: NUM

SAS Variable Name: ILP07_29

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	15,400		

TILADE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1232-1234

Type: NUM

SAS Variable Name: ILP08_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	64.55
666	Less often than once a week	2	66.67	35.45
BLANK	Skip filled	15,400		

TILADE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1235-1236

Type: NUM

SAS Variable Name: ILP10_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TORNALATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP01_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TORNALATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1238

Type: NUM

SAS Variable Name: ILP02_30

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	15,402		

TORNALATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	15,402		

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1240

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,402		

TORNALATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1241

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Didn't exercise in past 3 months	1	100.00	100.00
BLANK	Skip filled	15,402		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	15,402		

TORNALATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1243-1244

Type: NUM

SAS Variable Name: ILP07_30

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	15,402		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1245-1247

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	15,402		

TORNALATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1248-1249

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	15,402		

TRIAMCINOLONE ACETONIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1250

Type: NUM

SAS Variable Name: ILP01_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TRIAMCINOLONE ACETONIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1251

Type: NUM

SAS Variable Name: ILP02_31

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TRIAMCINOLONE ACETONIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1256-1257

Type: NUM

SAS Variable Name: ILP07_31

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1258-1260

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1261-1262

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

VANCERIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP01_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

VANCERIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP02_32

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	16.67	13.08
3	Longer than 1 year	5	83.33	86.92
BLANK	Skip filled	15,397		

VANCERIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	13.08
2	No	4	66.67	59.16
7	Don't know/Not sure	1	16.67	27.75
BLANK	Skip filled	15,397		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

VANCERIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	66.67	77.09
2	No	2	33.33	22.91
BLANK	Skip filled	15,397		

VANCERIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1267

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	33.24
2	No	3	50.00	42.60
3	Didn't exercise in past 3 months	1	16.67	24.16
BLANK	Skip filled	15,397		

VANCERIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1268

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	27.75
2	No	3	50.00	53.67
7	Don't know/Not sure	2	33.33	18.58
BLANK	Skip filled	15,397		

VANCERIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1269-1270

Type: NUM

SAS Variable Name: ILP07_32

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	100.00	100.00
BLANK	Skip filled	15,397		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

VANCERIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1271-1273

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	16.67	27.75
401 - 499	Weeks	1	16.67	24.16
555	Never	1	16.67	19.69
666	Less often than once a week	1	16.67	9.83
777	Don't know	2	33.33	18.58
BLANK	Skip filled	15,397		

VANCERIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1274-1275

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

VENTOLIN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1276

Type: NUM

SAS Variable Name: ILP01_33

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	33	7.28	8.26
2	100 puffs	21	4.64	3.38
3	200 puffs	308	67.99	71.18
4	Other number of puffs	59	13.02	12.39
5	Used different sizes of this medication in the past 3 months	1	0.22	0.01
7	Don't know/Not sure	31	6.84	4.78
BLANK	Skip filled	14,950		

VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1277

Type: NUM

SAS Variable Name: ILP02_33

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	125	27.59	24.53
2	6 months to 1 year	71	15.67	19.89
3	Longer than 1 year	252	55.63	54.10
7	Don't know/Not sure	5	1.10	1.48
BLANK	Skip filled	14,950		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

VENTOLIN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1278

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	120	26.67	24.85
2	No	328	72.89	75.10
7	Don't know/Not sure	2	0.44	0.05
BLANK	Skip filled	14,953		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	369	81.46	84.61
2	No	49	10.82	9.72
3	No attack in past 3 months	30	6.62	4.78
7	Don't know/Not sure	5	1.10	0.89
BLANK	Skip filled	14,950		

VENTOLIN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	159	35.10	40.36
2	No	245	54.08	51.16
3	Didn't exercise in past 3 months	48	10.60	8.46
9	Refused	1	0.22	0.01
BLANK	Skip filled	14,950		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	137	30.24	40.03
2	No	315	69.54	59.95
9	Refused	1	0.22	0.03
BLANK	Skip filled	14,950		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

VENTOLIN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1282-1283

Type: NUM

SAS Variable Name: ILP07_33

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	449	99.12	97.62
77	Don't know	3	0.66	1.07
99	Refused	1	0.22	1.31
BLANK	Skip filled	14,950		

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1284-1286

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	191	42.16	49.13
401 - 499	Weeks	131	28.92	25.47
555	Never	7	1.55	1.38
666	Less often than once a week	98	21.63	18.03
777	Don't know	22	4.86	4.63
999	Refused	4	0.88	1.35
BLANK	Skip filled	14,950		

VENTOLIN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1287-1288

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	334	73.73	78.45
77	Don't know	21	4.64	3.22
88	None/Less than 1 full canister	98	21.63	18.33
BLANK	Skip filled	14,950		

FORADIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP01_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FORADIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP02_34

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	12	13.19	19.17
2	6 months to 1 year	13	14.29	9.92
3	Longer than 1 year	65	71.43	70.70
7	Don't know/Not sure	1	1.10	0.21
BLANK	Skip filled	15,312		

FORADIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	20.00	19.27
2	No	68	75.56	78.48
3	Medication is a disk inhaler, not a canister inhaler	2	2.22	0.67
7	Don't know/Not sure	2	2.22	1.59
BLANK	Skip filled	15,313		

FORADIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	15.38	24.40
2	No	68	74.73	70.56
3	No attack in past 3 months	9	9.89	5.04
BLANK	Skip filled	15,312		

FORADIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	18.68	17.99
2	No	66	72.53	79.07
3	Didn't exercise in past 3 months	8	8.79	2.94
BLANK	Skip filled	15,312		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FORADIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	84	92.31	90.16
2	No	6	6.59	9.58
7	Don't know/Not sure	1	1.10	0.25
BLANK	Skip filled	15,312		

FORADIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1295-1296

Type: NUM

SAS Variable Name: ILP07_34

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	90	98.90	99.12
77	Don't know	1	1.10	0.88
BLANK	Skip filled	15,312		

FORADIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1297-1299

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	84	92.31	79.52
401 - 499	Weeks	5	5.49	16.72
555	Never	1	1.10	0.88
666	Less often than once a week	1	1.10	2.88
BLANK	Skip filled	15,312		

FORADIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1300-1301

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

FORMOTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP01_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FORMOTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1303

Type: NUM

SAS Variable Name: ILP02_35

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	11	91.67	87.84
7	Don't know/Not sure	1	8.33	12.16
BLANK	Skip filled	15,391		

FORMOTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1304

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	25.00	27.32
2	No	8	66.67	60.52
7	Don't know/Not sure	1	8.33	12.16
BLANK	Skip filled	15,391		

FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	33.33	17.73
2	No	6	50.00	56.47
3	No attack in past 3 months	1	8.33	13.64
7	Don't know/Not sure	1	8.33	12.16
BLANK	Skip filled	15,391		

FORMOTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	41.67	29.54
2	No	5	41.67	56.42
3	Didn't exercise in past 3 months	1	8.33	1.89
7	Don't know/Not sure	1	8.33	12.16
BLANK	Skip filled	15,391		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	91.67	87.84
7	Don't know/Not sure	1	8.33	12.16
BLANK	Skip filled	15,391		

FORMOTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1308-1309

Type: NUM

SAS Variable Name: ILP07_35

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	11	91.67	87.84
77	Don't know	1	8.33	12.16
BLANK	Skip filled	15,391		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1310-1312

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	11	91.67	87.84
777	Don't know	1	8.33	12.16
BLANK	Skip filled	15,391		

FORMOTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1313-1314

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

QVAR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP01_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

QVAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: ILP02_36

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	42	20.00	14.00
2	6 months to 1 year	25	11.90	3.35
3	Longer than 1 year	143	68.10	82.65
BLANK	Skip filled	15,193		

QVAR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83	39.71	47.47
2	No	123	58.85	49.67
7	Don't know/Not sure	3	1.44	2.87
BLANK	Skip filled	15,194		

QVAR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	94	44.76	58.12
2	No	101	48.10	39.42
3	No attack in past 3 months	15	7.14	2.46
BLANK	Skip filled	15,193		

QVAR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	49	23.33	40.95
2	No	147	70.00	53.86
3	Didn't exercise in past 3 months	11	5.24	4.89
7	Don't know/Not sure	3	1.43	0.31
BLANK	Skip filled	15,193		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

QVAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	155	73.81	79.10
2	No	54	25.71	20.81
7	Don't know/Not sure	1	0.48	0.09
BLANK	Skip filled	15,193		

QVAR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1321-1322

Type: NUM

SAS Variable Name: ILP07_36

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	210	100.00	100.00
BLANK	Skip filled	15,193		

QVAR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1323-1325

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	171	81.43	83.79
401 - 499	Weeks	24	11.43	9.40
555	Never	1	0.48	0.69
666	Less often than once a week	13	6.19	5.91
777	Don't know	1	0.48	0.21
BLANK	Skip filled	15,193		

QVAR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1326-1327

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

LEVALBUTEROL TARTRATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: ILP01_37

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

LEVALBUTEROL TARTRATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: ILP02_37

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

LEVALBUTEROL TARTRATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1334-1335

Type: NUM

SAS Variable Name: ILP07_37

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1336-1338

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1339-1340

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

XOPENEX HFA: SIZE

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: ILP01_38

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

XOPENEX HFA: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: ILP02_38

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	49	18.63	22.84
2	6 months to 1 year	50	19.01	21.09
3	Longer than 1 year	163	61.98	56.00
7	Don't know/Not sure	1	0.38	0.07
BLANK	Skip filled	15,140		

XOPENEX HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	66	25.78	19.43
2	No	186	72.66	79.58
7	Don't know/Not sure	4	1.56	0.99
BLANK	Skip filled	15,147		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

XOPENEX HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	210	79.85	79.86
2	No	44	16.73	18.06
3	No attack in past 3 months	9	3.42	2.08
BLANK	Skip filled	15,140		

XOPENEX HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	80	30.42	32.81
2	No	158	60.08	61.85
3	Didn't exercise in past 3 months	23	8.75	5.13
7	Don't know/Not sure	2	0.76	0.21
BLANK	Skip filled	15,140		

XOPENEX HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	82	31.18	28.87
2	No	180	68.44	70.92
7	Don't know/Not sure	1	0.38	0.21
BLANK	Skip filled	15,140		

XOPENEX HFA: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1347-1348

Type: NUM

SAS Variable Name: ILP07_38

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	254	96.58	93.53
77	Don't know	9	3.42	6.47
BLANK	Skip filled	15,140		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1349-1351

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	110	41.83	40.51
401 - 499	Weeks	77	29.28	37.97
555	Never	6	2.28	2.21
666	Less often than once a week	61	23.19	17.55
777	Don't know	9	3.42	1.77
BLANK	Skip filled	15,140		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1352-1353

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	188	72.87	75.54
77	Don't know	22	8.53	10.92
88	None/Less than 1 full canister	47	18.22	13.49
99	Refused	1	0.39	0.04
BLANK	Skip filled	15,145		

MOMETASONE FUROATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: ILP01_39

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

MOMETASONE FUROATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: ILP02_39

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	12	100.00	100.00
BLANK	Skip filled	15,391		

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

MOMETASONE FUROATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	50.00	26.46
2	No	6	50.00	73.54
BLANK	Skip filled	15,391		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	50.00	56.62
2	No	4	33.33	8.78
3	Didn't exercise in past 3 months	2	16.67	34.60
BLANK	Skip filled	15,391		

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	83.33	89.32
2	No	2	16.67	10.68
BLANK	Skip filled	15,391		

MOMETASONE FUROATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1360-1361

Type: NUM

SAS Variable Name: ILP07_39

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	12	100.00	100.00
BLANK	Skip filled	15,391		

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1362-1364

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	83.33	79.35
401 - 499	Weeks	2	16.67	20.65
BLANK	Skip filled	15,391		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1365-1366

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

ASMANEX (TWISTHALER): SIZE

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: ILP01_40

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

ASMANEX (TWISTHALER): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: ILP02_40

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	48	17.91	20.61
2	6 months to 1 year	57	21.27	18.73
3	Longer than 1 year	163	60.82	60.66
BLANK	Skip filled	15,135		

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	70	26.12	26.25
2	No	169	63.06	62.83
3	No attack in past 3 months	28	10.45	10.87
9	Refused	1	0.37	0.05
BLANK	Skip filled	15,135		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	19.40	17.40
2	No	188	70.15	73.47
3	Didn't exercise in past 3 months	28	10.45	9.12
BLANK	Skip filled	15,135		

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	244	91.04	93.87
2	No	24	8.96	6.13
BLANK	Skip filled	15,135		

ASMANEX (TWISTHALER): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1373-1374

Type: NUM

SAS Variable Name: ILP07_40

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	267	99.63	99.71
77	Don't know	1	0.37	0.29
BLANK	Skip filled	15,135		

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1375-1377

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	232	86.57	88.79
401 - 499	Weeks	31	11.57	9.68
555	Never	1	0.37	0.15
666	Less often than once a week	4	1.49	1.37
BLANK	Skip filled	15,135		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1378-1379

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PRO-AIR HFA: SIZE

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: ILP01_41

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

PRO-AIR HFA: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: ILP02_41

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	257	25.40	24.27
2	6 months to 1 year	220	21.74	22.05
3	Longer than 1 year	531	52.47	53.57
7	Don't know/Not sure	4	0.40	0.11
BLANK	Skip filled	14,391		

PRO-AIR HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	281	28.13	22.49
2	No	705	70.57	76.46
3	Medication is a disk inhaler, not a canister inhaler	3	0.30	0.04
7	Don't know/Not sure	10	1.00	1.01
BLANK	Skip filled	14,404		

PRO-AIR HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	864	85.38	86.49
2	No	94	9.29	9.66
3	No attack in past 3 months	52	5.14	3.78
7	Don't know/Not sure	2	0.20	0.06
BLANK	Skip filled	14,391		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PRO-AIR HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	350	34.58	35.84
2	No	567	56.03	56.23
3	Didn't exercise in past 3 months	91	8.99	7.90
7	Don't know/Not sure	3	0.30	0.03
9	Refused	1	0.10	0.01
BLANK	Skip filled	14,391		

PRO-AIR HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	265	26.19	24.63
2	No	744	73.52	74.87
7	Don't know/Not sure	3	0.30	0.50
BLANK	Skip filled	14,391		

PRO-AIR HFA: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1386-1387

Type: NUM

SAS Variable Name: ILP07_41

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1,005	99.31	99.27
77	Don't know	7	0.69	0.73
BLANK	Skip filled	14,391		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1388-1390

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	389	38.44	37.67
401 - 499	Weeks	349	34.49	38.61
555	Never	17	1.68	2.85
666	Less often than once a week	218	21.54	18.77
777	Don't know	38	3.75	2.08
999	Refused	1	0.10	0.01
BLANK	Skip filled	14,391		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1391-1392

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	766	76.22	85.25
77	Don't know	34	3.38	1.03
88	None/Less than 1 full canister	205	20.40	13.72
BLANK	Skip filled	14,398		

SYMBICORT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: ILP01_42

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

SYMBICORT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: ILP02_42

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	160	39.41	46.22
2	6 months to 1 year	133	32.76	26.89
3	Longer than 1 year	113	27.83	26.89
BLANK	Skip filled	14,997		

SYMBICORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	118	29.28	20.56
2	No	279	69.23	76.86
3	Medication is a disk inhaler, not a canister inhaler	1	0.25	0.63
7	Don't know/Not sure	5	1.24	1.96
BLANK	Skip filled	15,000		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SYMBICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	145	35.71	36.68
2	No	228	56.16	54.36
3	No attack in past 3 months	31	7.64	8.55
7	Don't know/Not sure	2	0.49	0.41
BLANK	Skip filled	14,997		

SYMBICORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	108	26.60	38.23
2	No	244	60.10	51.51
3	Didn't exercise in past 3 months	54	13.30	10.26
BLANK	Skip filled	14,997		

SYMBICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1398

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	337	83.00	85.85
2	No	69	17.00	14.15
BLANK	Skip filled	14,997		

SYMBICORT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1399-1400

Type: NUM

SAS Variable Name: ILP07_42

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	403	99.26	98.62
77	Don't know	3	0.74	1.38
BLANK	Skip filled	14,997		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

SYMBICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1401-1403

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	340	83.74	84.74
401 - 499	Weeks	38	9.36	6.89
555	Never	2	0.49	0.57
666	Less often than once a week	23	5.67	6.78
777	Don't know	3	0.74	1.03
BLANK	Skip filled	14,997		

SYMBICORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1404-1405

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

PILL ACCOLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1406

Type: NUM

SAS Variable Name: PILLX_1

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	6.52	1.84
3	Longer than 1 year	43	93.48	98.16
BLANK	Skip filled	15,357		

PILL AEROLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1407

Type: NUM

SAS Variable Name: PILLX_2

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

PILL ALBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: PILLX_3

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	10.34	2.68
3	Longer than 1 year	26	89.66	97.32
BLANK	Skip filled	15,374		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1409

Type: NUM

SAS Variable Name: PILLX_4

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	66.67	76.33
3	Longer than 1 year	1	33.33	23.67
BLANK	Skip filled	15,400		

PILL CHOLEDYL (OXTRIPHYLLINE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1410

Type: NUM

SAS Variable Name: PILLX_5

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	15,402		

PILL DELTASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1411

Type: NUM

SAS Variable Name: PILLX_7

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	15,399		

PILL ELIXOPHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1412

Type: NUM

SAS Variable Name: PILLX_8

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL MEDROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1413

Type: NUM

SAS Variable Name: PILLX_11

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	6	60.00	59.86
2	6 months to 1 year	1	10.00	4.82
3	Longer than 1 year	3	30.00	35.32
BLANK	Skip filled	15,393		

PILL METAPREL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1414

Type: NUM

SAS Variable Name: PILLX_12

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	15,401		

PILL METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1415

Type: NUM

SAS Variable Name: PILLX_13

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

PILL METHYLPREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1416

Type: NUM

SAS Variable Name: PILLX_14

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	62.50	84.31
3	Longer than 1 year	3	37.50	15.69
BLANK	Skip filled	15,395		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL MONTELUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1417

Type: NUM

SAS Variable Name: PILLX_15

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	8.33	15.36
2	6 months to 1 year	2	16.67	40.95
3	Longer than 1 year	9	75.00	43.69
BLANK	Skip filled	15,391		

PILL PEDIAPRED: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1418

Type: NUM

SAS Variable Name: PILLX_17

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

PILL PREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1419

Type: NUM

SAS Variable Name: PILLX_18

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	13	52.00	65.42
2	6 months to 1 year	2	8.00	4.77
3	Longer than 1 year	9	36.00	28.80
7	Don't know/Not sure	1	4.00	1.01
BLANK	Skip filled	15,378		

PILL PREDNISONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1420

Type: NUM

SAS Variable Name: PILLX_19

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	150	46.58	50.22
2	6 months to 1 year	22	6.83	8.48
3	Longer than 1 year	145	45.03	38.48
7	Don't know/Not sure	5	1.55	2.82
BLANK	Skip filled	15,081		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1421

Type: NUM

SAS Variable Name: PILLX_21

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	6	42.86	27.75
2	6 months to 1 year	2	14.29	34.98
3	Longer than 1 year	6	42.86	37.27
BLANK	Skip filled	15,389		

PILL RESPID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1422

Type: NUM

SAS Variable Name: PILLX_23

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	15,402		

PILL SINGULAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1423

Type: NUM

SAS Variable Name: PILLX_24

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	129	8.28	7.84
2	6 months to 1 year	104	6.68	6.62
3	Longer than 1 year	1,318	84.60	84.95
7	Don't know/Not sure	3	0.19	0.05
9	Refused	4	0.26	0.54
BLANK	Skip filled	13,845		

PILL SLO-PHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1424

Type: NUM

SAS Variable Name: PILLX_25

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	15,400		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL SLO-BID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: PILLX_26

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

PILL THEO-24: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: PILLX_28

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	15,399		

PILL THEOCHRON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1427

Type: NUM

SAS Variable Name: PILLX_30

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

PILL THEOCLEAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1428

Type: NUM

SAS Variable Name: PILLX_31

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

PILL THEODUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1429

Type: NUM

SAS Variable Name: PILLX_32

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	5.26	4.56
2	6 months to 1 year	1	5.26	1.88
3	Longer than 1 year	17	89.47	93.55
BLANK	Skip filled	15,384		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL THEO-DUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1430

Type: NUM

SAS Variable Name: PILLX_33

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	20.00	48.15
3	Longer than 1 year	4	80.00	51.85
BLANK	Skip filled	15,398		

PILL THEOPHYLLINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1431

Type: NUM

SAS Variable Name: PILLX_35

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	3.82	7.37
2	6 months to 1 year	2	1.53	1.53
3	Longer than 1 year	123	93.89	89.96
7	Don't know/Not sure	1	0.76	1.14
BLANK	Skip filled	15,272		

PILL THEOSPAN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1432

Type: NUM

SAS Variable Name: PILLX_37

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

PILL T-PHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1433

Type: NUM

SAS Variable Name: PILLX_40

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,402		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL UNIPHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1434

Type: NUM

SAS Variable Name: PILLX_42

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	9.09	3.43
3	Longer than 1 year	10	90.91	96.57
BLANK	Skip filled	15,392		

PILL VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1435

Type: NUM

SAS Variable Name: PILLX_43

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

PILL VOLMAX: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1436

Type: NUM

SAS Variable Name: PILLX_44

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

PILL ZAFIRLUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1437

Type: NUM

SAS Variable Name: PILLX_45

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	15,399		

PILL ZILEUTON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1438

Type: NUM

SAS Variable Name: PILLX_46

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	15,403		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

PILL ZYFLO FILMTAB: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1439

Type: NUM

SAS Variable Name: PILLX_47

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	26.92
2	6 months to 1 year	1	25.00	48.27
3	Longer than 1 year	2	50.00	24.80
BLANK	Skip filled	15,399		

PILL TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1440

Type: NUM

SAS Variable Name: PILLX_48

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	80.00	95.87
7	Don't know/Not sure	1	20.00	4.13
BLANK	Skip filled	15,398		

PILL BRETHINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1441

Type: NUM

SAS Variable Name: PILLX_49

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	15,402		

INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1442-1451

Type: NUM

SAS Variable Name: WEIGHT_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	15,403	100.00	100.00

ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: ADULT Asthma Call-Back

Column: 1452-1461

Type: NUM

SAS Variable Name: POST

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	15,403	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

FINAL ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1462-1471

Prologue:

Description: FINAL ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: FINALWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back weight	15,403	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: ADULT Asthma Call-Back

Column: 1472

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	8,241	100.00	100.00
BLANK	No region collapsed	7,162		

RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1473

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: RACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	5,654	100.00	100.00
BLANK	Missing	9,749		

AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1474

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	403	3.41	14.49
2	Age 25 - 34	984	8.32	20.60
3	Age 35 - 44	1,441	12.19	19.78
4	Age 45 - 54	2,569	21.73	17.82
5	Age 55 - 64	3,104	26.25	14.22
6	Age 65 - 74	2,086	17.64	7.94
7	Age 75+	1,236	10.45	5.15
BLANK	Missing	3,580		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1475

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	1,222	11.33	33.94
2	Age 35 - 44	1,291	11.97	19.85
3	Age 45 - 54	2,304	21.36	17.92
4	Age 55 - 64	2,865	26.57	14.40
5	Age 65+	3,102	28.76	13.89
BLANK	Missing	4,619		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1476

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	211	10.74	31.12
2	Age 35 - 44	229	11.66	22.71
3	Age 45 - 54	463	23.57	18.76
4	Age 55+	1,061	54.02	27.41
BLANK	Missing	13,439		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1477

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4_M

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	440	22.40	53.83
2	Age 45 - 54	463	23.57	18.76
3	Age 55 - 64	501	25.51	14.28
4	Age 65+	560	28.51	13.13
BLANK	Missing	13,439		

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1478

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	24	13.48	39.01
2	Age 35 - 54	52	29.21	30.21
3	Age 55+	102	57.30	30.78
BLANK	Missing	15,225		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2009**

AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1479

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	40	22.47	50.59
2	Age 45+	138	77.53	49.41
BLANK	Missing	15,225		

ADULT ASTHMA CALL-BACK ADJUST FACTOR

Survey: ADULT Asthma Call-Back

Column: 1480-1487

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: ADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification adjust factor	15,403	100.00	100.00