

United States

2009 Codebook Report

CHILD Asthma Call-Back Survey

January 11, 2012



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**STATE FIPS CODE**

Survey: CHILD Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: \_STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Connecticut	96	3.39	2.75
13	Georgia	103	3.63	7.79
15	Hawaii	116	4.09	1.01
17	Illinois	77	2.72	8.29
18	Indiana	107	3.77	4.57
20	Kansas	279	9.84	1.66
22	Louisiana	88	3.10	3.12
23	Maine	81	2.86	0.79
24	Maryland	134	4.72	4.56
25	Massachusetts	94	3.31	3.84
26	Michigan	131	4.62	5.36
30	Montana	75	2.64	0.40
31	Nebraska	154	5.43	0.79
34	New Jersey	190	6.70	5.78
36	New York	92	3.24	14.13
39	Ohio	77	2.72	6.60
44	Rhode Island	78	2.75	0.71
48	Texas	169	5.96	17.54
49	Utah	168	5.92	1.79
50	Vermont	121	4.27	0.40
53	Washington	304	10.72	3.41
72	Puerto Rico	102	3.60	4.72

**MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK**

Survey: CHILD Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	254	8.96	9.83
2	February	272	9.59	7.40
3	March	259	9.13	7.49
4	April	255	8.99	9.34
5	May	254	8.96	8.63
6	June	215	7.58	9.04
7	July	228	8.04	9.43
8	August	228	8.04	9.52
9	September	225	7.93	8.55
10	October	267	9.41	8.21
11	November	202	7.12	6.83
12	December	177	6.24	5.73

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MONTH OF ASTHMA CALL-BACK INTERVIEW**

Survey: CHILD Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM  
SAS Variable Name: IMONTH\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	105	3.70	4.50
2	February	242	8.53	7.16
3	March	334	11.78	10.85
4	April	221	7.79	6.81
5	May	243	8.57	7.60
6	June	224	7.90	7.72
7	July	197	6.95	7.10
8	August	245	8.64	9.48
9	September	235	8.29	10.85
10	October	233	8.22	7.25
11	November	327	11.53	13.06
12	December	230	8.11	7.62

**DAY OF ASTHMA CALL-BACK INTERVIEW**

Survey: CHILD Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM  
SAS Variable Name: IDAY\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		2,836	100.00	100.00

**YEAR OF ASTHMA CALL-BACK INTERVIEW**

Survey: CHILD Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM  
SAS Variable Name: IYEAR\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2009	Interview year	2,795	98.55	99.15
2010	Interview year	41	1.45	0.85

**INTERVIEWER ID OF ASTHMA CALL-BACK**

Survey: CHILD Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: INTVID\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		2,836	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**DISPOSITION OF ASTHMA CALL-BACK**

Survey: CHILD Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: DISPCODE\_F

Value	Value Label
110	Complete
120	Partial complete

Frequency	Percentage	Weighted Percentage
2,835	99.96	99.91
1	0.04	0.09

**ANNUAL SEQUENCE NUMBER**

Survey: CHILD Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM

SAS Variable Name: SEQNO

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK**

Survey: CHILD Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: NATTMPTS\_F

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**ARE YOU SAMPLE PERSON**

Survey: CHILD Asthma Call-Back

Column: 40

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Type: NUM

SAS Variable Name: MKP\_NAME

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2,746	96.83	97.15
90	3.17	2.85

**MAY I SPEAK WITH PERSON**

Survey: CHILD Asthma Call-Back

Column: 41

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Type: NUM

SAS Variable Name: MKP\_PERS

Value	Value Label
1	Yes
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
90	100.00	100.00
2,746		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INTRODUCTION TO CORRECT RESPONDENT**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 42

**SAS Variable Name:** MKP\_STATUS

**Prologue:** If parent or guardian requests to transfer to another person who is more knowledgeable about the child's asthma, then mark the transfer.

**Description:** Q1.2a Tracking of MKP survey respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	BRFSS respondent is the MKP and will continue	1,173	93.84	90.09
2	Alternate respondent is the MKP and will continue	77	6.16	9.91
BLANK	Not asked or missing	1,586		

**CHECK CORRECT PERSON ON PHONE**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 43

**SAS Variable Name:** REPEAT

**Prologue:** FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

**Description:** Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	127	100.00	100.00
BLANK	Not asked or missing	2,709		

**EVER HAVE ASTHMA INCONSISTENT WITH BRFSS**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 44

**SAS Variable Name:** EVER\_ASTH

**Prologue:** FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

**Description:** Q2.1 Have you ever been told by a doctor or other health professional that [child's name] had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	127	100.00	100.00
BLANK	Not asked or missing	2,709		

**STILL HAVE ASTHMA INCONSISTENT WITH BRFSS**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 45

**SAS Variable Name:** CUR\_ASTH

**Prologue:** FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

**Description:** Q2.2 Does [he/she] still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	40.16	36.94
2	No	68	53.54	56.92
7	Don't know/Not sure	8	6.30	6.15
BLANK	Not asked or missing	2,709		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**RELATIONSHIP TO CHILD FROM QUESTION**

Survey: CHILD Asthma Call-Back

Column: 46

Prologue:

Description: Q2.3 What is your relationship to the child?

Type: NUM  
SAS Variable Name: RELATION

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mother (Birth/Adoptive/Step)	440	75.09	74.43
2	Father (Birth/Adoptive/Step)	125	21.33	23.16
4	Grandparent (Father/Mother)	13	2.22	1.34
6	Unrelated	7	1.19	0.99
7	Don't know/Not sure	1	0.17	0.08
BLANK	Not asked or missing	2,250		

**LEGAL GUARDIAN**

Survey: CHILD Asthma Call-Back

Column: 47

Prologue:

Description: Q2.4 Are you the legal guardian for [child's name]?

Type: NUM  
SAS Variable Name: GUARDIAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	121	98.37	99.30
2	No	2	1.63	0.70
BLANK	Not asked or missing	2,713		

**PERMISSION TO COMBINE THE ANSWER WITH BRFS**

Survey: CHILD Asthma Call-Back

Column: 48

Prologue:

Description: Q2.5 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Type: NUM  
SAS Variable Name: PERMISS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,245	99.92	100.00
7	Don't know/Not sure	1	0.08	0.00
BLANK	Not asked or missing	1,590		

**AGE AT ASTHMA DIAGNOSIS**

Survey: CHILD Asthma Call-Back

Column: 49-51

Prologue:

Description: Q3.1 How old was [child's name] when a doctor or other health professional first said [he/she] had asthma?

Type: NUM  
SAS Variable Name: AGEDX

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 17	Age in years	2,323	81.91	79.55
777	Don't know	51	1.80	1.39
888	Less than 1 year old	460	16.22	19.03
999	Refused	2	0.07	0.03

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TIME SINCE DIAGNOSIS**

Survey: CHILD Asthma Call-Back

Column: 52

Prologue:

Description: Q3.2 How long ago was that? Was it . . . [READ CATEGORIES]

Type: NUM

SAS Variable Name: INCIDNT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	165	5.82	6.95
2	One to five years ago	941	33.18	36.91
3	More than 5 years ago	1,722	60.72	55.77
7	Don't know	8	0.28	0.36

**LAST TALKED TO A DOCTOR**

Survey: CHILD Asthma Call-Back

Column: 53-54

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about [child's name]'s asthma? This could have been in a doctor's office, the hospital, an emergency room or urgent care center.

Type: NUM

SAS Variable Name: LAST\_MD

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	1,760	62.06	64.77
5	One year to less than 3 years ago	560	19.75	19.17
6	Three years to five years ago	206	7.26	6.23
7	More than five years ago	288	10.16	8.65
77	Don't know	12	0.42	0.58
88	Never	10	0.35	0.61

**LAST TOOK ASTHMA MEDICATION**

Survey: CHILD Asthma Call-Back

Column: 55-56

Prologue:

Description: Q3.4 How long has it been since [he/she] last took asthma medication?

Type: NUM

SAS Variable Name: LAST\_MED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	675	23.80	21.93
2	1-6 days ago	192	6.77	7.90
3	1 week to less than 3 months ago	503	17.74	19.47
4	3 months to less than 1 year ago	416	14.67	16.12
5	1 year to less than 3 years ago	423	14.92	14.75
6	3 years to 5 years ago	245	8.64	7.34
7	More than 5 years ago	317	11.18	10.33
77	Don't know	20	0.71	0.65
88	Never	45	1.59	1.50

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**LAST HAD ANY SYMPTOMS OF ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 57-58

Type: NUM

SAS Variable Name: LASTSYMP

Prologue:

Description: Q3.5 How long has it been since [he/she] last had any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	220	7.76	6.57
2	1-6 days ago	213	7.51	8.37
3	1 week to less than 3 months ago	751	26.48	29.89
4	3 months to less than 1 year ago	523	18.44	18.27
5	1 year to less than 3 years ago	453	15.97	16.84
6	3 years to 5 years ago	253	8.92	6.44
7	More than 5 years ago	318	11.21	10.40
77	Don't know	55	1.94	1.38
88	Never	49	1.73	1.81
99	Refused	1	0.04	0.02

**SYMPTOM DAYS**

Survey: CHILD Asthma Call-Back

Column: 59-61

Type: NUM

SAS Variable Name: SYMP\_30D

Prologue:

Description: Q4.1 During the past 30 days, on how many days did [child's name] have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	868	30.61	32.97
30	Every day	75	2.64	2.01
66	No symptoms past one year, skip filled	1,073	37.83	35.48
77	Don't know	43	1.52	0.83
88	No symptoms in the past 30 days	254	8.96	10.43
100	Symptoms 3 months to 1 year ago, skip filled	523	18.44	18.27

**CONSTANT SYMPTOMS**

Survey: CHILD Asthma Call-Back

Column: 62-63

Type: NUM

SAS Variable Name: DUR\_30D

Prologue:

Description: Q4.2 Does [he/she] have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	1.16	0.84
2	No	42	1.48	1.17
6	Last symptoms one+ years ago, skip filled	1,073	37.83	35.48
10	Last symptoms 3 months - 1 year ago, skip filled	523	18.44	18.27
11	No symptoms 'SYMP_30D' skip filled	254	8.96	10.43
12	1-29 'SYMP_30D' skip filled	868	30.61	32.97
77	Don't know 'SYMP_30D' skip filled	43	1.52	0.83

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NIGHT SYMPTOMS**

**Survey:** CHILD Asthma Call-Back

**Column:** 64-66

**Type:** NUM

**SAS Variable Name:** ASLEEP30

**Prologue:**

**Description:** Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for [him/her] to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	425	14.99	15.18
66	No symptoms past one year, skip filled	1,073	37.83	35.48
77	Don't know	43	1.52	1.05
88	None	518	18.27	19.59
100	Symptoms 3 months to 1 year ago, skip filled	523	18.44	18.27
111	No symptoms in the past 30 days, skip filled	254	8.96	10.43

**SYMPTOM FREE DAYS**

**Survey:** CHILD Asthma Call-Back

**Column:** 67-68

**Type:** NUM

**SAS Variable Name:** SYMPFREE

**Prologue:**

**Description:** Q4.4 During the past two weeks, on how many days was [child's name] completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	2,620	92.38	94.18
77	Don't know	30	1.06	0.48
88	None	186	6.56	5.34

**ASTHMA EPISODE OR ATTACK**

**Survey:** CHILD Asthma Call-Back

**Column:** 69

**Type:** NUM

**SAS Variable Name:** EPIS\_12M

**Prologue:**

**Description:** Q4.5 During the past 12 months, has [he/she] had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,078	38.01	40.12
2	No	658	23.20	23.39
6	No symptoms past 1 year, skip filled	1,073	37.83	35.48
7	Don't know	27	0.95	1.00

**NUMBER OF EPISODES/ATTACKS**

**Survey:** CHILD Asthma Call-Back

**Column:** 70-73

**Type:** NUM

**SAS Variable Name:** EPIS\_TP

**Prologue:**

**Description:** Q4.6 During the past three months, how many asthma episodes or attacks has [he/she] had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	761	26.83	28.66
666	No symptoms past 1 year, skip filled	1,073	37.83	35.48
777	Don't know	28	0.99	0.68
888	None	288	10.16	10.73
999	Refused	1	0.04	0.05
1111	No episode/asthma attack past year, skip filled	685	24.15	24.39

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**DURATION OF ATTACK**

**Survey:** CHILD Asthma Call-Back

**Column:** 74-77

**Prologue:**

**Description:** Q4.7 How long did [his/her] most recent asthma episode or attack last?

**Type:** NUM

**SAS Variable Name:** DUR\_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	401	14.14	11.42
201 - 299	Hours	226	7.97	8.65
301 - 399	Days	314	11.07	14.43
401 - 499	Weeks	86	3.03	3.63
555	Never	3	0.11	0.54
666	No symptoms past 1 year, skip filled	1,073	37.83	35.48
777	Don't know	48	1.69	1.45
1111	No episode/asthma attack past year, skip filled	685	24.15	24.39

**TYPICAL ATTACK**

**Survey:** CHILD Asthma Call-Back

**Column:** 78-79

**Prologue:**

**Description:** Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

**Type:** NUM

**SAS Variable Name:** COMPASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	303	10.68	12.66
2	Longer	133	4.69	4.56
3	About the same	622	21.93	22.44
4	The most recent attack was actually the first attack	6	0.21	0.14
6	No symptoms past year, skip filled	1,073	37.83	35.48
7	Don't know	14	0.49	0.32
11	No episode/asthma attack past year, skip filled	685	24.15	24.39

**INSURANCE**

**Survey:** CHILD Asthma Call-Back

**Column:** 80

**Prologue:**

**Description:** Q5.1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

**Type:** NUM

**SAS Variable Name:** INS1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,742	96.69	96.87
2	No	90	3.17	2.67
7	Don't know/Not sure	3	0.11	0.07
9	Refused	1	0.04	0.40

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TYPE OF INSURANCE COVERAGE**

Survey: CHILD Asthma Call-Back

Column: 81

Type: NUM

SAS Variable Name: INS\_TYP

Prologue:

Description: Q5.2 What kind of health care coverage does [child's name] have? Is it paid through the parent's employer, or is it Medicaid, Medicare, Children's Health Insurance Program (CHIP), or some other type of insurance?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent's employer	1,947	68.65	63.44
2	Medicaid/Medicare	423	14.92	20.41
3	CHIP replace with state specific name	156	5.50	5.66
4	Other	189	6.66	5.50
5	No insurance at time of interview, skip filled	94	3.31	3.13
7	Don't know	16	0.56	1.15
9	Refused	11	0.39	0.70

**INSURANCE OR COVERAGE GAP**

Survey: CHILD Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: Q5.3 During the past 12 months, was there any time that [he/she] did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	141	4.97	6.37
2	No	2,597	91.57	90.41
5	No insurance at time of interview, skip filled	94	3.31	3.13
7	Don't know	3	0.11	0.04
9	Refused	1	0.04	0.05

**HAD A FLU SHOT**

Survey: CHILD Asthma Call-Back

Column: 83

Type: NUM

SAS Variable Name: FLU\_SHOT

Prologue: A flu shot is an influenza vaccine injected in your arm.

Description: Q5.4 During the past 12 months, did [child's name] have a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,215	42.84	43.82
2	No	1,582	55.78	55.11
7	Don't know/Not sure	39	1.38	1.07

**HAD A FLU VACCINE SPRAY**

Survey: CHILD Asthma Call-Back

Column: 84

Type: NUM

SAS Variable Name: FLU\_SPRAY

Prologue: A flu vaccine that is sprayed in the nose is called FluMist™.

Description: Q5.5 During the past 12 months, did [he/she] have a flu vaccine that was sprayed in [his/her] nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	151	5.32	6.00
2	No	2,655	93.62	92.93
7	Don't know/Not sure	30	1.06	1.07

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ACTIVITY LIMITATION**

**Survey:** CHILD Asthma Call-Back

**Column:** 85

**Type:** NUM

**SAS Variable Name:** ACT\_DAYS

**Prologue:**

**Description:** Q5.6 During the past 12 months, would you say [child's name] limited [his/her] usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	1,093	38.54	37.54
2	A little	820	28.91	31.45
3	A moderate amount	207	7.30	7.18
4	A lot	65	2.29	3.07
5	No current asthma, nothing happened past year, skip filled	646	22.78	20.69
7	Don't know	4	0.14	0.04
9	Refused	1	0.04	0.02

**NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS**

**Survey:** CHILD Asthma Call-Back

**Column:** 86-88

**Type:** NUM

**SAS Variable Name:** NER\_TIME

**Prologue:**

**Description:** Q5.7 During the past 12 months how many times did [he/she] see a doctor or other health professional for a routine checkup for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,433	50.53	54.16
555	No current asthma, nothing happened past year, skip filled	646	22.78	20.69
666	No MD visit past year, skip filled	423	14.92	14.25
777	Don't know	29	1.02	1.67
888	None	305	10.75	9.23

**EMERGENCY ROOM VISIT**

**Survey:** CHILD Asthma Call-Back

**Column:** 89

**Type:** NUM

**SAS Variable Name:** ER\_VISIT

**Prologue:** An urgent care center treats people with illnesses or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

**Description:** Q5.8 During the past 12 months, has [child's name] had to visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	321	11.32	13.92
2	No	1,444	50.92	51.08
5	No current asthma, nothing happened past year, skip filled	646	22.78	20.69
6	No MD visit past year, skip filled	423	14.92	14.25
7	Don't know	2	0.07	0.07

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NUMBER OF EMERGENCY ROOM VISITS**

Survey: CHILD Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: ER\_TIMES

Prologue:

Description: Q5.9 During the past 12 months, how many times did [he/she] visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	317	11.18	13.55
555	No current asthma, nothing happened past year, skip filled	646	22.78	20.69
666	No MD visit past year, skip filled	423	14.92	14.25
677	MD visit, no ER visit past year, skip filled	1,444	50.92	51.08
777	Don't know	3	0.11	0.08
888	Zero	2	0.07	0.31
999	Refused	1	0.04	0.06

**NUMBER OF URGENT VISITS**

Survey: CHILD Asthma Call-Back

Column: 93-95

Type: NUM

SAS Variable Name: URG\_TIME

Prologue:

Description: Q5.10 During the past 12 months, how many times did [child's name] see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	616	21.72	26.42
555	No current asthma, nothing happened past year, skip filled	646	22.78	20.69
666	No MD visit past year, skip filled	423	14.92	14.25
777	Don't know	13	0.46	0.63
888	None	1,138	40.13	38.01

**HOSPITAL VISIT**

Survey: CHILD Asthma Call-Back

Column: 96

Type: NUM

SAS Variable Name: HOSP\_VST

Prologue:

Description: Q5.11 During the past 12 months, that is since [one year ago today], has [child's name] had to stay overnight in a hospital because of [his/her] asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	58	2.05	3.71
2	No	1,416	49.93	51.90
4	MD visit, no symptoms past year, skip filled	290	10.23	9.40
5	No current asthma, nothing happened past year, skip filled	646	22.78	20.69
6	No MD visit past year, skip filled	423	14.92	14.25
7	Don't know	3	0.11	0.06

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NUMBER OF HOSPITAL VISITS**

Survey: CHILD Asthma Call-Back

Column: 97-99

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.12 During the past 12 months, how many different times did [he/she] stay in any hospital overnight or longer because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	58	2.05	3.71
444	MD visit, no symptoms past year, skip filled	290	10.23	9.40
455	MD visit, symptoms, no hospital visit past year, skip filled	1,416	49.93	51.90
555	No current asthma, nothing happened past year, skip filled	646	22.78	20.69
666	No MD visit past year, skip filled	423	14.92	14.25
777	Don't know	3	0.11	0.06

**HOSPITAL FOLLOW-UP**

Survey: CHILD Asthma Call-Back

Column: 100-101

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.13 The last time [he/she] left the hospital, did a health professional talk with you or [child's name] about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	1.76	3.21
2	No	8	0.28	0.50
4	MD visit, no symptoms past year, skip filled	290	10.23	9.40
5	No current asthma, nothing happened past year, skip filled	646	22.78	20.69
6	No MD visit past year, skip filled	423	14.92	14.25
7	Don't know	3	0.11	0.06
45	MD visit, symptoms, no hospital visit past year, skip filled	1,416	49.93	51.90

**EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS**

Survey: CHILD Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: TCH\_SIGN

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,228	78.56	78.31
2	No	566	19.96	19.85
7	Don't know/Not sure	41	1.45	1.83
9	Refused	1	0.04	0.01

**EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK**

Survey: CHILD Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: TCH\_RESP

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,334	82.30	81.73
2	No	463	16.33	17.45
7	Don't know/Not sure	37	1.30	0.81
9	Refused	2	0.07	0.02

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**EVER TAUGHT HOW TO USE A PEAK FLOW**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 105

**SAS Variable Name:** TCH\_MON

**Prologue:** A peak flow meter is a hand held device that measures how quickly [child's name] can blow air out of [his/her] lungs. Has a doctor or other health professional ever taught you or [child's name] . . .

**Description:** Q6.3 . . . how to use a peak flow meter to adjust [his/her] daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,157	40.80	41.58
2	No	1,649	58.15	57.74
7	Don't know/Not sure	30	1.06	0.68

**EVER GIVEN AN ASTHMA ACTION PLAN**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 106

**SAS Variable Name:** MGT\_PLAN

**Prologue:** An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

**Description:** Q6.4 Has a doctor or other health professional EVER given you or [child's name] an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,158	40.83	43.56
2	No	1,611	56.81	55.12
7	Don't know/Not sure	67	2.36	1.32

**EVER TAKEN A COURSE TO MANAGE ASTHMA**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 107

**SAS Variable Name:** MGT\_CLAS

**Prologue:**

**Description:** Q6.5 Have you or [child's name] ever taken a course or class on how to manage [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	336	11.85	14.59
2	No	2,496	88.01	85.27
7	Don't know/Not sure	4	0.14	0.15

**AIR CLEANER USED**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 109

**SAS Variable Name:** AIRCLEANER

**Prologue:** An air cleaner or purifier can filter out pollutants like dust, pollen, mold and chemicals. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

**Description:** Q7.1 Is an air cleaner or purifier regularly used inside [child's name]'s home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	817	28.81	30.09
2	No	2,002	70.59	69.15
7	Don't know/Not sure	16	0.56	0.76
9	Refused	1	0.04	0.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**DEHUMIDIFIER USED**

Survey: CHILD Asthma Call-Back

Column: 110

Type: NUM

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	788	27.79	29.43
2	No	2,042	72.00	70.33
7	Don't know/Not sure	6	0.21	0.24

**EXHAUST FAN USED**

Survey: CHILD Asthma Call-Back

Column: 111

Type: NUM

SAS Variable Name: KITC\_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in the kitchen in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,742	61.42	61.73
2	No	1,087	38.33	38.14
7	Don't know/Not sure	7	0.25	0.14

**GAS USED**

Survey: CHILD Asthma Call-Back

Column: 112

Type: NUM

SAS Variable Name: COOK\_GAS

Prologue:

Description: Q7.4 Is gas used for cooking in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,227	43.27	54.72
2	No	1,604	56.56	45.19
7	Don't know/Not sure	5	0.18	0.09

**SAW OR SMELLED MOLD PAST 30 DAYS**

Survey: CHILD Asthma Call-Back

Column: 113

Type: NUM

SAS Variable Name: ENV\_MOLD

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside [his/her] home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	271	9.56	9.78
2	No	2,557	90.16	90.09
7	Don't know/Not sure	8	0.28	0.12

**INDOOR PETS**

Survey: CHILD Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: ENV\_PETS

Prologue:

Description: Q7.6 Does [child's name]'s home have pets such as dogs, cats, hamsters, birds, or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,804	63.61	56.81
2	No	1,029	36.28	43.07
7	Don't know/Not sure	3	0.11	0.12

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PETS ALLOWED IN BEDROOM**

Survey: CHILD Asthma Call-Back

Column: 115

Prologue:

Description: Q7.7 Is the pet allowed in [his/her] bedroom?

Type: NUM  
SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,132	39.92	32.49
2	No	660	23.27	24.17
3	Some are/some aren't	10	0.35	0.14
6	No pets, skip coded	1,032	36.39	43.19
7	Don't know	2	0.07	0.02

**SAW COCKROACH INSIDE CHILD'S HOME PAST 30 DAYS**

Survey: CHILD Asthma Call-Back

Column: 116

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside [child's name]'s home?

Type: NUM  
SAS Variable Name: C\_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	228	8.04	11.37
2	No	2,605	91.85	88.58
7	Don't know/Not sure	3	0.11	0.05

**SAW MICE OR RATS INSIDE CHILD'S HOME PAST 30 DAYS**

Survey: CHILD Asthma Call-Back

Column: 117

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside [his/her] home? Do not include mice or rats kept as pets.

Type: NUM  
SAS Variable Name: C\_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	171	6.03	6.12
2	No	2,663	93.90	93.83
7	Don't know/Not sure	2	0.07	0.05

**FIREPLACE OR WOOD STOVE USED**

Survey: CHILD Asthma Call-Back

Column: 118

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in [child's name]'s home?

Type: NUM  
SAS Variable Name: WOOD\_STOVE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	589	20.77	19.27
2	No	2,243	79.09	80.68
7	Don't know/Not sure	4	0.14	0.05

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**GAS APPLIANCE USED**

Survey: CHILD Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: GAS\_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stoves used in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	158	5.57	8.75
2	No	2,656	93.65	90.76
7	Don't know/Not sure	22	0.78	0.50

**ANYONE SMOKED INSIDE CHILD'S HOME**

Survey: CHILD Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: S\_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	224	7.90	7.60
2	No	2,612	92.10	92.40

**EVER ADVISED CHANGE THINGS IN CHILD'S HOME**

Survey: CHILD Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: MOD\_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in [his/her] home, school, or work to improve [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,093	38.54	40.15
2	No	1,727	60.90	59.34
7	Don't know/Not sure	16	0.56	0.51

**USE A MATTRESS COVER**

Survey: CHILD Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Does [he/she] use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,008	35.54	36.60
2	No	1,790	63.12	62.24
7	Don't know/Not sure	38	1.34	1.16

**USE A PILLOW COVER**

Survey: CHILD Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: E\_PILLOW

Prologue:

Description: Q7.15 Does [he/she] use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	946	33.36	32.03
2	No	1,867	65.83	66.93
7	Don't know/Not sure	22	0.78	1.03
9	Refused	1	0.04	0.01

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**CARPETING OR RUGS IN CHILD'S BEDROOM**

Survey: CHILD Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Does [he/she] have carpeting or rugs in [his/her] bedroom? This does not include throw rugs small enough to be laundered.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,897	66.89	65.70
2	No	938	33.07	34.28
7	Don't know/Not sure	1	0.04	0.02

**WASH WATER TEMPERATURE**

Survey: CHILD Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are [his/her] sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	687	24.22	22.79
2	Warm	926	32.65	34.34
3	Hot	1,092	38.50	37.63
4	Varies	102	3.60	4.40
7	Don't know/Not sure	29	1.02	0.84

**USE AN EXHAUST FAN IN CHILD'S BATHROOM**

Survey: CHILD Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: BATH\_FAN

Prologue:

Description: Q7.18 In [child's name]'s bathroom, does [he/she] regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,607	56.66	52.10
2	No or "No fan"	1,188	41.89	46.05
7	Don't know/Not sure	40	1.41	1.79
9	Refused	1	0.04	0.06

**EVER USED OVER-THE-COUNTER MEDICATION**

Survey: CHILD Asthma Call-Back

Column: 128

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to [child's name]'s medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Has [child's name] ever used over-the-counter medication for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	500	17.63	16.13
2	No	2,274	80.18	81.58
5	Never took asthma medication, skip filled	45	1.59	1.50
7	Don't know	16	0.56	0.77
9	Refused	1	0.04	0.03

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**EVER USED PRESCRIPTION INHALER**

Survey: CHILD Asthma Call-Back

Column: 129

Prologue:

Description: Q8.2 Has [he/she] ever used a prescription inhaler?

Type: NUM

SAS Variable Name: INHALERE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,394	84.41	83.16
2	No	391	13.79	15.16
5	Never took asthma medication, skip filled	45	1.59	1.50
7	Don't know	5	0.18	0.09
9	Refused	1	0.04	0.10

**PROFESSIONAL INHALER INSTRUCTION**

Survey: CHILD Asthma Call-Back

Column: 130

Prologue:

Description: Q8.3 Did a health professional show [him/her] how to use the inhaler?

Type: NUM

SAS Variable Name: INHALERH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,271	80.08	76.53
2	No	117	4.13	6.25
5	Never took asthma medication, skip filled	45	1.59	1.50
6	Never used prescription inhaler, skip filled	397	14.00	15.34
7	Don't know	6	0.21	0.38

**INHALER USE WATCHED**

Survey: CHILD Asthma Call-Back

Column: 131

Prologue:

Description: Q8.4 Did a doctor or other health professional watch [him/her] use the inhaler?

Type: NUM

SAS Variable Name: INHALERW

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,932	68.12	65.30
2	No	381	13.43	14.91
5	Never took asthma medication, skip filled	45	1.59	1.50
6	Never used prescription inhaler, skip filled	397	14.00	15.34
7	Don't know	79	2.79	2.80
9	Refused	2	0.07	0.15

**MEDICATION IN HAND**

Survey: CHILD Asthma Call-Back

Column: 132

Prologue:

Now I am going to ask questions about specific prescription medications [child's name] may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often [he/she] takes each medicine.

Description: Q8.5 It will help to get [child's name]'s medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Type: NUM

SAS Variable Name: SCR\_MED1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	850	29.97	28.13
2	No	79	2.79	2.51
3	Respondent knows the meds	424	14.95	18.25
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
7	Don't know	12	0.42	0.28
9	Refused	5	0.18	0.14

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**HAVE ALL THE MEDICATIONS**

Survey: CHILD Asthma Call-Back

Column: 134-135

Prologue:

Description: Q8.7 Do you have all the medications?

Type: NUM

SAS Variable Name: SCR\_MED3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	777	27.40	24.84
2	Yes, I have some of the medications but not all	45	1.59	1.20
3	No	27	0.95	2.07
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
7	Don't know	1	0.04	0.02
10	Know or no handy asthma medicines, skip filled	520	18.34	21.18

**TAKEN PRESCRIPTION INHALER PAST 3 MONTHS**

Survey: CHILD Asthma Call-Back

Column: 136

Prologue:

Description: Q8.8 In the past 3 months has [child's name] taken prescription asthma medicine using an inhaler?

Type: NUM

SAS Variable Name: INH\_SCR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	1,085	38.26	37.62
2	No inhaler in past 3 months	149	5.25	6.62
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
6	Asthma med. past 3 months, never used inhaler, skip filled	135	4.76	5.06
7	Don't know	1	0.04	0.01

**TAKEN MEDICATION IN PILL PAST 3 MONTHS**

Survey: CHILD Asthma Call-Back

Column: 137

Prologue:

Description: Q8.20 In the past 3 months, has [he/she] taken any prescription medicine in pill form for [his/her] asthma?

Type: NUM

SAS Variable Name: PILLS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	409	14.42	13.65
2	No pills in past 3 months	954	33.64	35.60
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
7	Don't know	7	0.25	0.06

**TAKEN MEDICATION IN SYRUP PAST 3 MONTHS**

Survey: CHILD Asthma Call-Back

Column: 138

Prologue:

Description: Q8.23 In the past 3 months, has [he/she] taken prescription asthma medication in syrup form?

Type: NUM

SAS Variable Name: SYRUP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	110	3.88	5.67
2	No syrup in past 3 months	1,254	44.22	43.39
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
7	Don't know	6	0.21	0.25

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS**

Survey: CHILD Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: NEB\_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that [child's name] breathes through continuously.

Description: Q8.25 In the past 3 months, were any of [child's name]'s prescription asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	509	17.95	21.49
2	No nebulizer in past 3 months	855	30.15	27.43
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
7	Don't know	6	0.21	0.39

**NEBULIZER AT HOME**

Survey: CHILD Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: NEB\_PLCA

Prologue: I am going to read a list of places where [child's name] might have used a nebulizer. Please answer "yes" if [he/she] used a nebulizer in the place I mention; otherwise answer "no." In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26a . . . at home ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	495	17.45	20.77
2	No	14	0.49	0.72
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
8	No neb. in past 3 months, skip filled	861	30.36	27.82

**NEBULIZER AT DOCTOR'S OFFICE**

Survey: CHILD Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: NEB\_PLCB

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	158	5.57	6.59
2	No	349	12.31	14.82
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
7	Don't know/Not sure	2	0.07	0.07
8	No neb. in past 3 months, skip filled	861	30.36	27.82

**NEBULIZER IN EMERGENCY ROOM**

Survey: CHILD Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: NEB\_PLCC

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	100	3.53	4.75
2	No	407	14.35	16.71
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
7	Don't know/Not sure	2	0.07	0.03
8	No neb. in past 3 months, skip filled	861	30.36	27.82

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEBULIZER AT WORK OR SCHOOL**

Survey: CHILD Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: NEB\_PLCD

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	88	3.10	3.47
2	No	421	14.84	18.02
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
8	No neb. in past 3 months, skip filled	861	30.36	27.82

**NEBULIZER AT ANY OTHER PLACE**

Survey: CHILD Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: NEB\_PLCE

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	89	3.14	2.98
2	No	420	14.81	18.51
4	No asthma med. past 3 months, skip filled	1,421	50.11	49.20
5	Never took asthma medication, skip filled	45	1.59	1.50
8	No neb. in past 3 months, skip filled	861	30.36	27.82

**COST BARRIER: PRIMARY CARE DOCTOR**

Survey: CHILD Asthma Call-Back

Column: 146

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when [child's name] needed to see [his/her] primary care doctor for asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	72	2.54	2.94
2	No	1,740	61.35	62.72
5	No current asthma, skip filled	1,017	35.86	34.23
7	Don't know	7	0.25	0.11

**COST BARRIER: SPECIALIST**

Survey: CHILD Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when [child's name] was referred to a specialist for [his/her] asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	1.38	2.30
2	No	1,776	62.62	63.43
5	No current asthma, skip filled	1,017	35.86	34.23
7	Don't know	4	0.14	0.03

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**COST BARRIER: MEDICATION**

Survey: CHILD Asthma Call-Back

Column: 148

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when [he/she] needed medication for [his/her] asthma, but you could not buy it because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	131	4.62	6.06
2	No	1,683	59.34	59.67
5	No current asthma, skip filled	1,017	35.86	34.23
7	Don't know	5	0.18	0.04

**CURRENT GO TO SCHOOL OUTSIDE HOME**

Survey: CHILD Asthma Call-Back

Column: 150

Type: NUM

SAS Variable Name: SCH\_STAT

Prologue: Next, we are interested in things that might affect [child's name]'s asthma when [he/she] is not at home.

Description: Q10.1 Does [child's name] currently go to school or preschool outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,617	92.28	90.60
2	No	218	7.69	9.39
7	Don't know/Not sure	1	0.04	0.00

**REASON NOT IN SCHOOL NOW**

Survey: CHILD Asthma Call-Back

Column: 151

Type: NUM

SAS Variable Name: NO\_SCHL

Prologue:

Description: Q10.2 What is the main reason [he/she] is not now in school? [READ RESPONSE CATEGORIES]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not old enough	121	4.27	4.88
2	Home schooled	46	1.62	2.14
3	Unable to attend for health reason	5	0.18	0.34
4	On vacation or break	16	0.56	0.82
5	Other	30	1.06	1.17
6	Now goes to outside school, skip filled	2,617	92.28	90.60
7	Don't know/Not sure	1	0.04	0.05

**GONE TO SCHOOL OUTSIDE HOME PAST 12 MONTHS**

Survey: CHILD Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: SCHL\_12

Prologue:

Description: Q10.3 Has [child's name] gone to school in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	1.06	1.29
2	No	21	0.74	1.04
3	Home school, skip filled	46	1.62	2.14
5	Not old enough for school, skip filled	121	4.27	4.88
6	Now goes to outside school, skip filled	2,617	92.28	90.60
7	Don't know	1	0.04	0.05

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**WHAT GRADE WAS CHILD IN LAST TIME**

Survey: CHILD Asthma Call-Back

Column: 153-154

Prologue:

Type: NUM  
SAS Variable Name: SCHGRADE

Description: Q10.4 What grade was [he/she] in the last time [he/she] was in school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Grade	2,397	84.52	79.66
44	No school past year, skip filled	21	0.74	1.04
55	Not old enough for school, skip filled	121	4.27	4.88
66	Kindergarten	98	3.46	4.54
77	Don't know	9	0.32	0.32
88	Preschool	182	6.42	9.28
99	Refused	8	0.28	0.27

**HOW MANY DAYS MISSED SCHOOL**

Survey: CHILD Asthma Call-Back

Column: 155-157

Prologue:

Type: NUM  
SAS Variable Name: MISS\_SCHL

Description: Q10.5 During the past 12 months, about how many days of school did [he/she] miss because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	749	26.41	30.23
444	No school past year, skip filled	21	0.74	1.04
555	Not old enough for school, skip filled	121	4.27	4.88
666	No current asthma, skip filled	975	34.38	32.44
777	Don't know	19	0.67	0.95
888	None	950	33.50	30.45
999	Refused	1	0.04	0.01

**WRITTEN ASTHMA ACTION PLAN IN SCHOOL**

Survey: CHILD Asthma Call-Back

Column: 158

Prologue:

Type: NUM  
SAS Variable Name: SCH\_APL

An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q10.6 Does [child's name] have a written asthma action plan or asthma management plan on file at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	684	24.12	24.72
2	No	917	32.33	33.04
3	Home school, skip filled	46	1.62	2.14
4	No school past year, skip filled	21	0.74	1.04
5	Not old enough for school, skip filled	121	4.27	4.88
6	No current asthma, skip filled	962	33.92	31.72
7	Don't know	85	3.00	2.46

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ASTHMA MEDICATION ALLOWED WITH CHILD IN SCHOOL**

Survey: CHILD Asthma Call-Back

Column: 159

Prologue:

Type: NUM

SAS Variable Name: SCH\_MED

Description: Q10.7 Does the school [he/she] goes to allow children with asthma to carry their medication with them while at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	834	29.41	29.26
2	No	669	23.59	25.29
3	Home school, skip filled	46	1.62	2.14
4	No school past year, skip filled	21	0.74	1.04
5	Not old enough for school, skip filled	121	4.27	4.88
6	No current asthma, skip filled	962	33.92	31.72
7	Don't know	183	6.45	5.67

**PETS IN CLASSROOM**

Survey: CHILD Asthma Call-Back

Column: 160

Prologue:

Type: NUM

SAS Variable Name: SCH\_ANML

Description: Q10.8 Are there any pets such as dogs, cats, hamsters, birds or other feathered or furry pets in [his/her] classroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	90	3.17	3.03
2	No	2,339	82.48	80.75
3	Home school, skip filled	46	1.62	2.14
4	No school past year, skip filled	21	0.74	1.04
5	Not old enough for school, skip filled	121	4.27	4.88
7	Don't know	219	7.72	8.16

**AWARE OF MOLD PROBLEM IN SCHOOL**

Survey: CHILD Asthma Call-Back

Column: 161

Prologue:

Type: NUM

SAS Variable Name: SCH\_MOLD

Description: Q10.9 Are you aware of any mold problems in [child's name]'s school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	57	2.01	1.72
2	No	2,450	86.39	84.43
3	Home school, skip filled	46	1.62	2.14
4	No school past year, skip filled	21	0.74	1.04
5	Not old enough for school, skip filled	121	4.27	4.88
7	Don't know	140	4.94	5.79
9	Refused	1	0.04	0.00

**GO TO DAYCARE OUTSIDE HOME**

Survey: CHILD Asthma Call-Back

Column: 162

Prologue:

Type: NUM

SAS Variable Name: DAYCARE

Description: Q10.10 Does [child's name] go to day care outside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	232	8.18	10.56
2	No	875	30.85	40.55
3	Home school, skip filled	46	1.62	2.14
6	Over age ten, skip filled	1,588	55.99	42.88
7	Don't know	94	3.31	3.86
9	Refused	1	0.04	0.01

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**WENT TO DAYCARE PAST 12 MONTHS**

Survey: CHILD Asthma Call-Back

Column: 163

Prologue:

Description: Q10.11 Has [he/she] gone to daycare in the past 12 months?

Type: NUM  
SAS Variable Name: DAYCARE1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	86	3.03	3.64
2	No	789	27.82	36.91
3	Home school, skip filled	46	1.62	2.14
5	Goes to daycare now, skip filled	232	8.18	10.56
6	Over age ten, skip filled	1,588	55.99	42.88
7	Don't know	94	3.31	3.86
9	Refused	1	0.04	0.01

**DAYS MISSED DAYCARE BECAUSE OF ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 164-167

Prologue:

Description: Q10.12 During the past 12 months, about how many days of daycare did [he/she] miss because of [his/her] asthma?

Type: NUM  
SAS Variable Name: MISS\_DCAR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	94	3.31	4.44
444	No current asthma, skip filled	188	6.63	8.11
555	No daycare past year, skip filled	789	27.82	36.91
666	Over age ten, skip filled	1,588	55.99	42.88
777	Don't know	45	1.59	1.86
888	Zero	98	3.46	4.37
999	Refused	1	0.04	0.01
3333	Home school, skip filled	33	1.16	1.42

**WRITTEN ASTHMA ACTION PLAN IN DAYCARE**

Survey: CHILD Asthma Call-Back

Column: 168

Prologue:

Description: Q10.13 Does [child's name] have a written asthma action plan or asthma management plan on file at the daycare [he/she] went to last?

Type: NUM  
SAS Variable Name: DCARE\_APL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	70	2.47	3.01
2	No	125	4.41	6.23
3	Home school, skip filled	33	1.16	1.42
4	No current asthma, skip filled	188	6.63	8.11
5	No daycare past year, skip filled	789	27.82	36.91
6	Over age ten, skip filled	1,588	55.99	42.88
7	Don't know	42	1.48	1.44
9	Refused	1	0.04	0.01

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PETS IN DAYCARE**

Survey: CHILD Asthma Call-Back

Column: 169

Type: NUM

SAS Variable Name: DCARE\_ANML

Prologue:

Description: Q10.14 Are there any pets such as dogs, cats, hamsters, birds, or other feathered or furry pets in [his/her] room at daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83	2.93	3.63
2	No	214	7.55	10.11
3	Home school, skip filled	46	1.62	2.14
5	No daycare past year, skip filled	789	27.82	36.91
6	Over age ten, skip filled	1,588	55.99	42.88
7	Don't know	115	4.06	4.32
9	Refused	1	0.04	0.01

**AWARE OF MOLD PROBLEM IN DAYCARE**

Survey: CHILD Asthma Call-Back

Column: 170

Type: NUM

SAS Variable Name: DCARE\_MLD

Prologue:

Description: Q10.15 Are you aware of any mold problems in [his/her] daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.11	0.19
2	No	294	10.37	13.57
3	Home school, skip filled	46	1.62	2.14
5	No daycare past year, skip filled	789	27.82	36.91
6	Over age ten, skip filled	1,588	55.99	42.88
7	Don't know	115	4.06	4.31
9	Refused	1	0.04	0.01

**SMOKING ALLOWED IN DAYCARE**

Survey: CHILD Asthma Call-Back

Column: 171

Type: NUM

SAS Variable Name: DCARE\_SMK

Prologue:

Description: Q10.16 Is smoking allowed at [his/her] daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.14	0.06
2	No	293	10.33	13.22
3	Home school, skip filled	46	1.62	2.14
5	No daycare past year, skip filled	789	27.82	36.91
6	Over age ten, skip filled	1,588	55.99	42.88
7	Don't know	115	4.06	4.79
9	Refused	1	0.04	0.01

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**USED HERBS TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 173

Type: NUM

SAS Variable Name: CAM\_HERB

**Prologue:** Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, has [he/she] used . . . to control asthma?

**Description:** Q11.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	1.87	2.49
2	No	1,759	62.05	63.26
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	6	0.21	0.06
9	Refused	1	0.04	0.02
BLANK	Partial complete	1		

**USED VITAMINS TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 174

Type: NUM

SAS Variable Name: CAM\_VITA

**Prologue:**

**Description:** Q11.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	144	5.08	5.40
2	No	1,668	58.84	60.33
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	5	0.18	0.02
9	Refused	2	0.07	0.07
BLANK	Partial complete	1		

**USED ACUPUNCTURE TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 175

Type: NUM

SAS Variable Name: CAM\_PUNC

**Prologue:**

**Description:** Q11.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.25	0.07
2	No	1,805	63.67	65.60
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	5	0.18	0.08
9	Refused	2	0.07	0.07
BLANK	Partial complete	1		

**USED ACUPRESSURE TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 176

Type: NUM

SAS Variable Name: CAM\_PRES

**Prologue:**

**Description:** Q11.4 . . . acupressure . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	0.42	0.17
2	No	1,801	63.53	65.54
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	4	0.14	0.05
9	Refused	2	0.07	0.07
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**USED AROMATHERAPY TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 177

Prologue:

Description: Q11.5 ...aromatherapy...

Type: NUM  
SAS Variable Name: CAM\_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	1.83	2.30
2	No	1,762	62.15	63.43
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	4	0.14	0.08
9	Refused	1	0.04	0.02
BLANK	Partial complete	1		

**USED HOMEOPATHY TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 178

Prologue:

Description: Q11.6 ...homeopathy...

Type: NUM  
SAS Variable Name: CAM\_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	1.52	1.33
2	No	1,766	62.29	64.19
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	8	0.28	0.24
9	Refused	2	0.07	0.07
BLANK	Partial complete	1		

**USED REFLEXOLOGY TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 179

Prologue:

Description: Q11.7 ...reflexology...

Type: NUM  
SAS Variable Name: CAM\_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.35	0.28
2	No	1,800	63.49	64.96
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	7	0.25	0.52
9	Refused	2	0.07	0.07
BLANK	Partial complete	1		

**USED YOGA TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 180

Prologue:

Description: Q11.8 ...yoga...

Type: NUM  
SAS Variable Name: CAM\_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	0.85	0.60
2	No	1,787	63.03	65.08
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	6	0.21	0.08
9	Refused	2	0.07	0.07
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**USED BREATHING TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 181

Prologue:

Description: Q11.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM\_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	279	9.84	9.79
2	No	1,527	53.86	55.81
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	11	0.39	0.15
9	Refused	2	0.07	0.07
BLANK	Partial complete	1		

**USED NATUROPATHY TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 182

Prologue:

Description: Q11.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM\_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	0.63	0.51
2	No	1,794	63.28	65.17
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	5	0.18	0.08
9	Refused	2	0.07	0.07
BLANK	Partial complete	1		

**OTHER ALTERNATIVE CARE TO CONTROL ASTHMA**

Survey: CHILD Asthma Call-Back

Column: 183

Prologue:

Description: Q11.11 Besides the types I have just asked about, has [child's name] used any other type of alternative care for [his/her] asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM\_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	108	3.81	3.18
2	No	1,700	59.96	62.47
5	No current asthma, skip filled	1,016	35.84	34.17
7	Don't know	9	0.32	0.11
9	Refused	2	0.07	0.07
BLANK	Partial complete	1		

**TEXT FOR OTHER TYPE CARE**

Survey: CHILD Asthma Call-Back

Column: 184-283

Prologue:

Description: Q11.12 What else has [child's name] used?

Type: CHAR

SAS Variable Name: CAM\_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		2,728		
HIDDEN	Text field - up to 100 characters	108	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**HEIGHT OF CHILD**

Survey: CHILD Asthma Call-Back

Column: 285-288

Prologue:

Description: Q12.1 How tall is [child's name]?

Type: CHAR  
SAS Variable Name: HEIGHT1

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**WEIGHT OF CHILD**

Survey: CHILD Asthma Call-Back

Column: 289-292

Prologue:

Description: Q12.2 How much does [he/she] weigh?

Type: CHAR  
SAS Variable Name: WEIGHT1

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**BIRTH WEIGHT**

Survey: CHILD Asthma Call-Back

Column: 293-298

Prologue:

Description: Q12.3 How much did [he/she] weigh at birth (in pounds)?

Type: CHAR  
SAS Variable Name: BIRTHW1

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**WHETHER BIRTH WEIGHT LESS THAN 5.5 POUNDS**

Survey: CHILD Asthma Call-Back

Column: 299

Prologue:

Description: Q12.4 At birth, did [child's name] weigh less than 5 ½ pounds?

Type: NUM  
SAS Variable Name: BIRTHRF

Value	Value Label
1	Yes
2	No
7	Don't know
9	Refused
BLANK	Have reported birth weight

Frequency	Percentage	Weighted Percentage
15	9.49	5.90
93	58.86	59.28
41	25.95	23.40
9	5.70	11.42
2,678		

**LANGUAGE IDENTIFIER**

Survey: CHILD Asthma Call-Back

Column: 300-301

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM  
SAS Variable Name: QSTLANG\_F

Value	Value Label
1	English
2	Spanish

Frequency	Percentage	Weighted Percentage
2,705	95.38	94.01
131	4.62	5.99

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**END OF THE RAW CALL BACK DATA**

Survey: CHILD Asthma Call-Back

Column: 302

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM  
SAS Variable Name: END\_OF\_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,836	100.00	100.00

**EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK**

Survey: CHILD Asthma Call-Back

Column: 304

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS ( ASTHMA2 ) AND CALL BACK (EVER\_ASTH)

Type: NUM  
SAS Variable Name: \_EVER\_ASTH\_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,836	100.00	100.00

**STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK**

Survey: CHILD Asthma Call-Back

Column: 305

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR\_ASTH)

Type: NUM  
SAS Variable Name: \_CUR\_ASTH\_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,819	64.14	65.77
2	No	952	33.57	32.31
7	Don't know/Not sure	64	2.26	1.82
9	Refused	1	0.04	0.10

**RELATIONSHIP TO CHILD COMBINED BRFSS**

Survey: CHILD Asthma Call-Back

Column: 306

Prologue:

Description: RELATIONSHIP TO CHILD COMBINED BRFSS

Type: NUM  
SAS Variable Name: RELATED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parents	2,735	96.44	96.99
2	Guardian	45	1.59	0.88
3	Other relative	51	1.80	2.10
4	Unrelated	4	0.14	0.02
7	Don't know	1	0.04	0.01

**FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY**

Survey: CHILD Asthma Call-Back

Column: 307

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM  
SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX, and INCIDNT are consistent	2,704	95.35	94.18
1	AGEDX is greater than AGE	15	0.53	0.50
2	AGE, AGEDX, and INCIDNT are inconsistent	117	4.13	5.32

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ADVAIR (+ A. DISKUS)**

Survey: CHILD Asthma Call-Back

Column: 308

Prologue:

Description: ADVAIR (+ A. DISKUS)

Type: NUM

SAS Variable Name: INHALER\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
180	6.35	4.85
2,656	93.65	95.15

**AEROBID**

Survey: CHILD Asthma Call-Back

Column: 309

Prologue:

Description: AEROBID

Type: NUM

SAS Variable Name: INHALER\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.05
2,835	99.96	99.95

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)**

Survey: CHILD Asthma Call-Back

Column: 310

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM

SAS Variable Name: INHALER\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
554	19.53	17.82
2,282	80.47	82.18

**ALUPENT**

Survey: CHILD Asthma Call-Back

Column: 311

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.02
2,835	99.96	99.98

**ATROVENT**

Survey: CHILD Asthma Call-Back

Column: 312

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.02
2,834	99.93	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AZMACORT**

**Survey:** CHILD Asthma Call-Back  
**Column:** 313  
**Prologue:**  
**Description:** AZMACORT

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.35	0.10
2,826	99.65	99.90

**BECLOMETHASONE DIPROPIONATE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 314  
**Prologue:**  
**Description:** BECLOMETHASONE DIPROPIONATE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.11	0.04
2,833	99.89	99.96

**BECLOVENT**

**Survey:** CHILD Asthma Call-Back  
**Column:** 315  
**Prologue:**  
**Description:** BECLOVENT

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**BITOLTEROL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 316  
**Prologue:**  
**Description:** BITOLTEROL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**BRETHAIRE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 317  
**Prologue:**  
**Description:** BRETHAIRE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.11
2,835	99.96	99.89

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BUDESONIDE**

Survey: CHILD Asthma Call-Back  
Column: 318  
Prologue:  
Description: BUDESONIDE

Type: NUM  
SAS Variable Name: INHALER\_ID\_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.11	0.06
2	No	2,833	99.89	99.94

**COMBIVENT**

Survey: CHILD Asthma Call-Back  
Column: 319  
Prologue:  
Description: COMBIVENT

Type: NUM  
SAS Variable Name: INHALER\_ID\_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.39	0.27
2	No	2,825	99.61	99.73

**CROMOLYN**

Survey: CHILD Asthma Call-Back  
Column: 320  
Prologue:  
Description: CROMOLYN

Type: NUM  
SAS Variable Name: INHALER\_ID\_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2,836	100.00	100.00

**FLOVENT**

Survey: CHILD Asthma Call-Back  
Column: 321  
Prologue:  
Description: FLOVENT

Type: NUM  
SAS Variable Name: INHALER\_ID\_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	187	6.59	7.83
2	No	2,649	93.41	92.17

**FLOVENT ROTADISK**

Survey: CHILD Asthma Call-Back  
Column: 322  
Prologue:  
Description: FLOVENT ROTADISK

Type: NUM  
SAS Variable Name: INHALER\_ID\_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.11	0.02
2	No	2,833	99.89	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLUNISOLIDE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 323  
**Prologue:**  
**Description:** FLUNISOLIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_16

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**FLUTICASONE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 324  
**Prologue:**  
**Description:** FLUTICASONE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.11	0.04
2,833	99.89	99.96

**INTAL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 325  
**Prologue:**  
**Description:** INTAL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.11	0.17
2,833	99.89	99.83

**IPRATROPIUM BROMIDE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 326  
**Prologue:**  
**Description:** IPRATROPIUM BROMIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_19

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**MAXAIR**

**Survey:** CHILD Asthma Call-Back  
**Column:** 327  
**Prologue:**  
**Description:** MAXAIR

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.39	0.18
2,825	99.61	99.82

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**METAPROTERONOL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 328  
**Prologue:**  
**Description:** METAPROTERONOL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_21

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**NEDOCROMIL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 329  
**Prologue:**  
**Description:** NEDOCROMIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PIRBUTEROL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 330  
**Prologue:**  
**Description:** PIRBUTEROL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.04
2,835	99.96	99.96

**PROVENTIL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 331  
**Prologue:**  
**Description:** PROVENTIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
74	2.61	2.52
2,762	97.39	97.48

**PULMICORT TURBUHALER**

**Survey:** CHILD Asthma Call-Back  
**Column:** 332  
**Prologue:**  
**Description:** PULMICORT TURBUHALER

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
50	1.76	2.16
2,786	98.24	97.84

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SALMETEROL**

Survey: CHILD Asthma Call-Back  
Column: 333  
Prologue:  
Description: SALMETEROL

Type: NUM  
SAS Variable Name: INHALER\_ID\_26

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**SEREVENT**

Survey: CHILD Asthma Call-Back  
Column: 334  
Prologue:  
Description: SEREVENT

Type: NUM  
SAS Variable Name: INHALER\_ID\_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.11	0.04
2,833	99.89	99.96

**TERBUTALINE (+ T. SULFATE)**

Survey: CHILD Asthma Call-Back  
Column: 335  
Prologue:  
Description: TERBUTALINE (+ T. SULFATE)

Type: NUM  
SAS Variable Name: INHALER\_ID\_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**TILADE**

Survey: CHILD Asthma Call-Back  
Column: 336  
Prologue:  
Description: TILADE

Type: NUM  
SAS Variable Name: INHALER\_ID\_29

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.03
2,835	99.96	99.97

**TORNALATE**

Survey: CHILD Asthma Call-Back  
Column: 337  
Prologue:  
Description: TORNALATE

Type: NUM  
SAS Variable Name: INHALER\_ID\_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**TRIAMCINOLONE ACETONIDE**

Survey: CHILD Asthma Call-Back  
Column: 338  
Prologue:  
Description: TRIAMCINOLONE ACETONIDE

Type: NUM  
SAS Variable Name: INHALER\_ID\_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**VANCERIL**

Survey: CHILD Asthma Call-Back  
Column: 339  
Prologue:  
Description: VANCERIL

Type: NUM  
SAS Variable Name: INHALER\_ID\_32

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**VENTOLIN**

Survey: CHILD Asthma Call-Back  
Column: 340  
Prologue:  
Description: VENTOLIN

Type: NUM  
SAS Variable Name: INHALER\_ID\_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
65	2.29	2.14
2,771	97.71	97.86

**FORADIL**

Survey: CHILD Asthma Call-Back  
Column: 341  
Prologue:  
Description: FORADIL

Type: NUM  
SAS Variable Name: INHALER\_ID\_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.14	0.19
2,832	99.86	99.81

**FORMOTEROL**

Survey: CHILD Asthma Call-Back  
Column: 342  
Prologue:  
Description: FORMOTEROL

Type: NUM  
SAS Variable Name: INHALER\_ID\_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**QVAR**

Survey: CHILD Asthma Call-Back  
Column: 343  
Prologue:  
Description: QVAR

Type: NUM  
SAS Variable Name: INHALER\_ID\_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
38	1.34	1.22
2,798	98.66	98.78

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**LEVALBUTEROL TARTRATE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 344  
**Prologue:**  
**Description:** LEVALBUTEROL TARTRATE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**XOPENEX HFA**

**Survey:** CHILD Asthma Call-Back  
**Column:** 345  
**Prologue:**  
**Description:** XOPENEX HFA

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
70	2.47	4.27
2,766	97.53	95.73

**MOMETASONE FUROATE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 346  
**Prologue:**  
**Description:** MOMETASONE FUROATE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_39

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**ASMANEX (TWISTHALER)**

**Survey:** CHILD Asthma Call-Back  
**Column:** 347  
**Prologue:**  
**Description:** ASMANEX (TWISTHALER)

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
30	1.06	1.19
2,806	98.94	98.81

**PRO-AIR HFA**

**Survey:** CHILD Asthma Call-Back  
**Column:** 348  
**Prologue:**  
**Description:** PRO-AIR HFA

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
133	4.69	5.58
2,703	95.31	94.42

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYMBICORT**

**Survey:** CHILD Asthma Call-Back  
**Column:** 349  
**Prologue:**  
**Description:** SYMBICORT

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
20	0.71	0.95
2,816	99.29	99.05

**DON'T KNOW/REFUSED**

**Survey:** CHILD Asthma Call-Back  
**Column:** 350  
**Prologue:**  
**Description:** DON'T KNOW/REFUSED

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
32	1.13	1.09
2,804	98.87	98.91

**OTHER INHALER**

**Survey:** CHILD Asthma Call-Back  
**Column:** 351  
**Prologue:**  
**Description:** NEW OTHER PRESCRIPTION INHALER

**Type:** NUM  
**SAS Variable Name:** OTHER\_INHALER

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.07
2,835	99.96	99.93

**PILL ACCOLATE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 352  
**Prologue:**  
**Description:** PILL ACCOLATE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL AEROLATE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 353  
**Prologue:**  
**Description:** PILL AEROLATE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.06
2,835	99.96	99.94

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL ALBUTEROL**

Survey: CHILD Asthma Call-Back  
Column: 354  
Prologue:  
Description: PILL ALBUTEROL

Type: NUM  
SAS Variable Name: PILLS\_ID\_3

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL ALUPENT**

Survey: CHILD Asthma Call-Back  
Column: 355  
Prologue:  
Description: PILL ALUPENT

Type: NUM  
SAS Variable Name: PILLS\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.02
2,835	99.96	99.98

**PILL CHOLEDYL (OXTRIPHYLLINE)**

Survey: CHILD Asthma Call-Back  
Column: 356  
Prologue:  
Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM  
SAS Variable Name: PILLS\_ID\_5

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL DELTASONE**

Survey: CHILD Asthma Call-Back  
Column: 357  
Prologue:  
Description: PILL DELTASONE

Type: NUM  
SAS Variable Name: PILLS\_ID\_7

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL ELIXOPHYLLIN**

Survey: CHILD Asthma Call-Back  
Column: 358  
Prologue:  
Description: PILL ELIXOPHYLLIN

Type: NUM  
SAS Variable Name: PILLS\_ID\_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL MEDROL**

Survey: CHILD Asthma Call-Back  
Column: 359  
Prologue:  
Description: PILL MEDROL

Type: NUM  
SAS Variable Name: PILLS\_ID\_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.01
2,835	99.96	99.99

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL METAPREL**

Survey: CHILD Asthma Call-Back  
Column: 360  
Prologue:  
Description: PILL METAPREL

Type: NUM  
SAS Variable Name: PILLS\_ID\_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL METAPROTERONOL**

Survey: CHILD Asthma Call-Back  
Column: 361  
Prologue:  
Description: PILL METAPROTERONOL

Type: NUM  
SAS Variable Name: PILLS\_ID\_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL METHYLPREDNISOLONE**

Survey: CHILD Asthma Call-Back  
Column: 362  
Prologue:  
Description: PILL METHYLPREDNISOLONE

Type: NUM  
SAS Variable Name: PILLS\_ID\_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL MONTELUKAST**

Survey: CHILD Asthma Call-Back  
Column: 363  
Prologue:  
Description: PILL MONTELUKAST

Type: NUM  
SAS Variable Name: PILLS\_ID\_15

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL PEDIAPRED**

Survey: CHILD Asthma Call-Back  
Column: 364  
Prologue:  
Description: PILL PEDIAPRED

Type: NUM  
SAS Variable Name: PILLS\_ID\_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL PREDNISOLONE**

Survey: CHILD Asthma Call-Back  
Column: 365  
Prologue:  
Description: PILL PREDNISOLONE

Type: NUM  
SAS Variable Name: PILLS\_ID\_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.02
2,835	99.96	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL PREDNISON**

Survey: CHILD Asthma Call-Back

Column: 366

Prologue:

Description: PILL PREDNISON

Type: NUM  
SAS Variable Name: PILLS\_ID\_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
33	1.16	1.39
2,803	98.84	98.61

**PILL PROVENTIL**

Survey: CHILD Asthma Call-Back

Column: 367

Prologue:

Description: PILL PROVENTIL

Type: NUM  
SAS Variable Name: PILLS\_ID\_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.03
2,835	99.96	99.97

**PILL RESPID**

Survey: CHILD Asthma Call-Back

Column: 368

Prologue:

Description: PILL RESPID

Type: NUM  
SAS Variable Name: PILLS\_ID\_23

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL SINGULAIR**

Survey: CHILD Asthma Call-Back

Column: 369

Prologue:

Description: PILL SINGULAIR

Type: NUM  
SAS Variable Name: PILLS\_ID\_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
367	12.94	12.20
2,469	87.06	87.80

**PILL SLO-PHYLLIN**

Survey: CHILD Asthma Call-Back

Column: 370

Prologue:

Description: PILL SLO-PHYLLIN

Type: NUM  
SAS Variable Name: PILLS\_ID\_25

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL SLO-BID**

Survey: CHILD Asthma Call-Back  
Column: 371  
Prologue:  
Description: PILL SLO-BID

Type: NUM  
SAS Variable Name: PILLS\_ID\_26

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL THEO-24**

Survey: CHILD Asthma Call-Back  
Column: 372  
Prologue:  
Description: PILL THEO-24

Type: NUM  
SAS Variable Name: PILLS\_ID\_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL THEOCHRON**

Survey: CHILD Asthma Call-Back  
Column: 373  
Prologue:  
Description: PILL THEOCHRON

Type: NUM  
SAS Variable Name: PILLS\_ID\_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL THEOCLEAR**

Survey: CHILD Asthma Call-Back  
Column: 374  
Prologue:  
Description: PILL THEOCLEAR

Type: NUM  
SAS Variable Name: PILLS\_ID\_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL THEODUR**

Survey: CHILD Asthma Call-Back  
Column: 375  
Prologue:  
Description: PILL THEODUR

Type: NUM  
SAS Variable Name: PILLS\_ID\_32

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL THEO-DUR**

Survey: CHILD Asthma Call-Back  
Column: 376  
Prologue:  
Description: PILL THEO-DUR

Type: NUM  
SAS Variable Name: PILLS\_ID\_33

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**PILL THEOPHYLLINE**

Survey: CHILD Asthma Call-Back  
Column: 377  
Prologue:  
Description: PILL THEOPHYLLINE

Type: NUM  
SAS Variable Name: PILLS\_ID\_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL THEOSPAN**

Survey: CHILD Asthma Call-Back  
Column: 378  
Prologue:  
Description: PILL THEOSPAN

Type: NUM  
SAS Variable Name: PILLS\_ID\_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL T-PHYL**

Survey: CHILD Asthma Call-Back  
Column: 379  
Prologue:  
Description: PILL T-PHYL

Type: NUM  
SAS Variable Name: PILLS\_ID\_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL UNIPHYL**

Survey: CHILD Asthma Call-Back  
Column: 380  
Prologue:  
Description: PILL UNIPHYL

Type: NUM  
SAS Variable Name: PILLS\_ID\_42

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL VENTOLIN**

Survey: CHILD Asthma Call-Back  
Column: 381  
Prologue:  
Description: PILL VENTOLIN

Type: NUM  
SAS Variable Name: PILLS\_ID\_43

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL VOLMAX**

Survey: CHILD Asthma Call-Back  
Column: 382  
Prologue:  
Description: PILL VOLMAX

Type: NUM  
SAS Variable Name: PILLS\_ID\_44

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL ZAFIRLUKAST**

Survey: CHILD Asthma Call-Back  
Column: 383  
Prologue:  
Description: PILL ZAFIRLUKAST

Type: NUM  
SAS Variable Name: PILLS\_ID\_45

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL ZILEUTON**

Survey: CHILD Asthma Call-Back  
Column: 384  
Prologue:  
Description: PILL ZILEUTON

Type: NUM  
SAS Variable Name: PILLS\_ID\_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL ZYFLO FILMTAB**

Survey: CHILD Asthma Call-Back  
Column: 385  
Prologue:  
Description: PILL ZYFLO FILMTAB

Type: NUM  
SAS Variable Name: PILLS\_ID\_47

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL TERBUTALINE (+ T. SULFATE)**

Survey: CHILD Asthma Call-Back  
Column: 386  
Prologue:  
Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM  
SAS Variable Name: PILLS\_ID\_48

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**PILL BRETHINE**

Survey: CHILD Asthma Call-Back  
Column: 387  
Prologue:  
Description: PILL BRETHINE

Type: NUM  
SAS Variable Name: PILLS\_ID\_49

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**DON'T KNOW/REFUSED**

Survey: CHILD Asthma Call-Back  
Column: 388  
Prologue:  
Description: DON'T KNOW/REFUSED

Type: NUM  
SAS Variable Name: PILLS\_ID\_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.32	0.26
2,827	99.68	99.74

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**OTHER PILLS**

Survey: CHILD Asthma Call-Back

Column: 389

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER\_PILLS

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.05
2,834	99.93	99.95

**SYRUP AEROLATE**

Survey: CHILD Asthma Call-Back

Column: 390

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.01
2,835	99.96	99.99

**SYRUP ALBUTEROL**

Survey: CHILD Asthma Call-Back

Column: 391

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
19	0.67	0.83
2,817	99.33	99.17

**SYRUP ALUPENT**

Survey: CHILD Asthma Call-Back

Column: 392

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP\_ID\_3

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**SYRUP METAPROTERONOL**

Survey: CHILD Asthma Call-Back

Column: 393

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP\_ID\_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYRUP PREDNISOLONE**

Survey: CHILD Asthma Call-Back

Column: 394

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
64	2.26	3.57
2,772	97.74	96.43

**SYRUP PRELONE**

Survey: CHILD Asthma Call-Back

Column: 395

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.25	0.29
2,829	99.75	99.71

**SYRUP PROVENTIL**

Survey: CHILD Asthma Call-Back

Column: 396

Prologue:

Description: SYRUP PROVENTIL

Type: NUM

SAS Variable Name: SYRUP\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.12
2,834	99.93	99.88

**SYRUP SLO-PHYLLIN**

Survey: CHILD Asthma Call-Back

Column: 397

Prologue:

Description: SYRUP SLO-PHYLLIN

Type: NUM

SAS Variable Name: SYRUP\_ID\_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**SYRUP THEOPHYLLINE**

Survey: CHILD Asthma Call-Back

Column: 398

Prologue:

Description: SYRUP THEOPHYLLINE

Type: NUM

SAS Variable Name: SYRUP\_ID\_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYRUP VENTOLIN**

**Survey:** CHILD Asthma Call-Back  
**Column:** 399  
**Prologue:**  
**Description:** SYRUP VENTOLIN

**Type:** NUM  
**SAS Variable Name:** SYRUP\_ID\_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**DON'T KNOW/REFUSED**

**Survey:** CHILD Asthma Call-Back  
**Column:** 400  
**Prologue:**  
**Description:** DON'T KNOW/REFUSED

**Type:** NUM  
**SAS Variable Name:** SYRUP\_ID\_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	0.63	0.95
2,818	99.37	99.05

**OTHER SYRUP**

**Survey:** CHILD Asthma Call-Back  
**Column:** 401  
**Prologue:**  
**Description:** NEW OTHER PRESCRIPTION SYRUP

**Type:** NUM  
**SAS Variable Name:** OTHER\_SYRUP

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.04
2,834	99.93	99.96

**NEB ALBUTEROL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 402  
**Prologue:**  
**Description:** NEB ALBUTEROL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
379	13.36	15.87
2,457	86.64	84.13

**NEB ALUPENT**

**Survey:** CHILD Asthma Call-Back  
**Column:** 403  
**Prologue:**  
**Description:** NEB ALUPENT

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.02
2,835	99.96	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB ATROVENT**

Survey: CHILD Asthma Call-Back

Column: 404

Prologue:

Description: NEB ATROVENT

Type: NUM

SAS Variable Name: NEB\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.18	0.22
2,831	99.82	99.78

**NEB BITOLTEROL**

Survey: CHILD Asthma Call-Back

Column: 405

Prologue:

Description: NEB BITOLTEROL

Type: NUM

SAS Variable Name: NEB\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.01
2,835	99.96	99.99

**NEB BUDESONIDE**

Survey: CHILD Asthma Call-Back

Column: 406

Prologue:

Description: NEB BUDESONIDE

Type: NUM

SAS Variable Name: NEB\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.35	0.15
2,826	99.65	99.85

**NEB CROMOLYN**

Survey: CHILD Asthma Call-Back

Column: 407

Prologue:

Description: NEB CROMOLYN

Type: NUM

SAS Variable Name: NEB\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.07	0.07
2,834	99.93	99.93

**NEB DUONEB**

Survey: CHILD Asthma Call-Back

Column: 408

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.14	0.02
2,832	99.86	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB INTAL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 409  
**Prologue:**  
**Description:** NEB INTAL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**NEB IPRATROPRIMUM BROMIDE**

**Survey:** CHILD Asthma Call-Back  
**Column:** 410  
**Prologue:**  
**Description:** NEB IPRATROPRIMUM BROMIDE

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.25	0.21
2,829	99.75	99.79

**NEB LEVALBUTEROL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 411  
**Prologue:**  
**Description:** NEB LEVALBUTEROL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.01
2,835	99.96	99.99

**NEB METAPROTERONOL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 412  
**Prologue:**  
**Description:** NEB METAPROTERONOL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_11

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**NEB PROVENTIL**

**Survey:** CHILD Asthma Call-Back  
**Column:** 413  
**Prologue:**  
**Description:** NEB PROVENTIL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.14	0.14
2,832	99.86	99.86

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB PULMICORT**

Survey: CHILD Asthma Call-Back  
Column: 414  
Prologue:  
Description: NEB PULMICORT

Type: NUM  
SAS Variable Name: NEB\_ID\_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
130	4.58	6.06
2,706	95.42	93.94

**NEB TORNALATE**

Survey: CHILD Asthma Call-Back  
Column: 415  
Prologue:  
Description: NEB TORNALATE

Type: NUM  
SAS Variable Name: NEB\_ID\_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2,836	100.00	100.00

**NEB VENTOLIN**

Survey: CHILD Asthma Call-Back  
Column: 416  
Prologue:  
Description: NEB VENTOLIN

Type: NUM  
SAS Variable Name: NEB\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.03
2,835	99.96	99.97

**NEB XOPENEX**

Survey: CHILD Asthma Call-Back  
Column: 417  
Prologue:  
Description: NEB XOPENEX

Type: NUM  
SAS Variable Name: NEB\_ID\_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
92	3.24	4.23
2,744	96.76	95.77

**DON'T KNOW/REFUSED**

Survey: CHILD Asthma Call-Back  
Column: 418  
Prologue:  
Description: DON'T KNOW/REFUSED

Type: NUM  
SAS Variable Name: NEB\_ID\_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
23	0.81	0.78
2,813	99.19	99.22

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**OTHER NEBULIZER**

**Survey:** CHILD Asthma Call-Back

**Column:** 419

**Prologue:**

**Description:** NEW OTHER PRESCRIPTION NEBULIZER

**Type:** NUM

**SAS Variable Name:** OTHER\_NEB

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.04	0.01
2,835	99.96	99.99

**OTHER INHALER TEXT**

**Survey:** CHILD Asthma Call-Back

**Column:** 420-519

**Prologue:**

**Description:** New other prescription inhaler name

**Type:** CHAR

**SAS Variable Name:** OTH\_I1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,835		
1	100.00	100.00

**OTHER PILLS TEXT**

**Survey:** CHILD Asthma Call-Back

**Column:** 520-619

**Prologue:**

**Description:** New other prescription pills name

**Type:** CHAR

**SAS Variable Name:** OTH\_P1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,834		
2	100.00	100.00

**OTHER SYRUP TEXT**

**Survey:** CHILD Asthma Call-Back

**Column:** 620-719

**Prologue:**

**Description:** New other prescription syrup name

**Type:** CHAR

**SAS Variable Name:** OTH\_S1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,834		
2	100.00	100.00

**OTHER NEBULIZER TEXT**

**Survey:** CHILD Asthma Call-Back

**Column:** 720-819

**Prologue:**

**Description:** New other prescription nebulizer name

**Type:** CHAR

**SAS Variable Name:** OTH\_N1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
2,835		
1	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INHALER\_TEXT: COUGH/COLD MED.**

Survey: CHILD Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	28	0.99	0.45
3	No other medication text filled	2,808	99.01	99.55

**INHALER\_TEXT: ALLERGY MED.**

Survey: CHILD Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.32	0.12
2	No	19	0.67	0.33
3	No other medication text filled	2,808	99.01	99.55

**INHALER\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: CHILD Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.04	0.01
2	No	27	0.95	0.44
3	No other medication text filled	2,808	99.01	99.55

**INHALER\_TEXT: ASTHMA MED., BUT NOT INHALER**

Survey: CHILD Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.03
2	No	26	0.92	0.42
3	No other medication text filled	2,808	99.01	99.55

**INHALER\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: CHILD Asthma Call-Back

Column: 824

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.04	0.01
2	No	27	0.95	0.44
3	No other medication text filled	2,808	99.01	99.55

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INHALER\_TEXT: WAS BACK CODED TO EXISTING INHALER**

Survey: CHILD Asthma Call-Back

Column: 825

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.28	0.13
2	No	20	0.71	0.32
3	No other medication text filled	2,808	99.01	99.55

**INHALER\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: CHILD Asthma Call-Back

Column: 826

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	28	0.99	0.45
3	No other medication text filled	2,808	99.01	99.55

**INHALER\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: CHILD Asthma Call-Back

Column: 827

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.04	0.07
2	No	27	0.95	0.38
3	No other medication text filled	2,808	99.01	99.55

**INHALER\_TEXT: DON'T KNOW**

Survey: CHILD Asthma Call-Back

Column: 828

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.18	0.07
2	No	23	0.81	0.39
3	No other medication text filled	2,808	99.01	99.55

**PILLS\_TEXT: COUGH/COLD MED.**

Survey: CHILD Asthma Call-Back

Column: 829

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.11	0.04
2	No	67	2.36	2.43
3	No other medication text filled	2,766	97.53	97.53

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILLS\_TEXT: ALLERGY MED.**

Survey: CHILD Asthma Call-Back

Column: 830

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	58	2.05	2.25
2	No	12	0.42	0.21
3	No other medication text filled	2,766	97.53	97.53

**PILLS\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: CHILD Asthma Call-Back

Column: 831

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.11	0.04
2	No	67	2.36	2.42
3	No other medication text filled	2,766	97.53	97.53

**PILLS\_TEXT: ASTHMA MED., BUT NOT PILLS**

Survey: CHILD Asthma Call-Back

Column: 832

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.14	0.10
2	No	66	2.33	2.37
3	No other medication text filled	2,766	97.53	97.53

**PILLS\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: CHILD Asthma Call-Back

Column: 833

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	70	2.47	2.47
3	No other medication text filled	2,766	97.53	97.53

**PILLS\_TEXT: WAS BACK CODED TO EXISTING PILLS**

Survey: CHILD Asthma Call-Back

Column: 834

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.02
2	No	68	2.40	2.45
3	No other medication text filled	2,766	97.53	97.53

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILLS\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: CHILD Asthma Call-Back

Column: 835

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	70	2.47	2.47
3	No other medication text filled	2,766	97.53	97.53

**PILLS\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: CHILD Asthma Call-Back

Column: 836

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.05
2	No	68	2.40	2.41
3	No other medication text filled	2,766	97.53	97.53

**PILLS\_TEXT: DON'T KNOW**

Survey: CHILD Asthma Call-Back

Column: 837

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	70	2.47	2.47
3	No other medication text filled	2,766	97.53	97.53

**SYRUP\_TEXT: COUGH/COLD MED.**

Survey: CHILD Asthma Call-Back

Column: 838

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	0.56	0.45
2	No	31	1.09	1.59
3	No other medication text filled	2,789	98.34	97.96

**SYRUP\_TEXT: ALLERGY MED.**

Survey: CHILD Asthma Call-Back

Column: 839

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	0.49	0.79
2	No	33	1.16	1.25
3	No other medication text filled	2,789	98.34	97.96

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYRUP\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: CHILD Asthma Call-Back

Column: 840

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT3

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
3	0.11	0.09
44	1.55	1.95
2,789	98.34	97.96

**SYRUP\_TEXT: ASTHMA MED., BUT NOT SYRUP**

Survey: CHILD Asthma Call-Back

Column: 841

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT4

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
47	1.66	2.04
2,789	98.34	97.96

**SYRUP\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: CHILD Asthma Call-Back

Column: 842

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT5

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
47	1.66	2.04
2,789	98.34	97.96

**SYRUP\_TEXT: WAS BACK CODED TO EXISTING SYRUP**

Survey: CHILD Asthma Call-Back

Column: 843

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT6

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
12	0.42	0.67
35	1.23	1.37
2,789	98.34	97.96

**SYRUP\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: CHILD Asthma Call-Back

Column: 844

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT7

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
47	1.66	2.04
2,789	98.34	97.96

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYRUP\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: CHILD Asthma Call-Back

Column: 845

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.04
2	No	45	1.59	2.00
3	No other medication text filled	2,789	98.34	97.96

**SYRUP\_TEXT: DON'T KNOW**

Survey: CHILD Asthma Call-Back

Column: 846

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	47	1.66	2.04
3	No other medication text filled	2,789	98.34	97.96

**NEB\_TEXT: COUGH/COLD MED.**

Survey: CHILD Asthma Call-Back

Column: 847

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	9	0.32	0.25
3	No other medication text filled	2,827	99.68	99.75

**NEB\_TEXT: ALLERGY MED.**

Survey: CHILD Asthma Call-Back

Column: 848

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	9	0.32	0.25
3	No other medication text filled	2,827	99.68	99.75

**NEB\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: CHILD Asthma Call-Back

Column: 849

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.07	0.11
2	No	7	0.25	0.14
3	No other medication text filled	2,827	99.68	99.75

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB\_TEXT: ASTHMA MED., BUT NOT NEB**

Survey: CHILD Asthma Call-Back

Column: 850

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	9	0.32	0.25
3	No other medication text filled	2,827	99.68	99.75

**NEB\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: CHILD Asthma Call-Back

Column: 851

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.04	0.00
2	No	8	0.28	0.24
3	No other medication text filled	2,827	99.68	99.75

**NEB\_TEXT: WAS BACK CODED TO EXISTING NEB**

Survey: CHILD Asthma Call-Back

Column: 852

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.14	0.08
2	No	5	0.18	0.17
3	No other medication text filled	2,827	99.68	99.75

**NEB\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: CHILD Asthma Call-Back

Column: 853

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	9	0.32	0.25
3	No other medication text filled	2,827	99.68	99.75

**NEB\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: CHILD Asthma Call-Back

Column: 854

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.04	0.01
2	No	8	0.28	0.24
3	No other medication text filled	2,827	99.68	99.75

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB\_TEXT: DON'T KNOW**

Survey: CHILD Asthma Call-Back

Column: 855

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.04	0.04
2	No	8	0.28	0.21
3	No other medication text filled	2,827	99.68	99.75

**INHALED CORTICOSTEROIDS**

Survey: CHILD Asthma Call-Back

Column: 856-857

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH\_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	2,815	99.26	99.34
99	Missing	21	0.74	0.66

**INHALED ANTI-INFLAMMATORY**

Survey: CHILD Asthma Call-Back

Column: 858-859

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH\_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 4	Count	2,815	99.26	99.34
99	Missing	21	0.74	0.66

**INHALED ANTI-CHOLINERGIC**

Survey: CHILD Asthma Call-Back

Column: 860-861

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM

SAS Variable Name: INH\_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	2,815	99.26	99.34
99	Missing	21	0.74	0.66

**INHALED BETA 2 AGONIST SHORT ACTING**

Survey: CHILD Asthma Call-Back

Column: 862-863

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM

SAS Variable Name: INH\_B2AS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 12	Count	2,815	99.26	99.34
99	Missing	21	0.74	0.66

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INHALED BETA 2 AGONIST LONG ACTING**

**Survey:** CHILD Asthma Call-Back

**Column:** 864-865

**Prologue:**

**Description:** INHALED BETA 2 AGONIST LONG ACTING

**Type:** NUM

**SAS Variable Name:** INH\_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,815	99.26	99.34
21	0.74	0.66

**PILL CORTICOSTEROIDS**

**Survey:** CHILD Asthma Call-Back

**Column:** 866-867

**Prologue:**

**Description:** PILL CORTICOSTEROIDS

**Type:** NUM

**SAS Variable Name:** PILL\_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,809	99.05	99.29
27	0.95	0.71

**PILL LEUKOTRIENE MODIFIERS**

**Survey:** CHILD Asthma Call-Back

**Column:** 868-869

**Prologue:**

**Description:** PILL LEUKOTRIENE MODIFIERS

**Type:** NUM

**SAS Variable Name:** PILL\_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,809	99.05	99.29
27	0.95	0.71

**PILL BETA 2 AGONIST**

**Survey:** CHILD Asthma Call-Back

**Column:** 870-871

**Prologue:**

**Description:** PILL BETA 2 AGONIST

**Type:** NUM

**SAS Variable Name:** PILL\_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,809	99.05	99.29
27	0.95	0.71

**PILL METHYLXANTHINES**

**Survey:** CHILD Asthma Call-Back

**Column:** 872-873

**Prologue:**

**Description:** PILL METHYLXANTHINES

**Type:** NUM

**SAS Variable Name:** PILL\_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,809	99.05	99.29
27	0.95	0.71

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYRUP METHYLXANTHINES**

**Survey:** CHILD Asthma Call-Back

**Column:** 874-875

**Prologue:**

**Description:** SYRUP METHYLXANTHINES

**Type:** NUM

**SAS Variable Name:** SYRP\_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,810	99.08	99.10
26	0.92	0.90

**SYRUP SHORT ACTING BETA 2 AGONIST**

**Survey:** CHILD Asthma Call-Back

**Column:** 876-877

**Prologue:**

**Description:** SYRUP SHORT ACTING BETA 2 AGONIST

**Type:** NUM

**SAS Variable Name:** SYRP\_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,810	99.08	99.10
26	0.92	0.90

**SYRUP CORTICOSTEROIDS**

**Survey:** CHILD Asthma Call-Back

**Column:** 878-879

**Prologue:**

**Description:** SYRUP CORTICOSTEROIDS

**Type:** NUM

**SAS Variable Name:** SYRP\_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,810	99.08	99.10
26	0.92	0.90

**NEBULIZER ANTI-INFLAMMATORY**

**Survey:** CHILD Asthma Call-Back

**Column:** 880-881

**Prologue:**

**Description:** NEBULIZER ANTI-INFLAMMATORY

**Type:** NUM

**SAS Variable Name:** NEB\_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,810	99.08	98.96
26	0.92	1.04

**NEBULIZER CORTICOSTEROID**

**Survey:** CHILD Asthma Call-Back

**Column:** 882-883

**Prologue:**

**Description:** NEBULIZER CORTICOSTEROID

**Type:** NUM

**SAS Variable Name:** NEB\_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
2,810	99.08	98.96
26	0.92	1.04

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEBULIZER ANTICHOLINERGIC**

Survey: CHILD Asthma Call-Back

Column: 884-885

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM  
SAS Variable Name: NEB\_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	2,810	99.08	98.96
99	Missing	26	0.92	1.04

**NEBULIZER BETA 2 AGONIST**

Survey: CHILD Asthma Call-Back

Column: 886-887

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM  
SAS Variable Name: NEB\_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8	Count	2,810	99.08	98.96
99	Missing	26	0.92	1.04

**ADVAIR (+ A. DISKUS): SIZE**

Survey: CHILD Asthma Call-Back

Column: 888

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Type: NUM  
SAS Variable Name: ILP01\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ADVAIR (+ A. DISKUS): HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 889

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Type: NUM  
SAS Variable Name: ILP02\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	31	17.32	17.79
2	6 months to 1 year	17	9.50	5.69
3	Longer than 1 year	130	72.63	76.22
9	Refused	1	0.56	0.29
BLANK	Skip filled	2,657		

**ADVAIR (+ A. DISKUS): WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 890

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Type: NUM  
SAS Variable Name: ILP03\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ADVAIR (+ A. DISKUS): WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 891

Type: NUM

SAS Variable Name: ILP04\_1

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	63	35.20	41.81
2	No	84	46.93	47.23
3	No attack in past 3 months	29	16.20	10.16
7	Don't know/Not sure	2	1.12	0.73
9	Refused	1	0.56	0.07
BLANK	Skip filled	2,657		

**ADVAIR (+ A. DISKUS): BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 892

Type: NUM

SAS Variable Name: ILP05\_1

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	57	31.84	43.81
2	No	120	67.04	54.47
7	Don't know/Not sure	2	1.12	1.73
BLANK	Skip filled	2,657		

**ADVAIR (+ A. DISKUS): REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 893

Type: NUM

SAS Variable Name: ILP06\_1

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	147	82.12	80.08
2	No	32	17.88	19.92
BLANK	Skip filled	2,657		

**ADVAIR (+ A. DISKUS): NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 894-895

Type: NUM

SAS Variable Name: ILP07\_1

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	178	99.44	99.98
77	Don't know	1	0.56	0.02
BLANK	Skip filled	2,657		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 896-898

Type: NUM

SAS Variable Name: ILP08\_1

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	150	83.80	86.13
401 - 499	Weeks	17	9.50	7.42
555	Never	1	0.56	0.02
666	Less often than once a week	10	5.59	4.10
777	Don't know	1	0.56	2.32
BLANK	Skip filled	2,657		

**ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 899-900

Type: NUM

SAS Variable Name: ILP10\_1

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**AEROBID: SIZE**

Survey: CHILD Asthma Call-Back

Column: 901

Type: NUM

SAS Variable Name: ILP01\_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**AEROBID: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 902

Type: NUM

SAS Variable Name: ILP02\_2

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	2,835		

**AEROBID: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 903

Type: NUM

SAS Variable Name: ILP03\_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AEROBID: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 904

Type: NUM

SAS Variable Name: ILP04\_2

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**AEROBID: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 905

Type: NUM

SAS Variable Name: ILP05\_2

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**AEROBID: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 906

Type: NUM

SAS Variable Name: ILP06\_2

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**AEROBID: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 907-908

Type: NUM

SAS Variable Name: ILP07\_2

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	2,835		

**AEROBID: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 909-911

Type: NUM

SAS Variable Name: ILP08\_2

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AEROBID: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 912-913

Type: NUM

SAS Variable Name: ILP10\_2

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): SIZE**

Survey: CHILD Asthma Call-Back

Column: 914

Type: NUM

SAS Variable Name: ILP01\_3

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	83	15.01	12.98
2	100 puffs	70	12.66	9.96
3	200 puffs	223	40.33	38.10
4	Other number of puffs	36	6.51	8.15
5	Used different sizes of this medication in the past 3 months	1	0.18	0.31
7	Don't know/Not sure	140	25.32	30.50
BLANK	Skip filled	2,283		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 915

Type: NUM

SAS Variable Name: ILP02\_3

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	40	7.23	7.38
2	6 months to 1 year	43	7.78	13.90
3	Longer than 1 year	469	84.81	78.55
7	Don't know/Not sure	1	0.18	0.17
BLANK	Skip filled	2,283		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 916

Type: NUM

SAS Variable Name: ILP03\_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	283	51.18	55.51
2	No	264	47.74	43.91
7	Don't know/Not sure	6	1.08	0.57
BLANK	Skip filled	2,283		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 917

Type: NUM

SAS Variable Name: ILP04\_3

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	481	86.98	87.34
2	No	44	7.96	6.34
3	No attack in past 3 months	25	4.52	6.24
7	Don't know/Not sure	3	0.54	0.08
BLANK	Skip filled	2,283		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 918

Type: NUM

SAS Variable Name: ILP05\_3

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	255	46.11	39.14
2	No	278	50.27	58.00
3	Didn't exercise in past 3 months	14	2.53	2.13
7	Don't know/Not sure	6	1.08	0.72
BLANK	Skip filled	2,283		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 919

Type: NUM

SAS Variable Name: ILP06\_3

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	125	22.60	27.00
2	No	427	77.22	72.96
7	Don't know/Not sure	1	0.18	0.04
BLANK	Skip filled	2,283		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 920-921

Type: NUM

SAS Variable Name: ILP07\_3

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	539	97.47	97.59
77	Don't know	13	2.35	2.21
99	Refused	1	0.18	0.21
BLANK	Skip filled	2,283		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 922-924

Type: NUM

SAS Variable Name: ILP08\_3

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	165	29.84	37.42
401 - 499	Weeks	175	31.65	26.70
555	Never	6	1.08	0.24
666	Less often than once a week	174	31.46	30.39
777	Don't know	32	5.79	5.14
999	Refused	1	0.18	0.11
BLANK	Skip filled	2,283		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 925-926

Type: NUM

SAS Variable Name: ILP10\_3

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	369	66.73	63.26
77	Don't know	22	3.98	9.52
88	None/Less than 1 full canister	162	29.29	27.22
BLANK	Skip filled	2,283		

**ALUPENT: SIZE**

Survey: CHILD Asthma Call-Back

Column: 927

Type: NUM

SAS Variable Name: ILP01\_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	1	100.00	100.00
BLANK	Skip filled	2,835		

**ALUPENT: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 928

Type: NUM

SAS Variable Name: ILP02\_4

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ALUPENT: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 929

Type: NUM

SAS Variable Name: ILP03\_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**ALUPENT: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 930

Type: NUM

SAS Variable Name: ILP04\_4

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**ALUPENT: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 931

Type: NUM

SAS Variable Name: ILP05\_4

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**ALUPENT: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 932

Type: NUM

SAS Variable Name: ILP06\_4

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**ALUPENT: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 933-934

Type: NUM

SAS Variable Name: ILP07\_4

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ALUPENT: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 935-937

Type: NUM

SAS Variable Name: ILP08\_4

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	2,835		

**ALUPENT: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 938-939

Type: NUM

SAS Variable Name: ILP10\_4

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	2,835		

**ATROVENT: SIZE**

Survey: CHILD Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP01\_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ATROVENT: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP02\_5

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	50.00	11.64
3	Longer than 1 year	1	50.00	88.36
BLANK	Skip filled	2,834		

**ATROVENT: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP03\_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	2,834		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ATROVENT: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP04\_5

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	2,834		

**ATROVENT: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 944

Type: NUM

SAS Variable Name: ILP05\_5

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	2,834		

**ATROVENT: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 945

Type: NUM

SAS Variable Name: ILP06\_5

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	11.64
2	No	1	50.00	88.36
BLANK	Skip filled	2,834		

**ATROVENT: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 946-947

Type: NUM

SAS Variable Name: ILP07\_5

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	2,834		

**ATROVENT: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 948-950

Type: NUM

SAS Variable Name: ILP08\_5

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	11.64
666	Less often than once a week	1	50.00	88.36
BLANK	Skip filled	2,834		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ATROVENT: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 951-952

Type: NUM

SAS Variable Name: ILP10\_5

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**AZMACORT: SIZE**

Survey: CHILD Asthma Call-Back

Column: 953

Type: NUM

SAS Variable Name: ILP01\_6

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**AZMACORT: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP02\_6

**Prologue:**

**Description:** Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	20.00	11.55
2	6 months to 1 year	1	10.00	2.86
3	Longer than 1 year	7	70.00	85.59
BLANK	Skip filled	2,826		

**AZMACORT: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP03\_6

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	80.00	80.17
7	Don't know/Not sure	2	20.00	19.83
BLANK	Skip filled	2,826		

**AZMACORT: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP04\_6

**Prologue:**

**Description:** Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	50.00	68.40
2	No	4	40.00	14.56
3	No attack in past 3 months	1	10.00	17.04
BLANK	Skip filled	2,826		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AZMACORT: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 957

Type: NUM

SAS Variable Name: ILP05\_6

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	62.78
2	No	6	60.00	37.22
BLANK	Skip filled	2,826		

**AZMACORT: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 958

Type: NUM

SAS Variable Name: ILP06\_6

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	50.00	60.74
2	No	5	50.00	39.26
BLANK	Skip filled	2,826		

**AZMACORT: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 959-960

Type: NUM

SAS Variable Name: ILP07\_6

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	10	100.00	100.00
BLANK	Skip filled	2,826		

**AZMACORT: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 961-963

Type: NUM

SAS Variable Name: ILP08\_6

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	40.00	47.51
401 - 499	Weeks	3	30.00	25.90
555	Never	1	10.00	6.74
666	Less often than once a week	2	20.00	19.84
BLANK	Skip filled	2,826		

**AZMACORT: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 964-965

Type: NUM

SAS Variable Name: ILP10\_6

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BECLOMETHASONE DIPROPIONATE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP01\_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	1	50.00	82.80
2	100 puffs	1	50.00	17.20
BLANK	Skip filled	2,834		

**BECLOMETHASONE DIPROPIONATE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP02\_7

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	100.00	100.00
BLANK	Skip filled	2,834		

**BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP03\_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	82.80
2	No	1	50.00	17.20
BLANK	Skip filled	2,834		

**BECLOMETHASONE DIPROPIONATE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP04\_7

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	82.80
2	No	1	50.00	17.20
BLANK	Skip filled	2,834		

**BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 970

Type: NUM

SAS Variable Name: ILP05\_7

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	17.20
2	No	1	50.00	82.80
BLANK	Skip filled	2,834		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 971

Type: NUM

SAS Variable Name: ILP06\_7

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	2,834		

**BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 972-973

Type: NUM

SAS Variable Name: ILP07\_7

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	2,834		

**BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 974-976

Type: NUM

SAS Variable Name: ILP08\_7

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	2,834		

**BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 977-978

Type: NUM

SAS Variable Name: ILP10\_7

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BECLOVENT: SIZE**

Survey: CHILD Asthma Call-Back

Column: 979

Type: NUM

SAS Variable Name: ILP01\_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BECLOVENT: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 980

Type: NUM

SAS Variable Name: ILP02\_8

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BECLOVENT: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP03\_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BECLOVENT: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP04\_8

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BECLOVENT: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 983

Type: NUM

SAS Variable Name: ILP05\_8

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BECLOVENT: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 984

Type: NUM

SAS Variable Name: ILP06\_8

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BECLOVENT: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 985-986

Type: NUM

SAS Variable Name: ILP07\_8

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BECLOVENT: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back  
Column: 987-989

Type: NUM  
SAS Variable Name: ILP08\_8

**Prologue:**

**Description:** Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BECLOVENT: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back  
Column: 990-991

Type: NUM  
SAS Variable Name: ILP10\_8

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BITOLTEROL: SIZE**

Survey: CHILD Asthma Call-Back  
Column: 992

Type: NUM  
SAS Variable Name: ILP01\_9

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BITOLTEROL: HOW LONG USED**

Survey: CHILD Asthma Call-Back  
Column: 993

Type: NUM  
SAS Variable Name: ILP02\_9

**Prologue:**

**Description:** Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BITOLTEROL: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back  
Column: 994

Type: NUM  
SAS Variable Name: ILP03\_9

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BITOLTEROL: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP04\_9

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BITOLTEROL: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 996

Type: NUM

SAS Variable Name: ILP05\_9

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BITOLTEROL: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 997

Type: NUM

SAS Variable Name: ILP06\_9

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BITOLTEROL: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 998-999

Type: NUM

SAS Variable Name: ILP07\_9

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BITOLTEROL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1000-1002

Type: NUM

SAS Variable Name: ILP08\_9

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BITOLTEROL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1003-1004

Type: NUM

SAS Variable Name: ILP10\_9

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BRETHAIRE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1005

Type: NUM

SAS Variable Name: ILP01\_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**BRETHAIRE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1006

Type: NUM

SAS Variable Name: ILP02\_10

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	2,835		

**BRETHAIRE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1007

Type: NUM

SAS Variable Name: ILP03\_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**BRETHAIRE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP04\_10

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**BRETHAIRE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1009

Type: NUM

SAS Variable Name: ILP05\_10

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BRETHAIRE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1010

Type: NUM

SAS Variable Name: ILP06\_10

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**BRETHAIRE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1011-1012

Type: NUM

SAS Variable Name: ILP07\_10

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know	1	100.00	100.00
BLANK	Skip filled	2,835		

**BRETHAIRE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1013-1015

Type: NUM

SAS Variable Name: ILP08\_10

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	2,835		

**BRETHAIRE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1016-1017

Type: NUM

SAS Variable Name: ILP10\_10

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	2,835		

**BUDESONIDE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP01\_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BUDESONIDE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP02\_11

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	2,835		

**BUDESONIDE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP03\_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**BUDESONIDE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP04\_11

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**BUDESONIDE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1022

Type: NUM

SAS Variable Name: ILP05\_11

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**BUDESONIDE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1023

Type: NUM

SAS Variable Name: ILP06\_11

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BUDESONIDE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1024-1025

Type: NUM

SAS Variable Name: ILP07\_11

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	2,835		

**BUDESONIDE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1026-1028

Type: NUM

SAS Variable Name: ILP08\_11

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	2,835		

**BUDESONIDE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1029-1030

Type: NUM

SAS Variable Name: ILP10\_11

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**COMBIVENT: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP01\_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**COMBIVENT: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1032

Type: NUM

SAS Variable Name: ILP02\_12

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	9.09	16.52
2	6 months to 1 year	2	18.18	13.45
3	Longer than 1 year	8	72.73	70.03
BLANK	Skip filled	2,825		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**COMBIVENT: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1033

Type: NUM

SAS Variable Name: ILP03\_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	36.36	33.85
2	No	7	63.64	66.15
BLANK	Skip filled	2,825		

**COMBIVENT: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1034

Type: NUM

SAS Variable Name: ILP04\_12

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	63.64	49.80
2	No	3	27.27	24.35
3	No attack in past 3 months	1	9.09	25.85
BLANK	Skip filled	2,825		

**COMBIVENT: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1035

Type: NUM

SAS Variable Name: ILP05\_12

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	63.64	64.44
2	No	4	36.36	35.56
BLANK	Skip filled	2,825		

**COMBIVENT: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1036

Type: NUM

SAS Variable Name: ILP06\_12

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	27.27	30.30
2	No	8	72.73	69.70
BLANK	Skip filled	2,825		

**COMBIVENT: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1037-1038

Type: NUM

SAS Variable Name: ILP07\_12

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	11	100.00	100.00
BLANK	Skip filled	2,825		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**COMBIVENT: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1039-1041

Type: NUM

SAS Variable Name: ILP08\_12

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	18.18	23.40
401 - 499	Weeks	4	36.36	40.58
666	Less often than once a week	4	36.36	35.56
777	Don't know	1	9.09	0.46
BLANK	Skip filled	2,825		

**COMBIVENT: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1042-1043

Type: NUM

SAS Variable Name: ILP10\_12

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**CROMOLYN: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1044

Type: NUM

SAS Variable Name: ILP01\_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**CROMOLYN: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1045

Type: NUM

SAS Variable Name: ILP02\_13

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**CROMOLYN: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP03\_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**CROMOLYN: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP04\_13

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**CROMOLYN: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1048

Type: NUM

SAS Variable Name: ILP05\_13

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**CROMOLYN: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1049

Type: NUM

SAS Variable Name: ILP06\_13

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**CROMOLYN: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1050-1051

Type: NUM

SAS Variable Name: ILP07\_13

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**CROMOLYN: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1052-1054

Type: NUM

SAS Variable Name: ILP08\_13

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**CROMOLYN: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1055-1056

Type: NUM

SAS Variable Name: ILP10\_13

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLOVENT: SIZE**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 1057

**SAS Variable Name:** ILP01\_14

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLOVENT: HOW LONG USED**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 1058

**SAS Variable Name:** ILP02\_14

**Prologue:**

**Description:** Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	26	14.05	11.49
2	6 months to 1 year	37	20.00	21.49
3	Longer than 1 year	121	65.41	66.99
7	Don't know/Not sure	1	0.54	0.04
BLANK	Skip filled	2,651		

**FLOVENT: WHETHER SPACER USED**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 1059

**SAS Variable Name:** ILP03\_14

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	137	74.05	75.09
2	No	48	25.95	24.91
BLANK	Skip filled	2,651		

**FLOVENT: WHEN ATTACK**

**Survey:** CHILD Asthma Call-Back

**Type:** NUM

**Column:** 1060

**SAS Variable Name:** ILP04\_14

**Prologue:**

**Description:** Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	91	49.19	48.80
2	No	81	43.78	48.39
3	No attack in past 3 months	11	5.95	2.48
7	Don't know/Not sure	2	1.08	0.33
BLANK	Skip filled	2,651		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLOVENT: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1061

Type: NUM

SAS Variable Name: ILP05\_14

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	23.24	36.98
2	No	139	75.14	62.31
3	Didn't exercise in past 3 months	3	1.62	0.71
BLANK	Skip filled	2,651		

**FLOVENT: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1062

Type: NUM

SAS Variable Name: ILP06\_14

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	144	77.84	81.65
2	No	40	21.62	18.28
7	Don't know/Not sure	1	0.54	0.08
BLANK	Skip filled	2,651		

**FLOVENT: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1063-1064

Type: NUM

SAS Variable Name: ILP07\_14

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	185	100.00	100.00
BLANK	Skip filled	2,651		

**FLOVENT: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1065-1067

Type: NUM

SAS Variable Name: ILP08\_14

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	136	73.51	70.16
401 - 499	Weeks	27	14.59	18.31
555	Never	4	2.16	3.17
666	Less often than once a week	16	8.65	7.02
777	Don't know	2	1.08	1.34
BLANK	Skip filled	2,651		

**FLOVENT: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1068-1069

Type: NUM

SAS Variable Name: ILP10\_14

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLOVENT ROTADISK: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1070

Type: NUM

SAS Variable Name: ILP01\_15

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLOVENT ROTADISK: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP02\_15

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	33.33	9.93
3	Longer than 1 year	2	66.67	90.07
BLANK	Skip filled	2,833		

**FLOVENT ROTADISK: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP03\_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLOVENT ROTADISK: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP04\_15

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	54.32
7	Don't know/Not sure	1	33.33	45.68
BLANK	Skip filled	2,833		

**FLOVENT ROTADISK: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1074

Type: NUM

SAS Variable Name: ILP05\_15

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	54.32
7	Don't know/Not sure	1	33.33	45.68
BLANK	Skip filled	2,833		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLOVENT ROTADISK: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1075

Type: NUM

SAS Variable Name: ILP06\_15

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	2,833		

**FLOVENT ROTADISK: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1076-1077

Type: NUM

SAS Variable Name: ILP07\_15

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	2,833		

**FLOVENT ROTADISK: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1078-1080

Type: NUM

SAS Variable Name: ILP08\_15

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	100.00	100.00
BLANK	Skip filled	2,833		

**FLOVENT ROTADISK: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1081-1082

Type: NUM

SAS Variable Name: ILP10\_15

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLUNISOLIDE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP01\_16

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLUNISOLIDE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP02\_16

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLUNISOLIDE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP03\_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLUNISOLIDE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP04\_16

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLUNISOLIDE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1087

Type: NUM

SAS Variable Name: ILP05\_16

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLUNISOLIDE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1088

Type: NUM

SAS Variable Name: ILP06\_16

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLUNISOLIDE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1089-1090

Type: NUM

SAS Variable Name: ILP07\_16

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLUNISOLIDE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1091-1093

Type: NUM

SAS Variable Name: ILP08\_16

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLUNISOLIDE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1094-1095

Type: NUM

SAS Variable Name: ILP10\_16

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLUTICASONE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1096

Type: NUM

SAS Variable Name: ILP01\_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FLUTICASONE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1097

Type: NUM

SAS Variable Name: ILP02\_17

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	66.67	16.50
7	Don't know/Not sure	1	33.33	83.50
BLANK	Skip filled	2,833		

**FLUTICASONE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP03\_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	66.67	16.50
7	Don't know/Not sure	1	33.33	83.50
BLANK	Skip filled	2,833		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLUTICASONE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP04\_17

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	16.50
7	Don't know/Not sure	1	33.33	83.50
BLANK	Skip filled	2,833		

**FLUTICASONE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1100

Type: NUM

SAS Variable Name: ILP05\_17

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	12.25
2	No	1	33.33	4.25
7	Don't know/Not sure	1	33.33	83.50
BLANK	Skip filled	2,833		

**FLUTICASONE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1101

Type: NUM

SAS Variable Name: ILP06\_17

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	16.50
7	Don't know/Not sure	1	33.33	83.50
BLANK	Skip filled	2,833		

**FLUTICASONE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1102-1103

Type: NUM

SAS Variable Name: ILP07\_17

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	66.67	16.50
77	Don't know	1	33.33	83.50
BLANK	Skip filled	2,833		

**FLUTICASONE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1104-1106

Type: NUM

SAS Variable Name: ILP08\_17

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	16.50
777	Don't know	1	33.33	83.50
BLANK	Skip filled	2,833		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLUTICASONE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1107-1108

Type: NUM

SAS Variable Name: ILP10\_17

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**INTAL: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP01\_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**INTAL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP02\_18

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	33.33	42.86
3	Longer than 1 year	2	66.67	57.14
BLANK	Skip filled	2,833		

**INTAL: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP03\_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	55.97
2	No	2	66.67	44.03
BLANK	Skip filled	2,833		

**INTAL: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP04\_18

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	42.86
2	No	2	66.67	57.14
BLANK	Skip filled	2,833		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INTAL: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1113

Type: NUM

SAS Variable Name: ILP05\_18

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	2,833		

**INTAL: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1114

Type: NUM

SAS Variable Name: ILP06\_18

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	57.14
2	No	1	33.33	42.86
BLANK	Skip filled	2,833		

**INTAL: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1115-1116

Type: NUM

SAS Variable Name: ILP07\_18

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	2,833		

**INTAL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1117-1119

Type: NUM

SAS Variable Name: ILP08\_18

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	98.82
401 - 499	Weeks	1	33.33	1.18
BLANK	Skip filled	2,833		

**INTAL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1120-1121

Type: NUM

SAS Variable Name: ILP10\_18

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**IPRATROPIUM BROMIDE: SIZE**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1122

SAS Variable Name: ILP01\_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**IPRATROPIUM BROMIDE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1123

SAS Variable Name: ILP02\_19

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**IPRATROPIUM BROMIDE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1124

SAS Variable Name: ILP03\_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**IPRATROPIUM BROMIDE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1125

SAS Variable Name: ILP04\_19

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**IPRATROPIUM BROMIDE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1126

SAS Variable Name: ILP05\_19

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**IPRATROPIUM BROMIDE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1127

SAS Variable Name: ILP06\_19

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**IPRATROPIUM BROMIDE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1128-1129

Type: NUM

SAS Variable Name: ILP07\_19

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1130-1132

Type: NUM

SAS Variable Name: ILP08\_19

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**IPRATROPIUM BROMIDE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1133-1134

Type: NUM

SAS Variable Name: ILP10\_19

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**MAXAIR: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP01\_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**MAXAIR: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP02\_20

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	9.09	2.46
2	6 months to 1 year	1	9.09	22.86
3	Longer than 1 year	9	81.82	74.68
BLANK	Skip filled	2,825		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MAXAIR: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP03\_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11	100.00	100.00
BLANK	Skip filled	2,825		

**MAXAIR: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP04\_20

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	81.82	81.41
2	No	1	9.09	16.13
3	No attack in past 3 months	1	9.09	2.46
BLANK	Skip filled	2,825		

**MAXAIR: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1139

Type: NUM

SAS Variable Name: ILP05\_20

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	72.73	53.55
2	No	3	27.27	46.45
BLANK	Skip filled	2,825		

**MAXAIR: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1140

Type: NUM

SAS Variable Name: ILP06\_20

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	9.09	2.46
2	No	10	90.91	97.54
BLANK	Skip filled	2,825		

**MAXAIR: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1141-1142

Type: NUM

SAS Variable Name: ILP07\_20

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	10	90.91	98.42
77	Don't know	1	9.09	1.58
BLANK	Skip filled	2,825		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MAXAIR: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1143-1145

Type: NUM

SAS Variable Name: ILP08\_20

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	8	72.73	81.19
666	Less often than once a week	3	27.27	18.81
BLANK	Skip filled	2,825		

**MAXAIR: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1146-1147

Type: NUM

SAS Variable Name: ILP10\_20

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	5	45.45	52.85
88	None/Less than 1 full canister	6	54.55	47.15
BLANK	Skip filled	2,825		

**METAPROTERONOL: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP01\_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**METAPROTERONOL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP02\_21

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**METAPROTERONOL: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP03\_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**METAPROTERONOL: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP04\_21

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**METAPROTERONOL: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1152

Type: NUM

SAS Variable Name: ILP05\_21

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**METAPROTERONOL: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1153

Type: NUM

SAS Variable Name: ILP06\_21

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**METAPROTERONOL: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1154-1155

Type: NUM

SAS Variable Name: ILP07\_21

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**METAPROTERONOL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1156-1158

Type: NUM

SAS Variable Name: ILP08\_21

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**METAPROTERONOL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1159-1160

Type: NUM

SAS Variable Name: ILP10\_21

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEDOCROMIL: SIZE**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1161

SAS Variable Name: ILP01\_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**NEDOCROMIL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1162

SAS Variable Name: ILP02\_22

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**NEDOCROMIL: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1163

SAS Variable Name: ILP03\_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**NEDOCROMIL: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1164

SAS Variable Name: ILP04\_22

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**NEDOCROMIL: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1165

SAS Variable Name: ILP05\_22

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**NEDOCROMIL: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1166

SAS Variable Name: ILP06\_22

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEDOCROMIL: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back  
Column: 1167-1168

Type: NUM  
SAS Variable Name: ILP07\_22

**Prologue:**

**Description:** Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**NEDOCROMIL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back  
Column: 1169-1171

Type: NUM  
SAS Variable Name: ILP08\_22

**Prologue:**

**Description:** Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**NEDOCROMIL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back  
Column: 1172-1173

Type: NUM  
SAS Variable Name: ILP10\_22

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PIRBUTEROL: SIZE**

Survey: CHILD Asthma Call-Back  
Column: 1174

Type: NUM  
SAS Variable Name: ILP01\_23

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PIRBUTEROL: HOW LONG USED**

Survey: CHILD Asthma Call-Back  
Column: 1175

Type: NUM  
SAS Variable Name: ILP02\_23

**Prologue:**

**Description:** Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PIRBUTEROL: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP03\_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**PIRBUTEROL: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1177

Type: NUM

SAS Variable Name: ILP04\_23

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No attack in past 3 months	1	100.00	100.00
BLANK	Skip filled	2,835		

**PIRBUTEROL: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1178

Type: NUM

SAS Variable Name: ILP05\_23

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**PIRBUTEROL: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1179

Type: NUM

SAS Variable Name: ILP06\_23

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**PIRBUTEROL: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1180-1181

Type: NUM

SAS Variable Name: ILP07\_23

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PIRBUTEROL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1182-1184

Type: NUM

SAS Variable Name: ILP08\_23

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	2,835		

**PIRBUTEROL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1185-1186

Type: NUM

SAS Variable Name: ILP10\_23

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
88	None/Less than 1 full canister	1	100.00	100.00
BLANK	Skip filled	2,835		

**PROVENTIL: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1187

Type: NUM

SAS Variable Name: ILP01\_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	11	14.86	11.68
2	100 puffs	14	18.92	27.61
3	200 puffs	33	44.59	48.14
4	Other number of puffs	5	6.76	1.74
7	Don't know/Not sure	11	14.86	10.83
BLANK	Skip filled	2,762		

**PROVENTIL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP02\_24

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	19	25.68	41.61
2	6 months to 1 year	13	17.57	11.79
3	Longer than 1 year	41	55.41	46.21
7	Don't know/Not sure	1	1.35	0.39
BLANK	Skip filled	2,762		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PROVENTIL: WHETHER SPACER USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1189

**Type:** NUM

**SAS Variable Name:** ILP03\_24

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	44.59	39.53
2	No	38	51.35	60.21
7	Don't know/Not sure	3	4.05	0.26
BLANK	Skip filled	2,762		

**PROVENTIL: WHEN ATTACK**

**Survey:** CHILD Asthma Call-Back

**Column:** 1190

**Type:** NUM

**SAS Variable Name:** ILP04\_24

**Prologue:**

**Description:** Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	58	78.38	78.56
2	No	10	13.51	14.63
3	No attack in past 3 months	6	8.11	6.81
BLANK	Skip filled	2,762		

**PROVENTIL: BEFORE EXERCISING**

**Survey:** CHILD Asthma Call-Back

**Column:** 1191

**Type:** NUM

**SAS Variable Name:** ILP05\_24

**Prologue:**

**Description:** Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	55.41	62.25
2	No	33	44.59	37.75
BLANK	Skip filled	2,762		

**PROVENTIL: REGULAR SCHEDULE**

**Survey:** CHILD Asthma Call-Back

**Column:** 1192

**Type:** NUM

**SAS Variable Name:** ILP06\_24

**Prologue:**

**Description:** Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	28.38	26.52
2	No	53	71.62	73.48
BLANK	Skip filled	2,762		

**PROVENTIL: NUMBER OF PUFFS**

**Survey:** CHILD Asthma Call-Back

**Column:** 1193-1194

**Type:** NUM

**SAS Variable Name:** ILP07\_24

**Prologue:**

**Description:** Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	74	100.00	100.00
BLANK	Skip filled	2,762		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PROVENTIL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1195-1197

Type: NUM

SAS Variable Name: ILP08\_24

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	21	28.38	33.34
401 - 499	Weeks	28	37.84	36.59
555	Never	1	1.35	0.72
666	Less often than once a week	19	25.68	27.30
777	Don't know	5	6.76	2.05
BLANK	Skip filled	2,762		

**PROVENTIL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1198-1199

Type: NUM

SAS Variable Name: ILP10\_24

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	53	71.62	69.32
77	Don't know	3	4.05	2.32
88	None/Less than 1 full canister	18	24.32	28.36
BLANK	Skip filled	2,762		

**PULMICORT TURBUHALER: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP01\_25

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PULMICORT TURBUHALER: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP02\_25

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	11	22.00	21.35
2	6 months to 1 year	1	2.00	1.65
3	Longer than 1 year	38	76.00	77.00
BLANK	Skip filled	2,786		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PULMICORT TURBUHALER: WHETHER SPACER USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1202

**Type:** NUM

**SAS Variable Name:** ILP03\_25

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	20.00	9.00
2	No	37	74.00	78.77
3	Medication is a disk inhaler, not a canister inhaler	1	2.00	1.37
7	Don't know/Not sure	2	4.00	10.86
BLANK	Skip filled	2,786		

**PULMICORT TURBUHALER: WHEN ATTACK**

**Survey:** CHILD Asthma Call-Back

**Column:** 1203

**Type:** NUM

**SAS Variable Name:** ILP04\_25

**Prologue:**

**Description:** Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	34.00	36.63
2	No	27	54.00	58.54
3	No attack in past 3 months	5	10.00	4.22
7	Don't know/Not sure	1	2.00	0.61
BLANK	Skip filled	2,786		

**PULMICORT TURBUHALER: BEFORE EXERCISING**

**Survey:** CHILD Asthma Call-Back

**Column:** 1204

**Type:** NUM

**SAS Variable Name:** ILP05\_25

**Prologue:**

**Description:** Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	12.00	4.35
2	No	43	86.00	87.85
3	Didn't exercise in past 3 months	1	2.00	7.79
BLANK	Skip filled	2,786		

**PULMICORT TURBUHALER: REGULAR SCHEDULE**

**Survey:** CHILD Asthma Call-Back

**Column:** 1205

**Type:** NUM

**SAS Variable Name:** ILP06\_25

**Prologue:**

**Description:** Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	74.00	63.53
2	No	13	26.00	36.47
BLANK	Skip filled	2,786		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PULMICORT TURBUHALER: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1206-1207

Type: NUM

SAS Variable Name: ILP07\_25

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	46	92.00	79.27
77	Don't know	2	4.00	7.95
99	Refused	2	4.00	12.77
BLANK	Skip filled	2,786		

**PULMICORT TURBUHALER: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1208-1210

Type: NUM

SAS Variable Name: ILP08\_25

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	36	72.00	62.91
401 - 499	Weeks	7	14.00	3.98
666	Less often than once a week	5	10.00	8.10
777	Don't know	1	2.00	0.21
999	Refused	1	2.00	24.79
BLANK	Skip filled	2,786		

**PULMICORT TURBUHALER: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1211-1212

Type: NUM

SAS Variable Name: ILP10\_25

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SALMETEROL: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1213

Type: NUM

SAS Variable Name: ILP01\_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SALMETEROL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP02\_26

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SALMETEROL: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP03\_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SALMETEROL: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP04\_26

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SALMETEROL: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1217

Type: NUM

SAS Variable Name: ILP05\_26

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SALMETEROL: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1218

Type: NUM

SAS Variable Name: ILP06\_26

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SALMETEROL: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1219-1220

Type: NUM

SAS Variable Name: ILP07\_26

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SALMETEROL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1221-1223

Type: NUM

SAS Variable Name: ILP08\_26

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SALMETEROL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1224-1225

Type: NUM

SAS Variable Name: ILP10\_26

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SEREVENT: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP01\_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SEREVENT: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP02\_27

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	33.33	11.26
3	Longer than 1 year	2	66.67	88.74
BLANK	Skip filled	2,833		

**SEREVENT: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP03\_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	66.67	15.82
3	Medication is a disk inhaler, not a canister inhaler	1	33.33	84.18
BLANK	Skip filled	2,833		

**SEREVENT: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP04\_27

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	95.45
2	No	1	33.33	4.55
BLANK	Skip filled	2,833		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SEREVENT: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1230

Type: NUM

SAS Variable Name: ILP05\_27

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	2,833		

**SEREVENT: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1231

Type: NUM

SAS Variable Name: ILP06\_27

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	84.18
2	No	2	66.67	15.82
BLANK	Skip filled	2,833		

**SEREVENT: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1232-1233

Type: NUM

SAS Variable Name: ILP07\_27

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	2,833		

**SEREVENT: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1234-1236

Type: NUM

SAS Variable Name: ILP08\_27

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	2	66.67	88.74
666	Less often than once a week	1	33.33	11.26
BLANK	Skip filled	2,833		

**SEREVENT: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1237-1238

Type: NUM

SAS Variable Name: ILP10\_27

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TERBUTALINE (+ T. SULFATE): SIZE**

Survey: CHILD Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP01\_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TERBUTALINE (+ T. SULFATE): HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1240

Type: NUM

SAS Variable Name: ILP02\_28

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1241

Type: NUM

SAS Variable Name: ILP03\_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TERBUTALINE (+ T. SULFATE): WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP04\_28

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1243

Type: NUM

SAS Variable Name: ILP05\_28

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1244

Type: NUM

SAS Variable Name: ILP06\_28

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TERBUTALINE (+ T. SULFATE): NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1245-1246

Type: NUM

SAS Variable Name: ILP07\_28

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1247-1249

Type: NUM

SAS Variable Name: ILP08\_28

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1250-1251

Type: NUM

SAS Variable Name: ILP10\_28

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TILADE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP01\_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TILADE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP02\_29

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TILADE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP03\_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**TILADE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP04\_29

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	2,835		

**TILADE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1256

Type: NUM

SAS Variable Name: ILP05\_29

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**TILADE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1257

Type: NUM

SAS Variable Name: ILP06\_29

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	2,835		

**TILADE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1258-1259

Type: NUM

SAS Variable Name: ILP07\_29

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	2,835		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TILADE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1260-1262

Type: NUM

SAS Variable Name: ILP08\_29

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	2,835		

**TILADE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1263-1264

Type: NUM

SAS Variable Name: ILP10\_29

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TORNALATE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP01\_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TORNALATE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP02\_30

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TORNALATE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1267

Type: NUM

SAS Variable Name: ILP03\_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TORNALATE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1268

Type: NUM

SAS Variable Name: ILP04\_30

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TORNALATE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1269

Type: NUM

SAS Variable Name: ILP05\_30

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TORNALATE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1270

Type: NUM

SAS Variable Name: ILP06\_30

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TORNALATE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1271-1272

Type: NUM

SAS Variable Name: ILP07\_30

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TORNALATE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1273-1275

Type: NUM

SAS Variable Name: ILP08\_30

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TORNALATE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1276-1277

Type: NUM

SAS Variable Name: ILP10\_30

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TRIAMCINOLONE ACETONIDE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1278

Type: NUM

SAS Variable Name: ILP01\_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TRIAMCINOLONE ACETONIDE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP02\_31

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP03\_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TRIAMCINOLONE ACETONIDE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP04\_31

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1282

Type: NUM

SAS Variable Name: ILP05\_31

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1283

Type: NUM

SAS Variable Name: ILP06\_31

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TRIAMCINOLONE ACETONIDE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1284-1285

Type: NUM

SAS Variable Name: ILP07\_31

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1286-1288

Type: NUM

SAS Variable Name: ILP08\_31

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1289-1290

Type: NUM

SAS Variable Name: ILP10\_31

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**VANCERIL: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP01\_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**VANCERIL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP02\_32

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**VANCERIL: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP03\_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**VANCERIL: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP04\_32

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**VANCERIL: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1295

Type: NUM

SAS Variable Name: ILP05\_32

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**VANCERIL: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1296

Type: NUM

SAS Variable Name: ILP06\_32

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**VANCERIL: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1297-1298

Type: NUM

SAS Variable Name: ILP07\_32

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**VANCERIL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1299-1301

Type: NUM

SAS Variable Name: ILP08\_32

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**VANCERIL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1302-1303

Type: NUM

SAS Variable Name: ILP10\_32

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**VENTOLIN: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1304

Type: NUM

SAS Variable Name: ILP01\_33

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	4	6.15	1.01
2	100 puffs	2	3.08	0.65
3	200 puffs	37	56.92	60.11
4	Other number of puffs	11	16.92	14.37
7	Don't know/Not sure	11	16.92	23.86
BLANK	Skip filled	2,771		

**VENTOLIN: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP02\_33

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	19	29.23	27.16
2	6 months to 1 year	15	23.08	10.37
3	Longer than 1 year	29	44.62	46.84
7	Don't know/Not sure	2	3.08	15.62
BLANK	Skip filled	2,771		

**VENTOLIN: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP03\_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	52.31	54.15
2	No	29	44.62	30.30
7	Don't know/Not sure	2	3.08	15.56
BLANK	Skip filled	2,771		

**VENTOLIN: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP04\_33

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	83.08	73.40
2	No	7	10.77	6.92
3	No attack in past 3 months	2	3.08	4.01
7	Don't know/Not sure	2	3.08	15.67
BLANK	Skip filled	2,771		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**VENTOLIN: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: ILP05\_33

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	53.85	48.78
2	No	28	43.08	35.60
3	Didn't exercise in past 3 months	1	1.54	0.28
7	Don't know/Not sure	1	1.54	15.34
BLANK	Skip filled	2,771		

**VENTOLIN: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1309

Type: NUM

SAS Variable Name: ILP06\_33

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	29.23	29.08
2	No	46	70.77	70.92
BLANK	Skip filled	2,771		

**VENTOLIN: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1310-1311

Type: NUM

SAS Variable Name: ILP07\_33

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	65	100.00	100.00
BLANK	Skip filled	2,771		

**VENTOLIN: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1312-1314

Type: NUM

SAS Variable Name: ILP08\_33

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	23	35.38	27.71
401 - 499	Weeks	22	33.85	21.64
666	Less often than once a week	18	27.69	46.43
777	Don't know	2	3.08	4.22
BLANK	Skip filled	2,771		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**VENTOLIN: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1315-1316

Type: NUM

SAS Variable Name: ILP10\_33

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	42	64.62	53.00
77	Don't know	2	3.08	0.62
88	None/Less than 1 full canister	21	32.31	46.38
BLANK	Skip filled	2,771		

**FORADIL: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP01\_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FORADIL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP02\_34

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	30.52
2	6 months to 1 year	1	50.00	69.48
BLANK	Skip filled	2,834		

**FORADIL: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: ILP03\_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	30.52
2	No	1	50.00	69.48
BLANK	Skip filled	2,834		

**FORADIL: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP04\_34

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	2,834		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FORADIL: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1321

Type: NUM

SAS Variable Name: ILP05\_34

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	69.48
3	Didn't exercise in past 3 months	1	50.00	30.52
BLANK	Skip filled	2,834		

**FORADIL: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1322

Type: NUM

SAS Variable Name: ILP06\_34

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	69.48
2	No	1	50.00	30.52
BLANK	Skip filled	2,834		

**FORADIL: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1323-1324

Type: NUM

SAS Variable Name: ILP07\_34

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	2,834		

**FORADIL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1325-1327

Type: NUM

SAS Variable Name: ILP08\_34

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	69.48
666	Less often than once a week	1	50.00	30.52
BLANK	Skip filled	2,834		

**FORADIL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1328-1329

Type: NUM

SAS Variable Name: ILP10\_34

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FORMOTEROL: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: ILP01\_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FORMOTEROL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: ILP02\_35

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FORMOTEROL: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: ILP03\_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FORMOTEROL: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: ILP04\_35

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FORMOTEROL: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: ILP05\_35

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FORMOTEROL: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: ILP06\_35

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FORMOTEROL: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1336-1337

Type: NUM

SAS Variable Name: ILP07\_35

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FORMOTEROL: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1338-1340

Type: NUM

SAS Variable Name: ILP08\_35

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**FORMOTEROL: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1341-1342

Type: NUM

SAS Variable Name: ILP10\_35

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**QVAR: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: ILP01\_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**QVAR: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: ILP02\_36

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	9	23.68	11.28
2	6 months to 1 year	9	23.68	24.31
3	Longer than 1 year	20	52.63	64.41
BLANK	Skip filled	2,798		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**QVAR: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: ILP03\_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	65.79	73.78
2	No	13	34.21	26.22
BLANK	Skip filled	2,798		

**QVAR: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: ILP04\_36

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	47.37	66.21
2	No	19	50.00	33.03
3	No attack in past 3 months	1	2.63	0.76
BLANK	Skip filled	2,798		

**QVAR: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: ILP05\_36

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	21.05	23.97
2	No	29	76.32	75.62
3	Didn't exercise in past 3 months	1	2.63	0.41
BLANK	Skip filled	2,798		

**QVAR: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: ILP06\_36

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	81.58	86.99
2	No	7	18.42	13.01
BLANK	Skip filled	2,798		

**QVAR: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1349-1350

Type: NUM

SAS Variable Name: ILP07\_36

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	38	100.00	100.00
BLANK	Skip filled	2,798		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**QVAR: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1351-1353

Type: NUM

SAS Variable Name: ILP08\_36

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399		28	73.68	77.75
401 - 499	Weeks	6	15.79	13.48
555	Never	1	2.63	1.61
666	Less often than once a week	1	2.63	1.22
777	Don't know	2	5.26	5.94
BLANK	Skip filled	2,798		

**QVAR: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1354-1355

Type: NUM

SAS Variable Name: ILP10\_36

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**LEVALBUTEROL TARTRATE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: ILP01\_37

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**LEVALBUTEROL TARTRATE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: ILP02\_37

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**LEVALBUTEROL TARTRATE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: ILP03\_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**LEVALBUTEROL TARTRATE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: ILP04\_37

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**LEVALBUTEROL TARTRATE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: ILP05\_37

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**LEVALBUTEROL TARTRATE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: ILP06\_37

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**LEVALBUTEROL TARTRATE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1362-1363

Type: NUM

SAS Variable Name: ILP07\_37

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1364-1366

Type: NUM

SAS Variable Name: ILP08\_37

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1367-1368

Type: NUM

SAS Variable Name: ILP10\_37

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**XOPENEX HFA: SIZE**

**Survey:** CHILD Asthma Call-Back

**Column:** 1369

**Type:** NUM

**SAS Variable Name:** ILP01\_38

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**XOPENEX HFA: HOW LONG USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1370

**Type:** NUM

**SAS Variable Name:** ILP02\_38

**Prologue:**

**Description:** Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	9	12.86	9.81
2	6 months to 1 year	12	17.14	19.37
3	Longer than 1 year	49	70.00	70.82
BLANK	Skip filled	2,766		

**XOPENEX HFA: WHETHER SPACER USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1371

**Type:** NUM

**SAS Variable Name:** ILP03\_38

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	49	70.00	69.20
2	No	21	30.00	30.80
BLANK	Skip filled	2,766		

**XOPENEX HFA: WHEN ATTACK**

**Survey:** CHILD Asthma Call-Back

**Column:** 1372

**Type:** NUM

**SAS Variable Name:** ILP04\_38

**Prologue:**

**Description:** Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	61	87.14	89.05
2	No	4	5.71	4.32
3	No attack in past 3 months	5	7.14	6.63
BLANK	Skip filled	2,766		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**XOPENEX HFA: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: ILP05\_38

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	31.43	23.67
2	No	46	65.71	72.21
3	Didn't exercise in past 3 months	1	1.43	3.94
7	Don't know/Not sure	1	1.43	0.18
BLANK	Skip filled	2,766		

**XOPENEX HFA: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1374

Type: NUM

SAS Variable Name: ILP06\_38

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	17.14	22.90
2	No	58	82.86	77.10
BLANK	Skip filled	2,766		

**XOPENEX HFA: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1375-1376

Type: NUM

SAS Variable Name: ILP07\_38

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	69	98.57	98.20
77	Don't know	1	1.43	1.80
BLANK	Skip filled	2,766		

**XOPENEX HFA: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1377-1379

Type: NUM

SAS Variable Name: ILP08\_38

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	22	31.43	36.80
401 - 499	Weeks	22	31.43	24.51
666	Less often than once a week	25	35.71	38.31
777	Don't know	1	1.43	0.37
BLANK	Skip filled	2,766		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**XOPENEX HFA: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1380-1381

Type: NUM

SAS Variable Name: ILP10\_38

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	44	62.86	61.44
77	Don't know	2	2.86	0.43
88	None/Less than 1 full canister	24	34.29	38.13
BLANK	Skip filled	2,766		

**MOMETASONE FUROATE: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: ILP01\_39

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**MOMETASONE FUROATE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: ILP02\_39

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**MOMETASONE FUROATE: WHETHER SPACER USED**

Survey: CHILD Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: ILP03\_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**MOMETASONE FUROATE: WHEN ATTACK**

Survey: CHILD Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: ILP04\_39

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MOMETASONE FUROATE: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: ILP05\_39

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**MOMETASONE FUROATE: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: ILP06\_39

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**MOMETASONE FUROATE: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1388-1389

Type: NUM

SAS Variable Name: ILP07\_39

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**MOMETASONE FUROATE: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1390-1392

Type: NUM

SAS Variable Name: ILP08\_39

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**MOMETASONE FUROATE: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1393-1394

Type: NUM

SAS Variable Name: ILP10\_39

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASMANEX (TWISTHALER): SIZE**

Survey: CHILD Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: ILP01\_40

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ASMANEX (TWISTHALER): HOW LONG USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1396

**Type:** NUM

**SAS Variable Name:** ILP02\_40

**Prologue:**

**Description:** Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	16.67	36.58
2	6 months to 1 year	7	23.33	19.27
3	Longer than 1 year	17	56.67	44.01
7	Don't know/Not sure	1	3.33	0.15
BLANK	Skip filled	2,806		

**ASMANEX (TWISTHALER): WHETHER SPACER USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1397

**Type:** NUM

**SAS Variable Name:** ILP03\_40

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASMANEX (TWISTHALER): WHEN ATTACK**

**Survey:** CHILD Asthma Call-Back

**Column:** 1398

**Type:** NUM

**SAS Variable Name:** ILP04\_40

**Prologue:**

**Description:** Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	20.00	12.75
2	No	20	66.67	84.90
3	No attack in past 3 months	4	13.33	2.35
BLANK	Skip filled	2,806		

**ASMANEX (TWISTHALER): BEFORE EXERCISING**

**Survey:** CHILD Asthma Call-Back

**Column:** 1399

**Type:** NUM

**SAS Variable Name:** ILP05\_40

**Prologue:**

**Description:** Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	10.00	17.23
2	No	26	86.67	79.95
3	Didn't exercise in past 3 months	1	3.33	2.82
BLANK	Skip filled	2,806		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ASMANEX (TWISTHALER): REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1400

Type: NUM

SAS Variable Name: ILP06\_40

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	86.67	86.69
2	No	4	13.33	13.31
BLANK	Skip filled	2,806		

**ASMANEX (TWISTHALER): NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1401-1402

Type: NUM

SAS Variable Name: ILP07\_40

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	30	100.00	100.00
BLANK	Skip filled	2,806		

**ASMANEX (TWISTHALER): TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1403-1405

Type: NUM

SAS Variable Name: ILP08\_40

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	22	73.33	46.45
401 - 499	Weeks	5	16.67	47.25
666	Less often than once a week	3	10.00	6.30
BLANK	Skip filled	2,806		

**ASMANEX (TWISTHALER): NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1406-1407

Type: NUM

SAS Variable Name: ILP10\_40

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PRO-AIR HFA: SIZE**

Survey: CHILD Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: ILP01\_41

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PRO-AIR HFA: HOW LONG USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1409

**Type:** NUM

**SAS Variable Name:** ILP02\_41

**Prologue:**

**Description:** Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	35	26.32	29.15
2	6 months to 1 year	20	15.04	11.02
3	Longer than 1 year	78	58.65	59.83
BLANK	Skip filled	2,703		

**PRO-AIR HFA: WHETHER SPACER USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1410

**Type:** NUM

**SAS Variable Name:** ILP03\_41

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	61	45.86	50.26
2	No	71	53.38	49.66
3	Medication is a disk inhaler, not a canister inhaler	1	0.75	0.08
BLANK	Skip filled	2,703		

**PRO-AIR HFA: WHEN ATTACK**

**Survey:** CHILD Asthma Call-Back

**Column:** 1411

**Type:** NUM

**SAS Variable Name:** ILP04\_41

**Prologue:**

**Description:** Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	115	86.47	87.34
2	No	8	6.02	9.25
3	No attack in past 3 months	9	6.77	3.28
7	Don't know/Not sure	1	0.75	0.14
BLANK	Skip filled	2,703		

**PRO-AIR HFA: BEFORE EXERCISING**

**Survey:** CHILD Asthma Call-Back

**Column:** 1412

**Type:** NUM

**SAS Variable Name:** ILP05\_41

**Prologue:**

**Description:** Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	69	51.88	32.76
2	No	62	46.62	66.33
3	Didn't exercise in past 3 months	2	1.50	0.91
BLANK	Skip filled	2,703		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PRO-AIR HFA: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1413

Type: NUM

SAS Variable Name: ILP06\_41

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	24.06	27.89
2	No	101	75.94	72.11
BLANK	Skip filled	2,703		

**PRO-AIR HFA: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1414-1415

Type: NUM

SAS Variable Name: ILP07\_41

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	132	99.25	99.91
77	Don't know	1	0.75	0.09
BLANK	Skip filled	2,703		

**PRO-AIR HFA: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1416-1418

Type: NUM

SAS Variable Name: ILP08\_41

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	40	30.08	32.21
401 - 499	Weeks	50	37.59	29.98
555	Never	2	1.50	1.73
666	Less often than once a week	35	26.32	28.68
777	Don't know	5	3.76	3.52
999	Refused	1	0.75	3.88
BLANK	Skip filled	2,703		

**PRO-AIR HFA: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1419-1420

Type: NUM

SAS Variable Name: ILP10\_41

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	98	73.68	85.78
77	Don't know	3	2.26	3.87
88	None/Less than 1 full canister	32	24.06	10.35
BLANK	Skip filled	2,703		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYMBICORT: SIZE**

**Survey:** CHILD Asthma Call-Back

**Column:** 1421

**Type:** NUM

**SAS Variable Name:** ILP01\_42

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**SYMBICORT: HOW LONG USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1422

**Type:** NUM

**SAS Variable Name:** ILP02\_42

**Prologue:**

**Description:** Q8.12 How long has [he/she] been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	6	30.00	34.95
2	6 months to 1 year	8	40.00	15.10
3	Longer than 1 year	6	30.00	49.95
BLANK	Skip filled	2,816		

**SYMBICORT: WHETHER SPACER USED**

**Survey:** CHILD Asthma Call-Back

**Column:** 1423

**Type:** NUM

**SAS Variable Name:** ILP03\_42

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	40.00	38.51
2	No	11	55.00	59.08
7	Don't know/Not sure	1	5.00	2.41
BLANK	Skip filled	2,816		

**SYMBICORT: WHEN ATTACK**

**Survey:** CHILD Asthma Call-Back

**Column:** 1424

**Type:** NUM

**SAS Variable Name:** ILP04\_42

**Prologue:**

**Description:** Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	30.00	49.65
2	No	10	50.00	25.31
3	No attack in past 3 months	3	15.00	22.63
7	Don't know/Not sure	1	5.00	2.41
BLANK	Skip filled	2,816		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYMBICORT: BEFORE EXERCISING**

Survey: CHILD Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: ILP05\_42

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	35.00	48.93
2	No	13	65.00	51.07
BLANK	Skip filled	2,816		

**SYMBICORT: REGULAR SCHEDULE**

Survey: CHILD Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: ILP06\_42

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	95.00	94.71
2	No	1	5.00	5.29
BLANK	Skip filled	2,816		

**SYMBICORT: NUMBER OF PUFFS**

Survey: CHILD Asthma Call-Back

Column: 1427-1428

Type: NUM

SAS Variable Name: ILP07\_42

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	19	95.00	99.03
77	Don't know	1	5.00	0.97
BLANK	Skip filled	2,816		

**SYMBICORT: TIMES PER DAY/WEEK**

Survey: CHILD Asthma Call-Back

Column: 1429-1431

Type: NUM

SAS Variable Name: ILP08\_42

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	85.00	87.25
401 - 499	Weeks	2	10.00	8.73
666	Less often than once a week	1	5.00	4.02
BLANK	Skip filled	2,816		

**SYMBICORT: NUMBER OF CANISTERS**

Survey: CHILD Asthma Call-Back

Column: 1432-1433

Type: NUM

SAS Variable Name: ILP10\_42

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL ACCOLATE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1434

Type: NUM

SAS Variable Name: PILLX\_1

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL AEROLATE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1435

Type: NUM

SAS Variable Name: PILLX\_2

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	2,835		

**PILL ALBUTEROL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1436

Type: NUM

SAS Variable Name: PILLX\_3

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL ALUPENT: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1437

Type: NUM

SAS Variable Name: PILLX\_4

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	2,835		

**PILL CHOLEDYL (OXTRIPHYLLINE): HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1438

Type: NUM

SAS Variable Name: PILLX\_5

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL DELTASONE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1439

Type: NUM

SAS Variable Name: PILLX\_7

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL ELIXOPHYLLIN: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1440

Type: NUM

SAS Variable Name: PILLX\_8

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL MEDROL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1441

Type: NUM

SAS Variable Name: PILLX\_11

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	2,835		

**PILL METAPREL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1442

Type: NUM

SAS Variable Name: PILLX\_12

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL METAPROTERONOL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1443

Type: NUM

SAS Variable Name: PILLX\_13

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL METHYLPREDNISOLONE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1444

Type: NUM

SAS Variable Name: PILLX\_14

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL MONTELUKAST: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1445

Type: NUM

SAS Variable Name: PILLX\_15

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL PEDIAPRED: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1446

Type: NUM

SAS Variable Name: PILLX\_17

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL PREDNISOLONE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1447

Type: NUM

SAS Variable Name: PILLX\_18

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	2,835		

**PILL PREDNISONE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1448

Type: NUM

SAS Variable Name: PILLX\_19

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	15	45.45	65.79
3	Longer than 1 year	18	54.55	34.21
BLANK	Skip filled	2,803		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL PROVENTIL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1449

Type: NUM

SAS Variable Name: PILLX\_21

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	2,835		

**PILL RESPID: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1450

Type: NUM

SAS Variable Name: PILLX\_23

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL SINGULAIR: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1451

Type: NUM

SAS Variable Name: PILLX\_24

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	49	13.42	13.63
2	6 months to 1 year	32	8.77	7.02
3	Longer than 1 year	282	77.26	79.12
7	Don't know/Not sure	2	0.55	0.23
BLANK	Skip filled	2,471		

**PILL SLO-PHYLLIN: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1452

Type: NUM

SAS Variable Name: PILLX\_25

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL SLO-BID: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1453

Type: NUM

SAS Variable Name: PILLX\_26

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL THEO-24: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1454

Type: NUM

SAS Variable Name: PILLX\_28

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL THEOCHRON: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1455

Type: NUM

SAS Variable Name: PILLX\_30

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL THEOCLEAR: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1456

Type: NUM

SAS Variable Name: PILLX\_31

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL THEODUR: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1457

Type: NUM

SAS Variable Name: PILLX\_32

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL THEO-DUR: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1458

Type: NUM

SAS Variable Name: PILLX\_33

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL THEOPHYLLINE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1459

Type: NUM

SAS Variable Name: PILLX\_35

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL THEOSPAN: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1460

Type: NUM

SAS Variable Name: PILLX\_37

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL T-PHYL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1461

Type: NUM

SAS Variable Name: PILLX\_40

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL UNIPHYL: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1462

Type: NUM

SAS Variable Name: PILLX\_42

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL VENTOLIN: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1463

Type: NUM

SAS Variable Name: PILLX\_43

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL VOLMAX: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1464

Type: NUM

SAS Variable Name: PILLX\_44

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL ZAFIRLUKAST: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1465

Type: NUM

SAS Variable Name: PILLX\_45

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL ZILEUTON: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1466

Type: NUM

SAS Variable Name: PILLX\_46

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL ZYFLO FILMTAB: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1467

Type: NUM

SAS Variable Name: PILLX\_47

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**PILL TERBUTALINE (+ T. SULFATE): HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1468

Type: NUM

SAS Variable Name: PILLX\_48

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL BRETHINE: HOW LONG USED**

Survey: CHILD Asthma Call-Back

Column: 1469

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Type: NUM

SAS Variable Name: PILLX\_49

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	2,836		

**INTERIM CHILD ASTHMA CALL-BACK WEIGHT**

Survey: CHILD Asthma Call-Back

Column: 1470-1479

Prologue:

Description: INTERIM CHILD ASTHMA CALL-BACK WEIGHT

Type: NUM

SAS Variable Name: CWEIGHT\_IN

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim child asthma call-back weight	2,836	100.00	100.00

**CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR**

Survey: CHILD Asthma Call-Back

Column: 1480-1489

Prologue:

Description: CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM

SAS Variable Name: CPOST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child asthma call-back post stratification factor	2,836	100.00	100.00

**REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.**

Survey: CHILD Asthma Call-Back

Column: 1490

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Type: NUM

SAS Variable Name: REGION\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	1,356	100.00	100.00
BLANK	No region collapsed	1,480		

**CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION**

Survey: CHILD Asthma Call-Back

Column: 1491

Prologue:

Description: CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION

Type: NUM

SAS Variable Name: CRACEG\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	1,016	100.00	100.00
BLANK	Missing	1,820		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**IMPUTED CHILD AGE FOR ASTHMA CALL-BACK**

Survey: CHILD Asthma Call-Back

Column: 1493-1495

Prologue:

Description: IMPUTED CHILD AGE FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: \_CIMPAGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child age in years, combined, imputed and reported	2,836	100.00	100.00

**FINAL CHILD ASTHMA CALL-BACK WEIGHT**

Survey: CHILD Asthma Call-Back

Column: 1496-1505

Prologue:

Description: FINAL CHILD ASTHMA CALL-BACK WEIGHT

Type: NUM  
SAS Variable Name: CHILDWT\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final child asthma call-back weight	2,836	100.00	100.00

**CHILD ASTHMA CALL-BACK AGE GROUPS**

Survey: CHILD Asthma Call-Back

Column: 1506

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM  
SAS Variable Name: CAGEG\_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 4	379	13.37	17.53
2	Age 5 - 9	691	24.37	32.34
3	Age 10 - 14	964	34.00	29.94
4	Age 15 - 17	801	28.25	20.19
BLANK	Missing	1		

**CHILD ASTHMA CALL-BACK AGE GROUPS**

Survey: CHILD Asthma Call-Back

Column: 1507

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM  
SAS Variable Name: CAGEG\_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 6	566	21.40	28.77
2	Age 7 - 12	968	36.60	41.04
3	age 13 - 17	1,111	42.00	30.18
BLANK	Missing	191		

**CHILD ASTHMA CALL-BACK AGE GROUPS**

Survey: CHILD Asthma Call-Back

Column: 1508

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM  
SAS Variable Name: CAGEG\_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 9	507	40.56	52.68
2	Age 10 - 17	743	59.44	47.32
BLANK	Missing	1,586		

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**CHILD ASTHMA CALL-BACK AGE GROUPS**

**Survey:** CHILD Asthma Call-Back

**Column:** 1509

**Prologue:**

**Description:** CHILD ASTHMA CALL-BACK AGE GROUPS

**Type:** NUM  
**SAS Variable Name:** CAGEG\_F1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 17	169	100.00	100.00
BLANK	Missing	2,667		