

United States

2010 Codebook Report

ADULT Asthma Call-Back Survey

November 30, 2012



**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

STATE FIPS CODE

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM
SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	394	2.22	1.53
4	Arizona	393	2.21	2.86
6	California	680	3.83	13.21
9	Connecticut	354	1.99	1.53
11	District of Columbia	214	1.21	0.29
12	Florida	600	3.38	7.04
13	Georgia	232	1.31	3.15
15	Hawaii	453	2.55	0.65
17	Illinois	227	1.28	4.94
18	Indiana	667	3.76	2.55
19	Iowa	352	1.98	0.99
20	Kansas	575	3.24	1.03
22	Louisiana	266	1.50	1.44
23	Maine	655	3.69	0.61
24	Maryland	382	2.15	1.99
25	Massachusetts	298	1.68	2.93
26	Michigan	719	4.05	4.44
28	Mississippi	435	2.45	0.94
29	Missouri	356	2.01	2.39
30	Montana	459	2.59	0.36
31	Nebraska	826	4.65	0.61
32	Nevada	211	1.19	1.06
33	New Hampshire	376	2.12	0.57
34	New Jersey	472	2.66	3.29
35	New Mexico	460	2.59	0.81
36	New York	187	1.05	8.26
38	North Dakota	240	1.35	0.20
39	Ohio	475	2.68	4.50
40	Oklahoma	457	2.57	1.45
41	Oregon	336	1.89	1.79
42	Pennsylvania	545	3.07	4.98
44	Rhode Island	442	2.49	0.51
48	Texas	984	5.54	8.57
49	Utah	649	3.66	1.04
50	Vermont	557	3.14	0.31
53	Washington	1,045	5.89	2.99
54	West Virginia	264	1.49	0.57
55	Wisconsin	303	1.71	2.05
72	Puerto Rico	213	1.20	1.54

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,549	8.73	10.05
2	February	1,381	7.78	6.26
3	March	1,518	8.55	7.28
4	April	1,736	9.78	11.42
5	May	1,262	7.11	6.16
6	June	1,263	7.11	6.19
7	July	1,750	9.86	13.59
8	August	1,260	7.10	5.61
9	September	1,357	7.64	7.35
10	October	1,748	9.85	11.23
11	November	1,461	8.23	7.12
12	December	1,468	8.27	7.76

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,053	5.93	5.70
2	February	1,309	7.37	8.14
3	March	1,899	10.70	9.76
4	April	1,382	7.78	7.04
5	May	1,620	9.13	9.22
6	June	1,271	7.16	6.82
7	July	1,596	8.99	10.62
8	August	1,487	8.38	8.49
9	September	1,417	7.98	7.94
10	October	1,404	7.91	8.61
11	November	1,697	9.56	8.92
12	December	1,618	9.11	8.73

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		17,753	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2010	Interview year	16,913	95.27	95.34
2011	Interview year	840	4.73	4.66

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer Identification	17,753	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: DISPCODE_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Complete	17,672	99.54	99.14
120	Partial complete	81	0.46	0.86

ANNUAL SEQUENCE NUMBER

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		17,753	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: NATTMPTS_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Number of attempts of asthma call-back	17,753	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ARE YOU SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 40

Type: NUM

SAS Variable Name: SAMP_NAME

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17,096	96.30	95.50
2	No	657	3.70	4.50

MAY I SPEAK WITH SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: SAMP_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	657	100.00	100.00
BLANK	Not asked or missing	17,096		

CHECK CORRECT PERSON ON PHONE

Survey: ADULT Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,506	99.93	99.98
2	No	1	0.07	0.02
BLANK	Not asked or missing	16,246		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,506	100.00	100.00
BLANK	Not asked or missing	16,247		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	935	62.08	64.26
2	No	524	34.79	34.72
7	Don't know/Not sure	46	3.05	0.92
9	Refused	1	0.07	0.09
BLANK	Not asked or missing	16,247		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PERMISSION TO COMBINE THE ANSWER WITH BRFS

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,455	53.26	61.01
7	Don't know/Not sure	8,298	46.74	38.99

AGE AT ASTHMA DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	15,975	89.98	90.34
777	Don't know	1,202	6.77	5.33
888	Less than 1 year old	555	3.13	4.21
999	Refused	21	0.12	0.12

TIME SINCE DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	450	2.53	2.52
2	One to five years ago	1,682	9.47	8.93
3	More than 5 years ago	15,545	87.56	88.25
7	Don't know	64	0.36	0.24
9	Refused	12	0.07	0.05

LAST TALKED TO A DOCTOR

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	10,144	57.14	50.22
5	One year to less than 3 years ago	2,405	13.55	15.57
6	Three years to five years ago	1,107	6.24	7.17
7	More than five years ago	3,743	21.08	25.48
77	Don't know	160	0.90	0.68
88	Never	185	1.04	0.84
99	Refused	9	0.05	0.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

LAST TOOK ASTHMA MEDICATION

Survey: ADULT Asthma Call-Back

Column: 52-53

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Type: NUM

SAS Variable Name: LAST_MED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	6,350	35.77	28.08
2	1-6 days ago	1,411	7.95	8.23
3	1 week to less than 3 months ago	1,955	11.01	11.17
4	3 months to less than 1 year ago	1,538	8.66	10.26
5	1 year to less than 3 years ago	1,296	7.30	7.64
6	3 years to 5 years ago	769	4.33	5.43
7	More than 5 years ago	3,626	20.42	25.34
77	Don't know	135	0.76	0.48
88	Never	666	3.75	3.28
99	Refused	7	0.04	0.08

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: ADULT Asthma Call-Back

Column: 54-55

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Type: NUM

SAS Variable Name: LASTSYMP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	4,632	26.09	20.99
2	1-6 days ago	2,042	11.50	11.70
3	1 week to less than 3 months ago	3,398	19.14	19.18
4	3 months to less than 1 year ago	1,984	11.18	11.51
5	1 year to less than 3 years ago	1,302	7.33	8.47
6	3 years to 5 years ago	701	3.95	4.86
7	More than 5 years ago	3,219	18.13	21.24
77	Don't know	352	1.98	1.32
88	Never	108	0.61	0.64
99	Refused	15	0.08	0.10

SYMPTOM DAYS

Survey: ADULT Asthma Call-Back

Column: 56-58

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Type: NUM

SAS Variable Name: SYMP_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	6,216	35.01	34.89
30	Every day	2,906	16.37	11.68
66	No symptoms past one year, skip filled	5,330	30.02	35.20
77	Don't know	350	1.97	1.24
88	No symptoms in the past 30 days	953	5.37	5.40
99	Refused	14	0.08	0.07
100	Symptoms 3 months to 1 year ago, skip filled	1,984	11.18	11.51

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

CONSTANT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,628	9.17	7.02
2	No	1,207	6.80	4.45
6	Last symptoms one+ years ago, skip filled	5,330	30.02	35.20
7	Don't know	67	0.38	0.21
9	Refused	4	0.02	0.01
10	Last symptoms 3 months - 1 year ago, skip filled	1,984	11.18	11.51
11	No symptoms 'SYMP_30D' skip filled	953	5.37	5.40
12	1-29 'SYMP_30D' skip filled	6,216	35.01	34.89
77	Don't know 'SYMP_30D' skip filled	350	1.97	1.24
99	Refused 'SYMP_30D' skip filled	14	0.08	0.07

NIGHT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	4,123	23.22	22.39
66	No symptoms past one year, skip filled	5,330	30.02	35.20
77	Don't know	445	2.51	1.41
88	None	4,899	27.60	23.92
99	Refused	19	0.11	0.16
100	Symptoms 3 months to 1 year ago, skip filled	1,984	11.18	11.51
111	No symptoms in the past 30 days, skip filled	953	5.37	5.40

SYMPTOM-FREE DAYS

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	13,879	78.18	86.22
77	Don't know	307	1.73	0.90
88	None	3,549	19.99	12.81
99	Refused	18	0.10	0.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,706	37.77	36.32
2	No	5,533	31.17	27.82
6	No symptoms past 1 year, skip filled	5,330	30.02	35.20
7	Don't know	180	1.01	0.62
9	Refused	4	0.02	0.04

NUMBER OF EPISODES / ATTACKS

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	4,997	28.15	27.98
666	No symptoms past 1 year, skip filled	5,330	30.02	35.20
777	Don't know	478	2.69	1.71
888	None	1,217	6.86	6.51
999	Refused	14	0.08	0.11
1111	No episode/asthma attack past year, skip filled	5,717	32.20	28.48

DURATION OF ATTACK

Survey: ADULT Asthma Call-Back

Column: 71-74

Type: NUM

SAS Variable Name: DUR_ASTH

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	2,734	15.40	16.20
201 - 299	Hours	1,687	9.50	9.23
301 - 399	Days	1,374	7.74	7.02
401 - 499	Weeks	529	2.98	2.53
555	Never	9	0.05	0.08
666	No symptoms past 1 year, skip filled	5,330	30.02	35.20
777	Don't know	360	2.03	1.23
999	Refused	13	0.07	0.03
1111	No episode/asthma attack past year, skip filled	5,717	32.20	28.48

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TYPICAL ATTACK

Survey: ADULT Asthma Call-Back

Column: 75-76

Type: NUM

SAS Variable Name: COMPASTH

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	1,550	8.73	8.79
2	Longer	971	5.47	5.10
3	About the same	4,072	22.94	22.07
4	The most recent attack was actually the first attack	37	0.21	0.15
6	No symptoms past year, skip filled	5,330	30.02	35.20
7	Don't know	71	0.40	0.21
9	Refused	5	0.03	0.01
11	No episode/asthma attack past year, skip filled	5,717	32.20	28.48

INSURANCE

Survey: ADULT Asthma Call-Back

Column: 77

Type: NUM

SAS Variable Name: INS1

Prologue:

Description: QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,058	90.45	85.25
2	No	1,665	9.38	14.40
7	Don't know/Not sure	17	0.10	0.25
9	Refused	13	0.07	0.10

INSURANCE OR COVERAGE GAP

Survey: ADULT Asthma Call-Back

Column: 78

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	804	4.53	6.27
2	No	15,238	85.83	78.90
5	No insurance at time of interview, skip filled	1,665	9.38	14.40
7	Don't know	33	0.19	0.33
9	Refused	13	0.07	0.10

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: ADULT Asthma Call-Back

Column: 79-81

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	7,827	44.09	38.59
555	No current asthma, nothing happened past year, skip filled	3,525	19.86	24.36
666	No MD visit past year, skip filled	3,963	22.32	24.88
777	Don't know	257	1.45	0.87
888	None	2,165	12.20	11.22
999	Refused	16	0.09	0.08

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

EMERGENCY ROOM VISIT

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 82

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,702	9.59	9.47
2	No	8,490	47.82	40.96
5	No current asthma, nothing happened past year, skip filled	3,525	19.86	24.36
6	No MD visit past year, skip filled	3,963	22.32	24.88
7	Don't know	72	0.41	0.32
9	Refused	1	0.01	0.00

NUMBER OF EMERGENCY ROOM VISITS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 83-85

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,670	9.41	9.30
555	No current asthma, nothing happened past year, skip filled	3,525	19.86	24.36
666	No MD visit past year, skip filled	3,963	22.32	24.88
677	MD visit, no ER visit past year, skip filled	8,490	47.82	40.96
777	Don't know	97	0.55	0.46
888	None	7	0.04	0.03
999	Refused	1	0.01	0.00

NUMBER OF URGENT VISITS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 86-88

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	3,193	17.99	16.65
555	No current asthma, nothing happened past year, skip filled	3,525	19.86	24.36
666	No MD visit past year, skip filled	3,963	22.32	24.88
777	Don't know	206	1.16	0.96
888	None	6,855	38.61	33.13
999	Refused	11	0.06	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

HOSPITAL VISIT

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	586	3.30	2.31
2	No	8,542	48.12	42.15
4	MD visit, no symptoms past year, skip filled	1,083	6.10	6.01
5	No current asthma, nothing happened past year, skip filled	3,525	19.86	24.36
6	No MD visit past year, skip filled	3,963	22.32	24.88
7	Don't know	50	0.28	0.28
9	Refused	4	0.02	0.00

NUMBER OF HOSPITAL VISITS

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	571	3.22	2.27
444	MD visit, no symptoms past year, skip filled	1,083	6.10	6.01
455	MD visit, symptoms, no hospital visit past year, skip filled	8,542	48.12	42.15
555	No current asthma, nothing happened past year, skip filled	3,525	19.86	24.36
666	No MD visit past year, skip filled	3,963	22.32	24.88
777	Don't know	65	0.37	0.32
999	Refused	4	0.02	0.00

HOSPITAL FOLLOW-UP

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	429	2.42	1.72
2	No	151	0.85	0.59
4	MD visit, no symptoms past year, skip filled	1,083	6.10	6.01
5	No current asthma, nothing happened past year, skip filled	3,525	19.86	24.36
6	No MD visit past year, skip filled	3,963	22.32	24.88
7	Don't know	56	0.32	0.28
9	Refused	4	0.02	0.00
45	MD visit, symptoms, no hospital visit past year, skip filled	8,542	48.12	42.15

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NUMBER OF MISSED DAYS

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	4,174	23.51	22.56
555	No current asthma, nothing happened past year, skip filled	3,525	19.86	24.36
777	Don't know	758	4.27	2.69
888	Zero	9,258	52.15	50.18
999	Refused	38	0.21	0.20

ACTIVITY LIMITATION

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT_DAYS

Prologue:

Description: Q5.9 During the past 12 months, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	5,202	29.30	28.96
2	A little	5,001	28.17	28.97
3	A moderate amount	2,531	14.26	11.07
4	A lot	1,363	7.68	6.17
5	No current asthma, nothing happened past year, skip filled	3,525	19.86	24.36
7	Don't know	116	0.65	0.42
9	Refused	15	0.08	0.04

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,530	59.31	62.87
2	No	6,761	38.08	35.01
7	Don't know/Not sure	451	2.54	2.07
9	Refused	11	0.06	0.05

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,318	69.39	72.30
2	No	5,026	28.31	25.43
7	Don't know/Not sure	398	2.24	2.21
9	Refused	11	0.06	0.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: ADULT Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,641	37.41	38.77
2	No	10,883	61.30	59.98
7	Don't know/Not sure	218	1.23	1.18
9	Refused	11	0.06	0.06

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: ADULT Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,110	23.15	23.55
2	No	13,241	74.58	73.85
7	Don't know/Not sure	397	2.24	2.57
9	Refused	5	0.03	0.04

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: ADULT Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,450	8.17	8.22
2	No	16,250	91.53	91.56
7	Don't know/Not sure	48	0.27	0.19
9	Refused	5	0.03	0.03

AIR CLEANER USED

Survey: ADULT Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,832	27.22	26.63
2	No	12,801	72.11	72.46
7	Don't know/Not sure	117	0.66	0.86
9	Refused	3	0.02	0.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

DEHUMIDIFIER USED

Survey: ADULT Asthma Call-Back

Column: 105

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Type: NUM

SAS Variable Name: DEHUMID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,052	22.82	23.05
2	No	13,645	76.86	76.54
7	Don't know/Not sure	45	0.25	0.29
9	Refused	11	0.06	0.11

EXHAUST FAN USED

Survey: ADULT Asthma Call-Back

Column: 106

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Type: NUM

SAS Variable Name: KITC_FAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,200	57.46	59.76
2	No	7,474	42.10	39.92
7	Don't know/Not sure	70	0.39	0.28
9	Refused	9	0.05	0.05

GAS USED

Survey: ADULT Asthma Call-Back

Column: 107

Prologue:

Description: Q7.4 Is gas used for cooking?

Type: NUM

SAS Variable Name: COOK_GAS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,915	38.95	46.04
2	No	10,823	60.96	53.80
7	Don't know/Not sure	10	0.06	0.12
9	Refused	5	0.03	0.04

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 108

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Type: NUM

SAS Variable Name: ENV_MOLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,821	10.26	10.04
2	No	15,819	89.11	89.15
7	Don't know/Not sure	107	0.60	0.74
9	Refused	6	0.03	0.08

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

INDOOR PETS

Survey: ADULT Asthma Call-Back

Column: 109

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Type: NUM

SAS Variable Name: ENV_PETS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,787	55.13	59.93
2	No	7,959	44.83	40.02
7	Don't know/Not sure	3	0.02	0.00
9	Refused	4	0.02	0.04

PETS ALLOWED IN BEDROOM

Survey: ADULT Asthma Call-Back

Column: 110

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Type: NUM

SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,511	42.31	44.07
2	No	2,209	12.44	15.39
3	Some are/some aren't	64	0.36	0.48
6	No pets, skip coded	7,966	44.87	40.07
7	Don't know	2	0.01	0.00
9	Refused	1	0.01	0.00

SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 112

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Type: NUM

SAS Variable Name: C_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,591	8.96	10.61
2	No	16,125	90.83	89.11
7	Don't know/Not sure	34	0.19	0.25
9	Refused	3	0.02	0.04

SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 113

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Type: NUM

SAS Variable Name: C_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,230	6.93	5.90
2	No	16,504	92.96	94.05
7	Don't know/Not sure	15	0.08	0.02
9	Refused	4	0.02	0.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FIREPLACE OR WOOD STOVE USED

Survey: ADULT Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: WOOD_STOVE

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,112	17.53	17.22
2	No	14,631	82.41	82.73
7	Don't know/Not sure	6	0.03	0.01
9	Refused	4	0.02	0.04

GAS APPLIANCE USED

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,179	6.64	6.70
2	No	16,481	92.84	92.85
7	Don't know/Not sure	88	0.50	0.42
9	Refused	5	0.03	0.04

ANYONE SMOKED INSIDE YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,588	14.58	14.73
2	No	15,153	85.35	85.21
7	Don't know/Not sure	8	0.05	0.03
9	Refused	4	0.02	0.04

EVER ADVISED CHANGE THINGS IN YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,894	33.20	35.68
2	No	11,708	65.95	63.53
7	Don't know/Not sure	145	0.82	0.75
9	Refused	6	0.03	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

USE A MATTRESS COVER

Survey: ADULT Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,307	29.89	29.37
2	No	12,000	67.59	68.65
7	Don't know/Not sure	442	2.49	1.95
9	Refused	4	0.02	0.03

USE A PILLOW COVER

Survey: ADULT Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,885	27.52	25.80
2	No	12,605	71.00	72.90
7	Don't know/Not sure	260	1.46	1.26
9	Refused	3	0.02	0.03

CARPETING OR RUGS IN YOUR BEDROOM

Survey: ADULT Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,427	70.00	66.73
2	No	5,317	29.95	33.20
7	Don't know/Not sure	5	0.03	0.03
9	Refused	4	0.02	0.04

WASH WATER TEMPERATURE

Survey: ADULT Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	4,410	24.84	25.64
2	Warm	5,829	32.83	32.36
3	Hot	6,536	36.82	36.24
4	Varies	559	3.15	3.02
7	Don't know/Not sure	410	2.31	2.69
9	Refused	9	0.05	0.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

USE AN EXHAUST FAN IN YOUR BATHROOM

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,347	58.28	58.99
2	No or "No Fan"	7,285	41.04	40.45
7	Don't know/Not sure	113	0.64	0.47
9	Refused	8	0.05	0.09

EVER USED OVER-THE-COUNTER MEDICATION

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,789	26.98	28.14
2	No	12,104	68.18	67.71
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know	191	1.08	0.84
9	Refused	3	0.02	0.03

EVER USED PRESCRIPTION INHALER

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,831	89.17	90.06
2	No	1,212	6.83	6.27
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know	41	0.23	0.35
9	Refused	3	0.02	0.03

PROFESSIONAL INHALER INSTRUCTION

Survey: ADULT Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14,991	84.44	85.98
2	No	763	4.30	3.67
5	Never took asthma medication, skip filled	666	3.75	3.28
6	Never used prescription inhaler, skip filled	1,256	7.07	6.66
7	Don't know	77	0.43	0.41

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

INHALER USE WATCHED

Survey: ADULT Asthma Call-Back

Column: 127

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Type: NUM

SAS Variable Name: INHALERW

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,700	65.90	68.36
2	No	3,481	19.61	18.19
5	Never took asthma medication, skip filled	666	3.75	3.28
6	Never used prescription inhaler, skip filled	1,256	7.07	6.66
7	Don't know	650	3.66	3.51

MEDICATION IN HAND

Survey: ADULT Asthma Call-Back

Column: 128

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Type: NUM

SAS Variable Name: SCR_MED1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,889	33.17	27.99
2	No	445	2.51	2.16
3	Respondent knows the meds	3,310	18.64	17.05
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know	31	0.17	0.09
9	Refused	41	0.23	0.19

HAVE ALL THE MEDICATIONS

Survey: ADULT Asthma Call-Back

Column: 130-131

Prologue:

Description: Q8.7 Do you have all the medications?

Type: NUM

SAS Variable Name: SCR_MED3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	5,566	31.35	25.86
2	Yes, I have some of the medications but not all	220	1.24	1.05
3	No	90	0.51	0.75
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know	13	0.07	0.34
10	Know or no handy asthma medicines, skip filled	3,827	21.56	19.49

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	8,782	49.47	43.43
2	No inhaler in past 3 months	758	4.27	3.31
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
6	Asthma med. past 3 months, never used inhaler, skip filled	160	0.90	0.68
7	Don't know	15	0.08	0.03
9	Refused	1	0.01	0.02

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	2,371	13.36	11.16
2	No pills in past 3 months	7,262	40.91	36.10
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know	81	0.46	0.21
9	Refused	2	0.01	0.01

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	108	0.61	0.73
2	No syrup in past 3 months	9,584	53.99	46.68
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know	23	0.13	0.06
9	Refused	1	0.01	0.00

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	2,435	13.72	11.35
2	No nebulizer in past 3 months	7,261	40.90	36.07
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know	18	0.10	0.05
9	Refused	2	0.01	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEBULIZER AT HOME

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,257	12.71	10.32
2	No	177	1.00	1.03
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know/Not sure	1	0.01	0.00
8	No neb. in past 3 months, skip filled	7,281	41.01	36.13

NEBULIZER AT DOCTOR'S OFFICE

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	703	3.96	4.08
2	No	1,729	9.74	7.26
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know/Not sure	3	0.02	0.00
8	No neb. in past 3 months, skip filled	7,281	41.01	36.13

NEBULIZER IN EMERGENCY ROOM

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	672	3.79	3.19
2	No	1,754	9.88	8.15
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know/Not sure	8	0.05	0.01
8	No neb. in past 3 months, skip filled	7,281	41.01	36.13
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEBULIZER AT WORK OR SCHOOL

Survey: ADULT Asthma Call-Back

Column: 139

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Type: NUM

SAS Variable Name: NEB_PLCD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	168	0.95	1.01
2	No	2,262	12.74	10.33
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know/Not sure	2	0.01	0.00
8	No neb. in past 3 months, skip filled	7,281	41.01	36.13
9	Refused	3	0.02	0.00

NEBULIZER AT ANY OTHER PLACE

Survey: ADULT Asthma Call-Back

Column: 140

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Type: NUM

SAS Variable Name: NEB_PLCE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	394	2.22	1.82
2	No	2,034	11.46	9.51
4	No asthma med. past 3 months, skip filled	7,371	41.52	49.24
5	Never took asthma medication, skip filled	666	3.75	3.28
7	Don't know/Not sure	5	0.03	0.01
8	No neb. in past 3 months, skip filled	7,281	41.01	36.13
9	Refused	2	0.01	0.00

COST BARRIER: PRIMARY CARE DOCTOR

Survey: ADULT Asthma Call-Back

Column: 141

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Type: NUM

SAS Variable Name: ASMDCOST

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,355	7.65	9.57
2	No	12,703	71.74	65.48
5	No current asthma, skip filled	3,525	19.91	24.44
7	Don't know	119	0.67	0.50
9	Refused	5	0.03	0.01
BLANK	Partial complete	46		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

COST BARRIER: SPECIALIST

Survey: ADULT Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	755	4.26	5.53
2	No	13,316	75.20	69.55
5	No current asthma, skip filled	3,525	19.91	24.44
7	Don't know	106	0.60	0.47
9	Refused	5	0.03	0.01
BLANK	Partial complete	46		

COST BARRIER: MEDICATION

Survey: ADULT Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,179	12.31	13.05
2	No	11,884	67.11	62.00
5	No current asthma, skip filled	3,525	19.91	24.44
7	Don't know	114	0.64	0.50
9	Refused	5	0.03	0.01
BLANK	Partial complete	46		

CURRENT EMPLOYMENT STATUS

Survey: ADULT Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: EMP_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	5,755	32.50	39.59
2	Employed part-time	1,921	10.85	13.46
3	Not employed	9,994	56.45	46.72
7	Don't know	16	0.09	0.13
9	Refused	19	0.11	0.10
BLANK	Partial complete	48		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

REASON NOT NOW EMPLOYED

Survey: ADULT Asthma Call-Back

Column: 145-146

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Type: NUM

SAS Variable Name: UNEMP_R

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	704	3.98	5.02
2	Going to school	213	1.20	3.59
3	Retired	4,994	28.21	14.36
4	Disabled	2,243	12.67	9.62
5	Unable to work for other health reasons	659	3.72	3.27
6	Looking for work	369	2.08	4.20
7	Laid off	374	2.11	3.38
8	Other	414	2.34	3.11
66	Employed, skip filled	7,676	43.35	53.05
77	Don't know	5	0.03	0.04
88	Current employment status don't know or refused	35	0.20	0.22
99	Refused	19	0.11	0.13
BLANK	Partial complete	48		

EVER EMPLOYED OUTSIDE HOME

Survey: ADULT Asthma Call-Back

Column: 147

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Type: NUM

SAS Variable Name: EMP_EVER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,417	53.19	43.25
2	No	593	3.35	3.57
6	Employed now, skip filled	7,676	43.35	53.05
7	Don't know/Not sure	8	0.05	0.08
9	Refused	11	0.06	0.05
BLANK	Partial complete	48		

ASTHMA CAUSED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 148-149

Prologue:

Description: Q10.4 Was your asthma CAUSED by chemicals, smoke, fumes or dust in your CURRENT job?

Type: NUM

SAS Variable Name: WORKENV1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	795	4.49	4.76
2	No	6,613	37.35	46.75
6	Never employed outside home, skip filled	593	3.35	3.57
7	Don't know	266	1.50	1.55
8	Past employment unknown, skip filled	19	0.11	0.13
9	Refused	2	0.01	0.00
10	Not employed now but employed before, skip filled	9,417	53.19	43.25
BLANK	Partial complete	48		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ASTHMA AGGRAVATED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 150-151

Type: NUM

SAS Variable Name: WORKENV2

Prologue:

Description: Q10.5 Is your asthma MADE WORSE by chemicals, smoke, fumes or dust in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,656	9.38	9.68
2	No	3,922	22.20	26.55
5	No current asthma, skip filled	1,997	11.31	16.63
6	Never employed outside home, skip filled	510	2.89	2.77
7	Don't know	147	0.83	0.95
8	Past employment unknown, skip filled	12	0.07	0.04
9	Refused	3	0.02	0.01
10	Not employed now but employed before, skip filled	9,417	53.31	43.36
BLANK	Partial complete	89		

ASTHMA CAUSED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKENV3

Prologue:

Description: Q10.6 Was your asthma CAUSED by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,120	17.62	15.38
2	No	11,758	66.41	70.61
5	Caused by current job, skip filled	795	4.49	4.76
6	Never employed outside home, skip filled	593	3.35	3.57
7	Don't know	1,409	7.96	5.53
8	Past employment unknown, skip filled	19	0.11	0.13
9	Refused	11	0.06	0.02
BLANK	Partial complete	48		

ASTHMA AGGRAVATED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: WORKENV4

Prologue:

Description: Q10.7 Was your asthma MADE WORSE by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,358	30.26	26.47
2	No	10,231	57.79	62.27
5	Caused by current job, skip filled	795	4.49	4.76
6	Never employed outside home, skip filled	593	3.35	3.57
7	Don't know	698	3.94	2.78
8	Past employment unknown, skip filled	19	0.11	0.13
9	Refused	11	0.06	0.02
BLANK	Partial complete	48		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

EVER CHANGE OR QUIT A JOB

Survey: ADULT Asthma Call-Back

Column: 154-155

Type: NUM

SAS Variable Name: WORKQUIT

Prologue:

Description: Q10.75 Did you ever change or quit a job because chemicals, smoke, fumes, or dust caused your asthma or made your asthma worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,449	8.18	7.33
2	No	4,182	23.62	20.69
6	Never employed outside home, skip filled	593	3.35	3.57
7	Don't know	121	0.68	0.24
8	Past employment unknown, skip filled	19	0.11	0.13
9	Refused	3	0.02	0.11
10	Skip filled	11,338	64.04	67.93
BLANK	Partial complete	48		

DOCTOR DIAGNOSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: WORKSEN1

Prologue:

Description: Q10.8 Were you ever told by a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,522	8.60	7.56
2	No	15,450	87.26	88.32
6	Never employed outside home, skip filled	593	3.35	3.57
7	Don't know	117	0.66	0.41
8	Past employment unknown, skip filled	19	0.11	0.13
9	Refused	4	0.02	0.01
BLANK	Partial complete	48		

SELF-IDENTIFIED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: WORKSEN2

Prologue:

Description: Q10.9 Did you ever tell a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,897	10.71	9.55
2	No	15,051	85.01	86.24
6	Never employed outside home, skip filled	593	3.35	3.57
7	Don't know	137	0.77	0.49
8	Past employment unknown, skip filled	19	0.11	0.13
9	Refused	8	0.05	0.01
BLANK	Partial complete	48		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Survey: ADULT Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,135	17.72	11.06
2	No	14,307	80.86	88.02
7	Don't know/Not sure	244	1.38	0.87
9	Refused	8	0.05	0.05
BLANK	Partial complete	59		

EVER TOLD HAVE EMPHYSEMA

Survey: ADULT Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,813	10.25	6.16
2	No	15,758	89.06	93.40
7	Don't know/Not sure	114	0.64	0.39
9	Refused	9	0.05	0.05
BLANK	Partial complete	59		

EVER TOLD HAVE CHRONIC BRONCHITIS

Survey: ADULT Asthma Call-Back

Column: 160

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,201	29.39	23.74
2	No	12,253	69.25	75.20
7	Don't know/Not sure	231	1.31	0.98
9	Refused	9	0.05	0.09
BLANK	Partial complete	59		

EVER TOLD DEPRESSED

Survey: ADULT Asthma Call-Back

Column: 161

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,325	35.75	31.53
2	No	11,310	63.92	68.12
7	Don't know/Not sure	42	0.24	0.25
9	Refused	17	0.10	0.10
BLANK	Partial complete	59		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

USED HERBS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	753	4.28	4.10
2	No	13,262	75.41	71.13
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	38	0.22	0.06
9	Refused	12	0.07	0.08
BLANK	Partial complete	166		

USED VITAMINS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 163

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q12.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,164	6.62	5.30
2	No	12,832	72.96	69.84
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	57	0.32	0.16
9	Refused	12	0.07	0.07
BLANK	Partial complete	166		

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 164

Type: NUM

SAS Variable Name: CAM_PUNC

Prologue:

Description: Q12.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	189	1.07	0.88
2	No	13,840	78.69	74.38
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	26	0.15	0.04
9	Refused	10	0.06	0.07
BLANK	Partial complete	166		

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 165

Type: NUM

SAS Variable Name: CAM_PRES

Prologue:

Description: Q12.4 . . . acupressure . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	185	1.05	0.99
2	No	13,831	78.64	74.19
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	37	0.21	0.15
9	Refused	12	0.07	0.03
BLANK	Partial complete	166		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM
SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	611	3.47	3.78
2	No	13,389	76.13	71.39
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	52	0.30	0.16
9	Refused	13	0.07	0.03
BLANK	Partial complete	166		

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM
SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	307	1.75	1.44
2	No	13,649	77.61	73.51
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	94	0.53	0.39
9	Refused	15	0.09	0.03
BLANK	Partial complete	166		

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 168

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM
SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	206	1.17	1.04
2	No	13,778	78.34	74.14
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	68	0.39	0.15
9	Refused	13	0.07	0.03
BLANK	Partial complete	166		

USED YOGA TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 169

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM
SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	555	3.16	3.25
2	No	13,461	76.54	71.99
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	38	0.22	0.10
9	Refused	11	0.06	0.03
BLANK	Partial complete	166		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

USED BREATHING TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 170

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,260	24.22	23.80
2	No	9,734	55.35	51.39
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	58	0.33	0.15
9	Refused	13	0.07	0.03
BLANK	Partial complete	166		

USED NATUROPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 171

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	217	1.23	1.03
2	No	13,740	78.13	74.02
5	No current asthma, skip filled	3,522	20.03	24.64
7	Don't know	95	0.54	0.29
9	Refused	13	0.07	0.03
BLANK	Partial complete	166		

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 172

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,206	6.86	6.53
2	No	12,722	72.33	68.25
5	No current asthma, skip filled	3,522	20.02	24.63
7	Don't know	120	0.68	0.51
9	Refused	20	0.11	0.06
BLANK	Partial complete	163		

TEXT FOR OTHER TYPE CARE

Survey: ADULT Asthma Call-Back

Column: 173-272

Prologue:

Description: Q12.12 What else have you used?

Type: CHAR

SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		16,547		
HIDDEN	Text field - up to 100 characters	1,206	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

LANGUAGE IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 273-274

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM
SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	17,435	98.25	97.50
2	Spanish	311	1.75	2.50
BLANK	Not asked or missing	7		

END OF THE RAW CALL BACK DATA

Survey: ADULT Asthma Call-Back

Column: 275

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM
SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17,753	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 276

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA2) AND CALL BACK (EVER_ASTH)

Type: NUM
SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17,753	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 277

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Type: NUM
SAS Variable Name: _CUR_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,705	71.57	66.94
2	No	4,683	26.38	30.75
7	Don't know/Not sure	359	2.02	2.25
9	Refused	6	0.03	0.05

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 278

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM
SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	17,433	98.20	98.03
1	AGEDX is greater than AGE	11	0.06	0.06
2	AGE, AGEDX and INCIDNT are inconsistent	309	1.74	1.91

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ADVAIR (+ A. DISKUS)

Survey: ADULT Asthma Call-Back

Column: 279

Prologue:

Description: ADVAIR (+ A. DISKUS)

Type: NUM

SAS Variable Name: INHALER_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3,118	17.56	13.81
14,635	82.44	86.19

AEROBID

Survey: ADULT Asthma Call-Back

Column: 280

Prologue:

Description: AEROBID

Type: NUM

SAS Variable Name: INHALER_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
42	0.24	0.18
17,711	99.76	99.82

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: ADULT Asthma Call-Back

Column: 281

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM

SAS Variable Name: INHALER_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3,130	17.63	16.46
14,623	82.37	83.54

ALUPENT

Survey: ADULT Asthma Call-Back

Column: 282

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	0.08	0.07
17,739	99.92	99.93

ATROVENT

Survey: ADULT Asthma Call-Back

Column: 283

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
143	0.81	0.67
17,610	99.19	99.33

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

AZMACORT

Survey: ADULT Asthma Call-Back

Column: 284

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
85	0.48	0.50
17,668	99.52	99.50

BECLOMETHASONE DIPROPIONATE

Survey: ADULT Asthma Call-Back

Column: 285

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	0.08	0.07
17,739	99.92	99.93

BECLOVENT

Survey: ADULT Asthma Call-Back

Column: 286

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
17,752	99.99	100.00

BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 287

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER_ID_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
17,753	100.00	100.00

BRETHAIRE

Survey: ADULT Asthma Call-Back

Column: 288

Prologue:

Description: BRETHAIRE

Type: NUM

SAS Variable Name: INHALER_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
17,751	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 289
Prologue:
Description: BUDESONIDE

Type: NUM
SAS Variable Name: INHALER_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.02
17,745	99.95	99.98

COMBIVENT

Survey: ADULT Asthma Call-Back
Column: 290
Prologue:
Description: COMBIVENT

Type: NUM
SAS Variable Name: INHALER_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
564	3.18	1.97
17,189	96.82	98.03

CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 291
Prologue:
Description: CROMOLYN

Type: NUM
SAS Variable Name: INHALER_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
17,751	99.99	100.00

FLOVENT

Survey: ADULT Asthma Call-Back
Column: 292
Prologue:
Description: FLOVENT

Type: NUM
SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
657	3.70	2.89
17,096	96.30	97.11

FLOVENT ROTADISK

Survey: ADULT Asthma Call-Back
Column: 293
Prologue:
Description: FLOVENT ROTADISK

Type: NUM
SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
26	0.15	0.07
17,727	99.85	99.93

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLUNISOLIDE

Survey: ADULT Asthma Call-Back
Column: 294
Prologue:
Description: FLUNISOLIDE

Type: NUM
SAS Variable Name: INHALER_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.03	0.01
17,747	99.97	99.99

FLUTICASONE

Survey: ADULT Asthma Call-Back
Column: 295
Prologue:
Description: FLUTICASONE

Type: NUM
SAS Variable Name: INHALER_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
48	0.27	0.17
17,705	99.73	99.83

INTAL

Survey: ADULT Asthma Call-Back
Column: 296
Prologue:
Description: INTAL

Type: NUM
SAS Variable Name: INHALER_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.03
17,743	99.94	99.97

IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back
Column: 297
Prologue:
Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
41	0.23	0.16
17,712	99.77	99.84

MAXAIR

Survey: ADULT Asthma Call-Back
Column: 298
Prologue:
Description: MAXAIR

Type: NUM
SAS Variable Name: INHALER_ID_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
77	0.43	0.46
17,676	99.57	99.54

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 299

Prologue:

Description: METAPROTERONOL

Type: NUM

SAS Variable Name: INHALER_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
17,752	99.99	100.00

NEDOCROMIL

Survey: ADULT Asthma Call-Back

Column: 300

Prologue:

Description: NEDOCROMIL

Type: NUM

SAS Variable Name: INHALER_ID_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	0.00	0.00
17,753	100.00	100.00

PIRBUTEROL

Survey: ADULT Asthma Call-Back

Column: 301

Prologue:

Description: PIRBUTEROL

Type: NUM

SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.02
17,749	99.98	99.98

PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 302

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
844	4.75	5.16
16,909	95.25	94.84

PULMICORT TURBUHALER

Survey: ADULT Asthma Call-Back

Column: 303

Prologue:

Description: PULMICORT TURBUHALER

Type: NUM

SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
200	1.13	0.75
17,553	98.87	99.25

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SALMETEROL

Survey: ADULT Asthma Call-Back

Column: 304

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.03
17,749	99.98	99.97

SEREVENT

Survey: ADULT Asthma Call-Back

Column: 305

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
137	0.77	0.56
17,616	99.23	99.44

TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 306

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER_ID_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
17,753	100.00	100.00

TILADE

Survey: ADULT Asthma Call-Back

Column: 307

Prologue:

Description: TILADE

Type: NUM

SAS Variable Name: INHALER_ID_29

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
17,752	99.99	100.00

TORNALATE

Survey: ADULT Asthma Call-Back

Column: 308

Prologue:

Description: TORNALATE

Type: NUM

SAS Variable Name: INHALER_ID_30

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
17,751	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TRIAMCINOLONE ACETONIDE

Survey: ADULT Asthma Call-Back

Column: 309

Prologue:

Description: TRIAMCINOLONE ACETONIDE

Type: NUM

SAS Variable Name: INHALER_ID_31

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
17,751	99.99	99.99

VANCERIL

Survey: ADULT Asthma Call-Back

Column: 310

Prologue:

Description: VANCERIL

Type: NUM

SAS Variable Name: INHALER_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
17,752	99.99	100.00

VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 311

Prologue:

Description: VENTOLIN

Type: NUM

SAS Variable Name: INHALER_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
902	5.08	4.78
16,851	94.92	95.22

FORADIL

Survey: ADULT Asthma Call-Back

Column: 312

Prologue:

Description: FORADIL

Type: NUM

SAS Variable Name: INHALER_ID_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
98	0.55	0.36
17,655	99.45	99.64

FORMOTEROL

Survey: ADULT Asthma Call-Back

Column: 313

Prologue:

Description: FORMOTEROL

Type: NUM

SAS Variable Name: INHALER_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.05	0.01
17,744	99.95	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

QVAR

Survey: ADULT Asthma Call-Back

Column: 314

Prologue:

Description: QVAR

Type: NUM

SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
298	1.68	2.14
17,455	98.32	97.86

LEVALBUTEROL TARTRATE

Survey: ADULT Asthma Call-Back

Column: 315

Prologue:

Description: LEVALBUTEROL TARTRATE

Type: NUM

SAS Variable Name: INHALER_ID_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.22
17,748	99.97	99.78

XOPENEX HFA

Survey: ADULT Asthma Call-Back

Column: 316

Prologue:

Description: XOPENEX HFA

Type: NUM

SAS Variable Name: INHALER_ID_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
356	2.01	1.98
17,397	97.99	98.02

MOMETASONE FUROATE

Survey: ADULT Asthma Call-Back

Column: 317

Prologue:

Description: MOMETASONE FUROATE

Type: NUM

SAS Variable Name: INHALER_ID_39

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
16	0.09	0.03
17,737	99.91	99.97

ASMANEX (TWISTHALER)

Survey: ADULT Asthma Call-Back

Column: 318

Prologue:

Description: ASMANEX (TWISTHALER)

Type: NUM

SAS Variable Name: INHALER_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
265	1.49	1.38
17,488	98.51	98.62

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PRO-AIR HFA

Survey: ADULT Asthma Call-Back
Column: 319
Prologue:
Description: PRO-AIR HFA

Type: NUM
SAS Variable Name: INHALER_ID_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,345	7.58	6.79
16,408	92.42	93.21

SYMBICORT

Survey: ADULT Asthma Call-Back
Column: 320
Prologue:
Description: SYMBICORT

Type: NUM
SAS Variable Name: INHALER_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
602	3.39	3.26
17,151	96.61	96.74

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back
Column: 321
Prologue:
Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: INHALER_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
135	0.76	0.49
17,618	99.24	99.51

OTHER INHALER

Survey: ADULT Asthma Call-Back
Column: 322
Prologue:
Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM
SAS Variable Name: OTHER_INHALER

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
17,753		

PILL ACCOLATE

Survey: ADULT Asthma Call-Back
Column: 323
Prologue:
Description: PILL ACCOLATE

Type: NUM
SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
68	0.38	0.26
17,685	99.62	99.74

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL AEROLATE

Survey: ADULT Asthma Call-Back
Column: 324
Prologue:
Description: PILL AEROLATE

Type: NUM
SAS Variable Name: PILLS_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	17,752	99.99	100.00

PILL ALBUTEROL

Survey: ADULT Asthma Call-Back
Column: 325
Prologue:
Description: PILL ALBUTEROL

Type: NUM
SAS Variable Name: PILLS_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	45	0.25	0.23
2	No	17,708	99.75	99.77

PILL ALUPENT

Survey: ADULT Asthma Call-Back
Column: 326
Prologue:
Description: PILL ALUPENT

Type: NUM
SAS Variable Name: PILLS_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.01
2	No	17,751	99.99	99.99

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: ADULT Asthma Call-Back
Column: 327
Prologue:
Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM
SAS Variable Name: PILLS_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	17,752	99.99	100.00

PILL DELTASONE

Survey: ADULT Asthma Call-Back
Column: 328
Prologue:
Description: PILL DELTASONE

Type: NUM
SAS Variable Name: PILLS_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	17,752	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL ELIXOPHYLLIN

Survey: ADULT Asthma Call-Back

Column: 329

Prologue:

Description: PILL ELIXOPHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.00
17,749	99.98	100.00

PILL MEDROL

Survey: ADULT Asthma Call-Back

Column: 330

Prologue:

Description: PILL MEDROL

Type: NUM

SAS Variable Name: PILLS_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.07	0.09
17,740	99.93	99.91

PILL METAPREL

Survey: ADULT Asthma Call-Back

Column: 331

Prologue:

Description: PILL METAPREL

Type: NUM

SAS Variable Name: PILLS_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
17,750	99.98	99.99

PILL METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 332

Prologue:

Description: PILL METAPROTERONOL

Type: NUM

SAS Variable Name: PILLS_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.03
17,752	99.99	99.97

PILL METHYLPREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 333

Prologue:

Description: PILL METHYLPREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.05
17,745	99.95	99.95

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL MONTELUKAST

Survey: ADULT Asthma Call-Back
Column: 334
Prologue:
Description: PILL MONTELUKAST

Type: NUM
SAS Variable Name: PILLS_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
16	0.09	0.06
17,737	99.91	99.94

PILL PEDIAPRED

Survey: ADULT Asthma Call-Back
Column: 335
Prologue:
Description: PILL PEDIAPRED

Type: NUM
SAS Variable Name: PILLS_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
17,753	100.00	100.00

PILL PREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 336
Prologue:
Description: PILL PREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.08	0.06
17,738	99.92	99.94

PILL PREDNISONONE

Survey: ADULT Asthma Call-Back
Column: 337
Prologue:
Description: PILL PREDNISONONE

Type: NUM
SAS Variable Name: PILLS_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
339	1.91	1.66
17,414	98.09	98.34

PILL PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 338
Prologue:
Description: PILL PROVENTIL

Type: NUM
SAS Variable Name: PILLS_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.04
17,751	99.99	99.96

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL RESPID

Survey: ADULT Asthma Call-Back
Column: 339
Prologue:
Description: PILL RESPID

Type: NUM
SAS Variable Name: PILLS_ID_23

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
17,753	100.00	100.00

PILL SINGULAIR

Survey: ADULT Asthma Call-Back
Column: 340
Prologue:
Description: PILL SINGULAIR

Type: NUM
SAS Variable Name: PILLS_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,664	9.37	8.11
16,089	90.63	91.89

PILL SLO-PHYLLIN

Survey: ADULT Asthma Call-Back
Column: 341
Prologue:
Description: PILL SLO-PHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
17,752	99.99	100.00

PILL SLO-BID

Survey: ADULT Asthma Call-Back
Column: 342
Prologue:
Description: PILL SLO-BID

Type: NUM
SAS Variable Name: PILLS_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.03
17,748	99.97	99.97

PILL THEO-24

Survey: ADULT Asthma Call-Back
Column: 343
Prologue:
Description: PILL THEO-24

Type: NUM
SAS Variable Name: PILLS_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.08	0.02
17,738	99.92	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL THEOCHRON

Survey: ADULT Asthma Call-Back
Column: 344
Prologue:
Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.00
17,750	99.98	100.00

PILL THEOCLEAR

Survey: ADULT Asthma Call-Back
Column: 345
Prologue:
Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
17,753	100.00	100.00

PILL THEODUR

Survey: ADULT Asthma Call-Back
Column: 346
Prologue:
Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.06	0.05
17,742	99.94	99.95

PILL THEO-DUR

Survey: ADULT Asthma Call-Back
Column: 347
Prologue:
Description: PILL THEO-DUR

Type: NUM
SAS Variable Name: PILLS_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.04
17,745	99.95	99.96

PILL THEOPHYLLINE

Survey: ADULT Asthma Call-Back
Column: 348
Prologue:
Description: PILL THEOPHYLLINE

Type: NUM
SAS Variable Name: PILLS_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
144	0.81	0.52
17,609	99.19	99.48

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL THEOSPAN

Survey: ADULT Asthma Call-Back
Column: 349
Prologue:
Description: PILL THEOSPAN

Type: NUM
SAS Variable Name: PILLS_ID_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
17,751	99.99	99.99

PILL T-PHYL

Survey: ADULT Asthma Call-Back
Column: 350
Prologue:
Description: PILL T-PHYL

Type: NUM
SAS Variable Name: PILLS_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
17,750	99.98	99.99

PILL UNIPHYL

Survey: ADULT Asthma Call-Back
Column: 351
Prologue:
Description: PILL UNIPHYL

Type: NUM
SAS Variable Name: PILLS_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.05	0.05
17,744	99.95	99.95

PILL VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 352
Prologue:
Description: PILL VENTOLIN

Type: NUM
SAS Variable Name: PILLS_ID_43

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.04
17,752	99.99	99.96

PILL VOLMAX

Survey: ADULT Asthma Call-Back
Column: 353
Prologue:
Description: PILL VOLMAX

Type: NUM
SAS Variable Name: PILLS_ID_44

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
17,753	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL ZAFIRLUKAST

Survey: ADULT Asthma Call-Back

Column: 354

Prologue:

Description: PILL ZAFIRLUKAST

Type: NUM

SAS Variable Name: PILLS_ID_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
17,752	99.99	100.00

PILL ZILEUTON

Survey: ADULT Asthma Call-Back

Column: 355

Prologue:

Description: PILL ZILEUTON

Type: NUM

SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PILL ZYFLO FILMTAB

Survey: ADULT Asthma Call-Back

Column: 356

Prologue:

Description: PILL ZYFLO FILMTAB

Type: NUM

SAS Variable Name: PILLS_ID_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.03	0.01
17,747	99.97	99.99

PILL TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 357

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: PILLS_ID_48

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
17,749	99.98	99.99

PILL BRETHINE

Survey: ADULT Asthma Call-Back

Column: 358

Prologue:

Description: PILL BRETHINE

Type: NUM

SAS Variable Name: PILLS_ID_49

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
17,750	99.98	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back
Column: 359
Prologue:
Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: PILLS_ID_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	123	0.69	0.51
2	No	17,630	99.31	99.49

OTHER PILLS

Survey: ADULT Asthma Call-Back
Column: 360
Prologue:
Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM
SAS Variable Name: OTHER_PILLS

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or missing	17,753		

SYRUP AEROLATE

Survey: ADULT Asthma Call-Back
Column: 361
Prologue:
Description: SYRUP AEROLATE

Type: NUM
SAS Variable Name: SYRUP_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	17,753	100.00	100.00

SYRUP ALBUTEROL

Survey: ADULT Asthma Call-Back
Column: 362
Prologue:
Description: SYRUP ALBUTEROL

Type: NUM
SAS Variable Name: SYRUP_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	0.19	0.15
2	No	17,720	99.81	99.85

SYRUP ALUPENT

Survey: ADULT Asthma Call-Back
Column: 363
Prologue:
Description: SYRUP ALUPENT

Type: NUM
SAS Variable Name: SYRUP_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	17,753	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SYRUP METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
17,751	99.99	99.99

SYRUP PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.07	0.08
17,740	99.93	99.92

SYRUP PRELONE

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
17,750	99.98	99.99

SYRUP PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 367

Prologue:

Description: SYRUP PROVENTIL

Type: NUM

SAS Variable Name: SYRUP_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.06
17,748	99.97	99.94

SYRUP SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 368

Prologue:

Description: SYRUP SLO-PHYLLIN

Type: NUM

SAS Variable Name: SYRUP_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
17,752	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SYRUP THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 369

Prologue:

Description: SYRUP THEOPHYLLINE

Type: NUM

SAS Variable Name: SYRUP_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
17,752	99.99	100.00

SYRUP VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 370

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
17,751	99.99	100.00

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 371

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: SYRUP_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
52	0.29	0.43
17,701	99.71	99.57

OTHER SYRUP

Survey: ADULT Asthma Call-Back

Column: 372

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
17,753		

NEB ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 373

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,721	9.69	8.12
16,032	90.31	91.88

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEB ALUPENT

Survey: ADULT Asthma Call-Back
Column: 374
Prologue:
Description: NEB ALUPENT

Type: NUM
SAS Variable Name: NEB_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.03	0.01
2	No	17,748	99.97	99.99

NEB ATROVENT

Survey: ADULT Asthma Call-Back
Column: 375
Prologue:
Description: NEB ATROVENT

Type: NUM
SAS Variable Name: NEB_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	0.27	0.24
2	No	17,705	99.73	99.76

NEB BITOLTEROL

Survey: ADULT Asthma Call-Back
Column: 376
Prologue:
Description: NEB BITOLTEROL

Type: NUM
SAS Variable Name: NEB_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.05	0.04
2	No	17,745	99.95	99.96

NEB BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 377
Prologue:
Description: NEB BUDESONIDE

Type: NUM
SAS Variable Name: NEB_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	0.29	0.18
2	No	17,701	99.71	99.82

NEB CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 378
Prologue:
Description: NEB CROMOLYN

Type: NUM
SAS Variable Name: NEB_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.04	0.02
2	No	17,746	99.96	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEB DUONEB

Survey: ADULT Asthma Call-Back
Column: 379
Prologue:
Description: NEB DUONEB

Type: NUM
SAS Variable Name: NEB_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	96	0.54	0.29
2	No	17,657	99.46	99.71

NEB INTAL

Survey: ADULT Asthma Call-Back
Column: 380
Prologue:
Description: NEB INTAL

Type: NUM
SAS Variable Name: NEB_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.03	0.04
2	No	17,747	99.97	99.96

NEB IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back
Column: 381
Prologue:
Description: NEB IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: NEB_ID_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	313	1.76	0.97
2	No	17,440	98.24	99.03

NEB LEVALBUTEROL

Survey: ADULT Asthma Call-Back
Column: 382
Prologue:
Description: NEB LEVALBUTEROL

Type: NUM
SAS Variable Name: NEB_ID_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.05	0.03
2	No	17,744	99.95	99.97

NEB METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 383
Prologue:
Description: NEB METAPROTERONOL

Type: NUM
SAS Variable Name: NEB_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.02
2	No	17,752	99.99	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEB PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 384

Prologue:

Description: NEB PROVENTIL

Type: NUM

SAS Variable Name: NEB_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
38	0.21	0.20
17,715	99.79	99.80

NEB PULMICORT

Survey: ADULT Asthma Call-Back

Column: 385

Prologue:

Description: NEB PULMICORT

Type: NUM

SAS Variable Name: NEB_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
85	0.48	0.29
17,668	99.52	99.71

NEB TORNALATE

Survey: ADULT Asthma Call-Back

Column: 386

Prologue:

Description: NEB TORNALATE

Type: NUM

SAS Variable Name: NEB_ID_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
17,753	100.00	100.00

NEB VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 387

Prologue:

Description: NEB VENTOLIN

Type: NUM

SAS Variable Name: NEB_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
20	0.11	0.10
17,733	99.89	99.90

NEB XOPENEX

Survey: ADULT Asthma Call-Back

Column: 388

Prologue:

Description: NEB XOPENEX

Type: NUM

SAS Variable Name: NEB_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
186	1.05	0.90
17,567	98.95	99.10

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 389

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: NEB_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
280	1.58	1.48
17,473	98.42	98.52

OTHER NEBULIZER

Survey: ADULT Asthma Call-Back

Column: 390

Prologue:

Description: New other prescription nebulizer

Type: NUM

SAS Variable Name: OTHER_NEB

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
17,753		

OTHER INHALER TEXT

Survey: ADULT Asthma Call-Back

Column: 391-490

Prologue:

Description: New other prescription inhaler name

Type: CHAR

SAS Variable Name: OTH_I1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
17,711		
42	100.00	100.00

OTHER PILLS TEXT

Survey: ADULT Asthma Call-Back

Column: 491-590

Prologue:

Description: New other prescription pills name

Type: CHAR

SAS Variable Name: OTH_P1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
17,750		
3	100.00	100.00

OTHER SYRUP TEXT

Survey: ADULT Asthma Call-Back

Column: 591-690

Prologue:

Description: New other prescription syrup name

Type: CHAR

SAS Variable Name: OTH_S1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
17,751		
2	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

OTHER NEBULIZER TEXT

Survey: ADULT Asthma Call-Back

Column: 691-790

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	17,748		
HIDDEN		5	100.00	100.00

INHALER_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 791

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	644	3.63	2.38
3	No other medication text filled	17,108	96.37	97.61

INHALER_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 792

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	0.23	0.17
2	No	605	3.41	2.21
3	No other medication text filled	17,108	96.37	97.61

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 793

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	470	2.65	1.71
2	No	175	0.99	0.68
3	No other medication text filled	17,108	96.37	97.61

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: ADULT Asthma Call-Back

Column: 794

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	0.11	0.09
2	No	625	3.52	2.30
3	No other medication text filled	17,108	96.37	97.61

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 795

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	0.18	0.13
2	No	613	3.45	2.25
3	No other medication text filled	17,108	96.37	97.61

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: ADULT Asthma Call-Back

Column: 796

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	0.26	0.17
2	No	598	3.37	2.21
3	No other medication text filled	17,108	96.37	97.61

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 797

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.01
2	No	643	3.62	2.37
3	No other medication text filled	17,108	96.37	97.61

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 798

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	0.24	0.15
2	No	603	3.40	2.23
3	No other medication text filled	17,108	96.37	97.61

INHALER_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 799

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.00
2	No	642	3.62	2.38
3	No other medication text filled	17,108	96.37	97.61

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILLS_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 800

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	0.16	0.11
2	No	408	2.30	1.60
3	No other medication text filled	17,316	97.54	98.29

PILLS_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 801

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	280	1.58	1.18
2	No	157	0.88	0.53
3	No other medication text filled	17,316	97.54	98.29

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 802

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	91	0.51	0.29
2	No	346	1.95	1.42
3	No other medication text filled	17,316	97.54	98.29

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: ADULT Asthma Call-Back

Column: 803

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.04	0.01
2	No	430	2.42	1.70
3	No other medication text filled	17,316	97.54	98.29

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 804

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.07	0.07
2	No	424	2.39	1.64
3	No other medication text filled	17,316	97.54	98.29

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: ADULT Asthma Call-Back

Column: 805

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	0.14	0.07
2	No	413	2.33	1.64
3	No other medication text filled	17,316	97.54	98.29

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 806

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.02
2	No	434	2.44	1.69
3	No other medication text filled	17,316	97.54	98.29

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 807

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.00
2	No	434	2.44	1.71
3	No other medication text filled	17,316	97.54	98.29

PILLS_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 808

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	437	2.46	1.71
3	No other medication text filled	17,316	97.54	98.29

SYRUP_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 809

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	84	0.47	0.50
2	No	21	0.12	0.08
3	No other medication text filled	17,648	99.41	99.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SYRUP_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 810

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.01
2	No	102	0.57	0.57
3	No other medication text filled	17,648	99.41	99.42

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 811

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	104	0.59	0.58
3	No other medication text filled	17,648	99.41	99.42

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: ADULT Asthma Call-Back

Column: 812

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.01
2	No	102	0.57	0.57
3	No other medication text filled	17,648	99.41	99.42

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 813

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.06	0.04
2	No	95	0.54	0.53
3	No other medication text filled	17,648	99.41	99.42

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: ADULT Asthma Call-Back

Column: 814

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.01
2	No	103	0.58	0.57
3	No other medication text filled	17,648	99.41	99.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 815

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	105	0.59	0.58
3	No other medication text filled	17,648	99.41	99.42

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 816

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.01
2	No	103	0.58	0.56
3	No other medication text filled	17,648	99.41	99.42

SYRUP_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 817

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	105	0.59	0.58
3	No other medication text filled	17,648	99.41	99.42

NEB_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 818

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	126	0.71	0.44
3	No other medication text filled	17,627	99.29	99.56

NEB_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 819

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.00
2	No	123	0.69	0.43
3	No other medication text filled	17,627	99.29	99.56

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	0.22	0.11
2	No	87	0.49	0.33
3	No other medication text filled	17,627	99.29	99.56

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: ADULT Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	0.24	0.15
2	No	84	0.47	0.29
3	No other medication text filled	17,627	99.29	99.56

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	0.14	0.16
2	No	101	0.57	0.28
3	No other medication text filled	17,627	99.29	99.56

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: ADULT Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	0.08	0.04
2	No	112	0.63	0.40
3	No other medication text filled	17,627	99.29	99.56

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 824

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	126	0.71	0.44
3	No other medication text filled	17,627	99.29	99.56

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 825

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.03	0.02
2	No	121	0.68	0.41
3	No other medication text filled	17,627	99.29	99.56

NEB_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 826

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.02	0.02
2	No	122	0.69	0.42
3	No other medication text filled	17,627	99.29	99.56

INHALED CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 827-828

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	17,595	99.11	99.37
99	Missing	158	0.89	0.63

INHALED ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 829-830

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 4	Count	17,595	99.11	99.37
99	Missing	158	0.89	0.63

INHALED ANTI-CHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 831-832

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM

SAS Variable Name: INH_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	17,595	99.11	99.37
99	Missing	158	0.89	0.63

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

INHALED BETA 2 AGONIST SHORT ACTING

Survey: ADULT Asthma Call-Back

Column: 833-834

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,595	99.11	99.37
158	0.89	0.63

INHALED BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 835-836

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,595	99.11	99.37
158	0.89	0.63

PILL CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 837-838

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,528	98.73	99.21
225	1.27	0.79

PILL LEUKOTRIENE MODIFIERS

Survey: ADULT Asthma Call-Back

Column: 839-840

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,528	98.73	99.21
225	1.27	0.79

PILL BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 841-842

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,528	98.73	99.21
225	1.27	0.79

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 843-844

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,528	98.73	99.21
225	1.27	0.79

SYRUP METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 845-846

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,587	99.06	99.37
166	0.94	0.63

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 847-848

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,587	99.06	99.37
166	0.94	0.63

SYRUP CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 849-850

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,587	99.06	99.37
166	0.94	0.63

NEBULIZER ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 851-852

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
17,591	99.09	99.37
162	0.91	0.63

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEBULIZER CORTICOSTEROID

Survey: ADULT Asthma Call-Back

Column: 853-854

Prologue:

Description: NEBULIZER CORTICOSTEROIDS

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	17,591	99.09	99.37
99	Missing	162	0.91	0.63

NEBULIZER ANTICHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 855-856

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	17,591	99.09	99.37
99	Missing	162	0.91	0.63

NEBULIZER BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 857-858

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8	Count	17,591	99.09	99.37
99	Missing	162	0.91	0.63

ADVAIR (+ A. DISKUS): SIZE

Survey: ADULT Asthma Call-Back

Column: 859

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Type: NUM
SAS Variable Name: ILP01_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

ADVAIR (+ A. DISKUS): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 860

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Type: NUM
SAS Variable Name: ILP02_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	244	7.86	10.34
2	6 months to 1 year	267	8.60	8.02
3	Longer than 1 year	2,586	83.29	81.36
7	Don't know/Not sure	7	0.23	0.12
9	Refused	1	0.03	0.16
BLANK	Skip filled	14,648		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 861

Type: NUM

SAS Variable Name: ILP03_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 862

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,093	35.20	33.70
2	No	1,710	55.07	58.57
3	No attack in past 3 months	282	9.08	7.33
7	Don't know/Not sure	16	0.52	0.32
9	Refused	4	0.13	0.08
BLANK	Skip filled	14,648		

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 863

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	872	28.08	32.08
2	No	1,949	62.77	60.73
3	Didn't exercise in past 3 months	258	8.31	6.10
7	Don't know/Not sure	18	0.58	0.99
9	Refused	8	0.26	0.09
BLANK	Skip filled	14,648		

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 864

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,665	85.83	86.64
2	No	435	14.01	13.31
7	Don't know/Not sure	4	0.13	0.05
9	Refused	1	0.03	0.00
BLANK	Skip filled	14,648		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ADVAIR (+ A. DISKUS): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 865-866

Type: NUM

SAS Variable Name: ILP07_1

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3,096	99.71	99.87
77	Don't know	7	0.23	0.12
99	Refused	2	0.06	0.01
BLANK	Skip filled	14,648		

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 867-869

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2,631	84.73	83.79
401 - 499	Weeks	315	10.14	12.19
555	Never	12	0.39	0.36
666	Less often than once a week	108	3.48	3.14
777	Don't know	36	1.16	0.45
999	Refused	3	0.10	0.07
BLANK	Skip filled	14,648		

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 870-871

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

AEROBID: SIZE

Survey: ADULT Asthma Call-Back

Column: 872

Type: NUM

SAS Variable Name: ILP01_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

AEROBID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 873

Type: NUM

SAS Variable Name: ILP02_2

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	2.38	1.29
2	6 months to 1 year	4	9.52	4.90
3	Longer than 1 year	37	88.10	93.81
BLANK	Skip filled	17,711		

AEROBID: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 874

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	45.24	38.20
2	No	22	52.38	61.35
7	Don't know/Not sure	1	2.38	0.45
BLANK	Skip filled	17,711		

AEROBID: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 875

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	57.14	46.73
2	No	15	35.71	51.99
3	No attack in past 3 months	3	7.14	1.28
BLANK	Skip filled	17,711		

AEROBID: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 876

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	45.24	31.64
2	No	21	50.00	66.06
3	Didn't exercise in past 3 months	2	4.76	2.30
BLANK	Skip filled	17,711		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

AEROBID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 877

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	71.43	59.03
2	No	12	28.57	40.97
BLANK	Skip filled	17,711		

AEROBID: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 878-879

Type: NUM

SAS Variable Name: ILP07_2

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	42	100.00	100.00
BLANK	Skip filled	17,711		

AEROBID: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 880-882

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	29	69.05	81.95
401 - 499	Weeks	7	16.67	6.17
555	Never	1	2.38	5.87
666	Less often than once a week	3	7.14	3.34
777	Don't know	2	4.76	2.67
BLANK	Skip filled	17,711		

AEROBID: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 883-884

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): SIZE

Survey: ADULT Asthma Call-Back

Column: 885

Type: NUM

SAS Variable Name: ILP01_3

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	443	14.16	14.01
2	100 puffs	315	10.07	11.51
3	200 puffs	1,469	46.95	50.93
4	Other number of puffs	261	8.34	6.47
5	Used different sizes of this medication in the past 3 months	11	0.35	0.21
7	Don't know/Not sure	624	19.94	16.61
9	Refused	6	0.19	0.25
BLANK	Skip filled	14,624		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 886

Type: NUM

SAS Variable Name: ILP02_3

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	172	5.50	5.54
2	6 months to 1 year	138	4.41	5.74
3	Longer than 1 year	2,809	89.77	88.01
7	Don't know/Not sure	8	0.26	0.68
9	Refused	2	0.06	0.02
BLANK	Skip filled	14,624		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 887

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	935	29.88	28.15
2	No	2,146	68.58	70.14
3	Medication is a disk inhaler, not a canister inhaler	4	0.13	0.08
7	Don't know/Not sure	41	1.31	1.54
9	Refused	3	0.10	0.09
BLANK	Skip filled	14,624		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 888

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,718	86.86	86.42
2	No	238	7.61	9.21
3	No attack in past 3 months	157	5.02	3.81
7	Don't know/Not sure	14	0.45	0.53
9	Refused	2	0.06	0.03
BLANK	Skip filled	14,624		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 889

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,178	37.65	42.49
2	No	1,672	53.44	51.95
3	Didn't exercise in past 3 months	263	8.41	5.18
7	Don't know/Not sure	15	0.48	0.36
9	Refused	1	0.03	0.02
BLANK	Skip filled	14,624		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 890

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	782	24.99	22.31
2	No	2,342	74.85	77.37
7	Don't know/Not sure	4	0.13	0.30
9	Refused	1	0.03	0.02
BLANK	Skip filled	14,624		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 891-892

Type: NUM

SAS Variable Name: ILP07_3

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3,059	97.76	98.40
77	Don't know	66	2.11	1.54
99	Refused	4	0.13	0.06
BLANK	Skip filled	14,624		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 893-895

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,025	32.76	31.20
401 - 499	Weeks	1,013	32.37	34.38
555	Never	59	1.89	3.76
666	Less often than once a week	875	27.96	27.41
777	Don't know	144	4.60	3.12
999	Refused	13	0.42	0.13
BLANK	Skip filled	14,624		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 896-897

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2,331	74.50	78.99
77	Don't know	215	6.87	3.73
88	None/Less than 1 full canister	578	18.47	17.22
99	Refused	5	0.16	0.06
BLANK	Skip filled	14,624		

ALUPENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 898

Type: NUM

SAS Variable Name: ILP01_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	3	21.43	36.55
2	100 puffs	2	14.29	12.94
3	200 puffs	4	28.57	40.38
4	Other number of puffs	1	7.14	0.43
7	Don't know/Not sure	4	28.57	9.69
BLANK	Skip filled	17,739		

ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 899

Type: NUM

SAS Variable Name: ILP02_4

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	7.14	6.59
3	Longer than 1 year	13	92.86	93.41
BLANK	Skip filled	17,739		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ALUPENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 900

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	28.57	20.68
2	No	10	71.43	79.32
BLANK	Skip filled	17,739		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 901

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	85.71	83.08
2	No	1	7.14	5.54
3	No attack in past 3 months	1	7.14	11.38
BLANK	Skip filled	17,739		

ALUPENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 902

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	21.43	36.14
2	No	9	64.29	60.71
3	Didn't exercise in past 3 months	2	14.29	3.15
BLANK	Skip filled	17,739		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 903

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	28.57	30.97
2	No	10	71.43	69.03
BLANK	Skip filled	17,739		

ALUPENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 904-905

Type: NUM

SAS Variable Name: ILP07_4

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	14	100.00	100.00
BLANK	Skip filled	17,739		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 906-908

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	21.43	1.40
401 - 499	Weeks	5	35.71	44.32
666	Less often than once a week	5	35.71	51.07
777	Don't know	1	7.14	3.21
BLANK	Skip filled	17,739		

ALUPENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 909-910

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	9	64.29	81.96
77	Don't know	3	21.43	3.45
88	None/Less than 1 full canister	2	14.29	14.59
BLANK	Skip filled	17,739		

ATROVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 912

Type: NUM

SAS Variable Name: ILP01_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

ATROVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 913

Type: NUM

SAS Variable Name: ILP02_5

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	11	7.75	12.13
2	6 months to 1 year	14	9.86	4.28
3	Longer than 1 year	116	81.69	83.51
7	Don't know/Not sure	1	0.70	0.08
BLANK	Skip filled	17,611		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ATROVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 914

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	36.62	31.32
2	No	90	63.38	68.68
BLANK	Skip filled	17,611		

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 915

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	59.86	56.55
2	No	47	33.10	37.85
3	No attack in past 3 months	10	7.04	5.59
BLANK	Skip filled	17,611		

ATROVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 916

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	30.99	35.22
2	No	75	52.82	53.68
3	Didn't exercise in past 3 months	21	14.79	10.51
7	Don't know/Not sure	1	0.70	0.10
9	Refused	1	0.70	0.49
BLANK	Skip filled	17,611		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 917

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	89	62.68	61.36
2	No	53	37.32	38.64
BLANK	Skip filled	17,611		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ATROVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 918-919

Type: NUM

SAS Variable Name: ILP07_5

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	135	95.07	95.29
77	Don't know	5	3.52	1.47
99	Refused	2	1.41	3.23
BLANK	Skip filled	17,611		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 920-922

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	98	69.01	66.80
401 - 499	Weeks	24	16.90	17.95
555	Never	2	1.41	0.38
666	Less often than once a week	13	9.15	10.11
777	Don't know	3	2.11	1.52
999	Refused	2	1.41	3.23
BLANK	Skip filled	17,611		

ATROVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 923-924

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

AZMACORT: SIZE

Survey: ADULT Asthma Call-Back

Column: 925

Type: NUM

SAS Variable Name: ILP01_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

AZMACORT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 926

Type: NUM

SAS Variable Name: ILP02_6

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	6	7.14	3.14
2	6 months to 1 year	5	5.95	4.08
3	Longer than 1 year	71	84.52	91.78
9	Refused	2	2.38	1.00
BLANK	Skip filled	17,669		

AZMACORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 927

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	59.52	75.92
2	No	34	40.48	24.08
BLANK	Skip filled	17,669		

AZMACORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 928

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	49	58.33	62.25
2	No	24	28.57	29.73
3	No attack in past 3 months	10	11.90	7.07
9	Refused	1	1.19	0.94
BLANK	Skip filled	17,669		

AZMACORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 929

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	30.95	17.28
2	No	49	58.33	77.76
3	Didn't exercise in past 3 months	8	9.52	4.02
9	Refused	1	1.19	0.94
BLANK	Skip filled	17,669		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

AZMACORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 930

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	57.14	67.71
2	No	36	42.86	32.29
BLANK	Skip filled	17,669		

AZMACORT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 931-932

Type: NUM

SAS Variable Name: ILP07_6

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	84	100.00	100.00
BLANK	Skip filled	17,669		

AZMACORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 933-935

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	46	54.76	65.81
401 - 499	Weeks	21	25.00	9.46
666	Less often than once a week	16	19.05	24.59
777	Don't know	1	1.19	0.14
BLANK	Skip filled	17,669		

AZMACORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 936-937

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BECLOMETHASONE DIPROPIONATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP01_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BECLOMETHASONE DIPROPIONATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP02_7

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	35.71	23.22
2	6 months to 1 year	2	14.29	22.70
3	Longer than 1 year	7	50.00	54.09
BLANK	Skip filled	17,739		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	35.71	24.39
2	No	8	57.14	55.94
7	Don't know/Not sure	1	7.14	19.67
BLANK	Skip filled	17,739		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	57.14	65.44
2	No	5	35.71	31.76
3	No attack in past 3 months	1	7.14	2.79
BLANK	Skip filled	17,739		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	35.71	46.64
2	No	9	64.29	53.36
BLANK	Skip filled	17,739		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	64.29	52.27
2	No	5	35.71	47.73
BLANK	Skip filled	17,739		

BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 944-945

Type: NUM

SAS Variable Name: ILP07_7

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	14	100.00	100.00
BLANK	Skip filled	17,739		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 946-948

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	11	78.57	77.06
555	Never	1	7.14	3.02
666	Less often than once a week	2	14.29	19.91
BLANK	Skip filled	17,739		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 949-950

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BECLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 951

Type: NUM

SAS Variable Name: ILP01_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BECLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 952

Type: NUM

SAS Variable Name: ILP02_8

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	17,752		

BECLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 953

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	17,752		

BECLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	17,752		

BECLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	17,752		

BECLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	17,752		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BECLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 957-958

Type: NUM

SAS Variable Name: ILP07_8

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	17,752		

BECLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 959-961

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	17,752		

BECLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 962-963

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BITOLTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 964

Type: NUM

SAS Variable Name: ILP01_9

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BITOLTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 965

Type: NUM

SAS Variable Name: ILP02_9

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BITOLTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BITOLTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BITOLTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 970-971

Type: NUM

SAS Variable Name: ILP07_9

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 972-974

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BITOLTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 975-976

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BRETHAIRE: SIZE

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP01_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BRETHAIRE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP02_10

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	50.00	71.35
3	Longer than 1 year	1	50.00	28.65
BLANK	Skip filled	17,751		

BRETHAIRE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 979

Type: NUM

SAS Variable Name: ILP03_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	17,751		

BRETHAIRE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 980

Type: NUM

SAS Variable Name: ILP04_10

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	71.35
2	No	1	50.00	28.65
BLANK	Skip filled	17,751		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BRETHAIRE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP05_10

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	17,751		

BRETHAIRE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP06_10

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	17,751		

BRETHAIRE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 983-984

Type: NUM

SAS Variable Name: ILP07_10

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	17,751		

BRETHAIRE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 985-987

Type: NUM

SAS Variable Name: ILP08_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	28.65
777	Don't know	1	50.00	71.35
BLANK	Skip filled	17,751		

BRETHAIRE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 988-989

Type: NUM

SAS Variable Name: ILP10_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	100.00	100.00
BLANK	Skip filled	17,751		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BUDESONIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP01_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

BUDESONIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP02_11

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	37.50	55.63
2	6 months to 1 year	1	12.50	3.11
3	Longer than 1 year	4	50.00	41.25
BLANK	Skip filled	17,745		

BUDESONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	12.50	4.98
2	No	6	75.00	82.94
7	Don't know/Not sure	1	12.50	12.08
BLANK	Skip filled	17,745		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	25.00	23.82
2	No	5	62.50	75.54
3	No attack in past 3 months	1	12.50	0.64
BLANK	Skip filled	17,745		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

BUDESONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	37.50	40.78
2	No	4	50.00	54.42
3	Didn't exercise in past 3 months	1	12.50	4.81
BLANK	Skip filled	17,745		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	62.50	46.23
2	No	3	37.50	53.77
BLANK	Skip filled	17,745		

BUDESONIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 996-997

Type: NUM

SAS Variable Name: ILP07_11

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	62.50	82.30
77	Don't know	3	37.50	17.70
BLANK	Skip filled	17,745		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 998-1000

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	62.50	37.26
401 - 499	Weeks	2	25.00	30.92
666	Less often than once a week	1	12.50	31.81
BLANK	Skip filled	17,745		

BUDESONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1001-1002

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

COMBIVENT: SIZE

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1003

SAS Variable Name: ILP01_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

COMBIVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1004

SAS Variable Name: ILP02_12

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	52	9.34	16.01
2	6 months to 1 year	47	8.44	9.38
3	Longer than 1 year	455	81.69	74.47
7	Don't know/Not sure	3	0.54	0.13
BLANK	Skip filled	17,196		

COMBIVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1005

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	192	34.47	29.18
2	No	357	64.09	68.10
7	Don't know/Not sure	8	1.44	2.72
BLANK	Skip filled	17,196		

COMBIVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1006

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	445	79.89	83.12
2	No	78	14.00	12.70
3	No attack in past 3 months	32	5.75	4.11
7	Don't know/Not sure	2	0.36	0.07
BLANK	Skip filled	17,196		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

COMBIVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1007

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	197	35.37	30.45
2	No	277	49.73	56.31
3	Didn't exercise in past 3 months	81	14.54	12.34
7	Don't know/Not sure	2	0.36	0.91
BLANK	Skip filled	17,196		

COMBIVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	283	50.81	44.31
2	No	274	49.19	55.69
BLANK	Skip filled	17,196		

COMBIVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1009-1010

Type: NUM

SAS Variable Name: ILP07_12

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	554	99.46	99.83
77	Don't know	3	0.54	0.17
BLANK	Skip filled	17,196		

COMBIVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1011-1013

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	333	59.78	51.26
401 - 499	Weeks	126	22.62	27.92
555	Never	3	0.54	1.39
666	Less often than once a week	67	12.03	15.54
777	Don't know	26	4.67	3.86
999	Refused	2	0.36	0.02
BLANK	Skip filled	17,196		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

COMBIVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1014-1015

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

CROMOLYN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1016

Type: NUM

SAS Variable Name: ILP01_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

CROMOLYN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1017

Type: NUM

SAS Variable Name: ILP02_13

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	17,751		

CROMOLYN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	31.75
2	No	1	50.00	68.25
BLANK	Skip filled	17,751		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	50.00	68.25
3	No attack in past 3 months	1	50.00	31.75
BLANK	Skip filled	17,751		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

CROMOLYN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	31.75
2	No	1	50.00	68.25
BLANK	Skip filled	17,751		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	68.25
2	No	1	50.00	31.75
BLANK	Skip filled	17,751		

CROMOLYN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1022-1023

Type: NUM

SAS Variable Name: ILP07_13

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	17,751		

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1024-1026

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	68.25
401 - 499	Weeks	1	50.00	31.75
BLANK	Skip filled	17,751		

CROMOLYN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1027-1028

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP01_14

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

FLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP02_14

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	110	16.77	18.57
2	6 months to 1 year	76	11.59	14.04
3	Longer than 1 year	467	71.19	67.26
7	Don't know/Not sure	2	0.30	0.11
9	Refused	1	0.15	0.02
BLANK	Skip filled	17,097		

FLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	261	39.79	37.46
2	No	387	58.99	61.91
3	Medication is a disk inhaler, not a canister inhaler	3	0.46	0.28
7	Don't know/Not sure	5	0.76	0.36
BLANK	Skip filled	17,097		

FLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1032

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	245	37.35	33.61
2	No	330	50.30	57.48
3	No attack in past 3 months	74	11.28	8.34
7	Don't know/Not sure	7	1.07	0.57
BLANK	Skip filled	17,097		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1033

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	170	25.91	26.26
2	No	432	65.85	64.93
3	Didn't exercise in past 3 months	45	6.86	7.89
7	Don't know/Not sure	9	1.37	0.92
BLANK	Skip filled	17,097		

FLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1034

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	518	78.96	77.95
2	No	137	20.88	22.04
9	Refused	1	0.15	0.01
BLANK	Skip filled	17,097		

FLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1035-1036

Type: NUM

SAS Variable Name: ILP07_14

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	654	99.70	99.97
77	Don't know	1	0.15	0.01
99	Refused	1	0.15	0.02
BLANK	Skip filled	17,097		

FLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1037-1039

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	524	79.88	84.03
401 - 499	Weeks	65	9.91	7.28
555	Never	5	0.76	1.18
666	Less often than once a week	52	7.93	6.64
777	Don't know	10	1.52	0.88
BLANK	Skip filled	17,097		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1040-1041

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

FLOVENT ROTADISK: SIZE

Survey: ADULT Asthma Call-Back

Column: 1042

Type: NUM

SAS Variable Name: ILP01_15

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

FLOVENT ROTADISK: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1043

Type: NUM

SAS Variable Name: ILP02_15

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	11.54	9.28
2	6 months to 1 year	5	19.23	22.76
3	Longer than 1 year	17	65.38	65.03
7	Don't know/Not sure	1	3.85	2.92
BLANK	Skip filled	17,727		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1044

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

FLOVENT ROTADISK: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1045

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	26.92	12.99
2	No	18	69.23	84.08
7	Don't know/Not sure	1	3.85	2.92
BLANK	Skip filled	17,727		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	19.23	14.39
2	No	18	69.23	80.02
3	Didn't exercise in past 3 months	2	7.69	2.66
7	Don't know/Not sure	1	3.85	2.92
BLANK	Skip filled	17,727		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	80.77	88.81
2	No	4	15.38	8.26
7	Don't know/Not sure	1	3.85	2.92
BLANK	Skip filled	17,727		

FLOVENT ROTADISK: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1048-1049

Type: NUM

SAS Variable Name: ILP07_15

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	25	96.15	97.08
77	Don't know	1	3.85	2.92
BLANK	Skip filled	17,727		

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1050-1052

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	19	73.08	79.95
401 - 499	Weeks	3	11.54	9.65
666	Less often than once a week	2	7.69	7.08
777	Don't know	2	7.69	3.32
BLANK	Skip filled	17,727		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1053-1054

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

FLUNISOLIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP01_16

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

FLUNISOLIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP02_16

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	33.33	70.56
3	Longer than 1 year	4	66.67	29.44
BLANK	Skip filled	17,747		

FLUNISOLIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	64.80
2	No	4	66.67	35.20
BLANK	Skip filled	17,747		

FLUNISOLIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1058

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	58.33
2	No	5	83.33	41.67
BLANK	Skip filled	17,747		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLUNISOLIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1059

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	25.40
2	No	3	50.00	74.60
BLANK	Skip filled	17,747		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1060

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	17,747		

FLUNISOLIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1061-1062

Type: NUM

SAS Variable Name: ILP07_16

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	100.00	100.00
BLANK	Skip filled	17,747		

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1063-1065

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	100.00	100.00
BLANK	Skip filled	17,747		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1066-1067

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLUTICASONE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP01_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

FLUTICASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1069

Type: NUM

SAS Variable Name: ILP02_17

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	12	25.00	14.37
2	6 months to 1 year	7	14.58	3.52
3	Longer than 1 year	29	60.42	82.11
BLANK	Skip filled	17,705		

FLUTICASONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1070

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	10.42	13.26
2	No	39	81.25	57.45
3	Medication is a disk inhaler, not a canister inhaler	1	2.08	25.45
7	Don't know/Not sure	2	4.17	3.40
9	Refused	1	2.08	0.42
BLANK	Skip filled	17,705		

FLUTICASONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	35.42	36.92
2	No	23	47.92	56.18
3	No attack in past 3 months	7	14.58	5.83
7	Don't know/Not sure	1	2.08	1.08
BLANK	Skip filled	17,705		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLUTICASONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	16.67	18.59
2	No	36	75.00	79.54
3	Didn't exercise in past 3 months	3	6.25	1.45
9	Refused	1	2.08	0.42
BLANK	Skip filled	17,705		

FLUTICASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	62.50	82.64
2	No	17	35.42	15.59
7	Don't know/Not sure	1	2.08	1.77
BLANK	Skip filled	17,705		

FLUTICASONE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1074-1075

Type: NUM

SAS Variable Name: ILP07_17

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	47	97.92	99.08
77	Don't know	1	2.08	0.92
BLANK	Skip filled	17,705		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1076-1078

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	34	70.83	76.88
401 - 499	Weeks	9	18.75	18.37
666	Less often than once a week	4	8.33	4.67
777	Don't know	1	2.08	0.08
BLANK	Skip filled	17,705		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FLUTICASONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1079-1080

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

INTAL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP01_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

INTAL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP02_18

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	10	100.00	100.00
BLANK	Skip filled	17,743		

INTAL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP03_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	37.03
2	No	6	60.00	62.97
BLANK	Skip filled	17,743		

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP04_18

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	20.00	29.14
2	No	7	70.00	69.82
3	No attack in past 3 months	1	10.00	1.04
BLANK	Skip filled	17,743		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

INTAL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP05_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	20.00	8.99
2	No	8	80.00	91.01
BLANK	Skip filled	17,743		

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP06_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	53.02
2	No	6	60.00	46.98
BLANK	Skip filled	17,743		

INTAL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1087-1088

Type: NUM

SAS Variable Name: ILP07_18

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	10	100.00	100.00
BLANK	Skip filled	17,743		

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1089-1091

Type: NUM

SAS Variable Name: ILP08_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	60.00	87.30
401 - 499	Weeks	1	10.00	8.16
666	Less often than once a week	3	30.00	4.53
BLANK	Skip filled	17,743		

INTAL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1092-1093

Type: NUM

SAS Variable Name: ILP10_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

IPRATROPIUM BROMIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP01_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

IPRATROPIUM BROMIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1095

Type: NUM

SAS Variable Name: ILP02_19

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	12.20	5.74
2	6 months to 1 year	8	19.51	10.18
3	Longer than 1 year	27	65.85	55.60
7	Don't know/Not sure	1	2.44	28.49
BLANK	Skip filled	17,712		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1096

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	41.46	20.94
2	No	22	53.66	46.72
3	Medication is a disk inhaler, not a canister inhaler	1	2.44	28.49
7	Don't know/Not sure	1	2.44	3.85
BLANK	Skip filled	17,712		

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1097

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	58.54	46.36
2	No	12	29.27	17.45
3	No attack in past 3 months	4	9.76	7.70
7	Don't know/Not sure	1	2.44	28.49
BLANK	Skip filled	17,712		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	39.02	19.70
2	No	15	36.59	39.29
3	Didn't exercise in past 3 months	9	21.95	12.53
7	Don't know/Not sure	1	2.44	28.49
BLANK	Skip filled	17,712		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	82.93	60.78
2	No	6	14.63	10.74
7	Don't know/Not sure	1	2.44	28.49
BLANK	Skip filled	17,712		

IPRATROPIUM BROMIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1100-1101

Type: NUM

SAS Variable Name: ILP07_19

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	22	53.66	55.40
77	Don't know	18	43.90	23.31
99	Refused	1	2.44	21.29
BLANK	Skip filled	17,712		

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1102-1104

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	34	82.93	63.48
401 - 499	Weeks	6	14.63	35.96
666	Less often than once a week	1	2.44	0.56
BLANK	Skip filled	17,712		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1105-1106

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

MAXAIR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1107

Type: NUM

SAS Variable Name: ILP01_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

MAXAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP02_20

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	2.60	3.11
2	6 months to 1 year	4	5.19	12.68
3	Longer than 1 year	71	92.21	84.20
BLANK	Skip filled	17,676		

MAXAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	9.09	7.82
2	No	69	89.61	90.82
7	Don't know/Not sure	1	1.30	1.36
BLANK	Skip filled	17,676		

MAXAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	62	80.52	94.19
2	No	10	12.99	4.45
3	No attack in past 3 months	5	6.49	1.36
BLANK	Skip filled	17,676		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

MAXAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	48.05	58.14
2	No	35	45.45	38.73
3	Didn't exercise in past 3 months	5	6.49	3.14
BLANK	Skip filled	17,676		

MAXAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	18.18	12.42
2	No	63	81.82	87.58
BLANK	Skip filled	17,676		

MAXAIR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1113-1114

Type: NUM

SAS Variable Name: ILP07_20

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	76	98.70	99.77
77	Don't know	1	1.30	0.23
BLANK	Skip filled	17,676		

MAXAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1115-1117

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	23	29.87	24.25
401 - 499	Weeks	23	29.87	22.81
555	Never	2	2.60	3.33
666	Less often than once a week	28	36.36	48.94
999	Refused	1	1.30	0.66
BLANK	Skip filled	17,676		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

MAXAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1118-1119

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	55	71.43	73.22
77	Don't know	3	3.90	1.53
88	None/Less than 1 full canister	19	24.68	25.26
BLANK	Skip filled	17,676		

METAPROTERONOL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP01_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	200 puffs	1	100.00	100.00
BLANK	Skip filled	17,752		

METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP02_21

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	17,752		

METAPROTERONOL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1122

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	17,752		

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1123

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	17,752		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

METAPROTERONOL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1124

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	17,752		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	17,752		

METAPROTERONOL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1126-1127

Type: NUM

SAS Variable Name: ILP07_21

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	17,752		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1128-1130

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	17,752		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1131-1132

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	17,752		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEDOCROMIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1133

Type: NUM

SAS Variable Name: ILP01_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

NEDOCROMIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1134

Type: NUM

SAS Variable Name: ILP02_22

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

NEDOCROMIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

NEDOCROMIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

NEDOCROMIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

NEDOCROMIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

NEDOCROMIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1139-1140

Type: NUM

SAS Variable Name: ILP07_22

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1141-1143

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1144-1145

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

PIRBUTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP01_23

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

PIRBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP02_23

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	75.00	91.17
7	Don't know/Not sure	1	25.00	8.83
BLANK	Skip filled	17,749		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PIRBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	95.39
2	No	2	50.00	4.61
BLANK	Skip filled	17,749		

PIRBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	91.17
7	Don't know/Not sure	1	25.00	8.83
BLANK	Skip filled	17,749		

PIRBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	4.61
2	No	1	25.00	86.56
3	Didn't exercise in past 3 months	1	25.00	8.83
BLANK	Skip filled	17,749		

PIRBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	12.34
2	No	2	50.00	87.66
BLANK	Skip filled	17,749		

PIRBUTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1152-1153

Type: NUM

SAS Variable Name: ILP07_23

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	75.00	91.17
77	Don't know	1	25.00	8.83
BLANK	Skip filled	17,749		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1154-1156

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	50.00	12.34
401 - 499	Weeks	1	25.00	86.56
666	Less often than once a week	1	25.00	1.10
BLANK	Skip filled	17,749		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1157-1158

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	75.00	91.17
77	Don't know	1	25.00	8.83
BLANK	Skip filled	17,749		

PROVENTIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1159

Type: NUM

SAS Variable Name: ILP01_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	120	14.29	16.49
2	100 puffs	115	13.69	10.48
3	200 puffs	388	46.19	53.26
4	Other number of puffs	65	7.74	4.59
5	Used different sizes of this medication in the past 3 months	2	0.24	0.10
7	Don't know/Not sure	150	17.86	15.07
BLANK	Skip filled	16,913		

PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1160

Type: NUM

SAS Variable Name: ILP02_24

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	79	9.40	11.54
2	6 months to 1 year	71	8.45	7.21
3	Longer than 1 year	683	81.31	79.87
7	Don't know/Not sure	5	0.60	0.94
9	Refused	2	0.24	0.44
BLANK	Skip filled	16,913		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PROVENTIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1161

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	234	27.86	22.66
2	No	593	70.60	76.10
3	Medication is a disk inhaler, not a canister inhaler	1	0.12	0.02
7	Don't know/Not sure	11	1.31	1.18
9	Refused	1	0.12	0.04
BLANK	Skip filled	16,913		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	729	86.79	89.64
2	No	70	8.33	7.76
3	No attack in past 3 months	41	4.88	2.60
BLANK	Skip filled	16,913		

PROVENTIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	330	39.29	45.05
2	No	420	50.00	47.99
3	Didn't exercise in past 3 months	87	10.36	6.52
7	Don't know/Not sure	2	0.24	0.01
9	Refused	1	0.12	0.43
BLANK	Skip filled	16,913		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	206	24.52	29.14
2	No	633	75.36	70.86
9	Refused	1	0.12	0.01
BLANK	Skip filled	16,913		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PROVENTIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1165-1166

Type: NUM

SAS Variable Name: ILP07_24

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	836	99.52	99.44
77	Don't know	4	0.48	0.56
BLANK	Skip filled	16,913		

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1167-1169

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	296	35.24	37.68
401 - 499	Weeks	269	32.02	31.32
555	Never	12	1.43	1.70
666	Less often than once a week	226	26.90	25.96
777	Don't know	37	4.40	3.34
BLANK	Skip filled	16,913		

PROVENTIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1170-1171

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	631	75.12	73.86
77	Don't know	53	6.31	6.35
88	None/Less than 1 full canister	156	18.57	19.78
BLANK	Skip filled	16,913		

PULMICORT TURBUHALER: SIZE

Survey: ADULT Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP01_25

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PULMICORT TURBUHALER: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP02_25

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	21	11.23	10.73
2	6 months to 1 year	34	18.18	18.67
3	Longer than 1 year	130	69.52	70.28
7	Don't know/Not sure	2	1.07	0.32
BLANK	Skip filled	17,566		

PULMICORT TURBUHALER: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1174

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	8.56	8.02
2	No	167	89.30	90.89
3	Medication is a disk inhaler, not a canister inhaler	3	1.60	1.04
7	Don't know/Not sure	1	0.53	0.06
BLANK	Skip filled	17,566		

PULMICORT TURBUHALER: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1175

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	58	31.02	34.27
2	No	103	55.08	55.15
3	No attack in past 3 months	26	13.90	10.58
BLANK	Skip filled	17,566		

PULMICORT TURBUHALER: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	46	24.60	25.16
2	No	134	71.66	73.00
3	Didn't exercise in past 3 months	7	3.74	1.84
BLANK	Skip filled	17,566		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PULMICORT TURBUHALER: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1177

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	165	88.24	82.96
2	No	22	11.76	17.04
BLANK	Skip filled	17,566		

PULMICORT TURBUHALER: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1178-1179

Type: NUM

SAS Variable Name: ILP07_25

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	182	97.33	98.91
77	Don't know	5	2.67	1.09
BLANK	Skip filled	17,566		

PULMICORT TURBUHALER: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1180-1182

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	161	86.10	80.79
401 - 499	Weeks	13	6.95	6.34
666	Less often than once a week	10	5.35	12.39
777	Don't know	3	1.60	0.48
BLANK	Skip filled	17,566		

PULMICORT TURBUHALER: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1183-1184

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

SALMETEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP01_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SALMETEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1186

Type: NUM

SAS Variable Name: ILP02_26

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	5.16
3	Longer than 1 year	3	75.00	94.84
BLANK	Skip filled	17,749		

SALMETEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1187

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	11.13
2	No	3	75.00	88.87
BLANK	Skip filled	17,749		

SALMETEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	99.44
2	No	1	25.00	0.56
BLANK	Skip filled	17,749		

SALMETEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	16.29
2	No	2	50.00	83.71
BLANK	Skip filled	17,749		

SALMETEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	11.69
2	No	2	50.00	88.31
BLANK	Skip filled	17,749		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SALMETEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1191-1192

Type: NUM

SAS Variable Name: ILP07_26

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	75.00	94.84
77	Don't know	1	25.00	5.16
BLANK	Skip filled	17,749		

SALMETEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1193-1195

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	25.00	0.56
401 - 499	Weeks	1	25.00	11.13
666	Less often than once a week	1	25.00	83.15
777	Don't know	1	25.00	5.16
BLANK	Skip filled	17,749		

SALMETEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1196-1197

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

SEREVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP01_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

SEREVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP02_27

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	11	8.15	8.81
2	6 months to 1 year	9	6.67	2.44
3	Longer than 1 year	115	85.19	88.75
BLANK	Skip filled	17,618		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SEREVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	8.89	13.26
2	No	102	75.56	66.29
3	Medication is a disk inhaler, not a canister inhaler	21	15.56	20.45
BLANK	Skip filled	17,618		

SEREVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	27.41	36.18
2	No	82	60.74	57.56
3	No attack in past 3 months	16	11.85	6.27
BLANK	Skip filled	17,618		

SEREVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	20.74	21.77
2	No	95	70.37	63.68
3	Didn't exercise in past 3 months	12	8.89	14.55
BLANK	Skip filled	17,618		

SEREVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1203

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	118	87.41	88.12
2	No	17	12.59	11.88
BLANK	Skip filled	17,618		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SEREVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1204-1205

Type: NUM

SAS Variable Name: ILP07_27

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	134	99.26	99.53
77	Don't know	1	0.74	0.47
BLANK	Skip filled	17,618		

SEREVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1206-1208

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	118	87.41	90.65
401 - 499	Weeks	6	4.44	2.57
666	Less often than once a week	10	7.41	6.49
777	Don't know	1	0.74	0.29
BLANK	Skip filled	17,618		

SEREVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1209-1210

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TERBUTALINE (+ T. SULFATE): SIZE

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP01_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1212

Type: NUM

SAS Variable Name: ILP02_28

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1213

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TERBUTALINE (+ T. SULFATE): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1217-1218

Type: NUM

SAS Variable Name: ILP07_28

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1219-1221

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1222-1223

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TILADE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1224

Type: NUM

SAS Variable Name: ILP01_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TILADE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP02_29

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	17,752		

TILADE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP03_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	17,752		

TILADE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP04_29

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	17,752		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TILADE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP05_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	17,752		

TILADE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP06_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	17,752		

TILADE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1230-1231

Type: NUM

SAS Variable Name: ILP07_29

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	17,752		

TILADE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1232-1234

Type: NUM

SAS Variable Name: ILP08_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	17,752		

TILADE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1235-1236

Type: NUM

SAS Variable Name: ILP10_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TORNALATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP01_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

TORNALATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1238

Type: NUM

SAS Variable Name: ILP02_30

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	17,751		

TORNALATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	17,751		

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1240

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	47.00
3	No attack in past 3 months	1	50.00	53.00
BLANK	Skip filled	17,751		

TORNALATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1241

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	17,751		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	17,751		

TORNALATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1243-1244

Type: NUM

SAS Variable Name: ILP07_30

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	17,751		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1245-1247

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	17,751		

TORNALATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1248-1249

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	50.00	53.00
77	Don't know	1	50.00	47.00
BLANK	Skip filled	17,751		

TRIAMCINOLONE ACETONIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1250

Type: NUM

SAS Variable Name: ILP01_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TRIAMCINOLONE ACETONIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1251

Type: NUM

SAS Variable Name: ILP02_31

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	88.68
3	Longer than 1 year	1	50.00	11.32
BLANK	Skip filled	17,751		

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	11.32
2	No	1	50.00	88.68
BLANK	Skip filled	17,751		

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	88.68
2	No	1	50.00	11.32
BLANK	Skip filled	17,751		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	50.00	11.32
3	Didn't exercise in past 3 months	1	50.00	88.68
BLANK	Skip filled	17,751		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	17,751		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

TRIAMCINOLONE ACETONIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1256-1257

Type: NUM

SAS Variable Name: ILP07_31

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	17,751		

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1258-1260

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	17,751		

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1261-1262

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

VANCERIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP01_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

VANCERIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP02_32

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	17,752		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

VANCERIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	17,752		

VANCERIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	17,752		

VANCERIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1267

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	17,752		

VANCERIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1268

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	17,752		

VANCERIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1269-1270

Type: NUM

SAS Variable Name: ILP07_32

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	17,752		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

VANCERIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1271-1273

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	17,752		

VANCERIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1274-1275

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

VENTOLIN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1276

Type: NUM

SAS Variable Name: ILP01_33

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	63	7.03	8.24
2	100 puffs	60	6.70	4.71
3	200 puffs	557	62.17	66.27
4	Other number of puffs	117	13.06	12.88
5	Used different sizes of this medication in the past 3 months	2	0.22	0.19
7	Don't know/Not sure	97	10.83	7.71
BLANK	Skip filled	16,857		

VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1277

Type: NUM

SAS Variable Name: ILP02_33

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	165	18.42	18.17
2	6 months to 1 year	140	15.63	22.42
3	Longer than 1 year	585	65.29	59.18
7	Don't know/Not sure	6	0.67	0.24
BLANK	Skip filled	16,857		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

VENTOLIN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1278

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	257	28.68	27.41
2	No	616	68.75	70.91
3	Medication is a disk inhaler, not a canister inhaler	2	0.22	0.03
7	Don't know/Not sure	21	2.34	1.65
BLANK	Skip filled	16,857		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	751	83.82	88.02
2	No	88	9.82	8.87
3	No attack in past 3 months	49	5.47	2.74
7	Don't know/Not sure	7	0.78	0.36
9	Refused	1	0.11	0.01
BLANK	Skip filled	16,857		

VENTOLIN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	327	36.50	40.07
2	No	493	55.02	54.24
3	Didn't exercise in past 3 months	75	8.37	5.68
7	Don't know/Not sure	1	0.11	0.01
BLANK	Skip filled	16,857		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	246	27.46	28.05
2	No	649	72.43	71.93
7	Don't know/Not sure	1	0.11	0.02
BLANK	Skip filled	16,857		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

VENTOLIN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1282-1283

Type: NUM

SAS Variable Name: ILP07_33

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	891	99.44	99.31
77	Don't know	4	0.45	0.38
99	Refused	1	0.11	0.31
BLANK	Skip filled	16,857		

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1284-1286

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	338	37.72	31.89
401 - 499	Weeks	290	32.37	41.72
555	Never	12	1.34	1.16
666	Less often than once a week	219	24.44	22.13
777	Don't know	36	4.02	3.07
999	Refused	1	0.11	0.04
BLANK	Skip filled	16,857		

VENTOLIN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1287-1288

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	664	74.11	79.02
77	Don't know	58	6.47	4.33
88	None/Less than 1 full canister	173	19.31	16.65
99	Refused	1	0.11	0.00
BLANK	Skip filled	16,857		

FORADIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP01_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FORADIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP02_34

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	11	11.58	10.38
2	6 months to 1 year	11	11.58	25.99
3	Longer than 1 year	73	76.84	63.63
BLANK	Skip filled	17,658		

FORADIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	24.21	45.65
2	No	67	70.53	50.39
3	Medication is a disk inhaler, not a canister inhaler	3	3.16	1.54
7	Don't know/Not sure	2	2.11	2.42
BLANK	Skip filled	17,658		

FORADIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	27.37	25.96
2	No	65	68.42	72.93
3	No attack in past 3 months	4	4.21	1.12
BLANK	Skip filled	17,658		

FORADIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	15.79	16.75
2	No	65	68.42	61.99
3	Didn't exercise in past 3 months	14	14.74	14.12
9	Refused	1	1.05	7.13
BLANK	Skip filled	17,658		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FORADIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	88	92.63	88.91
2	No	7	7.37	11.09
BLANK	Skip filled	17,658		

FORADIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1295-1296

Type: NUM

SAS Variable Name: ILP07_34

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	94	98.95	99.62
77	Don't know	1	1.05	0.38
BLANK	Skip filled	17,658		

FORADIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1297-1299

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	89	93.68	76.88
401 - 499	Weeks	4	4.21	22.03
666	Less often than once a week	2	2.11	1.08
BLANK	Skip filled	17,658		

FORADIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1300-1301

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

FORMOTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP01_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FORMOTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1303

Type: NUM

SAS Variable Name: ILP02_35

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	9	100.00	100.00
BLANK	Skip filled	17,744		

FORMOTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1304

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	11.11	42.42
2	No	8	88.89	57.58
BLANK	Skip filled	17,744		

FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	43.52
2	No	7	77.78	56.48
BLANK	Skip filled	17,744		

FORMOTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	19.19
2	No	5	55.56	37.29
3	Didn't exercise in past 3 months	2	22.22	43.52
BLANK	Skip filled	17,744		

FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	100.00	100.00
BLANK	Skip filled	17,744		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

FORMOTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1308-1309

Type: NUM

SAS Variable Name: ILP07_35

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	8	88.89	82.42
77	Don't know	1	11.11	17.58
BLANK	Skip filled	17,744		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1310-1312

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	88.89	82.42
401 - 499	Weeks	1	11.11	17.58
BLANK	Skip filled	17,744		

FORMOTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1313-1314

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

QVAR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP01_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

QVAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: ILP02_36

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	64	21.84	28.25
2	6 months to 1 year	41	13.99	14.14
3	Longer than 1 year	187	63.82	57.57
7	Don't know/Not sure	1	0.34	0.03
BLANK	Skip filled	17,460		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

QVAR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	120	40.96	42.16
2	No	170	58.02	57.61
7	Don't know/Not sure	3	1.02	0.23
BLANK	Skip filled	17,460		

QVAR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	37.20	41.05
2	No	149	50.85	52.79
3	No attack in past 3 months	32	10.92	5.82
7	Don't know/Not sure	3	1.02	0.34
BLANK	Skip filled	17,460		

QVAR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	75	25.60	25.11
2	No	194	66.21	72.16
3	Didn't exercise in past 3 months	24	8.19	2.73
BLANK	Skip filled	17,460		

QVAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	235	80.20	67.18
2	No	58	19.80	32.82
BLANK	Skip filled	17,460		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

QVAR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1321-1322

Type: NUM

SAS Variable Name: ILP07_36

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	293	100.00	100.00
BLANK	Skip filled	17,460		

QVAR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1323-1325

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	229	78.16	74.82
401 - 499	Weeks	36	12.29	17.41
555	Never	5	1.71	1.46
666	Less often than once a week	22	7.51	6.29
777	Don't know	1	0.34	0.01
BLANK	Skip filled	17,460		

QVAR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1326-1327

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

LEVALBUTEROL TARTRATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: ILP01_37

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

LEVALBUTEROL TARTRATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: ILP02_37

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	93.87
3	Longer than 1 year	3	75.00	6.13
BLANK	Skip filled	17,749		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	0.13
2	No	3	75.00	99.87
BLANK	Skip filled	17,749		

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	17,749		

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	0.21
2	No	1	25.00	93.87
3	Didn't exercise in past 3 months	1	25.00	5.92
BLANK	Skip filled	17,749		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	5.92
2	No	3	75.00	94.08
BLANK	Skip filled	17,749		

LEVALBUTEROL TARTRATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1334-1335

Type: NUM

SAS Variable Name: ILP07_37

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	17,749		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1336-1338

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	6.13
666	Less often than once a week	1	25.00	93.87
BLANK	Skip filled	17,749		

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1339-1340

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	75.00	99.92
88	None/Less than 1 full canister	1	25.00	0.08
BLANK	Skip filled	17,749		

XOPENEX HFA: SIZE

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: ILP01_38

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

XOPENEX HFA: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: ILP02_38

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	46	12.92	17.68
2	6 months to 1 year	71	19.94	17.81
3	Longer than 1 year	238	66.85	64.16
7	Don't know/Not sure	1	0.28	0.34
BLANK	Skip filled	17,397		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

XOPENEX HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	30.62	24.54
2	No	238	66.85	71.23
3	Medication is a disk inhaler, not a canister inhaler	1	0.28	0.02
7	Don't know/Not sure	8	2.25	4.21
BLANK	Skip filled	17,397		

XOPENEX HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	296	83.15	84.12
2	No	40	11.24	13.47
3	No attack in past 3 months	18	5.06	2.17
7	Don't know/Not sure	1	0.28	0.08
9	Refused	1	0.28	0.17
BLANK	Skip filled	17,397		

XOPENEX HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	131	36.80	36.06
2	No	182	51.12	55.41
3	Didn't exercise in past 3 months	40	11.24	7.06
7	Don't know/Not sure	2	0.56	1.30
9	Refused	1	0.28	0.17
BLANK	Skip filled	17,397		

XOPENEX HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	84	23.60	28.09
2	No	272	76.40	71.91
BLANK	Skip filled	17,397		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

XOPENEX HFA: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1347-1348

Type: NUM

SAS Variable Name: ILP07_38

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	345	96.91	96.19
77	Don't know	10	2.81	3.64
99	Refused	1	0.28	0.17
BLANK	Skip filled	17,397		

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1349-1351

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	116	32.58	38.11
401 - 499	Weeks	109	30.62	24.74
555	Never	6	1.69	6.40
666	Less often than once a week	109	30.62	25.55
777	Don't know	14	3.93	3.30
999	Refused	2	0.56	1.90
BLANK	Skip filled	17,397		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1352-1353

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	272	76.40	72.17
77	Don't know	24	6.74	6.09
88	None/Less than 1 full canister	57	16.01	21.51
99	Refused	3	0.84	0.22
BLANK	Skip filled	17,397		

MOMETASONE FUROATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: ILP01_39

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

MOMETASONE FUROATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: ILP02_39

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	6.25	7.34
2	6 months to 1 year	4	25.00	42.21
3	Longer than 1 year	11	68.75	50.45
BLANK	Skip filled	17,737		

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

MOMETASONE FUROATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	18.75	14.27
2	No	10	62.50	79.44
3	No attack in past 3 months	3	18.75	6.29
BLANK	Skip filled	17,737		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	25.00	22.82
2	No	11	68.75	76.11
7	Don't know/Not sure	1	6.25	1.07
BLANK	Skip filled	17,737		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	87.50	91.94
2	No	2	12.50	8.06
BLANK	Skip filled	17,737		

MOMETASONE FUROATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1360-1361

Type: NUM

SAS Variable Name: ILP07_39

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	16	100.00	100.00
BLANK	Skip filled	17,737		

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1362-1364

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	13	81.25	85.13
401 - 499	Weeks	2	12.50	13.80
777	Don't know	1	6.25	1.07
BLANK	Skip filled	17,737		

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1365-1366

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

ASMANEX (TWISTHALER): SIZE

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: ILP01_40

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ASMANEX (TWISTHALER): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: ILP02_40

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	42	15.91	26.34
2	6 months to 1 year	47	17.80	16.34
3	Longer than 1 year	172	65.15	54.02
7	Don't know/Not sure	2	0.76	0.54
9	Refused	1	0.38	2.76
BLANK	Skip filled	17,489		

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	70	26.52	26.46
2	No	162	61.36	64.25
3	No attack in past 3 months	28	10.61	5.95
7	Don't know/Not sure	2	0.76	0.53
9	Refused	2	0.76	2.81
BLANK	Skip filled	17,489		

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	17.80	19.61
2	No	194	73.48	71.92
3	Didn't exercise in past 3 months	20	7.58	6.20
7	Don't know/Not sure	2	0.76	0.47
9	Refused	1	0.38	1.80
BLANK	Skip filled	17,489		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	221	83.71	72.57
2	No	42	15.91	26.97
7	Don't know/Not sure	1	0.38	0.45
BLANK	Skip filled	17,489		

ASMANEX (TWISTHALER): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1373-1374

Type: NUM

SAS Variable Name: ILP07_40

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	263	99.62	99.55
77	Don't know	1	0.38	0.45
BLANK	Skip filled	17,489		

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1375-1377

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	214	81.06	64.34
401 - 499	Weeks	30	11.36	26.08
555	Never	3	1.14	2.45
666	Less often than once a week	13	4.92	3.77
777	Don't know	3	1.14	3.30
999	Refused	1	0.38	0.06
BLANK	Skip filled	17,489		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1378-1379

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

PRO-AIR HFA: SIZE

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: ILP01_41

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PRO-AIR HFA: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: ILP02_41

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	189	14.12	12.54
2	6 months to 1 year	233	17.40	20.76
3	Longer than 1 year	909	67.89	66.09
7	Don't know/Not sure	8	0.60	0.61
BLANK	Skip filled	16,414		

PRO-AIR HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	346	25.84	24.47
2	No	969	72.37	72.53
3	Medication is a disk inhaler, not a canister inhaler	4	0.30	0.32
7	Don't know/Not sure	20	1.49	2.68
BLANK	Skip filled	16,414		

PRO-AIR HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,144	85.44	85.35
2	No	121	9.04	10.87
3	No attack in past 3 months	73	5.45	3.77
9	Refused	1	0.07	0.01
BLANK	Skip filled	16,414		

PRO-AIR HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	500	37.34	42.00
2	No	694	51.83	47.53
3	Didn't exercise in past 3 months	139	10.38	10.20
7	Don't know/Not sure	5	0.37	0.11
9	Refused	1	0.07	0.16
BLANK	Skip filled	16,414		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PRO-AIR HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	348	25.99	23.19
2	No	989	73.86	76.74
7	Don't know/Not sure	2	0.15	0.08
BLANK	Skip filled	16,414		

PRO-AIR HFA: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1386-1387

Type: NUM

SAS Variable Name: ILP07_41

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1,330	99.33	98.18
77	Don't know	8	0.60	1.44
99	Refused	1	0.07	0.39
BLANK	Skip filled	16,414		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1388-1390

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	483	36.07	31.81
401 - 499	Weeks	423	31.59	35.33
555	Never	28	2.09	5.55
666	Less often than once a week	345	25.77	25.27
777	Don't know	58	4.33	1.65
999	Refused	2	0.15	0.39
BLANK	Skip filled	16,414		

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1391-1392

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1,051	78.49	81.58
77	Don't know	72	5.38	3.04
88	None/Less than 1 full canister	214	15.98	14.96
99	Refused	2	0.15	0.42
BLANK	Skip filled	16,414		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SYMBICORT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: ILP01_42

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

SYMBICORT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: ILP02_42

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	172	28.76	30.39
2	6 months to 1 year	161	26.92	27.26
3	Longer than 1 year	261	43.65	41.99
7	Don't know/Not sure	3	0.50	0.16
9	Refused	1	0.17	0.20
BLANK	Skip filled	17,155		

SYMBICORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	151	25.25	19.70
2	No	442	73.91	79.62
7	Don't know/Not sure	4	0.67	0.48
9	Refused	1	0.17	0.20
BLANK	Skip filled	17,155		

SYMBICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	235	39.30	39.42
2	No	310	51.84	56.08
3	No attack in past 3 months	47	7.86	3.98
7	Don't know/Not sure	3	0.50	0.16
9	Refused	3	0.50	0.36
BLANK	Skip filled	17,155		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SYMBICORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	165	27.59	23.27
2	No	376	62.88	65.91
3	Didn't exercise in past 3 months	53	8.86	10.52
7	Don't know/Not sure	2	0.33	0.08
9	Refused	2	0.33	0.22
BLANK	Skip filled	17,155		

SYMBICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1398

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	484	80.94	82.96
2	No	110	18.39	16.51
7	Don't know/Not sure	3	0.50	0.33
9	Refused	1	0.17	0.20
BLANK	Skip filled	17,155		

SYMBICORT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1399-1400

Type: NUM

SAS Variable Name: ILP07_42

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	595	99.50	99.87
77	Don't know	3	0.50	0.13
BLANK	Skip filled	17,155		

SYMBICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1401-1403

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	494	82.61	81.66
401 - 499	Weeks	64	10.70	11.24
555	Never	4	0.67	0.87
666	Less often than once a week	31	5.18	5.89
777	Don't know	4	0.67	0.14
999	Refused	1	0.17	0.20
BLANK	Skip filled	17,155		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

SYMBICORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1404-1405

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

PILL ACCOLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1406

Type: NUM

SAS Variable Name: PILLX_1

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	2.94	8.53
3	Longer than 1 year	66	97.06	91.47
BLANK	Skip filled	17,685		

PILL AEROLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1407

Type: NUM

SAS Variable Name: PILLX_2

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	17,752		

PILL ALBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: PILLX_3

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	11.63	5.17
2	6 months to 1 year	2	4.65	3.93
3	Longer than 1 year	36	83.72	90.91
BLANK	Skip filled	17,710		

PILL ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1409

Type: NUM

SAS Variable Name: PILLX_4

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	17,751		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL CHOLEDYL (OXTRIPHYLLINE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1410

Type: NUM

SAS Variable Name: PILLX_5

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	17,752		

PILL DELTASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1411

Type: NUM

SAS Variable Name: PILLX_7

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

PILL ELIXOPHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1412

Type: NUM

SAS Variable Name: PILLX_8

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	25.00	22.58
3	Longer than 1 year	3	75.00	77.42
BLANK	Skip filled	17,749		

PILL MEDROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1413

Type: NUM

SAS Variable Name: PILLX_11

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	38.46	13.93
2	6 months to 1 year	1	7.69	4.54
3	Longer than 1 year	7	53.85	81.53
BLANK	Skip filled	17,740		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL METAPREL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1414

Type: NUM

SAS Variable Name: PILLX_12

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	33.33	51.97
3	Longer than 1 year	2	66.67	48.03
BLANK	Skip filled	17,750		

PILL METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1415

Type: NUM

SAS Variable Name: PILLX_13

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	17,752		

PILL METHYLPREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1416

Type: NUM

SAS Variable Name: PILLX_14

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	33.33	31.07
2	6 months to 1 year	2	33.33	7.10
3	Longer than 1 year	2	33.33	61.83
BLANK	Skip filled	17,747		

PILL MONTELUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1417

Type: NUM

SAS Variable Name: PILLX_15

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	6.25	50.36
3	Longer than 1 year	15	93.75	49.64
BLANK	Skip filled	17,737		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL PEDIAPRED: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1418

Type: NUM

SAS Variable Name: PILLX_17

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

PILL PREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1419

Type: NUM

SAS Variable Name: PILLX_18

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	9	60.00	77.85
3	Longer than 1 year	6	40.00	22.15
BLANK	Skip filled	17,738		

PILL PREDNISONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1420

Type: NUM

SAS Variable Name: PILLX_19

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	159	47.60	63.31
2	6 months to 1 year	23	6.89	5.07
3	Longer than 1 year	144	43.11	30.80
7	Don't know/Not sure	8	2.40	0.82
BLANK	Skip filled	17,419		

PILL PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1421

Type: NUM

SAS Variable Name: PILLX_21

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	17,751		

PILL RESPID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1422

Type: NUM

SAS Variable Name: PILLX_23

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL SINGULAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1423

Type: NUM

SAS Variable Name: PILLX_24

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	127	7.71	8.35
2	6 months to 1 year	113	6.86	6.83
3	Longer than 1 year	1,399	84.94	84.34
7	Don't know/Not sure	7	0.43	0.47
9	Refused	1	0.06	0.01
BLANK	Skip filled	16,106		

PILL SLO-PHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1424

Type: NUM

SAS Variable Name: PILLX_25

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	17,752		

PILL SLO-BID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: PILLX_26

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	20.00	8.02
2	6 months to 1 year	1	20.00	4.48
3	Longer than 1 year	3	60.00	87.50
BLANK	Skip filled	17,748		

PILL THEO-24: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: PILLX_28

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	13.33	11.72
2	6 months to 1 year	1	6.67	7.72
3	Longer than 1 year	11	73.33	65.53
7	Don't know/Not sure	1	6.67	15.03
BLANK	Skip filled	17,738		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL THEOCHRON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1427

Type: NUM

SAS Variable Name: PILLX_30

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	17,750		

PILL THEOCLEAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1428

Type: NUM

SAS Variable Name: PILLX_31

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

PILL THEODUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1429

Type: NUM

SAS Variable Name: PILLX_32

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	11	100.00	100.00
BLANK	Skip filled	17,742		

PILL THEO-DUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1430

Type: NUM

SAS Variable Name: PILLX_33

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	8	100.00	100.00
BLANK	Skip filled	17,745		

PILL THEOPHYLLINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1431

Type: NUM

SAS Variable Name: PILLX_35

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	7	5.00	7.38
2	6 months to 1 year	8	5.71	3.80
3	Longer than 1 year	125	89.29	88.82
BLANK	Skip filled	17,613		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL THEOSPAN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1432

Type: NUM

SAS Variable Name: PILLX_37

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	17,751		

PILL T-PHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1433

Type: NUM

SAS Variable Name: PILLX_40

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	17,750		

PILL UNIPHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1434

Type: NUM

SAS Variable Name: PILLX_42

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	11.11	8.05
3	Longer than 1 year	8	88.89	91.95
BLANK	Skip filled	17,744		

PILL VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1435

Type: NUM

SAS Variable Name: PILLX_43

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	17,752		

PILL VOLMAX: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1436

Type: NUM

SAS Variable Name: PILLX_44

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

PILL ZAFIRLUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1437

Type: NUM

SAS Variable Name: PILLX_45

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	17,752		

PILL ZILEUTON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1438

Type: NUM

SAS Variable Name: PILLX_46

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	17,753		

PILL ZYFLO FILMTAB: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1439

Type: NUM

SAS Variable Name: PILLX_47

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	25.00	17.99
3	Longer than 1 year	3	75.00	82.01
BLANK	Skip filled	17,749		

PILL TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1440

Type: NUM

SAS Variable Name: PILLX_48

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	17,749		

PILL BRETHINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1441

Type: NUM

SAS Variable Name: PILLX_49

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	33.33	9.69
3	Longer than 1 year	2	66.67	90.31
BLANK	Skip filled	17,750		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1442-1451

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: WEIGHT_IN

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	17,753	100.00	100.00

ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: ADULT Asthma Call-Back

Column: 1452-1461

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM
SAS Variable Name: POST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	17,753	100.00	100.00

FINAL ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1462-1471

Prologue:

Description: FINAL ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: FINALWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back weight	17,753	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: ADULT Asthma Call-Back

Column: 1472

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	9,681	100.00	100.00
BLANK	No region collapsed	8,072		

RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1473

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: RACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	6,927	100.00	100.00
BLANK	Missing	10,826		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1474

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	409	2.97	11.43
2	Age 25 - 34	1,080	7.84	19.53
3	Age 35 - 44	1,577	11.45	20.35
4	Age 45 - 54	2,780	20.19	18.51
5	Age 55 - 64	3,674	26.68	15.34
6	Age 65 - 74	2,630	19.10	8.94
7	Age 75+	1,619	11.76	5.89
BLANK	Missing	3,984		

AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1475

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	1,594	10.24	31.09
2	Age 35 - 44	1,729	11.11	20.04
3	Age 45 - 54	3,170	20.37	18.60
4	Age 55 - 64	4,249	27.31	15.47
5	Age 65+	4,817	30.96	14.81
BLANK	Missing	2,194		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1476

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	384	9.41	29.32
2	Age 35 - 44	435	10.66	21.67
3	Age 45 - 54	764	18.73	18.33
4	Age 55+	2,497	61.20	30.68
BLANK	Missing	13,673		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1477

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4_M

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	819	20.07	51.00
2	Age 45 - 54	764	18.73	18.33
3	Age 55 - 64	1,127	27.62	15.15
4	Age 65+	1,370	33.58	15.52
BLANK	Missing	13,673		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2010**

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1478

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	61	9.93	25.67
2	Age 35 - 54	173	28.18	41.81
3	Age 55+	380	61.89	32.52
BLANK	Missing	17,139		

AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1479

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	67	16.75	50.42
2	Age 45+	333	83.25	49.58
BLANK	Missing	17,353		

ADULT ASTHMA CALL-BACK ADJUST FACTOR

Survey: ADULT Asthma Call-Back

Column: 1480-1487

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: ADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification adjust factor	17,753	100.00	100.00