


United States

2012 Land Line Only Codebook Report

ADULT Asthma Call-Back Survey

March 11, 2014



**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

STATE FIPS CODE

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	333	2.67	1.99
4	Arizona	295	2.37	2.59
6	California	427	3.43	15.49
9	Connecticut	324	2.60	1.37
11	District of Columbia	144	1.16	0.28
12	Florida	282	2.27	6.88
13	Georgia	207	1.66	3.54
15	Hawaii	212	1.70	0.54
17	Illinois	264	2.12	5.25
18	Indiana	306	2.46	2.29
19	Iowa	254	2.04	1.09
20	Kansas	490	3.94	0.97
22	Louisiana	351	2.82	1.50
23	Maine	268	2.15	0.62
25	Massachusetts	275	2.21	3.01
26	Michigan	569	4.57	4.37
28	Mississippi	330	2.65	1.05
29	Missouri	300	2.41	2.52
30	Montana	365	2.93	0.40
31	Nebraska	697	5.60	0.54
32	Nevada	194	1.56	0.90
33	New Hampshire	360	2.89	0.57
34	New Jersey	494	3.97	3.11
35	New Mexico	350	2.81	0.81
36	New York	229	1.84	8.05
37	North Carolina	218	1.75	3.09
38	North Dakota	183	1.47	0.19
39	Ohio	480	3.86	4.44
40	Oklahoma	269	2.16	1.57
41	Oregon	279	2.24	2.02
42	Pennsylvania	761	6.11	5.25
44	Rhode Island	243	1.95	0.48
48	Texas	296	2.38	7.58
50	Vermont	302	2.43	0.29
53	Washington	639	5.13	2.98
54	West Virginia	241	1.94	0.70
55	Wisconsin	218	1.75	1.67

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,085	8.72	11.70
2	February	1,225	9.84	10.37
3	March	1,069	8.59	8.62
4	April	1,257	10.10	12.96
5	May	901	7.24	5.22
6	June	938	7.53	6.39
7	July	1,183	9.50	10.16
8	August	1,004	8.06	7.03
9	September	867	6.96	5.36
10	October	1,171	9.41	9.20
11	November	926	7.44	7.71
12	December	823	6.61	5.27

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	479	3.85	2.64
2	February	1,084	8.71	10.94
3	March	1,445	11.61	13.99
4	April	1,291	10.37	10.98
5	May	1,035	8.31	5.73
6	June	1,054	8.47	9.47
7	July	951	7.64	6.51
8	August	995	7.99	7.40
9	September	886	7.12	5.55
10	October	1,143	9.18	9.93
11	November	1,051	8.44	8.92
12	December	1,035	8.31	7.94

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		12,449	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2012	Interview year	11,892	95.53	96.93
2013	Interview year	557	4.47	3.07

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer Identification	12,449	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: DISPCODE_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1100	Complete	12,430	99.85	99.94
1200	Partial complete	19	0.15	0.06

ANNUAL SEQUENCE NUMBER

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		12,449	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: NATTMPTS_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Number of attempts of asthma call-back	12,449	100.00	100.00

PERMIT TO CALL BACK FROM BRFSS

Survey: ADULT Asthma Call-Back

Column: 39

Prologue:

Description: PERMIT TO CALL BACK FROM BRFSS

Type: NUM
SAS Variable Name: CALLBACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,449	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ARE YOU SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 40

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Type: NUM
SAS Variable Name: SAMP_NAME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,017	96.53	95.26
2	No	432	3.47	4.74

MAY I SPEAK WITH SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 41

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Type: NUM
SAS Variable Name: SAMP_PERS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	432	100.00	100.00
BLANK	Not asked or missing	12,017		

CHECK CORRECT PERSON ON PHONE

Survey: ADULT Asthma Call-Back

Column: 42

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Type: NUM
SAS Variable Name: REPEAT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,032	100.00	100.00
BLANK	Not asked or missing	11,417		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 43

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Type: NUM
SAS Variable Name: EVER_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,032	100.00	100.00
BLANK	Not asked or missing	11,417		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 44

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Type: NUM
SAS Variable Name: CUR_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	647	62.69	67.19
2	No	339	32.85	31.00
7	Don't know/Not sure	45	4.36	1.78
9	Refused	1	0.10	0.02
BLANK	Not asked or missing	11,417		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PERMISSION TO COMBINE THE ANSWER WITH BRFS

Survey: ADULT Asthma Call-Back

Column: 45

Prologue:

Type: NUM

SAS Variable Name: PERMISS

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,500	60.25	73.64
7	Don't know/Not sure	4,949	39.75	26.36

AGE AT ASTHMA DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 46-48

Prologue:

Type: NUM

SAS Variable Name: AGEDX

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	11,130	89.40	90.77
777	Don't know	985	7.91	5.67
888	Less than 1 year old	328	2.63	3.54
999	Refused	6	0.05	0.02

TIME SINCE DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 49

Prologue:

Type: NUM

SAS Variable Name: INCIDNT

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	260	2.09	1.98
2	One to five years ago	1,193	9.58	10.00
3	More than 5 years ago	10,950	87.96	87.80
7	Don't know	43	0.35	0.19
9	Refused	3	0.02	0.03

LAST TALKED TO A DOCTOR

Survey: ADULT Asthma Call-Back

Column: 50-51

Prologue:

Type: NUM

SAS Variable Name: LAST_MD

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	7,800	62.66	56.64
5	One year to less than 3 years ago	1,597	12.83	15.04
6	Three years to five years ago	677	5.44	6.65
7	More than five years ago	2,170	17.43	20.49
77	Don't know	90	0.72	0.50
88	Never	108	0.87	0.65
99	Refused	7	0.06	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

LAST TOOK ASTHMA MEDICATION

Survey: ADULT Asthma Call-Back

Column: 52-53

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Type: NUM

SAS Variable Name: LAST_MED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	5,096	40.94	31.58
2	1-6 days ago	1,067	8.57	8.78
3	1 week to less than 3 months ago	1,375	11.05	12.77
4	3 months to less than 1 year ago	982	7.89	9.47
5	1 year to less than 3 years ago	857	6.88	7.64
6	3 years to 5 years ago	496	3.98	5.77
7	More than 5 years ago	2,099	16.86	20.58
77	Don't know	104	0.84	0.62
88	Never	364	2.92	2.75
99	Refused	9	0.07	0.04

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: ADULT Asthma Call-Back

Column: 54-55

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Type: NUM

SAS Variable Name: LASTSYMP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	3,661	29.41	24.36
2	1-6 days ago	1,640	13.17	12.44
3	1 week to less than 3 months ago	2,343	18.82	19.41
4	3 months to less than 1 year ago	1,331	10.69	10.95
5	1 year to less than 3 years ago	913	7.33	8.47
6	3 years to 5 years ago	430	3.45	4.81
7	More than 5 years ago	1,796	14.43	17.66
77	Don't know	234	1.88	1.14
88	Never	94	0.76	0.72
99	Refused	7	0.06	0.05

SYMPTOM DAYS

Survey: ADULT Asthma Call-Back

Column: 56-58

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Type: NUM

SAS Variable Name: SYMP_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	4,600	36.95	37.36
30	Every day	2,356	18.93	13.84
66	No symptoms past one year, skip filled	3,233	25.97	31.65
77	Don't know	256	2.06	1.09
88	No symptoms in the past 30 days	665	5.34	5.08
99	Refused	8	0.06	0.02
100	Symptoms 3 months to 1 year ago, skip filled	1,331	10.69	10.95

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

CONSTANT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,295	10.40	8.06
2	No	1,002	8.05	5.57
6	Last symptoms one+ years ago, skip filled	3,233	25.97	31.65
7	Don't know	52	0.42	0.19
9	Refused	7	0.06	0.02
10	Last symptoms 3 months - 1 year ago, skip filled	1,331	10.69	10.95
11	No symptoms 'SYMP_30D' skip filled	665	5.34	5.08
12	1-29 'SYMP_30D' skip filled	4,600	36.95	37.36
77	Don't know 'SYMP_30D' skip filled	256	2.06	1.09
99	Refused 'SYMP_30D' skip filled	8	0.06	0.02

NIGHT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	3,173	25.49	24.48
66	No symptoms past one year, skip filled	3,233	25.97	31.65
77	Don't know	331	2.66	1.65
88	None	3,701	29.73	26.09
99	Refused	15	0.12	0.09
100	Symptoms 3 months to 1 year ago, skip filled	1,331	10.69	10.95
111	No symptoms in the past 30 days, skip filled	665	5.34	5.08

SYMPTOM-FREE DAYS

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	9,273	74.49	80.98
77	Don't know	225	1.81	1.96
88	None	2,940	23.62	17.03
99	Refused	11	0.09	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,031	40.41	38.08
2	No	4,036	32.42	29.82
6	No symptoms past 1 year, skip filled	3,233	25.97	31.65
7	Don't know	142	1.14	0.43
9	Refused	7	0.06	0.02

NUMBER OF EPISODES / ATTACKS

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	3,723	29.91	30.18
666	No symptoms past 1 year, skip filled	3,233	25.97	31.65
777	Don't know	367	2.95	1.51
888	None	936	7.52	6.37
999	Refused	5	0.04	0.02
1111	No episode/asthma attack past year, skip filled	4,185	33.62	30.27

DURATION OF ATTACK

Survey: ADULT Asthma Call-Back

Column: 71-74

Type: NUM

SAS Variable Name: DUR_ASTH

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	1,995	16.03	16.50
201 - 299	Hours	1,307	10.50	11.53
301 - 399	Days	1,008	8.10	6.39
401 - 499	Weeks	431	3.46	2.19
555	Never	8	0.06	0.04
666	No symptoms past 1 year, skip filled	3,233	25.97	31.65
777	Don't know	270	2.17	1.38
999	Refused	12	0.10	0.03
1111	No episode/asthma attack past year, skip filled	4,185	33.62	30.27

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

TYPICAL ATTACK

Survey: ADULT Asthma Call-Back

Column: 75-76

Type: NUM

SAS Variable Name: COMPASTH

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	1,129	9.07	7.93
2	Longer	747	6.00	5.33
3	About the same	3,083	24.77	24.35
4	The most recent attack was actually the first attack	22	0.18	0.25
6	No symptoms past year, skip filled	3,233	25.97	31.65
7	Don't know	48	0.39	0.21
9	Refused	2	0.02	0.01
11	No episode/asthma attack past year, skip filled	4,185	33.62	30.27

INSURANCE

Survey: ADULT Asthma Call-Back

Column: 77

Type: NUM

SAS Variable Name: INS1

Prologue:

Description: QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,372	91.35	83.33
2	No	1,058	8.50	16.43
7	Don't know/Not sure	10	0.08	0.12
9	Refused	9	0.07	0.11

INSURANCE OR COVERAGE GAP

Survey: ADULT Asthma Call-Back

Column: 78

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	474	3.81	6.88
2	No	10,882	87.41	76.32
5	No insurance at time of interview, skip filled	1,058	8.50	16.43
7	Don't know	25	0.20	0.25
9	Refused	10	0.08	0.12

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: ADULT Asthma Call-Back

Column: 79-81

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	6,102	49.02	44.95
555	No current asthma, nothing happened past year, skip filled	1,870	15.02	19.73
666	No MD visit past year, skip filled	2,700	21.69	23.28
777	Don't know	174	1.40	1.00
888	None	1,588	12.76	10.91
999	Refused	15	0.12	0.12

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

EMERGENCY ROOM VISIT

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 82

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,212	9.74	10.40
2	No	6,638	53.32	46.47
5	No current asthma, nothing happened past year, skip filled	1,870	15.02	19.73
6	No MD visit past year, skip filled	2,700	21.69	23.28
7	Don't know	25	0.20	0.07
9	Refused	4	0.03	0.05

NUMBER OF EMERGENCY ROOM VISITS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 83-85

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,194	9.59	10.19
555	No current asthma, nothing happened past year, skip filled	1,870	15.02	19.73
666	No MD visit past year, skip filled	2,700	21.69	23.28
677	MD visit, no ER visit past year, skip filled	6,638	53.32	46.47
777	Don't know	39	0.31	0.26
888	None	4	0.03	0.02
999	Refused	4	0.03	0.05

NUMBER OF URGENT VISITS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 86-88

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	2,427	19.50	18.70
555	No current asthma, nothing happened past year, skip filled	1,870	15.02	19.73
666	No MD visit past year, skip filled	2,700	21.69	23.28
777	Don't know	125	1.00	0.67
888	None	5,318	42.72	37.54
999	Refused	9	0.07	0.08

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

HOSPITAL VISIT

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	437	3.51	2.66
2	No	6,557	52.67	46.44
4	MD visit, no symptoms past year, skip filled	855	6.87	7.58
5	No current asthma, nothing happened past year, skip filled	1,870	15.02	19.73
6	No MD visit past year, skip filled	2,700	21.69	23.28
7	Don't know	26	0.21	0.26
9	Refused	4	0.03	0.05

NUMBER OF HOSPITAL VISITS

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	422	3.39	2.58
444	MD visit, no symptoms past year, skip filled	855	6.87	7.58
455	MD visit, symptoms, no hospital visit past year, skip filled	6,557	52.67	46.44
555	No current asthma, nothing happened past year, skip filled	1,870	15.02	19.73
666	No MD visit past year, skip filled	2,700	21.69	23.28
777	Don't know	40	0.32	0.33
999	Refused	5	0.04	0.05

HOSPITAL FOLLOW-UP

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	304	2.44	2.06
2	No	122	0.98	0.55
4	MD visit, no symptoms past year, skip filled	855	6.87	7.58
5	No current asthma, nothing happened past year, skip filled	1,870	15.02	19.73
6	No MD visit past year, skip filled	2,700	21.69	23.28
7	Don't know	37	0.30	0.31
9	Refused	4	0.03	0.05
45	MD visit, symptoms, no hospital visit past year, skip filled	6,557	52.67	46.44

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

NUMBER OF MISSED DAYS

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	3,211	25.79	25.50
555	No current asthma, nothing happened past year, skip filled	1,870	15.02	19.73
777	Don't know	589	4.73	2.90
888	Zero	6,738	54.12	51.52
999	Refused	41	0.33	0.34

ACTIVITY LIMITATION

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT_DAYS30

Prologue:

Description: Q5.9 During just the past 30 days, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	5,043	40.51	40.65
2	A little	2,977	23.91	22.27
3	A moderate amount	1,540	12.37	9.79
4	A lot	952	7.65	7.18
5	No current asthma, nothing happened past year, skip filled	1,870	15.02	19.73
7	Don't know	55	0.44	0.19
9	Refused	12	0.10	0.18

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,386	59.33	62.53
2	No	4,721	37.92	35.49
7	Don't know/Not sure	314	2.52	1.90
9	Refused	28	0.22	0.08

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,809	70.76	72.48
2	No	3,383	27.17	25.93
7	Don't know/Not sure	237	1.90	1.55
9	Refused	20	0.16	0.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: ADULT Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,968	39.91	41.20
2	No	7,340	58.96	58.06
7	Don't know/Not sure	126	1.01	0.69
9	Refused	15	0.12	0.04

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: ADULT Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,074	24.69	26.31
2	No	9,109	73.17	71.75
7	Don't know/Not sure	260	2.09	1.93
9	Refused	6	0.05	0.01

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: ADULT Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,006	8.08	7.42
2	No	11,399	91.57	92.44
7	Don't know/Not sure	35	0.28	0.13
9	Refused	9	0.07	0.02

AIR CLEANER USED

Survey: ADULT Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,515	28.24	26.91
2	No	8,856	71.14	72.48
7	Don't know/Not sure	73	0.59	0.59
9	Refused	5	0.04	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

DEHUMIDIFIER USED

Survey: ADULT Asthma Call-Back

Column: 105

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Type: NUM

SAS Variable Name: DEHUMID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,090	24.82	22.10
2	No	9,311	74.79	77.48
7	Don't know/Not sure	42	0.34	0.37
9	Refused	6	0.05	0.06

EXHAUST FAN USED

Survey: ADULT Asthma Call-Back

Column: 106

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Type: NUM

SAS Variable Name: KITC_FAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,280	58.48	60.17
2	No	5,096	40.94	39.28
7	Don't know/Not sure	63	0.51	0.48
9	Refused	10	0.08	0.06

GAS USED

Survey: ADULT Asthma Call-Back

Column: 107

Prologue:

Description: Q7.4 Is gas used for cooking?

Type: NUM

SAS Variable Name: COOK_GAS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,915	39.48	46.92
2	No	7,518	60.39	52.93
7	Don't know/Not sure	13	0.10	0.14
9	Refused	3	0.02	0.01

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 108

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Type: NUM

SAS Variable Name: ENV_MOLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,213	9.74	10.68
2	No	11,158	89.63	88.94
7	Don't know/Not sure	77	0.62	0.37
9	Refused	1	0.01	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

INDOOR PETS

Survey: ADULT Asthma Call-Back

Column: 109

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Type: NUM

SAS Variable Name: ENV_PETS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,860	55.10	59.47
2	No	5,583	44.85	40.49
7	Don't know/Not sure	3	0.02	0.00
9	Refused	3	0.02	0.03

PETS ALLOWED IN BEDROOM

Survey: ADULT Asthma Call-Back

Column: 110

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Type: NUM

SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,265	42.29	45.53
2	No	1,559	12.52	13.77
3	Some are/some aren't	32	0.26	0.17
6	No pets, skip coded	5,589	44.90	40.53
7	Don't know	2	0.02	0.00
9	Refused	2	0.02	0.01

SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 111

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Type: NUM

SAS Variable Name: C_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,017	8.17	12.22
2	No	11,408	91.64	87.69
7	Don't know/Not sure	23	0.18	0.08
9	Refused	1	0.01	0.01

SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 112

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Type: NUM

SAS Variable Name: C_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	906	7.28	6.74
2	No	11,529	92.61	93.14
7	Don't know/Not sure	11	0.09	0.08
9	Refused	3	0.02	0.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FIREPLACE OR WOOD STOVE USED

Survey: ADULT Asthma Call-Back

Column: 113

Prologue:

Type: NUM

SAS Variable Name: WOOD_STOVE

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,123	17.05	15.69
2	No	10,310	82.82	84.20
7	Don't know/Not sure	15	0.12	0.10
9	Refused	1	0.01	0.01

GAS APPLIANCE USED

Survey: ADULT Asthma Call-Back

Column: 114

Prologue:

Type: NUM

SAS Variable Name: GAS_STOVE

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	752	6.04	6.65
2	No	11,637	93.48	93.02
7	Don't know/Not sure	56	0.45	0.30
9	Refused	4	0.03	0.02

ANYONE SMOKED INSIDE YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 115

Prologue:

Type: NUM

SAS Variable Name: S_INSIDE

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,838	14.76	18.42
2	No	10,605	85.19	81.53
7	Don't know/Not sure	4	0.03	0.01
9	Refused	2	0.02	0.04

EVER ADVISED CHANGE THINGS IN YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 116

Prologue:

Type: NUM

SAS Variable Name: MOD_ENV

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,204	33.77	34.71
2	No	8,148	65.45	64.64
7	Don't know/Not sure	90	0.72	0.61
9	Refused	7	0.06	0.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

USE A MATTRESS COVER

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,203	33.76	30.20
2	No	7,885	63.34	68.03
7	Don't know/Not sure	358	2.88	1.75
9	Refused	3	0.02	0.01

USE A PILLOW COVER

Survey: ADULT Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,771	30.29	27.58
2	No	8,494	68.23	71.38
7	Don't know/Not sure	183	1.47	1.03
9	Refused	1	0.01	0.01

CARPETING OR RUGS IN YOUR BEDROOM

Survey: ADULT Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,588	68.99	65.21
2	No	3,851	30.93	34.76
7	Don't know/Not sure	8	0.06	0.02
9	Refused	2	0.02	0.01

WASH WATER TEMPERATURE

Survey: ADULT Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	2,953	23.72	26.48
2	Warm	3,935	31.61	29.62
3	Hot	4,849	38.95	37.98
4	Varies	391	3.14	2.59
7	Don't know/Not sure	314	2.52	3.26
9	Refused	7	0.06	0.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

USE AN EXHAUST FAN IN YOUR BATHROOM

Survey: ADULT Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,409	59.51	58.76
2	No or "No Fan"	4,969	39.91	40.64
7	Don't know/Not sure	65	0.52	0.54
9	Refused	6	0.05	0.07

EVER USED OVER-THE-COUNTER MEDICATION

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,352	26.93	28.00
2	No	8,606	69.13	68.65
5	Never took asthma medication, skip filled	364	2.92	2.75
7	Don't know	126	1.01	0.59
9	Refused	1	0.01	0.01

EVER USED PRESCRIPTION INHALER

Survey: ADULT Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,394	91.53	91.37
2	No	658	5.29	5.56
5	Never took asthma medication, skip filled	364	2.92	2.75
7	Don't know	31	0.25	0.31
9	Refused	2	0.02	0.01

PROFESSIONAL INHALER INSTRUCTION

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,793	86.70	86.95
2	No	541	4.35	4.00
5	Never took asthma medication, skip filled	364	2.92	2.75
6	Never used prescription inhaler, skip filled	691	5.55	5.88
7	Don't know	59	0.47	0.42
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

INHALER USE WATCHED

Survey: ADULT Asthma Call-Back

Column: 125

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Type: NUM

SAS Variable Name: INHALERW

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,458	67.94	70.12
2	No	2,547	20.46	19.22
5	Never took asthma medication, skip filled	364	2.92	2.75
6	Never used prescription inhaler, skip filled	691	5.55	5.88
7	Don't know	389	3.12	2.04

MEDICATION IN HAND

Survey: ADULT Asthma Call-Back

Column: 126

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Type: NUM

SAS Variable Name: SCR_MED1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,748	38.14	33.48
2	No	346	2.78	1.79
3	Respondent knows the meds	2,384	19.15	17.64
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
7	Don't know	26	0.21	0.15
9	Refused	34	0.27	0.07

HAVE ALL THE MEDICATIONS

Survey: ADULT Asthma Call-Back

Column: 127-128

Prologue:

Description: Q8.7 Do you have all the medications?

Type: NUM

SAS Variable Name: SCR_MED3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	4,515	36.27	31.38
2	Yes, I have some of the medications but not all	166	1.33	1.59
3	No	61	0.49	0.46
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
7	Don't know	2	0.02	0.00
9	Refused	4	0.03	0.05
10	Know or no handy asthma medicines, skip filled	2,790	22.41	19.65

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 129

Type: NUM

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	6,878	55.25	49.40
2	No inhaler in past 3 months	557	4.47	3.19
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
6	Asthma med. past 3 months, never used inhaler, skip filled	86	0.69	0.51
7	Don't know	13	0.10	0.03
9	Refused	4	0.03	0.00

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 130

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,807	14.52	11.99
2	No	5,323	42.76	38.34
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
7	Don't know	405	3.25	2.80
9	Refused	3	0.02	0.00

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 131

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	0.24	0.32
2	No	7,382	59.30	52.09
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
7	Don't know	124	1.00	0.72
9	Refused	2	0.02	0.00

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,699	13.65	11.94
2	No	5,528	44.41	37.78
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
7	Don't know	309	2.48	3.41
9	Refused	2	0.02	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

NEBULIZER AT HOME

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,628	13.08	11.35
2	No	71	0.57	0.59
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
8	No neb. in past 3 months, skip filled	5,839	46.90	41.19

NEBULIZER AT DOCTOR'S OFFICE

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	448	3.60	4.08
2	No	1,251	10.05	7.86
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
8	No neb. in past 3 months, skip filled	5,839	46.90	41.19

NEBULIZER IN EMERGENCY ROOM

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	440	3.53	3.76
2	No	1,256	10.09	8.17
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
7	Don't know	2	0.02	0.01
8	No neb. in past 3 months, skip filled	5,839	46.90	41.19
9	Refused	1	0.01	0.00

NEBULIZER AT WORK OR SCHOOL

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	110	0.88	1.12
2	No	1,588	12.76	10.82
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
8	No neb. in past 3 months, skip filled	5,839	46.90	41.19
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

NEBULIZER AT ANY OTHER PLACE

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	275	2.21	1.92
2	No	1,420	11.41	9.99
4	No asthma med. past 3 months, skip filled	4,547	36.53	44.12
5	Never took asthma medication, skip filled	364	2.92	2.75
7	Don't know	4	0.03	0.04
8	No neb. in past 3 months, skip filled	5,839	46.90	41.19

COST BARRIER: PRIMARY CARE DOCTOR

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	967	7.77	10.59
2	No	9,594	77.07	69.62
5	No current asthma, skip filled	1,869	15.01	19.73
7	Don't know	15	0.12	0.05
9	Refused	3	0.02	0.01
BLANK	Partial complete	1		

COST BARRIER: SPECIALIST

Survey: ADULT Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	527	4.23	6.02
2	No	10,036	80.62	74.18
5	No current asthma, skip filled	1,869	15.01	19.73
7	Don't know	10	0.08	0.03
9	Refused	6	0.05	0.03
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

COST BARRIER: MEDICATION

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,533	12.32	13.64
2	No	9,019	72.45	66.50
5	No current asthma, skip filled	1,869	15.01	19.73
7	Don't know	21	0.17	0.09
9	Refused	6	0.05	0.04
BLANK	Partial complete	1		

CURRENT EMPLOYMENT STATUS

Survey: ADULT Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: EMP_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say ...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	3,477	27.94	30.48
2	Employed part-time	1,318	10.59	16.11
3	Not employed	7,626	61.29	53.05
7	Don't know	10	0.08	0.24
9	Refused	12	0.10	0.13
BLANK	Partial complete	6		

REASON NOT NOW EMPLOYED

Survey: ADULT Asthma Call-Back

Column: 142-143

Type: NUM

SAS Variable Name: UNEMP_R

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	377	3.03	3.78
2	Going to school	114	0.92	5.25
3	Retired	3,988	32.05	14.27
4	Disabled	1,808	14.53	13.58
5	Unable to work for other health reasons	598	4.81	4.81
6	Looking for work	211	1.70	5.30
7	Laid off	203	1.63	2.46
8	Other	302	2.43	3.42
66	Now Employed, skip filled	4,795	38.54	46.58
77	Don't know	13	0.10	0.10
88	Unknown Employment, skip filled	22	0.18	0.37
99	Refused	12	0.10	0.07
BLANK	Partial complete	6		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

EVER EMPLOYED OUTSIDE HOME

Survey: ADULT Asthma Call-Back

Column: 144

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Type: NUM

SAS Variable Name: EMP_EVER1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,363	59.17	47.58
2	No	274	2.20	5.78
6	Now Employed, skip filled	4,795	38.54	46.58
7	Don't know	4	0.03	0.01
9	Refused	7	0.06	0.05
BLANK	Partial complete	6		

ASTHMA AGGRAVATED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 145

Prologue:

Description: Q10.4 Are your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in your CURRENT job?

Type: NUM

SAS Variable Name: WORKENV5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,384	11.12	12.74
2	No	2,408	19.35	20.88
5	Now employed former/inactive/unknown asthma, skip filled	926	7.44	12.00
6	Never employed, skip filled	274	2.20	5.78
7	Don't know	65	0.52	0.40
8	Past employment unknown, skip filled	11	0.09	0.05
9	Refused	12	0.10	0.57
10	Previously but not currently employed, skip filled	7,363	59.17	47.58
BLANK	Partial complete	6		

ASTHMA CAUSED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 146

Prologue:

Description: Q10.5 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in your CURRENT job?

Type: NUM

SAS Variable Name: WORKENV6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	404	3.25	3.85
2	No	4,027	32.36	40.74
6	Never employed, skip filled	274	2.20	5.78
7	Don't know	362	2.91	2.00
8	Past employment unknown, skip filled	11	0.09	0.05
9	Refused	2	0.02	0.00
10	Previously but not currently employed, skip filled	7,363	59.17	47.58
BLANK	Partial complete	6		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ASTHMA AGGRAVATED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: WORKENV7

Prologue:

Description: Q10.6 Were your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,884	39.25	32.55
2	No	6,203	49.85	54.05
5	Caused by current job, skip filled	404	3.25	3.85
6	Never employed, skip filled	274	2.20	5.78
7	Don't know	661	5.31	3.68
8	Past employment unknown, skip filled	11	0.09	0.05
9	Refused	6	0.05	0.04
BLANK	Partial complete	6		

ASTHMA CAUSED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 148

Type: NUM

SAS Variable Name: WORKENV8

Prologue:

Description: Q10.7 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,189	17.59	15.18
2	No	8,171	65.67	68.61
5	Caused by current job, skip filled	404	3.25	3.85
6	Never employed, skip filled	274	2.20	5.78
7	Don't know	1,380	11.09	6.46
8	Past employment unknown, skip filled	11	0.09	0.05
9	Refused	14	0.11	0.08
BLANK	Partial complete	6		

EVER CHANGE OR QUIT A JOB

Survey: ADULT Asthma Call-Back

Column: 149

Type: NUM

SAS Variable Name: WORKQUIT1

Prologue:

Description: Q10.8 Did you ever lose or quit a job because things in the workplace, like chemicals, smoke, dust or mold, caused your asthma or made your asthma symptoms worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,107	8.90	7.93
2	No	4,001	32.15	26.39
5	Caused by current job, skip filled	404	3.25	3.85
6	Never employed, skip filled	274	2.20	5.78
7	Don't know	24	0.19	0.07
8	Past employment unknown, skip filled	11	0.09	0.05
55	Not made worse or caused in any previous job, skip filled	6,622	53.22	55.93
BLANK	Partial complete	6		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

DOCTOR DISCUSSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 150

Type: NUM

SAS Variable Name: WORKTALK

Prologue:

Description: Q10.9 Did you and a doctor or other health professional ever DISCUSS whether your asthma could have been caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,350	18.89	17.94
2	No	9,383	75.41	74.46
6	Never employed, skip filled	274	2.20	5.78
7	Don't know	419	3.37	1.74
8	Past employment unknown, skip filled	11	0.09	0.05
9	Refused	6	0.05	0.03
BLANK	Partial complete	6		

DOCTOR DIAGNOSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 151

Type: NUM

SAS Variable Name: WORKSEN3

Prologue:

Description: Q10.10 Have you ever been TOLD BY a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,681	13.51	12.98
2	No	10,067	80.90	79.59
6	Never employed, skip filled	274	2.20	5.78
7	Don't know	401	3.22	1.56
8	Past employment unknown, skip filled	11	0.09	0.05
9	Refused	9	0.07	0.04
BLANK	Partial complete	6		

SELF-IDENTIFIED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKSEN4

Prologue:

Description: Q10.11 Have YOU ever TOLD a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,091	16.80	14.99
2	No	9,663	77.66	77.58
6	Never employed, skip filled	274	2.20	5.78
7	Don't know	397	3.19	1.56
8	Past employment unknown, skip filled	11	0.09	0.05
9	Refused	7	0.06	0.04
BLANK	Partial complete	6		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,870	23.08	14.72
2	No	9,371	75.37	84.33
7	Don't know/Not sure	184	1.48	0.89
9	Refused	9	0.07	0.06
BLANK	Partial complete	15		

EVER TOLD HAVE EMPHYSEMA

Survey: ADULT Asthma Call-Back

Column: 154

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,469	11.81	7.44
2	No	10,863	87.37	92.27
7	Don't know/Not sure	95	0.76	0.26
9	Refused	7	0.06	0.03
BLANK	Partial complete	15		

EVER TOLD HAVE CHRONIC BRONCHITIS

Survey: ADULT Asthma Call-Back

Column: 155

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,936	31.66	26.73
2	No	8,325	66.95	72.46
7	Don't know/Not sure	162	1.30	0.77
9	Refused	11	0.09	0.04
BLANK	Partial complete	15		

EVER TOLD DEPRESSED

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,636	37.28	36.66
2	No	7,744	62.28	63.11
7	Don't know/Not sure	37	0.30	0.13
9	Refused	17	0.14	0.11
BLANK	Partial complete	15		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

USED HERBS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	546	4.39	4.37
2	No	9,994	80.40	75.82
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	19	0.15	0.05
9	Refused	5	0.04	0.02
BLANK	Partial complete	18		

USED VITAMINS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q12.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	878	7.06	6.19
2	No	9,649	77.62	73.70
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	33	0.27	0.34
9	Refused	4	0.03	0.02
BLANK	Partial complete	18		

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: CAM_PUNC

Prologue:

Description: Q12.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	141	1.13	0.90
2	No	10,412	83.76	79.33
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	8	0.06	0.02
9	Refused	3	0.02	0.01
BLANK	Partial complete	18		

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 160

Type: NUM

SAS Variable Name: CAM_PRES

Prologue:

Description: Q12.4 . . . acupressure . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	141	1.13	1.07
2	No	10,398	83.65	79.02
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	21	0.17	0.12
9	Refused	4	0.03	0.04
BLANK	Partial complete	18		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 161

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM
SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	420	3.38	4.62
2	No	10,120	81.41	75.54
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	20	0.16	0.09
9	Refused	4	0.03	0.01
BLANK	Partial complete	18		

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 162

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM
SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	235	1.89	1.42
2	No	10,249	82.45	78.47
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	74	0.60	0.24
9	Refused	6	0.05	0.12
BLANK	Partial complete	18		

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 163

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM
SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	147	1.18	0.97
2	No	10,371	83.43	78.94
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	38	0.31	0.22
9	Refused	8	0.06	0.13
BLANK	Partial complete	18		

USED YOGA TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 164

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM
SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	403	3.24	4.22
2	No	10,139	81.56	75.99
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	15	0.12	0.04
9	Refused	7	0.06	0.02
BLANK	Partial complete	18		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

USED BREATHING TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 165

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,255	26.18	28.31
2	No	7,268	58.47	51.81
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	33	0.27	0.12
9	Refused	8	0.06	0.02
BLANK	Partial complete	18		

USED NATUROPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	187	1.50	1.55
2	No	10,305	82.90	78.41
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	63	0.51	0.29
9	Refused	9	0.07	0.02
BLANK	Partial complete	18		

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,056	8.49	7.10
2	No	9,464	76.13	73.01
5	No current asthma, skip filled	1,867	15.02	19.74
7	Don't know	33	0.27	0.10
9	Refused	11	0.09	0.04
BLANK	Partial complete	18		

TEXT FOR OTHER TYPE CARE

Survey: ADULT Asthma Call-Back

Column: 168-267

Prologue:

Description: Q12.12 What else have you used?

Type: CHAR

SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		11,393		
HIDDEN	Text field - up to 100 characters	1,056	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

LANGUAGE IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 348-349

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM
SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	12,352	99.35	96.91
2	Spanish	80	0.64	3.09
3	Other	1	0.01	0.00
BLANK	Not asked or missing	16		

PERSON SELECTED TO CALL BACK FROM BRFS

Survey: ADULT Asthma Call-Back

Column: 350

Prologue:

Description: Which person in the household was selected as the focus of the call-back?

Type: NUM
SAS Variable Name: ADLTCHLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Adult	12,449	100.00	100.00

ASTHMA CALL-BACK SCRIPT TEST

Survey: ADULT Asthma Call-Back

Column: 351

Prologue:

Description: ASTHMA CALL-BACK SCRIPT TEST

Type: NUM
SAS Variable Name: CALLBACK_VER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Callback using Protocol (2 weeks)	8,844	100.00	100.00
BLANK	Not asked or missing	3,605		

END OF THE RAW CALL BACK DATA

Survey: ADULT Asthma Call-Back

Column: 352

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM
SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,449	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 353

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFS (ASTHMA3) AND CALL BACK (EVER_ASTH)

Type: NUM
SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,449	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 354

Type: NUM

SAS Variable Name: _CUR_ASTH_C

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,577	76.93	70.16
2	No	2,629	21.12	27.57
7	Don't know/Not sure	240	1.93	2.26
9	Refused	3	0.02	0.01

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 355

Type: NUM

SAS Variable Name: FLAG1

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	12,255	98.44	98.70
1	AGEDX is greater than AGE	5	0.04	0.01
2	AGE, AGEDX and INCIDNT are inconsistent	189	1.52	1.29

ADVAIR (+ A. DISKUS)

Survey: ADULT Asthma Call-Back

Column: 356

Type: NUM

SAS Variable Name: INHALER_ID_1

Prologue:

Description: ADVAIR (+ A. DISKUS)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,081	16.72	12.19
2	No	10,368	83.28	87.81

AEROBID

Survey: ADULT Asthma Call-Back

Column: 357

Type: NUM

SAS Variable Name: INHALER_ID_2

Prologue:

Description: AEROBID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.08	0.03
2	No	12,439	99.92	99.97

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: ADULT Asthma Call-Back

Column: 358

Type: NUM

SAS Variable Name: INHALER_ID_3

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,149	17.26	18.63
2	No	10,300	82.74	81.37

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ALUPENT

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.08	0.03
12,439	99.92	99.97

ATROVENT

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
91	0.73	0.49
12,358	99.27	99.51

AZMACORT

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
26	0.21	0.40
12,423	99.79	99.60

BECLOMETHASONE DIPROPIONATE

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.09	0.08
12,438	99.91	99.92

BECLOVENT

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.07
12,447	99.98	99.93

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BITOLTEROL

Survey: ADULT Asthma Call-Back
Column: 364
Prologue:
Description: BITOLTEROL

Type: NUM
SAS Variable Name: INHALER_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.05
12,447	99.98	99.95

BRETHAIRE

Survey: ADULT Asthma Call-Back
Column: 365
Prologue:
Description: BRETHAIRE

Type: NUM
SAS Variable Name: INHALER_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.06	0.05
12,441	99.94	99.95

BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 366
Prologue:
Description: BUDESONIDE

Type: NUM
SAS Variable Name: INHALER_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
17	0.14	0.37
12,432	99.86	99.63

COMBIVENT

Survey: ADULT Asthma Call-Back
Column: 367
Prologue:
Description: COMBIVENT

Type: NUM
SAS Variable Name: INHALER_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
432	3.47	2.27
12,017	96.53	97.73

CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 368
Prologue:
Description: CROMOLYN

Type: NUM
SAS Variable Name: INHALER_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
12,448	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FLOVENT

Survey: ADULT Asthma Call-Back
Column: 369
Prologue:
Description: FLOVENT

Type: NUM
SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
555	4.46	3.21
11,894	95.54	96.79

FLOVENT ROTADISK

Survey: ADULT Asthma Call-Back
Column: 370
Prologue:
Description: FLOVENT ROTADISK

Type: NUM
SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
25	0.20	0.13
12,424	99.80	99.87

FLUNISOLIDE

Survey: ADULT Asthma Call-Back
Column: 371
Prologue:
Description: FLUNISOLIDE

Type: NUM
SAS Variable Name: INHALER_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.04	0.03
12,444	99.96	99.97

FLUTICASONE

Survey: ADULT Asthma Call-Back
Column: 372
Prologue:
Description: FLUTICASONE

Type: NUM
SAS Variable Name: INHALER_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
38	0.31	0.12
12,411	99.69	99.88

INTAL

Survey: ADULT Asthma Call-Back
Column: 373
Prologue:
Description: INTAL

Type: NUM
SAS Variable Name: INHALER_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.01
12,447	99.98	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back
Column: 374
Prologue:
Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
36	0.29	0.12
12,413	99.71	99.88

MAXAIR

Survey: ADULT Asthma Call-Back
Column: 375
Prologue:
Description: MAXAIR

Type: NUM
SAS Variable Name: INHALER_ID_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
55	0.44	0.36
12,394	99.56	99.64

METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 376
Prologue:
Description: METAPROTERONOL

Type: NUM
SAS Variable Name: INHALER_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

NEDOCROMIL

Survey: ADULT Asthma Call-Back
Column: 377
Prologue:
Description: NEDOCROMIL

Type: NUM
SAS Variable Name: INHALER_ID_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

PIRBUTEROL

Survey: ADULT Asthma Call-Back
Column: 378
Prologue:
Description: PIRBUTEROL

Type: NUM
SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.00
12,446	99.98	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 379

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
564	4.53	4.46
11,885	95.47	95.54

PULMICORT FLEXHALER

Survey: ADULT Asthma Call-Back

Column: 380

Prologue:

Description: PULMICORT FLEXHALER

Type: NUM

SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
149	1.20	1.13
12,300	98.80	98.87

SALMETEROL

Survey: ADULT Asthma Call-Back

Column: 381

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.04	0.01
12,444	99.96	99.99

SEREVENT

Survey: ADULT Asthma Call-Back

Column: 382

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
76	0.61	0.33
12,373	99.39	99.67

TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 383

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER_ID_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

TILADE

Survey: ADULT Asthma Call-Back
Column: 384
Prologue:
Description: TILADE

Type: NUM
SAS Variable Name: INHALER_ID_29

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	12,448	99.99	100.00

TORNALATE

Survey: ADULT Asthma Call-Back
Column: 385
Prologue:
Description: TORNALATE

Type: NUM
SAS Variable Name: INHALER_ID_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	12,449	100.00	100.00

TRIAMCINOLONE ACETONIDE

Survey: ADULT Asthma Call-Back
Column: 386
Prologue:
Description: TRIAMCINOLONE ACETONIDE

Type: NUM
SAS Variable Name: INHALER_ID_31

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.02
2	No	12,446	99.98	99.98

VANCERIL

Survey: ADULT Asthma Call-Back
Column: 387
Prologue:
Description: VANCERIL

Type: NUM
SAS Variable Name: INHALER_ID_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.01
2	No	12,446	99.98	99.99

VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 388
Prologue:
Description: VENTOLIN

Type: NUM
SAS Variable Name: INHALER_ID_33

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	982	7.89	6.69
2	No	11,467	92.11	93.31

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FORADIL

Survey: ADULT Asthma Call-Back
Column: 389
Prologue:
Description: FORADIL

Type: NUM
SAS Variable Name: INHALER_ID_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
44	0.35	0.20
12,405	99.65	99.80

FORMOTEROL

Survey: ADULT Asthma Call-Back
Column: 390
Prologue:
Description: FORMOTEROL

Type: NUM
SAS Variable Name: INHALER_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.00
12,446	99.98	100.00

QVAR

Survey: ADULT Asthma Call-Back
Column: 391
Prologue:
Description: QVAR

Type: NUM
SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
300	2.41	2.79
12,149	97.59	97.21

LEVALBUTEROL TARTRATE

Survey: ADULT Asthma Call-Back
Column: 392
Prologue:
Description: LEVALBUTEROL TARTRATE

Type: NUM
SAS Variable Name: INHALER_ID_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.00
12,446	99.98	100.00

XOPENEX HFA

Survey: ADULT Asthma Call-Back
Column: 393
Prologue:
Description: XOPENEX HFA

Type: NUM
SAS Variable Name: INHALER_ID_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
229	1.84	1.58
12,220	98.16	98.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

MOMETASONE FUROATE

Survey: ADULT Asthma Call-Back

Column: 394

Prologue:

Description: MOMETASONE FUROATE

Type: NUM

SAS Variable Name: INHALER_ID_39

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.10	0.08
12,436	99.90	99.92

ASMANEX (TWISTHALER)

Survey: ADULT Asthma Call-Back

Column: 395

Prologue:

Description: ASMANEX (TWISTHALER)

Type: NUM

SAS Variable Name: INHALER_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
197	1.58	0.95
12,252	98.42	99.05

PRO-AIR HFA

Survey: ADULT Asthma Call-Back

Column: 396

Prologue:

Description: PRO-AIR HFA

Type: NUM

SAS Variable Name: INHALER_ID_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,275	10.24	9.36
11,174	89.76	90.64

SYMBICORT

Survey: ADULT Asthma Call-Back

Column: 397

Prologue:

Description: SYMBICORT

Type: NUM

SAS Variable Name: INHALER_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
736	5.91	4.50
11,713	94.09	95.50

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 398

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
124	1.00	0.68
12,325	99.00	99.32

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

OTHER INHALER

Survey: ADULT Asthma Call-Back

Column: 399

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
12,449		

PILL ACCOLATE

Survey: ADULT Asthma Call-Back

Column: 400

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
33	0.27	0.20
12,416	99.73	99.80

PILL AEROLATE

Survey: ADULT Asthma Call-Back

Column: 401

Prologue:

Description: PILL AEROLATE

Type: NUM

SAS Variable Name: PILLS_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

PILL ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 402

Prologue:

Description: PILL ALBUTEROL

Type: NUM

SAS Variable Name: PILLS_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
34	0.27	0.14
12,415	99.73	99.86

PILL ALUPENT

Survey: ADULT Asthma Call-Back

Column: 403

Prologue:

Description: PILL ALUPENT

Type: NUM

SAS Variable Name: PILLS_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: ADULT Asthma Call-Back

Column: 404

Prologue:

Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM

SAS Variable Name: PILLS_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.02
12,445	99.97	99.98

PILL DELTASONE

Survey: ADULT Asthma Call-Back

Column: 405

Prologue:

Description: PILL DELTASONE

Type: NUM

SAS Variable Name: PILLS_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
12,445	99.97	99.99

PILL ELIXOPHYLLIN

Survey: ADULT Asthma Call-Back

Column: 406

Prologue:

Description: PILL ELIXOPHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

PILL MEDROL

Survey: ADULT Asthma Call-Back

Column: 407

Prologue:

Description: PILL MEDROL

Type: NUM

SAS Variable Name: PILLS_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
12,447	99.98	100.00

PILL METAPREL

Survey: ADULT Asthma Call-Back

Column: 408

Prologue:

Description: PILL METAPREL

Type: NUM

SAS Variable Name: PILLS_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 409

Prologue:

Description: PILL METAPROTERONOL

Type: NUM

SAS Variable Name: PILLS_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

PILL METHYLPREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 410

Prologue:

Description: PILL METHYLPREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.06	0.01
12,442	99.94	99.99

PILL MONTELUKAST

Survey: ADULT Asthma Call-Back

Column: 411

Prologue:

Description: PILL MONTELUKAST

Type: NUM

SAS Variable Name: PILLS_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
33	0.27	0.16
12,416	99.73	99.84

PILL PEDIAPRED

Survey: ADULT Asthma Call-Back

Column: 412

Prologue:

Description: PILL PEDIAPRED

Type: NUM

SAS Variable Name: PILLS_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

PILL PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 413

Prologue:

Description: PILL PREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.08	0.07
12,439	99.92	99.93

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL PREDNISON

Survey: ADULT Asthma Call-Back
Column: 414
Prologue:
Description: PILL PREDNISON

Type: NUM
SAS Variable Name: PILLS_ID_19

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	307	2.47	2.86
2	No	12,142	97.53	97.14

PILL PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 415
Prologue:
Description: PILL PROVENTIL

Type: NUM
SAS Variable Name: PILLS_ID_21

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.01
2	No	12,446	99.98	99.99

PILL RESPID

Survey: ADULT Asthma Call-Back
Column: 416
Prologue:
Description: PILL RESPID

Type: NUM
SAS Variable Name: PILLS_ID_23

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	12,448	99.99	100.00

PILL SINGULAIR

Survey: ADULT Asthma Call-Back
Column: 417
Prologue:
Description: PILL SINGULAIR

Type: NUM
SAS Variable Name: PILLS_ID_24

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,300	10.44	8.10
2	No	11,149	89.56	91.90

PILL SLO-PHYLLIN

Survey: ADULT Asthma Call-Back
Column: 418
Prologue:
Description: PILL SLO-PHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_25

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.01
2	No	12,445	99.97	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL SLO-BID

Survey: ADULT Asthma Call-Back
Column: 419
Prologue:
Description: PILL SLO-BID

Type: NUM
SAS Variable Name: PILLS_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

PILL THEO-24

Survey: ADULT Asthma Call-Back
Column: 420
Prologue:
Description: PILL THEO-24

Type: NUM
SAS Variable Name: PILLS_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.08	0.07
12,439	99.92	99.93

PILL THEOCHRON

Survey: ADULT Asthma Call-Back
Column: 421
Prologue:
Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

PILL THEOCLEAR

Survey: ADULT Asthma Call-Back
Column: 422
Prologue:
Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

PILL THEODUR

Survey: ADULT Asthma Call-Back
Column: 423
Prologue:
Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.05	0.04
12,443	99.95	99.96

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL THEO-DUR

Survey: ADULT Asthma Call-Back
Column: 424
Prologue:
Description: PILL THEO-DUR

Type: NUM
SAS Variable Name: PILLS_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.03
12,445	99.97	99.97

PILL THEOPHYLLINE

Survey: ADULT Asthma Call-Back
Column: 425
Prologue:
Description: PILL THEOPHYLLINE

Type: NUM
SAS Variable Name: PILLS_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
111	0.89	0.51
12,338	99.11	99.49

PILL THEOSPAN

Survey: ADULT Asthma Call-Back
Column: 426
Prologue:
Description: PILL THEOSPAN

Type: NUM
SAS Variable Name: PILLS_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

PILL T-PHYL

Survey: ADULT Asthma Call-Back
Column: 427
Prologue:
Description: PILL T-PHYL

Type: NUM
SAS Variable Name: PILLS_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

PILL UNIPHYL

Survey: ADULT Asthma Call-Back
Column: 428
Prologue:
Description: PILL UNIPHYL

Type: NUM
SAS Variable Name: PILLS_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
12,447	99.98	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 429
Prologue:
Description: PILL VENTOLIN

Type: NUM
SAS Variable Name: PILLS_ID_43

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.02
12,446	99.98	99.98

PILL VOLMAX

Survey: ADULT Asthma Call-Back
Column: 430
Prologue:
Description: PILL VOLMAX

Type: NUM
SAS Variable Name: PILLS_ID_44

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

PILL ZAFIRLUKAST

Survey: ADULT Asthma Call-Back
Column: 431
Prologue:
Description: PILL ZAFIRLUKAST

Type: NUM
SAS Variable Name: PILLS_ID_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	0.11	0.05
12,435	99.89	99.95

PILL ZILEUTON

Survey: ADULT Asthma Call-Back
Column: 432
Prologue:
Description: PILL ZILEUTON

Type: NUM
SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

PILL ZYFLO FILMTAB

Survey: ADULT Asthma Call-Back
Column: 433
Prologue:
Description: PILL ZYFLO FILMTAB

Type: NUM
SAS Variable Name: PILLS_ID_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.08	0.06
12,439	99.92	99.94

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 434

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: PILLS_ID_48

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.06	0.01
12,442	99.94	99.99

PILL BRETHINE

Survey: ADULT Asthma Call-Back

Column: 435

Prologue:

Description: PILL BRETHINE

Type: NUM

SAS Variable Name: PILLS_ID_49

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.03
12,446	99.98	99.97

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 436

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: PILLS_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

OTHER PILLS

Survey: ADULT Asthma Call-Back

Column: 437

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER_PILLS

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
12,449		

SYRUP AEROLATE

Survey: ADULT Asthma Call-Back

Column: 438

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
12,448	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

SYRUP ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 439

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
17	0.14	0.10
12,432	99.86	99.90

SYRUP ALUPENT

Survey: ADULT Asthma Call-Back

Column: 440

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

SYRUP METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 441

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

SYRUP PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 442

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.05	0.04
12,443	99.95	99.96

SYRUP PRELONE

Survey: ADULT Asthma Call-Back

Column: 443

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

SYRUP PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 444

Prologue:

Description: SYRUP PROVENTIL

Type: NUM

SAS Variable Name: SYRUP_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
12,448	99.99	100.00

SYRUP SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 445

Prologue:

Description: SYRUP SLO-PHYLLIN

Type: NUM

SAS Variable Name: SYRUP_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
12,448	99.99	99.99

SYRUP THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 446

Prologue:

Description: SYRUP THEOPHYLLINE

Type: NUM

SAS Variable Name: SYRUP_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
12,448	99.99	99.99

SYRUP VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 447

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.15
12,447	99.98	99.85

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 448

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: SYRUP_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

OTHER SYRUP

Survey: ADULT Asthma Call-Back

Column: 449

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
12,449		

NEB ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 450

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,425	11.45	10.11
11,024	88.55	89.89

NEB ALUPENT

Survey: ADULT Asthma Call-Back

Column: 451

Prologue:

Description: NEB ALUPENT

Type: NUM

SAS Variable Name: NEB_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.04	0.06
12,444	99.96	99.94

NEB ATROVENT

Survey: ADULT Asthma Call-Back

Column: 452

Prologue:

Description: NEB ATROVENT

Type: NUM

SAS Variable Name: NEB_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
23	0.18	0.08
12,426	99.82	99.92

NEB BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 453

Prologue:

Description: NEB BITOLTEROL

Type: NUM

SAS Variable Name: NEB_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.08
12,446	99.98	99.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

NEB BUDESONIDE

Survey: ADULT Asthma Call-Back

Column: 454

Prologue:

Description: NEB BUDESONIDE

Type: NUM

SAS Variable Name: NEB_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
63	0.51	0.28
12,386	99.49	99.72

NEB CROMOLYN

Survey: ADULT Asthma Call-Back

Column: 455

Prologue:

Description: NEB CROMOLYN

Type: NUM

SAS Variable Name: NEB_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.04	0.08
12,444	99.96	99.92

NEB DUONEB

Survey: ADULT Asthma Call-Back

Column: 456

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
60	0.48	0.30
12,389	99.52	99.70

NEB INTAL

Survey: ADULT Asthma Call-Back

Column: 457

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

NEB IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back

Column: 458

Prologue:

Description: NEB IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: NEB_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
269	2.16	1.08
12,180	97.84	98.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

NEB LEVALBUTEROL

Survey: ADULT Asthma Call-Back
Column: 459
Prologue:
Description: NEB LEVALBUTEROL

Type: NUM
SAS Variable Name: NEB_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.02
12,445	99.97	99.98

NEB METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 460
Prologue:
Description: NEB METAPROTERONOL

Type: NUM
SAS Variable Name: NEB_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
12,447	99.98	100.00

NEB PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 461
Prologue:
Description: NEB PROVENTIL

Type: NUM
SAS Variable Name: NEB_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
20	0.16	0.06
12,429	99.84	99.94

NEB PULMICORT

Survey: ADULT Asthma Call-Back
Column: 462
Prologue:
Description: NEB PULMICORT

Type: NUM
SAS Variable Name: NEB_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
34	0.27	0.56
12,415	99.73	99.44

NEB TORNALATE

Survey: ADULT Asthma Call-Back
Column: 463
Prologue:
Description: NEB TORNALATE

Type: NUM
SAS Variable Name: NEB_ID_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
12,449	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

NEB VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 464
Prologue:
Description: NEB VENTOLIN

Type: NUM
SAS Variable Name: NEB_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	0.22	0.33
2	No	12,422	99.78	99.67

NEB XOPENEX

Survey: ADULT Asthma Call-Back
Column: 465
Prologue:
Description: NEB XOPENEX

Type: NUM
SAS Variable Name: NEB_ID_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	93	0.75	0.85
2	No	12,356	99.25	99.15

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back
Column: 466
Prologue:
Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: NEB_ID_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	12,449	100.00	100.00

OTHER NEBULIZER

Survey: ADULT Asthma Call-Back
Column: 467
Prologue:
Description: New other prescription nebulizer

Type: NUM
SAS Variable Name: OTHER_NEB

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or missing	12,449		

OTHER INHALER TEXT

Survey: ADULT Asthma Call-Back
Column: 468-567
Prologue:
Description: New other prescription inhaler name

Type: CHAR
SAS Variable Name: OTH_I1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	12,290		
HIDDEN		159	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

OTHER PILLS TEXT

Survey: ADULT Asthma Call-Back

Column: 568-667

Prologue:

Description: New other prescription pills name

Type: CHAR
SAS Variable Name: OTH_P1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	12,448		
HIDDEN		1	100.00	100.00

OTHER SYRUP TEXT

Survey: ADULT Asthma Call-Back

Column: 668-767

Prologue:

Description: New other prescription syrup name

Type: CHAR
SAS Variable Name: OTH_S1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	12,449		

OTHER NEBULIZER TEXT

Survey: ADULT Asthma Call-Back

Column: 768-867

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	12,434		
HIDDEN		15	100.00	100.00

INHALER_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 868

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	777	6.24	5.08
3	No other medication text filled	11,672	93.76	94.92

INHALER_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 869

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	0.23	0.14
2	No	748	6.01	4.93
3	No other medication text filled	11,672	93.76	94.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 870

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	468	3.76	2.28
2	No	309	2.48	2.80
3	No other medication text filled	11,672	93.76	94.92

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: ADULT Asthma Call-Back

Column: 871

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	0.16	0.06
2	No	757	6.08	5.02
3	No other medication text filled	11,672	93.76	94.92

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 872

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	0.31	0.46
2	No	738	5.93	4.62
3	No other medication text filled	11,672	93.76	94.92

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: ADULT Asthma Call-Back

Column: 873

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	0.62	0.95
2	No	700	5.62	4.13
3	No other medication text filled	11,672	93.76	94.92

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 874

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	777	6.24	5.08
3	No other medication text filled	11,672	93.76	94.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 875

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	159	1.28	1.25
2	No	618	4.96	3.83
3	No other medication text filled	11,672	93.76	94.92

INHALER_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 876

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.02
2	No	774	6.22	5.05
3	No other medication text filled	11,672	93.76	94.92

PILLS_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 877

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.01
2	No	101	0.81	0.80
3	No other medication text filled	12,344	99.16	99.20

PILLS_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 878

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	57	0.46	0.46
2	No	48	0.39	0.34
3	No other medication text filled	12,344	99.16	99.20

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 879

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	0.23	0.20
2	No	76	0.61	0.60
3	No other medication text filled	12,344	99.16	99.20

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: ADULT Asthma Call-Back

Column: 880

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.01
2	No	101	0.81	0.79
3	No other medication text filled	12,344	99.16	99.20

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 881

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.04	0.07
2	No	100	0.80	0.74
3	No other medication text filled	12,344	99.16	99.20

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: ADULT Asthma Call-Back

Column: 882

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.02
2	No	103	0.83	0.79
3	No other medication text filled	12,344	99.16	99.20

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 883

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	105	0.84	0.80
3	No other medication text filled	12,344	99.16	99.20

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 884

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	104	0.84	0.80
3	No other medication text filled	12,344	99.16	99.20

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILLS_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 885

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
3	0.02	0.04
102	0.82	0.77
12,344	99.16	99.20

SYRUP_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 886

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label
1	Yes
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.15
12,448	99.99	99.85

SYRUP_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 887

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.15
12,448	99.99	99.85

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 888

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.15
12,448	99.99	99.85

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: ADULT Asthma Call-Back

Column: 889

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.15
12,448	99.99	99.85

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 890

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.15
12,448	99.99	99.85

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: ADULT Asthma Call-Back

Column: 891

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.15
12,448	99.99	99.85

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 892

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.15
12,448	99.99	99.85

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 893

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.15
12,448	99.99	99.85

SYRUP_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 894

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.15
12,448	99.99	99.85

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

NEB_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 895

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	63	0.51	0.40
3	No other medication text filled	12,386	99.49	99.60

NEB_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 896

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	63	0.51	0.40
3	No other medication text filled	12,386	99.49	99.60

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 897

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	0.18	0.04
2	No	41	0.33	0.36
3	No other medication text filled	12,386	99.49	99.60

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: ADULT Asthma Call-Back

Column: 898

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.06	0.06
2	No	56	0.45	0.34
3	No other medication text filled	12,386	99.49	99.60

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 899

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.08	0.20
2	No	53	0.43	0.20
3	No other medication text filled	12,386	99.49	99.60

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: ADULT Asthma Call-Back

Column: 900

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.09	0.04
2	No	52	0.42	0.36
3	No other medication text filled	12,386	99.49	99.60

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 901

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	63	0.51	0.40
3	No other medication text filled	12,386	99.49	99.60

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 902

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.12	0.06
2	No	48	0.39	0.34
3	No other medication text filled	12,386	99.49	99.60

NEB_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 903

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	63	0.51	0.40
3	No other medication text filled	12,386	99.49	99.60

INHALED CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 904-905

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM
SAS Variable Name: INH_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	12,319	98.96	99.31
99	Missing	130	1.04	0.69

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

INHALED ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 906-907

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: INH_AI

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,319	98.96	99.31
130	1.04	0.69

INHALED ANTI-CHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 908-909

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM
SAS Variable Name: INH_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,319	98.96	99.31
130	1.04	0.69

INHALED BETA 2 AGONIST SHORT ACTING

Survey: ADULT Asthma Call-Back

Column: 910-911

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,319	98.96	99.31
130	1.04	0.69

INHALED BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 912-913

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,319	98.96	99.31
130	1.04	0.69

PILL CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 914-915

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,928	95.81	96.54
521	4.19	3.46

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL LEUKOTRIENE MODIFIERS

Survey: ADULT Asthma Call-Back

Column: 916-917

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,928	95.81	96.54
521	4.19	3.46

PILL BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 918-919

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,928	95.81	96.54
521	4.19	3.46

PILL METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 920-921

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,928	95.81	96.54
521	4.19	3.46

SYRUP METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 922-923

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,210	98.08	98.62
239	1.92	1.38

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 924-925

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,210	98.08	98.62
239	1.92	1.38

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

SYRUP CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 926-927

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,210	98.08	98.62
239	1.92	1.38

NEBULIZER ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 928-929

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,025	96.59	95.93
424	3.41	4.07

NEBULIZER CORTICOSTEROID

Survey: ADULT Asthma Call-Back

Column: 930-931

Prologue:

Description: NEBULIZER CORTICOSTEROIDS

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,025	96.59	95.93
424	3.41	4.07

NEBULIZER ANTICHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 932-933

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,025	96.59	95.93
424	3.41	4.07

NEBULIZER BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 934-935

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label
0 - 8	Count
99	Missing

Frequency	Percentage	Weighted Percentage
12,025	96.59	95.93
424	3.41	4.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 936

Type: NUM

SAS Variable Name: ILP03_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 937

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	714	34.44	37.40
2	No	1,130	54.51	56.36
3	No attack in past 3 months	211	10.18	5.74
7	Don't know	11	0.53	0.28
9	Refused	7	0.34	0.21
BLANK	Skip filled	10,376		

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	601	28.99	35.52
2	No	1,235	59.58	55.75
3	Didn't exercise in past 3 months	224	10.81	8.50
7	Don't know	7	0.34	0.18
9	Refused	6	0.29	0.05
BLANK	Skip filled	10,376		

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,786	86.16	87.69
2	No	285	13.75	12.26
7	Don't know	1	0.05	0.04
9	Refused	1	0.05	0.00
BLANK	Skip filled	10,376		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 940-942

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,764	85.09	85.02
401 - 499	Weeks	201	9.70	8.75
555	Never	18	0.87	2.21
666	Less often than once a week	74	3.57	3.33
777	Don't know/Not sure	14	0.68	0.66
999	Refused	2	0.10	0.03
BLANK	Skip filled	10,376		

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 943-944

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

AEROBID: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 945

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	50.00	23.92
2	No	5	50.00	76.08
BLANK	Skip filled	12,439		

AEROBID: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 946

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	70.00	60.00
2	No	1	10.00	5.64
3	No attack in past 3 months	2	20.00	34.36
BLANK	Skip filled	12,439		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

AEROBID: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 947

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	30.00	35.37
2	No	6	60.00	52.66
3	Didn't exercise in past 3 months	1	10.00	11.97
BLANK	Skip filled	12,439		

AEROBID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 948

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	22.16
2	No	6	60.00	77.84
BLANK	Skip filled	12,439		

AEROBID: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 949-951

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	50.00	25.05
401 - 499	Weeks	2	20.00	13.82
666	Less often than once a week	3	30.00	61.14
BLANK	Skip filled	12,439		

AEROBID: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 952-953

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	713	33.21	35.21
2	No	1,341	62.46	62.22
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	6	0.28	0.08
4	Medication has a built-in spacer/does not need a spacer	17	0.79	0.53
7	Don't know	27	1.26	0.76
9	Refused	43	2.00	1.19
BLANK	Skip filled	10,302		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,845	85.93	87.57
2	No	180	8.38	7.65
3	No attack in past 3 months	117	5.45	4.72
7	Don't know	4	0.19	0.06
9	Refused	1	0.05	0.01
BLANK	Skip filled	10,302		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	745	34.70	42.61
2	No	1,153	53.70	50.91
3	Didn't exercise in past 3 months	236	10.99	6.36
7	Don't know	11	0.51	0.12
9	Refused	2	0.09	0.01
BLANK	Skip filled	10,302		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 957

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	622	28.97	24.97
2	No	1,523	70.94	74.99
7	Don't know	1	0.05	0.03
9	Refused	1	0.05	0.01
BLANK	Skip filled	10,302		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 958-960

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	780	36.33	33.57
401 - 499	Weeks	701	32.65	38.18
555	Never	33	1.54	2.94
666	Less often than once a week	552	25.71	22.73
777	Don't know/Not sure	78	3.63	2.55
999	Refused	3	0.14	0.02
BLANK	Skip filled	10,302		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 961-962

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1,573	73.27	77.02
77	Don't know	159	7.41	4.93
88	None	409	19.05	17.97
99	Refused	6	0.28	0.08
BLANK	Skip filled	10,302		

ALUPENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 963

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	10.00	9.06
2	No	8	80.00	83.14
7	Don't know	1	10.00	7.80
BLANK	Skip filled	12,439		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 964

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	80.00	79.44
2	No	1	10.00	5.26
7	Don't know	1	10.00	15.31
BLANK	Skip filled	12,439		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ALUPENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 965

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	30.00	35.54
2	No	6	60.00	49.94
3	Didn't exercise in past 3 months	1	10.00	14.52
BLANK	Skip filled	12,439		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	20.00	22.32
2	No	8	80.00	77.68
BLANK	Skip filled	12,439		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 967-969

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	30.00	26.93
401 - 499	Weeks	2	20.00	27.74
555	Never	1	10.00	15.31
666	Less often than once a week	4	40.00	30.02
BLANK	Skip filled	12,439		

ALUPENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 970-971

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	8	80.00	76.89
77	Don't know	1	10.00	7.80
88	None	1	10.00	15.31
BLANK	Skip filled	12,439		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ATROVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 972

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	39.08	36.70
2	No	44	50.57	54.41
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	1.15	0.59
4	Medication has a built-in spacer/does not need a spacer	1	1.15	0.52
7	Don't know	3	3.45	6.38
9	Refused	4	4.60	1.40
BLANK	Skip filled	12,362		

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 973

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	55	63.22	58.07
2	No	26	29.89	34.72
3	No attack in past 3 months	5	5.75	6.22
7	Don't know	1	1.15	0.99
BLANK	Skip filled	12,362		

ATROVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 974

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	33.33	55.81
2	No	45	51.72	35.60
3	Didn't exercise in past 3 months	12	13.79	7.61
7	Don't know	1	1.15	0.99
BLANK	Skip filled	12,362		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 975

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	62.07	76.77
2	No	32	36.78	22.25
7	Don't know	1	1.15	0.99
BLANK	Skip filled	12,362		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 976-978

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	57	65.52	69.97
401 - 499	Weeks	18	20.69	18.26
555	Never	2	2.30	1.48
666	Less often than once a week	7	8.05	8.81
777	Don't know/Not sure	3	3.45	1.49
BLANK	Skip filled	12,362		

ATROVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 979-980

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

AZMACORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	48.00	28.69
2	No	11	44.00	69.25
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	4.00	0.24
7	Don't know	1	4.00	1.81
BLANK	Skip filled	12,424		

AZMACORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	64.00	83.67
2	No	7	28.00	13.37
3	No attack in past 3 months	1	4.00	1.15
7	Don't know	1	4.00	1.81
BLANK	Skip filled	12,424		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

AZMACORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 983

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	24.00	38.11
2	No	16	64.00	53.35
3	Didn't exercise in past 3 months	2	8.00	6.73
7	Don't know	1	4.00	1.81
BLANK	Skip filled	12,424		

AZMACORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 984

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	48.00	50.81
2	No	12	48.00	47.37
7	Don't know	1	4.00	1.81
BLANK	Skip filled	12,424		

AZMACORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 985-987

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	14	56.00	56.50
401 - 499	Weeks	4	16.00	4.66
555	Never	1	4.00	32.57
666	Less often than once a week	5	20.00	4.45
777	Don't know/Not sure	1	4.00	1.81
BLANK	Skip filled	12,424		

AZMACORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 988-989

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	64.42
2	No	4	40.00	32.64
7	Don't know	1	10.00	0.22
9	Refused	1	10.00	2.72
BLANK	Skip filled	12,439		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	65.68
2	No	5	50.00	31.60
3	No attack in past 3 months	1	10.00	2.72
BLANK	Skip filled	12,439		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	20.00	3.49
2	No	8	80.00	96.51
BLANK	Skip filled	12,439		

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	70.00	39.00
2	No	3	30.00	61.00
BLANK	Skip filled	12,439		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 994-996

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	90.00	73.25
666	Less often than once a week	1	10.00	26.75
BLANK	Skip filled	12,439		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 997-998

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

BECLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 999

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	8.30
2	No	1	50.00	91.70
BLANK	Skip filled	12,447		

BECLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1000

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	12,447		

BECLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1001

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	8.30
2	No	1	50.00	91.70
BLANK	Skip filled	12,447		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BECLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1002

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	8.30
2	No	1	50.00	91.70
BLANK	Skip filled	12,447		

BECLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1003-1005

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	8.30
666	Less often than once a week	1	50.00	91.70
BLANK	Skip filled	12,447		

BECLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1006-1007

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

BITOLTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	12,447		

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1009

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	12,447		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BITOLTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1010

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	2.39
2	No	1	50.00	97.61
BLANK	Skip filled	12,447		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1011

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	2.39
2	No	1	50.00	97.61
BLANK	Skip filled	12,447		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1012-1014

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	50.00	2.39
555	Never	1	50.00	97.61
BLANK	Skip filled	12,447		

BITOLTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1015-1016

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	100.00	100.00
BLANK	Skip filled	12,447		

BRETHAIRE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1017

Type: NUM

SAS Variable Name: ILP03_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	25.00	43.82
2	No	4	50.00	50.51
9	Refused	2	25.00	5.68
BLANK	Skip filled	12,441		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BRETHAIRE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP04_10

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	25.00	43.82
2	No	5	62.50	52.33
9	Refused	1	12.50	3.85
BLANK	Skip filled	12,441		

BRETHAIRE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP05_10

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	12.50	0.21
2	No	5	62.50	52.33
3	Didn't exercise in past 3 months	1	12.50	43.61
9	Refused	1	12.50	3.85
BLANK	Skip filled	12,441		

BRETHAIRE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP06_10

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	7	87.50	96.15
9	Refused	1	12.50	3.85
BLANK	Skip filled	12,441		

BRETHAIRE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1021-1023

Type: NUM

SAS Variable Name: ILP08_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	3	37.50	45.64
555	Never	3	37.50	41.08
666	Less often than once a week	1	12.50	9.43
999	Refused	1	12.50	3.85
BLANK	Skip filled	12,441		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BRETHAIRE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1024-1025

Type: NUM

SAS Variable Name: ILP10_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	25.00	43.82
88	None	5	62.50	52.33
99	Refused	1	12.50	3.85
BLANK	Skip filled	12,441		

BUDESONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1026

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	17.65	89.07
2	No	14	82.35	10.93
BLANK	Skip filled	12,432		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1027

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	35.29	90.49
2	No	10	58.82	9.23
3	No attack in past 3 months	1	5.88	0.28
BLANK	Skip filled	12,432		

BUDESONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1028

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	17.65	87.88
2	No	9	52.94	9.56
3	Didn't exercise in past 3 months	4	23.53	2.18
9	Refused	1	5.88	0.37
BLANK	Skip filled	12,432		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	76.47	96.57
2	No	4	23.53	3.43
BLANK	Skip filled	12,432		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1030-1032

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	15	88.24	98.86
401 - 499	Weeks	1	5.88	0.86
666	Less often than once a week	1	5.88	0.28
BLANK	Skip filled	12,432		

BUDESONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1033-1034

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

COMBIVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1035

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	160	37.04	31.42
2	No	259	59.95	67.73
4	Medication has a built-in spacer/does not need a spacer	4	0.93	0.30
7	Don't know	3	0.69	0.18
9	Refused	6	1.39	0.38
BLANK	Skip filled	12,017		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

COMBIVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1036

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	343	79.40	79.50
2	No	62	14.35	14.31
3	No attack in past 3 months	26	6.02	6.16
7	Don't know	1	0.23	0.02
BLANK	Skip filled	12,017		

COMBIVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1037

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	146	33.80	46.96
2	No	218	50.46	43.80
3	Didn't exercise in past 3 months	68	15.74	9.25
BLANK	Skip filled	12,017		

COMBIVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1038

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	223	51.62	59.82
2	No	208	48.15	39.98
7	Don't know	1	0.23	0.20
BLANK	Skip filled	12,017		

COMBIVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1039-1041

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	272	62.96	70.80
401 - 499	Weeks	85	19.68	18.26
555	Never	3	0.69	0.57
666	Less often than once a week	56	12.96	8.34
777	Don't know/Not sure	16	3.70	2.03
BLANK	Skip filled	12,017		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

COMBIVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1042-1043

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Type: NUM
SAS Variable Name: ILP10_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

CROMOLYN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1044

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM
SAS Variable Name: ILP03_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1045

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM
SAS Variable Name: ILP04_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

CROMOLYN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1046

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Type: NUM
SAS Variable Name: ILP05_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	12,448		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1047

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Type: NUM
SAS Variable Name: ILP06_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	12,448		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1048-1050

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	12,448		

CROMOLYN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1051-1052

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

FLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1053

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	216	39.06	38.72
2	No	301	54.43	57.50
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	0.36	0.52
4	Medication has a built-in spacer/does not need a spacer	3	0.54	0.29
7	Don't know	3	0.54	0.44
9	Refused	28	5.06	2.53
BLANK	Skip filled	11,896		

FLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1054

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	242	43.76	46.12
2	No	244	44.12	44.55
3	No attack in past 3 months	61	11.03	9.00
7	Don't know	5	0.90	0.31
9	Refused	1	0.18	0.01
BLANK	Skip filled	11,896		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	159	28.75	41.64
2	No	356	64.38	54.67
3	Didn't exercise in past 3 months	34	6.15	2.74
7	Don't know	3	0.54	0.12
9	Refused	1	0.18	0.83
BLANK	Skip filled	11,896		

FLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	427	77.22	68.37
2	No	125	22.60	31.55
7	Don't know	1	0.18	0.07
BLANK	Skip filled	11,896		

FLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1057-1059

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	423	76.49	68.15
401 - 499	Weeks	71	12.84	24.21
555	Never	3	0.54	1.04
666	Less often than once a week	49	8.86	6.21
777	Don't know/Not sure	7	1.27	0.39
BLANK	Skip filled	11,896		

FLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1060-1061

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1062

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

FLOVENT ROTADISK: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1063

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	28.00	19.09
2	No	16	64.00	79.77
3	No attack in past 3 months	2	8.00	1.14
BLANK	Skip filled	12,424		

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1064

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	12.00	8.97
2	No	21	84.00	86.97
3	Didn't exercise in past 3 months	1	4.00	4.06
BLANK	Skip filled	12,424		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1065

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	92.00	99.30
2	No	2	8.00	0.70
BLANK	Skip filled	12,424		

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1066-1068

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	20	80.00	93.68
401 - 499	Weeks	5	20.00	6.32
BLANK	Skip filled	12,424		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1069-1070

Prologue:

Description: Q8.13 How many canisters of this inhaler have you used in the past 3 months?

Type: NUM
SAS Variable Name: ILP10_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

FLUNISOLIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1071

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM
SAS Variable Name: ILP03_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	8.46
2	No	4	80.00	91.54
BLANK	Skip filled	12,444		

FLUNISOLIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1072

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM
SAS Variable Name: ILP04_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	14.02
2	No	2	40.00	85.98
BLANK	Skip filled	12,444		

FLUNISOLIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1073

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Type: NUM
SAS Variable Name: ILP05_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	11.90
2	No	3	60.00	88.10
BLANK	Skip filled	12,444		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1074

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Type: NUM
SAS Variable Name: ILP06_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	89.42
2	No	2	40.00	10.58
BLANK	Skip filled	12,444		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1075-1077

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	80.00	97.88
401 - 499	Weeks	1	20.00	2.12
BLANK	Skip filled	12,444		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1078-1079

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

FLUTICASONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1080

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	21.62	29.03
2	No	24	64.86	52.77
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	2.70	0.34
4	Medication has a built-in spacer/does not need a spacer	1	2.70	0.66
7	Don't know	2	5.41	16.27
9	Refused	1	2.70	0.94
BLANK	Skip filled	12,412		

FLUTICASONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	45.95	49.08
2	No	17	45.95	48.13
3	No attack in past 3 months	3	8.11	2.78
BLANK	Skip filled	12,412		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FLUTICASONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	18.92	12.40
2	No	23	62.16	64.84
3	Didn't exercise in past 3 months	7	18.92	22.76
BLANK	Skip filled	12,412		

FLUTICASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	72.97	44.51
2	No	10	27.03	55.49
BLANK	Skip filled	12,412		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1084-1086

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	27	72.97	44.51
401 - 499	Weeks	7	18.92	36.35
555	Never	1	2.70	1.30
666	Less often than once a week	1	2.70	3.34
777	Don't know/Not sure	1	2.70	14.50
BLANK	Skip filled	12,412		

FLUTICASONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1087-1088

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

INTAL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1089

Type: NUM

SAS Variable Name: ILP03_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	12,447		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1090

Type: NUM

SAS Variable Name: ILP04_18

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	49.78
2	No	1	50.00	50.22
BLANK	Skip filled	12,447		

INTAL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1091

Type: NUM

SAS Variable Name: ILP05_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	50.22
2	No	1	50.00	49.78
BLANK	Skip filled	12,447		

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1092

Type: NUM

SAS Variable Name: ILP06_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	50.22
2	No	1	50.00	49.78
BLANK	Skip filled	12,447		

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1093-1095

Type: NUM

SAS Variable Name: ILP08_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	50.00	50.22
666	Less often than once a week	1	50.00	49.78
BLANK	Skip filled	12,447		

INTAL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1096-1097

Type: NUM

SAS Variable Name: ILP10_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	45.71	58.00
2	No	18	51.43	40.79
7	Don't know	1	2.86	1.20
BLANK	Skip filled	12,414		

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	65.71	73.60
2	No	7	20.00	24.67
3	No attack in past 3 months	5	14.29	1.73
BLANK	Skip filled	12,414		

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1100

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	22.86	51.56
2	No	19	54.29	41.29
3	Didn't exercise in past 3 months	8	22.86	7.15
BLANK	Skip filled	12,414		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1101

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	74.29	84.56
2	No	9	25.71	15.44
BLANK	Skip filled	12,414		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1102-1104

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	30	85.71	90.11
401 - 499	Weeks	1	2.86	1.90
666	Less often than once a week	4	11.43	8.00
BLANK	Skip filled	12,414		

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1105-1106

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

MAXAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1107

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

MAXAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	87.27	93.38
2	No	3	5.45	3.80
3	No attack in past 3 months	4	7.27	2.82
BLANK	Skip filled	12,394		

MAXAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	47.27	41.62
2	No	26	47.27	53.92
3	Didn't exercise in past 3 months	3	5.45	4.46
BLANK	Skip filled	12,394		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

MAXAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	20.00	9.70
2	No	44	80.00	90.30
BLANK	Skip filled	12,394		

MAXAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1111-1113

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	20	36.36	18.29
401 - 499	Weeks	20	36.36	50.07
555	Never	2	3.64	11.85
666	Less often than once a week	11	20.00	18.98
777	Don't know/Not sure	2	3.64	0.81
BLANK	Skip filled	12,394		

MAXAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1114-1115

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	36	65.45	76.22
77	Don't know	2	3.64	4.20
88	None	17	30.91	19.57
BLANK	Skip filled	12,394		

METAPROTERONOL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1116

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	12,448		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1117

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

METAPROTERONOL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1118

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1119

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1120-1122

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	12,448		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1123-1124

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	12,448		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

NEDOCROMIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

NEDOCROMIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1126

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

NEDOCROMIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1127

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

NEDOCROMIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1128

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1129-1131

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1132-1133

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PIRBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1134

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	38.58
2	No	2	66.67	61.42
BLANK	Skip filled	12,446		

PIRBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	61.89
3	No attack in past 3 months	1	33.33	38.11
BLANK	Skip filled	12,446		

PIRBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	12,446		

PIRBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	12,446		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1138-1140

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	61.42
666	Less often than once a week	1	33.33	38.58
BLANK	Skip filled	12,446		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PIRBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1141-1142

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	100.00	100.00
BLANK	Skip filled	12,446		

PROVENTIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1143

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	158	28.37	26.15
2	No	373	66.97	71.99
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	0.18	0.02
4	Medication has a built-in spacer/does not need a spacer	4	0.72	0.13
7	Don't know	9	1.62	1.05
9	Refused	12	2.15	0.66
BLANK	Skip filled	11,892		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1144

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	488	87.61	92.71
2	No	40	7.18	5.24
3	No attack in past 3 months	26	4.67	1.91
7	Don't know	2	0.36	0.13
9	Refused	1	0.18	0.01
BLANK	Skip filled	11,892		

PROVENTIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1145

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	192	34.47	34.57
2	No	295	52.96	59.60
3	Didn't exercise in past 3 months	66	11.85	5.36
7	Don't know	3	0.54	0.45
9	Refused	1	0.18	0.01
BLANK	Skip filled	11,892		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	138	24.78	28.35
2	No	417	74.87	71.53
7	Don't know	1	0.18	0.11
9	Refused	1	0.18	0.01
BLANK	Skip filled	11,892		

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1147-1149

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	197	35.37	45.34
401 - 499	Weeks	193	34.65	27.26
555	Never	13	2.33	3.46
666	Less often than once a week	134	24.06	21.38
777	Don't know/Not sure	18	3.23	2.53
999	Refused	2	0.36	0.02
BLANK	Skip filled	11,892		

PROVENTIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1150-1151

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	444	79.71	84.93
77	Don't know	20	3.59	1.57
88	None	92	16.52	13.48
99	Refused	1	0.18	0.01
BLANK	Skip filled	11,892		

PULMICORT FLEXHALER: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1152

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PULMICORT FLEXHALER: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1153

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	25.85	17.71
2	No	89	60.54	62.46
3	No attack in past 3 months	20	13.61	19.83
BLANK	Skip filled	12,302		

PULMICORT FLEXHALER: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1154

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	22.45	47.29
2	No	107	72.79	50.93
3	Didn't exercise in past 3 months	6	4.08	1.74
7	Don't know	1	0.68	0.04
BLANK	Skip filled	12,302		

PULMICORT FLEXHALER: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1155

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	130	88.44	93.25
2	No	16	10.88	6.60
7	Don't know	1	0.68	0.15
BLANK	Skip filled	12,302		

PULMICORT FLEXHALER: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1156-1158

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	129	87.76	93.77
401 - 499	Weeks	8	5.44	1.29
555	Never	2	1.36	1.36
666	Less often than once a week	5	3.40	2.02
777	Don't know/Not sure	3	2.04	1.55
BLANK	Skip filled	12,302		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PULMICORT FLEXHALER: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1159-1160

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

SALMETEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1161

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	12.30
2	No	3	75.00	87.70
BLANK	Skip filled	12,445		

SALMETEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	69.99
2	No	2	50.00	30.01
BLANK	Skip filled	12,445		

SALMETEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	8.60
2	No	2	50.00	30.01
3	Didn't exercise in past 3 months	1	25.00	61.39
BLANK	Skip filled	12,445		

SALMETEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	79.10
2	No	2	50.00	20.90
BLANK	Skip filled	12,445		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

SALMETEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1165-1167

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	87.70
666	Less often than once a week	1	25.00	12.30
BLANK	Skip filled	12,445		

SALMETEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1168-1169

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

SEREVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1170

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

SEREVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1171

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	27.40	25.70
2	No	46	63.01	70.12
3	No attack in past 3 months	7	9.59	4.17
BLANK	Skip filled	12,376		

SEREVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	27.40	40.72
2	No	50	68.49	56.85
3	Didn't exercise in past 3 months	3	4.11	2.43
BLANK	Skip filled	12,376		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

SEREVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	93.15	89.77
2	No	5	6.85	10.23
BLANK	Skip filled	12,376		

SEREVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1174-1176

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	66	90.41	88.53
401 - 499	Weeks	4	5.48	8.77
555	Never	1	1.37	0.13
666	Less often than once a week	1	1.37	0.91
777	Don't know/Not sure	1	1.37	1.67
BLANK	Skip filled	12,376		

SEREVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1177-1178

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1179

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1180

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1181

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1182

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1183-1185

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1186-1187

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TILADE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP03_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

TILADE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP04_29

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

TILADE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP05_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	12,448		

TILADE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1191

Type: NUM

SAS Variable Name: ILP06_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

TILADE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1192-1194

Type: NUM

SAS Variable Name: ILP08_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	12,448		

TILADE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1195-1196

Type: NUM

SAS Variable Name: ILP10_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

TORNALATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1197

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TORNALATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1201-1203

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TORNALATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1204-1205

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1206

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	12,446		

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1207

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	12,446		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1208

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	12,446		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1209

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	87.14
2	No	1	33.33	12.86
BLANK	Skip filled	12,446		

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1210-1212

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	87.14
555	Never	1	33.33	12.86
BLANK	Skip filled	12,446		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1213-1214

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Type: NUM
SAS Variable Name: ILP10_31

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

VANCERIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1215

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM
SAS Variable Name: ILP03_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	12,446		

VANCERIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1216

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM
SAS Variable Name: ILP04_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	65.05
3	No attack in past 3 months	1	33.33	34.95
BLANK	Skip filled	12,446		

VANCERIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1217

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Type: NUM
SAS Variable Name: ILP05_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	33.33	28.90
3	Didn't exercise in past 3 months	2	66.67	71.10
BLANK	Skip filled	12,446		

VANCERIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1218

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Type: NUM
SAS Variable Name: ILP06_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	34.95
2	No	2	66.67	65.05
BLANK	Skip filled	12,446		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

VANCERIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1219-1221

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	34.95
401 - 499	Weeks	1	33.33	28.90
666	Less often than once a week	1	33.33	36.15
BLANK	Skip filled	12,446		

VANCERIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1222-1223

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

VENTOLIN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1224

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	288	29.51	27.30
2	No	633	64.86	70.06
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	0.10	0.04
4	Medication has a built-in spacer/does not need a spacer	3	0.31	0.10
7	Don't know	19	1.95	1.53
9	Refused	32	3.28	0.96
BLANK	Skip filled	11,473		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	847	86.78	86.73
2	No	83	8.50	9.82
3	No attack in past 3 months	42	4.30	3.05
7	Don't know	4	0.41	0.40
BLANK	Skip filled	11,473		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

VENTOLIN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	355	36.37	43.19
2	No	525	53.79	49.59
3	Didn't exercise in past 3 months	92	9.43	6.81
7	Don't know	4	0.41	0.41
BLANK	Skip filled	11,473		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	251	25.72	31.22
2	No	723	74.08	68.73
7	Don't know	2	0.20	0.05
BLANK	Skip filled	11,473		

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1228-1230

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	352	36.07	43.42
401 - 499	Weeks	332	34.02	36.09
555	Never	18	1.84	1.45
666	Less often than once a week	234	23.98	16.17
777	Don't know/Not sure	36	3.69	2.14
999	Refused	4	0.41	0.73
BLANK	Skip filled	11,473		

VENTOLIN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1231-1232

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	746	76.43	80.15
77	Don't know	31	3.18	5.94
88	None	198	20.29	13.90
99	Refused	1	0.10	0.01
BLANK	Skip filled	11,473		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FORADIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1233

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

FORADIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1234

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	24.39	19.55
2	No	27	65.85	64.59
3	No attack in past 3 months	2	4.88	3.50
7	Don't know	1	2.44	11.45
9	Refused	1	2.44	0.91
BLANK	Skip filled	12,408		

FORADIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1235

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	21.95	22.99
2	No	28	68.29	72.51
3	Didn't exercise in past 3 months	3	7.32	3.59
9	Refused	1	2.44	0.91
BLANK	Skip filled	12,408		

FORADIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1236

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	78.05	50.63
2	No	8	19.51	48.45
9	Refused	1	2.44	0.91
BLANK	Skip filled	12,408		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FORADIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1237-1239

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	33	80.49	57.82
401 - 499	Weeks	2	4.88	25.18
666	Less often than once a week	3	7.32	4.48
777	Don't know/Not sure	2	4.88	11.61
999	Refused	1	2.44	0.91
BLANK	Skip filled	12,408		

FORADIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1240-1241

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

FORMOTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	51.09
9	Refused	1	50.00	48.91
BLANK	Skip filled	12,447		

FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1243

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	12,447		

FORMOTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1244

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	48.91
3	Didn't exercise in past 3 months	1	50.00	51.09
BLANK	Skip filled	12,447		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1245

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	12,447		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1246-1248

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	12,447		

FORMOTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1249-1250

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,447		

QVAR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1251

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	118	40.69	41.82
2	No	158	54.48	55.66
4	Medication has a built-in spacer/does not need a spacer	2	0.69	0.14
7	Don't know	4	1.38	1.58
9	Refused	8	2.76	0.80
BLANK	Skip filled	12,159		

QVAR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	110	37.93	44.33
2	No	142	48.97	47.73
3	No attack in past 3 months	37	12.76	7.91
9	Refused	1	0.34	0.04
BLANK	Skip filled	12,159		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

QVAR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	69	23.79	29.11
2	No	202	69.66	68.96
3	Didn't exercise in past 3 months	17	5.86	1.67
7	Don't know	2	0.69	0.26
BLANK	Skip filled	12,159		

QVAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	248	85.52	90.48
2	No	42	14.48	9.52
BLANK	Skip filled	12,159		

QVAR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1255-1257

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	249	85.86	91.74
401 - 499	Weeks	25	8.62	5.71
555	Never	3	1.03	1.30
666	Less often than once a week	11	3.79	0.99
777	Don't know/Not sure	2	0.69	0.25
BLANK	Skip filled	12,159		

QVAR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1258-1259

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1260

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	81.27
2	No	1	33.33	18.73
BLANK	Skip filled	12,446		

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1261

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	12,446		

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1262

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	12,446		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	12,446		

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1264-1266

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	100.00	100.00
BLANK	Skip filled	12,446		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1267-1268

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	66.67	81.27
77	Don't know	1	33.33	18.73
BLANK	Skip filled	12,446		

XOPENEX HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1269

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	71	31.28	18.14
2	No	139	61.23	79.02
4	Medication has a built-in spacer/does not need a spacer	1	0.44	0.09
7	Don't know	4	1.76	1.39
9	Refused	12	5.29	1.36
BLANK	Skip filled	12,222		

XOPENEX HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1270

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	181	79.74	91.25
2	No	26	11.45	5.58
3	No attack in past 3 months	19	8.37	3.03
7	Don't know	1	0.44	0.15
BLANK	Skip filled	12,222		

XOPENEX HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1271

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	78	34.36	37.21
2	No	122	53.74	54.61
3	Didn't exercise in past 3 months	27	11.89	8.18
BLANK	Skip filled	12,222		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

XOPENEX HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1272

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	22.03	33.69
2	No	177	77.97	66.31
BLANK	Skip filled	12,222		

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1273-1275

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	77	33.92	37.40
401 - 499	Weeks	72	31.72	34.96
555	Never	8	3.52	7.70
666	Less often than once a week	58	25.55	18.10
777	Don't know/Not sure	12	5.29	1.83
BLANK	Skip filled	12,222		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1276-1277

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	166	73.13	84.85
77	Don't know	12	5.29	1.10
88	None	49	21.59	14.05
BLANK	Skip filled	12,222		

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1278

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

MOMETASONE FUROATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	41.67	19.33
2	No	6	50.00	72.54
3	No attack in past 3 months	1	8.33	8.13
BLANK	Skip filled	12,437		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	16.67	20.73
2	No	9	75.00	74.49
3	Didn't exercise in past 3 months	1	8.33	4.78
BLANK	Skip filled	12,437		

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	83.33	97.47
2	No	2	16.67	2.53
BLANK	Skip filled	12,437		

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1282-1284

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	83.33	78.02
401 - 499	Weeks	2	16.67	21.98
BLANK	Skip filled	12,437		

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1285-1286

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1287

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1288

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	56	29.32	21.27
2	No	113	59.16	70.62
3	No attack in past 3 months	18	9.42	6.63
7	Don't know	2	1.05	1.14
9	Refused	2	1.05	0.34
BLANK	Skip filled	12,258		

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	19.37	22.39
2	No	136	71.20	72.51
3	Didn't exercise in past 3 months	13	6.81	3.99
7	Don't know	4	2.09	0.83
9	Refused	1	0.52	0.27
BLANK	Skip filled	12,258		

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	167	87.43	91.72
2	No	22	11.52	7.48
7	Don't know	1	0.52	0.52
9	Refused	1	0.52	0.27
BLANK	Skip filled	12,258		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1291-1293

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	163	85.34	89.45
401 - 499	Weeks	15	7.85	4.94
555	Never	2	1.05	1.78
666	Less often than once a week	8	4.19	2.77
777	Don't know/Not sure	2	1.05	0.79
999	Refused	1	0.52	0.27
BLANK	Skip filled	12,258		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1294-1295

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

PRO-AIR HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1296

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	334	26.36	28.07
2	No	848	66.93	67.81
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	3	0.24	0.13
4	Medication has a built-in spacer/does not need a spacer	9	0.71	0.38
7	Don't know	20	1.58	0.95
9	Refused	53	4.18	2.65
BLANK	Skip filled	11,182		

PRO-AIR HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1297

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,063	83.90	85.88
2	No	112	8.84	10.13
3	No attack in past 3 months	88	6.95	3.85
7	Don't know	2	0.16	0.09
9	Refused	2	0.16	0.05
BLANK	Skip filled	11,182		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PRO-AIR HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1298

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	441	34.81	39.08
2	No	662	52.25	53.75
3	Didn't exercise in past 3 months	158	12.47	7.07
7	Don't know	4	0.32	0.04
9	Refused	2	0.16	0.05
BLANK	Skip filled	11,182		

PRO-AIR HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1299

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	346	27.31	25.09
2	No	917	72.38	74.82
7	Don't know	2	0.16	0.04
9	Refused	2	0.16	0.05
BLANK	Skip filled	11,182		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1300-1302

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	473	37.33	36.94
401 - 499	Weeks	442	34.89	35.09
555	Never	21	1.66	2.58
666	Less often than once a week	282	22.26	23.25
777	Don't know/Not sure	43	3.39	1.90
999	Refused	6	0.47	0.24
BLANK	Skip filled	11,182		

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1303-1304

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	998	78.77	75.64
77	Don't know	55	4.34	2.19
88	None	212	16.73	22.12
99	Refused	2	0.16	0.05
BLANK	Skip filled	11,182		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

SYMBICORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

SYMBICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	271	37.23	37.23
2	No	381	52.34	52.78
3	No attack in past 3 months	67	9.20	7.97
7	Don't know	9	1.24	2.02
BLANK	Skip filled	11,721		

SYMBICORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	210	28.85	26.02
2	No	419	57.55	65.99
3	Didn't exercise in past 3 months	94	12.91	7.58
7	Don't know	3	0.41	0.08
9	Refused	2	0.27	0.34
BLANK	Skip filled	11,721		

SYMBICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	619	85.03	78.06
2	No	106	14.56	21.89
7	Don't know	2	0.27	0.02
9	Refused	1	0.14	0.03
BLANK	Skip filled	11,721		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

SYMBICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1309-1311

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	636	87.36	83.54
401 - 499	Weeks	57	7.83	12.68
555	Never	6	0.82	0.54
666	Less often than once a week	26	3.57	3.13
777	Don't know/Not sure	2	0.27	0.08
999	Refused	1	0.14	0.03
BLANK	Skip filled	11,721		

SYMBICORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1312-1313

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

PILL ACCOLATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1314

Type: NUM

SAS Variable Name: PILL01_1

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	87.88	66.10
2	No	4	12.12	33.90
BLANK	Skip filled	12,416		

PILL AEROLATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: PILL01_2

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

PILL ALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: PILL01_3

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	73.53	62.07
2	No	9	26.47	37.93
BLANK	Skip filled	12,415		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: PILL01_4

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

PILL CHOLEDYL (OXTRIPHYLLINE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: PILL01_5

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	30.50
2	No	1	25.00	51.89
7	Don't know	1	25.00	17.61
BLANK	Skip filled	12,445		

PILL DELTASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: PILL01_7

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	83.42
2	No	1	25.00	16.58
BLANK	Skip filled	12,445		

PILL ELIXOPHYLLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: PILL01_8

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

PILL MEDROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1321

Type: NUM

SAS Variable Name: PILL01_11

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	12,447		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL METAPREL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1322

Type: NUM

SAS Variable Name: PILL01_12

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

PILL METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1323

Type: NUM

SAS Variable Name: PILL01_13

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	12,448		

PILL METHYLPREDNISOLONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1324

Type: NUM

SAS Variable Name: PILL01_14

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	85.71	82.97
2	No	1	14.29	17.03
BLANK	Skip filled	12,442		

PILL MONTELUKAST: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1325

Type: NUM

SAS Variable Name: PILL01_15

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	93.94	92.90
2	No	2	6.06	7.10
BLANK	Skip filled	12,416		

PILL PEDIAPRED: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1326

Type: NUM

SAS Variable Name: PILL01_17

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL PREDNISOLONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1327

Type: NUM

SAS Variable Name: PILL01_18

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	80.00	53.23
2	No	2	20.00	46.77
BLANK	Skip filled	12,439		

PILL PREDNISONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: PILL01_19

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	156	51.32	38.12
2	No	146	48.03	61.57
7	Don't know	2	0.66	0.31
BLANK	Skip filled	12,145		

PILL PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: PILL01_21

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	12,446		

PILL RESPID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: PILL01_23

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

PILL SINGULAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: PILL01_24

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,224	94.44	90.31
2	No	71	5.48	9.65
7	Don't know	1	0.08	0.04
BLANK	Skip filled	11,153		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL SLO-PHYLLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: PILL01_25

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	90.15
2	No	1	25.00	9.85
BLANK	Skip filled	12,445		

PILL SLO-BID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: PILL01_26

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	12,448		

PILL THEO-24: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: PILL01_28

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	90.00	91.37
2	No	1	10.00	8.63
BLANK	Skip filled	12,439		

PILL THEOCHRON: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: PILL01_30

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

PILL THEOCLEAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1336

Type: NUM

SAS Variable Name: PILL01_31

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL THEODUR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1337

Type: NUM

SAS Variable Name: PILL01_32

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	66.67	72.07
2	No	1	16.67	17.98
7	Don't know	1	16.67	9.95
BLANK	Skip filled	12,443		

PILL THEO-DUR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1338

Type: NUM

SAS Variable Name: PILL01_33

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	42.14
2	No	2	50.00	57.86
BLANK	Skip filled	12,445		

PILL THEOPHYLLINE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1339

Type: NUM

SAS Variable Name: PILL01_35

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	102	94.44	84.63
2	No	6	5.56	15.37
BLANK	Skip filled	12,341		

PILL THEOSPAN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1340

Type: NUM

SAS Variable Name: PILL01_37

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

PILL T-PHYL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: PILL01_40

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	12,448		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL UNIPHYL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: PILL01_42

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	50.93
2	No	1	50.00	49.07
BLANK	Skip filled	12,447		

PILL VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: PILL01_43

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	30.61
2	No	1	33.33	69.39
BLANK	Skip filled	12,446		

PILL VOLMAX: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: PILL01_44

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

PILL ZAFIRLUKAST: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: PILL01_45

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	85.71	87.01
2	No	2	14.29	12.99
BLANK	Skip filled	12,435		

PILL ZILEUTON: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: PILL01_46

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PILL ZYFLO FILMTAB: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: PILL01_47

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	90.00	97.60
2	No	1	10.00	2.40
BLANK	Skip filled	12,439		

PILL TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: PILL01_48

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	18.62
2	No	4	57.14	76.05
7	Don't know	1	14.29	5.33
BLANK	Skip filled	12,442		

PILL BRETHINE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: PILL01_49

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	12,446		

ALBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: NEB01_1

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,177	82.60	87.87
2	No	179	12.56	10.02
3	No attack in past 3 months	61	4.28	1.88
7	Don't know	8	0.56	0.23
BLANK	Skip filled	11,024		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: NEB02_1

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	692	48.56	42.56
2	No	724	50.81	57.26
7	Don't know	9	0.63	0.18
BLANK	Skip filled	11,024		

ALBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: NEB03_1

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	751	52.70	46.47
401 - 499	Weeks	278	19.51	23.90
555	Never	26	1.82	2.59
666	Less often than once a week	306	21.47	24.65
777	Don't know/Not sure	64	4.49	2.39
BLANK	Skip filled	11,024		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: NEB01_2

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	100.00	100.00
BLANK	Skip filled	12,444		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: NEB02_2

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	25.85
2	No	2	40.00	74.15
BLANK	Skip filled	12,444		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: NEB03_2

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	60.00	48.98
401 - 499	Weeks	2	40.00	51.02
BLANK	Skip filled	12,444		

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: NEB01_3

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	73.91	76.11
2	No	6	26.09	23.89
BLANK	Skip filled	12,426		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: NEB02_3

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	60.87	64.07
2	No	9	39.13	35.93
BLANK	Skip filled	12,426		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: NEB03_3

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	14	60.87	64.07
401 - 499	Weeks	1	4.35	1.56
555	Never	4	17.39	18.61
666	Less often than once a week	3	13.04	13.44
777	Don't know/Not sure	1	4.35	2.33
BLANK	Skip filled	12,426		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: NEB01_4

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	12,446		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: NEB02_4

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	12,446		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: NEB03_4

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	33.33	1.16
666	Less often than once a week	1	33.33	94.72
777	Don't know/Not sure	1	33.33	4.12
BLANK	Skip filled	12,446		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: NEB01_5

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	56.67	75.16
2	No	23	38.33	21.61
3	No attack in past 3 months	2	3.33	0.59
7	Don't know	1	1.67	2.64
BLANK	Skip filled	12,389		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: NEB02_5

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	83.33	79.46
2	No	10	16.67	20.54
BLANK	Skip filled	12,389		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: NEB03_5

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	51	85.00	80.27
401 - 499	Weeks	4	6.67	5.09
555	Never	1	1.67	6.53
666	Less often than once a week	3	5.00	7.78
777	Don't know/Not sure	1	1.67	0.34
BLANK	Skip filled	12,389		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: NEB01_6

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	94.97
2	No	1	20.00	5.03
BLANK	Skip filled	12,444		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: NEB02_6

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	77.80
2	No	3	60.00	22.20
BLANK	Skip filled	12,444		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: NEB03_6

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	40.00	77.80
401 - 499	Weeks	1	20.00	5.03
666	Less often than once a week	2	40.00	17.17
BLANK	Skip filled	12,444		

DUONEB: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: NEB01_7

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	84.75	87.88
2	No	6	10.17	7.55
3	No attack in past 3 months	3	5.08	4.57
BLANK	Skip filled	12,390		

DUONEB: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: NEB02_7

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	59.32	64.30
2	No	23	38.98	34.98
7	Don't know	1	1.69	0.71
BLANK	Skip filled	12,390		

DUONEB: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: NEB03_7

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	37	62.71	65.49
401 - 499	Weeks	13	22.03	28.26
666	Less often than once a week	8	13.56	6.00
777	Don't know/Not sure	1	1.69	0.25
BLANK	Skip filled	12,390		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: NEB01_8

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: NEB02_8

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: NEB03_8

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

IPRATROPRIMUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1374

Type: NUM

SAS Variable Name: NEB01_9

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	201	76.72	82.35
2	No	48	18.32	16.14
3	No attack in past 3 months	8	3.05	0.54
7	Don't know	5	1.91	0.97
BLANK	Skip filled	12,187		

IPRATROPRIMUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1375

Type: NUM

SAS Variable Name: NEB02_9

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	170	64.89	57.71
2	No	87	33.21	41.96
7	Don't know	5	1.91	0.32
BLANK	Skip filled	12,187		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1376

Type: NUM

SAS Variable Name: NEB03_9

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	182	69.47	62.88
401 - 499	Weeks	39	14.89	19.74
555	Never	4	1.53	1.73
666	Less often than once a week	28	10.69	13.32
777	Don't know/Not sure	8	3.05	0.87
999	Refused	1	0.38	1.46
BLANK	Skip filled	12,187		

LEVALBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1377

Type: NUM

SAS Variable Name: NEB01_10

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	96.72
7	Don't know	1	25.00	3.28
BLANK	Skip filled	12,445		

LEVALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1378

Type: NUM

SAS Variable Name: NEB02_10

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	39.97
2	No	1	25.00	56.75
7	Don't know	1	25.00	3.28
BLANK	Skip filled	12,445		

LEVALBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1379

Type: NUM

SAS Variable Name: NEB03_10

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	96.72
777	Don't know/Not sure	1	25.00	3.28
BLANK	Skip filled	12,445		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: NEB01_11

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	17.90
2	No	1	50.00	82.10
BLANK	Skip filled	12,447		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: NEB02_11

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	12,447		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: NEB03_11

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	2	100.00	100.00
BLANK	Skip filled	12,447		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: NEB01_12

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	85.00	86.92
3	No attack in past 3 months	2	10.00	2.87
7	Don't know	1	5.00	10.21
BLANK	Skip filled	12,429		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: NEB02_12

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	35.00	39.18
2	No	12	60.00	50.61
7	Don't know	1	5.00	10.21
BLANK	Skip filled	12,429		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: NEB03_12

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	40.00	40.84
401 - 499	Weeks	6	30.00	29.05
666	Less often than once a week	4	20.00	18.29
777	Don't know/Not sure	2	10.00	11.82
BLANK	Skip filled	12,429		

PULMICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: NEB01_13

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	64.71	81.95
2	No	8	23.53	11.91
3	No attack in past 3 months	4	11.76	6.14
BLANK	Skip filled	12,415		

PULMICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: NEB02_13

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	67.65	77.41
2	No	11	32.35	22.59
BLANK	Skip filled	12,415		

PULMICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1388

Type: NUM

SAS Variable Name: NEB03_13

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	22	64.71	77.44
401 - 499	Weeks	5	14.71	7.03
555	Never	1	2.94	0.39
666	Less often than once a week	5	14.71	13.42
777	Don't know/Not sure	1	2.94	1.73
BLANK	Skip filled	12,415		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1389

Type: NUM

SAS Variable Name: NEB01_14

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1390

Type: NUM

SAS Variable Name: NEB02_14

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1391

Type: NUM

SAS Variable Name: NEB03_14

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	12,449		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1392

Type: NUM

SAS Variable Name: NEB01_15

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	92.59	90.69
2	No	2	7.41	9.31
BLANK	Skip filled	12,422		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: NEB02_15

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	29.63	18.92
2	No	19	70.37	81.08
BLANK	Skip filled	12,422		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: NEB03_15

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	37.04	66.15
401 - 499	Weeks	9	33.33	4.06
666	Less often than once a week	8	29.63	29.79
BLANK	Skip filled	12,422		

XOPENEX: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: NEB01_16

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	79	84.95	81.89
2	No	12	12.90	8.66
3	No attack in past 3 months	2	2.15	9.45
BLANK	Skip filled	12,356		

XOPENEX: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: NEB02_16

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	43.01	34.09
2	No	53	56.99	65.91
BLANK	Skip filled	12,356		

XOPENEX: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: NEB03_16

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	42	45.16	33.12
401 - 499	Weeks	24	25.81	26.66
555	Never	2	2.15	0.07
666	Less often than once a week	22	23.66	39.62
777	Don't know/Not sure	3	3.23	0.53
BLANK	Skip filled	12,356		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1398-1407

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: WEIGHT_IN

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	12,449	100.00	100.00

ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: ADULT Asthma Call-Back

Column: 1408-1417

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM
SAS Variable Name: POST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	12,449	100.00	100.00

FINAL LAND LINE ONLY ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1418-1427

Prologue:

Description: FINAL LAND LINE ONLY ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: LANDWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back land line only weight	12,449	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: ADULT Asthma Call-Back

Column: 1428

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No region collapsed	12,449		

RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1429

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: RACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	12,449	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1430

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	295	2.37	14.84
2	Age 25 - 34	642	5.16	20.72
3	Age 35 - 44	1,194	9.59	15.68
4	Age 45 - 54	2,235	17.95	17.19
5	Age 55 - 64	3,482	27.97	15.83
6	Age 65 - 74	2,858	22.96	9.93
7	Age 75+	1,743	14.00	5.80

AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1431

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	889	7.48	35.52
2	Age 35 - 44	1,134	9.55	15.68
3	Age 45 - 54	2,122	17.86	17.13
4	Age 55 - 64	3,330	28.03	15.87
5	Age 65+	4,405	37.08	15.80
BLANK	Missing	569		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1432

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	559	7.42	34.75
2	Age 35 - 44	661	8.78	16.00
3	Age 45 - 54	1,328	17.63	17.05
4	Age 55+	4,984	66.17	32.21
BLANK	Missing	4,917		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1433

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4_M

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	1,220	16.20	50.74
2	Age 45 - 54	1,328	17.63	17.05
3	Age 55 - 64	2,150	28.54	16.24
4	Age 65+	2,834	37.63	15.97
BLANK	Missing	4,917		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2012**

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1434

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	100	6.17	31.05
2	Age 35 - 54	420	25.93	34.92
3	Age 55+	1,100	67.90	34.03
BLANK	Missing	10,829		

AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1435

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	251	15.49	47.35
2	Age 45+	1,369	84.51	52.65
BLANK	Missing	10,829		

ADULT ASTHMA CALL-BACK ADJUST FACTOR

Survey: ADULT Asthma Call-Back

Column: 1436-1443

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: ADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification adjust factor	12,449	100.00	100.00

ACTIVE ASTHMA STATUS

Survey: ADULT Asthma Call-Back

Column: 1444

Prologue:

Description: Active Asthma Status

Type: NUM
SAS Variable Name: ACTASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Asthma	10,117	81.27	76.79
2	Inactive Asthma	2,330	18.72	23.20
9	Don't know/Not sure	2	0.02	0.01