

Behavioral Risk Factor Surveillance System

2008 Codebook Report

June 24, 2009



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

State FIPS Code

Section: 0.1 Record Identification

Column: 1-2

Prologue:

Description: State FIPS Code

Type: Num

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	6,489	1.57	1.52
2	Alaska	2,664	0.64	0.21
4	Arizona	6,165	1.49	2.04
5	Arkansas	5,695	1.37	0.93
6	California	11,598	2.80	11.93
8	Colorado	11,762	2.84	1.58
9	Connecticut	6,155	1.48	1.16
10	Delaware	4,026	0.97	0.29
11	District of Columbia	4,243	1.02	0.20
12	Florida	10,874	2.62	6.22
13	Georgia	5,716	1.38	3.08
15	Hawaii	6,446	1.56	0.43
16	Idaho	5,111	1.23	0.47
17	Illinois	5,163	1.25	4.16
18	Indiana	4,900	1.18	2.03
19	Iowa	6,012	1.45	0.99
20	Kansas	8,628	2.08	0.89
21	Kentucky	8,091	1.95	1.40
22	Louisiana	6,182	1.49	1.42
23	Maine	6,788	1.64	0.45
24	Maryland	9,481	2.29	1.85
25	Massachusetts	20,581	4.97	2.15
26	Michigan	9,453	2.28	3.29
27	Minnesota	4,287	1.03	1.70
28	Mississippi	7,949	1.92	0.93
29	Missouri	5,158	1.24	1.93
30	Montana	6,846	1.65	0.32
31	Nebraska	16,255	3.92	0.57
32	Nevada	4,771	1.15	0.84
33	New Hampshire	6,892	1.66	0.44
34	New Jersey	11,740	2.83	2.87
35	New Mexico	6,227	1.50	0.63
36	New York	7,915	1.91	6.37
37	North Carolina	15,835	3.82	2.96
38	North Dakota	5,035	1.21	0.21
39	Ohio	12,962	3.13	3.76
40	Oklahoma	7,812	1.88	1.17
41	Oregon	4,796	1.16	1.25
42	Pennsylvania	13,172	3.18	4.16
44	Rhode Island	4,786	1.15	0.36
45	South Carolina	10,202	2.46	1.44
46	South Dakota	6,981	1.68	0.25
47	Tennessee	5,024	1.21	2.01
48	Texas	10,716	2.59	7.49
49	Utah	5,330	1.29	0.79
50	Vermont	6,751	1.63	0.21
51	Virginia	5,310	1.28	2.55
53	Washington	22,532	5.44	2.14
54	West Virginia	4,168	1.01	0.62
55	Wisconsin	7,075	1.71	1.84
56	Wyoming	7,999	1.93	0.17
66	Guam	796	0.19	0.05
72	Puerto Rico	4,475	1.08	1.22
78	Virgin Islands	2,489	0.60	0.03

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Geographic Stratum Code

Section: 0.2 Record Identification

Column: 3-4

Prologue:

Description: Geographic Stratum Code

Type: Num
SAS Variable Name: _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Household Density Stratum Code

Section: 0.3 Record Identification

Column: 5

Prologue:

Description: Household Density Stratum Code

Type: Num
SAS Variable Name: _DENSTR2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	344,323	83.07	70.63
2	Unlisted	70,186	16.93	29.37

Pre-Call Status Code

Section: 0.4 Record Identification

Column: 6

Prologue:

Description: Pre-Call Status Code

Type: Num
SAS Variable Name: PRECALL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	406,938	98.17	98.13
3	Pre-screened as non-working number	5,518	1.33	1.36
4	cell phone - PRO-T-S	336	0.08	0.12
5	Pre-screened as business number	1,686	0.41	0.39
6	cell phone - Interviewer	31	0.01	0.00

Replicate Number

Section: 0.5 Record Identification

Column: 7-11

Prologue:

Description: Replicate Number

Type: Num
SAS Variable Name: REPNUM

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Replicate Depth

Section: 0.6 Record Identification

Column: 12-13

Type: Num

SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

File Month

Section: 0.7 Record Identification

Column: 14-15

Type: Num

SAS Variable Name: FMONTH

Prologue:

Description: File Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	38,852	9.37	10.98
2	February	32,855	7.93	7.44
3	March	32,601	7.86	7.41
4	April	39,249	9.47	10.74
5	May	31,558	7.61	6.64
6	June	33,390	8.06	7.21
7	July	36,675	8.85	10.26
8	August	32,050	7.73	6.91
9	September	31,946	7.71	6.57
10	October	39,896	9.62	11.88
11	November	33,231	8.02	7.00
12	December	32,206	7.77	6.96

Interview Date

Section: 0.8 Record Identification

Column: 16-23

Type: Char

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Interview Month

Section: 0.9 Record Identification

Column: 16-17

Type: Char

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	34,274	8.27	8.35
2	February	36,055	8.70	9.12
3	March	35,129	8.47	8.86
4	April	35,546	8.58	8.54
5	May	33,275	8.03	7.61
6	June	35,163	8.48	8.53
7	July	33,584	8.10	8.19
8	August	32,991	7.96	7.78
9	September	32,292	7.79	7.31
10	October	36,562	8.82	8.78
11	November	34,653	8.36	8.11
12	December	34,985	8.44	8.81

Interview Day

Section: 0.10 Record Identification

Column: 18-19

Type: Char

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	17,715	4.27	3.51
2		21,142	5.10	4.44
3		21,794	5.26	4.79
4		20,816	5.02	4.62
5		21,456	5.18	4.89
6		20,961	5.06	4.57
7		21,244	5.13	5.06
8		19,825	4.78	4.50
9		18,977	4.58	4.61
10		19,307	4.66	4.64
11		16,761	4.04	4.02
12		17,094	4.12	4.13
13		15,814	3.82	3.90
14		14,669	3.54	3.76
15		14,510	3.50	3.65
16		13,703	3.31	3.35
17		13,290	3.21	3.37
18		11,977	2.89	3.12
19		10,994	2.65	2.75
20		10,624	2.56	2.80
21		9,758	2.35	2.77
22		9,059	2.19	2.39
23		7,441	1.80	1.94
24		7,325	1.77	1.95
25		5,873	1.42	1.43
26		5,688	1.37	1.46
27		5,788	1.40	1.62
28		6,037	1.46	1.72
29		5,969	1.44	1.62
30		5,091	1.23	1.53
31		3,807	0.92	1.08

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Interview Year

Section: 0.11 Record Identification

Column: 20-23

Type: Char

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

Value	Value Label	Frequency	Percentage	Weighted Percentage
2008		412,963	99.63	99.72
2009		1,546	0.37	0.28

Interviewer Identification

Section: 0.12 Record Identification

Column: 24-26

Type: Char

SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Final Disposition

Section: 0.13 Record Identification

Column: 27-29

Type: Num

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	395,076	95.31	94.78
120	Partial Complete Interview	19,433	4.69	5.22

Annual Sequence Number

Section: 0.14 Record Identification

Column: 30-39

Type: Num

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Primary Sampling Unit

Section: 0.15 Record Identification

Column: 30-39

Type: Num

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Number of Attempts

Section: 0.16 Record Identification

Column: 40-41

Type: Num

SAS Variable Name: NATTMPTS

Prologue:

Description: Number of Attempts

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Column: 42-47

Type: Num

SAS Variable Name: NRECSEL

Prologue:

Description: Number of Sample Records Selected from Stratum

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Column: 48-56

Type: Num

SAS Variable Name: NRECSTR

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Correct telephone number?

Section: 0.19 Record Identification

Column: 57

Type: Num

SAS Variable Name: CTELENUM

Prologue:

Description: Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	414,505	100.00	100.00
2	No	1	0.00	0.00
BLANK	Missing	3		

Cellular Telephone

Section: 0.20 Record Identification

Column: 58

Type: Num

SAS Variable Name: CELLFON

Prologue:

Description: Cellular Telephone

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	411,266	100.00	100.00
2	Yes	1	0.00	0.00
BLANK	Missing	3,242		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Private Residence?

Section: 0.21 Record Identification

Column: 59

Prologue:

Description: Private Residence?

Type: Num

SAS Variable Name: PVTRESID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	414,506	100.00	100.00
BLANK	Missing	3		

Number of Adults in Household

Section: 0.22 Record Identification

Column: 60-61

Prologue:

Description: Number of Adults in Household

Type: Num

SAS Variable Name: NUMADULT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	141,345	34.10	16.25
2		221,377	53.41	54.92
3		37,361	9.01	17.08
4		11,406	2.75	8.46
5		2,286	0.55	2.38
6 - 99	6 or more	734	0.18	0.92

Number of Adult men in Household

Section: 0.23 Record Identification

Column: 62-63

Prologue:

Description: Number of Adult Men in Household

Type: Num

SAS Variable Name: NUMMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	110,841	26.74	13.57
1		270,049	65.15	66.41
2		28,569	6.89	15.38
3		4,289	1.03	3.66
4		612	0.15	0.73
5		96	0.02	0.14
6 - 99	6 or more	52	0.01	0.12
BLANK		1		

Number of Adult women in Household

Section: 0.24 Record Identification

Column: 64-65

Prologue:

Description: Number of Adult Women in Household

Type: Num

SAS Variable Name: NUMWOMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	47,177	11.38	8.29
1		326,190	78.69	71.50
2		35,750	8.62	16.32
3		4,713	1.14	3.23
4		564	0.14	0.55
5		86	0.02	0.09
6 - 99	6 or more	28	0.01	0.03
BLANK		1		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

General Health

Section: 1.1 Health Status

Column: 73

Type: Num

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	75,152	18.13	20.46
2	Very good	131,760	31.79	32.46
3	Good	126,263	30.46	30.43
4	Fair	55,778	13.46	11.95
5	Poor	23,686	5.71	4.34
7	Don't know/Not Sure	848	0.20	0.16
9	Refused	1,020	0.25	0.21
BLANK	Not asked or Missing	2		

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Column: 74-75

Type: Num

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	151,712	36.60	35.68
88	None	254,703	61.45	62.85
77	Don't know/Not sure	7,216	1.74	1.31
99	Refused	878	0.21	0.16

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Column: 76-77

Type: Num

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	128,027	30.89	33.64
88	None	280,054	67.56	65.14
77	Don't know/Not sure	5,230	1.26	0.99
99	Refused	1,198	0.29	0.24

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Poor Physical Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Column: 78-79

Type: Num

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	89,197	40.93	40.15
88	None	124,412	57.08	58.23
77	Don't know/Not sure	3,661	1.68	1.30
99	Refused	681	0.31	0.32
BLANK	Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	196,558		

Have any health care coverage

Section: 3.1 Health Care Access

Column: 80

Type: Num

SAS Variable Name: HLTHPLAN

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	370,296	89.33	84.48
2	No	43,246	10.43	15.13
7	Don't know/Not Sure	594	0.14	0.30
9	Refused	373	0.09	0.10

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Column: 81

Type: Num

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	324,493	78.28	72.94
2	More than one	33,437	8.07	7.39
3	No	55,557	13.40	19.38
7	Don't know/Not Sure	779	0.19	0.24
9	Refused	243	0.06	0.05

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Column: 82

Type: Num

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47,263	11.40	14.07
2	No	366,302	88.37	85.73
7	Don't know/Not sure	813	0.20	0.18
9	Refused	131	0.03	0.02

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Length of time since last routine checkup

Section: 3.4 Health Care Access

Column: 83

Type: Num

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	297,163	71.69	67.61
2	Within past 2 years (1 year but less than 2 years ago)	49,382	11.91	13.55
3	Within past 5 years (2 years but less than 5 years ago)	28,892	6.97	8.53
4	5 or more years ago	29,561	7.13	7.74
7	Don't know/Not sure	4,750	1.15	1.06
8	Never	4,525	1.09	1.48
9	Refused	236	0.06	0.04

How many days did you not get enough sleep in past 30 days

Section: 4.1 Sleep

Column: 84-85

Type: Num

SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	260,855	62.93	68.19
88	None	146,594	35.37	30.53
77	Don't know/Not sure	6,435	1.55	1.17
99	Refused	622	0.15	0.11
BLANK	Not asked or Missing	3		

Exercise in Past 30 Days

Section: 5.1 Exercise

Column: 86

Type: Num

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	299,159	72.17	74.38
2	No	114,844	27.71	25.53
7	Don't know/Not Sure	367	0.09	0.07
9	Refused	139	0.03	0.03

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Ever Told by Doctor You Have Diabetes

Section: 6.1 Diabetes

Column: 87

Type: Num

SAS Variable Name: DIABETE2

Prologue:

Description: Have you ever been told by a doctor that you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47,402	11.44	8.77
2	Yes, but female told only during pregnancy	3,700	0.89	1.03
3	No	357,514	86.25	89.06
4	No, pre-diabetes or borderline diabetes	5,454	1.32	1.02
7	Don't know/Not Sure	255	0.06	0.04
9	Refused	182	0.04	0.07
BLANK	Not asked or Missing	2		

Last Visited Dentist or Dental Clinic

Section: 7.1 Oral Health

Column: 88

Type: Num

SAS Variable Name: LASTDEN3

Prologue:

Description: How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontists.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	283,912	68.49	68.06
2	Within the past 2 years (1 year but less than 2 years ago)	41,651	10.05	11.39
3	Within the past 5 years (2 years but less than 5 years ago)	35,953	8.67	9.00
4	5 or more years ago	47,304	11.41	9.79
7	Don't know/Not sure	2,894	0.70	0.61
8	Never	2,599	0.63	1.12
9	Refused	195	0.05	0.03
BLANK	Missing	1		

Number of Permanent Teeth Removed

Section: 7.2 Oral Health

Column: 89

Type: Num

SAS Variable Name: RMVTETH3

Prologue:

Description: How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics. (If wisdom teeth are removed because of tooth decay or gum disease, they should be included in the count for lost teeth)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 5	129,665	31.28	29.50
2	6 or more, but not all	59,925	14.46	10.25
3	All	35,703	8.61	5.02
7	Don't know/Not sure	7,046	1.70	1.12
8	None	181,526	43.79	54.00
9	Refused	643	0.16	0.11
BLANK	Not asked or Missing	1		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

When Teeth Last Cleaned by Dentist or Hygienist

Section: 7.3 Oral Health

Column: 90

Type: Num

SAS Variable Name: DENCLEAN

Prologue:

Description: How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	263,718	69.96	68.45
2	Within the past 2 years (1 year but less than 2 years ago)	38,180	10.13	11.45
3	Within the past 5 years (2 years but less than 5 years ago)	30,529	8.10	8.77
4	5 or more years ago	35,609	9.45	9.14
7	Don't know/Not sure	3,469	0.92	0.81
8	Never	5,119	1.36	1.32
9	Refused	333	0.09	0.05
BLANK	Not asked or Missing Notes: Section 7.01, LASTDEN3, is coded 8; or Section 7.02, RMVTETH3, is coded 3	37,552		

Ever Diagnosed with Heart Attack

Section: 8.1 Cardiovascular Disease Prevalence

Column: 91

Type: Num

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25,042	6.04	4.27
2	No	387,349	93.45	95.41
7	Don't know/Not sure	2,029	0.49	0.31
9	Refused	88	0.02	0.01
BLANK	Not asked or Missing	1		

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 8.2 Cardiovascular Disease Prevalence

Column: 92

Type: Num

SAS Variable Name: CVDCRHD4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25,699	6.20	4.40
2	No	384,895	92.86	95.00
7	Don't know/Not sure	3,823	0.92	0.59
9	Refused	91	0.02	0.01
BLANK	Not asked or Missing	1		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Ever Diagnosed with a Stroke

Section: 8.3 Cardiovascular Disease Prevalence

Column: 93

Type: Num

SAS Variable Name: CVDSTRK3

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,453	3.97	2.67
2	No	396,949	95.76	97.15
7	Don't know/Not sure	1,031	0.25	0.17
9	Refused	75	0.02	0.01
BLANK	Not asked or Missing	1		

Ever Told Had Asthma

Section: 9.1 Asthma

Column: 94

Type: Num

SAS Variable Name: ASTHMA2

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54,678	13.19	13.27
2	No-Go to Section 10.01 QLACTLM2	358,748	86.55	86.52
7	Don't know/Not Sure-Go to Section 10.01 QLACTLM2	1,028	0.25	0.20
9	Refused-Go to Section 10.01 QLACTLM2	54	0.01	0.01
BLANK	Not asked or Missing	1		

Still Have Asthma

Section: 9.2 Asthma

Column: 95

Type: Num

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37,214	68.06	63.49
2	No	15,987	29.24	33.92
7	Don't know/Not Sure	1,466	2.68	2.57
9	Refused	11	0.02	0.02
BLANK	Not asked or Missing	359,831		

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing

Activity Limitation Due to Health Problems

Section: 10.1 Disability

Column: 96

Type: Num

SAS Variable Name: QLACTLM2

Prologue: The following questions are about health problems or impairments you may have.

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	106,481	25.69	20.25
2	No	306,147	73.86	79.43
7	Don't know/Not Sure	1,634	0.39	0.27
9	Refused	245	0.06	0.05
BLANK	Not asked or Missing	2		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Health Problems Requiring Special Equipment

Section: 10.2 Disability

Column: 97

Type: Num

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43,569	10.51	7.46
2	No	370,665	89.42	92.49
7	Don't know/Not Sure	216	0.05	0.04
9	Refused	56	0.01	0.01
BLANK	Not asked or Missing	3		

Smoked at Least 100 Cigarettes

Section: 11.1 Tobacco Use

Column: 98

Type: Num

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	192,448	46.43	42.69
2	No-Go to Section 12.01 AGE	220,561	53.21	57.04
7	Don't know/Not Sure-Go to Section 12.01 AGE	1,389	0.34	0.25
9	Refused-Go to Section 12.01 AGE	110	0.03	0.02
BLANK	Not asked or Missing	1		

Frequency of Days Now Smoking

Section: 11.2 Tobacco Use

Column: 99

Type: Num

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	52,102	27.07	30.97
2	Some days	17,754	9.23	12.03
3	Not at all-Go to Section 12.01 AGE	122,461	63.63	56.93
7	Don't Know/Not Sure-Go to Section 12.01 AGE	59	0.03	0.04
9	Refused-Go to Section 12.01 AGE	72	0.04	0.03
BLANK	Not asked or Missing	222,061		

Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing

Stopped Smoking in past 12 months

Section: 11.3 Tobacco Use

Column: 100

Type: Num

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38,590	55.24	58.13
2	No	31,095	44.51	41.66
7	Don't know/Not Sure	148	0.21	0.18
9	Refused	22	0.03	0.02
BLANK	Not asked or Missing	344,654		

Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 11.02, SMOKDAY2, is coded 3, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Reported Age in Years

Section: 12.1 Demographics

Column: 101-102

Prologue:

Description: What is your age?

Type: Num
SAS Variable Name: AGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	280	0.07	0.04
9	Refused	3,373	0.81	0.54
18 - 24	Age 18 - 24 Notes: __ Code age in years	14,050	3.39	12.36
25 - 34	Age 25 - 34	39,374	9.50	18.22
35 - 44	Age 35 - 44	61,903	14.93	18.93
45 - 54	Age 45 - 54	84,268	20.33	18.88
55 - 64	Age 55 - 64	87,834	21.19	14.22
65 - 99	Age 65 or older	123,427	29.78	16.81

Hispanic/Latino

Section: 12.2 Demographics

Column: 103

Prologue:

Description: Are you Hispanic or Latino?

Type: Num
SAS Variable Name: HISPANC2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28,742	6.93	15.15
2	No	383,594	92.54	84.49
7	Don't know/Not Sure	1,169	0.28	0.18
9	Refused	1,004	0.24	0.18

Multiple Race

Section: 12.3 Demographics

Column: 104-109

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

Type: Char
SAS Variable Name: MRACE

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1,137	0.27	0.44
9	Refused Notes: Specify_____	2,532	0.61	0.63
BLANK	Missing	5		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	410,835	99.11	98.93

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Respondent Race Choice

Section: 12.4 Demographics

Column: 110

Type: Num

SAS Variable Name: ORACE2

Prologue:

Description: Which one of these groups would you say best represents your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	13,501	71.01	73.18
2	Black or African American	1,226	6.45	7.58
3	Asian	1,337	7.03	8.56
4	Native Hawaiian or Other Pacific Islander	887	4.67	1.48
5	American Indian, Alaska Native	880	4.63	4.19
6	Other	462	2.43	3.41
	Notes: Specify _____			
7	Don't know/Not sure	496	2.61	0.95
9	Refused	224	1.18	0.65
BLANK	Not asked or Missing	395,496		
	Notes: Section 12.03, MRACE, has only one valid race code (1-6)			

Are You A Veteran

Section: 12.5 Demographics

Column: 111

Type: Num

SAS Variable Name: VETERAN1

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	56,076	13.53	11.70
2	No	358,062	86.41	88.24
7	Don't know/Not Sure	99	0.02	0.02
9	Refused	154	0.04	0.03
BLANK	Not asked or Missing	118		

Marital Status

Section: 12.6 Demographics

Column: 112

Type: Num

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	231,145	55.79	59.89
2	Divorced	57,902	13.97	8.74
3	Widowed	56,767	13.70	6.24
4	Separated	8,745	2.11	2.07
5	Never married	49,212	11.88	18.83
6	A member of an unmarried couple	9,065	2.19	3.95
9	Refused	1,508	0.36	0.28
BLANK	Not asked or Missing	165		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Number of Children in Household

Section: 12.7 Demographics

Column: 113-114

Prologue:

Description: How many children less than 18 years of age live in your household?

Type: Num

SAS Variable Name: CHILDREN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	122,319	29.52	42.91
88	None	291,128	70.27	56.76
99	Refused	862	0.21	0.33
BLANK	Not asked or Missing	200		

Education Level

Section: 12.8 Demographics

Column: 115

Prologue:

Description: What is the highest grade or year of school you completed?

Type: Num

SAS Variable Name: EDUCA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	793	0.19	0.24
2	Grades 1 through 8 (Elementary)	13,925	3.36	3.96
3	Grades 9 through 11 (Some high school)	26,457	6.39	7.27
4	Grade 12 or GED (High school graduate)	124,922	30.16	28.67
5	College 1 year to 3 years (Some college or technical school)	109,406	26.41	26.34
6	College 4 years or more (College graduate)	137,725	33.25	33.15
9	Refused	1,026	0.25	0.37
BLANK	Not asked or Missing	255		

Employment Status

Section: 12.9 Demographics

Column: 116

Prologue:

Description: Are you currently: (employment status)

Type: Num

SAS Variable Name: EMPLOY

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	182,805	44.13	51.12
2	Self-employed	36,571	8.83	8.60
3	Out of work for more than 1 year	7,456	1.80	2.20
4	Out of work for less that 1 year	9,722	2.35	3.74
5	A homemaker	32,800	7.92	8.10
6	A student	6,678	1.61	4.76
7	Retired	109,951	26.55	15.76
8	Unable to work	26,934	6.50	5.20
9	Refused	1,282	0.31	0.51
BLANK	Not asked or Missing	310		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Income Level

Section: 12.10 Demographics

Column: 117-118

Type: Num

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	19,425	4.69	4.55
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	21,257	5.13	4.28
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	27,420	6.62	6.31
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	34,935	8.44	7.54
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	44,435	10.73	9.81
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	56,219	13.58	12.68
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	60,718	14.66	14.82
8	\$75,000 or more	96,426	23.29	27.77
77	Don't know/Not sure	24,589	5.94	6.24
99	Refused	28,656	6.92	5.99
BLANK	Not asked or Missing	429		

Reported Weight in Pounds

Section: 12.11 Demographics

Column: 119-122

Type: Num

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	397,961	96.14	96.48
7777	Don't know/Not sure	5,968	1.44	1.31
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	523	0.13	0.26
9999	Refused	9,486	2.29	1.95
BLANK	Not asked or Missing	571		

Reported Height in Feet and Inches

Section: 12.12 Demographics

Column: 123-126

Type: Num

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	407,743	98.52	97.60
7777	Don't know/Not sure	3,195	0.77	1.07
9000 - 9998	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	1,392	0.34	0.74
9999	Refused	1,556	0.38	0.59
BLANK	Not asked or Missing	623		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Reported Weight year ago in Pounds

Section: 12.13 Demographics

Column: 127-130

Type: Num

SAS Variable Name: WTYRAGO

Prologue:

Description: How much did you weigh a year ago? [If you were pregnant a year ago, how much did you weigh before your pregnancy?] (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds)	389,924	97.80	97.73
7777	Don't know/Not sure	7,705	1.93	1.85
9000 - 9998	Weight (kilograms)	475	0.12	0.25
9999	Refused	595	0.15	0.17
BLANK	Not asked or Missing	15,810		

Notes: Section 12.11, WEIGHT2, is coded 7777, 9999 or missing

Change in weight since year ago

Section: 12.14 Demographics

Column: 131

Type: Num

SAS Variable Name: WTCHGINT

Prologue:

Description: Was the change between your current weight and your weight a year ago intentional?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	73,900	39.09	40.07
2	No	113,046	59.80	58.88
7	Don't know/Not Sure	1,903	1.01	0.88
9	Refused	178	0.09	0.17
BLANK	Not asked or Missing	225,482		

Notes: Section 12.11, WEIGHT2, is equal to Section 12.13, WTYRAGO; or Section 12.11, WEIGHT2, is coded 7777, 9999 or missing

County Code

Section: 12.15 Demographics

Column: 132-134

Type: Num

SAS Variable Name: CTYCODE

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	3,699	0.96	1.18
999	Refused	5,988	1.56	1.17
BLANK	Not asked or Missing	29,476		
HIDDEN	Data not displayed	375,346	97.48	97.65

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Household Telephones

Section: 12.17 Demographics

Column: 140

Type: Num

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24,487	5.92	5.20
2	No—Go to Section 12.19 TELSERV2	387,587	93.75	94.14
7	Don't know/Not sure—Go to Section 12.19 TELSERV2	171	0.04	0.05
9	Refused—Go to Section 12.19 TELSERV2	1,201	0.29	0.61
BLANK	Not asked or Missing—Go to Section 12.19 TELSERV2	1,063		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Residential Phones

Section: 12.18 Demographics

Column: 141

Type: Num

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	9,731	39.75	55.33
2	Residential telephone numbers	12,973	52.99	39.26
3	Residential telephone numbers	1,118	4.57	2.50
4	Residential telephone numbers	193	0.79	0.48
5	Residential telephone numbers	43	0.18	0.07
6	Residential telephone numbers Notes: 6 = 6 or more	27	0.11	0.02
7	Don't know/Not Sure	212	0.87	1.36
9	Refused	185	0.76	0.99
BLANK	Not asked or Missing Notes: Section 12.17, NUMHHOL2, is coded 2, 7, 9, or missing	390,027		

Lost phone service one week+ last 12 mos

Section: 12.19 Demographics

Column: 142

Type: Num

SAS Variable Name: TELSERV2

Prologue:

Description: During the past 12 months, has your household been without telephone service for 1 week or more? Do not include interruptions of telephone service because of weather or natural disasters.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,554	3.76	4.78
2	No	395,742	95.74	94.34
7	Don't know/Not Sure	978	0.24	0.30
9	Refused	1,068	0.26	0.58
BLANK	Not asked or Missing	1,167		

Respondents Sex

Section: 12.20 Demographics

Column: 143

Type: Num

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male—Go to Section 13.01 DRNKANY4	155,703	37.56	48.64
2	Female—If 11.01, AGE, is 45 or older go to Section 13.01 DRNKANY4	258,806	62.44	51.36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Pregnancy Status

Section: 12.21 Demographics

Column: 144

Type: Num

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,803	3.83	4.80
2	No	70,025	95.58	94.22
7	Don't know/Not Sure	208	0.28	0.29
9	Refused	226	0.31	0.70
BLANK	Not asked or Missing	341,247		

Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 44

Drink any alcoholic beverages in past 30 days

Section: 13.1 Alcohol Consumption

Column: 145

Type: Num

SAS Variable Name: DRNKANY4

Prologue:

Description: During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	200,587	48.72	51.51
2	No-Go to Section 14.01 FLUSHOT3	209,540	50.89	47.72
7	Don't know/Not Sure-Go to Section 14.01 FLUSHOT3	499	0.12	0.11
9	Refused-Go to Section 14.01 FLUSHOT3	1,110	0.27	0.66
BLANK	Not asked or Missing	2,773		

Days in past 30 had alcoholic beverage

Section: 13.2 Alcohol Consumption

Column: 146-148

Type: Num

SAS Variable Name: ALCDAY4

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1_ _ = Days per week	63,470	31.68	31.96
201 - 299	Days in past 30 days Notes: 2_ _ = Days in past 30	130,842	65.30	65.34
777	Don't know/Not sure	2,996	1.50	1.32
888	No drinks in past 30 days-Go to Section 14.01 FLUSHOT3	1,928	0.96	0.93
999	Refused	1,122	0.56	0.45
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9	214,151		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Avg alcoholic drinks per day in past 30

Section: 13.3 Alcohol Consumption

Column: 149-150

Type: Num

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? [A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: __ Number of drinks	193,629	97.74	97.65
77	Don't know/Not sure	3,057	1.54	1.73
99	Refused	1,419	0.72	0.62
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888	216,404		

Binge Drinking

Section: 13.4 Alcohol Consumption

Column: 151-152

Type: Num

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	45,013	22.75	29.14
88	None	148,890	75.25	68.93
77	Don't know/Not Sure	2,781	1.41	1.40
99	Refused	1,181	0.60	0.54
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888	216,644		

Most drinks on single occasion past 30 days

Section: 13.5 Alcohol Consumption

Column: 153-154

Type: Num

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	190,404	96.33	96.13
77	Don't know/Not sure	5,299	2.68	2.78
99	Refused	1,957	0.99	1.10
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888	216,849		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Flu shot past 12 mos

Section: 14.1 Immunization

Column: 155

Type: Num

SAS Variable Name: FLUSHOT3

Prologue:

Description: A flu shot is an influenza vaccine injected into your arm. During the past 12 months, have you had a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	187,232	45.64	35.75
2	No—Go to Section 14.03 FLUSPRY2	221,071	53.89	63.25
7	Don't know/Not Sure—Go to Section 14.03 FLUSPRY2	1,324	0.32	0.39
9	Refused—Go to Section 14.03 FLUSPRY2	591	0.14	0.62
BLANK	Not asked or Missing	4,291		

When did you receive your most recent flu shot?

Section: 14.2 Immunization

Column: 156-161

Type: Num

SAS Variable Name: FLUSHTMY

Prologue:

Description: During what month and year did you receive your most recent flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12007 - 122008	Month / Year	174,887	93.66	93.24
777777	Don't know/Not Sure	11,565	6.19	6.61
999999	Refused	264	0.14	0.16
BLANK	Not asked or Missing	227,793		

Notes: Section 14.01, FLUSHOT3, is coded 2, 7, or 9

Flu spray past 12 mos

Section: 14.3 Immunization

Column: 162

Type: Num

SAS Variable Name: FLUSPRY2

Prologue:

Description: During the past 12 months, have you had a flu vaccine that was sprayed in your nose? The flu vaccine sprayed in the nose is also called FluMist™.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,465	0.60	0.90
2	No—Go to Section 14.05 PNEUVAC3	406,086	99.08	98.28
7	Don't know/Not Sure—Go to Section 14.05 PNEUVAC3	705	0.17	0.18
9	Refused—Go to Section 14.05 PNEUVAC3	612	0.15	0.63
BLANK	Not asked or Missing	4,641		

When did you receive your most recent flu vaccine sprayed in your nose?

Section: 14.4 Immunization

Column: 163-168

Type: Num

SAS Variable Name: FLUSPRMY

Prologue:

Description: During what month and year did you receive your most recent flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12007 - 122008	Month / Year	2,094	85.82	86.17
777777	Don't know/Not Sure	330	13.52	13.07
999999	Refused	16	0.66	0.77
BLANK	Not asked or Missing	412,069		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Pneumonia shot ever

Section: 14.5 Immunization

Column: 169

Type: Num

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	124,614	30.43	21.83
2	No	258,678	63.16	69.25
7	Don't know/Not Sure	25,630	6.26	8.26
9	Refused	637	0.16	0.65
BLANK	Not asked or Missing	4,950		

Had Fall Past Three Months

Section: 15.1 Falls

Column: 170-171

Type: Num

SAS Variable Name: FALL3MN2

Prologue:

Description: In the past 3 months, how many times have you fallen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	50,978	17.28	15.89
88	None-Go to Section 16.01 SEATBLT2	242,212	82.09	83.00
77	Don't know/Not Sure-Go to Section 16.01 SEATBLT2	1,390	0.47	0.42
99	Refused-Go to Section 16.01 SEATBLT2	480	0.16	0.69
BLANK	Missing Notes: Section 12.01, AGE, coded 18-44	119,449		

Injured in Fall

Section: 15.2 Falls

Column: 172-173

Type: Num

SAS Variable Name: FALLINJ2

Prologue:

Description: How many of these falls caused an injury? By an injury, we mean the fall caused you to limit your regular activities for at least a day or to go see a doctor.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of falls [76=76 or more] Notes: _ _ Number of times, 76=76 or more	16,813	33.00	32.93
88	None	33,924	66.58	66.73
77	Don't know/Not Sure	175	0.34	0.27
99	Refused	37	0.07	0.08
BLANK	Missing Notes: Section 12.01, AGE, coded 18-44; or Section 15.01, FALL3MN2, is coded 77, 88, 99 or Missing	363,560		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

How often use seatbelts in car?

Section: 16.1 Seatbelt Use

Column: 174

Type: Num

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	339,401	83.05	84.13
2	Nearly always	39,603	9.69	8.51
3	Sometimes	14,462	3.54	3.31
4	Seldom	5,953	1.46	1.40
5	Never	7,133	1.75	1.58
7	Don't know/Not sure	279	0.07	0.05
8	Never drive or ride in a car—Go to Section 18.01 HADMAM	1,040	0.25	0.28
9	Refused	808	0.20	0.75
BLANK	Not asked or Missing	5,830		

Did you drive after having too much to drink in the past 30 days?

Section: 17.1 Drinking and Driving

Column: 175-176

Type: Num

SAS Variable Name: DRNKDRI2

Prologue:

Description: During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: _ _ Number of times	6,417	3.22	3.83
88	None	191,933	96.27	95.48
77	Don't know/Not sure	325	0.16	0.17
99	Refused	703	0.35	0.52
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2 or: Section 16.01, SEATBELT, is coded 8	215,131		

Have You Ever Had a Mammogram

Section: 18.1 Women's Health

Column: 177

Type: Num

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	200,592	78.72	64.63
2	No—Go to Section 18.03 PROFEXAM	53,305	20.92	34.33
7	Don't know/Not sure—Go to Section 18.03 PROFEXAM	271	0.11	0.13
9	Refused—Go to Section 18.03 PROFEXAM	660	0.26	0.91
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	159,681		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

How Long since Last Mammogram

Section: 18.2 Women's Health

Column: 178

Type: Num

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	131,153	65.39	65.28
2	Within the past 2 years (1 year but less than 2 years ago)	31,654	15.78	16.40
3	Within the past 3 years (2 years but less than 3 years ago)	12,113	6.04	6.12
4	Within the past 5 years (3 years but less than 5 years ago)	9,576	4.77	4.85
5	5 or more years ago	14,325	7.14	6.68
7	Don't know/Not sure	1,623	0.81	0.61
9	Refused	116	0.06	0.06
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 18.01, HADMAM, is coded 2, 7, 9, or Missing	213,949		

Ever Had Breast Physical Exam by Doctor

Section: 18.3 Women's Health

Column: 179

Type: Num

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	231,287	90.83	87.82
2	No-Go to Section 18.05 HADPAP2	21,611	8.49	10.96
7	Don't know/Not sure-Go to Section 18.05 HADPAP2	1,051	0.41	0.30
9	Refused-Go to Section 18.05 HADPAP2	683	0.27	0.92
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	159,877		

How Long since Last Breast Physical Exam

Section: 18.4 Women's Health

Column: 180

Type: Num

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	158,947	68.74	71.08
2	Within the past 2 years (1 year but less than 2 years ago)	33,324	14.41	14.50
3	Within the past 3 years (2 years but less than 3 years ago)	12,155	5.26	4.96
4	Within the past 5 years (3 years but less than 5 years ago)	9,067	3.92	3.51
5	5 or more years ago	14,707	6.36	5.04
7	Don't know/Not sure	2,942	1.27	0.86
9	Refused	96	0.04	0.04
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 18.03, PROFEXAM, is coded 2, 7, 9, or Missing	183,271		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Ever Had a Pap Test

Section: 18.5 Women's Health

Column: 181

Type: Num

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	241,552	94.93	92.13
2	No—Go to Section 18.07 HADHYST2	11,395	4.48	6.66
7	Don't know/Not sure—Go to Section 18.07 HADHYST2	819	0.32	0.26
9	Refused—Go to Section 18.07 HADHYST2	692	0.27	0.95
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	160,051		

How Long Since Last Pap Test

Section: 18.6 Women's Health

Column: 182

Type: Num

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	130,473	54.02	62.02
2	Within the past 2 years (1 year but less than 2 years ago)	38,624	15.99	15.60
3	Within the past 3 years (2 years but less than 3 years ago)	16,975	7.03	6.04
4	Within the past 5 years (3 years but less than 5 years ago)	14,448	5.98	4.71
5	5 or more years ago	37,072	15.35	10.66
7	Don't know/Not sure	3,738	1.55	0.93
9	Refused	178	0.07	0.05
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 18.05, HADPAP2, is coded 2, 7, 9, or Missing	173,001		

Had Hysterectomy

Section: 18.7 Women's Health

Column: 183

Type: Num

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? [A hysterectomy is an operation to remove the uterus (womb).]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	72,766	29.53	21.06
2	No	172,582	70.03	77.79
7	Don't know/Not sure	318	0.13	0.14
9	Refused	779	0.32	1.01
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.21, PREGNANT, is coded 1	168,064		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Ever Had PSA Test

Section: 19.1 Prostate Cancer Screening

Column: 184

Type: Num

SAS Variable Name: PSATEST

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	81,503	66.84	61.23
2	No—Go to Section 19.03 DIGRECEX	34,565	28.34	33.56
7	Don't know/Not Sure—Go to Section 19.03 DIGRECEX	5,553	4.55	4.33
9	Refused—Go to Section 19.03 DIGRECEX	323	0.26	0.88
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	292,565		

Time Since Last PSA Test

Section: 19.2 Prostate Cancer Screening

Column: 185

Type: Num

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	57,548	70.63	69.88
2	Within the past 2 years (1 year but less than 2 years ago)	11,651	14.30	15.03
3	Within the past 3 years (2 years but less than 3 years ago)	4,516	5.54	5.90
4	Within the past 5 years (3 years but less than 5 years ago)	3,403	4.18	4.26
5	5 or more years ago	3,224	3.96	3.76
7	Don't know/Not Sure	1,113	1.37	1.14
9	Refused	24	0.03	0.03
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Section 19.01, PSATEST, is coded, 2, 7, 9, or Missing	333,030		

Ever Had Digital Rectal Exam

Section: 19.3 Prostate Cancer Screening

Column: 186

Type: Num

SAS Variable Name: DIGRECEX

Prologue:

Description: A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	94,267	77.38	73.03
2	No—Go to Section 19.05 PROSTATE	26,036	21.37	25.21
7	Don't know/Not Sure—Go to Section 19.05 PROSTATE	1,138	0.93	0.82
9	Refused—Go to Section 19.05 PROSTATE	383	0.31	0.93
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	292,685		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Time Since Last Digital Rectal Exam

Section: 19.4 Prostate Cancer Screening

Column: 187

Type: Num

SAS Variable Name: DRETIME

Prologue:

Description: How long has it been since your last digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	51,911	55.08	53.95
2	Within the past 2 years (1 year but less than 2 years ago)	15,365	16.30	16.97
3	Within the past 3 years (2 years but less than 3 years ago)	7,789	8.26	8.67
4	Within the past 5 years (3 years but less than 5 years ago)	6,957	7.38	7.88
5	5 or more years ago	11,120	11.80	11.64
7	Don't know/Not sure	1,065	1.13	0.86
9	Refused	41	0.04	0.04
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Section 19.03, DIGRECEX, is coded 2, 7, 9, or Missing	320,261		

Ever Told You Had Prostate Cancer

Section: 19.5 Prostate Cancer Screening

Column: 188

Type: Num

SAS Variable Name: PROSTATE

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,699	5.50	3.96
2	No	114,539	94.08	94.99
7	Don't know/Not sure	182	0.15	0.15
9	Refused	328	0.27	0.90
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	292,761		

Ever Had Blood Stool Test Using Home Kit

Section: 20.1 Colorectal Cancer Screening

Column: 189

Type: Num

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109,945	43.17	40.52
2	No—Go to Section 20.03 HADSIGM3	141,989	55.76	57.84
7	Don't know/Not Sure—Go to Section 20.03 HADSIGM3	2,127	0.84	0.76
9	Refused—Go to Section 20.03 HADSIGM3	596	0.23	0.88
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	159,852		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Time Since Last Blood Stool Test

Section: 20.2 Colorectal Cancer Screening

Column: 190

Type: Num

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	36,422	33.14	35.06
2	Within the past 2 years (1 year but less than 2 years ago)	18,563	16.89	17.16
3	Within the past 3 years (2 years but less than 3 years ago)	12,504	11.38	11.42
4	Within the past 5 years (3 years but less than 5 years ago)	13,828	12.58	12.18
5	5 or more years ago	25,185	22.91	21.62
7	Don't know/Not sure	3,341	3.04	2.50
9	Refused	73	0.07	0.06
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Section 20.01, BLDSTOOL, is coded 2, 7, 9, or Missing	304,593		

Ever Had Sigmoidoscopy/Colonoscopy

Section: 20.3 Colorectal Cancer Screening

Column: 191

Type: Num

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	159,666	62.76	61.18
2	No-Go to Section 21.01 HIVTST5	92,333	36.29	37.31
7	Don't know/Not Sure-Go to Section 21.01 HIVTST5	1,771	0.70	0.61
9	Refused-Go to Section 21.01 HIVTST5	631	0.25	0.91
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	160,108		

Was your last test a sigmoidoscopy or colonoscopy?

Section: 20.4 Colorectal Cancer Screening

Column: 192

Type: Num

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Sigmoidoscopy	14,912	9.35	9.83
2	Colonoscopy	139,724	87.57	87.24
7	Don't know/Not Sure	4,794	3.00	2.86
9	Refused	127	0.08	0.07
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Section 20.03, HADSIGM3, is coded 2, 7, 9, or Missing	254,952		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Time Since Last Sigmoidoscopy/Colonoscopy

Section: 20.5 Colorectal Cancer Screening

Column: 193

Type: Num

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	43,757	27.44	28.63
2	Within the past 2 years (1 year but less than 2 years ago)	31,605	19.82	20.57
3	Within the past 3 years (2 years but less than 3 years ago)	25,935	16.26	16.44
4	Within the past 5 years (3 years but less than 5 years ago)	31,002	19.44	18.85
5	Within the past 10 years (5 years but less than 10 years ago)	17,605	11.04	10.14
6	10 or more years ago	7,312	4.58	4.13
7	Don't know/Not sure	2,129	1.33	1.14
9	Refused	135	0.08	0.11
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Section 20.03, HADSIGM3, is coded 2, 7, 9, or Missing	255,029		

Ever tested HIV

Section: 21.1 HIV/AIDS

Column: 194

Type: Num

SAS Variable Name: HIVTST5

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	99,642	35.00	38.70
2	No-Go to Section 21.05 HIVRISK2	177,483	62.34	58.37
7	Don't know/Not Sure-Go to Section 21.05 HIVRISK2	6,466	2.27	1.85
9	Refused-Go to Section 21.05 HIVRISK2	1,097	0.39	1.09
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	129,821		

Month and Year of Last HIV Test

Section: 21.2 HIV/AIDS

Column: 195-200

Type: Num

SAS Variable Name: HIVTSTD2

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 122008	Code month and year Notes: __/___ __ __ month and year	82,983	83.34	86.27
777777	Don't know/Not sure	15,925	15.99	13.14
999999	Refused	665	0.67	0.59
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64; or Section 21.01, HIVTST5, is coded 2, 7, 9, or Missing	314,936		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Location of last HIV test

Section: 21.3 HIV/AIDS

Column: 201-202

Type: Num

SAS Variable Name: WHRTST8

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	41,561	41.78	41.41
2	Counseling and testing site	3,352	3.37	3.60
3	Hospital	18,546	18.64	16.94
4	Clinic	21,453	21.56	22.88
5	Jail or prison (or other correctional facility)	938	0.94	1.53
6	Drug treatment facility	491	0.49	0.58
7	At home	3,977	4.00	3.61
8	Somewhere else	7,419	7.46	7.47
77	Don't know/Not sure	1,585	1.59	1.79
99	Refused	164	0.16	0.18
BLANK	Not asked or Missing	315,023		

Notes: Section 12.01, AGE, is greater than 64; or Section 21.01, HIVTST5, is coded 2, 7, 9, or Missing

Was your last HIV test a rapid test?

Section: 21.4 HIV/AIDS

Column: 203

Type: Num

SAS Variable Name: HIVRDTST

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,159	18.91	20.22
2	No	16,350	74.34	74.38
7	Don't know/Not sure	1,243	5.65	4.33
9	Refused	242	1.10	1.07
BLANK	Not asked or Missing	392,515		

Notes: Section 12.01, AGE, is greater than 64; or Section 21.01, HIVTST5, is coded 2, 7, 9, or Missing; or Section 21.02, HIVTSTD2, not within the last 12 months

Do Any High Risk Situations Apply

Section: 21.5 HIV/AIDS

Column: 204

Type: Num

SAS Variable Name: HIVRISK2

Prologue:

Description: I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,038	2.52	3.60
2	No	270,826	97.06	95.96
7	Don't know/Not sure	175	0.06	0.07
9	Refused	982	0.35	0.37
BLANK	Not asked or Missing	135,488		

Notes: Section 12.01, AGE, is greater than 64

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

How often get emotional support needed

Section: 22.1 Emotional Support and Life Satisfaction

Column: 205

Type: Num

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	199,756	49.43	49.19
2	Usually	117,706	29.13	28.99
3	Sometimes	45,563	11.27	11.48
4	Rarely	13,532	3.35	3.35
5	Never	19,387	4.80	4.65
7	Don't know/Not sure	5,991	1.48	1.11
9	Refused	2,172	0.54	1.24
BLANK	Not asked or Missing	10,402		

Satisfaction with life

Section: 22.2 Emotional Support and Life Satisfaction

Column: 206

Type: Num

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very satisfied	182,831	45.27	44.67
2	Satisfied	195,716	48.46	48.61
3	Dissatisfied	17,201	4.26	4.17
4	Very dissatisfied	4,296	1.06	0.99
7	Don't know/Not sure	2,266	0.56	0.44
9	Refused	1,575	0.39	1.12
BLANK	Not asked or Missing	10,624		

Cell Phone Pilot Demographic data

State: 23.1 Cell Phone Pilot

Column: 207-212

Type: Char

SAS Variable Name: CPDEMO

Prologue:

Description: Cell Phone Pilot Demographic data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		414,509	100.00	100.00

Cell Phone Pilot Screening data

State: 23.2 Cell Phone Pilot

Column: 213-223

Type: Char

SAS Variable Name: CPSCREEN

Prologue:

Description: Cell Phone Pilot Screening data

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		414,509		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Column: 227

Type: Num

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	107,156	60.03	55.00
2	No	65,584	36.74	42.36
7	Don't know/Not Sure	5,717	3.20	2.62
9	Refused	47	0.03	0.02
BLANK	Not asked or Missing	236,005		

Notes: Section 6.01, DIABETE2, is coded 1

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Column: 228

Type: Num

SAS Variable Name: PREDIAB

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,780	7.16	5.91
2	No	165,240	92.57	93.88
7	Don't know/Not Sure	434	0.24	0.19
9	Refused	51	0.03	0.03
BLANK	Not asked or Missing	236,004		

Notes: Section 6.01, DIABETE2, is coded 1; If Section 6.01, DIABETE2, is coded 4 automatically code Module 01.02, PREDIAB, equal to 1 (yes);

Age When Told Diabetic

Module: 2.1 Diabetes

Column: 229-230

Type: Num

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older]	31,250	94.96	95.82
98	Don't know/Not sure	1,572	4.78	3.88
99	Refused	85	0.26	0.31
BLANK	Not asked or Missing	381,602		

Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

Now Taking Insulin

Module: 2.2 Diabetes

Column: 231

Type: Num

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,055	27.52	27.72
2	No	23,821	72.39	72.10
9	Refused	30	0.09	0.17
BLANK	Not asked or Missing	381,603		

Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

How Often Check Blood for Glucose

Module: 2.3 Diabetes

Column: 232-234

Type: Num

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	20,687	62.87	62.13
201 - 299	Times per week Notes: 2 _ _ Times per week	5,935	18.04	18.37
301 - 399	Times per month Notes: 3 _ _ Times per month	1,824	5.54	5.83
401 - 499	Times per year Notes: 4 _ _ Times per year	691	2.10	2.22
777	Don't know/Not sure	522	1.59	1.58
888	Never	3,190	9.69	9.73
999	Refused	57	0.17	0.15
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	381,603		

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes

Column: 235-237

Type: Num

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	21,309	64.76	63.14
201 - 299	Times per week Notes: 2 _ _ Times per week	5,395	16.40	15.91
301 - 399	Times per month Notes: 3 _ _ Times per month	1,466	4.46	5.06
401 - 499	Times per year Notes: 4 _ _ Times per year	433	1.32	1.34
555	No feet	125	0.38	0.43
777	Don't know/Not sure	714	2.17	1.88
888	Never	3,396	10.32	11.99
999	Refused	68	0.21	0.25
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	381,603		

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes

Column: 238-239

Type: Num

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	28,259	85.88	85.48
88	None	3,547	10.78	11.30
77	Don't know/Not sure	1,039	3.16	2.97
99	Refused	60	0.18	0.25
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	381,604		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes

Column: 240-241

Type: Num

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76 = 76 or more	25,366	77.09	76.49
88	None	2,663	8.09	9.24
98	Never heard of "A one C" test	2,176	6.61	6.11
77	Don't know/Not sure	2,633	8.00	7.88
99	Refused	66	0.20	0.29
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	381,605		

Times Feet Check for Sores/irritations

Module: 2.7 Diabetes

Column: 242-243

Type: Num

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	23,033	70.27	68.80
88	None	8,808	26.87	28.48
77	Don't know/Not sure	876	2.67	2.55
99	Refused	60	0.18	0.18
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555	381,732		

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes

Column: 244

Type: Num

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	6,888	20.93	21.28
2	Within the past year (1 month but less than 12 months ago)	16,245	49.37	46.65
3	Within the past 2 years (1 year but less than 2 years ago)	3,995	12.14	12.02
4	2 or more years ago	4,097	12.45	13.62
7	Don't know/Not sure	498	1.51	1.48
8	Never	1,163	3.53	4.84
9	Refused	16	0.05	0.09
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	381,607		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes

Column: 245

Type: Num

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,599	20.06	20.41
2	No	25,902	78.73	78.57
7	Don't know/Not sure	386	1.17	0.96
9	Refused	14	0.04	0.06
BLANK	Not asked or Missing	381,608		

Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes

Column: 246

Type: Num

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17,933	54.51	54.99
2	No	14,862	45.17	44.71
7	Don't know/Not sure	92	0.28	0.26
9	Refused	13	0.04	0.04
BLANK	Not asked or Missing	381,609		

Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Column: 247-248

Type: Num

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	3,511	28.47	26.45
88	None	8,620	69.91	71.80
77	Don't know/Not sure	186	1.51	1.57
99	Refused	14	0.11	0.18
BLANK	Not asked or Missing	402,178		

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Column: 249-250

Type: Num

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	4,812	39.05	38.57
88	None	7,273	59.02	59.57
77	Don't know/Not sure	217	1.76	1.62
99	Refused	20	0.16	0.23
BLANK	Not asked or Missing	402,187		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Column: 251-252

Type: Num

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	6,363	51.68	51.58
88	None	5,691	46.22	46.42
77	Don't know/Not sure	242	1.97	1.86
99	Refused	16	0.13	0.14
BLANK	Not asked or Missing	402,197		

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Column: 253-254

Type: Num

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	10,259	83.36	83.10
88	None	1,616	13.13	13.44
77	Don't know/Not sure	418	3.40	3.32
99	Refused	14	0.11	0.15
BLANK	Not asked or Missing	402,202		

Difficulty recognizing friend across street

Module: 4.1 Visual Impairment and Access to Eye Care

Column: 255

Type: Num

SAS Variable Name: VIDFCLT2

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No difficulty	37,227	82.47	84.29
2	A little difficulty	4,815	10.67	9.72
3	Moderate difficulty	1,949	4.32	3.71
4	Extreme difficulty	460	1.02	0.86
5	Unable to do because of eyesight	351	0.78	0.67
6	Unable to do for other reasons	77	0.17	0.16
7	Don't know/Not sure	133	0.29	0.27
8	Not applicable (Blind)—Go to Next Module	79	0.18	0.19
9	Refused	48	0.11	0.14
BLANK	Not asked or Missing	369,370		

Notes: Section 12.01, AGE, is less than 40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Difficulty reading typed text

Module: 4.2 Visual Impairment and Access to Eye Care

Column: 256

Type: Num

SAS Variable Name: VIREDIF2

Prologue:

Description: How much difficulty, if any, do you have reading print in newspaper, magazine, recipe, menu, or numbers on the telephone? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No difficulty	29,189	64.81	66.21
2	A little difficulty	9,237	20.51	20.04
3	Moderate difficulty	4,421	9.82	9.29
4	Extreme difficulty	1,465	3.25	3.03
5	Unable to do because of eyesight	446	0.99	0.85
6	Unable to do for other reasons	83	0.18	0.19
7	Don't know/Not sure	137	0.30	0.26
8	Not applicable (Blind)—Go to Next Module	2	0.00	0.00
9	Refused	56	0.12	0.12
BLANK	Not asked or Missing	369,473		

Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8;

Last time visited eye care provider

Module: 4.3 Visual Impairment and Access to Eye Care

Column: 257

Type: Num

SAS Variable Name: VIPRFVS2

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)—Go to Module 04.05 VIEYEXM2	6,075	13.50	13.69
2	Within the past year (1month but less than 12 months ago)—Go to Module 04.05 VIEYEXM2	22,268	49.47	46.99
3	Within the past 2 years (1years but less than 2 years ago)	7,155	15.90	16.31
4	2 or more years ago	8,496	18.87	20.05
5	Never	609	1.35	1.80
7	Don't know/Not sure	352	0.78	0.99
8	Not applicable (Blind)—Go to Next Module	8	0.02	0.01
9	Refused	49	0.11	0.15
BLANK	Not asked or Missing	369,497		

Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8;

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Reason did not use eye doc past 12 mos

Module: 4.4 Visual Impairment and Access to Eye Care

Column: 258-259

Type: Num

SAS Variable Name: VINOCRE2

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cost/insurance	4,095	24.59	25.21
2	Do not have/know an eye doctor	227	1.36	1.35
3	Cannot get to the office/clinic (too far away,no transportation)	195	1.17	0.88
4	Could not get an appointment	205	1.23	1.06
5	No reason to go (no problem)	8,148	48.93	48.95
6	Have not thought of it	1,162	6.98	6.76
7	Other	2,301	13.82	13.58
8	Not Applicable (Blind)-Go to Next Module	19	0.11	0.12
77	Don't know/Not Sure	215	1.29	1.46
99	Refused	84	0.50	0.62
BLANK	Not asked or Missing	397,858		

Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded 1, 2, or 8;

When last eyexam

Module: 4.5 Visual Impairment and Access to Eye Care

Column: 260

Type: Num

SAS Variable Name: VIEYEXM2

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	3,637	9.44	9.25
2	Within the past year (1 month but less than 12 months ago)	15,730	40.84	37.59
3	Within the past 2 years (1 year but less than 2 years)	5,628	14.61	14.62
4	2 or more years ago	9,343	24.26	24.84
5	Never	2,969	7.71	10.16
7	Don't know/Not Sure	1,161	3.01	3.36
8	Not applicable (Blind)-Go to Next Module	6	0.02	0.02
9	Refused	45	0.12	0.17
BLANK	Not asked or Missing	375,990		

Notes: Section 12.01, AGE, is less than 40; or Module 2.08, EYEEEXAM, is coded 1, 2, 3, 4, 7, 8 or 9; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8;

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Eye care health insurance

Module: 4.6 Visual Impairment and Access to Eye Care

Column: 261

Type: Num

SAS Variable Name: VIINSUR2

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24,167	53.78	56.10
2	No	19,665	43.76	41.44
7	Don't know/Not Sure	1,042	2.32	2.29
8	Not applicable (Blind)—Go to Next Module	1	0.00	0.00
9	Refused	59	0.13	0.17
BLANK	Not asked or Missing	369,575		

Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8;

Hlth care pro said now have cataracts

Module: 4.7 Visual Impairment and Access to Eye Care

Column: 262

Type: Num

SAS Variable Name: VICTRCT2

Prologue:

Description: Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,117	15.84	12.68
2	Yes, but had them removed	5,788	12.88	10.48
3	No	31,826	70.84	76.31
7	Don't know/Not Sure	149	0.33	0.38
8	Not applicable (Blind)—Go to Next Module	4	0.01	0.01
9	Refused	41	0.09	0.13
BLANK	Not asked or Missing	369,584		

Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8

Hlth care pro EVER said have glaucoma

Module: 4.8 Visual Impairment and Access to Eye Care

Column: 263

Type: Num

SAS Variable Name: VIGLUMA2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,312	5.15	4.27
2	No	42,317	94.23	95.09
7	Don't know/Not Sure	235	0.52	0.49
8	Not applicable (Blind)—Go to Next Module	2	0.00	0.00
9	Refused	44	0.10	0.14
BLANK	Not asked or Missing	369,599		

Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Hlth care pro EVER said have macular degeneration

Module: 4.9 Visual Impairment and Access to Eye Care

Column: 264

Type: Num

SAS Variable Name: VIMACDG2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,155	4.80	3.72
2	No	42,130	93.85	94.93
7	Don't know/Not Sure	543	1.21	1.18
8	Not applicable (Blind)—Go to Next Module	3	0.01	0.00
9	Refused	58	0.13	0.17
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8; or Module 04.08,	369,620		

Do you currently volunteer or work in medical or health care facility

Module: 5.1 Influenza - High Risk/Health Care Worker

Column: 265

Type: Num

SAS Variable Name: HRVOLNTR

Prologue:

Description: Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility? This includes part-time and unpaid work in a health care facility as well as professional nursing care provided in the home.(This includes non-health care professionals, such as administrative staff, who work in a health-care facility.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,291	10.16	10.91
2	No—Go to Module 05.03 HRCHRNIL	29,056	89.72	88.88
7	Don't know/Not Sure—Go to Module 05.03 HRCHRNIL	24	0.07	0.18
9	Refused—Go to Module 05.03 HRCHRNIL	13	0.04	0.03
BLANK	Not asked or Missing	382,125		

Do you provide direct patient care as part of your routine work

Module: 5.2 Influenza - High Risk/Health Care Worker

Column: 266

Type: Num

SAS Variable Name: HRDIRCAR

Prologue:

Description: Do you provide direct patient care as part of your routine work? By direct patient care we mean physical or hands-on contact with patients.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,964	59.71	64.43
2	No	1,317	40.04	35.09
7	Don't know/Not Sure	6	0.18	0.16
9	Refused	2	0.06	0.33
BLANK	Not asked or Missing Notes: Module 05.01, HRVOLNTR, is coded 2, 7, or 9	411,220		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Have you been told you have lung, asthma, kidney, anemia, sickle cell, or immune illness?

Module: 5.3 Influenza - High Risk/Health Care Worker

Column: 267

Type: Num

SAS Variable Name: HRCHRNIL

Prologue:

Description: Has a doctor, nurse, or other health professional ever said that you have... Lung problems, other than asthma, Kidney problems, Anemia, including Sickle Cell or A weakened immune system caused by a chronic illness or by medicines taken for a chronic illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,746	11.57	9.95
2	No-Go to Next Module	28,510	88.09	89.73
7	Don't know/Not Sure-Go to Next Module	95	0.29	0.30
9	Refused-Go to Next Module	14	0.04	0.02
BLANK	Not asked or Missing	382,144		

Do you still have chronic illness?

Module: 5.4 Influenza - High Risk/Health Care Worker

Column: 268

Type: Num

SAS Variable Name: HRSTLHAV

Prologue:

Description: Do you still have (this/any of these) problem(s)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,542	67.86	64.76
2	No	1,108	29.58	31.82
7	Don't know/Not Sure	95	2.54	3.41
9	Refused	1	0.03	0.01
BLANK	Not asked or Missing	410,763		

Notes: Module 05.03, HRCHRNIL, is coded 2, 7, or 9

How Many Beers Consumed When Binge Drinking

Module: 6.1 Binge Drinking

Column: 269-270

Type: Num

SAS Variable Name: DRNKBER1

Prologue:

Description: During the most recent occasion when you had [5 or more for men, 4 or more for women] alcoholic beverages, about how many beers, including malt liquor, did you drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of beers	5,263	70.97	77.06
88	None	1,969	26.55	21.23
77	Don't know/Not Sure	146	1.97	1.44
99	Refused	38	0.51	0.27
BLANK	Not asked or Missing	407,093		

Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888; or Section 13.04, DRNK3GE5, is coded 77, 88, 99, or missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

How Many Glasses Of Wine Consumed When Binge Drinking

Module: 6.2 Binge Drinking

Column: 271-272

Type: Num

SAS Variable Name: DRNKWIN1

Prologue:

Description: During the same occasion, about how many glasses of wine did you drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of glasses of wine	1,961	26.46	18.77
88	None	5,360	72.32	80.58
77	Don't know/Not Sure	56	0.76	0.39
99	Refused	35	0.47	0.26
BLANK	Not asked or Missing	407,097		

Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888; or Section 13.04, DRNK3GE5, is coded 77, 88, 99, or missing

How Many Drinks Of Liquor Consumed When Binge Drinking

Module: 6.3 Binge Drinking

Column: 273-274

Type: Num

SAS Variable Name: DRNKLIQR

Prologue:

Description: During the same occasion, about how many drinks of liquor, including cocktails, did you have?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks of liquor	2,741	36.99	37.24
88	None	4,556	61.48	61.73
77	Don't know/Not Sure	74	1.00	0.68
99	Refused	39	0.53	0.34
BLANK	Not asked or Missing	407,099		

Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888; or Section 13.04, DRNK3GE5, is coded 77, 88, 99, or missing

How Many Pre-Mixed Drinks Consumed When Binge Drinking

Module: 6.4 Binge Drinking

Column: 275-276

Type: Num

SAS Variable Name: DRNKPMIX

Prologue:

Description: During the same occasion, about how many other pre-mixed, flavored drinks did you have? By that, we mean drinks such as hard lemonade, wine coolers, or Smirnoff Ice.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of pre-mixed drinks	411	5.55	7.12
88	None	6,925	93.53	92.13
77	Don't know/Not Sure	35	0.47	0.50
99	Refused	33	0.45	0.25
BLANK	Not asked or Missing	407,105		

Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888; or Section 13.04, DRNK3GE5, is coded 77, 88, 99, or missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Where Were You When You Binge Drank

Module: 6.5 Binge Drinking

Column: 277

Type: Num

SAS Variable Name: DRNKLOC1

Prologue:

Description: During this most recent occasion, where were you when you did most of your drinking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	At your home, for example, your house, apartment, or dorm room	3,336	45.09	47.77
2	At another person's home	1,144	15.46	17.73
3	At a restaurant or banquet hall	460	6.22	5.79
4	At a bar or club	1,649	22.29	18.82
5	At a public place, such as at a park, concert, or sporting event	437	5.91	6.25
6	Other	313	4.23	2.93
7	Don't know/Not Sure	24	0.32	0.38
9	Refused	36	0.49	0.32
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888; or Section 13.04, DRNK3GE5, is coded 77, 88, 99, or missing	407,110		

Drive a motor vehicle after binge drinking?

Module: 6.6 Binge Drinking

Column: 278

Type: Num

SAS Variable Name: BINGEDRV

Prologue:

Description: Did you drive a motor vehicle, such as a car, truck, or motorcycle during or within a couple of hours after this occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	746	10.09	8.84
2	No	6,607	89.33	90.51
7	Don't know/Not Sure	12	0.16	0.27
9	Refused	31	0.42	0.39
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888; or Section 13.04, DRNK3GE5, is coded 77, 88, 99, or missing	407,113		

How much did you pay for the alcohol you drank?

Module: 6.7 Binge Drinking

Column: 279-281

Type: Num

SAS Variable Name: BINGEPAY

Prologue:

Description: During this most recent occasion, approximately how much did you pay for the alcohol which you drank?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 776	Total Amount	1,584	75.18	74.05
777	Don't know/Not Sure	130	6.17	4.88
888	Paid nothing - all drinks free or paid for by others	386	18.32	20.52
999	Refused	7	0.33	0.55
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888; or Section 13.04, DRNK3GE5, is coded 77, 88, 99, or missing; or Module 6.05, DRNKLOC1, is coded 1, 2, 5, 6, 7, 9 or missing	412,402		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Ever Used Smokeless Tobacco Products

Module: 7.1 Other Tobacco Products

Column: 282

Type: Num

SAS Variable Name: USEEVER3

Prologue:

Description: Have you ever used or tried any smokeless tobacco products such as chewing tobacco, snuff, or snus?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14,260	15.80	16.83
2	No—Go to Module 07.03 USOTHNW1	75,895	84.07	83.08
7	Don't know/Not Sure—Go to Module 07.03 USOTHNW1	34	0.04	0.05
9	Refused—Go to Module 07.03 USOTHNW1	84	0.09	0.04
BLANK	Not asked or Missing	324,236		

Use of Smokeless Tobacco Products

Module: 7.2 Other Tobacco Products

Column: 283

Type: Num

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? [Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	1,996	14.00	12.02
2	Some days	1,017	7.13	8.38
3	Not at all	11,244	78.86	79.60
7	Don't know/Not Sure	1	0.01	0.00
9	Refused	1	0.01	0.00
BLANK	Not asked or Missing	400,250		

Notes: Module 07.01, USEEVER3, is coded 2, 7, 9 or missing

Do you currently use any tobacco products other than cigarettes?

Module: 7.3 Other Tobacco Products

Column: 284

Type: Num

SAS Variable Name: USOTHNW1

Prologue:

Description: Do you currently use cigars, pipes, bidis, kreteks or other tobacco products? Do not include cigarettes, snus, snuff, or chewing tobacco.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,711	3.00	4.50
2	No	87,452	96.91	95.40
7	Don't know/Not Sure	18	0.02	0.04
9	Refused	62	0.07	0.05
BLANK	Not asked or Missing	324,266		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Anyone smoke in your indoor workplace in past 7 days?

Module: 8.1 Secondhand Smoke I

Column: 285-286

Type: Num

SAS Variable Name: SHSINWRK

Prologue:

Description: On how many of the past 7 days, did someone smoke in your indoor workplace while you were there?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 7	Number of days (1-7 days)	3,410	10.96	11.74
55	Did not work in the past 7 days	113	0.36	0.31
66	I do not work indoors most of the time	285	0.92	1.06
88	None	27,122	87.19	86.41
77	Don't know/Not sure	128	0.41	0.32
99	Refused	48	0.15	0.17
BLANK	Not asked or Missing	383,403		

Notes: Section 12.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing

Anyone smoke in your home in past 7 days?

Module: 8.2 Secondhand Smoke I

Column: 287-288

Type: Num

SAS Variable Name: SHSINHOM

Prologue:

Description: On how many of the past 7 days, did anyone smoke in your home while you were there?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 7	Number of days (1-7 days)	8,855	14.18	15.49
55	I was not at home in the past 7 days	50	0.08	0.10
88	None	53,228	85.26	84.01
77	Don't know/Not sure	209	0.33	0.26
99	Refused	85	0.14	0.15
BLANK	Not asked or Missing	352,082		

Smoking Policy at Home

Module: 8.3 Secondhand Smoke I

Column: 289

Type: Num

SAS Variable Name: HOUSSMK1

Prologue:

Description: Which statement best describes the rules about smoking inside your home? Do not include decks, garages, or porches.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Smoking is not allowed anywhere inside my home	46,630	74.73	76.37
2	Smoking is allowed in some places or at some times	4,668	7.48	7.70
3	Smoking is allowed anywhere inside my home	1,892	3.03	3.00
4	There are no rules about smoking inside my home	8,873	14.22	12.42
7	Don't know/Not sure	208	0.33	0.30
9	Refused	126	0.20	0.23
BLANK	Not asked or Missing	352,112		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Should smoking be allowed in bars?

Module: 8.4 Secondhand Smoke I

Column: 290

Type: Num

SAS Variable Name: SHSALOWB

Prologue:

Description: In bars, do you THINK smoking should be allowed in all areas, some areas or not allowed at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Allowed in all areas	6,063	9.72	11.45
2	Allowed in some areas	21,497	34.47	39.37
3	Not allowed at all	28,637	45.92	41.53
7	Don't know/Not sure	5,327	8.54	6.56
9	Refused	838	1.34	1.09
BLANK	Not asked or Missing	352,147		

Should smoking be allowed in restaurants?

Module: 8.5 Secondhand Smoke I

Column: 291

Type: Num

SAS Variable Name: SHSALOWR

Prologue:

Description: In restaurants, do you THINK smoking should be allowed in all areas, some areas or not allowed at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Allowed in all areas	1,192	1.91	1.92
2	Allowed in some areas	17,618	28.26	30.05
3	Not allowed at all	42,099	67.53	66.09
7	Don't know/Not sure	1,104	1.77	1.44
9	Refused	331	0.53	0.50
BLANK	Not asked or Missing	352,165		

Should smoking be allowed in indoor workplaces?

Module: 8.6 Secondhand Smoke I

Column: 292

Type: Num

SAS Variable Name: SHSALOWW

Prologue:

Description: Inside indoor workplaces, do you THINK smoking should be allowed in all areas, some areas or not allowed at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Allowed in all areas	813	1.30	1.34
2	Allowed in some areas	13,601	21.83	22.52
3	Not allowed at all	46,333	74.35	74.05
7	Don't know/Not sure	1,283	2.06	1.65
9	Refused	287	0.46	0.44
BLANK	Not asked or Missing	352,192		

Age at Asthma Diagnosis

Module: 9.1 Adult Asthma History

Column: 293-294

Type: Num

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
11 - 96	Age 11 or older [96 = 96 and older] Notes: 96=96 and older	4,337	64.33	54.92
97	Age 10 or younger	1,964	29.13	39.71
98	Don't know/Not sure	411	6.10	5.13
99	Refused	30	0.44	0.24
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing	407,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Asthma During Past 12 Months

Module: 9.2 Adult Asthma History

Column: 295

Type: Num

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,260	51.22	50.44
2	No—Go to Module 09.05 ASRCHKUP	2,115	47.94	48.97
7	Don't know/Not sure—Go to Module 09.05 ASRCHKUP	32	0.73	0.50
9	Refused—Go to Module 09.05 ASRCHKUP	5	0.11	0.09
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	410,097		

Emergency Asthma Care During Past 12 Months

Module: 9.3 Adult Asthma History

Column: 296-297

Type: Num

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	666	29.48	31.72
88	None	1,571	69.54	67.72
98	Don't know/Not sure	22	0.97	0.56
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 09.02, ASATTACK, is coded 2, 7, 9 or missing	412,250		

Urgent Asthma Treatment During Past 12 Months

Module: 9.4 Adult Asthma History

Column: 298-299

Type: Num

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room visits,]"

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	961	42.60	45.23
88	None	1,246	55.23	53.30
98	Don't know/Not sure	48	2.13	1.45
99	Refused	1	0.04	0.02
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 09.02, ASATTACK, is coded 2, 7, 9 or missing	412,253		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Routine Asthma Care During Past 12 Months

Module: 9.5 Adult Asthma History

Column: 300-301

Type: Num

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more]	2,450	55.62	50.89
88	None	1,865	42.34	46.47
98	Don't know/Not sure	84	1.91	2.55
99	Refused	6	0.14	0.09
BLANK	Not asked or Missing	410,104		

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

Activities Limited Because of Asthma During Past 12 Months

Module: 9.6 Adult Asthma History

Column: 302-304

Type: Num

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number of days	1,315	29.87	28.95
777	Don't know/Not sure	240	5.45	3.91
888	None	2,838	64.46	67.01
999	Refused	10	0.23	0.13
BLANK	Not asked or Missing	410,106		

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

Asthma Symptoms During Past 30 Days

Module: 9.7 Adult Asthma History

Column: 305

Type: Num

SAS Variable Name: ASYMPATOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once a week	882	20.07	20.71
2	Once or twice a week	915	20.82	20.70
3	More than 2 times a week, but not every day	482	10.97	9.75
4	Every day, but not all the time	599	13.63	11.19
5	Every day, all the time	306	6.96	6.50
7	Don't know/Not sure	115	2.62	1.68
8	Not at any time—Go to Module 09.09 ASTHMED3	1,083	24.65	29.20
9	Refused	12	0.27	0.27
BLANK	Not asked or Missing	410,115		

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 9.8 Adult Asthma History

Column: 306

Type: Num

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One or two	591	17.86	19.62
2	Three to four	354	10.70	10.81
3	Five	120	3.63	3.65
4	Six to ten	183	5.53	4.42
5	More than ten	395	11.94	10.38
7	Don't know/Not sure	123	3.72	2.19
8	None	1,534	46.36	48.73
9	Refused	9	0.27	0.21
BLANK	Not asked or Missing	411,200		

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 9.07, ASYMPTOM, is coded 8

Days used prescribed preventative asthma med in past 30 days

Module: 9.9 Adult Asthma History

Column: 307

Type: Num

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 14 days	811	18.51	19.94
2	15 to 24 days	155	3.54	3.37
3	25 to 30 days	1,683	38.41	30.91
7	Don't know/Not sure	59	1.35	0.94
8	Never	1,667	38.04	44.73
9	Refused	7	0.16	0.11
BLANK	Not asked or Missing	410,127		

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

Times used asthma inhaler during an attack in past 30 days

Module: 9.10 Adult Asthma History

Column: 308

Type: Num

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1to 4 times (in the past 30 days)	1,116	25.49	25.30
2	5 to 14 times (in the past 30 days)	416	9.50	8.22
3	15 to 29 times (in the past 30 days)	214	4.89	3.65
4	30 to 59 times (in the past 30 days)	264	6.03	4.66
5	60 to 99 times (in the past 30 days)	132	3.01	1.93
6	100 or more times (in the past 30 days)	56	1.28	1.08
7	Don't know/Not sure	89	2.03	1.54
8	Never (include no attack in past 30 days)	2,081	47.52	53.47
9	Refused	11	0.25	0.15
BLANK	Not asked or Missing	410,130		

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Have you ever had the HPV vaccination?

Module: 10.1 Adult HPV (Human Papilloma Virus)

Column: 309

Prologue:

Description: A vaccine to prevent the human papilloma virus or HPV infection is available and is called cervical cancer vaccine, HPV shot, or GARDASIL®. Have you EVER had the HPV vaccination?

Type: Num

SAS Variable Name: HPVADVC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	262	2.99	5.69
2	No—Go to Next Module	8,382	95.77	93.13
3	Doctor refused when asked—Go to Next Module	8	0.09	0.01
7	Don't know/Not Sure—Go to Next Module	86	0.98	1.02
9	Refused—Go to Next Module	14	0.16	0.14
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 49	405,757		

How many HPV shots did you receive?

Module: 10.3 Adult HPV (Human Papilloma Virus)

Column: 310-311

Prologue:

Description: How many HPV shots did you receive?

Type: Num

SAS Variable Name: HPVADSHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Number of shots	99	49.50	49.04
3	All shots	84	42.00	39.77
77	Don't know/Not Sure	15	7.50	10.90
99	Refused	2	1.00	0.29
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 49; or Module 10.01, HPVADVC, is coded 2, 3, 7, 9 or missing; or Module 10.02, HPVADVCL, is coded 2, 3, 7, 9 or missing	414,309		

Current Veteran Status

Module: 11.1 Veterans Health Status

Column: 312

Prologue:

Description: Which of the following best describes your service in the United States military?

Type: Num

SAS Variable Name: VETSTAT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Currently on active duty	34	2.67	4.34
2	Currently in a National Guard or Reserve unit	32	2.52	3.59
3	Retired from military service	244	19.18	18.61
4	Medically discharged from military service	76	5.97	5.92
5	Discharged from military service	825	64.86	63.81
7	Don't know/Not Sure	47	3.69	2.74
9	Refused	14	1.10	0.98
BLANK	Not asked or Missing Notes: Section 12.05, VETERAN, is coded 2, 7, 9 or Missing	413,237		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Received some or all of your health care from VA facilities in the last 12 months

Module: 11.2 Veterans Health Status

Column: 313

Type: Num

SAS Variable Name: VACARE1

Prologue:

Description: In the last 12 months, have you received some or all of your health care from VA hospital or clinic? [If "yes" probe for "all" or "some" of the health care.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, all of my healthcare	183	14.40	14.38
2	Yes, some of my healthcare	127	9.99	9.12
3	No, no VA health care received	934	73.49	74.52
7	Don't know/Not Sure	11	0.87	1.06
9	Refused	16	1.26	0.91
BLANK	Not asked or Missing	413,238		

Notes: Section 12.05, VETERAN, is coded 2, 7, 9 or Missing

Military deployment to Afghanistan or Iraq since 9/11?

Module: 11.3 Veterans Health Status

Column: 314

Type: Num

SAS Variable Name: VAIRQAFG

Prologue:

Description: Since September 11, 2001, have you been deployed to the regions of Afghanistan or Iraq in support of U.S. military operations? (This includes countries in the Middle East region such as Iraq, Saudi Arabia, Kuwait, the Persian Gulf, and other forward deployed operating areas such as the countries bordering Afghanistan.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	4.25	7.56
2	No	1,196	94.10	90.33
7	Don't know/Not sure	5	0.39	1.10
9	Refused	16	1.26	1.01
BLANK	Not asked or Missing	413,238		

Notes: Section 12.05, VETERAN, is coded 2, 7, 9 or Missing

How do other people usually classify you in this country?

Module: 12.1 Reactions to Race

Column: 315

Type: Num

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	19,125	91.04	79.88
2	Black or African American	770	3.67	8.74
3	Hispanic or Latino	559	2.66	4.19
4	Asian	107	0.51	3.61
5	Native Hawaiian or Other Pacific Islander	11	0.05	0.23
6	American Indian or Alaska Native	108	0.51	0.33
7	Don't know/Not sure	146	0.69	0.65
8	Some Other Group	84	0.40	1.09
9	Refused	98	0.47	1.28
BLANK	Not asked or Missing	393,501		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

How often do you think about your race?

Module: 12.2 Reactions to Race

Column: 316

Type: Num

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never	13,411	63.88	56.31
2	Once a year	2,944	14.02	14.16
3	Once a month	1,704	8.12	11.03
4	Once a week	934	4.45	6.62
5	Once a day	565	2.69	3.44
6	Once an hour	22	0.10	0.18
7	Don't know/Not sure	607	2.89	2.95
8	Constantly	714	3.40	4.83
9	Refused	93	0.44	0.46
BLANK	Not asked or Missing	393,515		

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 12.3 Reactions to Race

Column: 317

Type: Num

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Worse than other races	357	2.89	4.65
2	The same as other races	10,367	83.92	87.36
3	Better than other races	426	3.45	2.95
4	Worse than some races, better than others	35	0.28	0.14
5	Only encountered people of the same race	645	5.22	1.22
7	Don't know/Not sure	423	3.42	2.59
9	Refused	101	0.82	1.10
BLANK	Not asked or Missing	402,155		

Notes: Section 12.08, EMPLOY, is coded 4, 5, 6, 7, 8, 9 or missing

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 12.4 Reactions to Race

Column: 318

Type: Num

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Worse than other races	398	1.90	2.51
2	The same as other races	15,073	71.91	75.58
3	Better than other races	2,479	11.83	10.22
4	Worse than some races, better than others	26	0.12	0.08
5	Only encountered people of the same race	152	0.73	0.17
6	No health care in past 12 months	286	1.36	1.03
7	Don't know/Not sure	2,376	11.33	9.34
9	Refused	172	0.82	1.07
BLANK	Not asked or Missing	393,547		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 12.5 Reactions to Race

Column: 319

Type: Num

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	438	2.09	2.77
2	No	20,344	97.12	96.29
7	Don't know/Not Sure	118	0.56	0.67
9	Refused	48	0.23	0.27
BLANK	Not asked or Missing	393,561		

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 12.6 Reactions to Race

Column: 320

Type: Num

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	701	3.35	5.43
2	No	20,106	96.06	94.00
7	Don't know/Not Sure	75	0.36	0.34
9	Refused	48	0.23	0.23
BLANK	Not asked or Missing	393,579		

Days had little pleasure doing things

Module: 13.1 Anxiety and Depression

Column: 321-322

Type: Num

SAS Variable Name: ADPLEASR

Prologue:

Description: Over the last 2 weeks, how many days have you had little interest or pleasure in doing things?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	14,773	31.64	36.82
88	None	30,626	65.59	61.22
77	Don't know/Not sure	1,148	2.46	1.73
99	Refused	147	0.31	0.23
BLANK	Not asked or Missing	367,815		

Days felt down, depressed or hopeless

Module: 13.2 Anxiety and Depression

Column: 323-324

Type: Num

SAS Variable Name: ADDOWN

Prologue:

Description: Over the last 2 weeks, how many days have you felt down, depressed or hopeless?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	12,690	27.20	29.44
88	None	33,538	71.88	69.96
77	Don't know/Not sure	348	0.75	0.45
99	Refused	80	0.17	0.15
BLANK	Not asked or Missing	367,853		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Days had trouble with sleep

Module: 13.3 Anxiety and Depression

Column: 325-326

Type: Num

SAS Variable Name: ADSLEEP

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	22,006	47.18	49.86
88	None	24,085	51.64	49.48
77	Don't know/Not sure	473	1.01	0.53
99	Refused	75	0.16	0.13
BLANK	Not asked or Missing	367,870		

Days were tired or had little energy

Module: 13.4 Anxiety and Depression

Column: 327-328

Type: Num

SAS Variable Name: ADENERGY

Prologue:

Description: Over the last 2 weeks, how many days have you felt tired or had little energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	29,450	63.18	65.74
88	None	16,421	35.23	33.36
77	Don't know/Not sure	662	1.42	0.77
99	Refused	81	0.17	0.13
BLANK	Not asked or Missing	367,895		

Days ate too little or too much

Module: 13.5 Anxiety and Depression

Column: 329-330

Type: Num

SAS Variable Name: ADEAT1

Prologue:

Description: Over the last 2 weeks, how many days have you had a poor appetite or eaten too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	16,816	36.10	38.36
88	None	29,167	62.61	60.83
77	Don't know/Not sure	521	1.12	0.63
99	Refused	84	0.18	0.19
BLANK	Not asked or Missing	367,921		

Days felt like failure or let family down

Module: 13.6 Anxiety and Depression

Column: 331-332

Type: Num

SAS Variable Name: ADFAIL

Prologue:

Description: Over the last 2 weeks, how many days have you felt bad about yourself or that you were a failure or had let yourself or your family down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	7,954	17.08	18.96
88	None	38,204	82.05	80.28
77	Don't know/Not sure	300	0.64	0.54
99	Refused	103	0.22	0.22
BLANK	Not asked or Missing	367,948		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Days had trouble concentrating

Module: 13.7 Anxiety and Depression

Column: 333-334

Type: Num

SAS Variable Name: ADTHINK

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble concentrating on things, such as reading the newspaper or watching the TV?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	7,984	17.16	19.12
88	None	38,148	81.98	80.34
77	Don't know/Not sure	333	0.72	0.38
99	Refused	71	0.15	0.16
BLANK	Not asked or Missing	367,973		

Days talked to move slower or faster than usual

Module: 13.8 Anxiety and Depression

Column: 335-336

Type: Num

SAS Variable Name: ADMOVE

Prologue:

Description: Over the last 2 weeks, how many days have you moved or spoken so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	4,598	9.89	11.30
88	None	41,128	88.43	87.55
77	Don't know/Not sure	708	1.52	1.02
99	Refused	75	0.16	0.13
BLANK	Not asked or Missing	368,000		

Ever told you had an anxiety disorder

Module: 13.9 Anxiety and Depression

Column: 337

Type: Num

SAS Variable Name: ADANXEV

Prologue:

Description: Has a doctor or other healthcare provider EVER told you that you had an anxiety disorder (including acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,745	12.36	11.51
2	No	40,511	87.17	88.11
7	Don't know/Not sure	158	0.34	0.25
9	Refused	57	0.12	0.13
BLANK	Not asked or Missing	368,038		

Ever told you had a depressive disorder

Module: 13.10 Anxiety and Depression

Column: 338

Type: Num

SAS Variable Name: ADDEPEV

Prologue:

Description: Has a doctor or other healthcare provider EVER told you that you have a depressive disorder (including depression, major depression, dysthymia, or minor depression)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,025	17.28	14.81
2	No	38,235	82.32	84.87
7	Don't know/Not sure	135	0.29	0.15
9	Refused	52	0.11	0.17
BLANK	Not asked or Missing	368,062		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Household prepared to handle large-scale disaster or emergency

Module: 14.1 General Preparedness

Column: 339

Type: Num

SAS Variable Name: GPWELPR3

Prologue:

Description: How well prepared do you feel your household is to handle a large-scale disaster or emergency? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Well prepared	3,424	28.41	25.79
2	Somewhat prepared	6,381	52.95	55.24
3	Not prepared at all	2,046	16.98	17.63
7	Don't know/Not Sure	178	1.48	1.24
9	Refused	23	0.19	0.10
BLANK	Not asked or Missing	402,457		

Does your household have a 3-day supply of water for everyone who lives there?

Module: 14.2 General Preparedness

Column: 340

Type: Num

SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,679	55.43	52.00
2	No	5,256	43.62	47.16
7	Don't know/Not Sure	94	0.78	0.78
9	Refused	20	0.17	0.06
BLANK	Not asked or Missing	402,460		

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 14.3 General Preparedness

Column: 341

Type: Num

SAS Variable Name: GP3DYFD1

Prologue:

Description: Does your household have a 3-day supply of nonperishable food for everyone who lives there? By nonperishable we mean food that does not require refrigeration or cooking.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,445	86.72	83.59
2	No	1,500	12.45	15.78
7	Don't know/Not Sure	76	0.63	0.56
9	Refused	23	0.19	0.06
BLANK	Not asked or Missing	402,465		

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 14.4 General Preparedness

Column: 342

Type: Num

SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,894	82.17	77.76
2	No	758	6.30	7.76
3	No one in household requires prescribed medicine	1,311	10.89	13.49
7	Don't know/Not Sure	55	0.46	0.90
9	Refused	23	0.19	0.09
BLANK	Not asked or Missing	402,468		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 14.5 General Preparedness

Type: Num

Column: 343

SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,604	71.46	74.07
2	No	3,211	26.67	24.79
7	Don't know/Not Sure	201	1.67	1.06
9	Refused	24	0.20	0.09
BLANK	Not asked or Missing	402,469		

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 14.6 General Preparedness

Type: Num

Column: 344

SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,433	94.97	94.47
2	No	542	4.50	5.22
7	Don't know/Not Sure	41	0.34	0.23
9	Refused	22	0.18	0.08
BLANK	Not asked or Missing	402,471		

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 14.7 General Preparedness

Type: Num

Column: 345

SAS Variable Name: GPEMRCM1

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method or way of communicating with relatives and friends?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regular home telephones	3,156	26.23	18.19
2	Cell phones	6,738	56.01	66.16
3	Email	88	0.73	0.92
4	Pager	6	0.05	0.06
5	2-way radios	178	1.48	1.67
6	Other	1,056	8.78	7.33
7	Don't know/Not Sure	761	6.33	5.52
9	Refused	48	0.40	0.14
BLANK	Not asked or Missing	402,478		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 14.8 General Preparedness

Type: Num

Column: 346

SAS Variable Name: GPEMRIN1

Prologue:

Description: What would be your main method or way of getting information from authorities in a large-scale disaster or emergency?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Television	2,462	20.47	19.56
2	Radio	5,459	45.39	43.95
3	Internet	371	3.08	4.61
4	Print media	43	0.36	0.23
5	Neighbors	597	4.96	2.97
6	Other	2,304	19.16	22.38
7	Don't know/Not Sure	749	6.23	6.14
9	Refused	41	0.34	0.16
BLANK	Not asked or Missing	402,483		

Does your household have a disaster evacuation plan?

Module: 14.9 General Preparedness

Type: Num

Column: 347

SAS Variable Name: GPVACPL1

Prologue:

Description: Does your household have a written disaster evacuation plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,100	17.47	15.90
2	No	9,761	81.19	82.98
7	Don't know/Not Sure	121	1.01	0.91
9	Refused	41	0.34	0.21
BLANK	Not asked or Missing	402,486		

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 14.10 General Preparedness

Type: Num

Column: 348

SAS Variable Name: GPMNDEV1

Prologue:

Description: If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to next module	10,426	86.75	89.72
2	No	632	5.26	4.70
7	Don't know/Not Sure	913	7.60	5.36
9	Refused	48	0.40	0.22
BLANK	Not asked or Missing	402,490		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

What would be the main reason why you might not evacuate if asked to do so?

Module: 14.11 General Preparedness

Column: 349-350

Type: Num

SAS Variable Name: GPNOTEV1

Prologue:

Description: What would be the main reason you might not evacuate if asked to do so?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Lack of transportation	30	1.88	1.65
2	Lack of trust in public officials	127	7.98	7.70
3	Concern about leaving property behind	188	11.81	10.24
4	Concern about personal safety	67	4.21	3.11
5	Concern about family safety	58	3.64	4.35
6	Concern about leaving pets	113	7.10	5.00
7	Concern about traffic jams and inability to get out	35	2.20	3.82
8	Health problems (could not be moved)	32	2.01	1.30
9	Other	730	45.85	51.04
77	Don't know/Not Sure	167	10.49	9.23
99	Refused	45	2.83	2.57
BLANK	Not asked or Missing	412,917		

Notes: Module 14.10, GPMNDEVC, is coded 1

Birth date of child

Module: 15.1 Random Child Selection

Column: 366-371

Type: Char

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	1,844	2.29	2.84
999999	Refused	4,844	6.02	7.11
BLANK	Not asked or Missing	334,101		
	Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months			
HIDDEN	Data not displayed	73,720	91.68	90.05
	Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report			

Gender of child

Module: 15.2 Random Child Selection

Column: 372

Type: Num

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	40,618	50.58	50.48
2	Girl	37,747	47.01	45.96
9	Refused	1,938	2.41	3.56
BLANK	Not asked or Missing	334,206		
	Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Ethnicity of child

Module: 15.3 Random Child Selection

Column: 373

Type: Num

SAS Variable Name: RCHISLAT

Prologue:

Description: Is the child Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,912	13.59	24.00
2	No	67,441	84.02	72.35
7	Don't know/Not Sure	197	0.25	0.32
9	Refused	1,715	2.14	3.33
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	334,244		

Race of child (multiple possible)

Module: 15.4 Random Child Selection

Column: 374-379

Type: Char

SAS Variable Name: RCSRACE

Prologue:

Description: Which one or more of the following would you say is the race of the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	279	0.35	0.58
9	Refused	1,883	2.35	3.76
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	334,303		
HIDDEN	Data Not Displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	78,044	97.30	95.66

Race of child

Module: 15.5 Random Child Selection

Column: 380

Type: Num

SAS Variable Name: RCSBRACE

Prologue:

Description: Which one of these groups would you say best represents the child's race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	1,187	36.22	32.04
2	Black or African American	363	11.08	17.29
3	Asian	466	14.22	17.59
4	Native Hawaiian or other Pacific Islander	431	13.15	5.47
5	American Indian or Alaskan Native	180	5.49	6.20
6	Other	123	3.75	4.10
7	Don't know/Not sure	362	11.05	11.42
9	Refused	165	5.04	5.89
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months; or Module 01.04, RCSRACE, has only one valid race code (1-6)	411,232		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Relationship to child

Module: 15.6 Random Child Selection

Column: 381

Type: Num

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent)	69,019	86.13	79.11
2	Grandparent	4,737	5.91	4.33
3	Foster parent or guardian	795	0.99	0.86
4	Sibling (include biologic, step, and adoptive sibling)	2,297	2.87	8.13
5	Other relative	1,249	1.56	3.16
6	Not related in any way	707	0.88	1.37
7	Don't know/Not sure	37	0.05	0.08
9	Refused	1,297	1.62	2.98
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months	334,371		

Hlth pro ever said child has asthma

Module: 16.1 Childhood Asthma Prevalence

Column: 382

Type: Num

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,152	13.21	12.10
2	No-Go to next module	64,954	84.52	84.11
7	Don't know/Not Sure-Go to next module	481	0.63	0.79
9	Refused-Go to next module	1,264	1.64	2.99
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing	337,658		

Child still have asthma?

Module: 16.2 Childhood Asthma Prevalence

Column: 383

Type: Num

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,735	66.36	63.56
2	No	3,167	31.21	33.97
7	Don't know/Not Sure	246	2.42	2.46
9	Refused	1	0.01	0.00
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 16.01, CASTHDX2, is coded 2, 7, 9, or Missing	404,360		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Child ever had the HPV vaccination?

Module: 17.1 Child HPV (Human Papilloma Virus)

Column: 384

Type: Num

SAS Variable Name: HPVCHVC

Prologue:

Description: A vaccine to prevent the human papilloma virus or HPV infection is available and is called cervical cancer vaccine, HPV shot, or GARDASIL®. Has this child EVER had the HPV vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	810	25.28	21.93
2	No-Go to Next Module	2,116	66.04	64.75
3	Doctor refused when asked-Go to Next Module	3	0.09	0.05
7	Don't know/Not Sure-Go to Next Module	270	8.43	13.13
9	Refused-Go to Next Module	5	0.16	0.13
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 15.02, RCSGENDR, is coded 1, 9 or missing; or CHILDDAGE < 9 years or missing; or CHILDDAGE > 17 years	411,305		

How many HPV shots did child receive?

Module: 17.3 Child HPV (Human Papilloma Virus)

Column: 385-386

Type: Num

SAS Variable Name: HPVCHSHT

Prologue:

Description: How many HPV shots did she receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Number of shots	186	44.18	47.52
3	All shots	196	46.56	44.00
77	Don't know/Not Sure	39	9.26	8.49
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 15.02, RCSGENDR, is coded 1, 9 or missing; or CHILDDAGE < 9 years or missing; or CHILDDAGE > 17 years; or Module 17.01, HPVCHVC, is coded 2, 3, 7, 9 or missing	414,088		

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Column: 741

Type: Num

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Only Version	234,441	56.56	54.09
1	Version 1	83,745	20.20	23.11
2	Version 2	84,130	20.30	21.89
3	Version 3	12,191	2.94	0.91
3	Version 3	12,191	2.94	0.91
BLANK		2		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Language identifier

State: 1.1 Questionnaire Language

Column: 742-743

Type: Num

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	396,533	96.66	92.83
2	Spanish	13,213	3.22	6.90
3 - 99	Other	472	0.12	0.26
BLANK	Missing	4,291		

Sample Design Stratification Variable

Weighting: 1.1 Weighting And Stratification Variables

Column: 754-758

Type: Num

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Stratum weight

Weighting: 1.2 Weighting And Stratification Variables

Column: 759-768

Type: Num

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Raw weighting factor

Weighting: 1.3 Weighting And Stratification Variables

Column: 769-778

Type: Num

SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Design weight

Weighting: 1.4 Weighting And Stratification Variables

Column: 779-788

Type: Num

SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Post-stratification weight

Weighting: 1.5 Weighting And Stratification Variables

Column: 789-798

Type: Num

SAS Variable Name: _POSTSTR

Prologue:

Description: Post-stratification weight (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Final weight

Weighting: 1.6 Weighting And Stratification Variables

Column: 799-808

Type: Num

SAS Variable Name: _FINALWT

Prologue:

Description: Final weight assigned to each respondent (Post-stratification weight (_POSTSTR) multiplied by design weight (_WT2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Region

Weighting: 1.19 Weighting And Stratification Variables

Column: 929-930

Type: Num

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Age group codes used in post-stratification.

Weighting: 1.20 Weighting And Stratification Variables

Column: 931-932

Type: Num

SAS Variable Name: _AGEG_

Prologue:

Description: Age groups used in post-stratification (_AGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _AGEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24	11,209	2.70	10.49
2	Age 25 to 34	30,528	7.36	14.20
3	Age 35 to 44	60,293	14.55	18.23
4	Age 45 to 54	84,678	20.43	19.03
5	Age 55 to 64	89,915	21.69	14.53
6	Age 65 to 74	62,350	15.04	8.40
7	Age 75 or older	53,401	12.88	7.86
8	Age 18 to 34	10,631	2.56	5.33
9	Age 35 to 54	874	0.21	0.10
10	Age 55 or older	617	0.15	0.05
11	Age 18 to 44	2,325	0.56	1.21
12	Age 45 or older	558	0.13	0.06
13	Age 65 or older	7,054	1.70	0.49
15		76	0.02	0.01

Gender group codes used in post-stratification.

Weighting: 1.21 Weighting And Stratification Variables

Column: 933

Type: Num

SAS Variable Name: _SEXG_

Prologue:

Description: Gender categories used in post-stratification (_SEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _SEXG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	155,703	37.56	48.64
2	Female	258,806	62.44	51.36

Race group codes used in post-stratification.

Weighting: 1.22 Weighting And Stratification Variables

Column: 934

Type: Num

SAS Variable Name: _RACEG3_

Prologue:

Description: Post-stratification race group codes used in weighting (_RACEG3_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _RACEG3_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	219,588	52.98	31.41
1	White Non-Hispanic	148,057	35.72	43.47
2	Other than White or Hispanic	46,864	11.31	25.12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Age value used to determine age groups

Weighting: 1.23 Weighting And Stratification Variables

Column: 935-936

Type: Num

SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	14,050	3.39	12.36
25 - 34	Age 25 to 34	39,374	9.50	18.22
35 - 44	Age 35 to 44	61,909	14.94	18.93
45 - 54	Age 45 to 54	85,394	20.60	19.12
55 - 64	Age 55 to 64	90,355	21.80	14.57
65 - 99	Age 65 or older	123,427	29.78	16.81

Imputed number of phones

Weighting: 1.24 Weighting And Stratification Variables

Column: 937

Type: Num

SAS Variable Name: _IMPMPH

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	400,155	96.54	97.81
2		12,973	3.13	2.03
3		1,118	0.27	0.13
4		193	0.05	0.02
5		43	0.01	0.00
6		27	0.01	0.00

Interruption in Telephone Service Post Stratification Correction Factor

Weighting: 1.27 Weighting And Stratification Variables

Column: 958-967

Type: Num

SAS Variable Name: _ITSPST

Prologue:

Description: Interruption in Telephone Service Post Stratification Correction Factor (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Interruption in Telephone Service Final Weighting Factor

Weighting: 1.28 Weighting And Stratification Variables

Column: 968-977

Type: Num

SAS Variable Name: _ITSFINL

Prologue:

Description: Interruption in Telephone Service Final Weighting Factor (ITS design weight (_ITSDCF2) multiplied by the ITS post stratification weight (_ITSPST).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Metropolitan Status Code

Weighting: 1.31 Record Identification

Column: 986

Prologue:

Description: Metropolitan Status Code

Type: Num
SAS Variable Name: MSCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	126,360	31.07	37.52
2	Outside the center city of an MSA but inside the county containing the center city	88,096	21.66	28.51
3	Inside a suburban county of the MSA	52,652	12.94	14.74
4	In an MSA that has no center city	2,775	0.68	1.04
5	Not in an MSA	136,864	33.65	18.19
BLANK	GU, PR, VI	7,762		

CRACE with trailing 7, 8, 9s removed

ChildDemograp 1.01 Child Demographic Variables
hics:

Column: 987-992

Prologue:

Description: CRACE with trailing 7, 8, 9s removed

Type: Char

SAS Variable Name: CRACEORG

Value	Value Label	Frequency	Percentage	Weighted Percentage
7		300	0.36	0.58
9		1,955	2.35	3.72
BLANK		331,420		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	80,834	97.29	95.70

CRACEORG with responses in ascending order

ChildDemograp 1.02 Child Demographic Variables
hics:

Column: 993-998

Prologue:

Description: CRACE with 7, 8, 9s removed, in ascending order

Type: Num

SAS Variable Name: CRACEASC

Value	Value Label	Frequency	Percentage	Weighted Percentage
7		300	0.36	0.58
9		1,955	2.35	3.72
BLANK		331,420		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	80,834	97.29	95.70

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Child Non-Hispanic Race including Multiracial

ChildDemograp 1.03 Child Demographic Variables
hics:

Type: Num

Column: 999-1000

SAS Variable Name: _CRACE

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: CRACEASC = 1	62,321	75.01	70.22
2	Black or African American only Notes: CRACEASC =2	6,947	8.36	9.93
3	Asian Only Notes: CRACEASC = 3	2,031	2.44	3.71
4	Native Hawaiian or other Pacific Islander only Notes: CRACEASC = 4	224	0.27	0.40
5	American Indian or Alaskan Native only Notes: CRACEASC = 5	1,771	2.13	1.47
6	Other race only Notes: CRACEASC = 6	4,197	5.05	6.97
7	Multiracial Notes: CRACEASC >= 12	3,342	4.02	3.01
77	Don't know/Not sure Notes: CRACEASC = 7	300	0.36	0.58
99	Refused Notes: CRACEASC = 9	1,955	2.35	3.72
BLANK	Missing Notes: CRACEASC = Missing	331,421		

Child Age

ChildDemograp 1.04 Child Demographic Variables
hics:

Type: Num

Column: 1001-1003

SAS Variable Name: CHILDAGE

Prologue:

Description: Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	0 Years old	3,582	4.30	5.87
12 - 23	1 Year old	3,935	4.72	6.06
24 - 35	2 Years old	3,807	4.57	5.72
36 - 47	3 Years old	3,743	4.49	5.05
48 - 59	4 Years old	3,655	4.38	4.76
60 - 71	5 Years old	3,650	4.38	4.35
72 - 83	6 Years old	3,590	4.31	4.27
84 - 95	7 Years old	3,762	4.51	4.41
96 - 107	8 Years old	3,882	4.66	4.43
108 - 119	9 Years old	3,823	4.59	4.18
120 - 131	10 Years old	4,012	4.81	4.39
132 - 143	11 Years old	4,099	4.92	4.27
144 - 155	12 Years old	4,380	5.25	4.68
156 - 167	13 Years old	4,443	5.33	4.49
168 - 179	14 Years old	4,672	5.60	4.88
180 - 191	15 Years old	5,217	6.26	5.31
192 - 203	16 Years old	5,795	6.95	6.25
204 - 215	17 Years old	6,262	7.51	6.59
777	Don't know / Not sure	1,947	2.34	2.89
999	Refused	5,107	6.13	7.15
BLANK	Not asked or Missing	331,146		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Imputed Child Age

ChildWeighting: 1.01 Child Demographic Variables

Column: 1004-1005

Type: Num

SAS Variable Name: _CIMPAGE

Prologue:

Description: Imputed Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	0 Years old	3,473	4.17	5.71
1	1 Year old	3,935	4.72	6.06
2	2 Years old	4,979	5.97	8.49
3	3 Years old	3,743	4.49	5.05
4	4 Years old	3,655	4.38	4.76
5	5 Years old	3,792	4.55	4.43
6	6 Years old	3,590	4.31	4.27
7	7 Years old	4,435	5.32	5.41
8	8 Years old	3,882	4.66	4.43
9	9 Years old	3,843	4.61	4.20
10	10 Years old	4,012	4.81	4.39
11	11 Years old	4,099	4.92	4.27
12	12 Years old	9,303	11.16	10.88
13	13 Years old	4,443	5.33	4.49
14	14 Years old	4,818	5.78	4.98
15	15 Years old	5,217	6.26	5.31
16	16 Years old	5,889	7.06	6.30
17	17 Years old	6,262	7.51	6.59
BLANK	Not asked or Missing	331,139		

Child gender group codes used in post-stratification.

ChildWeighting: 1.02 Child Weighting Variables

Column: 1006

Type: Num

SAS Variable Name: _CSEXG_

Prologue:

Description: Child gender categories used in post-stratification (_CSEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CSEXG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	44,024	52.81	53.75
2	Female	39,346	47.19	46.25
BLANK	Missing	331,139		

Child race group codes used in post-stratification.

ChildWeighting: 1.03 Child Weighting Variables

Column: 1007

Type: Num

SAS Variable Name: _CRACEG_

Prologue:

Description: Child post-stratification race group codes used in weighting (_CRACEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CRACEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	49,481	59.35	32.27
1	White Non-Hispanic	20,961	25.14	34.27
2	Other than White or Hispanic	12,928	15.51	33.46
BLANK	Missing	331,139		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Child age group codes used in post-stratification.

ChildWeighting: 1.04 Child Weighting Variables

Column: 1008-1010

Type: Num

SAS Variable Name: _CAGEG_

Prologue:

Description: Child age groups used in post-stratification (_CAGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CAGEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Age 0 to 17	208	0.25	0.15
1	Age 0 to 4	18,885	22.65	29.41
2	Age 5 to 9	18,489	22.18	22.08
3	Age 10 to 14	25,437	30.51	28.37
4	Age 15 to 17	16,511	19.80	17.83
12	Age 0 to 9	1,853	2.22	1.23
34	Age 10 to 17	1,987	2.38	0.92
BLANK	Missing	331,139		

Raw child weighting factor

ChildWeighting: 1.17 Child Weighting Variables

Column: 1131-1140

Type: Num

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPDPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Child design weight

ChildWeighting: 1.18 Child Weighting Variables

Column: 1141-1150

Type: Num

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Post-stratification child weight

ChildWeighting: 1.19 Child Weighting Variables

Column: 1151-1160

Type: Num

SAS Variable Name: _POSTCH

Prologue:

Description: Post-stratification child weight (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Final child weight

ChildWeighting: 1.20 Child Weighting Variables

Column: 1161-1170

Type: Num

SAS Variable Name: _CHILDWT

Prologue:

Description: Final weight assigned to each child (Post-stratification child weight (_POSTCH) multiplied by child design weight (_WT2CH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Raw household weighting factor

HouseholdWeighting: 1.1 Household Weighting Variables

hting:

Column: 1171-1180

Type: Num

SAS Variable Name: _RAWHH

Prologue:

Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Household design weight

HouseholdWeighting: 1.2 Household Weighting Variables

hting:

Column: 1181-1190

Type: Num

SAS Variable Name: _WT2HH

Prologue:

Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Post-stratification household weight

HouseholdWeighting: 1.3 Household Weighting Variables

hting:

Column: 1191-1200

Type: Num

SAS Variable Name: _POSTHH

Prologue:

Description: Post-stratification household weight (Population estimate for households divided by the weighted sample frequency for households.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Final household weight

HouseholdWeighting: 1.4 Household Weighting Variables

Type: Num

Column: 1201-1210

SAS Variable Name: _HOUSEWT

Prologue:

Description: Final weight assigned to each household (Post-stratification household weight (_POSTHH) multiplied by household design weight (_WT2HH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	414,509	100.00	100.00

Adults with good or better health

CalculatedVariables: 1.1 Calculated Variables

Type: Num

Column: 1211

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	333,175	80.38	83.35
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	79,464	19.17	16.29
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	1,870	0.45	0.36

Respondents aged 18-64 with health care coverage

CalculatedVariables: 3.1 Calculated Variables

Type: Num

Column: 1212

SAS Variable Name: _HCVU65

Prologue:

Description: Respondents aged 18-64 that have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1	246,064	59.36	67.51
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2	40,726	9.83	14.76
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing	127,719	30.81	17.73

Leisure Time Physical Activity Calculated Variable

CalculatedVariables: 5.1 Calculated Variables

Type: Num

Column: 1213

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	299,159	72.17	74.38
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	114,844	27.71	25.53
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	506	0.12	0.10

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Adults aged 18+ that have had permanent teeth extracted

Calculated Variables: 7.1 Calculated Variables

Type: Num

Column: 1214

SAS Variable Name: _EXTETH2

Prologue:

Description: Adults aged 18+ that have had permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: RMVTEETH = 8	181,526	43.79	54.00
2	At risk Notes: RMVTEETH = 1 or 2 or 3	225,293	54.35	44.77
9	Don't know/Not Sure Or Refused/Missing Notes: RMVTEETH = 7 or 9	7,690	1.86	1.23

Adults aged 65+ who have had all their natural teeth extracted

Calculated Variables: 7.2 Calculated Variables

Type: Num

Column: 1215

SAS Variable Name: _ALTETH2

Prologue:

Description: Adults aged 65+ who have had all their natural teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: AGE >= 65 and RMVTEETH = 1 or 2 or 8	95,298	74.99	76.49
2	Yes Notes: AGE >= 65 and RMVTEETH = 3	23,592	18.56	16.90
9	Don't know/Not Sure Or Refused/Missing Notes: AGE >= 65 and and RMVTEETH = 7 or 9 or AGE = 7 or 9 or missing	8,190	6.44	6.61
BLANK	Missing or Age Less Than 65 Notes: 18 <= AGE <= 64	287,429		

Adults that have visited a dentist, dental hygienist or dental clinic within the past year

Calculated Variables: 7.3 Calculated Variables

Type: Num

Column: 1216

SAS Variable Name: _DENVST1

Prologue:

Description: Adults that have visited a dentist, dental hygienist or dental clinic within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: LASTDEN3 = 1 or DENCLEAN = 1	290,244	70.02	69.97
2	No Notes: LASTDEN3 = 8 or LASTDEN3 = 2, 3, or 4 and DENCLEAN = 2, 3, 4, 7, 8, 9 or missing or LASTDEN3 = 7, 9 or missing and DENCLEAN = 2 or 3 or 4 or 8	122,348	29.52	29.65
9	Don't know/Not Sure Or Refused/Missing Notes: LASTDEN3 = 7 or 9 or missing and DENCLEAN = 7 or 9 or missing	1,917	0.46	0.38

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Lifetime Asthma Calculated Variable

Calculated Variables: 9.1 Calculated Variables

Type: Num

Column: 1217

SAS Variable Name: _LTASTHM

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2	358,748	86.55	86.52
2	Yes Notes: ASTHMA2 = 1	54,678	13.19	13.27
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing	1,083	0.26	0.21

Current Asthma Calculated Variable

Calculated Variables: 9.2 Calculated Variables

Type: Num

Column: 1218

SAS Variable Name: _CASTHMA

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2 or ASTHMA2 = 1 and ASTHNOW = 2	374,735	90.40	91.02
2	Yes Notes: ASTHMA2 = 1 and ASTHNOW = 1	37,214	8.98	8.42
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	2,560	0.62	0.55

Computed Asthma Status

Calculated Variables: 9.3 Calculated Variables

Type: Num

Column: 1219

SAS Variable Name: _ASTHMST

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA2 = 1 and ASTHNOW = 1	37,214	8.98	8.42
2	Former Notes: ASTHMA2 = 1 and ASTHNOW = 2	15,987	3.86	4.50
3	Never Notes: ASTHMA2 = 2	358,748	86.55	86.52
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	2,560	0.62	0.55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Computed Smoking Status

Calculated Variables: 11.1 Calculated Variables

Type: Num

Column: 1220

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	52,102	12.57	13.22
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	17,754	4.28	5.13
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	122,461	29.54	24.31
4	Never smoked Notes: SMOKE100 = 2	220,561	53.21	57.04
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	1,631	0.39	0.30

Current Smoking Calculated Variable

Calculated Variables: 11.2 Calculated Variables

Type: Num

Column: 1221

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	343,022	82.75	81.34
2	Yes Notes: _SMOKER3 = 1 or 2	69,856	16.85	18.35
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	1,631	0.39	0.30

MRACE with trailing 7,8,9s removed calculated variable

Calculated Variables: 12.1 Calculated Race Variables

Type: Char

Column: 1222-1227

SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACE = 7	1,137	0.27	0.44
9	Refused Notes: MRACE = 9	2,532	0.61	0.63
BLANK	Missing Notes: MRACE = Missing	124		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	410,716	99.11	98.93

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

MRACEORG with responses in ascending order calculated variable

Calculated Variables: 12.2 Calculated Race Variables

Type: Char

Column: 1228-1233

SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACEORG = 7	1,137	0.27	0.44
9	Refused Notes: MRACEORG = 9	2,532	0.61	0.63
BLANK	Missing Notes: MRACEASC = Missing	124		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	410,716	99.11	98.93

Computed Preferred Race

Calculated Variables: 12.3 Calculated Race Variables

Type: Num

Column: 1234-1235

SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACEASC = 1	345,506	83.38	76.84
2	Black or African American Notes: MRACEASC = 2	34,710	8.38	10.69
3	Asian Notes: MRACEASC = 3	7,379	1.78	3.21
4	Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4	1,988	0.48	0.51
5	American Indian or Alaskan Native Notes: MRACEASC = 5	7,103	1.71	1.70
6	Other race Notes: MRACEASC = 6	13,340	3.22	5.76
7	No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9	688	0.17	0.21
8	Multiracial but preferred race not asked Notes: MRACEASC >= 12 and ORACE2 = 8 or Missing	2	0.00	0.00
77	Don't know/Not sure Notes: MRACEASC = 7	1,137	0.27	0.44
99	Refused Notes: MRACEASC = 9	2,532	0.61	0.63
BLANK	Missing Notes: MRACEASC = Missing	124		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Computed non-Hispanic Race including Multiracial

Calculated Variables: 12.4 Calculated Race Variables

Type: Num

Column: 1236-1237

SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACEASC = 1	341,639	82.44	76.03
2	Black or African American only Notes: MRACEASC = 2	34,011	8.21	10.37
3	Asian Only Notes: MRACEASC = 3	6,889	1.66	3.11
4	Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4	1,177	0.28	0.43
5	American Indian or Alaskan Native only Notes: MRACEASC = 5	6,470	1.56	1.51
6	Other race only Notes: MRACEASC = 6	13,037	3.15	5.57
7	Multiracial Notes: MRACEASC >= 12	7,493	1.81	1.91
77	Don't know/Not sure Notes: MRACEASC = 7	1,137	0.27	0.44
99	Refused Notes: MRACEASC = 9	2,532	0.61	0.63
BLANK	Missing Notes: MRACEASC = Missing	124		

Computed Race-Ethnicity grouping

Calculated Variables: 12.5 Calculated Race Variables

Type: Num

Column: 1238

SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 1	325,936	78.65	67.46
2	Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2	32,681	7.89	9.80
3	Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3	6,659	1.61	2.98
4	Native Hawaiian or other Pacific Islander only, No Notes: HISPANC2 = 2 and _MRACE = 4	1,039	0.25	0.34
5	American Indian or Alaskan Native only, Non-Hispan Notes: HISPANC2 = 2 and _MRACE = 5	5,692	1.37	1.04
6	Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6	2,720	0.66	0.93
7	Multiracial, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7	6,696	1.62	1.52
8	Hispanic Notes: HISPANC2 = 1	28,742	6.94	15.15
9	Don't know/Not sure/Refused Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2	4,246	1.02	0.79
BLANK	Missing Notes: HISPANC2 = Missing or _MRACE = Missing	98		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

Calculated Variables: 12.6 Calculated Race Variables

Type: Num

Column: 1239

SAS Variable Name: _RACEG2

Prologue:

Description: White/Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: RACE2 = 1	325,936	78.65	67.46
2	Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8	84,229	20.32	31.75
9	Don't know/Not sure/Refused Notes: RACE2 = 9	4,246	1.02	0.79
BLANK		98		

Computed Five level race/ethnicity category.

Calculated Variables: 12.7 Calculated Race Variables

Type: Num

Column: 1240

SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: RACE2 = 1	325,936	78.65	67.46
2	Black only, Non-Hispanic Notes: RACE2 = 2	32,681	7.89	9.80
3	Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6	16,110	3.89	5.29
4	Multiracial, Non-Hispanic Notes: RACE2 = 7	6,696	1.62	1.52
5	Hispanic Notes: RACE2 = 8	28,742	6.94	15.15
9	Don't know/Not sure/Refused Notes: RACE2 = 9	4,246	1.02	0.79
BLANK		98		

Computed race groups used for internet prevalence tables

Calculated Variables: 12.8 Calculated Race Variables

Type: Num

Column: 1241

SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic Notes: _RACEGR2 = 1	325,936	79.46	67.99
2	Black - Non-Hispanic Notes: _RACEGR2 = 2	32,681	7.97	9.88
3	Hispanic Notes: _RACEGR2 = 5	28,742	7.01	15.27
4	Other race only, Non-Hispanic Notes: _RACEGR2 = 3	16,110	3.93	5.33
5	Multiracial, Non-Hispanic Notes: _RACEGR2 = 4	6,696	1.63	1.53
BLANK	Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or Missing	4,344		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008

Computed number of census race categories chosen

Calculated Variables: 12.9 Calculated Race Variables

Type: Num

Column: 1242

SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused Notes: 6 <= MRACEASC <= 9	16,706	4.03	6.64
1	1 category chosen Notes: MRACEASC had one race category	391,090	94.35	91.77
2	2 category chosen Notes: MRACEASC had two race categories	5,855	1.41	1.41
3	3 category chosen Notes: MRACEASC had three race categories	791	0.19	0.16
4	4 category chosen Notes: MRACEASC had four race categories	48	0.01	0.01
5	5 category chosen Notes: MRACEASC had five race categories	19	0.00	0.01

Computed number of census race categories chosen, collapsed

Calculated Variables: 12.10 Calculated Race Variables

Type: Num

Column: 1243

SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen Notes: _CNRACE = 1	391,090	98.31	98.30
2	Two or more categories chosen Notes: _CNRACE > 1	6,713	1.69	1.70
BLANK	_CNRACE = 0 or missing Notes: _CNRACE = 0	16,706		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Reported age in five-year age categories calculated variable

Calculated Variables: 12.11 Calculated Variables

Type: Num

Column: 1244-1245

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	14,050	3.39	12.36
2	Age 25 to 29 Notes: 25 <= AGE <= 29	16,501	3.98	8.01
3	Age 30 to 34 Notes: 30 <= AGE <= 34	22,873	5.52	10.21
4	Age 35 to 39 Notes: 35 <= AGE <= 39	29,076	7.01	8.80
5	Age 40 to 44 Notes: 40 <= AGE <= 44	32,827	7.92	10.13
6	Age 45 to 49 Notes: 45 <= AGE <= 49	39,464	9.52	9.01
7	Age 50 to 54 Notes: 50 <= AGE <= 54	44,804	10.81	9.87
8	Age 55 to 59 Notes: 55 <= AGE <= 59	44,910	10.83	7.53
9	Age 60 to 64 Notes: 60 <= AGE <= 64	42,924	10.36	6.68
10	Age 65 to 69 Notes: 65 <= AGE <= 69	36,406	8.78	4.86
11	Age 70 to 74 Notes: 70 <= AGE <= 74	30,215	7.29	3.87
12	Age 75 to 79 Notes: 75 <= AGE <= 79	25,155	6.07	3.81
13	Age 80 or older Notes: 80 <= AGE <= 99	31,651	7.64	4.26
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	3,653	0.88	0.58

Reported age in two age groups calculated variable

Calculated Variables: 12.12 Calculated Variables

Type: Num

Column: 1246

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	287,429	69.34	82.61
2	Age 65 or older Notes: 65 <= AGE <= 99	123,427	29.78	16.81
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	3,653	0.88	0.58

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Imputed age in six groups

Calculated Variables: 12.13 Calculated Variables

Type: Num

Column: 1247

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	14,050	3.39	12.36
2	Age 25 to 34 Notes: 25 <= AGE <= 34	39,374	9.50	18.22
3	Age 35 to 44 Notes: 35 <= AGE <= 44	61,909	14.94	18.93
4	Age 45 to 54 Notes: 45 <= AGE <= 54	85,394	20.60	19.12
5	Age 55 to 64 Notes: 55 <= AGE <= 64	90,355	21.80	14.57
6	Age 65 or older Notes: AGE >= 65	123,427	29.78	16.81

Computed Height in Inches

Calculated Variables: 12.14 Calculated Variables

Type: Num

Column: 1248-1250

SAS Variable Name: HTIN3

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in inches Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	409,129	98.70	98.17
999	Don't know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999 or missing	5,380	1.30	1.83

Computed Height in Meters

Calculated Variables: 12.15 Calculated Variables

Type: Num

Column: 1251-1253

SAS Variable Name: HTM3

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in meters [2 implied decimal places] Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (non-metric HEIGHT3 value multiplied by 2.54 and divided by 100)	409,129	98.70	98.17
999	Don't know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999 or missing	5,380	1.30	1.83

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Computed Weight in Kilograms

Calculated Variables: 12.16 Calculated Variables

Type: Num

Column: 1254-1258

SAS Variable Name: WTKG2

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 7776 or 7778 <= WEIGHT2 <= 9998 (non-metric WEIGHT2 value divided by 2.2)	398,484	96.13	96.58
99999	Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or missing	16,025	3.87	3.42

Computed body mass index

Calculated Variables: 12.17 Calculated Variables

Type: Num

Column: 1259-1262

SAS Variable Name: _BMI4

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9998	1 or greater Notes: WTKG2/(HTM3*HTM3) (Has 2 implied decimal places)	395,832	95.49	95.62
9999	Don't know/Refused/Missing Notes: WTKG2 = 777 or 999 or HTM3 = 777 or 999	18,677	4.51	4.38

Computed body mass index categories

Calculated Variables: 12.18 Calculated Variables

Type: Num

Column: 1263

SAS Variable Name: _BMI4CAT

Prologue:

Description: Three-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Neither overweight nor obese Notes: _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	142,007	34.26	35.37
2	Overweight Notes: 2500 <= _BMI4 < 3000	144,892	34.96	34.73
3	Obese Notes: 3000 <= _BMI4 < 9999	108,933	26.28	25.53
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	18,677	4.51	4.38

Overweight or obese calculated variable

Calculated Variables: 12.19 Calculated Variables

Type: Num

Column: 1264

SAS Variable Name: _RFBMI4

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 0 <= _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	142,007	34.26	35.37
2	Yes Notes: 2500 <= _BMI4 < 9999	253,825	61.24	60.26
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	18,677	4.51	4.38

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Computed number of children in household

Calculated Variables: 12.20 Calculated Variables

Type: Num

Column: 1265

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	291,128	70.23	56.73
2	One child in household Notes: CHILDREN = 01	48,813	11.78	16.90
3	Two children in household Notes: CHILDREN = 02	45,864	11.06	16.12
4	Three children in household Notes: CHILDREN = 03	18,834	4.54	6.66
5	Four children in household Notes: CHILDREN = 04	6,042	1.46	2.20
6	Five or more children in household Notes: 05 <= CHILDREN < 88	2,766	0.67	1.00
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	1,062	0.26	0.38

Computed level of education completed categories

Calculated Variables: 12.21 Calculated Variables

Type: Num

Column: 1266

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	41,175	9.93	11.46
2	Graduated High School Notes: EDUCA = 4	124,922	30.14	28.65
3	Attended College or Technical School Notes: EDUCA = 5	109,406	26.39	26.32
4	Graduated from College or Technical School Notes: EDUCA = 6	137,725	33.23	33.12
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	1,281	0.31	0.45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Computed income categories

Calculated Variables: 12.22 Calculated Variables

Type: Num

Column: 1267

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	40,682	9.81	8.82
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	62,355	15.04	13.83
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	44,435	10.72	9.80
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	56,219	13.56	12.67
5	\$50,000 or more Notes: INCOME2 = 7 or 8	157,144	37.91	42.54
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	53,674	12.95	12.35

Computed drink-occasions-per-day

Calculated Variables: 13.1 Calculated Variables

Type: Num

Column: 1268-1270

SAS Variable Name: DROCDY2_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY4 = 888 or DRNKANY4 = 2	211,468	51.02	47.90
1 - 899	Drink-Occasions per day Notes: ALCDAY4 <= 231	194,312	46.88	49.74
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing or DRNKANY4 = 7 or 9 or Missing	8,729	2.11	2.36

Binge Drinking Calculated Variable

Calculated Variables: 13.2 Calculated Variables

Type: Num

Column: 1271

SAS Variable Name: _RFBING4

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY4 < 300 and DRNK3GE5 = 0 or ALCDAY4 = 888	360,358	86.94	82.70
2	Yes Notes: ALCDAY4 < 300 and DRNK3GE5 = 1	45,013	10.86	14.71
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY4 = 777 or 999 or Missing	9,138	2.20	2.59

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Computed number of drinks of alcohol beverages per day

Calculated Variables: 13.3 Calculated Variables

Type: Num

Column: 1272-1275

SAS Variable Name: _DRNKDY3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY4 = 888	211,468	51.02	47.90
1 - 9899	Number of drinks per day Notes: ALCDAY4 / 7 per week or ALCDAY4 / 30 per month * AVEDRNK2	191,110	46.11	48.85
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing	11,931	2.88	3.26

Computed total number drinks a month

Calculated Variables: 13.4 Calculated Variables

Type: Num

Column: 1276-1279

SAS Variable Name: _DRNKMO3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY3 = 0	211,468	51.02	47.90
1 - 9998	Number of Drinks Notes: _DRNKDY3 * 30	191,110	46.11	48.85
9999	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	11,931	2.88	3.26

Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 13.5 Calculated Variables

Type: Num

Column: 1280

SAS Variable Name: _RFDRHV3

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	383,308	92.47	91.75
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2 or SEX = 2 and _DRNKDY3 > 1	19,270	4.65	4.99
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	11,931	2.88	3.26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 13.6 Calculated Variables

Type: Num

Column: 1281

SAS Variable Name: _RFDRMN3

Prologue:

Description: Adult Men that are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or ALCDAY4 = 888	141,612	90.95	90.45
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2	8,619	5.54	5.79
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	5,472	3.51	3.77
BLANK	Respondent is female Notes: SEX = 2	258,806		

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 13.7 Calculated Variables

Type: Num

Column: 1282

SAS Variable Name: _RFDRWM3

Prologue:

Description: Adult Women that are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	241,696	93.39	92.99
2	Yes Notes: SEX = 2 and _DRNKDY3 > 1	10,651	4.12	4.24
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	6,459	2.50	2.77
BLANK	Respondent is male Notes: SEX = 1	155,703		

Flu Shot Calculated Variable

Calculated Variables: 14.1 Calculated Variables

Type: Num

Column: 1283

SAS Variable Name: _FLSHOT3

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT3 = 1	85,037	66.92	65.81
2	No	36,513	28.73	28.93
9	Don't know/Not Sure Or Refused/Missing	5,530	4.35	5.26
BLANK	Age Less Than 65	287,429		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Pneumonia Vaccination Calculated Variable

Calculated Variables: 14.2 Calculated Variables

Type: Num

Column: 1284

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	78,612	61.86	60.05
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	39,328	30.95	31.82
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	9,140	7.19	8.14
BLANK	Age Less Than 65 Notes: AGE < 65	287,429		

Always or Nearly Always Wear Seat Belts

Calculated Variables: 16.1 Calculated Variables

Type: Num

Column: 1285

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always or Almost Always Wear Seat Belt	380,044	91.69	91.60
2	Sometimes, Seldom, or Never Wear Seat Belt	27,548	6.65	6.20
9	Don't know/Not Sure Or Refused/Missing	6,917	1.67	2.21

Always Wear Seat Belts

Calculated Variables: 16.2 Calculated Variables

Type: Num

Column: 1286

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always Wear Seat Belt	340,441	82.13	83.21
2	Don't Always Wear Seat Belt	67,151	16.20	14.59
9	Don't know/Not Sure Or Refused/Missing	6,917	1.67	2.21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Women respondents aged 40+ that have had a mammogram in the past two years

Calculated Variables: 18.1 Calculated Variables

Type: Num

Column: 1287

SAS Variable Name: _RFMAM2Y

Prologue:

Description: Women respondents aged 40+ that have had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 1 or 2	152,767	73.54	73.50
2	No Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 3 or 4 or 5	46,923	22.59	22.25
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	8,051	3.88	4.25
BLANK	Missing or Age less than 40 or Male Notes: SEX = 1 or SEX = 2 and AGE < 40 or SEX = 2 and AGE => 40 and HADMAM = missing	206,768		

Women respondents aged 50+ that have had a mammogram in the past two years

Calculated Variables: 18.2 Calculated Variables

Type: Num

Column: 1288

SAS Variable Name: _MAM502Y

Prologue:

Description: Women respondents aged 50+ that have had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 1 or 2	122,826	75.05	75.87
2	No Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 3 or 4 or 5	33,692	20.59	19.20
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	7,142	4.36	4.94
BLANK	Missing or Age less than 50 or Male Notes: SEX = 1 or SEX = 2 and AGE < 50 or SEX = 2 and AGE => 50 and HADMAM = missing	250,849		

Women respondents aged 18+ that have had a pap test in the past three years

Calculated Variables: 18.3 Calculated Variables

Type: Num

Column: 1289

SAS Variable Name: _RFPAP32

Prologue:

Description: Women respondents aged 18+ that have had a pap test in the past three years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3	144,297	79.35	80.63
2	No Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2	32,416	17.83	16.66
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 7 or 9 or SEX = 2 and AGE => 18 and HADPAP2 = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	5,126	2.82	2.70
BLANK	Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and PREGNANT = 2 or 7 or 9 or missing or SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1	232,670		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008**

Male respondents aged 40+ that have had a PSA test in the past 2 years

Calculated Variables: 19.1 Calculated Variables

Type: Num

Column: 1290

SAS Variable Name: _RFPSA2Y

Prologue:

Description: Male respondents aged 40+ that have had a PSA test in the past 2 years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = 1 or 2	68,829	56.42	51.67
2	No Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = 3 or 4 or 5 or SEX = 1 and AGE => 40 and PSATEST = 2	45,368	37.19	41.78
9	Don't know/Not Sure/Refused Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = 7 or 9 or SEX = 1 and AGE => 40 and PSATEST = 7 or 9 or SEX = 1 and AGE = 7 or 9 or missing	7,800	6.39	6.55
BLANK	Missing or Age less than 40 or Female Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = missing or SEX = 1 and AGE => 40 and PSATEST = missing or SEX = 1 and AGE = < 40 or SEX = 2	292,512		

Respondents aged 50+ that have had a blood stool test within the past two years

Calculated Variables: 20.1 Calculated Variables

Type: Num

Column: 1291

SAS Variable Name: _RFBLDS2

Prologue:

Description: Respondents aged 50+ that have had a blood stool test within the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 1 or 2	54,471	21.37	20.95
2	No Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 3 or 4 or AGE => 50 and BLDSTOOL = 2	190,955	74.90	75.06
9	Don't know/Not Sure/Refused Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 7 or 9 or AGE => 50 and BLDSTOOL = 7 or 9 or AGE = 7 or 9 or missing	9,511	3.73	4.00
BLANK	Missing or Age less than 50 Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = missing or AGE => 50 and BLDSTOOL = missing or AGE < 50	159,572		

Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

Calculated Variables: 20.2 Calculated Variables

Type: Num

Column: 1292

SAS Variable Name: _RFSIGM2

Prologue:

Description: Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE => 50 and HADSIGM3 = 1	158,180	62.10	60.55
2	No Notes: AGE => 50 and HADSIGM3 = 2	90,675	35.60	36.58
9	Don't know/Not Sure/Refused Notes: AGE => 50 and HADSIGM3 = 7 or 9	5,869	2.30	2.87
BLANK	Missing or Age less than 50 Notes: AGE => 50 and HADSIGM3 = missing or AGE = 7 or 9 or missing or AGE < 50	159,785		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2008

Ever been tested for HIV calculated variable

Calculated Variables: 21.1 Calculated Variables

Type: Num

Column: 1293

SAS Variable Name: _AIDTST2

Prologue:

Description: Adults aged 18-64 that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 18 <= AGE <= 64 and HIVTST5 = 1	98,969	34.72	38.52
2	No Notes: 18 <= AGE <= 64 and HIVTST5 = 2	175,100	61.42	57.88
9	Don't know/Not Sure/Refused Notes: 18 <= AGE <= 64 and HIVTST5 = 7 or 9 or AGE = 7 or 9 or Missing	11,002	3.86	3.61
BLANK	Missing or Age greater than 64 Notes: 18 <= AGE <= 64 and HIVTST5 = missing or AGE > 64	129,438		