

Behavioral Risk Factor Surveillance System

2013 Codebook Report

Land-Line and Cell-Phone data

October 24, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2013
Land-Line and Cell-Phone data

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Alabama | 6,503 | 1.32 | 1.51 |
| 2 | Alaska | 4,578 | 0.93 | 0.22 |
| 4 | Arizona | 4,252 | 0.86 | 2.04 |
| 5 | Arkansas | 5,268 | 1.07 | 0.92 |
| 6 | California | 11,518 | 2.34 | 11.89 |
| 8 | Colorado | 13,649 | 2.78 | 1.64 |
| 9 | Connecticut | 7,710 | 1.57 | 1.14 |
| 10 | Delaware | 5,206 | 1.06 | 0.29 |
| 11 | District of Columbia | 4,931 | 1.00 | 0.22 |
| 12 | Florida | 34,186 | 6.95 | 6.34 |
| 13 | Georgia | 8,138 | 1.65 | 3.07 |
| 15 | Hawaii | 7,858 | 1.60 | 0.45 |
| 16 | Idaho | 5,630 | 1.14 | 0.48 |
| 17 | Illinois | 5,608 | 1.14 | 4.00 |
| 18 | Indiana | 10,338 | 2.10 | 2.03 |
| 19 | Iowa | 8,157 | 1.66 | 0.96 |
| 20 | Kansas | 23,282 | 4.73 | 0.89 |
| 21 | Kentucky | 11,013 | 2.24 | 1.38 |
| 22 | Louisiana | 5,251 | 1.07 | 1.43 |
| 23 | Maine | 8,097 | 1.65 | 0.43 |
| 24 | Maryland | 13,011 | 2.65 | 1.87 |
| 25 | Massachusetts | 15,071 | 3.06 | 2.16 |
| 26 | Michigan | 12,759 | 2.59 | 3.11 |
| 27 | Minnesota | 14,340 | 2.92 | 1.68 |
| 28 | Mississippi | 7,453 | 1.52 | 0.91 |
| 29 | Missouri | 7,118 | 1.45 | 1.89 |
| 30 | Montana | 9,693 | 1.97 | 0.32 |
| 31 | Nebraska | 17,139 | 3.49 | 0.57 |
| 32 | Nevada | 5,101 | 1.04 | 0.87 |
| 33 | New Hampshire | 6,463 | 1.31 | 0.43 |
| 34 | New Jersey | 13,386 | 2.72 | 2.80 |
| 35 | New Mexico | 9,316 | 1.89 | 0.64 |
| 36 | New York | 8,979 | 1.83 | 6.27 |
| 37 | North Carolina | 8,860 | 1.80 | 3.08 |
| 38 | North Dakota | 7,806 | 1.59 | 0.23 |
| 39 | Ohio | 11,971 | 2.43 | 3.62 |
| 40 | Oklahoma | 8,244 | 1.68 | 1.18 |
| 41 | Oregon | 5,949 | 1.21 | 1.25 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2013
Land-Line and Cell-Phone data

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------|-----------|------------|---------------------|
| 42 | Pennsylvania | 11,429 | 2.32 | 4.09 |
| 44 | Rhode Island | 6,531 | 1.33 | 0.34 |
| 45 | South Carolina | 10,717 | 2.18 | 1.50 |
| 46 | South Dakota | 6,895 | 1.40 | 0.26 |
| 47 | Tennessee | 5,815 | 1.18 | 2.05 |
| 48 | Texas | 10,917 | 2.22 | 7.95 |
| 49 | Utah | 12,769 | 2.60 | 0.82 |
| 50 | Vermont | 6,392 | 1.30 | 0.20 |
| 51 | Virginia | 8,464 | 1.72 | 2.61 |
| 53 | Washington | 11,162 | 2.27 | 2.20 |
| 54 | West Virginia | 5,899 | 1.20 | 0.60 |
| 55 | Wisconsin | 6,589 | 1.34 | 1.80 |
| 56 | Wyoming | 6,454 | 1.31 | 0.18 |
| 66 | Guam | 1,897 | 0.39 | 0.04 |
| 72 | Puerto Rico | 6,011 | 1.22 | 1.15 |

File Month

Section: 0.7 Record Identification

Type: Num

Column: 16-17

SAS Variable Name: FMONTH

Prologue:

Description: File Month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | January | 46,003 | 9.35 | 11.30 |
| 2 | February | 40,549 | 8.25 | 8.23 |
| 3 | March | 40,314 | 8.20 | 8.23 |
| 4 | April | 44,861 | 9.12 | 9.74 |
| 5 | May | 39,362 | 8.00 | 9.39 |
| 6 | June | 37,118 | 7.55 | 6.60 |
| 7 | July | 47,639 | 9.69 | 10.87 |
| 8 | August | 39,660 | 8.06 | 6.77 |
| 9 | September | 36,833 | 7.49 | 6.27 |
| 10 | October | 45,007 | 9.15 | 9.46 |
| 11 | November | 38,348 | 7.80 | 6.90 |
| 12 | December | 36,079 | 7.34 | 6.24 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2013
Land-Line and Cell-Phone data

Interview Date

Section: 0.8 Record Identification

Type: Char

Column: 18-25

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 491,773 | 100.00 | 100.00 |

Interview Month

Section: 0.9 Record Identification

Type: Char

Column: 18-19

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | January | 34,172 | 6.95 | 6.32 |
| 2 | February | 42,899 | 8.72 | 8.99 |
| 3 | March | 44,452 | 9.04 | 9.40 |
| 4 | April | 42,895 | 8.72 | 8.89 |
| 5 | May | 40,388 | 8.21 | 8.46 |
| 6 | June | 37,932 | 7.71 | 7.93 |
| 7 | July | 43,659 | 8.88 | 8.86 |
| 8 | August | 42,335 | 8.61 | 8.31 |
| 9 | September | 38,567 | 7.84 | 7.67 |
| 10 | October | 42,315 | 8.60 | 8.85 |
| 11 | November | 41,929 | 8.53 | 8.90 |
| 12 | December | 40,230 | 8.18 | 7.40 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2013
Land-Line and Cell-Phone data

Interview Day

Section: 0.10 Record Identification

Type: Char

Column: 20-21

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------|-----------|------------|---------------------|
| 1 | Interview Day | 15,708 | 3.19 | 2.64 |
| 2 | | 18,604 | 3.78 | 3.14 |
| 3 | | 20,171 | 4.10 | 3.45 |
| 4 | | 19,795 | 4.03 | 3.38 |
| 5 | | 21,551 | 4.38 | 3.72 |
| 6 | | 21,722 | 4.42 | 3.84 |
| 7 | | 21,242 | 4.32 | 3.83 |
| 8 | | 20,592 | 4.19 | 3.98 |
| 9 | | 20,779 | 4.23 | 4.20 |
| 10 | | 20,877 | 4.25 | 4.12 |
| 11 | | 20,778 | 4.23 | 4.24 |
| 12 | | 19,256 | 3.92 | 3.89 |
| 13 | | 18,837 | 3.83 | 3.88 |
| 14 | | 17,641 | 3.59 | 3.66 |
| 15 | | 16,588 | 3.37 | 3.61 |
| 16 | | 16,189 | 3.29 | 3.32 |
| 17 | | 16,814 | 3.42 | 3.69 |
| 18 | | 16,064 | 3.27 | 3.53 |
| 19 | | 15,513 | 3.15 | 3.31 |
| 20 | | 14,388 | 2.93 | 3.19 |
| 21 | | 13,524 | 2.75 | 3.02 |
| 22 | | 13,791 | 2.80 | 3.29 |
| 23 | | 13,016 | 2.65 | 2.97 |
| 24 | | 12,016 | 2.44 | 2.75 |
| 25 | | 11,218 | 2.28 | 2.67 |
| 26 | | 11,559 | 2.35 | 2.73 |
| 27 | | 9,828 | 2.00 | 2.23 |
| 28 | | 10,763 | 2.19 | 2.54 |
| 29 | | 8,973 | 1.82 | 2.05 |
| 30 | | 9,172 | 1.87 | 2.07 |
| 31 | | 4,804 | 0.98 | 1.08 |

Interview Year

Section: 0.11 Record Identification

Type: Char

Column: 22-25

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------|-----------|------------|---------------------|
| 2013 | Interview Year | 486,094 | 98.85 | 99.22 |
| 2014 | | 5,679 | 1.15 | 0.78 |

Final Disposition

Section: 0.13 Record Identification

Type: Num

Column: 31-34

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1100 | Completed Interview | 433,220 | 88.09 | 82.48 |
| 1200 | Partial Complete Interview | 58,553 | 11.91 | 17.52 |

Annual Sequence Number

Section: 0.14 Record Identification

Type: Num

Column: 35-44

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 491,773 | 100.00 | 100.00 |

Primary Sampling Unit

Section: 0.15 Record Identification

Type: Num

Column: 35-44

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 491,773 | 100.00 | 100.00 |

Correct telephone number?

Section: 0.19 Record Identification

Type: Num

Column: 62

SAS Variable Name: CTELENUM

Prologue: Variable only on the land line survey

Description: Correct Telephone Number?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 491,737 | 100.00 | 100.00 |
| BLANK | Missing | 36 | | |

Private Residence?

Section: 0.20 Record Identification

Type: Num

Column: 63

SAS Variable Name: PVTRES1

Prologue: Variable only on the land line survey

Description: Is this a private residence? [READ ONLY IF NECESSARY: "By private residence, we mean someplace like a house or apartment."]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 360,035 | 99.99 | 99.99 |
| 2 | No | 44 | 0.01 | 0.01 |
| BLANK | Missing | 131,694 | | |

Do you live in college housing?

Section: 0.21 Record Identification

Type: Num

Column: 64

SAS Variable Name: COLGHOUS

Prologue: Variable only on the land line survey

Description: Do you live in college housing?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes--Go to STATERES | 44 | 100.00 | 100.00 |
| BLANK | Missing | 491,729 | | |

Resident of State

Section: 0.22 Record Identification

Type: Num

Column: 65

SAS Variable Name: STATERES

Prologue: Variable only on the land line survey

Description: Do you reside in ____ (state) ____?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes--Go to CELLFON2 | 360,071 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 131,702 | | |

Cellular Telephone

Section: 0.23 Record Identification

Type: Num

Column: 66

SAS Variable Name: CELLFON3

Prologue: Variable only on the land line survey

Description: Is this a cellular telephone? (Telephone service over the internet counts as landline service (includes Vonage, Magic Jack and other home-based phone services).)[Read only if necessary: "By cellular (or cell) telephone we mean a telephone that is mobile and usable outside of your neighborhood."]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Not a cellular phone | 356,564 | 100.00 | 100.00 |
| BLANK | Missing | 135,209 | | |

Are you 18 years of age or older?

Section: 0.24 Record Identification

Type: Num

Column: 67

SAS Variable Name: LADULT

Prologue: Variable only on the land line survey

Description: Are you 18 years of age or older?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------|-----------|------------|---------------------|
| 1 | Yes, Male Respondent | 19 | 50.00 | 47.48 |
| 2 | Yes, Female Respondent | 19 | 50.00 | 52.52 |
| BLANK | Missing | 491,735 | | |

Number of Adults in Household

Section: 0.25 Record Identification

Type: Num

Column: 68-69

SAS Variable Name: NUMADULT

Prologue: Variable only on the land line survey

Description: Number of Adults in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-----------------------------------|-----------|------------|---------------------|
| 1 | Number of adults in the household | 130,490 | 36.24 | 18.36 |
| 2 | | 184,606 | 51.27 | 53.41 |
| 3 | | 32,145 | 8.93 | 17.32 |
| 4 | | 9,955 | 2.76 | 7.88 |
| 5 | | 2,161 | 0.60 | 2.20 |
| 6 - 99 | 6 or more | 707 | 0.20 | 0.84 |
| BLANK | Missing | 131,709 | | |

Number of Adult men in Household

Section: 0.26 Record Identification

Type: Num

Column: 70-71

SAS Variable Name: NUMMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Men in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------------|-----------|------------|---------------------|
| 0 | Number of adult men in the household | 101,787 | 28.27 | 15.82 |
| 1 | | 228,780 | 63.54 | 65.39 |
| 2 | | 25,174 | 6.99 | 14.82 |
| 3 | | 3,697 | 1.03 | 3.25 |
| 4 | | 517 | 0.14 | 0.60 |
| 5 | | 75 | 0.02 | 0.08 |
| 6 - 99 | 6 or more | 33 | 0.01 | 0.04 |
| BLANK | | 131,710 | | |

Number of Adult women in Household

Section: 0.27 Record Identification

Type: Num

Column: 72-73

SAS Variable Name: NUMWOMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Women in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 0 | Number of adult women in the household | 42,614 | 11.84 | 7.62 |
| 1 | | 281,877 | 78.29 | 72.25 |
| 2 | | 30,951 | 8.60 | 16.24 |
| 3 | | 4,014 | 1.11 | 3.20 |
| 4 | | 487 | 0.14 | 0.54 |
| 5 | | 89 | 0.02 | 0.11 |
| 6 - 99 | 6 or more | 31 | 0.01 | 0.04 |
| BLANK | | 131,710 | | |

General Health

Section: 1.1 Health Status

Type: Num

Column: 80

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Excellent | 85,532 | 17.39 | 18.66 |
| 2 | Very good | 159,104 | 32.35 | 31.68 |
| 3 | Good | 150,548 | 30.61 | 31.11 |
| 4 | Fair | 66,700 | 13.56 | 13.31 |
| 5 | Poor | 27,909 | 5.68 | 4.76 |
| 7 | Don't know/Not Sure | 969 | 0.20 | 0.18 |
| 9 | Refused | 1,004 | 0.20 | 0.29 |
| BLANK | Not asked or Missing | 7 | | |

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 81-82

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 30 | Number of days Notes: __ Number of days | 176,556 | 35.90 | 35.16 |
| 88 | None | 304,262 | 61.87 | 62.87 |
| 77 | Don't know/Not sure | 8,712 | 1.77 | 1.44 |
| 99 | Refused | 2,233 | 0.45 | 0.53 |
| BLANK | Not asked or Missing | 10 | | |

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 83-84

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 30 | Number of days Notes: __ Number of days | 148,648 | 30.23 | 33.18 |
| 88 | None | 334,490 | 68.02 | 65.13 |
| 77 | Don't know/Not sure | 6,336 | 1.29 | 1.20 |
| 99 | Refused | 2,290 | 0.47 | 0.49 |
| BLANK | Not asked or Missing | 9 | | |

Poor Physical or Mental Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 85-86

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 30 | Number of days Notes: __ Number of days | 107,065 | 42.05 | 41.44 |
| 88 | None | 141,598 | 55.61 | 56.39 |
| 77 | Don't know/Not sure | 4,659 | 1.83 | 1.62 |
| 99 | Refused | 1,293 | 0.51 | 0.55 |
| BLANK | Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88 | 237,158 | | |

Have any health care coverage

Section: 3.1 Health Care Access

Type: Num

Column: 87

SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes Notes: If PPHF state go to Module 4, Question 1, else continue | 434,627 | 88.38 | 82.20 |
| 2 | No | 55,242 | 11.23 | 17.24 |
| 7 | Don't know/Not Sure | 1,023 | 0.21 | 0.37 |
| 9 | Refused | 881 | 0.18 | 0.19 |

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 88

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes, only one | 369,084 | 75.05 | 68.41 |
| 2 | More than one | 41,306 | 8.40 | 7.56 |
| 3 | No | 79,587 | 16.18 | 23.60 |
| 7 | Don't know/Not Sure | 1,176 | 0.24 | 0.29 |
| 9 | Refused | 620 | 0.13 | 0.14 |

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Type: Num

Column: 89

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: If PPHF State and Q3.1 = 1 go to Module 4, Question 4a | 60,104 | 12.22 | 15.88 |
| 2 | No Notes: If PPHF State and Q3.1 = 2, 7, or 9 go to Module 4, Question 4b, or if not a PPHF State go to next section. | 430,446 | 87.53 | 83.86 |
| 7 | Don't know/Not sure | 933 | 0.19 | 0.20 |
| 9 | Refused | 290 | 0.06 | 0.07 |

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 90

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within past year (anytime less than 12 months ago) | 356,253 | 72.44 | 67.92 |
| 2 | Within past 2 years (1 year but less than 2 years ago) | 57,338 | 11.66 | 13.35 |
| 3 | Within past 5 years (2 years but less than 5 years ago) | 33,659 | 6.84 | 8.34 |
| 4 | 5 or more years ago | 33,717 | 6.86 | 7.79 |
| 7 | Don't know/Not sure | 5,743 | 1.17 | 1.17 |
| 8 | Never | 4,523 | 0.92 | 1.30 |
| 9 | Refused | 540 | 0.11 | 0.13 |

How Much Time Do You Sleep

Section: 4.1 Inadequate Sleep

Type: Num

Column: 91-92

SAS Variable Name: SLEPTIM1

Prologue: I would like to ask you about your sleep pattern.

Description: On average, how many hours of sleep do you get in a 24-hour period?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|------------------------|-----------|------------|---------------------|
| 1 - 24 | Number of hours [1-24] | 484,401 | 98.50 | 98.76 |
| 77 | Don't know/Not Sure | 6,540 | 1.33 | 1.09 |
| 99 | Refused | 832 | 0.17 | 0.15 |

Ever Told Blood Pressure High

Section: 5.1 Hypertension Awareness

Type: Num

Column: 93

SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 198,874 | 40.44 | 32.42 |
| 2 | Yes, but female told only during pregnancy--Go to Section 06.01 BLOODCHO | 3,673 | 0.75 | 0.88 |
| 3 | No--Go to Section 06.01 BLOODCHO | 282,760 | 57.50 | 65.52 |
| 4 | Told borderline high or pre-hypertensive--Go to Section 06.01 BLOODCHO | 5,056 | 1.03 | 0.89 |
| 7 | Don't know/Not Sure--Go to Section 06.01 BLOODCHO | 932 | 0.19 | 0.19 |
| 9 | Refused--Go to Section 06.01 BLOODCHO | 471 | 0.10 | 0.10 |
| BLANK | Not asked or Missing | 7 | | |

Currently Taking Blood Pressure Medication

Section: 5.2 Hypertension Awareness

Type: Num

Column: 94

SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 166,155 | 83.55 | 77.06 |
| 2 | No | 32,372 | 16.28 | 22.80 |
| 7 | Don't know/Not Sure | 282 | 0.14 | 0.10 |
| 9 | Refused | 65 | 0.03 | 0.04 |
| BLANK | Not asked or Missing Notes: Section 05.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing | 292,899 | | |

Ever Had Blood Cholesterol Checked

Section: 6.1 Cholesterol Awareness

Type: Num

Column: 95

SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 423,926 | 86.20 | 78.74 |
| 2 | No--Go to Section 07.01 CVDINFR4 | 58,859 | 11.97 | 18.96 |
| 7 | Don't know/Not Sure--Go to Section 07.01 CVDINFR4 | 8,791 | 1.79 | 2.24 |
| 9 | Refused--Go to Section 07.01 CVDINFR4 | 197 | 0.04 | 0.05 |

How Long since Cholesterol Checked

Section: 6.2 Cholesterol Awareness

Type: Num

Column: 96

SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 323,367 | 76.28 | 73.29 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 49,549 | 11.69 | 13.30 |
| 3 | Within the past 5 years (2 years but less than 5 years ago) | 30,000 | 7.08 | 8.20 |
| 4 | 5 or more years ago | 15,742 | 3.71 | 3.99 |
| 7 | Don't know/Not Sure | 5,034 | 1.19 | 1.13 |
| 9 | Refused | 233 | 0.05 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 6.01, BLOODCHO, is coded 2, 7, 9, or Missing | 67,848 | | |

Ever Told Blood Cholesterol High

Section: 6.3 Cholesterol Awareness

Type: Num

Column: 97

SAS Variable Name: TOLDHI2

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 183,556 | 43.30 | 38.27 |
| 2 | No | 236,626 | 55.82 | 60.98 |
| 7 | Don't know/Not Sure | 3,254 | 0.77 | 0.64 |
| 9 | Refused | 490 | 0.12 | 0.11 |
| BLANK | Not asked or Missing Notes: Section 06.01, BLOODCHO, is coded 2, 7, 9, or Missing | 67,847 | | |

Ever Diagnosed with Heart Attack

Section: 7.1 Chronic Health Conditions

Type: Num

Column: 98

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 29,278 | 5.95 | 4.41 |
| 2 | No | 459,912 | 93.52 | 95.14 |
| 7 | Don't know/Not sure | 2,341 | 0.48 | 0.40 |
| 9 | Refused | 241 | 0.05 | 0.05 |
| BLANK | Not asked or Missing | 1 | | |

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 7.2 Chronic Health Conditions

Type: Num

Column: 99

SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes | 29,048 | 5.91 | 4.17 |
| 2 | No | 458,292 | 93.19 | 95.14 |
| 7 | Don't know/Not sure | 4,175 | 0.85 | 0.64 |
| 9 | Refused | 258 | 0.05 | 0.04 |

Ever Diagnosed with a Stroke

Section: 7.3 Chronic Health Conditions

Type: Num

Column: 100

SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes | 20,391 | 4.15 | 2.91 |
| 2 | No | 469,918 | 95.56 | 96.84 |
| 7 | Don't know/Not sure | 1,283 | 0.26 | 0.21 |
| 9 | Refused | 181 | 0.04 | 0.03 |

Ever Told Had Asthma

Section: 7.4 Chronic Health Conditions

Type: Num

Column: 101

SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 67,174 | 13.66 | 14.03 |
| 2 | No--Go to Section 07.06 CHCSCNCR | 423,040 | 86.02 | 85.70 |
| 7 | Don't know/Not Sure--Go to Section 07.06 CHCSCNCR | 1,391 | 0.28 | 0.25 |
| 9 | Refused--Go to Section 07.06 CHCSCNCR | 168 | 0.03 | 0.03 |

Still Have Asthma

Section: 7.5 Chronic Health Conditions

Type: Num

Column: 102

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 45,630 | 67.93 | 63.55 |
| 2 | No | 19,678 | 29.29 | 33.55 |
| 7 | Don't know/Not Sure | 1,824 | 2.72 | 2.84 |
| 9 | Refused | 42 | 0.06 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing | 424,599 | | |

Ever told) you had skin cancer?

Section: 7.6 Chronic Health Conditions

Type: Num

Column: 103

SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 45,529 | 9.26 | 5.75 |
| 2 | No | 444,940 | 90.48 | 94.05 |
| 7 | Don't know / Not sure | 1,121 | 0.23 | 0.17 |
| 9 | Refused | 183 | 0.04 | 0.03 |

Ever told) you had any other types of cancer?

Section: 7.7 Chronic Health Conditions

Type: Num

Column: 104

SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 47,139 | 9.59 | 6.49 |
| 2 | No | 443,482 | 90.18 | 93.29 |
| 7 | Don't know / Not sure | 922 | 0.19 | 0.19 |
| 9 | Refused | 230 | 0.05 | 0.03 |

Ever told) you have chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Section: 7.8 Chronic Health Conditions

Type: Num

Column: 105

SAS Variable Name: CHCCOPD1

Prologue:

Description: (Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema or chronic bronchitis?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 40,675 | 8.27 | 6.41 |
| 2 | No | 448,383 | 91.18 | 93.07 |
| 7 | Don't know / Not sure | 2,521 | 0.51 | 0.49 |
| 9 | Refused | 193 | 0.04 | 0.03 |
| BLANK | Not asked or Missing | 1 | | |

Told Have Arthritis

Section: 7.9 Chronic Health Conditions

Type: Num

Column: 106

SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes | 165,192 | 33.59 | 24.86 |
| 2 | No | 323,602 | 65.80 | 74.60 |
| 7 | Don't know/Not Sure | 2,707 | 0.55 | 0.48 |
| 9 | Refused | 272 | 0.06 | 0.05 |

Ever told you had a depressive disorder

Section: 7.10 Chronic Health Conditions

Type: Num

Column: 107

SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes | 95,776 | 19.48 | 17.64 |
| 2 | No | 393,709 | 80.06 | 81.87 |
| 7 | Don't know/Not sure | 1,732 | 0.35 | 0.39 |
| 9 | Refused | 556 | 0.11 | 0.11 |

Ever told) you have kidney disease?

Section: 7.11 Chronic Health Conditions

Type: Num

Column: 108

SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 15,908 | 3.23 | 2.63 |
| 2 | No | 474,153 | 96.42 | 97.06 |
| 7 | Don't know / Not sure | 1,459 | 0.30 | 0.26 |
| 9 | Refused | 253 | 0.05 | 0.05 |

Ever told) you have diabetes

Section: 7.12 Chronic Health Conditions

Type: Num

Column: 109

SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 62,345 | 12.68 | 10.26 |
| 2 | Yes, but female told only during pregnancy | 4,607 | 0.94 | 1.09 |
| 3 | No | 415,394 | 84.47 | 86.88 |
| 4 | No, pre-diabetes or borderline diabetes | 8,596 | 1.75 | 1.58 |
| 7 | Don't know/Not Sure | 581 | 0.12 | 0.14 |
| 9 | Refused | 243 | 0.05 | 0.06 |
| BLANK | Not asked or Missing | 7 | | |

Are You A Veteran

Section: 8.5 Demographics

Type: Num

Column: 146

SAS Variable Name: VETERAN3

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? (Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 61,505 | 12.51 | 10.60 |
| 2 | No | 429,527 | 87.39 | 89.31 |
| 7 | Don't know/Not Sure | 166 | 0.03 | 0.03 |
| 9 | Refused | 330 | 0.07 | 0.06 |
| BLANK | Not asked or Missing | 245 | | |

Marital Status

Section: 8.6 Demographics

Type: Num

Column: 147

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1 | Married | 253,290 | 51.55 | 51.46 |
| 2 | Divorced | 70,385 | 14.32 | 10.85 |
| 3 | Widowed | 65,774 | 13.39 | 6.74 |
| 4 | Separated | 10,664 | 2.17 | 2.71 |
| 5 | Never married | 75,066 | 15.28 | 23.49 |
| 6 | A member of an unmarried couple | 13,173 | 2.68 | 4.19 |
| 9 | Refused | 3,032 | 0.62 | 0.55 |
| BLANK | Not asked or Missing | 389 | | |

Number of Children in Household

Section: 8.7 Demographics

Type: Num

Column: 148-149

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 87 | Number of children Notes: __ = Number of children | 129,959 | 26.45 | 37.26 |
| 88 | None | 359,551 | 73.18 | 62.24 |
| 99 | Refused | 1,826 | 0.37 | 0.50 |
| BLANK | Not asked or Missing | 437 | | |

Education Level

Section: 8.8 Demographics

Type: Num

Column: 150

SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Never attended school or only kindergarten | 675 | 0.14 | 0.30 |
| 2 | Grades 1 through 8 (Elementary) | 13,375 | 2.72 | 4.81 |
| 3 | Grades 9 through 11 (Some high school) | 28,082 | 5.72 | 10.00 |
| 4 | Grade 12 or GED (High school graduate) | 142,953 | 29.10 | 28.39 |
| 5 | College 1 year to 3 years (Some college or technical school) | 134,242 | 27.33 | 30.65 |
| 6 | College 4 years or more (College graduate) | 170,173 | 34.64 | 25.38 |
| 9 | Refused | 1,747 | 0.36 | 0.47 |
| BLANK | Not asked or Missing | 526 | | |

Employment Status

Section: 8.9 Demographics

Type: Num

Column: 151

SAS Variable Name: EMPLOY1

Prologue:

Description: Are you currently...?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1 | Employed for wages | 202,169 | 41.17 | 47.17 |
| 2 | Self-employed | 39,853 | 8.11 | 8.33 |
| 3 | Out of work for 1 year or more | 14,081 | 2.87 | 3.81 |
| 4 | Out of work for less than 1 year | 12,241 | 2.49 | 3.68 |
| 5 | A homemaker | 31,654 | 6.45 | 6.83 |
| 6 | A student | 12,664 | 2.58 | 5.84 |
| 7 | Retired | 138,311 | 28.16 | 16.82 |
| 8 | Unable to work | 37,419 | 7.62 | 6.81 |
| 9 | Refused | 2,713 | 0.55 | 0.70 |
| BLANK | Not asked or Missing | 668 | | |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2013
Land-Line and Cell-Phone data

Income Level

Section: 8.10 Demographics

Type: Num

Column: 152-153

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Less than \$10,000 Notes: If ``no,`` code 02 | 25,411 | 5.18 | 6.19 |
| 2 | Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If ``no,`` code 03; if ``yes,`` ask 01 | 26,759 | 5.45 | 5.39 |
| 3 | Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If ``no,`` code 04; if ``yes,`` ask 02 | 34,885 | 7.11 | 7.25 |
| 4 | Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If ``no,`` ask 05; if ``yes,`` ask 03 | 41,738 | 8.50 | 8.38 |
| 5 | Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If ``no,`` ask '07 | 48,863 | 9.95 | 9.49 |
| 6 | Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If ``no,`` ask 07 | 61,506 | 12.53 | 11.94 |
| 7 | Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If ``no,`` code 08 | 65,238 | 13.29 | 12.58 |
| 8 | \$75,000 or more | 115,982 | 23.63 | 24.69 |
| 77 | Don't know/Not sure | 34,946 | 7.12 | 7.75 |
| 99 | Refused | 35,559 | 7.24 | 6.35 |
| BLANK | Not asked or Missing | 886 | | |

Reported Weight in Pounds

Section: 8.11 Demographics

Type: Num

Column: 154-157

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------------|---|-----------|------------|---------------------|
| 50 - 0999 | Weight (pounds) Notes: 0 _ _ _ = weight in pounds | 470,161 | 95.84 | 95.93 |
| 7777 | Don't know/Not sure | 6,746 | 1.38 | 1.44 |
| 9000 - 9998 | Weight (kilograms) Notes: The initial `9` indicates this was a metric value. | 918 | 0.19 | 0.34 |
| 9999 | Refused | 12,760 | 2.60 | 2.29 |
| BLANK | Not asked or Missing | 1,188 | | |

Reported Height in Feet and Inches

Section: 8.12 Demographics

Type: Num

Column: 158-161

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------------|--|-----------|------------|---------------------|
| 200 - 711 | Height (ft/inches) Notes: 0 _ / _ _ = feet / inches | 482,293 | 98.33 | 97.24 |
| 7777 | Don't know/Not sure | 3,426 | 0.70 | 1.08 |
| 9000 - 9998 | Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value. | 1,876 | 0.38 | 0.82 |
| 9999 | Refused | 2,872 | 0.59 | 0.85 |
| BLANK | Not asked or Missing | 1,306 | | |

Household Telephones

Section: 8.15 Demographics

Type: Num

Column: 170

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 16,569 | 4.62 | 4.29 |
| 2 | No--Go to Section 08.17 CPDEMO1 | 340,784 | 94.98 | 95.26 |
| 7 | Don't know/Not sure--Go to Section 08.17 CPDEMO1 | 173 | 0.05 | 0.05 |
| 9 | Refused--Go to Section 08.17 CPDEMO1 | 1,268 | 0.35 | 0.40 |
| BLANK | Not asked or Missing--Go to Section 08.17 CPDEMO1 | 132,979 | | |

Residential Phones

Section: 8.16 Demographics

Type: Num

Column: 171

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Residential telephone number | 8,128 | 49.07 | 62.82 |
| 2 | Residential telephone numbers | 7,031 | 42.45 | 31.21 |
| 3 | Residential telephone numbers | 823 | 4.97 | 2.39 |
| 4 | Residential telephone numbers | 145 | 0.88 | 0.37 |
| 5 | Residential telephone numbers | 40 | 0.24 | 0.17 |
| 6 | Residential telephone numbers Notes: 6 = 6 or more | 17 | 0.10 | 0.10 |
| 7 | Don't know/Not Sure | 174 | 1.05 | 1.38 |
| 9 | Refused | 206 | 1.24 | 1.56 |
| BLANK | Not asked or Missing Notes: Section 08.15, NUMHHOL2, is coded 2, 7, 9, or Missing | 475,209 | | |

Do you have a cell phone for personal use?

Section: 8.17 Demographics

Type: Num

Column: 172

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 279,470 | 77.91 | 85.40 |
| 2 | No--Go to Section 08.19 INTERNET | 77,164 | 21.51 | 14.13 |
| 7 | Don't know/Not sure--Go to Section 08.19 INTERNET | 181 | 0.05 | 0.02 |
| 9 | Refused--Go to Section 08.19 INTERNET | 1,908 | 0.53 | 0.45 |
| BLANK | Not asked or Missing | 133,050 | | |

What percent of all calls are received on your cell phone?

Section: 8.18 Demographics

Type: Num

Column: 173-175

SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|---------------------|
| 1 - 100 | Enter Percent (1 to 100) | 245,616 | 87.93 | 88.43 |
| 777 | Don't know/Not sure | 12,721 | 4.55 | 4.83 |
| 888 | Zero | 18,966 | 6.79 | 5.89 |
| 999 | Refused | 2,023 | 0.72 | 0.86 |
| BLANK | Not asked or Missing Notes: Section 08.17, CPDEMO1, is coded 2, 7, 9, or Missing | 212,447 | | |

Internet use in the past 30 days?

Section: 8.19 Demographics

Type: Num

Column: 176

SAS Variable Name: INTERNET

Prologue:

Description: Have you used the internet in the past 30 days?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 367,590 | 75.14 | 78.91 |
| 2 | No | 119,277 | 24.38 | 20.32 |
| 7 | Don't know/Not Sure | 366 | 0.07 | 0.06 |
| 9 | Refused | 1,994 | 0.41 | 0.71 |
| BLANK | Not asked or Missing | 2,546 | | |

Own or Rent Home

Section: 8.20 Demographics

Type: Num

Column: 177

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Own | 351,655 | 71.93 | 67.31 |
| 2 | Rent | 110,961 | 22.70 | 26.11 |
| 3 | Other arrangement | 20,724 | 4.24 | 5.04 |
| 7 | Don't know/Not Sure | 761 | 0.16 | 0.23 |
| 9 | Refused | 4,777 | 0.98 | 1.31 |
| BLANK | Not asked or Missing | 2,895 | | |

Respondents Sex

Section: 8.21 Demographics

Type: Num

Column: 178

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Male--Go to Section 08.23 QLACTLM2 | 201,275 | 40.93 | 48.62 |
| 2 | Female--If 08.01, AGE, is 45 or older go to Section 08.23 QLACTLM2 | 290,498 | 59.07 | 51.38 |

Pregnancy Status

Section: 8.22 Demographics

Type: Num

Column: 179

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 3,044 | 3.92 | 4.30 |
| 2 | No | 73,926 | 95.27 | 94.28 |
| 7 | Don't know/Not Sure | 241 | 0.31 | 0.33 |
| 9 | Refused | 389 | 0.50 | 1.09 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 08.01, AGE, is greater than 44 | 414,173 | | |

Activity Limitation Due to Health Problems

Section: 8.23 Demographics

Type: Num

Column: 180

SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 116,637 | 24.07 | 19.47 |
| 2 | No | 363,794 | 75.07 | 78.66 |
| 7 | Don't know/Not Sure | 1,779 | 0.37 | 0.30 |
| 9 | Refused | 2,369 | 0.49 | 1.57 |
| BLANK | Not asked or Missing | 7,194 | | |

Health Problems Requiring Special Equipment

Section: 8.24 Demographics

Type: Num

Column: 181

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 55,795 | 11.54 | 8.21 |
| 2 | No | 425,670 | 88.02 | 90.23 |
| 7 | Don't know/Not Sure | 315 | 0.07 | 0.06 |
| 9 | Refused | 1,848 | 0.38 | 1.51 |
| BLANK | Not asked or Missing | 8,145 | | |

Blind or Difficulty seeing

Section: 8.25 Demographics

Type: Num

Column: 182

SAS Variable Name: BLIND

Prologue:

Description: Are you blind or do you have serious difficulty seeing, even when wearing glasses?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 25,919 | 5.36 | 4.97 |
| 2 | No | 454,786 | 94.13 | 93.80 |
| 7 | Don't know/Not Sure | 897 | 0.19 | 0.17 |
| 9 | Refused | 1,545 | 0.32 | 1.06 |
| BLANK | Not asked or Missing | 8,626 | | |

Difficulty Concentrating or Remembering

Section: 8.26 Demographics

Type: Num

Column: 183

SAS Variable Name: DECIDE

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 50,659 | 10.50 | 10.55 |
| 2 | No | 428,128 | 88.72 | 87.91 |
| 7 | Don't know/Not Sure | 1,879 | 0.39 | 0.34 |
| 9 | Refused | 1,898 | 0.39 | 1.21 |
| BLANK | Not asked or Missing | 9,209 | | |

Difficulty Walking or Climbing Stairs

Section: 8.27 Demographics

Type: Num

Column: 184

SAS Variable Name: DIFFWALK

Prologue:

Description: Do you have serious difficulty walking or climbing stairs?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 86,476 | 17.94 | 13.83 |
| 2 | No | 392,538 | 81.43 | 84.80 |
| 7 | Don't know/Not Sure | 1,230 | 0.26 | 0.18 |
| 9 | Refused | 1,784 | 0.37 | 1.19 |
| BLANK | Not asked or Missing | 9,745 | | |

Difficulty Dressing or Bathing

Section: 8.28 Demographics

Type: Num

Column: 185

SAS Variable Name: DIFFDRES

Prologue:

Description: Do you have difficulty dressing or bathing?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 21,627 | 4.49 | 3.81 |
| 2 | No | 458,031 | 95.09 | 94.92 |
| 7 | Don't know/Not Sure | 400 | 0.08 | 0.08 |
| 9 | Refused | 1,628 | 0.34 | 1.19 |
| BLANK | Not asked or Missing | 10,087 | | |

Difficulty Doing Errands Alone

Section: 8.29 Demographics

Type: Num

Column: 186

SAS Variable Name: DIFFALON

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 38,582 | 8.02 | 6.75 |
| 2 | No | 439,845 | 91.41 | 91.85 |
| 7 | Don't know/Not Sure | 931 | 0.19 | 0.16 |
| 9 | Refused | 1,834 | 0.38 | 1.24 |
| BLANK | Not asked or Missing | 10,581 | | |

Smoked at Least 100 Cigarettes

Section: 9.1 Tobacco Use

Type: Num

Column: 187

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 215,244 | 44.82 | 42.28 |
| 2 | No--Go to Section 09.05 USENOW3 | 261,621 | 54.48 | 56.25 |
| 7 | Don't know/Not Sure--Go to Section 09.05 USENOW3 | 1,784 | 0.37 | 0.32 |
| 9 | Refused--Go to Section 09.05 USENOW3 | 1,549 | 0.32 | 1.15 |
| BLANK | Not asked or Missing | 11,575 | | |

Frequency of Days Now Smoking

Section: 9.2 Tobacco Use

Type: Num

Column: 188

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Every day | 55,157 | 25.63 | 29.74 |
| 2 | Some days | 21,455 | 9.97 | 12.52 |
| 3 | Not at all--Go to Section 09.04 LASTSMK2 | 138,218 | 64.23 | 57.57 |
| 7 | Don't Know/Not Sure--Go to Section 09.05 USENOW3 | 101 | 0.05 | 0.05 |
| 9 | Refused--Go to Section 09.05 USENOW3 | 253 | 0.12 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing | 276,589 | | |

Stopped Smoking in past 12 months

Section: 9.3 Tobacco Use

Type: Num

Column: 189

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes--Go to Section 09.05 USENOW3 | 43,696 | 57.07 | 59.73 |
| 2 | No--Go to Section 09.05 USENOW3 | 32,612 | 42.59 | 39.81 |
| 7 | Don't know/Not Sure--Go to Section 09.05 USENOW3 | 192 | 0.25 | 0.26 |
| 9 | Refused--Go to Section 09.05 USENOW3 | 66 | 0.09 | 0.20 |
| BLANK | Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 3, 7, 9, or Missing | 415,207 | | |

Interval Since Last Smoked

Section: 9.4 Tobacco Use

Type: Num

Column: 190-191

SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past month (less than 1 month ago) | 3,152 | 2.28 | 3.53 |
| 2 | Within the past 3 months (1 month but less than 3 months ago) | 3,023 | 2.19 | 3.26 |
| 3 | Within the past 6 months (3 months but less than 6 months ago) | 3,206 | 2.32 | 3.28 |
| 4 | Within the past year (6 months but less than 1 year ago) | 4,852 | 3.51 | 5.05 |
| 5 | Within the past 5 years (1 year but less than 5 years ago) | 17,439 | 12.63 | 15.73 |
| 6 | Within the past 10 years (5 years but less than 10 years ago) | 13,899 | 10.06 | 11.20 |
| 7 | 10 years or more | 90,582 | 65.58 | 56.47 |
| 8 | Never smoked regularly | 1,204 | 0.87 | 0.97 |
| 77 | Don't know/Not sure | 670 | 0.49 | 0.42 |
| 99 | Refused | 103 | 0.07 | 0.10 |
| BLANK | Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 09.03, STOPSMK2, is coded 1, 2, 7, 9; | 353,643 | | |

Use of Smokeless Tobacco Products

Section: 9.5 Tobacco Use

Type: Num

Column: 192

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)[Snus (rhymes with 'goose')]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Every day | 8,769 | 1.83 | 1.91 |
| 2 | Some days | 6,861 | 1.43 | 1.70 |
| 3 | Not at all | 462,129 | 96.34 | 95.06 |
| 7 | Don't know/Not Sure | 158 | 0.03 | 0.05 |
| 9 | Refused | 1,755 | 0.37 | 1.29 |
| BLANK | Not asked or Missing | 12,101 | | |

Days in past 30 had alcoholic beverage

Section: 10.1 Alcohol Consumption

Type: Num

Column: 193-195

SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|---------------------|
| 101 - 199 | Days per week Notes: 1_ _ = Days per week | 63,144 | 13.19 | 13.82 |
| 201 - 299 | Days in past 30 days Notes: 2_ _ = Days in past 30 | 172,368 | 36.01 | 37.32 |
| 777 | Don't know/Not sure--Go to Section 11.01 FRUITJU1 | 3,192 | 0.67 | 0.69 |
| 888 | No drinks in past 30 days--Go to Section 11.01 FRUITJU1 | 236,617 | 49.43 | 46.09 |
| 999 | Refused--Go to Section 11.01 FRUITJU1 | 3,393 | 0.71 | 2.09 |
| BLANK | Not asked or Missing | 13,059 | | |

Avg alcoholic drinks per day in past 30

Section: 10.2 Alcohol Consumption

Type: Num

Column: 196-197

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 76 | Number of drinks Notes: _ _ Number of drinks | 231,283 | 98.40 | 98.02 |
| 77 | Don't know/Not sure | 2,934 | 1.25 | 1.62 |
| 99 | Refused | 827 | 0.35 | 0.36 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 9999; | 256,729 | | |

Binge Drinking

Section: 10.3 Alcohol Consumption

Type: Num

Column: 198-199

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 76 | Number of Times | 58,831 | 25.07 | 31.19 |
| 88 | None | 172,592 | 73.55 | 67.20 |
| 77 | Don't know/Not Sure | 2,560 | 1.09 | 1.29 |
| 99 | Refused | 667 | 0.28 | 0.32 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999; | 257,123 | | |

Most drinks on single occasion past 30 days

Section: 10.4 Alcohol Consumption

Type: Num

Column: 200-201

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 76 | Number of drinks | 226,941 | 96.88 | 96.30 |
| 77 | Don't know/Not sure | 6,087 | 2.60 | 3.13 |
| 99 | Refused | 1,226 | 0.52 | 0.58 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999; | 257,519 | | |

How many times did you drink 100 percent PURE fruit juices?

Section: 11.1 Fruits & Vegetables

Type: Num

Column: 202-204

SAS Variable Name: FRUITJU1

Prologue:

Description: During the past month, how many times per day, week or month did you drink 100 percent PURE fruit juices? Do not include fruit-flavored drinks with added sugar or fruit juice you made at home and added sugar to. Only include 100 percent juice.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 101 - 199 | Times per day | 92,099 | 19.71 | 18.29 |
| 201 - 299 | Times per week | 72,444 | 15.50 | 17.54 |
| 300 | Less than one time per month | 6,473 | 1.39 | 1.15 |
| 301 - 399 | Times per month | 111,063 | 23.76 | 24.24 |
| 555 | Never | 173,503 | 37.13 | 34.76 |
| 777 | Don't know/Not sure | 8,618 | 1.84 | 1.77 |
| 999 | Refused | 3,143 | 0.67 | 2.24 |
| BLANK | Not asked or Missing | 24,430 | | |

How many times did you eat fruit?

Section: 11.2 Fruits & Vegetables

Type: Num

Column: 205-207

SAS Variable Name: FRUIT1

Prologue:

Description: During the past month, not counting juice, how many times per day, week, or month did you eat fruit? Count fresh, frozen, or canned fruit. (Read only if necessary: "Your best guess is fine. Include apples, bananas, applesauce, oranges, grape fruit, fruit salad, watermelon, cantaloupe or musk melon, papaya, lychees, star fruit,)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 101 - 199 | Times per day | 211,211 | 45.29 | 42.62 |
| 201 - 299 | Times per week | 103,644 | 22.22 | 23.48 |
| 300 | Less than one time per month | 1,139 | 0.24 | 0.19 |
| 301 - 399 | Times per month | 124,128 | 26.62 | 26.30 |
| 555 | Never | 17,870 | 3.83 | 4.16 |
| 777 | Don't know/Not sure | 5,350 | 1.15 | 1.02 |
| 999 | Refused | 3,039 | 0.65 | 2.24 |
| BLANK | Not asked or Missing | 25,392 | | |

How many times did you eat beans or lentils?

Section: 11.3 Fruits & Vegetables

Type: Num

Column: 208-210

SAS Variable Name: FVBEANS

Prologue:

Description: During the past month, how many times per day, week, or month did you eat cooked or canned beans, such as refried, baked, black, garbanzo beans, beans in soup, soybeans, edamame, tofu or lentils. Do NOT include long green beans.(Read only if necessary: "Include round or oval beans or peas such as navy, pinto, split peas, cow peas, garbanzo beans, lentils, soy beans and tofu. Do NOT include long green beans such as string beans, broad or winged beans, or pole beans.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 101 - 199 | Times per day | 27,008 | 5.80 | 7.20 |
| 201 - 299 | Times per week | 145,238 | 31.22 | 31.45 |
| 300 | Less than one time per month | 3,723 | 0.80 | 0.63 |
| 301 - 399 | Times per month | 200,669 | 43.13 | 40.94 |
| 555 | Never | 77,680 | 16.70 | 16.13 |
| 777 | Don't know/Not sure | 8,041 | 1.73 | 1.41 |
| 999 | Refused | 2,919 | 0.63 | 2.23 |
| BLANK | Not asked or Missing | 26,495 | | |

How many times did you eat dark green vegetables?

Section: 11.4 Fruits & Vegetables

Type: Num

Column: 211-213

SAS Variable Name: FVGREEN

Prologue:

Description: During the past month, how many times per day, week, or month did you eat dark green vegetables for example broccoli or dark leafy greens including romaine, chard, collard greens or spinach?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 101 - 199 | Times per day | 86,099 | 18.54 | 18.49 |
| 201 - 299 | Times per week | 163,664 | 35.25 | 35.69 |
| 300 | Less than one time per month | 2,141 | 0.46 | 0.34 |
| 301 - 399 | Times per month | 168,235 | 36.23 | 34.79 |
| 555 | Never | 36,487 | 7.86 | 7.58 |
| 777 | Don't know/Not sure | 4,809 | 1.04 | 0.86 |
| 999 | Refused | 2,920 | 0.63 | 2.25 |
| BLANK | Not asked or Missing | 27,418 | | |

How many times did you eat orange-colored vegetables?

Section: 11.5 Fruits & Vegetables

Type: Num

Column: 214-216

SAS Variable Name: FVORANG

Prologue:

Description: During the past month, how many times per day, week, or month did you eat orange-colored vegetables such as sweet potatoes, pumpkin, winter squash, or carrots? (Read only if needed: "Winter squash have hard, thick skins and deep yellow to orange flesh. They include acorn, buttercup, and spaghetti squash.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 101 - 199 | Times per day | 31,939 | 6.89 | 6.67 |
| 201 - 299 | Times per week | 156,730 | 33.80 | 32.47 |
| 300 | Less than one time per month | 3,631 | 0.78 | 0.72 |
| 301 - 399 | Times per month | 197,004 | 42.49 | 40.33 |
| 555 | Never | 65,933 | 14.22 | 16.48 |
| 777 | Don't know/Not sure | 5,509 | 1.19 | 1.05 |
| 999 | Refused | 2,888 | 0.62 | 2.27 |
| BLANK | Not asked or Missing | 28,139 | | |

How many times did you eat OTHER vegetables?

Section: 11.6 Fruits & Vegetables

Type: Num

Column: 217-219

SAS Variable Name: VEGETAB1

Prologue:

Description: Not counting what you just told me about, during the past month, about how many times per day, week, or month did you eat OTHER vegetables? Examples of other vegetables include tomatoes, tomato juice or V-8 juice, corn, eggplant, peas, lettuce, cabbage, and white potatoes that are not fried such as baked or mashed potatoes.(Read only if needed: "Do not count vegetables you have already counted and do not include fried potatoes.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 101 - 199 | Times per day | 153,138 | 33.10 | 30.26 |
| 201 - 299 | Times per week | 138,659 | 29.97 | 31.33 |
| 300 | Less than one time per month | 818 | 0.18 | 0.14 |
| 301 - 399 | Times per month | 152,221 | 32.90 | 32.33 |
| 555 | Never | 8,015 | 1.73 | 2.39 |
| 777 | Don't know/Not sure | 6,561 | 1.42 | 1.19 |
| 999 | Refused | 3,238 | 0.70 | 2.35 |
| BLANK | Not asked or Missing | 29,123 | | |

Exercise in Past 30 Days

Section: 12.1 Exercise (Physical Activity)

Type: Num

Column: 220

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------------|---|------------------|-------------------|----------------------------|
| 1 | Yes | 332,429 | 72.20 | 72.02 |
| 2 | No--Go to Section 12.08 STRENGTH | 125,314 | 27.22 | 26.05 |
| 7 | Don't know/Not Sure--Go to Section 12.08 STRENGTH | 561 | 0.12 | 0.13 |
| 9 | Refused--Go to Section 12.08 STRENGTH | 2,154 | 0.47 | 1.80 |
| BLANK | Not asked or Missing | 31,315 | | |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2013
Land-Line and Cell-Phone data

Type of Physical Activity

Section: 12.2 Exercise (Physical Activity)

Type: Num

Column: 221-222

SAS Variable Name: EXTRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Active Gaming Devices (Wii Fit, Dance, Dance revolution) | 304 | 0.09 | 0.08 |
| 2 | Aerobics video or class | 8,179 | 2.46 | 2.18 |
| 3 | Backpacking | 42 | 0.01 | 0.01 |
| 4 | Badminton | 39 | 0.01 | 0.02 |
| 5 | Basketball | 2,239 | 0.67 | 1.35 |
| 6 | Bicycling machine exercise | 7,214 | 2.17 | 1.79 |
| 7 | Bicycling | 8,566 | 2.58 | 2.91 |
| 8 | Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping) | 194 | 0.06 | 0.05 |
| 9 | Bowling | 678 | 0.20 | 0.16 |
| 10 | Boxing | 309 | 0.09 | 0.15 |
| 11 | Calisthenics | 4,990 | 1.50 | 1.77 |
| 12 | Canoeing/rowing in competition | 106 | 0.03 | 0.03 |
| 13 | Carpentry | 190 | 0.06 | 0.06 |
| 14 | Dancing-ballet, ballroom, Latin, hip hop, etc | 2,508 | 0.76 | 0.96 |
| 15 | Elliptical/EFX machine exercise | 5,839 | 1.76 | 1.77 |
| 16 | Fishing from river bank or boat | 328 | 0.10 | 0.08 |
| 17 | Frisbee | 111 | 0.03 | 0.04 |
| 18 | Gardening (spading, weeding, digging, filling) | 20,014 | 6.03 | 4.70 |
| 19 | Golf (with motorized cart) | 4,452 | 1.34 | 1.21 |
| 20 | Golf (without motorized cart) | 2,059 | 0.62 | 0.59 |
| 21 | Handball | 22 | 0.01 | 0.01 |
| 22 | Hiking - cross-country | 2,617 | 0.79 | 0.85 |
| 23 | Hockey | 284 | 0.09 | 0.11 |
| 24 | Horseback riding | 549 | 0.17 | 0.12 |
| 25 | Hunting large game - deer, elk | 294 | 0.09 | 0.08 |
| 26 | Hunting small game - quail | 140 | 0.04 | 0.04 |
| 27 | Inline Skating | 27 | 0.01 | 0.01 |
| 28 | Jogging | 3,270 | 0.98 | 1.44 |
| 29 | Lacrosse | 26 | 0.01 | 0.01 |
| 30 | Mountain climbing | 53 | 0.02 | 0.02 |
| 31 | Mowing lawn | 1,457 | 0.44 | 0.30 |
| 32 | Paddleball | 31 | 0.01 | 0.01 |
| 33 | Painting/papering house | 83 | 0.02 | 0.02 |
| 34 | Pilates | 679 | 0.20 | 0.21 |
| 35 | Racquetball | 253 | 0.08 | 0.10 |
| 36 | Raking lawn | 235 | 0.07 | 0.04 |
| 37 | Running | 23,153 | 6.97 | 11.02 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2013
Land-Line and Cell-Phone data

Type of Physical Activity

Section: 12.2 Exercise (Physical Activity)

Type: Num

Column: 221-222

SAS Variable Name: EXTRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 38 | Rock Climbing | 153 | 0.05 | 0.06 |
| 39 | Rope skipping | 41 | 0.01 | 0.01 |
| 40 | Rowing machine exercise | 249 | 0.07 | 0.06 |
| 41 | Rugby | 38 | 0.01 | 0.02 |
| 42 | Scuba diving | 21 | 0.01 | 0.01 |
| 43 | Skateboarding | 149 | 0.04 | 0.09 |
| 44 | Skating - ice or roller | 197 | 0.06 | 0.08 |
| 45 | Sledding, tobogganing | 23 | 0.01 | 0.01 |
| 46 | Snorkeling | 32 | 0.01 | 0.01 |
| 47 | Snow blowing | 41 | 0.01 | 0.00 |
| 48 | Snow shoveling by hand | 504 | 0.15 | 0.08 |
| 49 | Snow skiing | 605 | 0.18 | 0.09 |
| 50 | Snowshoeing | 126 | 0.04 | 0.02 |
| 51 | Soccer | 960 | 0.29 | 0.73 |
| 52 | Softball/Baseball | 730 | 0.22 | 0.33 |
| 53 | Squash | 34 | 0.01 | 0.02 |
| 54 | Stair climbing/Stair master | 909 | 0.27 | 0.25 |
| 55 | Stream fishing in waders | 6 | 0.00 | 0.00 |
| 56 | Surfing | 180 | 0.05 | 0.06 |
| 57 | Swimming | 3,371 | 1.01 | 1.03 |
| 58 | Swimming in laps | 1,630 | 0.49 | 0.41 |
| 59 | Table tennis | 43 | 0.01 | 0.01 |
| 60 | Tai Chi | 285 | 0.09 | 0.07 |
| 61 | Tennis | 1,469 | 0.44 | 0.50 |
| 62 | Touch football | 102 | 0.03 | 0.07 |
| 63 | Volleyball | 493 | 0.15 | 0.21 |
| 64 | Walking | 179,996 | 54.19 | 49.17 |
| 66 | Waterskiing | 99 | 0.03 | 0.03 |
| 67 | Weight lifting | 10,222 | 3.08 | 4.64 |
| 68 | Wrestling | 109 | 0.03 | 0.05 |
| 69 | Yoga | 2,691 | 0.81 | 0.89 |
| 71 | Childcare | 575 | 0.17 | 0.19 |
| 72 | Farm/Ranch Work (caring for livestock, stacking hay, etc.) | 1,164 | 0.35 | 0.24 |
| 73 | Household Activities (vacuuming, dusting, home repair, etc.) | 2,116 | 0.64 | 0.45 |
| 74 | Karate/Martial Arts | 640 | 0.19 | 0.29 |
| 75 | Upper Body Cycle (wheelchair sports, ergometer, etc.) | 208 | 0.06 | 0.07 |
| 76 | Yard work (cutting/gathering wood, trimming hedges, etc.) | 4,931 | 1.48 | 1.10 |
| 98 | Other_____ | 14,118 | 4.25 | 3.95 |

Type of Physical Activity

Section: 12.2 Exercise (Physical Activity)

Type: Num

Column: 221-222

SAS Variable Name: EXRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 77 | Don't know/Not Sure--Go to Section 12.08 STRENGTH | 899 | 0.27 | 0.27 |
| 99 | Refused--Go to Section 12.08 STRENGTH | 457 | 0.14 | 0.15 |
| BLANK | Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing | 159,623 | | |

How Many Times Walking, Running, Jogging, or Swimming

Section: 12.3 Exercise (Physical Activity)

Type: Num

Column: 223-225

SAS Variable Name: EXEROFT1

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 101 - 199 | Times per week | 234,098 | 70.87 | 71.59 |
| 200 | | 1 | 0.00 | 0.00 |
| 201 - 299 | Times per month | 93,468 | 28.30 | 27.71 |
| 777 | Don't know/Not sure | 2,336 | 0.71 | 0.58 |
| 999 | Refused | 427 | 0.13 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXRACT11 is coded 77, 99 | 161,443 | | |

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 12.4 Exercise (Physical Activity)

Type: Num

Column: 226-228

SAS Variable Name: EXERHMM1

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 1 - 759 | Hours and Minutes | 321,751 | 97.72 | 98.05 |
| 777 | Don't know/Not sure | 5,527 | 1.68 | 1.30 |
| 800 - 959 | Hours and Minutes | 1,586 | 0.48 | 0.52 |
| 999 | Refused | 382 | 0.12 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXRACT11 is coded 77, 99 | 162,527 | | |

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 12.5 Exercise (Physical Activity)

Type: Num

Column: 229-230

SAS Variable Name: EXTRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Active Gaming Devices (Wii Fit, Dance, Dance revolution) | 508 | 0.15 | 0.17 |
| 2 | Aerobics video or class | 5,291 | 1.61 | 1.44 |
| 3 | Backpacking | 40 | 0.01 | 0.01 |
| 4 | Badminton | 46 | 0.01 | 0.02 |
| 5 | Basketball | 2,421 | 0.73 | 1.25 |
| 6 | Bicycling machine exercise | 6,483 | 1.97 | 1.74 |
| 7 | Bicycling | 9,358 | 2.84 | 3.06 |
| 8 | Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping) | 448 | 0.14 | 0.11 |
| 9 | Bowling | 977 | 0.30 | 0.23 |
| 10 | Boxing | 286 | 0.09 | 0.16 |
| 11 | Calisthenics | 5,366 | 1.63 | 1.87 |
| 12 | Canoeing/rowing in competition | 198 | 0.06 | 0.05 |
| 13 | Carpentry | 422 | 0.13 | 0.10 |
| 14 | Dancing-ballet, ballroom, Latin, hip hop, etc | 3,090 | 0.94 | 1.13 |
| 15 | Elliptical/EFX machine exercise | 4,061 | 1.23 | 1.28 |
| 16 | Fishing from river bank or boat | 927 | 0.28 | 0.21 |
| 17 | Frisbee | 171 | 0.05 | 0.07 |
| 18 | Gardening (spading, weeding, digging, filling) | 16,092 | 4.88 | 3.88 |
| 19 | Golf (with motorized cart) | 3,079 | 0.93 | 0.82 |
| 20 | Golf (without motorized cart) | 1,807 | 0.55 | 0.54 |
| 21 | Handball | 27 | 0.01 | 0.01 |
| 22 | Hiking - cross-country | 2,444 | 0.74 | 0.73 |
| 23 | Hockey | 173 | 0.05 | 0.08 |
| 24 | Horseback riding | 784 | 0.24 | 0.16 |
| 25 | Hunting large game - deer, elk | 344 | 0.10 | 0.08 |
| 26 | Hunting small game - quail | 237 | 0.07 | 0.05 |
| 27 | Inline Skating | 38 | 0.01 | 0.02 |
| 28 | Jogging | 2,132 | 0.65 | 0.93 |
| 29 | Lacrosse | 28 | 0.01 | 0.01 |
| 30 | Mountain climbing | 54 | 0.02 | 0.02 |
| 31 | Mowing lawn | 2,902 | 0.88 | 0.58 |
| 32 | Paddleball | 19 | 0.01 | 0.01 |
| 33 | Painting/papering house | 221 | 0.07 | 0.05 |
| 34 | Pilates | 1,018 | 0.31 | 0.27 |
| 35 | Racquetball | 252 | 0.08 | 0.09 |
| 36 | Raking lawn | 395 | 0.12 | 0.07 |
| 37 | Running | 9,714 | 2.95 | 4.62 |

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 12.5 Exercise (Physical Activity)

Type: Num

Column: 229-230

SAS Variable Name: EXTRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 38 | Rock Climbing | 169 | 0.05 | 0.08 |
| 39 | Rope skipping | 103 | 0.03 | 0.04 |
| 40 | Rowing machine exercise | 377 | 0.11 | 0.08 |
| 41 | Rugby | 35 | 0.01 | 0.02 |
| 42 | Scuba diving | 41 | 0.01 | 0.02 |
| 43 | Skateboarding | 142 | 0.04 | 0.10 |
| 44 | Skating - ice or roller | 214 | 0.06 | 0.09 |
| 45 | Sledding, tobogganing | 52 | 0.02 | 0.01 |
| 46 | Snorkeling | 41 | 0.01 | 0.01 |
| 47 | Snow blowing | 117 | 0.04 | 0.02 |
| 48 | Snow shoveling by hand | 1,530 | 0.46 | 0.27 |
| 49 | Snow skiing | 750 | 0.23 | 0.13 |
| 50 | Snowshoeing | 201 | 0.06 | 0.03 |
| 51 | Soccer | 796 | 0.24 | 0.57 |
| 52 | Softball/Baseball | 796 | 0.24 | 0.37 |
| 53 | Squash | 45 | 0.01 | 0.02 |
| 54 | Stair climbing/Stair master | 3,027 | 0.92 | 0.73 |
| 55 | Stream fishing in waders | 26 | 0.01 | 0.01 |
| 56 | Surfing | 164 | 0.05 | 0.06 |
| 57 | Swimming | 5,303 | 1.61 | 1.70 |
| 58 | Swimming in laps | 1,710 | 0.52 | 0.50 |
| 59 | Table tennis | 55 | 0.02 | 0.02 |
| 60 | Tai Chi | 378 | 0.11 | 0.10 |
| 61 | Tennis | 1,178 | 0.36 | 0.42 |
| 62 | Touch football | 130 | 0.04 | 0.09 |
| 63 | Volleyball | 598 | 0.18 | 0.21 |
| 64 | Walking | 44,854 | 13.61 | 12.73 |
| 66 | Waterskiing | 85 | 0.03 | 0.03 |
| 67 | Weight lifting | 18,444 | 5.60 | 6.99 |
| 68 | Wrestling | 117 | 0.04 | 0.05 |
| 69 | Yoga | 4,560 | 1.38 | 1.29 |
| 71 | Childcare | 2,610 | 0.79 | 0.79 |
| 72 | Farm/Ranch Work (caring for livestock, stacking hay, etc.) | 1,757 | 0.53 | 0.31 |
| 73 | Household Activities (vacuuming, dusting, home repair, etc.) | 14,959 | 4.54 | 3.01 |
| 74 | Karate/Martial Arts | 392 | 0.12 | 0.16 |
| 75 | Upper Body Cycle (wheelchair sports, ergometer, etc.) | 334 | 0.10 | 0.10 |
| 76 | Yard work (cutting/gathering wood, trimming hedges, etc.) | 10,345 | 3.14 | 2.26 |
| 88 | No other activity--Go to Section 12.08 STRENGTH | 109,455 | 33.21 | 34.51 |

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 12.5 Exercise (Physical Activity)

Type: Num

Column: 229-230

SAS Variable Name: EXTRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 98 | Other_____ | 17,938 | 5.44 | 4.95 |
| 77 | Don't know/Not Sure--Go to Section 12.08 STRENGTH | 3,028 | 0.92 | 0.91 |
| 99 | Refused--Go to Section 12.08 STRENGTH | 921 | 0.28 | 0.30 |
| BLANK | Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXTRACT11 is coded 77, 99 | 162,143 | | |

How Many Times Walking, Running, Jogging, or Swimming

Section: 12.6 Exercise (Physical Activity)

Type: Num

Column: 231-233

SAS Variable Name: EXEROFT2

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|---------------------|
| 2 | | 1 | 0.00 | 0.00 |
| 101 - 199 | Times per week | 142,129 | 65.83 | 66.51 |
| 201 - 299 | Times per month | 71,429 | 33.08 | 32.58 |
| 777 | Don't know/Not sure | 1,976 | 0.92 | 0.74 |
| 999 | Refused | 362 | 0.17 | 0.18 |
| BLANK | Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXTRACT11 is coded 77, 99 or Section 12.05, EXTRACT21 is coded 77, 88, 99 | 275,876 | | |

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 12.7 Exercise (Physical Activity)

Type: Num

Column: 234-236

SAS Variable Name: EXERHMM2

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|---------------------|
| 0 | | 2 | 0.00 | 0.00 |
| 1 - 759 | Hours and Minutes | 206,325 | 97.00 | 97.47 |
| 777 | Don't know/Not sure | 4,190 | 1.97 | 1.49 |
| 800 - 959 | Hours and Minutes | 1,774 | 0.83 | 0.84 |
| 999 | Refused | 424 | 0.20 | 0.20 |
| BLANK | Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXTRACT11 is coded 77, 99 or Section 12.05, EXTRACT21 is coded 77, 88, 99 | 279,058 | | |

How many times did you do physical activities or exercises to STRENGTHEN your muscles?

Section: 12.8 Exercise (Physical Activity)

Type: Num

Column: 237-239

SAS Variable Name: STRENGTH

Prologue:

Description: During the past month, how many times per week or per month did you do physical activities or exercises to STRENGTHEN your muscles? [Do NOT count aerobic activities like walking, running, or bicycling. Count activities using your own body weight like yoga, sit-ups or push-ups and those using weight machines, free weights, or elastic bands.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------|-----------|------------|---------------------|
| 101 - 199 | Times per week | 112,881 | 24.67 | 27.22 |
| 201 - 299 | Times per month | 55,163 | 12.06 | 12.82 |
| 777 | Don't know / Not sure | 2,930 | 0.64 | 0.53 |
| 888 | Never | 283,900 | 62.05 | 57.46 |
| 999 | Refused | 2,683 | 0.59 | 1.98 |
| BLANK | Not asked or Missing | 34,216 | | |

Limited Because of Joint Symptoms

Section: 13.1 Arthritis Burden

Type: Num

Column: 240

SAS Variable Name: LMTJOIN3

Prologue: Arthritis can cause symptoms like pain, aching, or stiffness in or around a joint.

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 76,306 | 49.16 | 49.31 |
| 2 | No | 77,101 | 49.67 | 48.48 |
| 7 | Don't know/Not sure | 1,074 | 0.69 | 0.62 |
| 9 | Refused | 749 | 0.48 | 1.60 |
| BLANK | Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing | 336,543 | | |

Does Arthritis Affect Whether You Work

Section: 13.2 Arthritis Burden

Type: Num

Column: 241

SAS Variable Name: ARTHDIS2

Prologue: In this next question we are referring to work for pay.

Description: Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 48,877 | 31.52 | 34.14 |
| 2 | No | 101,661 | 65.56 | 62.07 |
| 7 | Don't know/Not Sure | 2,758 | 1.78 | 1.53 |
| 9 | Refused | 1,772 | 1.14 | 2.26 |
| BLANK | Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing | 336,705 | | |

Social Activities Limited Because of Joint Symptoms

Section: 13.3 Arthritis Burden

Type: Num

Column: 242

SAS Variable Name: ARTHSOCL

Prologue:

Description: During the past 30 days, to what extent has your arthritis or joint symptoms interfered with your normal social activities, such as going shopping, to the movies, or to religious or social gatherings?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | A lot | 28,847 | 18.62 | 19.50 |
| 2 | A little | 37,097 | 23.95 | 24.40 |
| 3 | Not at all | 87,279 | 56.35 | 53.91 |
| 7 | Don't know/Not Sure | 781 | 0.50 | 0.47 |
| 9 | Refused | 886 | 0.57 | 1.71 |
| BLANK | Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing | 336,883 | | |

How Bad Was Joint Pain

Section: 13.4 Arthritis Burden

Type: Num

Column: 243-244

SAS Variable Name: JOINPAIN

Prologue:

Description: Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? [Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 0 - 10 | Enter number [0-10] | 147,740 | 97.72 | 96.85 |
| 77 | Don't know/Not Sure | 2,392 | 1.58 | 1.24 |
| 99 | Refused | 1,054 | 0.70 | 1.91 |
| BLANK | Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing | 340,587 | | |

How often use seatbelts in car?

Section: 14.1 Seatbelt Use

Type: Num

Column: 245

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------|-----------|------------|---------------------|
| 1 | Always | 390,314 | 85.61 | 85.13 |
| 2 | Nearly always | 34,501 | 7.57 | 6.36 |
| 3 | Sometimes | 13,732 | 3.01 | 2.86 |
| 4 | Seldom | 5,716 | 1.25 | 1.16 |
| 5 | Never | 7,442 | 1.63 | 1.63 |
| 7 | Don't know/Not sure | 321 | 0.07 | 0.06 |
| 8 | Never drive or ride in a car | 1,140 | 0.25 | 0.25 |
| 9 | Refused | 2,781 | 0.61 | 2.54 |
| BLANK | Not asked or Missing | 35,826 | | |

Adult flu shot/spray past 12 mos

Section: 15.1 Immunization

Type: Num

Column: 246

SAS Variable Name: FLUSHOT6

Prologue: Now I will ask you questions about the flu vaccine. There are two ways to get the flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a flu shot or a flu vaccine that was sprayed in your nose? (A new flu shot came out in 2011 that injects vaccine into the skin with a very small needle. It is called Fluzone Intradermal vaccine. This is also considered a flu shot.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 208,387 | 45.79 | 37.43 |
| 2 | No--Go to Section 15.03 TETANUS | 242,939 | 53.38 | 59.75 |
| 7 | Don't know/Not Sure--Go to Section 15.03 TETANUS | 959 | 0.21 | 0.23 |
| 9 | Refused--Go to Section 15.03 TETANUS | 2,791 | 0.61 | 2.58 |
| BLANK | Not asked or Missing | 36,697 | | |

When did you (adult) receive your most recent seasonal flu shot/spray?

Section: 15.2 Immunization

Type: Num

Column: 247-252

SAS Variable Name: FLSHTMY2

Prologue:

Description: During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------------|---|-----------|------------|---------------------|
| 12012 - 122013 | Month / Year | 194,578 | 93.42 | 91.67 |
| 777777 | Don't know/Not Sure | 13,097 | 6.29 | 7.80 |
| 999999 | Refused | 615 | 0.30 | 0.53 |
| BLANK | Not asked or Missing Notes: Section 15.01, FLUSHOT6, is coded 2, 7, or 9 | 283,483 | | |

Received Tetanus Shot Since 2005?

Section: 15.3 Immunization

Type: Num

Column: 253

SAS Variable Name: TETANUS

Prologue:

Description: Since 2005, have you had a tetanus shot? (If yes, ask: "Was this Tdap, the tetanus shot that also has pertussis or whooping cough vaccine?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes, received Tdap | 80,782 | 17.77 | 18.20 |
| 2 | Yes, received tetanus shot, but not Tdap | 33,332 | 7.33 | 7.58 |
| 3 | Yes, received tetanus shot but not sure what type | 114,130 | 25.10 | 24.76 |
| 4 | No, did not receive any tetanus since 2005 | 180,163 | 39.63 | 37.97 |
| 7 | Don't know/Not Sure | 43,420 | 9.55 | 8.89 |
| 9 | Refused | 2,820 | 0.62 | 2.60 |
| BLANK | Not asked or Missing | 37,126 | | |

Pneumonia shot ever

Section: 15.4 Immunization

Type: Num

Column: 254

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 161,784 | 35.61 | 27.15 |
| 2 | No | 245,512 | 54.03 | 57.84 |
| 7 | Don't know/Not Sure | 44,318 | 9.75 | 12.40 |
| 9 | Refused | 2,770 | 0.61 | 2.60 |
| BLANK | Not asked or Missing | 37,389 | | |

Ever tested HIV

Section: 16.1 HIV/AIDS

Type: Num

Column: 255

SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 132,093 | 29.16 | 35.86 |
| 2 | No--Go to optional module transition | 305,106 | 67.36 | 59.14 |
| 7 | Don't know/Not Sure--Go to optional module transition | 12,004 | 2.65 | 2.18 |
| 9 | Refused--Go to optional module transition | 3,753 | 0.83 | 2.82 |
| BLANK | Not asked or Missing | 38,817 | | |

Month and Year of Last HIV Test

Section: 16.2 HIV/AIDS

Type: Num

Column: 256-261

SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------------|---|-----------|------------|---------------------|
| 11985 - 122014 | Code month and year Notes: __/___ ___ month and year | 104,423 | 79.10 | 79.86 |
| 777777 | Don't know/Not sure | 27,198 | 20.60 | 19.87 |
| 999999 | Refused | 392 | 0.30 | 0.27 |
| BLANK | Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing | 359,760 | | |

Location of last HIV test

Section: 16.3 HIV/AIDS

Type: Num

Column: 262-263

SAS Variable Name: WHRTST10

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, in the emergency room, as an inpatient in a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Private doctor or HMO | 58,565 | 44.40 | 43.85 |
| 2 | Counseling and testing site | 4,928 | 3.74 | 3.84 |
| 3 | Hospital inpatient | 13,105 | 9.94 | 9.06 |
| 4 | Clinic | 28,774 | 21.82 | 23.16 |
| 5 | Jail or prison (or other correctional facility) | 1,608 | 1.22 | 1.60 |
| 6 | Drug treatment facility | 692 | 0.52 | 0.56 |
| 7 | At home | 3,589 | 2.72 | 2.32 |
| 8 | Somewhere else | 15,294 | 11.60 | 10.39 |
| 9 | Emergency room | 2,323 | 1.76 | 1.82 |
| 77 | Don't know/Not sure | 2,033 | 1.54 | 1.18 |
| 99 | Refused | 978 | 0.74 | 2.23 |
| BLANK | Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing | 359,884 | | |

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Type: Num

Column: 270

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 140,494 | 59.58 | 54.08 |
| 2 | No | 84,613 | 35.88 | 41.75 |
| 7 | Don't know/Not Sure | 10,524 | 4.46 | 4.10 |
| 9 | Refused | 161 | 0.07 | 0.07 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 1 | 255,981 | | |

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 271

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 22,432 | 9.53 | 8.03 |
| 2 | Yes, during pregnancy | 2,832 | 1.20 | 1.22 |
| 3 | No | 209,142 | 88.84 | 90.31 |
| 7 | Don't know/Not Sure | 881 | 0.37 | 0.39 |
| 9 | Refused | 133 | 0.06 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 1; If Section 07.12, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes); | 256,353 | | |

Age When Told Diabetic

Module: 2.1 Diabetes

Type: Num

Column: 272-273

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 97 | Age in years [97 = 97 and older] Notes: _ _ Code age in years, 97 = 97 or older | 32,816 | 93.56 | 94.63 |
| 98 | Don't know/Not sure | 2,099 | 5.98 | 4.95 |
| 99 | Refused | 161 | 0.46 | 0.42 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 456,697 | | |

Now Taking Insulin

Module: 2.2 Diabetes

Type: Num

Column: 274

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 11,261 | 32.11 | 32.34 |
| 2 | No | 23,761 | 67.74 | 67.49 |
| 9 | Refused | 53 | 0.15 | 0.17 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 456,698 | | |

How Often Check Blood for Glucose

Module: 2.3 Diabetes

Type: Num

Column: 275-277

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 101 - 199 | Times per day Notes: 1 _ _ Times per day | 22,087 | 62.97 | 61.43 |
| 201 - 299 | Times per week Notes: 2 _ _ Times per week | 5,720 | 16.31 | 16.60 |
| 301 - 399 | Times per month Notes: 3 _ _ Times per month | 1,924 | 5.49 | 5.70 |
| 401 - 499 | Times per year Notes: 4 _ _ Times per year | 736 | 2.10 | 2.25 |
| 777 | Don't know/Not sure | 535 | 1.53 | 1.63 |
| 888 | Never | 3,965 | 11.30 | 12.05 |
| 999 | Refused | 108 | 0.31 | 0.35 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 456,698 | | |

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes

Type: Num

Column: 278-280

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 101 - 199 | Times per day Notes: 1 _ _ Times per day | 21,467 | 61.20 | 60.61 |
| 201 - 299 | Times per week Notes: 2 _ _ Times per week | 5,398 | 15.39 | 15.21 |
| 301 - 399 | Times per month Notes: 3 _ _ Times per month | 1,807 | 5.15 | 5.38 |
| 401 - 499 | Times per year Notes: 4 _ _ Times per year | 507 | 1.45 | 1.55 |
| 555 | No feet | 285 | 0.81 | 0.93 |
| 777 | Don't know/Not sure | 924 | 2.63 | 2.28 |
| 888 | Never | 4,493 | 12.81 | 13.48 |
| 999 | Refused | 193 | 0.55 | 0.56 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 456,699 | | |

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes

Type: Num

Column: 281-282

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more | 29,846 | 85.10 | 85.03 |
| 88 | None | 3,581 | 10.21 | 10.55 |
| 77 | Don't know/Not sure | 1,429 | 4.07 | 3.65 |
| 99 | Refused | 217 | 0.62 | 0.78 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 456,700 | | |

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes

Type: Num

Column: 283-284

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: __ Number of times, 76 = 76 or more | 28,020 | 79.89 | 78.87 |
| 88 | None | 2,379 | 6.78 | 8.24 |
| 98 | Never heard of "A one C" test | 1,460 | 4.16 | 3.66 |
| 77 | Don't know/Not sure | 3,058 | 8.72 | 8.66 |
| 99 | Refused | 155 | 0.44 | 0.57 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 456,701 | | |

Times Feet Check for Sores/irritations

Module: 2.7 Diabetes

Type: Num

Column: 285-286

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: __ Number of times, 76=76 or more | 24,538 | 70.55 | 69.82 |
| 88 | None | 8,823 | 25.37 | 26.58 |
| 77 | Don't know/Not sure | 1,271 | 3.65 | 3.17 |
| 99 | Refused | 151 | 0.43 | 0.43 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555 | 456,990 | | |

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes

Type: Num

Column: 287

SAS Variable Name: EYEEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Within the past month (anytime less than 1 month ago) | 6,876 | 19.61 | 19.21 |
| 2 | Within the past year (1 month but less than 12 months ago) | 17,475 | 49.83 | 46.91 |
| 3 | Within the past 2 years (1 year but less than 2 years ago) | 4,413 | 12.58 | 13.64 |
| 4 | 2 or more years ago | 4,542 | 12.95 | 13.83 |
| 7 | Don't know/Not sure | 519 | 1.48 | 1.73 |
| 8 | Never | 1,178 | 3.36 | 4.52 |
| 9 | Refused | 65 | 0.19 | 0.16 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 456,705 | | |

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes

Type: Num

Column: 288

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 6,772 | 19.31 | 19.14 |
| 2 | No | 27,791 | 79.25 | 79.75 |
| 7 | Don't know/Not sure | 469 | 1.34 | 1.00 |
| 9 | Refused | 36 | 0.10 | 0.10 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 456,705 | | |

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes

Type: Num

Column: 289

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 18,999 | 54.18 | 53.75 |
| 2 | No | 15,936 | 45.44 | 45.92 |
| 7 | Don't know/Not sure | 102 | 0.29 | 0.25 |
| 9 | Refused | 31 | 0.09 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 456,705 | | |

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 290-291

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 491,773 | | |

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 292-293

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 491,773 | | |

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 294-295

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 491,773 | | |

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 296-297

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 491,773 | | |

Do you have Medicare?

Module: 4.1 Health Care Access

Type: Num

Column: 298

SAS Variable Name: MEDICARE

Prologue:

Description: Do you have Medicare? (Medicare is a coverage plan for people 65 or over and for certain disabled people.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 134,647 | 42.72 | 30.11 |
| 2 | No | 178,204 | 56.53 | 68.83 |
| 7 | Don't know/Not sure | 1,842 | 0.58 | 0.93 |
| 9 | Refused | 521 | 0.17 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 2, 7, or 9; | 176,559 | | |

Health Insurance Coverage

Module: 4.2 Health Care Access

Type: Char

Column: 299-312

SAS Variable Name: HLTHCVRG

Prologue:

Description: Are you CURRENTLY covered by any of the following types of health insurance or health coverage plans? [Select all that apply]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 88 | None | 28,722 | 9.10 | 10.48 |
| 77 | Don't know/Not Sure | 2,374 | 0.75 | 0.72 |
| 99 | Refused | 1,572 | 0.50 | 0.50 |
| BLANK | Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 2, 7, or 9; | 176,018 | | |
| HIDDEN | Data not displayed | 283,087 | 89.65 | 88.29 |

Delayed Getting Medical Care

Module: 4.3 Health Care Access

Type: Num

Column: 313

SAS Variable Name: DELAYMED

Prologue: Other than cost, there are many other reasons people delay getting needed medical care.

Description: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | You couldn't get through on the telephone | 2,531 | 0.72 | 0.90 |
| 2 | You couldn't get an appointment soon enough | 18,585 | 5.32 | 5.89 |
| 3 | Once you got there, you had to wait too long to see the doctor | 9,406 | 2.69 | 3.61 |
| 4 | The (clinic/doctor's) office wasn't open when you got there. | 2,375 | 0.68 | 0.78 |
| 5 | You didn't have transportation | 12,045 | 3.44 | 3.81 |
| 6 | Other--Go to Module 04.4 DLYOTHER | 15,428 | 4.41 | 4.82 |
| 7 | Don't know/Not Sure | 1,919 | 0.55 | 0.58 |
| 8 | No, I did not delay getting medical care/did not need medical care | 286,406 | 81.91 | 79.32 |
| 9 | Refused | 960 | 0.27 | 0.29 |
| BLANK | Not asked or Missing | 142,118 | | |

Delayed Getting Medical Care Other Response

Module: 4.4 Health Care Access

Type: Char

Column: 314-338

SAS Variable Name: DLYOTHER

Prologue:

Description: Delayed Getting Medical Care Other Response

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Module 04.03, DELAYMED, is not coded 6 | 491,773 | 100.00 | 100.00 |

Without Health Care Coverage Past 12 Months

Module: 4.5 Health Care Access

Type: Num

Column: 339

SAS Variable Name: NOCOV121

Prologue:

Description: In the PAST 12 MONTHS was there any time when you did NOT have ANY health insurance or coverage?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 14,917 | 4.81 | 6.76 |
| 2 | No | 294,584 | 94.90 | 92.16 |
| 7 | Don't know/Not Sure | 416 | 0.13 | 0.18 |
| 9 | Refused | 514 | 0.17 | 0.90 |
| BLANK | Not asked or Missing | 181,342 | | |

Time Since Last Had Health Care Coverage

Module: 4.6 Health Care Access

Type: Num

Column: 340

SAS Variable Name: LSTCOVRG

Prologue:

Description: About how long has it been since you last had health care coverage?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 6 months or less | 5,029 | 12.84 | 12.62 |
| 2 | More than 6 months, but not more than 1 year ago | 3,139 | 8.01 | 8.60 |
| 3 | More than 1 year, but not more than 3 years ago | 7,622 | 19.46 | 20.62 |
| 4 | More than 3 years | 15,440 | 39.41 | 35.83 |
| 5 | Never | 5,426 | 13.85 | 16.63 |
| 7 | Don't know/Not Sure | 1,857 | 4.74 | 4.68 |
| 9 | Refused | 660 | 1.68 | 1.03 |
| BLANK | Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 1; or Module 04.05, NOCOV12, is not equal to missing | 452,600 | | |

Doctor Visits Past 12 Months

Module: 4.7 Health Care Access

Type: Num

Column: 341-342

SAS Variable Name: DRVISITS

Prologue:

Description: How many times have you been to a doctor, nurse, or other health professional in the past 12 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|---------------------|
| 1 - 76 | Number of times | 301,957 | 86.37 | 84.20 |
| 88 | None | 35,415 | 10.13 | 12.90 |
| 77 | Don't know/Not Sure | 11,330 | 3.24 | 2.66 |
| 99 | Refused | 895 | 0.26 | 0.24 |
| BLANK | Not asked or Missing | 142,176 | | |

Could Not Get Medicine Due To Cost

Module: 4.8 Health Care Access

Type: Num

Column: 343

SAS Variable Name: MEDSCOST

Prologue:

Description: Was there a time in the past 12 months when you did not take your medication as prescribed because of cost? Do not include over-the-counter (OTC) medication.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------|-----------|------------|---------------------|
| 1 | Yes | 28,305 | 8.10 | 9.38 |
| 2 | No | 292,529 | 83.68 | 80.70 |
| 3 | No medication was prescribed | 28,046 | 8.02 | 9.67 |
| 7 | Don't know/Not Sure | 491 | 0.14 | 0.19 |
| 9 | Refused | 206 | 0.06 | 0.07 |
| BLANK | Not asked or Missing | 142,196 | | |

Satisfied With Care Received

Module: 4.9 Health Care Access

Type: Num

Column: 344

SAS Variable Name: CARERCVD

Prologue:

Description: In general, how satisfied are you with the health care you received? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Very satisfied | 227,745 | 65.15 | 60.45 |
| 2 | Somewhat satisfied | 98,500 | 28.18 | 31.07 |
| 3 | Not at all satisfied | 12,034 | 3.44 | 4.47 |
| 7 | Don't know/Not Sure | 2,237 | 0.64 | 0.60 |
| 8 | Not applicable | 7,955 | 2.28 | 3.09 |
| 9 | Refused | 1,091 | 0.31 | 0.33 |
| BLANK | Not asked or Missing | 142,211 | | |

Currently Have Medical Bills

Module: 4.10 Health Care Access

Type: Num

Column: 345

SAS Variable Name: MEDBILLS

Prologue:

Description: Do you currently have any medical bills that are being paid off over time? (This could include medical bills being paid off with a credit card, through personal loans, or bill paying arrangements with hospitals or other providers. The bills can be from earlier years as well as this year.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 63,779 | 18.25 | 19.17 |
| 2 | No | 283,431 | 81.08 | 79.91 |
| 7 | Don't know/Not Sure | 2,006 | 0.57 | 0.83 |
| 9 | Refused | 333 | 0.10 | 0.10 |
| BLANK | Not asked or Missing | 142,224 | | |

How often do you drink regular soda or pop?

Module: 5.1 Sugar Drinks

Type: Num

Column: 346-348

SAS Variable Name: SSBSUGAR

Prologue: Now I would like to ask you some questions about sugary beverages

Description: About how often do you drink regular soda or pop that contains sugar? Do not include diet soda or diet pop.(You can answer times per day, week, or month: for example, twice a day, once a week, and so forth.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|----------------------|-----------|------------|---------------------|
| 101 - 199 | Times per day | 14,669 | 14.16 | 18.42 |
| 201 - 299 | Times per week | 16,027 | 15.47 | 17.44 |
| 301 - 399 | Times per month | 26,257 | 25.34 | 25.98 |
| 777 | Don't know/Not sure | 574 | 0.55 | 0.57 |
| 888 | Never | 45,953 | 44.36 | 37.41 |
| 999 | Refused | 120 | 0.12 | 0.17 |
| BLANK | Not asked or Missing | 388,173 | | |

How often did you drink sugar-sweetened drinks?

Module: 5.2 Sugar Drinks

Type: Num

Column: 349-351

SAS Variable Name: SSBFRUT2

Prologue:

Description: During the past 30 days, how often did you drink sugar-sweetened fruit drinks (such as Kool-aid and lemonade), sweet tea, and sports or energy drinks (such as Gatorade and Red Bull)? Do not include 100 percent fruit juice, diet drinks, or artificially sweetened drinks.(You can answer times per day, week, or month: for example, twice a day, once a week, and so forth.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|----------------------|-----------|------------|---------------------|
| 101 - 199 | Times per day | 11,237 | 10.85 | 13.82 |
| 201 - 299 | Times per week | 14,273 | 13.79 | 16.60 |
| 301 - 399 | Times per month | 22,697 | 21.93 | 24.21 |
| 777 | Don't know/Not sure | 740 | 0.71 | 0.75 |
| 888 | Never | 54,461 | 52.61 | 44.54 |
| 999 | Refused | 112 | 0.11 | 0.08 |
| BLANK | Not asked or Missing | 388,253 | | |

Watching Sodium or Salt Intake

Module: 6.1 Sodium or Salt-Related Behavior

Type: Num

Column: 352

SAS Variable Name: WTCHSALT

Prologue: Now I would like to ask you some questions about sodium or salt intake. Most of the sodium or salt we eat comes from processed foods and foods prepared in restaurants. Salt also can be added in cooking or at the table.

Description: Are you currently watching or reducing your sodium or salt intake?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 72,049 | 57.29 | 52.39 |
| 2 | No--Go to Module 06.03 DRADVISE | 52,176 | 41.49 | 45.74 |
| 7 | Don't know/Not Sure--Go to Module 06.03 DRADVISE | 664 | 0.53 | 0.60 |
| 9 | Refused--Go to Module 06.03 DRADVISE | 875 | 0.70 | 1.28 |
| BLANK | Not asked or Missing | 366,009 | | |

How Long Watching Salt/Sodium Intake

Module: 6.2 Sodium or Salt-Related Behavior

Type: Num

Column: 353-355

SAS Variable Name: LONGWTCH

Prologue:

Description: How many days, weeks, months, or years have you been watching or reducing your sodium or salt intake?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|---------------------|
| 101 - 199 | Day(s) | 2,043 | 2.84 | 3.61 |
| 201 - 299 | Week(s) | 1,128 | 1.57 | 2.14 |
| 301 - 399 | Month(s) | 6,532 | 9.07 | 11.62 |
| 401 - 499 | Year(s) | 51,559 | 71.59 | 66.83 |
| 555 | All my life | 7,121 | 9.89 | 10.97 |
| 777 | Don't know/Not Sure | 3,469 | 4.82 | 4.59 |
| 999 | Refused | 166 | 0.23 | 0.25 |
| BLANK | Not asked or Missing Notes: Module 06.01, WTCHSALT, is coded 2, 7, 9, or Missing | 419,755 | | |

Doctor Advised Reduced Sodium/Salt Intake

Module: 6.3 Sodium or Salt-Related Behavior

Type: Num

Column: 356

SAS Variable Name: DRADVISE

Prologue:

Description: Has a doctor or other health professional ever advised you to reduce sodium or salt intake?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 34,247 | 27.25 | 23.48 |
| 2 | No | 89,946 | 71.56 | 74.78 |
| 7 | Don't know/Not Sure | 678 | 0.54 | 0.45 |
| 9 | Refused | 824 | 0.66 | 1.29 |
| BLANK | Not asked or Missing | 366,078 | | |

Age at Asthma Diagnosis

Module: 7.1 Adult Asthma History

Type: Num

Column: 357-358

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|---------------------|
| 11 - 96 | Age 11 or older [96 = 96 and older] Notes: 96=96 and older | 846 | 55.69 | 49.16 |
| 97 | Age 10 or younger | 541 | 35.62 | 44.04 |
| 98 | Don't know/Not sure | 125 | 8.23 | 6.66 |
| 99 | Refused | 7 | 0.46 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing | 490,254 | | |

Asthma During Past 12 Months

Module: 7.2 Adult Asthma History

Type: Num

Column: 359

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 476 | 50.42 | 48.05 |
| 2 | No--Go to Module 07.05 ASRCHKUP | 466 | 49.36 | 51.77 |
| 7 | Don't know/Not sure--Go to Module 07.05 ASRCHKUP | 2 | 0.21 | 0.17 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing | 490,829 | | |

Emergency Asthma Care During Past 12 Months

Module: 7.3 Adult Asthma History

Type: Num

Column: 360-361

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 87 | Number of visits [87 = 87 or more] Notes: 87=87 or more | 149 | 31.30 | 32.56 |
| 88 | None | 325 | 68.28 | 67.20 |
| 98 | Don't know/Not sure | 2 | 0.42 | 0.24 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.02, ASATTACK, is coded 2, 7, 9 or Missing | 491,297 | | |

Urgent Asthma Treatment During Past 12 Months

Module: 7.4 Adult Asthma History

Type: Num

Column: 362-363

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,"]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 87 | Number of visits [87 = 87 or more] Notes: 87=87 or more | 204 | 42.95 | 41.85 |
| 88 | None | 258 | 54.32 | 56.50 |
| 98 | Don't know/Not sure | 12 | 2.53 | 1.60 |
| 99 | Refused | 1 | 0.21 | 0.06 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.02, ASATTACK, is coded 2, 7, 9 or Missing | 491,298 | | |

Routine Asthma Care During Past 12 Months

Module: 7.5 Adult Asthma History

Type: Num

Column: 364-365

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 87 | Number of visits [87 = 87 or more] | 533 | 56.52 | 51.47 |
| 88 | None | 374 | 39.66 | 45.84 |
| 98 | Don't know/Not sure | 36 | 3.82 | 2.69 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing | 490,830 | | |

Activities Limited Because of Asthma During Past 12 Months

Module: 7.6 Adult Asthma History

Type: Num

Column: 366-368

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|---------------------|
| 1 - 365 | Number of days | 273 | 29.01 | 27.97 |
| 777 | Don't know/Not sure | 63 | 6.70 | 5.31 |
| 888 | None | 592 | 62.91 | 65.27 |
| 999 | Refused | 13 | 1.38 | 1.44 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing | 490,832 | | |

Asthma Symptoms During Past 30 Days

Module: 7.7 Adult Asthma History

Type: Num

Column: 369

SAS Variable Name: ASYPTOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Less than once a week | 188 | 20.00 | 20.36 |
| 2 | Once or twice a week | 187 | 19.89 | 21.32 |
| 3 | More that 2 times a week, but not every day | 91 | 9.68 | 8.44 |
| 4 | Every day, but not all the time | 111 | 11.81 | 12.11 |
| 5 | Every day, all the time | 74 | 7.87 | 7.33 |
| 7 | Don't know/Not sure | 28 | 2.98 | 2.19 |
| 8 | Not at any time--Go to Module 07.09 ASTHMED3 | 256 | 27.23 | 27.78 |
| 9 | Refused | 5 | 0.53 | 0.47 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing | 490,833 | | |

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 7.8 Adult Asthma History

Type: Num

Column: 370

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | One or two | 119 | 17.42 | 18.79 |
| 2 | Three to four | 89 | 13.03 | 12.46 |
| 3 | Five | 32 | 4.69 | 3.84 |
| 4 | Six to ten | 32 | 4.69 | 3.67 |
| 5 | More than ten | 65 | 9.52 | 9.21 |
| 7 | Don't know/Not sure | 23 | 3.37 | 2.51 |
| 8 | None | 319 | 46.71 | 49.13 |
| 9 | Refused | 4 | 0.59 | 0.40 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.07, ASYPTOM, is coded 8 | 491,090 | | |

Days used prescribed preventative asthma med in past 30 days

Module: 7.9 Adult Asthma History

Type: Num

Column: 371

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 1 to 14 days | 188 | 20.04 | 21.07 |
| 2 | 15 to 24 days | 33 | 3.52 | 3.17 |
| 3 | 25 to 30 days | 348 | 37.10 | 30.30 |
| 7 | Don't know/Not sure | 12 | 1.28 | 1.27 |
| 8 | Never | 353 | 37.63 | 43.90 |
| 9 | Refused | 4 | 0.43 | 0.29 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing | 490,835 | | |

Times used asthma inhaler during an attack in past 30 days

Module: 7.10 Adult Asthma History

Type: Num

Column: 372

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 1 to 4 times (in the past 30 days) | 250 | 26.71 | 26.17 |
| 2 | 5 to 14 times (in the past 30 days) | 83 | 8.87 | 8.57 |
| 3 | 15 to 29 times (in the past 30 days) | 44 | 4.70 | 3.23 |
| 4 | 30 to 59 times (in the past 30 days) | 52 | 5.56 | 4.09 |
| 5 | 60 to 99 times (in the past 30 days) | 32 | 3.42 | 2.87 |
| 6 | 100 or more times (in the past 30 days) | 16 | 1.71 | 1.05 |
| 7 | Don't know/Not sure | 19 | 2.03 | 2.62 |
| 8 | Never (include no attack in past 30 days) | 436 | 46.58 | 51.12 |
| 9 | Refused | 4 | 0.43 | 0.28 |
| BLANK | Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing | 490,837 | | |

Outpatient rehab after heart attack hosp stay

Module: 8.1 Cardiovascular Health

Type: Num

Column: 373

SAS Variable Name: HAREHAB1

Prologue:

Description: Following your heart attack, did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 2,891 | 33.99 | 31.90 |
| 2 | No | 5,406 | 63.56 | 64.32 |
| 7 | Don't know/Not Sure | 95 | 1.12 | 1.58 |
| 9 | Refused | 114 | 1.34 | 2.20 |
| BLANK | Not asked or Missing Notes: Section 07.01, CVDINFR4, is coded 2, 7, 9 or Missing | 483,267 | | |

Outpatient rehab after hosp stay for stroke

Module: 8.2 Cardiovascular Health

Type: Num

Column: 374

SAS Variable Name: STREHAB1

Prologue:

Description: Following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 1,904 | 30.92 | 30.06 |
| 2 | No | 4,112 | 66.77 | 66.68 |
| 7 | Don't know/Not Sure | 63 | 1.02 | 0.77 |
| 9 | Refused | 79 | 1.28 | 2.50 |
| BLANK | Not asked or Missing Notes: Section 07.03, CVDSTRK3, is coded 2, 7, 9 or Missing | 485,615 | | |

Take Aspirin Daily or Every Other Day

Module: 8.3 Cardiovascular Health

Type: Num

Column: 375

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1 | Yes--Go to Module 08.05 RLIVPAIN | 45,674 | 34.27 | 25.78 |
| 2 | No | 86,576 | 64.96 | 72.98 |
| 7 | Don't know/Not sure | 204 | 0.15 | 0.13 |
| 9 | Refused | 815 | 0.61 | 1.10 |
| BLANK | Not asked or Missing | 358,504 | | |

Health Makes Taking Aspirin Unsafe

Module: 8.4 Cardiovascular Health

Type: Num

Column: 376

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes, not stomach related--Go to next module | 6,168 | 7.04 | 5.13 |
| 2 | Yes, stomach problems--Go to next module | 4,867 | 5.56 | 4.14 |
| 3 | No--Go to next module | 74,807 | 85.42 | 88.43 |
| 7 | Don't know/Not sure--Go to next module | 867 | 0.99 | 0.70 |
| 9 | Refused--Go to next module | 862 | 0.98 | 1.60 |
| BLANK | Not asked or Missing Notes: Module 08.03, CVDASPRN, is coded 1 | 404,202 | | |

Take Aspirin to Relieve Pain

Module: 8.5 Cardiovascular Health

Type: Num

Column: 377

SAS Variable Name: RLIVPAIN

Prologue:

Description: Do you take aspirin to relieve pain?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 9,019 | 19.75 | 24.20 |
| 2 | No | 36,417 | 79.75 | 75.41 |
| 7 | Don't know/Not Sure | 199 | 0.44 | 0.35 |
| 9 | Refused | 31 | 0.07 | 0.04 |
| BLANK | Not asked or Missing Notes: Module 08.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9 | 446,107 | | |

Take Aspirin to Reduce Chance of Heart Attack

Module: 8.6 Cardiovascular Health

Type: Num

Column: 378

SAS Variable Name: RDUCHART

Prologue:

Description: Do you take aspirin to reduce the chance of a heart attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 39,066 | 85.55 | 82.26 |
| 2 | No | 5,429 | 11.89 | 15.71 |
| 7 | Don't know/Not Sure | 1,108 | 2.43 | 1.95 |
| 9 | Refused | 61 | 0.13 | 0.09 |
| BLANK | Not asked or Missing Notes: Module 08.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9 | 446,109 | | |

Take Aspirin to Reduce Chance of Stroke

Module: 8.7 Cardiovascular Health

Type: Num

Column: 379

SAS Variable Name: RDUCSTRK

Prologue:

Description: Do you take aspirin to reduce the chance of a stroke?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 31,142 | 68.20 | 65.78 |
| 2 | No | 10,834 | 23.73 | 27.65 |
| 7 | Don't know/Not Sure | 3,587 | 7.86 | 6.40 |
| 9 | Refused | 99 | 0.22 | 0.17 |
| BLANK | Not asked or Missing Notes: Module 08.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9 | 446,111 | | |

What Can You Do Because of Arthritis or Joint Symptoms

Module: 9.1 Arthritis Management

Type: Num

Column: 380

SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | I can do everything I would like to do | 4,835 | 22.18 | 22.59 |
| 2 | I can do most things I would like to do | 8,733 | 40.07 | 39.53 |
| 3 | I can do some things I would like to do | 5,570 | 25.56 | 24.48 |
| 4 | I can hardly do anything I would like to do | 2,214 | 10.16 | 10.31 |
| 7 | Don't know/Not Sure | 114 | 0.52 | 0.70 |
| 9 | Refused | 330 | 1.51 | 2.38 |
| BLANK | Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing | 469,977 | | |

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 9.2 Arthritis Management

Type: Num

Column: 381

SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 7,581 | 34.79 | 34.18 |
| 2 | No | 13,778 | 63.23 | 63.00 |
| 7 | Don't know/Not Sure | 116 | 0.53 | 0.52 |
| 9 | Refused | 315 | 1.45 | 2.31 |
| BLANK | Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing | 469,983 | | |

Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 9.3 Arthritis Management

Type: Num

Column: 382

SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 11,862 | 54.44 | 53.37 |
| 2 | No | 9,378 | 43.04 | 43.33 |
| 7 | Don't know/Not Sure | 222 | 1.02 | 0.92 |
| 9 | Refused | 326 | 1.50 | 2.38 |
| BLANK | Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing | 469,985 | | |

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 9.4 Arthritis Management

Type: Num

Column: 383

SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 2,467 | 11.33 | 10.28 |
| 2 | No | 18,945 | 87.00 | 87.13 |
| 7 | Don't know/Not Sure | 58 | 0.27 | 0.25 |
| 9 | Refused | 307 | 1.41 | 2.35 |
| BLANK | Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing | 469,996 | | |

Where did you get your last flu shot/vaccine?

Module: 10.1 Influenza

Type: Num

Column: 384-385

SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | A doctor's office or health maintenance organization (HMO) | 9,535 | 41.60 | 41.75 |
| 2 | A health department | 495 | 2.16 | 2.20 |
| 3 | Another type of clinic or health center (Example: a community health center) | 1,593 | 6.95 | 7.16 |
| 4 | A senior, recreation, or community center | 426 | 1.86 | 1.10 |
| 5 | A store (Examples: supermarket, drug store) | 4,935 | 21.53 | 19.14 |
| 6 | A hospital (Example: inpatient) | 1,361 | 5.94 | 5.92 |
| 7 | An emergency room | 24 | 0.10 | 0.14 |
| 8 | Workplace | 3,394 | 14.81 | 17.64 |
| 9 | Some other kind of place | 825 | 3.60 | 3.11 |
| 10 | Received vaccination in Canada/Mexico (Volunteered - Do not read) | 3 | 0.01 | 0.01 |
| 11 | A school | 196 | 0.86 | 0.80 |
| 77 | Don't know / Not sure--Probe: | 62 | 0.27 | 0.26 |
| 99 | Refused | 74 | 0.32 | 0.77 |
| BLANK | Not asked or Missing Notes: Section 15.01, FLUSHOT6, is coded 2, 7, or 9 | 468,850 | | |

Have you ever had the HPV vaccination?

Module: 11.1 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 386

SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 1,352 | 9.80 | 13.27 |
| 2 | No--Go to Next Module | 11,571 | 83.85 | 80.09 |
| 3 | Doctor refused when asked--Go to Next Module | 21 | 0.15 | 0.11 |
| 7 | Don't know/Not Sure--Go to Next Module | 844 | 6.12 | 6.41 |
| 9 | Refused--Go to Next Module | 12 | 0.09 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is greater than 49 | 477,973 | | |

How many HPV shots did you receive?

Module: 11.2 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 387-388

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 - 2 | Number of shots | 463 | 34.25 | 33.78 |
| 3 | All shots | 732 | 54.14 | 57.45 |
| 77 | Don't know/Not Sure | 154 | 11.39 | 8.61 |
| 99 | Refused | 3 | 0.22 | 0.15 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is greater than 49; or Module 11.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing | 490,421 | | |

Have You Ever Had a Mammogram

Module: 12.1 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 389

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 24,330 | 80.59 | 68.38 |
| 2 | No--Go to Module 12.03 PROFEXAM | 5,309 | 17.59 | 29.13 |
| 7 | Don't know/Not sure--Go to Module 12.03 PROFEXAM | 26 | 0.09 | 0.05 |
| 9 | Refused--Go to Module 12.03 PROFEXAM | 523 | 1.73 | 2.44 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1 | 461,585 | | |

How Long since Last Mammogram

Module: 12.2 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 390

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 14,829 | 60.97 | 60.55 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 4,027 | 16.56 | 16.84 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 1,660 | 6.83 | 7.56 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 1,279 | 5.26 | 5.33 |
| 5 | 5 or more years ago | 2,295 | 9.44 | 8.89 |
| 7 | Don't know/Not sure | 184 | 0.76 | 0.59 |
| 9 | Refused | 47 | 0.19 | 0.23 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Module 12.01, HADMAM, is coded 2, 7, 9, or Missing | 467,452 | | |

Ever Had Breast Physical Exam by Doctor

Module: 12.3 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 391

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 26,545 | 87.98 | 84.94 |
| 2 | No--Go to Module 12.05 HADPAP2 | 2,937 | 9.73 | 12.21 |
| 7 | Don't know/Not sure--Go to Module 12.05 HADPAP2 | 151 | 0.50 | 0.36 |
| 9 | Refused--Go to Module 12.05 HADPAP2 | 540 | 1.79 | 2.49 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1 | 461,600 | | |

How Long since Last Breast Physical Exam

Module: 12.4 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 392

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 16,498 | 62.16 | 64.97 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 4,131 | 15.56 | 15.65 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 1,681 | 6.33 | 6.05 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 1,281 | 4.83 | 4.64 |
| 5 | 5 or more years ago | 2,543 | 9.58 | 7.65 |
| 7 | Don't know/Not sure | 367 | 1.38 | 0.93 |
| 9 | Refused | 40 | 0.15 | 0.11 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Module 12.03, PROFEXAM, is coded 2, 7, 9, or Missing | 465,232 | | |

Ever Had a Pap Test

Module: 12.5 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 393

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 27,809 | 92.22 | 89.02 |
| 2 | No--Go to Module 12.07 HADHYST2 | 1,670 | 5.54 | 8.04 |
| 7 | Don't know/Not sure--Go to Module 12.07 HADHYST2 | 134 | 0.44 | 0.44 |
| 9 | Refused--Go to Module 12.07 HADHYST2 | 543 | 1.80 | 2.49 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1 | 461,617 | | |

How Long Since Last Pap Test

Module: 12.6 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 394

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 12,334 | 44.36 | 52.84 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 4,798 | 17.26 | 17.46 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 2,375 | 8.54 | 7.23 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 1,992 | 7.16 | 6.35 |
| 5 | 5 or more years ago | 5,786 | 20.81 | 14.65 |
| 7 | Don't know/Not sure | 474 | 1.70 | 1.31 |
| 9 | Refused | 44 | 0.16 | 0.15 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Module 12.05, HADPAP2, is coded 2, 7, 9, or Missing | 463,970 | | |

Had Hysterectomy

Module: 12.7 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 395

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 10,130 | 33.90 | 25.52 |
| 2 | No | 19,144 | 64.06 | 71.73 |
| 7 | Don't know/Not sure | 68 | 0.23 | 0.24 |
| 9 | Refused | 541 | 1.81 | 2.51 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 08.22, PREGNANT, is coded 1 | 461,890 | | |

Ever Had Blood Stool Test Using Home Kit

Module: 13.1 Colorectal Cancer Screening

Type: Num

Column: 396

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 28,767 | 39.24 | 35.49 |
| 2 | No--Go to Module 13.03 HADSIGM3 | 43,931 | 59.92 | 63.71 |
| 7 | Don't know/Not Sure--Go to Module 13.03 HADSIGM3 | 544 | 0.74 | 0.68 |
| 9 | Refused--Go to Module 13.03 HADSIGM3 | 76 | 0.10 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 50 | 418,455 | | |

Time Since Last Blood Stool Test

Module: 13.2 Colorectal Cancer Screening

Type: Num

Column: 397

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 7,984 | 27.76 | 30.32 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 3,936 | 13.68 | 14.16 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 2,954 | 10.27 | 9.98 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 3,635 | 12.64 | 12.89 |
| 5 | 5 or more years ago | 9,418 | 32.74 | 30.08 |
| 7 | Don't know/Not sure | 795 | 2.76 | 2.45 |
| 9 | Refused | 40 | 0.14 | 0.11 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 50; or Module 13.01, BLDSTOOL, is coded 2, 7, 9, or Missing | 463,011 | | |

Ever Had Sigmoidoscopy/Colonoscopy

Module: 13.3 Colorectal Cancer Screening

Type: Num

Column: 398

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 52,502 | 71.65 | 69.12 |
| 2 | No--Go to Next Module | 20,326 | 27.74 | 30.29 |
| 7 | Don't know/Not Sure--Go to Next Module | 365 | 0.50 | 0.43 |
| 9 | Refused--Go to Next Module | 87 | 0.12 | 0.16 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 50 | 418,493 | | |

Was your last test a sigmoidoscopy or colonoscopy?

Module: 13.4 Colorectal Cancer Screening

Type: Num

Column: 399

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Sigmoidoscopy | 2,425 | 4.62 | 4.45 |
| 2 | Colonoscopy | 48,608 | 92.63 | 92.73 |
| 7 | Don't know/Not Sure | 1,330 | 2.53 | 2.67 |
| 9 | Refused | 110 | 0.21 | 0.15 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 50; or Module 13.03, HADSIGM3, is coded 2, 7, 9, or Missing | 439,300 | | |

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 13.5 Colorectal Cancer Screening

Type: Num

Column: 400

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 11,706 | 22.31 | 23.82 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 8,278 | 15.78 | 16.59 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 7,815 | 14.90 | 14.83 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 11,261 | 21.46 | 21.19 |
| 5 | Within the past 10 years (5 years but less than 10 years ago) | 9,554 | 18.21 | 16.80 |
| 6 | 10 or more years ago | 3,160 | 6.02 | 5.46 |
| 7 | Don't know/Not sure | 637 | 1.21 | 1.20 |
| 9 | Refused | 53 | 0.10 | 0.11 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 50; or Module 13.03, HADSIGM3, is coded 2, 7, 9, or Missing | 439,309 | | |

Has a health professional EVER talked with you about the advantages of the PSA test?

Module: 14.1 Prostate Cancer Screening

Type: Num

Column: 401

SAS Variable Name: PCPSAAD2

Prologue: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.

Description: Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 2,111 | 54.06 | 49.87 |
| 2 | No | 1,652 | 42.30 | 46.36 |
| 7 | Don't know/Not Sure | 137 | 3.51 | 3.66 |
| 9 | Refused | 5 | 0.13 | 0.11 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; | 487,868 | | |

Has a health professional EVER talked with you about the disadvantages of the PSA test?

Module: 14.2 Prostate Cancer Screening

Type: Num

Column: 402

SAS Variable Name: PCPSADI1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 952 | 24.39 | 21.93 |
| 2 | No | 2,783 | 71.30 | 73.79 |
| 7 | Don't know/Not Sure | 165 | 4.23 | 4.22 |
| 9 | Refused | 3 | 0.08 | 0.06 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2 | 487,870 | | |

Has a doctor EVER recommended that you have a PSA test?

Module: 14.3 Prostate Cancer Screening

Type: Num

Column: 403

SAS Variable Name: PCPSARE1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 1,862 | 47.73 | 43.32 |
| 2 | No | 1,867 | 47.86 | 52.15 |
| 7 | Don't know/Not Sure | 166 | 4.26 | 4.37 |
| 9 | Refused | 6 | 0.15 | 0.15 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2 | 487,872 | | |

Ever Had PSA Test

Module: 14.4 Prostate Cancer Screening

Type: Num

Column: 404

SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 1,986 | 50.91 | 45.61 |
| 2 | No--Go to Next Module | 1,693 | 43.40 | 48.76 |
| 7 | Don't know/Not Sure--Go to Next Module | 219 | 5.61 | 5.56 |
| 9 | Refused--Go to Next Module | 3 | 0.08 | 0.06 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2 | 487,872 | | |

Time Since Last PSA Test

Module: 14.5 Prostate Cancer Screening

Type: Num

Column: 405

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 1,195 | 60.17 | 60.28 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 278 | 14.00 | 14.27 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 176 | 8.86 | 8.59 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 126 | 6.34 | 6.69 |
| 5 | 5 or more years ago | 184 | 9.26 | 8.58 |
| 7 | Don't know/Not Sure | 27 | 1.36 | 1.59 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Module 14.04, PSATEST1, is coded, 2, 7, 9, or Missing | 489,787 | | |

What was the MAIN reason you had this PSA test?

Module: 14.6 Prostate Cancer Screening

Type: Num

Column: 406

SAS Variable Name: PCPSARS1

Prologue:

Description: What was the MAIN reason you had this PSA test – was it ...?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Part of a routine exam | 1,363 | 68.66 | 68.38 |
| 2 | Because of a prostate problem | 171 | 8.61 | 7.65 |
| 3 | Because of a family history of prostate cancer | 91 | 4.58 | 4.96 |
| 4 | Because you were told you had prostate cancer | 68 | 3.43 | 2.97 |
| 5 | Some other reason | 225 | 11.34 | 12.73 |
| 7 | Don't know/Not Sure | 64 | 3.22 | 3.23 |
| 9 | Refused | 3 | 0.15 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Module 14.04, PSATEST1, is coded, 2, 7, 9, or Missing | 489,788 | | |

Why was PSA test done?

Module: 15.1 Prostate Cancer Screening Decision Making Module

Type: Num

Column: 407

SAS Variable Name: PCPSADE1

Prologue:

Description: Which of the following best describes the decision to have the PSA test done?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | You made the decision alone--Go to Next Module | 494 | 24.91 | 23.97 |
| 2 | Your doctor, nurse, or health care provider made the decision alone--Go to Next Module | 687 | 34.64 | 35.46 |
| 3 | You and one or more other persons made the decision together | 598 | 30.16 | 29.43 |
| 4 | You don't remember how the decision was made--Go to Next Module | 200 | 10.09 | 11.06 |
| 9 | Refused | 4 | 0.20 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Module 14.04, PSATEST1, is coded, 2, 7, 9, or Missing | 489,790 | | |

Who made the decision with you to have PSA test?

Module: 15.2 Prostate Cancer Screening Decision Making Module

Type: Char

Column: 408-411

SAS Variable Name: PCDMDECN

Prologue:

Description: Who made the decision with you? (Mark all that apply)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|---------------------|
| 1 | Doctor/nurse/health care provider | 527 | 87.54 | 88.11 |
| 2 | Spouse/significant other | 27 | 4.49 | 4.23 |
| 3 | Other family member | 5 | 0.83 | 0.88 |
| 4 | Friend/non-relative | 7 | 1.16 | 0.97 |
| 8 | No additional choices | 2 | 0.33 | 0.28 |
| 9 | Refused | 3 | 0.50 | 0.18 |
| 12 - 4328 | Multiple responses | 31 | 5.15 | 5.36 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Section 14.04, PSATEST1, is coded, 2, 7, 9, or Missing; or Module 15.01, PCPSADE1, is coded 1, 2, or 4 | 491,171 | | |

How do other people usually classify you in this country?

Module: 16.1 Reactions to Race

Type: Num

Column: 412

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | White | 2,774 | 79.03 | 65.87 |
| 2 | Black or African American | 82 | 2.34 | 4.97 |
| 3 | Hispanic or Latino | 356 | 10.14 | 21.09 |
| 4 | Asian | 34 | 0.97 | 2.05 |
| 5 | Native Hawaiian or Other Pacific Islander | 4 | 0.11 | 0.06 |
| 6 | American Indian or Alaska Native | 110 | 3.13 | 2.66 |
| 7 | Don't know/Not sure | 36 | 1.03 | 0.84 |
| 8 | Some Other Group | 69 | 1.97 | 1.71 |
| 9 | Refused | 45 | 1.28 | 0.75 |
| BLANK | Not asked or Missing | 488,263 | | |

How often do you think about your race?

Module: 16.2 Reactions to Race

Type: Num

Column: 413

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Never | 2,138 | 60.93 | 53.21 |
| 2 | Once a year | 385 | 10.97 | 10.40 |
| 3 | Once a month | 328 | 9.35 | 11.45 |
| 4 | Once a week | 197 | 5.61 | 6.23 |
| 5 | Once a day | 170 | 4.84 | 6.92 |
| 6 | Once an hour | 5 | 0.14 | 0.24 |
| 7 | Don't know/Not sure | 96 | 2.74 | 2.74 |
| 8 | Constantly | 165 | 4.70 | 8.35 |
| 9 | Refused | 25 | 0.71 | 0.48 |
| BLANK | Not asked or Missing | 488,264 | | |

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 16.3 Reactions to Race

Type: Num

Column: 414

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Worse than other races | 65 | 4.47 | 3.69 |
| 2 | The same as other races | 1,222 | 84.04 | 85.74 |
| 3 | Better than other races | 63 | 4.33 | 4.88 |
| 4 | Worse than some races, better than others | 2 | 0.14 | 0.38 |
| 5 | Only encountered people of the same race | 12 | 0.83 | 0.71 |
| 7 | Don't know/Not sure | 56 | 3.85 | 3.21 |
| 9 | Refused | 34 | 2.34 | 1.38 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing | 490,319 | | |

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 16.4 Reactions to Race

Type: Num

Column: 415

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Worse than other races | 86 | 2.46 | 1.65 |
| 2 | The same as other races | 2,383 | 68.07 | 73.10 |
| 3 | Better than other races | 421 | 12.03 | 9.51 |
| 4 | Worse than some races, better than others | 3 | 0.09 | 0.17 |
| 5 | Only encountered people of the same race | 4 | 0.11 | 0.26 |
| 6 | No health care in past 12 months | 81 | 2.31 | 3.01 |
| 7 | Don't know/Not sure | 437 | 12.48 | 10.22 |
| 9 | Refused | 86 | 2.46 | 2.07 |
| BLANK | Not asked or Missing | 488,272 | | |

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 16.5 Reactions to Race

Type: Num

Column: 416

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 107 | 3.06 | 2.61 |
| 2 | No | 3,360 | 96.00 | 96.72 |
| 7 | Don't know/Not Sure | 14 | 0.40 | 0.25 |
| 9 | Refused | 19 | 0.54 | 0.41 |
| BLANK | Not asked or Missing | 488,273 | | |

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 16.6 Reactions to Race

Type: Num

Column: 417

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 159 | 4.55 | 5.06 |
| 2 | No | 3,303 | 94.45 | 94.16 |
| 7 | Don't know/Not Sure | 12 | 0.34 | 0.45 |
| 9 | Refused | 23 | 0.66 | 0.33 |
| BLANK | Not asked or Missing | 488,276 | | |

How often feel nervous past 30 days

Module: 17.1 Mental Illness & Stigma

Type: Num

Column: 418

SAS Variable Name: MISNERVS

Prologue:

Description: About how often during the past 30 days did you feel nervous- would you say all of the time, most of the time, some of the time, a little of the time or none of the time?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | All | 715 | 2.15 | 2.90 |
| 2 | Most | 1,129 | 3.40 | 4.05 |
| 3 | Some | 4,675 | 14.08 | 14.53 |
| 4 | A little | 9,636 | 29.01 | 28.34 |
| 5 | None | 16,056 | 48.35 | 45.19 |
| 7 | Don't know/Not sure | 113 | 0.34 | 0.24 |
| 9 | Refused | 887 | 2.67 | 4.76 |
| BLANK | Not asked or Missing | 458,562 | | |

How often feel hopeless past 30 days

Module: 17.2 Mental Illness & Stigma

Type: Num

Column: 419

SAS Variable Name: MISHOPLS

Prologue:

Description: During the past 30 days, about how often did you feel hopeless- all of the time, most of the time, some of the time, a little of the time or none of the time?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | All | 296 | 0.89 | 1.33 |
| 2 | Most | 539 | 1.62 | 1.81 |
| 3 | Some | 1,925 | 5.80 | 6.80 |
| 4 | A little | 3,358 | 10.11 | 10.48 |
| 5 | None | 26,103 | 78.62 | 74.44 |
| 7 | Don't know/Not sure | 78 | 0.23 | 0.25 |
| 9 | Refused | 901 | 2.71 | 4.89 |
| BLANK | Not asked or Missing | 458,573 | | |

How often feel restless past 30 days

Module: 17.3 Mental Illness & Stigma

Type: Num

Column: 420

SAS Variable Name: MISRSTLS

Prologue:

Description: During the past 30 days, about how often did you feel restless or fidgety? (If necessary: all, most, some, a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | All | 847 | 2.55 | 3.64 |
| 2 | Most | 1,044 | 3.15 | 4.09 |
| 3 | Some | 4,783 | 14.41 | 15.54 |
| 4 | A little | 7,315 | 22.04 | 21.79 |
| 5 | None | 18,129 | 54.62 | 49.60 |
| 7 | Don't know/Not sure | 163 | 0.49 | 0.44 |
| 9 | Refused | 909 | 2.74 | 4.91 |
| BLANK | Not asked or Missing | 458,583 | | |

How often feel depressed past 30 days

Module: 17.4 Mental Illness & Stigma

Type: Num

Column: 421

SAS Variable Name: MISDEPRD

Prologue:

Description: During the past 30 days, about how often did you feel so depressed that nothing could cheer you up? (If necessary: all, most, some, a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | All | 216 | 0.65 | 0.80 |
| 2 | Most | 468 | 1.41 | 1.82 |
| 3 | Some | 1,362 | 4.10 | 5.12 |
| 4 | A little | 2,236 | 6.74 | 7.78 |
| 5 | None | 27,893 | 84.05 | 79.26 |
| 7 | Don't know/Not sure | 89 | 0.27 | 0.28 |
| 9 | Refused | 921 | 2.78 | 4.95 |
| BLANK | Not asked or Missing | 458,588 | | |

How often feel everything was an effort past 30 days

Module: 17.5 Mental Illness & Stigma

Type: Num

Column: 422

SAS Variable Name: MISEFFRT

Prologue:

Description: During the past 30 days, about how often did you feel that everything was an effort? (If necessary: all, most, some, a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | All | 1,100 | 3.32 | 4.34 |
| 2 | Most | 994 | 3.00 | 3.31 |
| 3 | Some | 3,324 | 10.02 | 10.67 |
| 4 | A little | 4,687 | 14.13 | 13.41 |
| 5 | None | 21,862 | 65.91 | 62.09 |
| 7 | Don't know/Not sure | 264 | 0.80 | 1.12 |
| 9 | Refused | 938 | 2.83 | 5.06 |
| BLANK | Not asked or Missing | 458,604 | | |

How often feel worthless past 30 days

Module: 17.6 Mental Illness & Stigma

Type: Num

Column: 423

SAS Variable Name: MISWTLES

Prologue:

Description: During the past 30 days, about how often did you feel worthless? (If necessary: all, most, some, a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | All | 341 | 1.03 | 1.23 |
| 2 | Most | 427 | 1.29 | 1.45 |
| 3 | Some | 1,298 | 3.92 | 4.14 |
| 4 | A little | 1,955 | 5.90 | 6.38 |
| 5 | None | 28,105 | 84.77 | 81.51 |
| 7 | Don't know/Not sure | 93 | 0.28 | 0.25 |
| 9 | Refused | 935 | 2.82 | 5.04 |
| BLANK | Not asked or Missing | 458,619 | | |

Emotional problem kept you from doing work past 30 days

Module: 17.7 Mental Illness & Stigma

Type: Num

Column: 424-425

SAS Variable Name: MISNOWRK

Prologue:

Description: During the past 30 days, for about how many days did a mental health condition or emotional problem keep you from doing your work or other usual activities? (If asked, "usual activities" includes housework, self-care, caregiving, volunteer work, attending school, studies or recreation.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|---------------------|
| 1 - 30 | Number | 3,280 | 9.90 | 11.13 |
| 88 | None | 28,731 | 86.71 | 83.35 |
| 77 | Don't know/Not sure | 234 | 0.71 | 0.77 |
| 99 | Refused | 891 | 2.69 | 4.75 |
| BLANK | Not asked or Missing | 458,637 | | |

Receiving medicine or treatment from health pro for emotional problem

Module: 17.8 Mental Illness & Stigma

Type: Num

Column: 426

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 4,648 | 14.03 | 12.47 |
| 2 | No | 27,433 | 82.83 | 82.12 |
| 7 | Don't know/Not sure | 58 | 0.18 | 0.15 |
| 9 | Refused | 982 | 2.96 | 5.26 |
| BLANK | Not asked or Missing | 458,652 | | |

Mental health treatment can help people lead normal life

Module: 17.9 Mental Illness & Stigma

Type: Num

Column: 427

SAS Variable Name: MISTRHLP

Prologue: These next questions ask about peoples' attitudes toward mental illness and its treatment.

Description: Treatment can help people with mental illness lead normal lives. Do you agree slightly or strongly, or disagree slightly or strongly?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1 | Agree strongly | 22,318 | 67.55 | 62.09 |
| 2 | Agree slightly | 6,282 | 19.01 | 20.69 |
| 3 | Neither agree nor disagree | 856 | 2.59 | 3.18 |
| 4 | Disagree slightly | 862 | 2.61 | 2.80 |
| 5 | Disagree strongly | 444 | 1.34 | 1.51 |
| 7 | Don't know/Not sure | 1,089 | 3.30 | 3.38 |
| 9 | Refused | 1,187 | 3.59 | 6.36 |
| BLANK | Not asked or Missing | 458,735 | | |

People are generally caring toward people with mental illness

Module: 17.10 Mental Illness & Stigma

Type: Num

Column: 428

SAS Variable Name: MISPHLPF

Prologue:

Description: People are generally caring and sympathetic to people with mental illness. Do you agree slightly or strongly or disagree slightly or strongly? (If asked for the purpose of Q9 or Q10, say: "answers to these questions will be used by health planners to help understand public attitudes about mental illness and its treatment and to help guide health education programs.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1 | Agree strongly | 7,399 | 22.41 | 22.97 |
| 2 | Agree slightly | 10,501 | 31.81 | 31.28 |
| 3 | Neither agree nor disagree | 1,567 | 4.75 | 5.17 |
| 4 | Disagree slightly | 7,585 | 22.98 | 20.66 |
| 5 | Disagree strongly | 3,640 | 11.03 | 10.39 |
| 7 | Don't know/Not sure | 1,124 | 3.40 | 3.22 |
| 9 | Refused | 1,197 | 3.63 | 6.32 |
| BLANK | Not asked or Missing | 458,760 | | |

Type of Work

Module: 18.1 Industry and Occupation

Type: Char

Column: 429-453

SAS Variable Name: TYPEWORK

Prologue:

Description: What kind of work do/did you do? [(for example, registered nurse, janitor, cashier, auto mechanic)]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 491,773 | 100.00 | 100.00 |

Type of Business/Industry

Module: 18.2 Industry and Occupation

Type: Char

Column: 454-478

SAS Variable Name: TYPEINDS

Prologue:

Description: What kind of business or industry do/did you work in? [(for example, hospital, elementary school, clothing manufacturing, restaurant)]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 491,773 | 100.00 | 100.00 |

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 19.1 Social Context

Type: Num

Column: 479

SAS Variable Name: SCNTMONY

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say you were worried or stressed---

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Always | 5,061 | 8.07 | 10.36 |
| 2 | Usually | 2,810 | 4.48 | 5.35 |
| 3 | Sometimes | 10,381 | 16.55 | 18.43 |
| 4 | Rarely | 10,028 | 15.99 | 16.34 |
| 5 | Never | 33,495 | 53.40 | 48.01 |
| 7 | Don't know/Not Sure | 132 | 0.21 | 0.19 |
| 8 | Not applicable | 716 | 1.14 | 1.17 |
| 9 | Refused | 102 | 0.16 | 0.15 |
| BLANK | Not asked or Missing Notes: Section 08.20, RENTHOM1, is coded 3, 7, 9 or Missing | 429,048 | | |

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 19.2 Social Context

Type: Num

Column: 480

SAS Variable Name: SCNTMEAL

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say you were worried or stressed---

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Always | 3,315 | 5.03 | 6.25 |
| 2 | Usually | 2,159 | 3.27 | 3.80 |
| 3 | Sometimes | 8,211 | 12.45 | 14.54 |
| 4 | Rarely | 7,869 | 11.94 | 13.22 |
| 5 | Never | 44,119 | 66.92 | 61.77 |
| 7 | Don't know/Not Sure | 109 | 0.17 | 0.15 |
| 8 | Not applicable | 44 | 0.07 | 0.10 |
| 9 | Refused | 103 | 0.16 | 0.18 |
| BLANK | Not asked or Missing | 425,844 | | |

How Are You Generally Paid For The Work You Do

Module: 19.3 Social Context

Type: Num

Column: 481

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Paid by salary | 13,217 | 40.75 | 35.70 |
| 2 | Paid by the hour | 14,258 | 43.96 | 49.04 |
| 3 | Paid by the job/task (e.g. commission, piecework) | 2,727 | 8.41 | 8.80 |
| 4 | Paid some other way | 1,893 | 5.84 | 5.43 |
| 7 | Don't know/Not Sure | 122 | 0.38 | 0.34 |
| 9 | Refused | 216 | 0.67 | 0.70 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 4, 5, 6, 7, 8 or Missing | 459,340 | | |

How Many Hours Per Week Do You Work

Module: 19.4 Social Context

Type: Num

Column: 482-483

SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 96 | Hours (1-96 or more)--Go to M19.07 SCNTVOT1 | 31,614 | 97.50 | 96.96 |
| 97 | Don't know/Not Sure--Go to M19.07 SCNTVOT1 | 509 | 1.57 | 1.91 |
| 98 | Zero (none)--Go to M19.07 SCNTVOT1 | 117 | 0.36 | 0.57 |
| 99 | Refused--Go to M19.07 SCNTVOT1 | 184 | 0.57 | 0.56 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 4, 5, 6, 7, 8 or Missing | 459,349 | | |

How Were You Generally Paid For The Work You Did

Module: 19.5 Social Context

Type: Num

Column: 484

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Paid by salary | 10,165 | 45.22 | 36.61 |
| 2 | Paid by the hour | 9,245 | 41.13 | 48.90 |
| 3 | Paid by the job/task (e.g. commission, piecework) | 1,268 | 5.64 | 6.32 |
| 4 | Paid some other way | 1,145 | 5.09 | 5.35 |
| 7 | Don't know/Not Sure | 505 | 2.25 | 2.11 |
| 9 | Refused | 149 | 0.66 | 0.70 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 1, 2, 5, 6, 8 or Missing; or Module 19.04, SCNTWRK1, > 0 | 469,296 | | |

How Many Hours Per Week Did You Work

Module: 19.6 Social Context

Type: Num

Column: 485-486

SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 96 | Hours (1-96 or more) | 20,760 | 92.40 | 92.50 |
| 97 | Don't know/Not Sure | 1,190 | 5.30 | 4.88 |
| 98 | Zero (none) | 382 | 1.70 | 2.01 |
| 99 | Refused | 136 | 0.61 | 0.62 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 1, 2, 5, 6, 8 or Missing; or Module 19.04, SCNTWRK1, > 0 | 469,305 | | |

Did You Vote In The Last Presidential Election?

Module: 19.7 Social Context

Type: Num

Column: 487

SAS Variable Name: SCNTVOT1

Prologue:

Description: Did you vote in the last presidential election? [The November 2012 election between Barack Obama and Mitt Romney.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 52,966 | 80.41 | 72.50 |
| 2 | No | 11,953 | 18.15 | 25.64 |
| 7 | Don't know/Not Sure | 104 | 0.16 | 0.15 |
| 8 | Not applicable (I did not register, I am not a U.S. citizen, or I am not eligible to vote) | 494 | 0.75 | 1.23 |
| 9 | Refused | 352 | 0.53 | 0.48 |
| BLANK | Not asked or Missing | 425,904 | | |

Birth date of child

Module: 20.1 Random Child Selection

Type: Char

Column: 488-493

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; | 491,773 | | |

Gender of child

Module: 20.2 Random Child Selection

Type: Num

Column: 494

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Boy | 35,865 | 49.76 | 47.45 |
| 2 | Girl | 33,293 | 46.19 | 44.01 |
| 9 | Refused | 2,921 | 4.05 | 8.54 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 419,694 | | |

Ethnicity of child

Module: 20.3 Random Child Selection

Type: Char

Column: 495-498

SAS Variable Name: RCHISLA1

Prologue:

Description: Is the child Hispanic, Latino/a, or Spanish origin?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 491,773 | | |

Race of child (multiple possible)

Module: 20.4 Random Child Selection

Type: Char

Column: 499-526

SAS Variable Name: RCSRACE1

Prologue:

Description: Which one or more of the following would you say is the race of the child? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 491,773 | | |

Race of child

Module: 20.5 Random Child Selection

Type: Num

Column: 527-528

SAS Variable Name: RCSBRAC1

Prologue:

Description: Which one of these groups would you say best represents the child's race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months; or Module 20.04, RCSRACE1, has only one valid race code (10-60) | 491,773 | | |

Relationship to child

Module: 20.6 Random Child Selection

Type: Num

Column: 529

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Parent (include biologic, step, or adoptive parent) | 57,456 | 79.93 | 72.66 |
| 2 | Grandparent | 5,327 | 7.41 | 6.04 |
| 3 | Foster parent or guardian | 739 | 1.03 | 0.84 |
| 4 | Sibling (include biologic, step, and adoptive sibling) | 2,788 | 3.88 | 7.67 |
| 5 | Other relative | 1,537 | 2.14 | 3.14 |
| 6 | Not related in any way | 872 | 1.21 | 1.51 |
| 7 | Don't know/Not sure | 30 | 0.04 | 0.06 |
| 9 | Refused | 3,135 | 4.36 | 8.09 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 419,889 | | |

Hlth pro ever said child has asthma

Module: 21.1 Childhood Asthma Prevalence

Type: Num

Column: 530

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 9,125 | 13.47 | 12.34 |
| 2 | No--Go to next module | 55,749 | 82.27 | 78.41 |
| 7 | Don't know/Not Sure--Go to next module | 630 | 0.93 | 1.14 |
| 9 | Refused--Go to next module | 2,258 | 3.33 | 8.11 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing | 424,011 | | |

Child still have asthma?

Module: 21.2 Childhood Asthma Prevalence

Type: Num

Column: 531

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 6,050 | 66.32 | 64.51 |
| 2 | No | 2,848 | 31.22 | 33.27 |
| 7 | Don't know/Not Sure | 221 | 2.42 | 2.20 |
| 9 | Refused | 4 | 0.04 | 0.02 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 21.01, CASTHDX2, is coded 2, 7, 9, or Missing | 482,650 | | |

How often get emotional support needed

Module: 22.1 Emotional Support and Life Satisfaction

Type: Num

Column: 532

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Always | 6,289 | 50.77 | 48.64 |
| 2 | Usually | 2,178 | 17.58 | 16.96 |
| 3 | Sometimes | 1,595 | 12.88 | 11.91 |
| 4 | Rarely | 490 | 3.96 | 3.71 |
| 5 | Never | 609 | 4.92 | 4.26 |
| 7 | Don't know/Not sure | 134 | 1.08 | 0.77 |
| 9 | Refused | 1,092 | 8.82 | 13.75 |
| BLANK | Not asked or Missing | 479,386 | | |

Satisfaction with life

Module: 22.2 Emotional Support and Life Satisfaction

Type: Num

Column: 533

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Very satisfied | 5,178 | 41.80 | 39.30 |
| 2 | Satisfied | 5,298 | 42.77 | 40.62 |
| 3 | Dissatisfied | 572 | 4.62 | 4.49 |
| 4 | Very dissatisfied | 156 | 1.26 | 1.14 |
| 7 | Don't know/Not sure | 81 | 0.65 | 0.48 |
| 9 | Refused | 1,102 | 8.90 | 13.96 |
| BLANK | Not asked or Missing | 479,386 | | |

Correct Phone Number?

CellPhone: 1.1 Cell Phone Introduction

Type: Num

Column: 580

SAS Variable Name: CTELNUM1

Prologue: Variable only on the cell phone survey

Description: Is this (phone number) ?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes--Go to CELLFON2 | 131,637 | 99.98 | 99.98 |
| 7 | | 28 | 0.02 | 0.02 |
| BLANK | Not asked or Missing | 360,108 | | |

Is this a cellular telephone?

CellPhone: 1.2 Cell Phone Introduction

Type: Num

Column: 581

SAS Variable Name: CELLFON2

Prologue: Variable only on the cell phone survey

Description: Is this a cellular telephone?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes--Go to LADULT | 131,690 | 100.00 | 100.00 |
| 2 | No | 3 | 0.00 | 0.00 |
| BLANK | Not asked or Missing | 360,080 | | |

Are you 18 years of age or older?

CellPhone: 1.3 Cell Phone Introduction

Type: Num

Column: 582

SAS Variable Name: CADULT

Prologue: Variable only on the cell phone survey

Description: Are you 18 years of age or older?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------------|-----------|------------|---------------------|
| 1 | Yes, Male Respondent--Go to PVTRES2 | 67,449 | 51.22 | 55.05 |
| 2 | Yes, Female Respondent--Go to PVTRES2 | 64,244 | 48.78 | 44.95 |
| BLANK | Not asked or Missing | 360,080 | | |

Do you live in a private residence?

CellPhone: 1.4 Cell Phone Introduction

Type: Num

Column: 583

SAS Variable Name: PVTRES2

Prologue: Variable only on the cell phone survey

Description: Do you live in a private residence, that is, not in a dormitory or other type of group living situation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes--Go to CSTATE | 130,539 | 99.12 | 98.78 |
| 2 | No--Go to CSTATE | 1,150 | 0.87 | 1.22 |
| 7 | | 1 | 0.00 | 0.00 |
| 9 | | 3 | 0.00 | 0.00 |
| BLANK | Not asked or Missing | 360,080 | | |

Do you live in college housing?

CellPhone: 1.5 Cell Phone Introduction

Type: Num

Column: 584

SAS Variable Name: CCLGHOUS

Prologue: Variable only on the cell phone survey

Description: Do you live in college housing?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 1,141 | 96.86 | 95.65 |
| 2 | No | 37 | 3.14 | 4.35 |
| BLANK | Missing | 490,595 | | |

Are you a resident of [STATE]?

CellPhone: 1.6 Cell Phone Introduction

Type: Num

Column: 585

SAS Variable Name: CSTATE

Prologue: Variable only on the cell phone survey

Description: Are you a resident of [STATE]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes--Go to LANDLINE | 122,102 | 92.72 | 89.39 |
| 2 | No--Go to RSPSTATE | 9,588 | 7.28 | 10.61 |
| BLANK | Not asked or Missing | 360,083 | | |

Do you also have a landline telephone?

CellPhone: 1.8 Cell Phone Introduction

Type: Num

Column: 588

SAS Variable Name: LANDLINE

Prologue: Variable only on the cell phone survey

Description: Do you also have a landline telephone in your home that is used to make and receive calls?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------|-----------|------------|---------------------|
| 1 | Yes | 24,949 | 18.95 | 21.96 |
| 2 | No--Go to Survey Introduction | 106,736 | 81.05 | 78.04 |
| BLANK | Not asked or Missing | 360,088 | | |

What percent of your calls are received on your cell phone?

CellPhone: 1.9 Cell Phone Introduction

Type: Num

Column: 589-591

SAS Variable Name: PCTCELL

Prologue: Variable only on the cell phone survey

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--------------------------|-----------|------------|---------------------|
| 1 - 100 | Enter Percent (1 to 100) | 24,855 | 99.60 | 99.31 |
| 777 | Don't know/Not sure | 58 | 0.23 | 0.42 |
| 888 | Zero | 27 | 0.11 | 0.18 |
| 999 | Refused | 15 | 0.06 | 0.09 |
| BLANK | Not asked or Missing | 466,818 | | |

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Type: Num

Column: 592-593

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------|-----------|------------|---------------------|
| 10 | Only Version Landline | 197,971 | 40.26 | 25.35 |
| 11 | Version 1 Landline | 77,213 | 15.70 | 12.82 |
| 12 | Version 2 Landline | 70,052 | 14.24 | 11.78 |
| 13 | Version 3 Landline | 14,843 | 3.02 | 3.61 |
| 20 | Only Version Cell Phone | 77,170 | 15.69 | 25.11 |
| 21 | Version 1 Cell Phone | 26,433 | 5.38 | 9.84 |
| 22 | Version 2 Cell Phone | 23,511 | 4.78 | 9.28 |
| 23 | Version 3 Cell Phone | 4,580 | 0.93 | 2.21 |

Language identifier

State: 1.1 Questionnaire Language

Type: Num

Column: 594-595

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 | English | 475,177 | 96.70 | 93.13 |
| 2 | Spanish | 16,040 | 3.26 | 6.85 |
| 3 - 99 | Other | 186 | 0.04 | 0.01 |
| BLANK | Missing | 370 | | |

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 1306

SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | In the center city of an MSA | 110,545 | 31.13 | 37.63 |
| 2 | Outside the center city of an MSA but inside the county containing the center city | 63,238 | 17.81 | 26.33 |
| 3 | Inside a suburban county of the MSA | 52,262 | 14.72 | 15.60 |
| 4 | In an MSA that has no center city | 1,818 | 0.51 | 1.26 |
| 5 | Not in an MSA | 127,210 | 35.83 | 19.17 |
| BLANK | GU, PR, VI | 136,700 | | |

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 1307-1312

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 491,773 | 100.00 | 100.00 |

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 1313-1322

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 491,773 | 100.00 | 100.00 |

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables

Type: Num

Column: 1343-1352

SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPMPH, maximum of 3).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 491,773 | 100.00 | 100.00 |

Design weight use in raking

Weighting: 1.8 Weighting Variables

Type: Num

Column: 1353-1362

SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 491,773 | 100.00 | 100.00 |

Imputed race/ethnicity value

Weighting: 1.11 Weighting Variables

Type: Num

Column: 1367-1368

SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White, Non-Hispanic | 383,822 | 78.05 | 64.64 |
| 2 | Black, Non-Hispanic | 39,625 | 8.06 | 11.57 |
| 3 | Asian, Non-Hispanic | 9,631 | 1.96 | 4.57 |
| 4 | American Indian/Alaskan Native, Non-Hispanic | 7,789 | 1.58 | 1.04 |
| 5 | Hispanic | 37,131 | 7.55 | 16.20 |
| 6 | Other race, Non-Hispanic | 13,775 | 2.80 | 1.98 |

Imputed number of phones

Weighting: 1.12 Weighting Variables

Type: Num

Column: 1369

SAS Variable Name: _IMPNPB

Prologue:

Description: Imputed number of phones used in weighting

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------|-----------|------------|---------------------|
| 1 | Number of phones | 352,023 | 97.76 | 98.54 |
| 2 | | 7,031 | 1.95 | 1.33 |
| 3 | | 823 | 0.23 | 0.10 |
| 4 | | 145 | 0.04 | 0.02 |
| 5 | | 40 | 0.01 | 0.01 |
| 6 | | 17 | 0.00 | 0.00 |
| BLANK | | 131,694 | | |

Imputed Education Level

Weighting: 1.14 Weighting Variables

Type: Num

Column: 1373

SAS Variable Name: _IMPEDUC

Prologue:

Description: Imputed Education Level (This value is the reported education level or an imputed education level, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an education level.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Never attended school or only kindergarten | 680 | 0.14 | 0.30 |
| 2 | Grades 1 through 8 (Elementary) | 13,450 | 2.74 | 4.85 |
| 3 | Grades 9 through 11 (Some high school) | 28,219 | 5.74 | 10.06 |
| 4 | Grade 12 or GED (High school graduate) | 143,592 | 29.20 | 28.53 |
| 5 | College 1 year to 3 years (Some college or technical school) | 134,835 | 27.42 | 30.77 |
| 6 | College 4 years or more (College graduate) | 170,997 | 34.77 | 25.49 |

Imputed Marital Status

Weighting: 1.15 Weighting Variables

Type: Num

Column: 1374

SAS Variable Name: _IMPMRTL

Prologue:

Description: Imputed Marital Status (This value is the reported marital status or an imputed marital status, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a marital status.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1 | Married | 255,262 | 51.91 | 51.72 |
| 2 | Divorced | 70,803 | 14.40 | 10.92 |
| 3 | Widowed | 66,091 | 13.44 | 6.78 |
| 4 | Separated | 10,731 | 2.18 | 2.73 |
| 5 | Never married | 75,600 | 15.37 | 23.63 |
| 6 | A member of an unmarried couple | 13,286 | 2.70 | 4.22 |

Imputed Own or Rent Home

Weighting: 1.16 Weighting Variables

Type: Num

Column: 1375

SAS Variable Name: _IMPHOME

Prologue:

Description: Imputed Own or Rent Home (This value is the reported tenure (rent or own home) or an imputed tenure, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a tenure.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------|-----------|------------|---------------------|
| 1 | Own | 357,589 | 72.71 | 68.30 |
| 2 | Rent | 113,082 | 22.99 | 26.60 |
| 3 | Other arrangement | 21,102 | 4.29 | 5.10 |

Child Hispanic, Latino/a, or Spanish origin calculated variable

ChildDemographics: 1.01 Child Demographic Variables

Type: Num

Column: 1560

SAS Variable Name: _CHISPNC

Prologue:

Description: Child Hispanic, Latino/a, or Spanish origin calculated variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Child of Hispanic, Latino/a, or Spanish origin | 11,985 | 3.45 | 7.45 |
| 2 | Child not of Hispanic, Latino/a, or Spanish origin | 59,770 | 17.19 | 19.39 |
| 9 | Don't know/Not Sure/Refused | 275,991 | 79.37 | 73.17 |
| BLANK | Not asked or Missing | 144,027 | | |

Child Non-Hispanic Race including Multiracial

ChildDemographics: 1.04 Child Demographic Variables

Type: Num

Column: 1617-1618

SAS Variable Name: _CRACE1

Prologue:

Description: Child multiracial race categorization

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | White | 55,244 | 72.03 | 65.20 |
| 2 | Black or African American | 8,092 | 10.55 | 12.38 |
| 3 | American Indian or Alaskan Native | 2,232 | 2.91 | 1.89 |
| 4 | Asian | 2,425 | 3.16 | 5.10 |
| 5 | Native Hawaiian or other Pacific Islander | 712 | 0.93 | 0.40 |
| 6 | Other race | 2,596 | 3.38 | 3.30 |
| 8 | Multiracial but preferred race not answered | 22 | 0.03 | 0.03 |
| 77 | Don't know/Not sure | 1,171 | 1.53 | 2.13 |
| 99 | Refused | 4,200 | 5.48 | 9.57 |
| BLANK | Missing | 415,079 | | |

Imputed Child Age

ChildDemographics: 1.05 Child Demographic Variables

Type: Num

Column: 1619

SAS Variable Name: _IMPCAGE

Prologue:

Description: Imputed Child Age

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | 0-4 Years old | 19,481 | 25.37 | 31.09 |
| 2 | 5-9 Years old | 17,782 | 23.15 | 21.82 |
| 3 | 10-14 Years old | 24,249 | 31.58 | 29.48 |
| 4 | 15-17 Years old | 15,284 | 19.90 | 17.61 |
| BLANK | Not asked or Missing | 414,977 | | |

Imputed Child Race/Ethnicity

ChildDemographics: 1.06 Child Demographic Variables

Type: Num

Column: 1620

SAS Variable Name: _IMPCRAC

Prologue:

Description: Imputed Child Race/Ethnicity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White, non-Hispanic | 50,385 | 65.61 | 50.63 |
| 2 | Black or African American, non-Hispanic | 7,644 | 9.95 | 11.49 |
| 3 | Asian, non-Hispanic | 2,394 | 3.12 | 5.04 |
| 4 | American Indian or Alaskan Native, non-Hispanic | 1,848 | 2.41 | 0.90 |
| 5 | Multi-race, non-Hispanic or Other race, non-Hispanic | 1,383 | 1.80 | 1.37 |
| 6 | Hispanic | 13,142 | 17.11 | 30.57 |
| BLANK | Missing | 414,977 | | |

Imputed Child Gender

ChildDemographics: 1.07 Child Demographic Variables

Type: Num

Column: 1621

SAS Variable Name: _IMPCSEX

Prologue:

Description: Imputed Child Gender

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Male | 40,864 | 53.21 | 55.26 |
| 2 | Female | 35,932 | 46.79 | 44.74 |
| BLANK | Missing | 414,977 | | |

Final child weight: Land-line and Cell-Phone data

ChildLandandCellRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1748-1757

SAS Variable Name: _CLLCPWT

Prologue:

Description: Final child weight: Land-line and Cell-Phone data (Raking derived weight)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 491,773 | 100.00 | 100.00 |

Dual Phone Use Categories

LandandCellRaking: 1.2 Weighting Variables

Type: Num

Column: 1884

SAS Variable Name: _DUALUSE

Prologue:

Description: Dual Phone Use Categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------|-----------|------------|---------------------|
| 1 | Land Line: Cell Phone Mostly | 41,824 | 8.50 | 5.96 |
| 2 | Cell Phone: Cell Phone Mostly | 18,929 | 3.85 | 5.42 |
| 9 | No Dual Phone Use | 431,020 | 87.65 | 88.62 |

Dual Phone Use Correction Factor

LandandCellRanking: 1.3 Weighting Variables

Type: Num

Column: 1885-1894

SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 0.1761 | | 117 | 0.19 | 0.44 |
| 0.2048 | | 126 | 0.21 | 0.05 |
| 0.2313 | | 135 | 0.22 | 0.06 |
| 0.2499 | | 119 | 0.20 | 0.18 |
| 0.2611 | | 185 | 0.30 | 0.22 |
| 0.2666 | | 197 | 0.32 | 1.02 |
| 0.2670 | | 323 | 0.53 | 0.45 |
| 0.2912 | | 286 | 0.47 | 0.27 |
| 0.3158 | | 333 | 0.55 | 0.36 |
| 0.3217 | | 245 | 0.40 | 0.14 |
| 0.3227 | | 162 | 0.27 | 0.17 |
| 0.3285 | | 220 | 0.36 | 0.11 |
| 0.3435 | | 299 | 0.49 | 1.32 |
| 0.3442 | | 591 | 0.97 | 0.19 |
| 0.3447 | | 361 | 0.59 | 0.79 |
| 0.3448 | | 384 | 0.63 | 0.45 |
| 0.3462 | | 896 | 1.47 | 2.27 |
| 0.3509 | | 247 | 0.41 | 0.33 |
| 0.3553 | | 942 | 1.55 | 0.22 |
| 0.3639 | | 515 | 0.85 | 0.53 |
| 0.3697 | | 243 | 0.40 | 0.33 |
| 0.3731 | | 365 | 0.60 | 1.05 |
| 0.3758 | | 162 | 0.27 | 0.62 |
| 0.3780 | | 551 | 0.91 | 0.10 |
| 0.3784 | | 256 | 0.42 | 1.16 |
| 0.3792 | | 163 | 0.27 | 0.69 |
| 0.3801 | | 194 | 0.32 | 0.68 |
| 0.3811 | | 519 | 0.85 | 1.32 |
| 0.3811 | | 685 | 1.13 | 1.30 |
| 0.3874 | | 415 | 0.68 | 0.07 |
| 0.3880 | | 673 | 1.11 | 0.08 |
| 0.3946 | | 625 | 1.03 | 0.37 |
| 0.3983 | | 219 | 0.36 | 0.35 |
| 0.4010 | | 278 | 0.46 | 0.12 |
| 0.4011 | | 327 | 0.54 | 3.23 |
| 0.4015 | | 218 | 0.36 | 0.17 |
| 0.4019 | | 357 | 0.59 | 0.39 |

Dual Phone Use Correction Factor

LandandCellRanking: 1.3 Weighting Variables

Type: Num

Column: 1885-1894

SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 0.4041 | | 351 | 0.58 | 0.46 |
| 0.4162 | | 258 | 0.42 | 0.14 |
| 0.4212 | | 245 | 0.40 | 0.78 |
| 0.4267 | | 532 | 0.88 | 1.19 |
| 0.4311 | | 420 | 0.69 | 4.04 |
| 0.4417 | | 127 | 0.21 | 0.02 |
| 0.4451 | | 567 | 0.93 | 1.19 |
| 0.4553 | | 823 | 1.35 | 4.16 |
| 0.4595 | | 681 | 1.12 | 0.25 |
| 0.4635 | | 210 | 0.35 | 0.13 |
| 0.4759 | | 372 | 0.61 | 1.27 |
| 0.4819 | | 302 | 0.50 | 0.06 |
| 0.4877 | | 784 | 1.29 | 1.49 |
| 0.4896 | | 357 | 0.59 | 0.29 |
| 0.4964 | | 593 | 0.98 | 0.58 |
| 0.4995 | | 851 | 1.40 | 0.66 |
| 0.5004 | | 428 | 0.70 | 0.59 |
| 0.5035 | | 430 | 0.71 | 0.57 |
| 0.5103 | | 627 | 1.03 | 0.26 |
| 0.5122 | | 561 | 0.92 | 2.60 |
| 0.5180 | | 228 | 0.38 | 0.05 |
| 0.5240 | | 702 | 1.16 | 1.08 |
| 0.5364 | | 303 | 0.50 | 0.19 |
| 0.5404 | | 541 | 0.89 | 0.34 |
| 0.5446 | | 816 | 1.34 | 11.81 |
| 0.5548 | | 1,459 | 2.40 | 1.25 |
| 0.5582 | | 207 | 0.34 | 0.02 |
| 0.5688 | | 803 | 1.32 | 3.35 |
| 0.5732 | | 822 | 1.35 | 1.21 |
| 0.5787 | | 548 | 0.90 | 0.78 |
| 0.5837 | | 443 | 0.73 | 0.23 |
| 0.5958 | | 262 | 0.43 | 0.90 |
| 0.5980 | | 824 | 1.36 | 0.66 |
| 0.5984 | | 476 | 0.78 | 0.19 |
| 0.5988 | | 1,004 | 1.65 | 3.84 |
| 0.5989 | | 545 | 0.90 | 0.21 |
| 0.6016 | | 399 | 0.66 | 0.56 |

Dual Phone Use Correction Factor

LandandCellRa 1.3 Weighting Variables
king:

Type: Num

Column: 1885-1894

SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 0.6053 | | 1,375 | 2.26 | 0.49 |
| 0.6119 | | 436 | 0.72 | 0.17 |
| 0.6125 | | 692 | 1.14 | 0.10 |
| 0.6188 | | 1,519 | 2.50 | 2.18 |
| 0.6188 | | 1,240 | 2.04 | 2.76 |
| 0.6198 | | 476 | 0.78 | 0.72 |
| 0.6207 | | 447 | 0.74 | 1.14 |
| 0.6215 | | 637 | 1.05 | 1.45 |
| 0.6219 | | 430 | 0.71 | 0.15 |
| 0.6241 | | 263 | 0.43 | 0.84 |
| 0.6268 | | 861 | 1.42 | 1.83 |
| 0.6302 | | 501 | 0.82 | 0.46 |
| 0.6360 | | 1,254 | 2.06 | 0.91 |
| 0.6446 | | 2,009 | 3.31 | 0.47 |
| 0.6490 | | 465 | 0.77 | 0.51 |
| 0.6537 | | 3,033 | 4.99 | 3.48 |
| 0.6551 | | 929 | 1.53 | 1.28 |
| 0.6552 | | 897 | 1.48 | 1.12 |
| 0.6557 | | 1,609 | 2.65 | 0.36 |
| 0.6564 | | 793 | 1.31 | 1.84 |
| 0.6714 | | 502 | 0.83 | 0.18 |
| 0.6772 | | 430 | 0.71 | 0.19 |
| 0.6782 | | 642 | 1.06 | 0.19 |
| 0.6841 | | 887 | 1.46 | 0.85 |
| 0.7087 | | 822 | 1.35 | 0.56 |
| 0.7329 | | 1,361 | 2.24 | 1.50 |
| 0.7333 | | 485 | 0.80 | 2.82 |
| 0.7388 | | 645 | 1.06 | 0.48 |
| 0.7500 | | 469 | 0.77 | 0.46 |
| 0.7686 | | 551 | 0.91 | 0.13 |
| 0.7951 | | 579 | 0.95 | 0.13 |
| 0.8238 | | 680 | 1.12 | 1.27 |
| BLANK | | 431,020 | | |

Truncated design weight used in adult combined land line and cell phone raking

LandandCellRaking: 1.4 Weighting Variables

Type: Num

Column: 1895-1904

SAS Variable Name: _LLCPWT2

Prologue:

Description: Truncated design weight used in adult combined land line and cell phone raking

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 491,773 | 100.00 | 100.00 |

Final weight: Land-line and cell-phone data

LandandCellRaking: 1.21 Weighting Variables

Type: Num

Column: 1953-1962

SAS Variable Name: _LLCPWT

Prologue:

Description: Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 491,773 | 100.00 | 100.00 |

Adults with good or better health

CalculatedVariables: 1.1 Calculated Variables

Type: Num

Column: 2101

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Good or Better Health Notes: GENHLTH = 1 or 2 or 3 | 395,184 | 80.36 | 81.45 |
| 2 | Fair or Poor Health Notes: GENHLTH = 4 or 5 | 94,609 | 19.24 | 18.07 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing | 1,980 | 0.40 | 0.48 |

Respondents aged 18-64 with health care coverage

Calculated Variables: 3.1 Calculated Variables

Type: Num

Column: 2102

SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 who have any form of health care coverage

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1 | 272,475 | 55.41 | 63.36 |
| 2 | Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2 | 52,571 | 10.69 | 16.84 |
| 9 | Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing | 166,727 | 33.90 | 19.80 |

High Blood Pressure Calculated Variable

Calculated Variables: 5.1 Calculated Variables

Type: Num

Column: 2103

SAS Variable Name: _RFHYPE5

Prologue:

Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: BPHIGH4 = 2 or 3 or 4 | 291,489 | 59.27 | 67.29 |
| 2 | Yes Notes: BPHIGH4 = 1 | 198,874 | 40.44 | 32.42 |
| 9 | Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing | 1,410 | 0.29 | 0.29 |

Cholesterol Checked Calculated Variable

Calculated Variables: 6.1 Calculated Variables

Type: Num

Column: 2104

SAS Variable Name: _CHOLCHK

Prologue:

Description: Cholesterol check within past five years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Had cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3 | 402,916 | 81.93 | 74.64 |
| 2 | Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4 | 15,742 | 3.20 | 3.14 |
| 3 | Have never had cholesterol checked Notes: BLOODCHO = 2 | 58,859 | 11.97 | 18.96 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing | 14,256 | 2.90 | 3.25 |

High Cholesterol Calculated Variable

Calculated Variables: 6.2 Calculated Variables

Type: Num

Column: 2105

SAS Variable Name: _RFCHOL

Prologue:

Description: Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: BLOODCHO=1 and TOLDHI2 = 2 | 236,626 | 55.82 | 60.98 |
| 2 | Yes Notes: BLOODCHO=1 and TOLDHI2 = 1 | 183,556 | 43.30 | 38.27 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing | 3,744 | 0.88 | 0.75 |
| BLANK | Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing | 67,847 | | |

Lifetime Asthma Calculated Variable

Calculated Variables: 7.1 Calculated Variables

Type: Num

Column: 2106

SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No Notes: ASTHMA3 = 2 | 423,040 | 86.02 | 85.70 |
| 2 | Yes Notes: ASTHMA3 = 1 | 67,174 | 13.66 | 14.03 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing | 1,559 | 0.32 | 0.28 |

Current Asthma Calculated Variable

Calculated Variables: 7.2 Calculated Variables

Type: Num

Column: 2107

SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2 | 442,718 | 90.02 | 90.40 |
| 2 | Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1 | 45,630 | 9.28 | 8.91 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 3,425 | 0.70 | 0.68 |

Computed Asthma Status

Calculated Variables: 7.3 Calculated Variables

Type: Num

Column: 2108

SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Current Notes: ASTHMA3 = 1 and ASTHNOW = 1 | 45,630 | 9.28 | 8.91 |
| 2 | Former Notes: ASTHMA3 = 1 and ASTHNOW = 2 | 19,678 | 4.00 | 4.71 |
| 3 | Never Notes: ASTHMA3 = 2 | 423,040 | 86.02 | 85.70 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 3,425 | 0.70 | 0.68 |

Respondents diagnosed with arthritis

Calculated Variables: 7.4 Calculated Variables

Type: Num

Column: 2109

SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents who have had a doctor diagnose them as having some form of arthritis

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Diagnosed with arthritis Notes: HAVARTH3 = 1 | 165,192 | 33.80 | 25.00 |
| 2 | Not diagnosed with arthritis Notes: HAVARTH3 = 2 | 323,602 | 66.20 | 75.00 |
| BLANK | Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing | 2,979 | | |

Computed Preferred Race

Calculated Variables: 8.3 Calculated Race Variables

Type: Num

Column: 2166-2167

SAS Variable Name: _PRACE1

Prologue:

Description: Preferred race category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | White Notes: MRACASC1 = 10 | 405,402 | 82.44 | 74.57 |
| 2 | Black or African American Notes: MRACASC1 = 20 | 42,007 | 8.54 | 12.49 |
| 3 | American Indian or Alaskan Native Notes: MRACASC1 = 30 | 10,002 | 2.03 | 1.92 |
| 4 | Asian Notes: MRACASC1 = 40,41,42,43,44,45,46,47 | 10,664 | 2.17 | 4.85 |
| 5 | Native Hawaiian or other Pacific Islander Notes: MRACASC1 = 50,51,52,53,54 | 3,104 | 0.63 | 0.43 |
| 6 | Other race Notes: MRACASC1 = 60 | 10,939 | 2.22 | 2.75 |
| 7 | No preferred race Notes: MRACASC1 >= 100 and ORACE3 = 7 or 9 | 1,132 | 0.23 | 0.21 |
| 8 | Multiracial but preferred race not answered Notes: MRACASC1 >= 100 and ORACE3 = 8 or Missing | 162 | 0.03 | 0.05 |
| 77 | Don't know/Not sure Notes: MRACASC1 = 77 | 3,081 | 0.63 | 1.27 |
| 99 | Refused Notes: MRACASC1 = 99 | 5,251 | 1.07 | 1.44 |
| BLANK | Missing Notes: MRACASC1 = Missing | 29 | | |

Calculated non-Hispanic Race including multiracial

Calculated Variables: 8.4 Calculated Race Variables

Type: Num

Column: 2168-2169

SAS Variable Name: _MRACE1

Prologue:

Description: Calculated multiracial race categorization

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White only Notes: MRACASC1 = 10 | 400,629 | 81.48 | 73.88 |
| 2 | Black or African American only Notes: MRACASC1 = 20 | 41,026 | 8.34 | 12.25 |
| 3 | American Indian or Alaskan Native only Notes: MRACASC1 = 30 | 9,096 | 1.85 | 1.78 |
| 4 | Asian Only Notes: MRACASC1 = 40,41,42,43,44,45,46,47 | 9,850 | 2.00 | 4.73 |
| 5 | Native Hawaiian or other Pacific Islander only Notes: MRACASC1 = 50,51,52,53,54 | 1,933 | 0.39 | 0.35 |
| 6 | Other race only Notes: MRACASC1 = 60 | 10,643 | 2.16 | 2.70 |
| 7 | Multiracial Notes: MRACASC1 >= 100 | 10,235 | 2.08 | 1.60 |
| 77 | Don't know/Not sure Notes: MRACASC1 = 77 | 3,053 | 0.62 | 1.26 |
| 99 | Refused Notes: MRACASC1 = 99 | 5,250 | 1.07 | 1.44 |
| BLANK | Missing Notes: MRACASC1 = Missing | 58 | | |

Hispanic, Latino/a, or Spanish origin calculated variable

Calculated Variables: 8.6 Calculated Race Variables

Type: Num

Column: 2172

SAS Variable Name: _HISPANC

Prologue:

Description: Hispanic, Latino/a, or Spanish origin calculated variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Hispanic, Latino/a, or Spanish origin | 37,054 | 7.53 | 16.18 |
| 2 | Not of Hispanic, Latino/a, or Spanish origin | 449,300 | 91.36 | 82.38 |
| 9 | Don't Know, Refused or Missing | 5,419 | 1.10 | 1.45 |

Computed Race-Ethnicity grouping

Calculated Variables: 8.7 Calculated Race Variables

Type: Num

Column: 2173

SAS Variable Name: _RACE

Prologue:

Description: Race/ethnicity categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 10 | 376,451 | 76.55 | 62.94 |
| 2 | Black only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 20 | 39,151 | 7.96 | 11.39 |
| 3 | American Indian or Alaskan Native only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 33 | 7,683 | 1.56 | 1.02 |
| 4 | Asian only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 40,41,42,43,44,45,46,47 | 9,510 | 1.93 | 4.52 |
| 5 | Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 50,51,52,53,54 | 1,546 | 0.31 | 0.21 |
| 6 | Other race only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 60 | 2,693 | 0.55 | 0.37 |
| 7 | Multiracial, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 77 | 9,130 | 1.86 | 1.33 |
| 8 | Hispanic Notes: _HISPANC = 1 | 37,054 | 7.54 | 16.18 |
| 9 | Don't know/Not sure/Refused Notes: _HISPANC = 7 or 9 or _MRACE1 = 77 or 99 and _HISPANC = 2 | 8,530 | 1.73 | 2.05 |
| BLANK | Missing Notes: _HISPANC = Missing or _MRACE1 = Missing | 25 | | |

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

Calculated Variables: 8.8 Calculated Race Variables

Type: Num

Column: 2174

SAS Variable Name: _RACEG21

Prologue:

Description: White non-Hispanic race group

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Non-Hispanic White Notes: _RACE = 1 | 376,451 | 76.55 | 62.94 |
| 2 | Non-White or Hispanic Notes: _RACE = 2 or 3 or 4 or 5 or 6 or 7 or 8 | 106,767 | 21.71 | 35.01 |
| 9 | Don't know/Not sure/Refused Notes: _RACE = 9 | 8,530 | 1.73 | 2.05 |
| BLANK | Missing | 25 | | |

Computed Five level race/ethnicity category.

Calculated Variables: 8.9 Calculated Race Variables

Type: Num

Column: 2175

SAS Variable Name: _RACEGR3

Prologue:

Description: Five-level race/ethnicity category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------|-----------|------------|---------------------|
| 1 | White only, Non-Hispanic | 376,451 | 76.55 | 62.94 |
| 2 | Black only, Non-Hispanic | 39,151 | 7.96 | 11.39 |
| 3 | Other race only, Non-Hispanic | 21,432 | 4.36 | 6.12 |
| 4 | Multiracial, Non-Hispanic | 9,130 | 1.86 | 1.33 |
| 5 | Hispanic | 37,054 | 7.54 | 16.18 |
| 9 | Don't know/Not sure/Refused | 8,530 | 1.73 | 2.05 |
| BLANK | Missing | 25 | | |

Computed race groups used for internet prevalence tables

Calculated Variables: 8.10 Calculated Race Variables

Type: Num

Column: 2176

SAS Variable Name: _RACE_G1

Prologue:

Description: Race groups used for internet prevalence tables

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White - Non-Hispanic | 376,451 | 77.91 | 64.25 |
| 2 | Black - Non-Hispanic | 39,151 | 8.10 | 11.62 |
| 3 | Hispanic | 37,054 | 7.67 | 16.52 |
| 4 | Other race only, Non-Hispanic | 21,432 | 4.44 | 6.25 |
| 5 | Multiracial, Non-Hispanic | 9,130 | 1.89 | 1.36 |
| BLANK | Don't know/Not sure/Refused component question | 8,555 | | |

Reported age in five-year age categories calculated variable

Calculated Variables: 8.11 Calculated Variables

Type: Num

Column: 2177-2178

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Age 18 to 24 Notes: 18 <= AGE <= 24 | 27,186 | 5.53 | 13.04 |
| 2 | Age 25 to 29 Notes: 25 <= AGE <= 29 | 22,904 | 4.66 | 8.09 |
| 3 | Age 30 to 34 Notes: 30 <= AGE <= 34 | 27,210 | 5.53 | 9.12 |
| 4 | Age 35 to 39 Notes: 35 <= AGE <= 39 | 28,095 | 5.71 | 7.59 |
| 5 | Age 40 to 44 Notes: 40 <= AGE <= 44 | 31,474 | 6.40 | 8.78 |
| 6 | Age 45 to 49 Notes: 45 <= AGE <= 49 | 36,185 | 7.36 | 7.97 |
| 7 | Age 50 to 54 Notes: 50 <= AGE <= 54 | 47,164 | 9.59 | 10.00 |
| 8 | Age 55 to 59 Notes: 55 <= AGE <= 59 | 52,496 | 10.67 | 8.35 |
| 9 | Age 60 to 64 Notes: 60 <= AGE <= 64 | 53,628 | 10.91 | 7.74 |
| 10 | Age 65 to 69 Notes: 65 <= AGE <= 69 | 50,024 | 10.17 | 5.99 |
| 11 | Age 70 to 74 Notes: 70 <= AGE <= 74 | 39,993 | 8.13 | 4.54 |
| 12 | Age 75 to 79 Notes: 75 <= AGE <= 79 | 30,092 | 6.12 | 3.70 |
| 13 | Age 80 or older Notes: 80 <= AGE <= 99 | 40,593 | 8.25 | 4.33 |
| 14 | Don't know/Refused/Missing Notes: 7 <= AGE <= 9 | 4,729 | 0.96 | 0.75 |

Reported age in two age groups calculated variable

Calculated Variables: 8.12 Calculated Variables

Type: Num

Column: 2179

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Age 18 to 64 Notes: 18 <= AGE <= 64 | 326,342 | 66.36 | 80.69 |
| 2 | Age 65 or older Notes: 65 <= AGE <= 99 | 160,702 | 32.68 | 18.56 |
| 3 | Don't know/Refused/Missing Notes: 7 <= AGE <= 9 | 4,729 | 0.96 | 0.75 |

Imputed age in six groups

Calculated Variables: 8.13 Calculated Variables

Type: Num

Column: 2180

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Age 18 to 24 Notes: 18 <= AGE <= 24 | 27,188 | 5.53 | 13.04 |
| 2 | Age 25 to 34 Notes: 25 <= AGE <= 34 | 50,154 | 10.20 | 17.24 |
| 3 | Age 35 to 44 Notes: 35 <= AGE <= 44 | 60,371 | 12.28 | 16.63 |
| 4 | Age 45 to 54 Notes: 45 <= AGE <= 54 | 83,734 | 17.03 | 18.05 |
| 5 | Age 55 to 64 Notes: 55 <= AGE <= 64 | 109,444 | 22.25 | 16.47 |
| 6 | Age 65 or older Notes: AGE >= 65 | 160,882 | 32.71 | 18.58 |

Computed Height in Inches

Calculated Variables: 8.14 Calculated Variables

Type: Num

Column: 2181-2183

SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--|-----------|------------|---------------------|
| 36 - 95 | Height in inches Notes: 0036 <= HEIGHT3 <= 0711 | 482,291 | 100.00 | 100.00 |
| BLANK | | 9,482 | | |

Computed Height in Meters

Calculated Variables: 8.15 Calculated Variables

Type: Num

Column: 2184-2186

SAS Variable Name: HTM4

Prologue:

Description: Reported height in meters

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|---|-----------|------------|---------------------|
| 91 - 244 | Height in meters [2 implied decimal places] Notes: 0300 <= HEIGHT3 <= 0711 or 9091 <= HEIGHT3 <= 9244 (non-metric HEIGHT3 value multiplied by .0254) | 484,154 | 100.00 | 100.00 |
| BLANK | | 7,619 | | |

Computed Weight in Kilograms

Calculated Variables: 8.16 Calculated Variables

Type: Num

Column: 2187-2191

SAS Variable Name: WTKG3

Prologue:

Description: Reported weight in kilograms

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------------|--|-----------|------------|---------------------|
| 2300 - 29500 | Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295 | 471,075 | 95.79 | 95.97 |
| 99999 | Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing or not in accepted values | 20,698 | 4.21 | 4.03 |

Computed body mass index

Calculated Variables: 8.17 Calculated Variables

Type: Num

Column: 2192-2195

SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|---|-----------|------------|---------------------|
| 1 - 9999 | 1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places) | 465,052 | 100.00 | 100.00 |
| BLANK | Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999 or PREGNANT=1 or BMI5 < 12.00 or _BMI5 > 99.99 | 26,721 | | |

Computed body mass index categories

Calculated Variables: 8.18 Calculated Variables

Type: Num

Column: 2196

SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Underweight Notes: 1200 <= _BMI5 < 1850 (_BMI5 has 2 implied decimal places) | 8,264 | 1.78 | 1.93 |
| 2 | Normal Weight Notes: 1850 <= _BMI5 < 2500 | 154,993 | 33.33 | 34.23 |
| 3 | Overweight Notes: 2500 <= _BMI5 < 3000 | 167,118 | 35.94 | 35.55 |
| 4 | Obese Notes: 3000 <= _BMI5 < 9999 | 134,677 | 28.96 | 28.28 |
| BLANK | Don't know/Refused/Missing Notes: _BMI5 = Missing | 26,721 | | |

Overweight or obese calculated variable

Calculated Variables: 8.19 Calculated Variables

Type: Num

Column: 2197

SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: 1200 <= _BMI54 < 2500 (_BMI5 has 2 implied decimal places) | 163,257 | 33.20 | 33.98 |
| 2 | Yes Notes: 2500 <= _BMI5 < 9999 | 301,795 | 61.37 | 59.98 |
| 9 | Don't know/Refused/Missing Notes: _BMI5 = Missing | 26,721 | 5.43 | 6.04 |

Computed number of children in household

Calculated Variables: 8.20 Calculated Variables

Type: Num

Column: 2198

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No children in household Notes: CHILDREN = 88 | 359,551 | 73.11 | 62.16 |
| 2 | One child in household Notes: CHILDREN = 01 | 53,200 | 10.82 | 15.40 |
| 3 | Two children in household Notes: CHILDREN = 02 | 46,647 | 9.49 | 13.21 |
| 4 | Three children in household Notes: CHILDREN = 03 | 19,812 | 4.03 | 5.56 |
| 5 | Four children in household Notes: CHILDREN = 04 | 6,931 | 1.41 | 2.05 |
| 6 | Five or more children in household Notes: 05 <= CHILDREN < 88 | 3,369 | 0.69 | 1.00 |
| 9 | Don't know/Not sure/Missing Notes: CHILDREN = 99 | 2,263 | 0.46 | 0.62 |

Computed level of education completed categories

Calculated Variables: 8.21 Calculated Variables

Type: Num

Column: 2199

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Did not graduate High School Notes: EDUCA = 1 or 2 or 3 | 42,132 | 8.57 | 15.09 |
| 2 | Graduated High School Notes: EDUCA = 4 | 142,953 | 29.07 | 28.35 |
| 3 | Attended College or Technical School Notes: EDUCA = 5 | 134,242 | 27.30 | 30.60 |
| 4 | Graduated from College or Technical School Notes: EDUCA = 6 | 170,173 | 34.60 | 25.34 |
| 9 | Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing | 2,273 | 0.46 | 0.61 |

Computed income categories

Calculated Variables: 8.22 Calculated Variables

Type: Num

Column: 2200

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Less than \$15,000 Notes: INCOME2 = 1 or 2 | 52,170 | 10.61 | 11.55 |
| 2 | \$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4 | 76,623 | 15.58 | 15.60 |
| 3 | \$25,000 to less than \$35,000 Notes: INCOME2 = 5 | 48,863 | 9.94 | 9.47 |
| 4 | \$35,000 to less than \$50,000 Notes: INCOME2 = 6 | 61,506 | 12.51 | 11.91 |
| 5 | \$50,000 or more Notes: INCOME2 = 7 or 8 | 181,220 | 36.85 | 37.18 |
| 9 | Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing | 71,391 | 14.52 | 14.28 |

Computed Smoking Status

Calculated Variables: 9.1 Calculated Variables

Type: Num

Column: 2201

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1 | 55,157 | 11.22 | 12.25 |
| 2 | Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2 | 21,455 | 4.36 | 5.16 |
| 3 | Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3 | 138,218 | 28.11 | 23.71 |
| 4 | Never smoked Notes: SMOKE100 = 2 | 261,621 | 53.20 | 54.81 |
| 9 | Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKE100 = 7 or 9 or Missing | 15,322 | 3.12 | 4.07 |

Current Smoking Calculated Variable

Calculated Variables: 9.2 Calculated Variables

Type: Num

Column: 2202

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: _SMOKER3 = 3 or 4 | 399,839 | 81.31 | 78.52 |
| 2 | Yes Notes: _SMOKER3 = 1 or 2 | 76,612 | 15.58 | 17.41 |
| 9 | Don't know/Refused/Missing Notes: _SMOKER3 = 9 | 15,322 | 3.12 | 4.07 |

Drink any alcoholic beverages in past 30 days

Calculated Variables: 10.1 Calculated Variables

Type: Num

Column: 2203

SAS Variable Name: DRNKANY5

Prologue:

Description: Adults who reported having had at least one drink of alcohol in the past 30 days.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: 1 <= ALCDAY5 <= 231 | 235,512 | 47.89 | 49.65 |
| 2 | No Notes: ALCDAY5=888 | 236,617 | 48.12 | 44.75 |
| 7 | Don't know/Not Sure Notes: ALCDAY5=777 | 3,192 | 0.65 | 0.67 |
| 9 | Refused/Missing Notes: ALCDAY5=999, Missing | 16,452 | 3.35 | 4.93 |

Computed drink-occasions-per-day

Calculated Variables: 10.2 Calculated Variables

Type: Num

Column: 2204-2206

SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--|-----------|------------|---------------------|
| 0 | No Drink-Occasions per day Notes: ALCDAY5 = 888 | 236,617 | 48.12 | 44.75 |
| 1 - 899 | Drink-Occasions per day Notes: ALCDAY5 <= 231 | 235,512 | 47.89 | 49.65 |
| 900 | Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing | 19,644 | 3.99 | 5.60 |

Binge Drinking Calculated Variable

Calculated Variables: 10.3 Calculated Variables

Type: Num

Column: 2207

SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888 | 409,209 | 83.21 | 77.99 |
| 2 | Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1 | 58,831 | 11.96 | 15.43 |
| 9 | Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing | 23,733 | 4.83 | 6.58 |

Computed number of drinks of alcohol beverages per day

Calculated Variables: 10.4 Calculated Variables

Type: Num

Column: 2208-2211

SAS Variable Name: _DRNKDY4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 | Did not drink Notes: ALCDAY5 = 888 | 236,617 | 48.12 | 44.75 |
| 1 - 9899 | Number of drinks per day Notes: ALCDAY5 / 7 per week or ALCDAY5 / 30 per month * AVEDRNK2 | 231,282 | 47.03 | 48.57 |
| 9900 | Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing | 23,874 | 4.85 | 6.69 |

Computed total number drinks a month

Calculated Variables: 10.5 Calculated Variables

Type: Num

Column: 2212-2215

SAS Variable Name: _DRNKMO4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 | Did not drink in the past month Notes: _DRNKDY4 = 0 | 236,617 | 48.12 | 44.75 |
| 1 - 9998 | Number of Drinks Notes: _DRNKDY4 * 30 | 231,282 | 47.03 | 48.57 |
| 9999 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 23,874 | 4.85 | 6.69 |

Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.6 Calculated Variables

Type: Num

Column: 2216

SAS Variable Name: _RFDRHV4

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No Notes: SEX = 1 and DRNKDY4 <= 2 or SEX = 2 and DRNKDY4 <= 1 or ALCDAY5 = 888 | 442,353 | 89.95 | 87.73 |
| 2 | Yes Notes: SEX = 1 and _DRNKDY4 > 2 or SEX = 2 and _DRNKDY4 > 1 | 25,546 | 5.19 | 5.58 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 23,874 | 4.85 | 6.69 |

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.7 Calculated Variables

Type: Num

Column: 2217

SAS Variable Name: _RFDRMN4

Prologue:

Description: Adult Men who are Heavy drinkers (having more than two drinks per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: SEX = 1 and _DRNKDY4 <= 2 or ALCDAY5 = 888 | 178,505 | 88.69 | 86.39 |
| 2 | Yes Notes: SEX = 1 and _DRNKDY4 > 2 | 11,881 | 5.90 | 6.27 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 10,889 | 5.41 | 7.34 |
| BLANK | Respondent is female Notes: SEX = 2 | 290,498 | | |

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.8 Calculated Variables

Type: Num

Column: 2218

SAS Variable Name: _RFDRWM4

Prologue:

Description: Adult Women who are Heavy drinkers (having more than one drink per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888 | 263,848 | 90.83 | 89.00 |
| 2 | Yes Notes: SEX = 2 and _DRNKDY4 > 1 | 13,665 | 4.70 | 4.93 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 12,985 | 4.47 | 6.06 |
| BLANK | Respondent is male Notes: SEX = 1 | 201,275 | | |

Computed Fruit Juice intake in times per day

Calculated Variables: 11.1 Calculated Variables

Type: Num

Column: 2219-2222

SAS Variable Name: FTJUDA1_

Prologue:

Description: Fruit juice intake in times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 - 9999 | Times per day | 455,582 | 100.00 | 100.00 |
| BLANK | Don't know/Not Sure Or Refused/Missing | 36,191 | | |

Computed Fruit intake in times per day

Calculated Variables: 11.2 Calculated Variables

Type: Num

Column: 2223-2226

SAS Variable Name: FRUTDA1_

Prologue:

Description: Fruit intake in times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 - 9999 | Times per day | 457,992 | 100.00 | 100.00 |
| BLANK | Don't know/Not Sure Or Refused/Missing | 33,781 | | |

Computed Bean intake in times per day

Calculated Variables: 11.3 Calculated Variables

Type: Num

Column: 2227-2230

SAS Variable Name: BEANDAY_

Prologue:

Description: Bean intake in times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 - 9999 | Times per day | 454,318 | 100.00 | 100.00 |
| BLANK | Don't know/Not Sure Or Refused/Missing | 37,455 | | |

Computed Dark Green Vegetable intake in times per day

Calculated Variables: 11.4 Calculated Variables

Type: Num

Column: 2231-2234

SAS Variable Name: GRENDAY_

Prologue:

Description: Dark green vegetable intake in times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 - 9999 | Times per day | 456,626 | 100.00 | 100.00 |
| BLANK | Don't know/Not Sure Or Refused/Missing | 35,147 | | |

Computed Orange-Colored Vegetable intake in times per day

Calculated Variables: 11.5 Calculated Variables

Type: Num

Column: 2235-2238

SAS Variable Name: ORNGDAY_

Prologue:

Description: Orange-colored vegetable intake in times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 - 9999 | Times per day | 455,237 | 100.00 | 100.00 |
| BLANK | Don't know/Not Sure Or Refused/Missing | 36,536 | | |

Computed Vegetable intake in times per day

Calculated Variables: 11.6 Calculated Variables

Type: Num

Column: 2239-2242

SAS Variable Name: VEGEDA1_

Prologue:

Description: Vegetable intake in times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 - 9999 | Times per day | 452,851 | 100.00 | 100.00 |
| BLANK | Don't know/Not Sure Or Refused/Missing | 38,922 | | |

The number of missing fruit responses

Calculated Variables: 11.7 Calculated Variables

Type: Num

Column: 2243

SAS Variable Name: _MISFRTN

Prologue:

Description: The number of missing fruit responses

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------|-----------|------------|---------------------|
| 0 | No missing fruit responses | 450,491 | 91.61 | 89.90 |
| 1 - 2 | Has 1 or 2 missing fruit responses | 41,282 | 8.39 | 10.10 |

The number of missing vegetable responses

Calculated Variables: 11.8 Calculated Variables

Type: Num

Column: 2244

SAS Variable Name: _MISVEGN

Prologue:

Description: The number of missing vegetable responses

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 0 | No missing vegetable responses | 442,290 | 89.94 | 88.44 |
| 1 - 4 | Has 1, 2, 3, or 4 missing vegetable responses | 49,483 | 10.06 | 11.56 |

Missing any fruit responses

Calculated Variables: 11.9 Calculated Variables

Type: Num

Column: 2245

SAS Variable Name: _FRTRESP

Prologue:

Description: Missing any fruit responses

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 0 | Not Included - Missing Fruit Responses | 41,282 | 8.39 | 10.10 |
| 1 | Included - Not Missing Fruit Responses | 450,491 | 91.61 | 89.90 |

Missing any vegetable responses

Calculated Variables: 11.10 Calculated Variables

Type: Num

Column: 2246

SAS Variable Name: _VEGRES

Prologue:

Description: Missing any vegetable responses

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 0 | Not Included - Missing Vegetable Responses | 49,483 | 10.06 | 11.56 |
| 1 | Included - Not Missing Vegetable Responses | 442,290 | 89.94 | 88.44 |

Total fruits consumed per day

Calculated Variables: 11.11 Calculated Variables

Type: Num

Column: 2247-2252

SAS Variable Name: _FRUTSUM

Prologue:

Description: Total fruits consumed per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 0 - 99998 | Number of Fruits consumed per day (two implied decimal places) | 450,491 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 41,282 | | |

Total vegetables consumed per day

Calculated Variables: 11.12 Calculated Variables

Type: Num

Column: 2253-2258

SAS Variable Name: _VEGESUM

Prologue:

Description: Total vegetables consumed per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 0 - 99998 | Number of Vegetables consumed per day (two implied decimal places) | 442,290 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 49,483 | | |

Consume Fruit 1 or more times per day

Calculated Variables: 11.19 Calculated Variables

Type: Num

Column: 2265

SAS Variable Name: _FRTL1

Prologue:

Description: Consume Fruit 1 or more times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Consumed fruit one or more times per day | 286,488 | 58.26 | 55.13 |
| 2 | Consumed fruit less than one time per day | 164,003 | 33.35 | 34.77 |
| 9 | Don't know, refused or missing values | 41,282 | 8.39 | 10.10 |

Consume Vegetables 1 or more times per day

Calculated Variables: 11.20 Calculated Variables

Type: Num

Column: 2266

SAS Variable Name: _VEGL1

Prologue:

Description: Consume Vegetables 1 or more times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Consumed vegetables one or more times per day | 349,868 | 71.14 | 68.58 |
| 2 | Consumed vegetables less than one time per day | 92,422 | 18.79 | 19.86 |
| 9 | Don't know, refused or missing values | 49,483 | 10.06 | 11.56 |

Reported consuming Fruit >16 per day

Calculated Variables: 11.15 Calculated Variables

Type: Num

Column: 2261

SAS Variable Name: _FRT16

Prologue:

Description: Reported consuming Fruit >16 per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 0 | Not Included - Values are too high | 97 | 0.02 | 0.02 |
| 1 | Included - Values are in accepted range | 491,676 | 99.98 | 99.98 |

Reported consuming Vegetables >23 per day

Calculated Variables: 11.16 Calculated Variables

Type: Num

Column: 2262

SAS Variable Name: _VEG23

Prologue:

Description: Reported consuming Vegetables >23 per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 0 | Not Included - Values are too high | 60 | 0.01 | 0.01 |
| 1 | Included - Values are in accepted range | 491,713 | 99.99 | 99.99 |

Fruit Exclusion from analyses

Calculated Variables: 11.17 Calculated Variables

Type: Num

Column: 2263

SAS Variable Name: _FRUITEX

Prologue:

Description: Fruit Exclusion from analyses

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 0 | No missing values and in accepted range | 450,394 | 91.59 | 89.88 |
| 1 | Missing Fruit responses | 41,282 | 8.39 | 10.10 |
| 2 | Fruit values out of range | 97 | 0.02 | 0.02 |

Vegetable Exclusion from analyses

Calculated Variables: 11.18 Calculated Variables

Type: Num

Column: 2264

SAS Variable Name: _VEGETEX

Prologue:

Description: Vegetable Exclusion from analyses

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 0 | No missing values and in accepted range | 442,230 | 89.93 | 88.43 |
| 1 | Missing Vegetable responses | 49,483 | 10.06 | 11.56 |
| 2 | Vegetable values out of range | 60 | 0.01 | 0.01 |

Consume Fruit 1 or more times per day

Calculated Variables: 11.19 Calculated Variables

Type: Num

Column: 2265

SAS Variable Name: _FRTL1

Prologue:

Description: Consume Fruit 1 or more times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Consumed fruit one or more times per day | 286,488 | 58.26 | 55.13 |
| 2 | Consumed fruit less than one time per day | 164,003 | 33.35 | 34.77 |
| 9 | Don't know, refused or missing values | 41,282 | 8.39 | 10.10 |

Consume Vegetables 1 or more times per day

Calculated Variables: 11.20 Calculated Variables

Type: Num

Column: 2266

SAS Variable Name: _VEGL1

Prologue:

Description: Consume Vegetables 1 or more times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Consumed vegetables one or more times per day | 349,868 | 71.14 | 68.58 |
| 2 | Consumed vegetables less than one time per day | 92,422 | 18.79 | 19.86 |
| 9 | Don't know, refused or missing values | 49,483 | 10.06 | 11.56 |

Leisure Time Physical Activity Calculated Variable

Calculated Variables: 12.1 Calculated Variables

Type: Num

Column: 2267

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults who reported doing physical activity or exercise during the past 30 days other than their regular job

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Had physical activity or exercise Notes: EXERANY2 = 1 | 332,429 | 67.60 | 67.06 |
| 2 | No physical activity or exercise in last 30 days Notes: EXERANY2 = 2 | 125,314 | 25.48 | 24.25 |
| 9 | Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing | 34,030 | 6.92 | 8.69 |

Activity MET Value for First Activity

Calculated Variables: 12.2 Calculated Variables

Type: Num

Column: 2268-2270

SAS Variable Name: METVL11_

Prologue:

Description: Activity MET Value for First Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--|-----------|------------|---------------------|
| 0 | Activity MET Value | 13,877 | 4.20 | 5.83 |
| 1 - 128 | Activity MET Value (one implied decimal place) | 316,917 | 95.80 | 94.17 |
| BLANK | Not asked or Missing | 160,979 | | |

Activity MET Value for Second Activity

Calculated Variables: 12.3 Calculated Variables

Type: Num

Column: 2271-2273

SAS Variable Name: METVL21_

Prologue:

Description: Activity MET Value for Second Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--|-----------|------------|---------------------|
| 0 | Activity MET Value | 133,855 | 41.10 | 43.70 |
| 1 - 128 | Activity MET Value (one implied decimal place) | 191,826 | 58.90 | 56.30 |
| BLANK | Not asked or Missing | 166,092 | | |

Estimated Age-Gender Specific Maximum Oxygen Consumption

Calculated Variables: 12.4 Calculated Variables

Type: Num

Column: 2274-2278

SAS Variable Name: MAXVO2_

Prologue:

Description: Estimated Age-Gender Specific Maximum Oxygen Consumption

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|---------------------|
| 0 - 501 | Estimated Maximum Oxygen Consumption (two implied decimal places) | 487,044 | 99.04 | 99.25 |
| 99900 | Don't know/Not Sure/Refused/Missing | 4,729 | 0.96 | 0.75 |

Estimated Functional Capacity

Calculated Variables: 12.5 Calculated Variables

Type: Num

Column: 2279-2283

SAS Variable Name: FC60_

Prologue:

Description: Estimated Functional Capacity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 - 8590 | Estimated Functional Capacity (2 implied decimal places) | 487,044 | 99.04 | 99.25 |
| 99900 | Don't know/Not Sure/Refused/Missing | 4,729 | 0.96 | 0.75 |

Estimated Activity Intensity for First Activity

Calculated Variables: 12.6 Calculated Variables

Type: Num

Column: 2284

SAS Variable Name: ACTIN11_

Prologue:

Description: Estimated Activity Intensity for First Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 0 | Not Moderate or Vigorous or No Activity | 13,811 | 4.21 | 5.85 |
| 1 | Moderate | 206,942 | 63.09 | 69.97 |
| 2 | Vigorous | 107,234 | 32.69 | 24.18 |
| BLANK | Not asked or Missing | 163,786 | | |

Estimated Activity Intensity for Second Activity

Calculated Variables: 12.7 Calculated Variables

Type: Num

Column: 2285

SAS Variable Name: ACTIN21_

Prologue:

Description: Estimated Activity Intensity for Second Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 0 | Not Moderate or Vigorous or No Activity | 132,775 | 41.11 | 43.69 |
| 1 | Moderate | 103,960 | 32.19 | 36.33 |
| 2 | Vigorous | 86,239 | 26.70 | 19.99 |
| BLANK | Not asked or Missing | 168,799 | | |

Minutes of First Activity

Calculated Variables: 12.8 Calculated Variables

Type: Num

Column: 2286-2288

SAS Variable Name: PADUR1_

Prologue:

Description: Minutes of First Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|----------------------|-----------|------------|---------------------|
| 0 - 599 | Minutes of Activity | 323,337 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 168,436 | | |

Minutes of Second Activity

Calculated Variables: 12.9 Calculated Variables

Type: Num

Column: 2289-2291

SAS Variable Name: PADUR2_

Prologue:

Description: Minutes of Second Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|----------------------|-----------|------------|---------------------|
| 0 - 599 | Minutes of Activity | 208,101 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 283,672 | | |

Physical Activity Frequency per Week for First Activity

Calculated Variables: 12.10 Calculated Variables

Type: Num

Column: 2292-2296

SAS Variable Name: PAFREQ1_

Prologue:

Description: Physical Activity Frequency per Week for First Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 0 - 98999 | Activity times per week (3 implied decimal places) | 327,548 | 99.99 | 100.00 |
| 99000 | Don't know/Not Sure/Refused | 18 | 0.01 | 0.00 |
| BLANK | Not asked or Missing | 164,207 | | |

Physical Activity Frequency per Week for Second Activity

Calculated Variables: 12.11 Calculated Variables

Type: Num

Column: 2297-2301

SAS Variable Name: PAFREQ2_

Prologue:

Description: Physical Activity Frequency per Week for Second Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 0 - 98999 | Activity times per week (3 implied decimal places) | 213,544 | 99.99 | 99.99 |
| 99000 | Don't know/Not Sure/Refused | 14 | 0.01 | 0.01 |
| BLANK | Not asked or Missing | 278,215 | | |

Minutes of Physical Activity per week for First Activity

Calculated Variables: 12.12 Calculated Variables

Type: Num

Column: 2302-2306

SAS Variable Name: _MINAC11

Prologue:

Description: Minutes of Physical Activity per week for First Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 0 | Minutes of Activity per week | 19,654 | 6.11 | 7.90 |
| 1 - 99999 | Minutes of Activity per week | 302,040 | 93.89 | 92.10 |
| BLANK | Not asked or Missing | 170,079 | | |

Minutes of Physical Activity per week for Second Activity

Calculated Variables: 12.13 Calculated Variables

Type: Num

Column: 2307-2311

SAS Variable Name: _MINAC21

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 0 | Minutes of Activity per week | 139,171 | 43.90 | 46.75 |
| 1 - 99999 | Minutes of Activity per week | 177,863 | 56.10 | 53.25 |
| BLANK | Not asked or Missing | 174,739 | | |

Strength Activity Frequency per Week

Calculated Variables: 12.14 Calculated Variables

Type: Num

Column: 2312-2316

SAS Variable Name: STRFREQ_

Prologue:

Description: Strength Activity Frequency per Week

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|---------------------|
| 0 - 98999 | Strength Activity times per week (3 implied decimal places) | 451,933 | 100.00 | 99.99 |
| 99000 | Don't know/Not Sure/Refused | 11 | 0.00 | 0.01 |
| BLANK | Not asked or Missing | 39,829 | | |

Missing Physical Activity Data

Calculated Variables: 12.15 Calculated Variables

Type: Num

Column: 2317

SAS Variable Name: PAMISS1_

Prologue:

Description: Missing Physical Activity Data

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------|-----------|------------|---------------------|
| 0 | Not Missing Physical Activity Data | 432,992 | 88.05 | 86.27 |
| 1 | Missing Physical Activity Data | 24,751 | 5.03 | 5.04 |
| 9 | Don't know/Not Sure/Refused | 34,030 | 6.92 | 8.69 |

Minutes of Physical Activity per week for First Activity

Calculated Variables: 12.16 Calculated Variables

Type: Num

Column: 2318-2322

SAS Variable Name: PAMIN11_

Prologue:

Description: Minutes of Physical Activity per week for First Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 0 - 99999 | Minutes of Activity per week | 319,094 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 172,679 | | |

Minutes of Physical Activity per week for Second Activity

Calculated Variables: 12.17 Calculated Variables

Type: Num

Column: 2323-2327

SAS Variable Name: PAMIN21_

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 0 - 99999 | Minutes of Activity per week | 314,444 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 177,329 | | |

Minutes of total Physical Activity per week

Calculated Variables: 12.18 Calculated Variables

Type: Num

Column: 2328-2332

SAS Variable Name: PA1MIN_

Prologue:

Description: Minutes of total Physical Activity per week

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 0 - 99999 | Minutes of Activity per week | 325,860 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 165,913 | | |

Minutes of Vigorous Physical Activity per week for First Activity

Calculated Variables: 12.19 Calculated Variables

Type: Num

Column: 2333-2337

SAS Variable Name: PAVIG11_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for First Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 0 - 99999 | Minutes of Activity per week | 324,082 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 167,691 | | |

Minutes of Vigorous Physical Activity per week for Second Activity

Calculated Variables: 12.20 Calculated Variables

Type: Num

Column: 2338-2342

SAS Variable Name: PAVIG21_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for Second Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 0 - 99999 | Minutes of Activity per week | 319,032 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 172,741 | | |

Minutes of total Vigorous Physical Activity per week

Calculated Variables: 12.21 Calculated Variables

Type: Num

Column: 2343-2347

SAS Variable Name: PA1VIGM_

Prologue:

Description: Minutes of total Vigorous Physical Activity per week

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|---------------------|
| 0 - 99999 | Minutes of Activity per week | 327,126 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 164,647 | | |

Physical Activity Categories

Calculated Variables: 12.22 Calculated Variables

Type: Num

Column: 2348

SAS Variable Name: _PACAT1

Prologue:

Description: Physical Activity Categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------|-----------|------------|---------------------|
| 1 | Highly Active | 145,028 | 29.49 | 27.00 |
| 2 | Active | 78,720 | 16.01 | 16.14 |
| 3 | Insufficiently Active | 82,246 | 16.72 | 18.25 |
| 4 | Inactive | 131,154 | 26.67 | 25.76 |
| 9 | Don't know/Not Sure/Refused/Missing | 54,625 | 11.11 | 12.85 |

Physical Activity Index

Calculated Variables: 12.23 Calculated Variables

Type: Num

Column: 2349

SAS Variable Name: _PAIDX1

Prologue:

Description: Physical Activity Index

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------------|-----------|------------|---------------------|
| 1 | Meet Aerobic Recommendations | 227,236 | 46.21 | 43.94 |
| 2 | Did Not Meet Aerobic Recommendations | 213,400 | 43.39 | 44.01 |
| 9 | Don't know/Not Sure/Refused/Missing | 51,137 | 10.40 | 12.05 |

150 Minute Physical Activity Calculated Variable

Calculated Variables: 12.24 Calculated Variables

Type: Num

Column: 2350

SAS Variable Name: _PA150R2

Prologue:

Description: Adults that participated in 150 minutes (or vigorous equivalent minutes) of physical activity per week.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 150+ minutes (or vigorous equivalent minutes) of physical activity | 227,236 | 46.21 | 43.94 |
| 2 | 1-149 minutes (or vigorous equivalent minutes) of physical activity | 82,246 | 16.72 | 18.25 |
| 3 | 0 minutes (or vigorous equivalent minutes) of physical activity | 131,154 | 26.67 | 25.76 |
| 9 | Don't know/Not Sure/Refused/Missing | 51,137 | 10.40 | 12.05 |

300 Minute Physical Activity Calculated Variable

Calculated Variables: 12.25 Calculated Variables

Type: Num

Column: 2351

SAS Variable Name: _PA300R2

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 301+ minutes (or vigorous equivalent minutes) of physical activity | 145,028 | 29.49 | 27.00 |
| 2 | 1-300 minutes (or vigorous equivalent minutes) of physical activity | 160,966 | 32.73 | 34.39 |
| 3 | 0 minutes (or vigorous equivalent minutes) of physical activity | 131,154 | 26.67 | 25.76 |
| 9 | Don't know/Not Sure/Refused/Missing | 54,625 | 11.11 | 12.85 |

300 Minute Physical Activity 2-Level Calculated Variable

Calculated Variables: 12.26 Calculated Variables

Type: Num

Column: 2352

SAS Variable Name: _PA30021

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week (2-levels).

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 301+ minutes (or vigorous equivalent minutes) of physical activity | 145,028 | 29.49 | 27.00 |
| 2 | 0-300 minutes (or vigorous equivalent minutes) of physical activity | 292,120 | 59.40 | 60.15 |
| 9 | Don't know/Not Sure/Refused/Missing | 54,625 | 11.11 | 12.85 |

Muscle Strengthening Recommendation

Calculated Variables: 12.27 Calculated Variables

Type: Num

Column: 2353

SAS Variable Name: _PASTRNG

Prologue:

Description: Muscle Strengthening Recommendation

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Meet muscle strengthening recommendations | 119,866 | 24.37 | 26.46 |
| 2 | Did not meet muscle strengthening recommendations | 332,078 | 67.53 | 63.63 |
| 9 | Don't know/Not Sure/Refused/Missing | 39,829 | 8.10 | 9.91 |

Aerobic and Strengthening Guideline

Calculated Variables: 12.28 Calculated Variables

Type: Num

Column: 2354

SAS Variable Name: _PAREC1

Prologue:

Description: Aerobic and Strengthening Guideline

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------|-----------|------------|---------------------|
| 1 | Met Both Guidelines | 81,572 | 16.59 | 17.41 |
| 2 | Met Aerobic Guidelines Only | 143,227 | 29.12 | 26.01 |
| 3 | Met Strengthening Guidelines Only | 34,134 | 6.94 | 8.11 |
| 4 | Did not meet Either Guideline | 177,574 | 36.11 | 35.54 |
| 9 | Don't know/Not Sure/Refused/Missing | 55,266 | 11.24 | 12.93 |

Aerobic and Strengthening (2-level)

Calculated Variables: 12.29 Calculated Variables

Type: Num

Column: 2355

SAS Variable Name: _PASTAE1

Prologue:

Description: Aerobic and Strengthening (2-level)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------|-----------|------------|---------------------|
| 1 | Met Both Guidelines | 81,572 | 16.59 | 17.41 |
| 2 | Did Not Meet Both Guidelines | 354,935 | 72.17 | 69.66 |
| 9 | Don't know/Not Sure/Refused/Missing | 55,266 | 11.24 | 12.93 |

Limited usual activities

Calculated Variables: 13.1 Calculated Variables

Type: Num

Column: 2356

SAS Variable Name: _LMTACT1

Prologue:

Description: Limited usual activities

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Told have arthritis and have limited usual activities | 76,306 | 15.61 | 11.53 |
| 2 | Told have arthritis and no limited usual activities | 77,101 | 15.77 | 11.34 |
| 3 | Not told they have arthritis | 323,602 | 66.20 | 75.00 |
| 9 | Don't know, refused or missing usual activities limited | 11,785 | 2.41 | 2.12 |
| BLANK | Don't know, refused or missing arthritis or not asked | 2,979 | | |

Limited work activities

Calculated Variables: 13.2 Calculated Variables

Type: Num

Column: 2357

SAS Variable Name: _LMTWRK1

Prologue:

Description: Limited work activities

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Told have arthritis and have limited work | 48,877 | 10.00 | 7.98 |
| 2 | Told have arthritis and no limited work | 101,661 | 20.80 | 14.50 |
| 3 | Not told they have arthritis | 323,602 | 66.20 | 75.00 |
| 9 | Don't know, refused or missing work limited | 14,654 | 3.00 | 2.52 |
| BLANK | Don't know, refused or missing arthritis or not asked | 2,979 | | |

Limited social activities

Calculated Variables: 13.3 Calculated Variables

Type: Num

Column: 2358

SAS Variable Name: _LMTSCL1

Prologue:

Description: Limited social activities

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Told have arthritis and social activities limited a lot | 28,847 | 5.90 | 4.55 |
| 2 | Told have arthritis and social activities limited a little | 37,097 | 7.59 | 5.70 |
| 3 | Told have arthritis and social activities not limited | 87,279 | 17.86 | 12.58 |
| 4 | Not told they have arthritis | 323,602 | 66.20 | 75.00 |
| 9 | Don't know, refused or missing social activities limited | 11,969 | 2.45 | 2.17 |
| BLANK | Don't know, refused or missing arthritis or not asked | 2,979 | | |

Always or Nearly Always Wear Seat Belts

Calculated Variables: 14.1 Calculated Variables

Type: Num

Column: 2359

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Always or Almost Always Wear Seat Belt | 425,955 | 86.62 | 84.47 |
| 2 | Sometimes, Seldom, or Never Wear Seat Belt | 26,890 | 5.47 | 5.21 |
| 9 | Don't know/Not Sure Or Refused/Missing | 38,928 | 7.92 | 10.32 |

Always Wear Seat Belts

Calculated Variables: 14.2 Calculated Variables

Type: Num

Column: 2360

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Always Wear Seat Belt | 391,454 | 79.60 | 78.61 |
| 2 | Don't Always Wear Seat Belt | 61,391 | 12.48 | 11.07 |
| 9 | Don't know/Not Sure Or Refused/Missing | 38,928 | 7.92 | 10.32 |

Flu Shot Calculated Variable

Calculated Variables: 15.1 Calculated Variables

Type: Num

Column: 2361

SAS Variable Name: _FLSHOT6

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 91,962 | 55.59 | 53.77 |
| 2 | No | 56,837 | 34.36 | 34.03 |
| 9 | Don't know/Not Sure Or Refused/Missing | 16,632 | 10.05 | 12.20 |
| BLANK | Age Less Than 65 | 326,342 | | |

Pneumonia Vaccination Calculated Variable

Calculated Variables: 15.2 Calculated Variables

Type: Num

Column: 2362

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: AGE >= 65 and PNEUVAC3 = 1 | 99,158 | 59.94 | 57.02 |
| 2 | No Notes: AGE >= 65 and PNEUVAC3 = 2 | 43,669 | 26.40 | 27.01 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing | 22,604 | 13.66 | 15.97 |
| BLANK | Age Less Than 65 Notes: AGE < 65 | 326,342 | | |

Ever been tested for HIV calculated variable

Calculated Variables: 16.1 Calculated Variables

Type: Num

Column: 2363

SAS Variable Name: _AIDTST3

Prologue:

Description: Adults who have ever been tested for HIV

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: HIVTST6 = 1 | 132,093 | 29.16 | 35.86 |
| 2 | No Notes: HIVTST6 = 2 | 305,106 | 67.36 | 59.14 |
| 9 | Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9 | 15,757 | 3.48 | 5.00 |
| BLANK | Not asked or missing Notes: HIVTST6 = Missing | 38,817 | | |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2013
Land-Line and Cell-Phone data

Imputed Age value collapsed above 80

Weighting: 1.19 Weighting Variables

Type: Num

Column: 2364-2365

SAS Variable Name: _AGE80

Prologue:

Description: Imputed Age value collapsed above 80

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|---------------------|
| 18 - 24 | Imputed Age 18 to 24 Notes: 18 <= AGE <= 24 | 27,188 | 5.53 | 13.04 |
| 25 - 29 | Imputed Age 25 to 29 Notes: 25 <= AGE <= 29 | 22,913 | 4.66 | 8.09 |
| 30 - 34 | Imputed Age 30 to 34 Notes: 30 <= AGE <= 34 | 27,241 | 5.54 | 9.14 |
| 35 - 39 | Imputed Age 35 to 39 Notes: 35 <= AGE <= 39 | 28,244 | 5.74 | 7.65 |
| 40 - 44 | Imputed Age 40 to 44 Notes: 40 <= AGE <= 44 | 32,127 | 6.53 | 8.98 |
| 45 - 49 | Imputed Age 45 to 49 Notes: 45 <= AGE <= 49 | 36,366 | 7.39 | 8.01 |
| 50 - 54 | Imputed Age 50 to 54 Notes: 50 <= AGE <= 54 | 47,368 | 9.63 | 10.03 |
| 55 - 59 | Imputed Age 55 to 59 Notes: 55 <= AGE <= 59 | 53,611 | 10.90 | 8.48 |
| 60 - 64 | Imputed Age 60 to 64 Notes: 60 <= AGE <= 64 | 55,833 | 11.35 | 7.99 |
| 65 - 69 | Imputed Age 65 to 69 Notes: 65 <= AGE <= 69 | 50,188 | 10.21 | 6.00 |
| 70 - 74 | Imputed Age 70 to 74 Notes: 70 <= AGE <= 74 | 40,004 | 8.13 | 4.55 |
| 75 - 79 | Imputed Age 75 to 79 Notes: 75 <= AGE <= 79 | 30,095 | 6.12 | 3.70 |
| 80 - 99 | Imputed Age 80 or older Notes: 80 <= AGE <= 99 | 40,595 | 8.25 | 4.33 |