



# Standard Precautions: Observation of Needlestick Prevention and Care of Laundry

**Instructions:** Observe patient care areas or areas outside of patient rooms. For each category, record the observation. In the column on the right, sum (across) the total number of “Yes” and the total number of observations (“Yes” + “No”). Sum all categories (down) for overall performance.

| Standard Precautions: Observation Categories |  | Room/<br>Area<br>1  | Room/<br>Area<br>2  | Room/<br>Area<br>3  | Room/<br>Area<br>4  | Room/<br>Area<br>5  | Summary of<br>Observations |     |                |
|--|--|---|---|---|---|---|----------------------------|-----|----------------|
|  |  | Yes   | No  | Yes   | No  | Yes   | No                         | Yes | Total Observed |
| 1  | Are sharps containers available?   | <input type="checkbox"/> Yes<br><input type="checkbox"/> No |                            |     |                |
| 2  | Are sharps containers properly secured and not full?   | <input type="checkbox"/> Yes<br><input type="checkbox"/> No |                            |     |                |
| 3  | Are sharps containers positioned at 52” to 56” above floor?  | <input type="checkbox"/> Yes<br><input type="checkbox"/> No |                            |     |                |
| 4  | Are hampers for soiled laundry labeled or color-coded?   | <input type="checkbox"/> Yes<br><input type="checkbox"/> No |                            |     |                |
| 5  | Are clean linen supplies spatially separated from soiled areas or waste and covered or contained within a cabinet? | <input type="checkbox"/> Yes<br><input type="checkbox"/> No |                            |     |                |
| <b>Total YES and TOTAL OBSERVED</b>          |  |   |   |   |   |   |                            |     |                |



# Standard Precautions: Observation of Needlestick Prevention and Care of Laundry

Date: \_\_\_\_\_

Observer Role:  Nurse  Tech  Other \_\_\_\_\_ Initials: \_\_\_\_\_

Location/Unit: \_\_\_\_\_

Notes and comments: