

## Notifiable Diseases and Mortality Tables


**TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending March 31, 2012 (13th week)\***

Disease	Current week	Cum 2012	5-year weekly average <sup>†</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2011	2010	2009	2008	2007	
Anthrax	—	—	—	1	—	1	—	1	
Arboviral diseases <sup>§,¶</sup> :									
California serogroup virus disease	—	—	0	134	75	55	62	55	
Eastern equine encephalitis virus disease	—	—	—	4	10	4	4	4	
Powassan virus disease	—	—	0	16	8	6	2	7	
St. Louis encephalitis virus disease	—	—	—	6	10	12	13	9	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	1	14	1	813	NN	NN	NN	NN	NY (1)
Botulism, total	—	19	2	142	112	118	145	144	
foodborne	—	3	0	17	7	10	17	32	
infant	—	14	2	94	80	83	109	85	
other (wound and unspecified)	—	2	0	31	25	25	19	27	
Brucellosis	—	17	2	83	115	115	80	131	
Chancroid	1	5	0	28	24	28	25	23	WA (1)
Cholera	—	—	0	46	13	10	5	7	
Cyclosporiasis <sup>§</sup>	—	5	1	154	179	141	139	93	
Diphtheria	—	—	—	—	—	—	—	—	
<i>Haemophilus influenzae</i> , ** invasive disease (age <5 yrs):									
serotype b	—	3	1	12	23	35	30	22	
nonserotype b	—	42	5	119	200	236	244	199	
unknown serotype	3	59	4	251	223	178	163	180	NC (1), FL (1), MS (1)
Hansen disease <sup>§</sup>	—	11	2	64	98	103	80	101	
Hantavirus pulmonary syndrome <sup>§</sup>	—	3	0	23	20	20	18	32	
Hemolytic uremic syndrome, postdiarrheal <sup>§</sup>	1	11	3	228	266	242	330	292	TN (1)
Influenza-associated pediatric mortality <sup>§,††</sup>	1	13	3	118	61	358	90	77	MO (1)
Listeriosis	6	93	9	854	821	851	759	808	NY (2), PA (2), VA (1), GA (1)
Measles <sup>§§</sup>	—	27	4	223	63	71	140	43	
Meningococcal disease, invasive <sup>¶¶</sup> :									
A, C, Y, and W-135	1	29	8	219	280	301	330	325	TX (1)
serogroup B	—	14	4	136	135	174	188	167	
other serogroup	—	2	1	20	12	23	38	35	
unknown serogroup	6	100	13	380	406	482	616	550	NY (1), PA (1), OH (1), FL (1), TX (2)
Novel influenza A virus infections***	—	—	0	8	4	43,774	2	4	
Plague	—	—	0	2	2	8	3	7	
Poliomyelitis, paralytic	—	—	—	—	—	1	—	—	
Polio virus infection, nonparalytic <sup>§</sup>	—	—	—	—	—	—	—	—	
Psittacosis <sup>§</sup>	—	—	0	2	4	9	8	12	
Q fever, total <sup>§</sup>	1	17	2	122	131	113	120	171	
acute	1	14	1	98	106	93	106	—	MT (1)
chronic	—	3	0	24	25	20	14	—	
Rabies, human	—	—	0	3	2	4	2	1	
Rubella <sup>†††</sup>	—	1	0	4	5	3	16	12	
Rubella, congenital syndrome	—	1	—	—	—	2	—	—	
SARS-CoV <sup>§</sup>	—	—	—	—	—	—	—	—	
Smallpox <sup>§</sup>	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome <sup>§</sup>	2	36	5	142	142	161	157	132	VA (1), SC (1)
Syphilis, congenital (age <1 yr) <sup>§§§</sup>	—	22	9	323	377	423	431	430	
Tetanus	—	6	0	36	26	18	19	28	
Toxic-shock syndrome (staphylococcal) <sup>§</sup>	—	13	2	81	82	74	71	92	
Trichinellosis	—	3	0	12	7	13	39	5	
Tularemia	—	1	0	149	124	93	123	137	
Typhoid fever	—	60	7	383	467	397	449	434	
Vancomycin-intermediate <i>Staphylococcus aureus</i> <sup>§</sup>	1	10	2	69	91	78	63	37	MO (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> <sup>§</sup>	—	—	0	—	2	1	—	2	
Vibriosis (noncholera <i>Vibrio</i> species infections) <sup>§</sup>	7	57	5	800	846	789	588	549	VA (1), NC (3), FL (3)
Viral hemorrhagic fever <sup>¶¶¶</sup>	—	—	—	—	1	NN	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

**TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending March 31, 2012 (13th week)\***

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.  
 \* Case counts for reporting year 2011 and 2012 are provisional and subject to change. For further information on interpretation of these data, see [http://www.cdc.gov/osels/ph\\_surveillance/nndss/phs/files/ProvisionalNational%20NotifiableDiseasesSurveillanceData20100927.pdf](http://www.cdc.gov/osels/ph_surveillance/nndss/phs/files/ProvisionalNational%20NotifiableDiseasesSurveillanceData20100927.pdf).  
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at [http://www.cdc.gov/osels/ph\\_surveillance/nndss/phs/files/5yearweeklyaverage.pdf](http://www.cdc.gov/osels/ph_surveillance/nndss/phs/files/5yearweeklyaverage.pdf).  
 § Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/osels/ph\\_surveillance/nndss/phs/infdis.htm](http://www.cdc.gov/osels/ph_surveillance/nndss/phs/infdis.htm).  
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.  
 \*\* Data for *H. influenzae* (all ages, all serotypes) are available in Table II.  
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 2, 2011, thirteen influenza-associated pediatric deaths occurring during the 2011–12 influenza season have been reported.  
 §§ No measles cases were reported for the current week.  
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.  
 \*\*\* CDC discontinued reporting of individual confirmed and probable cases of 2009 pandemic influenza A (H1N1) virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the 2009 pandemic influenza A (H1N1) strain, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, and the eight cases reported during 2011, were identified as swine influenza A (H3N2) virus and are unrelated to the 2009 pandemic influenza A (H1N1) virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).  
 ††† No rubella cases were reported for the current week.  
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.  
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals March 31, 2012, with historical data**

\* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**Notifiable Disease Data Team and 122 Cities Mortality Data Team**

Jennifer Ward	Deborah A. Adams
Willie J. Anderson	Lenee Blanton
Rosaline Dhara	Diana Harris Onweh
Pearl C. Sharp	Michael S. Wodajo



Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending March 31, 2012, and April 2, 2011 (13th week)\*

Reporting area	Dengue Virus Infection									
	Current week	Dengue Fever†			Dengue Hemorrhagic Fever§					
		Previous 52 weeks	Med	Max	Cum 2012	Cum 2011	Current week	Previous 52 weeks		
United States	—	2	17	—	50	—	0	1	—	1
New England	—	0	1	—	2	—	0	0	—	—
Connecticut	—	0	0	—	1	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	—	1	—	0	0	—	—
Mid. Atlantic	—	0	6	—	17	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	2	—	1	—	0	0	—	—
New York City	—	0	4	—	8	—	0	0	—	—
Pennsylvania	—	0	2	—	8	—	0	0	—	—
E.N. Central	—	0	2	—	5	—	0	1	—	—
Illinois	—	0	1	—	1	—	0	1	—	—
Indiana	—	0	1	—	1	—	0	0	—	—
Michigan	—	0	2	—	1	—	0	0	—	—
Ohio	—	0	1	—	—	—	0	0	—	—
Wisconsin	—	0	1	—	2	—	0	0	—	—
W.N. Central	—	0	2	—	1	—	0	0	—	—
Iowa	—	0	1	—	—	—	0	0	—	—
Kansas	—	0	1	—	—	—	0	0	—	—
Minnesota	—	0	1	—	1	—	0	0	—	—
Missouri	—	0	0	—	—	—	0	0	—	—
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	1	—	—	—	0	0	—	—
South Dakota	—	0	0	—	—	—	0	0	—	—
S. Atlantic	—	1	9	—	10	—	0	0	—	1
Delaware	—	0	2	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	0	7	—	6	—	0	0	—	—
Georgia	—	0	1	—	1	—	0	0	—	—
Maryland	—	0	2	—	1	—	0	0	—	—
North Carolina	—	0	1	—	1	—	0	0	—	—
South Carolina	—	0	1	—	—	—	0	0	—	—
Virginia	—	0	1	—	1	—	0	0	—	—
West Virginia	—	0	0	—	—	—	0	0	—	1
E.S. Central	—	0	3	—	—	—	0	0	—	—
Alabama	—	0	1	—	—	—	0	0	—	—
Kentucky	—	0	1	—	—	—	0	0	—	—
Mississippi	—	0	0	—	—	—	0	0	—	—
Tennessee	—	0	2	—	—	—	0	0	—	—
W.S. Central	—	0	2	—	1	—	0	0	—	—
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	—	1	—	0	0	—	—
Oklahoma	—	0	0	—	—	—	0	0	—	—
Texas	—	0	1	—	—	—	0	0	—	—
Mountain	—	0	1	—	2	—	0	0	—	—
Arizona	—	0	1	—	1	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	0	—	—	—	0	0	—	—
Montana	—	0	0	—	—	—	0	0	—	—
Nevada	—	0	1	—	—	—	0	0	—	—
New Mexico	—	0	1	—	1	—	0	0	—	—
Utah	—	0	1	—	—	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	—	0	4	—	12	—	0	0	—	—
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	0	2	—	3	—	0	0	—	—
Hawaii	—	0	1	—	6	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	1	—	3	—	0	0	—	—
<b>Territories</b>										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	18	84	—	196	—	0	3	—	1
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2011 and 2012 are provisional and subject to change. For further information on interpretation of these data, see [http://www.cdc.gov/osels/ph\\_surveillance/nndss/phs/files/ProvisionalNational%20NotifiableDiseasesSurveillanceData20100927.pdf](http://www.cdc.gov/osels/ph_surveillance/nndss/phs/files/ProvisionalNational%20NotifiableDiseasesSurveillanceData20100927.pdf). Data for TB are displayed in Table IV, which appears quarterly.

† Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

‡ DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.



















