

Notifiable Diseases and Mortality Tables


TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending August 25, 2012 (34th week)*

Disease	Current week	Cum 2012	5-year weekly average†	Total cases reported for previous years					States reporting cases during current week (No.)
				2011	2010	2009	2008	2007	
Anthrax	—	—	0	1	—	1	—	1	
Arboviral diseases§,¶:									
California serogroup virus disease	—	34	5	137	75	55	62	55	
Eastern equine encephalitis virus disease	—	2	0	4	10	4	4	4	
Powassan virus disease	—	6	0	16	8	6	2	7	
St. Louis encephalitis virus disease	—	—	1	6	10	12	13	9	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	3	266	16	1,128	NN	NN	NN	NN	NY (3)
Botulism, total	3	80	3	153	112	118	145	144	
foodborne	—	8	1	24	7	10	17	32	
infant	1	60	2	97	80	83	109	85	NC (1)
other (wound and unspecified)	2	12	1	32	25	25	19	27	CA (2)
Brucellosis	1	78	2	79	115	115	80	131	MD (1)
Chancroid	—	12	0	8	24	28	25	23	
Cholera	—	3	0	40	13	10	5	7	
Cyclosporiasis§	—	74	3	151	179	141	139	93	
Diphtheria	—	—	—	—	—	—	—	—	
<i>Haemophilus influenzae</i> , ** invasive disease (age <5 yrs):									
serotype b	—	11	0	14	23	35	30	22	
nonserotype b	—	111	2	145	200	236	244	199	
unknown serotype	1	142	3	226	223	178	163	180	FL (1)
Hansen disease§	—	24	2	82	98	103	80	101	
Hantavirus pulmonary syndrome§	—	10	1	23	20	20	18	32	
Hemolytic uremic syndrome, postdiarrheal§	4	105	8	290	266	242	330	292	OH (2), TN (1), ID (1)
Influenza-associated pediatric mortality§,††	—	34	1	118	61	358	90	77	
Listeriosis	13	356	25	870	821	851	759	808	NY (5), OH (4), VA (1), FL (1), WA (1), CA (1)
Measles§§	—	44	2	222	63	71	140	43	
Meningococcal disease, invasive¶¶:									
A, C, Y, and W-135	1	85	3	257	280	301	330	325	WA (1)
serogroup B	1	55	2	159	135	174	188	167	WA (1)
other serogroup	—	9	0	20	12	23	38	35	
unknown serogroup	3	212	7	323	406	482	616	550	MO (1), OK (1), WA (1)
Novel influenza A virus infections***	20	277	102	14	4	43,774	2	4	OH (20)
Plague	—	—	0	3	2	8	3	7	
Poliomyelitis, paralytic	—	—	—	—	—	1	—	—	
Polio virus infection, nonparalytic§	—	—	—	—	—	—	—	—	
Psittacosis§	—	2	0	2	4	9	8	12	
Q fever, total§	1	71	3	134	131	113	120	171	
acute	—	57	2	110	106	93	106	—	
chronic	1	14	0	24	25	20	14	—	MD (1)
Rabies, human	—	—	0	6	2	4	2	1	
Rubella†††	—	6	0	4	5	3	16	12	
Rubella, congenital syndrome	—	2	—	—	—	2	—	—	
SARS-CoV§	—	—	—	—	—	—	—	—	
Smallpox§	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome§	—	84	2	168	142	161	157	132	
Syphilis, congenital (age <1 yr)§§§	—	99	9	358	377	423	431	430	
Tetanus	—	22	1	36	26	18	19	28	
Toxic-shock syndrome (staphylococcal)§	—	37	2	78	82	74	71	92	
Trichinellosis	—	6	0	15	7	13	39	5	
Tularemia	1	91	4	166	124	93	123	137	WA (1)
Typhoid fever	1	162	13	390	467	397	449	434	CA (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> §	—	45	1	82	91	78	63	37	
Vancomycin-resistant <i>Staphylococcus aureus</i> §	—	1	0	—	2	1	—	2	
Vibriosis (noncholera <i>Vibrio</i> species infections)§	19	490	28	832	846	789	588	549	OH (1), MD (2), VA (2), SC (1), FL (4), TX (1), WA (6), CA (2)
Viral hemorrhagic fever¶¶¶	—	—	—	—	1	NN	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending August 25, 2012 (34th week)*

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.
 * Case counts for reporting year 2011 and 2012 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.
 § Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2010.xlsx.
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.
 ** Data for *H. influenzae* (all ages, all serotypes) are available in Table II.
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 2, 2011, 34 influenza-associated pediatric deaths occurring during the 2011–12 influenza season have been reported.
 §§ No measles cases were reported for the current week.
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.
 *** CDC discontinued reporting of individual confirmed and probable cases of 2009 pandemic influenza A (H1N1) virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the 2009 pandemic influenza A (H1N1) strain, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, and 277 cases reported in 2012 are different from the 2009 pandemic influenza A (H1N1) virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).
 ††† No rubella cases were reported for the current week.
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals August 25, 2012, with historical data

* No measles cases were reported for the current 4-week period yielding a ratio for week 34 of zero (0).

† Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

Notifiable Disease Data Team and 122 Cities Mortality Data Team

Enrique Nieves
 Deborah A. Adams Willie J. Anderson
 Lenee Blanton Rosaline Dhara
 Diana Harris Onweh Alan W. Schley
 Pearl C. Sharp Michael S. Wodajo

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending August 25, 2012, and August 27, 2011 (34th week)*

Reporting area	Dengue Virus Infection									
	Current week	Dengue Fever†		Dengue Hemorrhagic Fever§						
		Previous 52 weeks Med	Previous 52 weeks Max	Cum 2012	Cum 2011	Current week	Previous 52 weeks Med	Previous 52 weeks Max		
United States	—	4	11	109	159	—	0	1	—	1
New England	—	0	3	7	2	—	0	0	—	—
Connecticut	—	0	3	6	1	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	1	1	—	0	0	—	—
Mid. Atlantic	—	0	6	16	47	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	2	—	4	—	0	0	—	—
New York City	—	0	4	10	31	—	0	0	—	—
Pennsylvania	—	0	2	6	12	—	0	0	—	—
E.N. Central	—	0	2	19	10	—	0	1	—	—
Illinois	—	0	2	7	2	—	0	1	—	—
Indiana	—	0	1	2	2	—	0	0	—	—
Michigan	—	0	2	4	2	—	0	0	—	—
Ohio	—	0	1	2	2	—	0	0	—	—
Wisconsin	—	0	1	4	2	—	0	0	—	—
W.N. Central	—	0	2	4	9	—	0	0	—	—
Iowa	—	0	1	1	3	—	0	0	—	—
Kansas	—	0	0	—	1	—	0	0	—	—
Minnesota	—	0	1	—	4	—	0	0	—	—
Missouri	—	0	1	2	—	—	0	0	—	—
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	1	—	1	—	0	0	—	—
South Dakota	—	0	1	1	—	—	0	0	—	—
S. Atlantic	—	1	7	45	56	—	0	0	—	1
Delaware	—	0	0	—	2	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	1	6	35	36	—	0	0	—	—
Georgia	—	0	1	2	4	—	0	0	—	—
Maryland	—	0	1	2	4	—	0	0	—	—
North Carolina	—	0	1	2	2	—	0	0	—	—
South Carolina	—	0	1	2	1	—	0	0	—	—
Virginia	—	0	1	2	7	—	0	0	—	1
West Virginia	—	0	0	—	—	—	0	0	—	—
E.S. Central	—	0	2	5	5	—	0	0	—	—
Alabama	—	0	1	3	1	—	0	0	—	—
Kentucky	—	0	1	1	2	—	0	0	—	—
Mississippi	—	0	1	1	—	—	0	0	—	—
Tennessee	—	0	1	—	2	—	0	0	—	—
W.S. Central	—	0	1	3	8	—	0	0	—	—
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	0	—	3	—	0	0	—	—
Oklahoma	—	0	0	—	—	—	0	0	—	—
Texas	—	0	1	3	5	—	0	0	—	—
Mountain	—	0	1	1	4	—	0	0	—	—
Arizona	—	0	1	—	1	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	0	—	—	—	0	0	—	—
Montana	—	0	1	1	—	—	0	0	—	—
Nevada	—	0	1	—	—	—	0	0	—	—
New Mexico	—	0	0	—	2	—	0	0	—	—
Utah	—	0	0	—	1	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	—	0	3	9	18	—	0	0	—	—
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	0	0	—	5	—	0	0	—	—
Hawaii	—	0	2	4	8	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	2	5	5	—	0	0	—	—
Territories	—	—	—	—	—	—	—	—	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	1	30	85	1,096	634	—	1	3	17	9
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2011 and 2012 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

‡ DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.

