

## Notifiable Diseases and Mortality Tables


**TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending October 19, 2013 (42nd week)\***

Disease	Current week	Cum 2013	5-year weekly average <sup>†</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	—	—	1	—	1	—	
Arboviral diseases <sup>§,¶</sup> :									
California serogroup virus disease	—	58	1	81	137	75	55	62	
Eastern equine encephalitis virus disease	—	5	0	15	4	10	4	4	
Powassan virus disease	—	7	0	7	16	8	6	2	
St. Louis encephalitis virus disease	—	—	0	3	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	29	1,081	9	940	1,128	NN	NN	NN	NY (29)
Botulism, total	—	100	3	168	153	112	118	145	
foodborne	—	3	0	27	24	7	10	17	
infant	—	86	2	123	97	80	83	109	
other (wound and unspecified)	—	11	1	18	32	25	25	19	
Brucellosis	—	65	1	114	79	115	115	80	
Chancroid	1	15	0	15	8	24	28	25	CA (1)
Cholera	—	1	0	17	40	13	10	5	
Cyclosporiasis <sup>§</sup>	1	641	2	123	151	179	141	139	OK (1)
Diphtheria	—	—	—	1	—	—	—	—	
<i>Haemophilus influenzae</i> , ** invasive disease (age <5 yrs):									
serotype b	—	14	0	30	14	23	35	30	
nonserotype b	—	139	3	205	145	200	236	244	
unknown serotype	4	177	3	210	226	223	178	163	NY (1), MD (1), CO (1), AK (1)
Hansen disease <sup>§</sup>	—	37	2	82	82	98	103	80	
Hantavirus pulmonary syndrome <sup>§</sup>	—	8	0	30	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal <sup>§</sup>	3	169	7	274	290	266	242	330	OH (1), MI (1), TN (1)
Influenza-associated pediatric mortality <sup>§,††</sup>	2	151	4	52	118	61	358	90	OH (1), UT (1)
Listeriosis	9	514	18	727	870	821	851	759	NY (2), PA (2), MD (1), VA (1), OR (1), CA (2)
Measles <sup>§§</sup>	—	157	1	55	220	63	71	140	
Meningococcal disease, invasive <sup>¶¶</sup> :									
A, C, Y, and W-135	—	93	4	161	257	280	301	330	
serogroup B	—	59	3	110	159	135	174	188	
other serogroup	—	9	0	20	20	12	23	38	
unknown serogroup	2	249	6	260	323	406	482	616	NY (1), CA (1)
Novel influenza A virus infections***	—	21	676	313	14	4	43,774	2	
Plague	—	3	0	4	3	2	8	3	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus infection, nonparalytic <sup>§</sup>	—	—	—	—	—	—	—	—	
Psittacosis <sup>§</sup>	—	4	0	2	2	4	9	8	
Q fever, total <sup>§</sup>	1	114	2	135	134	131	113	120	
acute	1	88	2	113	110	106	93	106	CA (1)
chronic	—	26	0	22	24	25	20	14	
Rabies, human	—	—	0	1	6	2	4	2	
Rubella <sup>†††</sup>	—	6	0	9	4	5	3	16	
Rubella, congenital syndrome	—	—	—	3	—	—	2	—	
SARS-CoV <sup>§</sup>	—	—	—	—	—	—	—	—	
Smallpox <sup>§</sup>	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome <sup>§</sup>	—	118	2	194	168	142	161	157	
Syphilis, congenital (age <1 yr) <sup>§§§</sup>	—	123	7	322	360	377	423	431	
Tetanus	—	16	1	37	36	26	18	19	
Toxic-shock syndrome (staphylococcal) <sup>§</sup>	—	50	2	65	78	82	74	71	
Trichinellosis	—	13	0	18	15	7	13	39	
Tularemia	—	165	3	149	166	124	93	123	
Typhoid fever	3	240	7	354	390	467	397	449	CA (3)
Vancomycin-intermediate <i>Staphylococcus aureus</i> <sup>§</sup>	—	150	2	134	82	91	78	63	
Vancomycin-resistant <i>Staphylococcus aureus</i> <sup>§</sup>	—	—	—	2	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) <sup>§</sup>	14	882	17	1,111	832	846	789	588	PA (2), MD (4), CO (1), AZ (1), CA (5), HI (1)
Viral hemorrhagic fever <sup>¶¶¶</sup>	—	—	—	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

**TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending October 19, 2013 (42nd week)\***

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.  
 \* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.  
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.  
 § Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/nndss/document/SRCA\\_FINAL\\_REPORT\\_2006-2012\\_final.xlsx](http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx).  
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.  
 \*\* Data for *H. influenzae* (all ages, all serotypes) are available in Table II.  
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 29, 2013, no influenza-associated pediatric deaths occurring during the 2013–14 influenza season have been reported. Since September 30, 2012, 167 influenza-associated pediatric deaths occurring during the 2012–13 influenza season have been reported. Two influenza-associated pediatric deaths occurring during the 2012–13 influenza season have been reported from OH and UT during MMWR week 42.  
 §§ No measles cases were reported for the current week.  
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.  
 \*\*\* CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, and the 21 cases reported during 2013 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).  
 ††† No rubella cases were reported for the current week.  
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.  
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals October 19, 2013, with historical data**

\* No measles cases were reported for the current 4-week period yielding a ratio for week 42 of zero (0).

† Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**Notifiable Disease Data Team and 122 Cities Mortality Data Team**

Umed Ajani  
 Deborah A. Adams      Willie J. Anderson  
 Lenee Blanton      Rosaline Dhara  
 Diana Harris Onweh      Alan W. Schley  
 Pearl C. Sharp



Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending October 19, 2013, and October 20, 2012 (42nd week)\*

Reporting area	Dengue Virus Infection							
	Current week	Dengue Fever†			Dengue Hemorrhagic Fever§			
		Previous 52 weeks	Med	Max	Cum 2013	Cum 2012	Current week	Previous 52 weeks
United States	—	9	34	383	409	—	0	1
New England	—	0	4	22	12	—	0	0
Connecticut	—	0	2	12	11	—	0	0
Maine	—	0	1	1	—	—	0	0
Massachusetts	—	0	0	—	—	—	0	0
New Hampshire	—	0	1	1	—	—	0	0
Rhode Island	—	0	2	6	—	—	0	0
Vermont	—	0	1	2	1	—	0	0
Mid. Atlantic	—	2	10	110	98	—	0	1
New Jersey	—	0	0	—	—	—	0	0
New York (Upstate)	—	0	1	—	13	—	0	0
New York City	—	2	8	91	67	—	0	1
Pennsylvania	—	0	2	19	18	—	0	0
E.N. Central	—	1	4	39	42	—	0	0
Illinois	—	0	3	15	15	—	0	0
Indiana	—	0	2	5	5	—	0	0
Michigan	—	0	1	7	8	—	0	0
Ohio	—	0	2	6	4	—	0	0
Wisconsin	—	0	1	6	10	—	0	0
W.N. Central	—	0	2	11	15	—	0	1
Iowa	—	0	0	—	2	—	0	0
Kansas	—	0	1	6	1	—	0	0
Minnesota	—	0	1	—	6	—	0	0
Missouri	—	0	1	3	4	—	0	1
Nebraska	—	0	0	—	—	—	0	0
North Dakota	—	0	1	1	—	—	0	0
South Dakota	—	0	1	1	2	—	0	0
S. Atlantic	—	2	13	105	133	—	0	1
Delaware	—	0	1	2	—	—	0	0
District of Columbia	—	0	0	—	—	—	0	0
Florida	—	1	9	61	97	—	0	0
Georgia	—	0	2	5	9	—	0	0
Maryland	—	0	1	4	8	—	0	0
North Carolina	—	0	2	11	6	—	0	0
South Carolina	—	0	4	8	2	—	0	0
Virginia	—	0	4	14	11	—	0	1
West Virginia	—	0	0	—	—	—	0	0
E.S. Central	—	0	2	14	8	—	0	0
Alabama	—	0	1	4	3	—	0	0
Kentucky	—	0	0	—	1	—	0	0
Mississippi	—	0	1	1	1	—	0	0
Tennessee	—	0	2	9	3	—	0	0
W.S. Central	—	0	7	27	19	—	0	0
Arkansas	—	0	1	1	—	—	0	0
Louisiana	—	0	1	4	5	—	0	0
Oklahoma	—	0	2	2	1	—	0	0
Texas	—	0	7	20	13	—	0	0
Mountain	—	0	1	6	12	—	0	0
Arizona	—	0	1	—	7	—	0	0
Colorado	—	0	0	—	—	—	0	0
Idaho	—	0	1	1	1	—	0	0
Montana	—	0	1	2	2	—	0	0
Nevada	—	0	1	2	2	—	0	0
New Mexico	—	0	0	—	—	—	0	0
Utah	—	0	0	—	—	—	0	0
Wyoming	—	0	1	1	—	—	0	0
Pacific	—	1	6	49	70	—	0	1
Alaska	—	0	1	1	1	—	0	0
California	—	1	4	35	51	—	0	0
Hawaii	—	0	2	8	5	—	0	0
Oregon	—	0	0	—	—	—	0	0
Washington	—	0	2	5	13	—	0	1
Territories	—	—	—	—	—	—	—	—
American Samoa	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0
Puerto Rico	—	213	406	6,849	2,959	—	1	9
U.S. Virgin Islands	—	0	42	—	32	—	0	0

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

‡ DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.



















