

Notifiable Diseases and Mortality Tables


TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending November 16, 2013 (46th week)*

Disease	Current week	Cum 2013	5-year weekly average [†]	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	—	—	1	—	1	—	
Arboviral diseases ^{§,¶} :									
California serogroup virus disease	—	80	0	81	137	75	55	62	
Eastern equine encephalitis virus disease	—	6	—	15	4	10	4	4	
Powassan virus disease	—	8	0	7	16	8	6	2	
St. Louis encephalitis virus disease	—	—	0	3	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	9	1,236	10	940	1,128	NN	NN	NN	ME (1), RI (2), NY (6)
Botulism, total	—	112	3	168	153	112	118	145	
foodborne	—	3	0	27	24	7	10	17	
infant	—	98	2	123	97	80	83	109	
other (wound and unspecified)	—	11	1	18	32	25	25	19	
Brucellosis	1	78	1	114	79	115	115	80	CA (1)
Chancroid	—	12	0	15	8	24	28	25	
Cholera	—	1	0	17	40	13	10	5	
Cyclosporiasis [§]	—	658	1	123	151	179	141	139	
Diphtheria	—	—	—	1	—	—	—	—	
<i>Haemophilus influenzae</i> , ** invasive disease (age <5 yrs):									
serotype b	—	16	0	30	14	23	35	30	
nonserotype b	—	146	4	205	145	200	236	244	
unknown serotype	1	186	4	210	226	223	178	163	OK (1)
Hansen disease [§]	1	43	1	82	82	98	103	80	CA (1)
Hantavirus pulmonary syndrome [§]	—	10	0	30	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal [§]	—	196	6	274	290	266	242	330	
Influenza-associated pediatric mortality ^{§,††}	—	155	5	52	118	61	358	90	
Listeriosis	10	567	14	727	870	821	851	759	NY (1), PA (1), VA (1), NC (1), SC (1), TN (1), WA (1), CA (3)
Measles ^{§§}	—	166	0	55	220	63	71	140	
Meningococcal disease, invasive ^{¶¶} :									
A, C, Y, and W-135	—	105	4	161	257	280	301	330	
serogroup B	1	63	3	110	159	135	174	188	TX (1)
other serogroup	—	10	0	20	20	12	23	38	
unknown serogroup	9	277	7	260	323	406	482	616	MA (1), NY (1), PA (1), FL (3), CA (3)
Novel influenza A virus infections***	—	21	537	313	14	4	43,774	2	
Plague	—	4	—	4	3	2	8	3	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus Infection, nonparalytic [§]	—	—	—	—	—	—	—	—	
Psittacosis [§]	—	4	0	2	2	4	9	8	
Q fever, total [§]	1	123	2	135	134	131	113	120	
acute	1	96	1	113	110	106	93	106	NY (1)
chronic	—	27	0	22	24	25	20	14	
Rabies, human	—	—	0	1	6	2	4	2	
Rubella ^{†††}	—	9	0	9	4	5	3	16	
Rubella, congenital syndrome	—	—	—	3	—	—	2	—	
SARS-CoV [§]	—	—	—	—	—	—	—	—	
Smallpox [§]	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome [§]	1	125	2	194	168	142	161	157	NV (1)
Syphilis, congenital (age <1 yr) ^{§§§}	—	150	6	322	360	377	423	431	
Tetanus	—	14	1	37	36	26	18	19	
Toxic-shock syndrome (staphylococcal) [§]	—	55	1	65	78	82	74	71	
Trichinellosis	1	15	0	18	15	7	13	39	MD (1)
Tularemia	—	179	2	149	166	124	93	123	
Typhoid fever	2	264	4	354	390	467	397	449	MD (1), WA (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> [§]	—	157	2	134	82	91	78	63	
Vancomycin-resistant <i>Staphylococcus aureus</i> [§]	—	—	—	2	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) [§]	1	939	13	1,111	832	846	789	588	FL (1)
Viral hemorrhagic fever ^{¶¶¶}	—	—	—	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending November 16, 2013 (46th week)*

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.
 * Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.
 § Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.
 ** Data for *H. influenzae* (all ages, all serotypes) are available in Table II.
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 29, 2013, two influenza-associated pediatric deaths occurring during the 2013–14 influenza season have been reported. Since September 30, 2012, 169 influenza-associated pediatric deaths occurring during the 2012–13 influenza season have been reported.
 §§ No measles cases were reported for the current week.
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.
 *** CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, and the 21 cases reported during 2013 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).
 ††† No rubella cases were reported for the current week.
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals November 16, 2013, with historical data

* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

Notifiable Disease Data Team and 122 Cities Mortality Data Team

Umed Ajani
 Deborah A. Adams Willie J. Anderson
 Lenee Blanton Rosaline Dhara
 Diana Harris Onweh Alan W. Schley
 Pearl C. Sharp

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending November 16, 2013, and November 17, 2012 (46th week)*

Reporting area	Dengue Virus Infection							
	Current week	Dengue Fever [†]			Dengue Hemorrhagic Fever [§]			
		Previous 52 weeks	Med	Max	Cum 2013	Cum 2012	Current week	Previous 52 weeks
United States	—	8	39	455	472	—	0	1
New England	—	0	4	25	14	—	0	0
Connecticut	—	0	2	14	13	—	0	0
Maine	—	0	1	1	—	—	0	0
Massachusetts	—	0	0	—	—	—	0	0
New Hampshire	—	0	1	1	—	—	0	0
Rhode Island	—	0	2	7	—	—	0	0
Vermont	—	0	1	2	1	—	0	0
Mid. Atlantic	—	2	11	121	115	—	0	1
New Jersey	—	0	0	—	—	—	0	0
New York (Upstate)	—	0	1	—	15	—	0	0
New York City	—	2	9	99	80	—	0	1
Pennsylvania	—	0	3	22	20	—	0	0
E.N. Central	—	1	4	49	49	—	0	0
Illinois	—	0	3	20	17	—	0	0
Indiana	—	0	2	6	7	—	0	0
Michigan	—	0	1	7	8	—	0	0
Ohio	—	0	2	9	6	—	0	0
Wisconsin	—	0	1	7	11	—	0	0
W.N. Central	—	0	2	19	17	—	0	1
Iowa	—	0	0	—	2	—	0	0
Kansas	—	0	1	6	1	—	0	0
Minnesota	—	0	1	8	8	—	0	0
Missouri	—	0	1	3	4	—	0	1
Nebraska	—	0	0	—	—	—	0	0
North Dakota	—	0	1	1	—	—	0	0
South Dakota	—	0	1	1	2	—	0	0
S. Atlantic	—	2	13	109	149	—	0	1
Delaware	—	0	1	2	—	—	0	0
District of Columbia	—	0	0	—	—	—	0	0
Florida	—	1	9	61	108	—	0	0
Georgia	—	0	2	5	11	—	0	0
Maryland	—	0	1	4	8	—	0	0
North Carolina	—	0	2	13	7	—	0	0
South Carolina	—	0	4	8	2	—	0	0
Virginia	—	0	4	15	13	—	0	1
West Virginia	—	0	1	1	—	—	0	0
E.S. Central	—	0	2	16	11	—	0	0
Alabama	—	0	2	6	4	—	0	0
Kentucky	—	0	0	—	1	—	0	0
Mississippi	—	0	1	1	1	—	0	0
Tennessee	—	0	2	9	5	—	0	0
W.S. Central	—	0	8	42	23	—	0	0
Arkansas	—	0	1	1	—	—	0	0
Louisiana	—	0	1	5	6	—	0	0
Oklahoma	—	0	2	4	1	—	0	0
Texas	—	0	8	32	16	—	0	0
Mountain	—	0	1	6	13	—	0	0
Arizona	—	0	0	—	8	—	0	0
Colorado	—	0	0	—	—	—	0	0
Idaho	—	0	1	1	1	—	0	0
Montana	—	0	1	2	2	—	0	0
Nevada	—	0	1	2	2	—	0	0
New Mexico	—	0	0	—	—	—	0	0
Utah	—	0	0	—	—	—	0	0
Wyoming	—	0	1	1	—	—	0	0
Pacific	—	1	7	68	81	—	0	0
Alaska	—	0	1	1	1	—	0	0
California	—	1	7	52	61	—	0	0
Hawaii	—	0	2	8	5	—	0	0
Oregon	—	0	0	—	—	—	0	0
Washington	—	0	1	7	14	—	0	1
Territories	—	—	—	—	—	—	—	—
American Samoa	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0
Puerto Rico	—	164	406	7,178	4,034	—	1	9
U.S. Virgin Islands	—	0	21	—	92	—	0	0

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

‡ DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending November 16, 2013, and November 17, 2012 (46th week)*

Reporting area	Ehrlichiosis/Anaplasmosis†														
	Ehrlichia chaffeensis					Anaplasma phagocytophilum					Undetermined				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
United States	5	9	160	1,081	948	10	23	79	1,213	2,234	—	2	22	181	180
New England	—	0	7	27	50	—	3	16	165	620	—	0	1	2	—
Connecticut	—	0	0	—	—	—	0	2	7	141	—	0	0	—	—
Maine	—	0	1	3	3	—	1	8	74	45	—	0	1	2	—
Massachusetts	—	0	0	—	25	—	0	9	—	301	—	0	0	—	—
New Hampshire	—	0	1	1	3	—	0	3	18	48	—	0	0	—	—
Rhode Island	—	0	7	21	19	—	0	14	44	76	—	0	0	—	—
Vermont	—	0	1	2	—	—	0	3	22	9	—	0	0	—	—
Mid. Atlantic	3	2	28	101	89	9	7	50	419	403	—	0	7	23	23
New Jersey	—	0	1	—	56	—	0	2	—	133	—	0	0	—	1
New York (Upstate)	3	1	28	67	16	9	7	49	376	242	—	0	5	21	7
New York City	—	0	5	33	11	—	0	4	43	20	—	0	1	2	—
Pennsylvania	—	0	1	1	6	—	0	1	—	8	—	0	2	—	15
E.N. Central	—	0	8	70	60	—	6	43	572	593	—	2	17	128	99
Illinois	—	0	7	36	36	—	0	2	7	11	—	0	0	—	1
Indiana	—	0	0	—	—	—	0	0	—	—	—	1	13	90	35
Michigan	—	0	0	—	2	—	0	0	—	6	—	0	3	6	—
Ohio	—	0	1	9	3	—	0	1	4	1	—	0	1	2	1
Wisconsin	—	0	6	25	19	—	5	43	561	575	—	0	4	30	62
W.N. Central	—	1	42	390	234	—	0	4	15	533	—	0	2	9	27
Iowa	N	0	0	N	N	0	0	0	N	N	N	0	0	N	N
Kansas	—	1	8	69	40	—	0	1	4	7	—	0	0	—	—
Minnesota	—	0	0	—	9	—	0	4	—	498	—	0	0	—	17
Missouri	—	0	39	315	185	—	0	2	9	23	—	0	2	9	9
Nebraska	—	0	1	5	—	—	0	1	2	2	—	0	0	—	—
North Dakota	—	0	0	—	—	—	0	0	—	3	—	0	0	—	—
South Dakota	—	0	1	1	—	—	0	0	—	—	—	0	0	—	1
S. Atlantic	1	1	20	154	314	1	0	3	28	49	—	0	2	5	11
Delaware	—	0	2	13	16	—	0	0	—	1	—	0	1	1	—
District of Columbia	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Florida	—	0	3	21	19	—	0	2	4	3	—	0	0	—	—
Georgia	—	0	3	8	23	—	0	1	2	5	—	0	0	—	2
Maryland	—	0	5	29	36	1	0	1	5	4	—	0	1	1	—
North Carolina	1	0	12	65	96	—	0	3	11	20	—	0	0	—	2
South Carolina	—	0	1	4	2	—	0	0	—	—	—	0	0	—	—
Virginia	—	0	3	10	122	—	0	2	3	15	—	0	1	2	6
West Virginia	—	0	1	4	—	—	0	1	3	1	—	0	1	1	1
E.S. Central	1	1	14	152	99	—	0	1	8	25	—	0	3	5	11
Alabama	—	0	2	11	10	—	0	1	3	11	—	0	0	—	5
Kentucky	1	0	7	62	29	—	0	0	—	1	—	0	0	—	—
Mississippi	—	0	1	1	2	—	0	0	—	1	—	0	1	1	—
Tennessee	—	1	9	78	58	—	0	1	5	12	—	0	3	4	6
W.S. Central	—	2	116	187	102	—	0	13	6	11	—	0	0	—	1
Arkansas	—	2	16	137	82	—	0	1	4	8	—	0	0	—	—
Louisiana	—	0	1	2	1	—	0	1	1	—	—	0	0	—	1
Oklahoma	—	0	115	43	15	—	0	13	1	2	—	0	0	—	—
Texas	—	0	1	5	4	—	0	0	—	1	—	0	0	—	—
Mountain	—	0	0	—	—	—	0	0	—	—	—	0	1	2	2
Arizona	—	0	0	—	—	—	0	0	—	—	—	0	1	2	1
Colorado	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Idaho	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Montana	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Nevada	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New Mexico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Utah	—	0	0	—	—	—	0	0	—	—	—	0	0	—	1
Wyoming	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Pacific	—	0	0	—	—	—	0	0	—	—	—	0	1	7	6
Alaska	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
California	—	0	0	—	—	—	0	0	—	—	—	0	1	7	6
Hawaii	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Oregon	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Washington	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	N	—	—	N	N	N	—	—	N	N	N	—	—	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Puerto Rico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Cumulative total *E. ewingii* cases reported for year 2012 = 17, and 21 cases reported for 2013.

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending November 16, 2013, and November 17, 2012 (46th week)*

Reporting area	Spotted Fever Rickettsiosis (including RMSF) [†]														
	Shigellosis				Confirmed				Probable						
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
United States	144	190	378	8,967	13,531	1	2	10	166	174	14	37	420	2,390	3,719
New England	—	4	94	467	176	—	0	1	1	1	—	0	3	7	19
Connecticut	—	1	5	48	38	—	0	0	—	—	—	0	0	—	—
Maine	—	0	1	5	6	—	0	0	—	—	—	0	1	2	3
Massachusetts	—	2	12	155	110	—	0	0	—	—	—	0	1	2	6
New Hampshire	—	0	1	6	7	—	0	1	1	—	—	0	1	1	2
Rhode Island	—	0	86	250	11	—	0	0	—	—	—	0	3	2	8
Vermont	—	0	1	3	4	—	0	0	—	1	—	0	0	—	—
Mid. Atlantic	8	18	75	759	2,254	—	0	1	5	5	—	1	11	84	180
New Jersey	—	2	10	119	934	—	0	1	1	—	—	1	4	32	123
New York (Upstate)	3	5	61	228	674	—	0	1	2	4	—	0	7	16	15
New York City	2	6	14	286	525	—	0	0	—	—	—	0	1	9	7
Pennsylvania	3	2	9	126	121	—	0	1	2	1	—	0	3	27	35
E.N. Central	16	26	114	1,141	2,122	—	0	2	17	10	1	2	14	175	214
Illinois	—	5	15	262	261	—	0	1	5	8	—	1	8	90	141
Indiana	—	1	6	59	153	—	0	1	8	2	—	1	4	49	27
Michigan	1	3	8	142	235	—	0	1	2	—	—	0	1	4	2
Ohio	15	13	103	645	1,379	—	0	1	1	—	1	0	2	23	22
Wisconsin	—	1	13	33	94	—	0	1	1	—	—	0	2	9	22
W.N. Central	3	6	25	318	882	—	0	1	8	5	—	2	26	245	338
Iowa	—	2	14	117	80	—	0	0	—	—	—	0	1	6	7
Kansas	—	1	4	41	118	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	11	—	344	—	0	0	—	—	—	0	0	—	15
Missouri	2	1	8	70	69	—	0	1	2	4	—	1	25	223	306
Nebraska	1	1	17	55	254	—	0	1	5	1	—	0	2	9	8
North Dakota	—	0	2	15	6	—	0	0	—	—	—	0	1	2	1
South Dakota	—	0	5	20	11	—	0	1	1	—	—	0	1	5	1
S. Atlantic	52	38	91	1,919	2,729	1	1	5	79	114	9	8	54	505	1,040
Delaware	—	0	1	5	21	—	0	0	—	—	—	0	2	9	27
District of Columbia	—	0	2	11	25	—	0	1	1	1	—	0	0	—	1
Florida	25	15	46	814	1,623	—	0	2	4	3	—	0	3	22	26
Georgia	16	14	36	707	609	—	1	5	56	89	—	0	0	—	—
Maryland	1	2	6	91	213	1	0	1	3	—	—	0	4	26	9
North Carolina	8	2	25	161	119	—	0	2	11	10	9	2	47	370	478
South Carolina	—	2	6	103	29	—	0	1	2	7	—	1	2	30	53
Virginia	2	0	5	23	83	—	0	1	1	4	—	0	9	43	444
West Virginia	—	0	1	4	7	—	0	1	1	—	—	0	2	5	2
E.S. Central	10	17	61	903	1,112	—	0	3	17	13	3	9	48	777	918
Alabama	—	5	13	224	287	—	0	1	2	3	2	3	16	208	159
Kentucky	—	1	18	56	385	—	0	1	2	3	—	1	6	62	58
Mississippi	—	4	12	178	260	—	0	1	2	2	—	0	4	29	23
Tennessee	10	5	46	445	180	—	0	2	11	5	1	7	30	478	678
W.S. Central	40	43	159	1,860	2,384	—	0	5	14	8	1	6	366	569	936
Arkansas	9	4	11	200	78	—	0	2	4	5	—	4	27	342	810
Louisiana	1	6	21	264	184	—	0	0	—	—	—	0	1	3	9
Oklahoma	3	3	60	155	452	—	0	5	9	1	1	0	351	177	52
Texas	27	26	95	1,241	1,670	—	0	1	1	2	—	1	8	47	65
Mountain	1	12	37	595	707	—	0	5	23	11	—	0	3	22	61
Arizona	—	7	27	356	391	—	0	5	22	10	—	0	2	14	38
Colorado	—	1	5	43	112	—	0	0	—	1	—	0	1	—	4
Idaho	—	0	2	7	9	—	0	1	1	—	—	0	0	—	4
Montana	—	0	10	64	9	—	0	0	—	—	—	0	1	2	3
Nevada	1	0	7	48	52	—	0	0	—	—	—	0	1	1	—
New Mexico	—	1	5	51	98	—	0	0	—	—	—	0	1	3	4
Utah	—	0	2	22	31	—	0	0	—	—	—	0	1	2	6
Wyoming	—	0	2	4	5	—	0	0	—	—	—	0	0	—	2
Pacific	14	21	45	1,005	1,165	—	0	1	2	7	—	0	1	6	13
Alaska	—	0	1	1	7	N	0	0	N	N	N	0	0	N	N
California	12	17	45	823	948	—	0	1	1	7	—	0	1	6	12
Hawaii	—	0	6	32	25	N	0	0	N	N	N	0	0	N	N
Oregon	2	1	4	49	85	—	0	1	1	—	—	0	0	—	1
Washington	—	1	19	100	100	—	0	1	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.† Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

