

## Notifiable Diseases and Mortality Tables


**TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending January 18, 2014 (3rd week)\* (Export data)**

Disease	Current week	Cum 2014	5-year weekly average <sup>†</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2013	2012	2011	2010	2009	
Anthrax	—	—	—	—	—	1	—	1	
Arboviral diseases <sup>§,¶</sup> :									
California serogroup virus disease	—	—	—	81	81	137	75	55	
Eastern equine encephalitis virus disease	—	—	0	6	15	4	10	4	
Powassan virus disease	—	—	0	12	7	16	8	6	
St. Louis encephalitis virus disease	—	—	—	—	3	6	10	12	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	—	2	2	136	168	153	112	118	
foodborne	—	—	0	5	27	24	7	10	
infant	—	1	1	119	123	97	80	83	
other (wound and unspecified)	—	1	0	12	18	32	25	25	
Brucellosis	1	1	1	93	114	79	115	115	FL (1)
Chancroid	—	—	0	11	15	8	24	28	
Cholera	—	—	1	2	17	40	13	10	
Cyclosporiasis <sup>§</sup>	—	—	3	664	123	151	179	141	
Diphtheria	—	—	—	—	1	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	—	1	21	30	14	23	35	
nonserotype b	—	3	5	179	205	145	200	236	
unknown serotype	3	18	5	210	210	226	223	178	NC (1), FL (1), AL (1)
Hansen disease <sup>§</sup>	—	—	2	52	82	82	98	103	
Hantavirus pulmonary syndrome <sup>§</sup>	—	—	0	13	30	23	20	20	
Hemolytic uremic syndrome, postdiarrheal <sup>§</sup>	—	1	2	226	274	290	266	242	
Hepatitis B, virus infection perinatal	—	—	1	49	40	U	U	U	
Influenza-associated pediatric mortality <sup>§,††</sup>	8	19	4	164	52	118	61	358	IA (1), VA (1), NC (1), TN (1), TX (2), CA (2)
Leptospirosis	—	—	—	NN	NN	NN	NN	NN	
Listeriosis	4	23	11	640	727	870	821	851	NY (2), NC (1), FL (1)
Measles <sup>§§</sup>	4	6	2	186	55	220	63	71	OR (4)
Meningococcal disease, invasive <sup>¶¶</sup> :									
A, C, Y, and W-135	—	6	4	115	161	257	280	301	
serogroup B	—	1	2	72	110	159	135	174	
other serogroup	—	—	0	14	20	20	12	23	
unknown serogroup	2	11	9	309	260	323	406	482	MD (1), CA (1)
Novel influenza A virus infections***	—	—	25	21	313	14	4	43,774	
Plague	—	—	—	4	4	3	2	8	
Poliomyelitis, paralytic	—	—	—	—	—	—	—	1	
Polio virus Infection, nonparalytic <sup>§</sup>	—	—	—	—	—	—	—	—	
Psittacosis <sup>§</sup>	—	—	0	5	2	2	4	9	
Q fever, total <sup>§</sup>	—	1	1	144	135	134	131	113	
acute	—	1	1	112	113	110	106	93	
chronic	—	—	0	32	22	24	25	20	
Rabies, human	—	—	—	—	1	6	2	4	
Rubella <sup>†††</sup>	—	1	0	9	9	4	5	3	
Rubella, congenital syndrome	—	—	0	—	3	—	—	2	
SARS-CoV <sup>§</sup>	—	—	—	—	—	—	—	—	
Smallpox <sup>§</sup>	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome <sup>§</sup>	1	4	3	135	194	168	142	161	ME (1)
Syphilis, congenital (age <1 yr) <sup>§§§</sup>	—	1	7	184	322	360	377	423	
Tetanus	1	1	0	20	37	36	26	18	FL (1)
Toxic-shock syndrome (staphylococcal) <sup>§</sup>	—	1	2	59	65	78	82	74	
Trichinellosis	—	—	0	19	18	15	7	13	
Tularemia	—	—	0	193	149	166	124	93	
Typhoid fever	—	2	8	302	354	390	467	397	
Vancomycin-intermediate <i>Staphylococcus aureus</i> <sup>§</sup>	—	3	1	178	134	82	91	78	
Vancomycin-resistant <i>Staphylococcus aureus</i> <sup>§</sup>	—	—	—	—	2	—	2	1	
Vibriosis (noncholera <i>Vibrio</i> species infections) <sup>§</sup>	4	7	7	1,100	1,111	832	846	789	NC (2), SC (1), FL (1)
Viral hemorrhagic fever <sup>¶¶¶</sup>	—	—	0	—	—	—	1	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

**TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending January 18, 2014 (3rd week)\***

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.  
 \* Case counts for reporting years 2013 and 2014 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/ncphi/disss/nndss/phs/files/ProvisionalNational%20NotifiableDiseasesSurveillanceData20100927.pdf>.  
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.  
 § Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/nndss/document/SRCA\\_FINAL\\_REPORT\\_2006-2012\\_final.xlsx](http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx).  
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.  
 \*\* Data for *H. influenzae* (all ages, all serotypes) are available in Table II.  
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 29, 2013, 28 influenza-associated pediatric deaths occurring during the 2013–14 influenza season have been reported.  
 §§ Of the four measles cases reported for the current week, three were indigenous and one was imported.  
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.  
 \*\*\* CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, and the 21 cases reported during 2013 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).  
 ††† No rubella cases were reported for the current week.  
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.  
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals January 18, 2014, with historical data**

\* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**Notifiable Disease Data Team and 122 Cities Mortality Data Team**

Umed Ajani  
 Deborah A. Adams      Willie J. Anderson  
 Lenee Blanton      Rosaline Dhara  
 Diana Harris Onweh      Alan W. Schley  
 Pearl C. Sharp























