

## Notifiable Diseases and Mortality Tables


**TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending December 27, 2014 (52nd week)\* (Export data)**

Disease	Current week	Cum 2014	5-year weekly average <sup>†</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2013	2012	2011	2010	2009	
Anthrax	—	—	—	—	—	1	—	1	
Arboviral diseases <sup>§,¶</sup> :									
California serogroup virus disease	—	79	0	95	81	137	75	55	
Eastern equine encephalitis virus disease	—	8	0	8	15	4	10	4	
Powassan virus disease	—	8	0	12	7	16	8	6	
St. Louis encephalitis virus disease	—	8	0	1	3	6	10	12	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	—	133	3	152	168	153	112	118	
foodborne	—	10	0	4	27	24	7	10	
infant	—	105	3	136	123	97	80	83	
other (wound and unspecified)	—	18	0	12	18	32	25	25	
Brucellosis	—	82	2	99	114	79	115	115	
Chancroid	1	18	1	10	15	8	24	28	DE (1)
Cholera	—	—	1	14	17	40	13	10	
Cyclosporiasis <sup>§</sup>	—	364	3	784	123	151	179	141	
Diphtheria	—	1	—	—	1	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	26	1	31	30	14	23	35	
nonserotype b	—	158	5	222	205	145	200	236	
unknown serotype	1	218	6	185	210	226	223	178	PA (1)
Hansen disease <sup>§</sup>	—	51	2	81	82	82	98	103	
Hantavirus pulmonary syndrome <sup>§</sup>	—	24	0	21	30	23	20	20	
Hemolytic uremic syndrome, postdiarrheal <sup>§</sup>	—	213	5	329	274	290	266	242	
Hepatitis B, virus infection perinatal	—	33	2	48	40	U	U	U	
Influenza-associated pediatric mortality <sup>§,††</sup>	6	124	3	160	52	118	61	358	MN (1), KS (1), TN (3), VA (1)
Leptospirosis	—	21	0	NN	NN	NN	NN	NN	
Listeriosis	7	637	16	735	727	870	821	851	RI (1), PA (2), OH (2), WA (1), CA (1)
Measles <sup>§§</sup>	—	554	1	187	55	220	63	71	
Meningococcal disease, invasive <sup>¶¶</sup> :									
A, C, Y, and W-135	1	93	6	142	161	257	280	301	ME (1)
serogroup B	—	59	3	99	110	159	135	174	
other serogroup	—	19	1	17	20	20	12	23	
unknown serogroup	2	215	10	298	260	323	406	482	GA (1), FL (1)
Novel influenza A virus infections***	—	3	50	21	313	14	4	43,774	
Plague	—	5	—	4	4	3	2	8	
Poliomyelitis, paralytic	—	—	0	1	—	—	—	1	
Polio virus Infection, nonparalytic <sup>§</sup>	—	—	—	—	—	—	—	—	
Psittacosis <sup>§</sup>	—	7	0	6	2	2	4	9	
Q fever, total <sup>§</sup>	—	139	4	170	135	134	131	113	
acute	—	113	3	137	113	110	106	93	
chronic	—	26	1	33	22	24	25	20	
Rabies, human	—	1	0	2	1	6	2	4	
Rubella <sup>†††</sup>	1	7	0	9	9	4	5	3	FL (1)
Rubella, congenital syndrome	—	—	0	1	3	—	—	2	
SARS-CoV <sup>§</sup>	—	—	—	—	—	—	—	—	
Smallpox <sup>§</sup>	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome <sup>§</sup>	1	183	5	224	194	168	142	161	ME (1)
Syphilis, congenital (age <1 yr) <sup>§§§</sup>	—	298	7	348	322	360	377	423	
Tetanus	—	21	1	26	37	36	26	18	
Toxic-shock syndrome (staphylococcal) <sup>§</sup>	1	51	2	71	65	78	82	74	TN (1)
Trichinellosis	—	13	0	22	18	15	7	13	
Tularemia	—	150	1	203	149	166	124	93	
Typhoid fever	2	288	9	338	354	390	467	397	NYC (2)
Vancomycin-intermediate <i>Staphylococcus aureus</i> <sup>§</sup>	1	189	3	248	134	82	91	78	MO (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> <sup>§</sup>	—	—	0	—	2	—	2	1	
Vibriosis (noncholera <i>Vibrio</i> species infections) <sup>§</sup>	1	1,125	13	1,299	1,111	832	846	789	FL (1)
Viral hemorrhagic fever <sup>¶¶¶</sup>	—	7	—	—	—	—	1	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

**TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending December 27, 2014 (52nd week)\***

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.  
 \* Case counts for reporting year 2014 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.  
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.  
 § Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/nndss/document/SRCA\\_FINAL\\_REPORT\\_2006-2012\\_final.xlsx](http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx).  
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.  
 \*\* Data for *H. influenzae* (all ages, all serotypes) are available in Table II.  
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 28, 2014, 21 influenza-associated pediatric death occurring during the 2014–15 influenza season have been reported.  
 §§ No measles cases were reported for the current week.  
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.  
 \*\*\* CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, the 21 cases reported during 2013, and the three cases reported for 2014 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).  
 ††† The one rubella case reported for the current week was imported.  
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.  
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. In addition to the 4 cases of Ebola diagnosed in the United States to date in 2014, six residents of the US have been medically evacuated to the US for care after developing Ebola in West Africa. Ten of the 11 VHF cases reported for 2014 are confirmed as Ebola and one as Lassa Fever. See Table II for dengue hemorrhagic fever.

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals December 27, 2014, with historical data**

\* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**Notifiable Disease Data Team and 122 Cities Mortality Data Team**

David W. Walker  
 Deborah A. Adams      Willie J. Anderson  
 Lenee Blanton      Rosaline Dhara  
 Diana Harris Onweh      Alan W. Schley  
 Pearl C. Sharp

Data presented by the Notifiable Disease Data Team and 122 Cities Mortality Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6351&52md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd, N.E., Atlanta, GA 30329-4027 or to [mmwrq@cdc.gov](mailto:mmwrq@cdc.gov).























