

## Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of selected\* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending October 3, 2015 (39th week)<sup>†</sup> (Export data)

Disease	Current week	Cum 2015	5-year weekly average <sup>§</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2014	2013	2012	2011	2010	
Anthrax	—	—	0	—	—	—	1	—	
Arboviral diseases**, <sup>††</sup> :									
California serogroup virus disease	—	30	4	96	95	81	137	75	
Chikungunya virus disease <sup>¶</sup>	NN	NN	—	NN	NN	NN	NN	NN	
Eastern equine encephalitis virus disease	—	1	0	8	8	15	4	10	
Powassan virus disease	—	3	0	8	12	7	16	8	
St. Louis encephalitis virus disease	—	12	0	10	1	3	6	10	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	2	142	3	161	152	168	153	112	
foodborne	—	40	0	15	4	27	24	7	
infant	2	89	2	127	136	123	97	80	TX (1), WA (1)
other (wound and unspecified)	—	13	1	19	12	18	32	25	
Brucellosis	1	86	2	92	99	114	79	115	SC (1)
Chancroid	—	14	0	6	—	15	8	24	
Cholera	—	1	0	5	14	17	40	13	
Cyclosporiasis <sup>††</sup>	4	559	3	388	784	123	151	179	NC (2), WA (2)
Diphtheria	—	—	—	1	—	1	—	—	
Haemophilus influenzae invasive disease (age <5 yrs) <sup>§§</sup> :									
serotype b	—	18	1	40	31	30	14	23	
nonserotype b	1	165	2	228	222	205	145	200	NE (1)
unknown serotype	2	151	3	204	185	210	226	223	FL (2)
Hansen disease <sup>††</sup>	1	43	2	88	81	82	82	98	FL (1)
Hantavirus infections <sup>††</sup> :									
Hantavirus infection (non-HPS) <sup>¶</sup>	NN	NN	—	NN	NN	NN	NN	NN	
Hantavirus Pulmonary Syndrome (HPS)	—	12	0	32	21	30	23	20	
Hemolytic uremic syndrome, postdiarrheal <sup>††</sup>	2	150	8	250	329	274	290	266	MT (1), ID (1)
Hepatitis B, virus infection perinatal	—	16	1	47	48	40	NP	NP	
Influenza-associated pediatric mortality <sup>††,¶¶</sup>	—	122	0	141	160	52	118	61	
Leptospirosis <sup>††</sup>	—	20	0	38	NN	NN	NN	NN	
Listeriosis	8	479	23	769	735	727	870	821	NYC (1), PA (1), OH (1), FL (2), TN (1), OK (1), TX (1)
Measles***	—	189	1	667	187	55	220	63	
Meningococcal disease, invasive <sup>†††</sup> :									
A, C, Y, and W-135	—	51	3	123	142	161	257	280	
serogroup B	—	60	2	89	99	110	159	135	
other serogroup	—	17	0	25	17	20	20	12	
unknown serogroup	3	129	4	196	298	260	323	406	OH (1), FL (1), OR (1)
Novel influenza A virus infections <sup>§§§</sup>	—	5	0	3	21	313	14	4	
Plague	—	8	0	10	4	4	3	2	
Poliomyelitis, paralytic	—	—	—	—	1	—	—	—	
Polio virus infection, nonparalytic <sup>††</sup>	—	—	—	—	—	—	—	—	
Psittacosis <sup>††</sup>	—	6	0	8	6	2	2	4	
Q fever, total <sup>††</sup>	—	104	3	168	170	135	134	131	
acute	—	89	2	132	137	113	110	106	
chronic	—	15	0	36	33	22	24	25	
Rabies, human	—	1	0	1	2	1	6	2	
SARS-CoV††	—	—	—	—	—	—	—	—	
Smallpox <sup>††</sup>	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome <sup>††</sup>	—	187	2	259	224	194	168	142	
Syphilis, congenital (age <1 yr) <sup>††,¶¶¶</sup>	—	221	8	458	348	322	360	377	
Toxic-shock syndrome (staphylococcal) <sup>††</sup>	1	40	1	59	71	65	78	82	NY (1)
Trichinellosis <sup>††</sup>	—	4	0	14	22	18	15	7	
Tularemia	—	193	4	180	203	149	166	124	
Typhoid fever	5	250	9	349	338	354	390	467	NYC (1), MD (1), WA (3)
Vancomycin-intermediate <i>Staphylococcus aureus</i> <sup>††</sup>	—	106	4	212	248	134	82	91	
Vancomycin-resistant <i>Staphylococcus aureus</i> <sup>††</sup>	—	1	—	—	2	—	2	—	

See Table I footnotes on next page.

Morbidity and Mortality Weekly Report

TABLE I. (Continued) Provisional cases of selected\* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending October 3, 2015 (39th week)<sup>†</sup> (Export data)

Disease	Current week	Cum 2015	5-year weekly average <sup>§</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2014	2013	2012	2011	2010	
Viral hemorrhagic fevers <sup>††,****</sup> .	—	—	—	NP	NP	NP	NP	NP	—
Crimean-Congo hemorrhagic fever	—	—	—	4	NP	NP	NP	NP	—
Ebola hemorrhagic fever	—	—	—	NP	NP	NP	NP	NP	—
Guanarito hemorrhagic fever	—	—	—	NP	NP	NP	NP	NP	—
Junin hemorrhagic fever	—	—	—	NP	NP	NP	NP	NP	—
Lassa fever	—	—	—	1	NP	NP	NP	NP	—
Lujo virus	—	—	—	NP	NP	NP	NP	NP	—
Machupo hemorrhagic fever	—	—	—	NP	NP	NP	NP	NP	—
Marburg fever	—	—	—	NP	NP	NP	NP	NP	—
Sabia-associated hemorrhagic fever	—	—	—	NP	NP	NP	NP	NP	—
Yellow fever	—	—	—	—	—	—	—	—	—

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, have been moved to Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2014 and 2015 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nnndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.

§ Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nnndss/document/5yearweeklyaverage.pdf>.

¶ Data for the Arboviral disease, Chikungunya, and Hantavirus infection disease, non-Hantavirus Pulmonary Syndrome (HPS), will be displayed in this table after the CDC obtains Office of Management and Budget Paperwork Reduction Act approval to receive data for these conditions.

\*\* Includes both neuroinvasive and nonneuroinvasive. Updated weekly reports from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.

†† Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at <http://www.cdc.gov/nnndss/downloads.html>.

§§ Data for *H. influenzae* (all ages, all serotypes) are available in Table II.

¶¶ Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 28, 2014, 146 influenza-associated pediatric deaths occurring during the 2014–15 influenza season have been reported.

\*\*\* No measles cases were reported for the current week.


††† Data for meningococcal disease (all serogroups) are available in Table II.

§§§ All cases of novel influenza A virus infection reported to CDC since 2010 have been variant viruses. Influenza viruses that circulate in swine are called swine influenza viruses when isolated from swine, but are called variant viruses when isolated from humans. Variant influenza viruses are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).

¶¶¶ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.

\*\*\*\* Prior to 2015, CDC's National Notifiable Diseases Surveillance System (NNDSS) did not receive electronic data about incident cases of specific viral hemorrhagic fevers; instead data were collected in aggregate as "viral hemorrhagic fevers". Beginning in 2015, NNDSS has been updated to receive data for each of the viral hemorrhagic fevers listed below. There were no cases of viral hemorrhagic fever reported during the current week. In addition to the four cases of Ebola diagnosed in the United States to date in 2014, six residents of the United States have been medically evacuated to the United States for care after developing Ebola in West Africa. Ten of the 11 VHF cases reported for 2014 are confirmed as Ebola and one as Lassa fever.

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals October 3, 2015, with historical data**



\* No measles cases were reported for the current 4-week period yielding a ratio for week 39 of zero (0).

† Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**Notifiable Disease Data Team and 122 Cities Mortality Data Team**

David W. Walker	
Deborah A. Adams	Willie J. Anderson
Lenee Blanton	Rosaline Dhara
Diana Harris Onweh	Alan W. Schley
Pearl C. Sharp	

Data presented by the Notifiable Disease Data Team and 122 Cities Mortality Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6439md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd., N.E., Atlanta, GA 30329-4027 or to [mmwraq@cdc.gov](mailto:mmwraq@cdc.gov).

TABLE II. Provisional cases of selected notifiable diseases ( $\geq 1,000$  cases reported during the preceding year), and selected\* low frequency diseases, United States, weeks ending October 3, 2015, and September 27, 2014 (39th week)<sup>†</sup> (Export data)

Reporting area	Babesiosis					Campylobacteriosis				
	Current week	Previous 52 weeks		Cum 2015	Cum 2014	Current week	Previous 52 weeks		Cum 2015	Cum 2014
		Med	Max				Med	Max		
United States	9	14	122	1,266	1,526	535	815	1,308	33,415	N
New England	2	6	82	685	905	1	48	112	2,190	N
Connecticut	—	1	32	189	204	1	13	33	586	N
Maine	—	0	6	40	34	—	4	8	146	N
Massachusetts	—	2	46	311	507	—	25	47	1,037	N
New Hampshire	—	0	5	31	37	—	4	9	152	N
Rhode Island	2	1	22	108	121	—	1	21	139	N
Vermont	—	0	3	6	2	—	3	10	130	N
Mid. Atlantic	7	5	50	525	527	65	126	235	5,426	N
New Jersey	—	1	26	205	155	—	29	59	1,075	N
New York (Upstate)	7	3	35	257	323	18	35	60	1,375	N
New York City	—	0	11	63	49	26	32	48	1,201	N
Pennsylvania	N	0	0	N	N	21	41	94	1,775	N
E.N. Central	—	0	6	41	43	46	89	207	3,834	N
Illinois	—	0	1	2	1	U	0	0	U	U
Indiana	—	0	0	—	—	—	14	36	571	N
Michigan	—	0	1	2	2	1	22	49	948	N
Ohio	—	0	1	1	—	31	35	93	1,342	N
Wisconsin	—	0	5	36	40	14	25	42	973	N
W.N. Central	—	0	4	1	42	6	35	91	1,519	N
Iowa	N	0	0	N	N	3	11	46	547	N
Kansas	N	0	0	N	N	—	6	13	231	N
Minnesota	—	0	4	—	41	—	0	1	1	N
Missouri	N	0	0	N	N	—	0	17	88	N
Nebraska	—	0	0	—	—	2	9	25	383	N
North Dakota	—	0	1	1	—	—	0	0	—	N
South Dakota	—	0	0	—	1	1	6	23	269	N
S. Atlantic	—	0	1	3	4	134	158	263	6,474	N
Delaware	—	0	1	1	1	—	2	5	87	N
District of Columbia	N	0	0	N	N	—	0	2	7	N
Florida	N	0	0	N	N	68	71	106	2,791	N
Georgia	N	0	0	N	N	8	13	27	549	N
Maryland	—	0	1	—	1	10	15	34	619	N
North Carolina	N	0	0	N	N	35	21	71	898	N
South Carolina	—	0	1	2	2	1	6	15	234	N
Virginia	N	0	0	N	N	12	29	53	1,113	N
West Virginia	—	0	0	—	—	—	5	11	176	N
E.S. Central	—	0	1	4	—	15	46	74	1,691	N
Alabama	—	0	1	3	—	5	10	29	410	N
Kentucky	N	0	0	N	N	1	14	33	577	N
Mississippi	N	0	0	N	N	—	3	9	135	N
Tennessee	—	0	1	1	—	9	15	30	569	N
W.S. Central	—	0	1	1	1	42	56	177	2,482	N
Arkansas	—	0	0	—	—	6	8	21	327	N
Louisiana	—	0	0	—	—	14	11	22	402	N
Oklahoma	N	0	0	N	N	22	15	59	651	N
Texas	—	0	1	1	1	—	28	86	1,102	N
Mountain	—	0	0	—	—	35	71	130	3,002	N
Arizona	—	0	0	—	—	24	28	53	1,099	N
Colorado	N	0	0	N	N	—	13	40	586	N
Idaho	N	0	0	N	N	5	7	20	295	N
Montana	—	0	0	—	—	4	7	15	259	N
Nevada	N	0	0	N	N	—	2	6	109	N
New Mexico	N	0	0	N	N	—	8	18	322	N
Utah	—	0	0	—	—	—	5	20	233	N
Wyoming	—	0	0	—	—	2	2	8	99	N
Pacific	—	0	4	6	4	191	180	270	6,797	N
Alaska	N	0	0	N	N	—	2	5	66	N
California	—	0	1	4	3	40	126	160	4,585	N
Hawaii	N	0	0	N	N	15	10	28	441	N
Oregon	—	0	1	2	1	13	18	33	697	N
Washington	—	0	4	—	—	123	21	73	1,008	N
Territories	U	—	—	U	U	—	—	—	—	N
American Samoa	C.N.M.I.	—	—	—	—	—	—	—	—	N
Guam	—	0	0	—	—	—	0	0	—	N
Puerto Rico	N	0	0	N	N	—	0	2	21	N
U.S. Virgin Islands	N	0	0	N	N	—	0	0	—	N

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, have been moved to Table II to facilitate case count verification with reporting jurisdictions.

<sup>†</sup> Case counts for reporting year 2014 and 2015 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.



















TABLE II. (Continued) Provisional cases of selected notifiable diseases ( $\geq 1,000$  cases reported during the preceding year), and selected\* low frequency diseases, United States, weeks ending October 3, 2015, and September 27, 2014 (39th week)<sup>†</sup> (Export data)

Reporting area	Shiga toxin-producing <i>E. coli</i> (STEC) <sup>§</sup>					Shigellosis				
	Current week	Previous 52 weeks		Cum 2015	Cum 2014	Current week	Previous 52 weeks		Cum 2015	Cum 2014
		Med	Max				Med	Max		
United States	90	105	180	4,148	4,670	307	390	586	14,420	13,963
New England	1	3	15	176	171	—	6	17	210	227
Connecticut	—	2	8	66	41	—	1	5	45	42
Maine	—	0	3	23	27	—	0	3	3	16
Massachusetts	—	1	6	45	73	—	3	10	131	132
New Hampshire	—	0	3	18	13	—	0	2	3	12
Rhode Island	1	0	3	8	4	—	0	6	23	24
Vermont	—	0	4	16	13	—	0	2	5	1
Mid. Atlantic	3	11	22	438	434	11	31	82	1,375	678
New Jersey	—	1	5	28	99	—	6	17	223	176
New York (Upstate)	—	4	14	159	141	3	6	26	276	138
New York City	3	2	7	88	56	6	14	51	629	232
Pennsylvania	—	3	11	163	138	2	6	19	247	132
E.N. Central	6	11	26	489	711	39	41	165	1,527	2,417
Illinois	—	3	8	110	159	—	14	89	490	516
Indiana	—	1	7	70	100	—	6	65	183	972
Michigan	—	2	8	99	111	3	8	23	341	223
Ohio	6	3	16	183	156	35	9	32	399	450
Wisconsin	—	1	7	27	185	1	3	16	114	256
W.N. Central	2	9	22	389	858	1	32	100	987	1,781
Iowa	—	2	10	123	204	1	5	41	437	167
Kansas	—	2	5	85	71	—	1	12	81	42
Minnesota	—	0	9	—	274	—	0	7	—	59
Missouri	—	0	6	19	147	—	0	58	172	825
Nebraska	2	2	6	88	91	—	1	6	51	178
North Dakota	—	0	5	33	36	—	0	2	17	18
South Dakota	—	1	4	41	35	—	5	29	229	492
S. Atlantic	10	10	20	403	392	57	82	153	3,177	3,518
Delaware	—	0	1	2	11	—	0	3	16	57
District of Columbia	—	0	1	1	5	—	0	4	16	100
Florida	4	2	8	91	95	25	35	86	1,443	1,847
Georgia	—	2	7	84	82	9	25	46	940	641
Maryland	2	1	7	70	58	10	4	12	177	190
North Carolina	4	1	5	47	29	9	4	17	205	445
South Carolina	—	0	7	30	11	—	3	35	137	90
Virginia	—	1	6	69	87	4	5	18	231	138
West Virginia	—	0	3	9	14	—	0	4	12	10
E.S. Central	1	5	14	218	260	4	30	63	1,027	1,203
Alabama	1	0	5	26	38	1	14	30	438	247
Kentucky	—	1	6	53	81	—	9	30	332	157
Mississippi	—	0	3	19	27	—	2	7	75	168
Tennessee	—	3	10	120	114	3	6	24	182	631
W.S. Central	6	13	81	548	586	154	97	268	4,044	2,448
Arkansas	—	1	5	52	67	2	2	8	53	717
Louisiana	—	0	12	34	14	7	3	11	151	119
Oklahoma	4	1	32	103	88	43	7	165	670	47
Texas	2	9	70	359	417	102	83	171	3,170	1,565
Mountain	4	9	38	511	484	14	14	27	523	514
Arizona	—	1	10	91	76	14	8	19	336	249
Colorado	—	2	16	125	133	—	1	4	45	65
Idaho	4	2	9	107	86	—	0	5	19	8
Montana	—	1	6	61	35	—	0	7	12	11
Nevada	—	0	4	27	29	—	0	6	30	26
New Mexico	—	0	3	26	37	—	1	5	50	41
Utah	—	1	8	70	65	—	0	8	26	22
Wyoming	—	0	3	4	23	—	0	3	5	92
Pacific	57	22	63	976	774	27	41	93	1,550	1,177
Alaska	1	0	4	11	3	—	0	1	2	3
California	—	13	31	508	477	21	39	92	1,344	999
Hawaii	1	1	5	35	9	1	1	6	62	14
Oregon	2	4	11	166	130	3	0	4	47	46
Washington	53	1	45	256	155	2	1	18	95	115
Territories	—	—	—	—	—	—	—	—	—	—
American Samoa	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	2	—	1
Puerto Rico	—	0	1	1	4	—	0	7	12	21
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, have been moved to Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2014 and 2015 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.§ Includes *E. coli* O157:H7; Shiga toxin-positive, serogroup non-O157; and Shiga toxin-positive, not serogrouped.





Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ( $\geq 1,000$  cases reported during the preceding year), and selected\* low frequency diseases, United States, weeks ending October 3, 2015, and September 27, 2014 (39th week)<sup>†</sup> (Export data)

Reporting area	West Nile virus disease <sup>§</sup>									
	Neuroinvasive				Nonneuroinvasive <sup>¶</sup>					
	Current week	Previous 52 weeks			Current week	Previous 52 weeks				
Current week	Med	Max	Cum 2015	Cum 2014	Current week	Med	Max	Cum 2015	Cum 2014	
United States	—	1	103	708	1,216	—	1	63	454	790
New England	—	0	3	8	7	—	0	2	3	3
Connecticut	—	0	1	3	3	—	0	1	2	2
Maine	—	0	1	1	—	—	0	0	—	—
Massachusetts	—	0	2	4	4	—	0	1	1	1
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	0	—	—	—	0	0	—	—
Mid. Atlantic	—	0	8	38	35	—	0	6	22	10
New Jersey	—	0	3	14	5	—	0	2	3	2
New York (Upstate)	—	0	1	3	7	—	0	2	5	3
New York City	—	0	3	8	12	—	0	1	1	3
Pennsylvania	—	0	3	13	11	—	0	4	13	2
E.N. Central	—	0	18	71	58	—	0	7	33	13
Illinois	—	0	9	26	35	—	0	4	17	8
Indiana	—	0	3	10	9	—	0	1	5	1
Michigan	—	0	4	13	1	—	0	0	—	—
Ohio	—	0	4	20	10	—	0	2	8	1
Wisconsin	—	0	2	2	3	—	0	1	3	3
W.N. Central	—	0	11	56	99	—	0	18	101	205
Iowa	—	0	0	—	5	—	0	2	6	9
Kansas	—	0	3	9	17	—	0	3	11	34
Minnesota	—	0	1	1	6	—	0	1	4	14
Missouri	—	0	5	14	8	—	0	2	6	3
Nebraska	—	0	3	14	39	—	0	8	39	90
North Dakota	—	0	4	7	12	—	0	2	11	10
South Dakota	—	0	3	11	12	—	0	6	24	45
S. Atlantic	—	0	9	48	33	—	0	5	24	10
Delaware	—	0	0	—	—	—	0	1	1	—
District of Columbia	—	0	1	1	1	—	0	0	—	2
Florida	—	0	2	8	9	—	0	0	—	5
Georgia	—	0	3	7	10	—	0	1	1	1
Maryland	—	0	7	19	6	—	0	4	16	—
North Carolina	—	0	1	3	—	—	0	0	—	—
South Carolina	—	0	1	—	2	—	0	0	—	—
Virginia	—	0	4	10	5	—	0	2	6	2
West Virginia	—	0	0	—	—	—	0	0	—	—
E.S. Central	—	0	5	28	36	—	0	3	16	21
Alabama	—	0	2	2	—	—	0	1	4	2
Kentucky	—	0	0	—	—	—	0	0	—	1
Mississippi	—	0	5	24	25	—	0	2	11	14
Tennessee	—	0	1	2	11	—	0	1	1	4
W.S. Central	—	1	31	193	304	—	0	17	94	190
Arkansas	—	0	2	12	5	—	0	1	1	1
Louisiana	—	0	5	34	60	—	0	2	7	60
Oklahoma	—	0	6	25	7	—	0	7	33	9
Texas	—	0	20	122	232	—	0	11	53	120
Mountain	—	0	14	105	135	—	0	15	71	110
Arizona	—	0	7	36	63	—	0	5	20	15
Colorado	—	0	10	47	42	—	0	12	36	68
Idaho	—	0	1	5	6	—	0	3	8	13
Montana	—	0	1	1	2	—	0	1	1	3
Nevada	—	0	3	4	3	—	0	2	3	—
New Mexico	—	0	2	8	18	—	0	0	—	5
Utah	—	0	1	2	1	—	0	1	1	1
Wyoming	—	0	2	2	—	—	0	1	2	5
Pacific	—	0	30	161	509	—	0	16	90	228
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	0	30	154	496	—	0	14	74	221
Hawaii	—	0	0	—	—	—	0	0	—	1
Oregon	—	0	0	—	7	—	0	0	—	1
Washington	—	0	2	7	6	—	0	3	16	5
Territories	—	—	—	—	—	—	—	—	—	—
American Samoa	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	0	0	—	—	—
Puerto Rico	—	0	0	—	—	0	0	—	—	—
U.S. Virgin Islands	—	0	0	—	—	0	0	—	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U:Unavailable. —:No reported cases. N:Not reportable. NN:Not Nationally Notifiable. NP:Nationally notifiable but not published. Cum:Cumulative year-to-date counts. Med:Median. Max:Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, have been moved to Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2014 and 2015 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

§ Updated weekly from reports to the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for California serogroup, Chikungunya virus, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

¶ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases, influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

