

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending February 11, 2017 (6th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Anthrax	—	—	—	—	—	—	—	—	—
Arboviral diseases neuroinvasive and nonneuroinvasive ^{¶,**} :	—	—	—	—	—	—	—	—	—
Chikungunya virus disease	—	—	3	188	896	NN	NN	NN	—
Eastern equine encephalitis virus disease	—	—	—	6	6	8	8	15	—
Jamestown Canyon virus disease	—	—	—	6	11	11	22	2	—
La Crosse virus disease	—	—	—	34	55	80	85	78	—
Powassan virus disease	—	—	—	15	7	8	12	7	—
St. Louis encephalitis virus disease	—	—	0	8	23	10	1	3	—
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	—
Botulism, total	—	4	3	186	195	161	152	168	—
foodborne	—	—	0	33	37	15	4	27	—
infant	—	4	2	128	138	127	136	123	—
other (wound and unspecified)	—	—	0	25	20	19	12	18	—
Brucellosis	1	5	1	118	126	92	99	114	AZ (1)
Chancroid	—	—	0	10	11	—	—	15	—
Cholera	—	—	0	3	5	5	14	17	—
Cyclosporiasis ^{**}	—	2	1	505	645	388	784	123	—
Diphtheria	—	—	—	—	—	1	—	1	—
<i>Haemophilus influenzae</i> invasive disease (age <5 yrs) ^{††} :	—	—	—	—	—	—	—	—	—
serotype b	—	1	1	22	29	40	31	30	—
nontypeable	1	9	6	149	175	128	141	115	NY (1)
non-b serotype	1	8	2	130	135	266	233	263	NY (1)
unknown serotype	3	21	5	236	167	39	34	37	NE (1), TN (1), CA (1)
Hansen's disease ^{**}	—	4	1	43	89	88	81	82	—
Hantavirus ^{**} :	—	—	—	—	—	—	—	—	—
Hantavirus infection (non-HPS)	—	—	—	3	3	NN	NN	NN	—
Hantavirus Pulmonary Syndrome (HPS)	—	1	0	15	21	32	21	30	—
Hemolytic uremic syndrome, postdiarrheal ^{**}	5	16	2	273	274	250	329	274	MO (1), GA (1), FL (2), OR (1)
Hepatitis B, perinatal virus infection ^{§§}	—	1	1	26	37	47	48	40	—
Influenza-associated pediatric mortality ^{**,¶¶}	9	29	5	83	130	141	160	52	NY (1), NYC (1), MN (1), NC (1), TN (1), AZ (1), CA (1), OH (1), PA (1)
Leptospirosis ^{**}	—	2	0	58	40	38	NN	NN	—
Listeriosis	4	48	8	707	768	769	735	727	MI (1), FL (1), OK (1), AZ (1)
Measles ^{***}	1	18	6	78	188	667	187	55	UT (1)
Meningococcal disease (<i>Neisseria meningitidis</i>) ^{†††} :	—	—	—	—	—	—	—	—	—
serogroup ACWY	—	4	3	100	120	123	142	161	—
serogroup B	—	6	3	75	111	89	99	110	—
other serogroup	—	1	1	16	21	25	17	20	—
unknown serogroup	3	28	6	171	120	196	298	260	NY (1), FL (1), OR (1)
Novel influenza A virus infections ^{§§§}	—	—	—	23	7	3	21	313	—
Plague	—	—	—	—	16	10	4	4	—
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	—
Polio virus infection, nonparalytic ^{**}	—	—	—	—	—	—	—	—	—
Psittacosis ^{**}	—	—	0	9	4	8	6	2	—
Q fever, total ^{**}	—	5	2	142	156	168	170	135	—
acute	—	3	2	112	122	132	137	113	—
chronic	—	2	0	30	34	36	33	22	—
Rabies, human	—	—	—	—	2	1	2	1	—
SARS-CoV	—	—	—	—	—	—	—	—	—
Smallpox	—	—	—	—	—	—	—	—	—
Streptococcal toxic shock syndrome ^{**}	1	12	6	260	335	259	224	194	MT (1)
Syphilis, congenital ^{¶¶¶}	—	15	8	476	493	458	348	322	—
Toxic shock syndrome (other than streptococcal) ^{**}	—	—	1	42	64	59	71	65	—
Trichinellosis ^{**}	—	—	0	21	14	14	22	18	—
Tularemia	—	2	0	202	314	180	203	149	—
Typhoid fever (caused by <i>Salmonella typhi</i>)	4	28	7	331	367	349	338	354	NY (1), NYC (1), MD (1), SC (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> ^{**}	—	4	3	100	183	212	248	134	—
Vancomycin-resistant <i>Staphylococcus aureus</i> ^{**}	—	—	0	—	3	—	—	2	—

See Table I footnotes on next page.

TABLE I. (Continued) Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending February 11, 2017 (6th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Viral hemorrhagic fevers****:									
Crimean-Congo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Ebola hemorrhagic fever	—	—	—	—	—	4	NP	NP	
Guanarito hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Junin hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Lassa fever	—	—	—	—	1	1	NP	NP	
Lujo virus	—	—	—	—	—	NP	NP	NP	
Machupo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Marburg fever	—	—	—	—	—	NP	NP	NP	
Sabia-associated hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Yellow fever	—	—	—	—	—	—	—	—	
Zika virus disease, non-congenital ^{††††}	—	46	15	4,909	NN	NN	NN	NN	

: No reported cases. N: Not reportable. NA: Not available. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts.

* Case counts for reporting years 2016 and 2017 are provisional and subject to change. Data for years 2012 through 2015 are finalized. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.

† This table does not include cases from the U.S. territories. Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

§ Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.

¶ Updated weekly reports from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.

** Not reportable in all jurisdictions. Data from states where the condition is not reportable are excluded from this table, except for the arboviral diseases and influenza-associated pediatric mortality. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

†† Data for Haemophilus influenzae (all ages, all serotypes) are available in Table II.

§§ In 2016, the nationally notifiable condition 'Hepatitis B Perinatal Infection' was renamed to 'Perinatal Hepatitis B Virus Infection' and reflects updates in the 2016 CSTE position statement for Perinatal Hepatitis B Virus Infection.

¶¶ Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 2, 2016, 29 influenza-associated pediatric deaths occurring during the 2016-17 season have been reported.

*** The one measles case reported for the current week was indigenous.

††† Data for meningococcal disease (all serogroups) are available in Table II.


§§§ Novel influenza A virus infections are human infections with influenza A viruses that are different from currently circulating human seasonal influenza viruses. With the exception of one avian lineage influenza A (H7N2) virus, all novel influenza A virus infections reported to CDC since 2011 have been variant influenza viruses. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).

¶¶¶ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.

**** Prior to 2015, CDC's National Notifiable Diseases Surveillance System (NNDSS) did not receive electronic data about incident cases of specific viral hemorrhagic fevers; instead data were collected in aggregate as "viral hemorrhagic fevers". Beginning in 2015, NNDSS has been updated to receive data for each of the viral hemorrhagic fevers listed below. In addition to the four cases of Ebola diagnosed in the United States to date in 2014, six residents of the United States have been medically evacuated to the United States for care after developing Ebola in West Africa. Ten of the 11 VHF cases reported for 2014 are confirmed as Ebola and one as Lassa fever.

†††† The Council of State and Territorial Epidemiologists approved position statement 16-ID-01 in June 2016, which modifies the previous case definition and naming convention from "Zika virus congenital infection" to "Zika virus disease, non-congenital".

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals February 11, 2017, with historical data



National Notifiable Diseases Data Team

Yvette D. Dominique Deborah A. Adams Diana Harris Onweh Pearl C. Sharp	Willie J. Anderson Alan W. Schley
---	--------------------------------------

Data presented by the National Notifiable Diseases Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <http://www.cdc.gov/mmwr/volumes/66/wr/mm6606md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd, N.E., Atlanta, GA 30329-4027 or to mmwraq@cdc.gov.

TABLE II. Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Babesiosis					Campylobacteriosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	1	13	145	17	20	353	991	1,555	3,467	4,356
New England	—	5	107	3	13	4	51	98	142	244
Connecticut	—	2	32	—	4	—	10	34	35	55
Maine	—	0	10	3	1	1	4	12	18	14
Massachusetts	—	3	50	—	7	—	26	44	59	121
New Hampshire	—	0	2	—	—	—	4	10	17	22
Rhode Island	—	1	24	—	1	1	4	13	6	18
Vermont	—	0	5	—	—	2	4	10	7	14
Mid. Atlantic	1	6	41	10	4	79	129	229	567	682
New Jersey	—	1	20	2	1	—	30	65	85	154
New York (Upstate)	1	3	26	4	3	19	33	60	95	102
New York City	—	1	9	4	—	39	33	54	235	184
Pennsylvania	N	0	0	N	N	21	39	82	152	242
E.N. Central	—	1	7	2	—	1	143	241	360	680
Illinois	—	0	1	—	—	—	37	64	52	154
Indiana	—	0	0	—	—	—	17	31	32	72
Michigan	—	0	1	—	—	—	27	51	39	112
Ohio	—	0	0	—	—	—	35	63	136	225
Wisconsin	—	1	7	2	—	1	30	59	101	117
W.N. Central	—	0	1	—	1	14	72	155	188	332
Iowa	—	0	1	—	—	7	18	44	61	84
Kansas	N	0	0	N	N	—	12	31	13	51
Minnesota	—	0	0	—	—	—	0	1	—	—
Missouri	N	0	0	N	N	2	23	57	69	105
Nebraska	—	0	1	—	—	5	10	26	31	37
North Dakota	—	0	0	—	1	—	0	9	—	14
South Dakota	—	0	0	—	—	—	8	24	14	41
S. Atlantic	—	0	4	2	1	66	135	215	527	695
Delaware	—	0	1	—	—	—	3	9	4	13
District of Columbia	N	0	0	N	N	—	0	0	—	—
Florida	N	0	0	N	N	43	39	59	227	211
Georgia	N	0	0	N	N	4	17	34	67	95
Maryland	—	0	3	2	—	10	16	32	75	87
North Carolina	N	0	0	N	N	—	25	49	48	110
South Carolina	—	0	1	—	1	2	6	15	29	37
Virginia	N	0	0	N	N	6	26	64	71	126
West Virginia	—	0	0	—	—	1	4	14	6	16
E.S. Central	—	0	1	—	—	28	43	74	201	241
Alabama	—	0	0	—	—	4	13	25	46	74
Kentucky	—	0	0	—	—	12	13	26	68	76
Mississippi	N	0	0	N	N	7	5	13	35	22
Tennessee	—	0	1	—	—	5	13	30	52	69
W.S. Central	—	0	1	—	—	34	107	234	292	170
Arkansas	—	0	0	—	—	4	9	29	30	32
Louisiana	—	0	1	—	—	—	5	21	37	25
Oklahoma	N	0	0	N	N	6	20	45	37	74
Texas	—	0	1	—	—	24	78	193	188	39
Mountain	—	0	1	—	—	29	79	143	277	371
Arizona	—	0	0	—	—	15	22	51	92	115
Colorado	N	0	0	N	N	12	18	45	82	81
Idaho	N	0	0	N	N	2	8	20	32	37
Montana	—	0	1	—	—	—	6	14	25	28
Nevada	N	0	0	N	N	—	3	12	4	20
New Mexico	N	0	0	N	N	—	9	25	21	37
Utah	—	0	1	—	—	—	8	27	8	44
Wyoming	—	0	0	—	—	—	3	9	13	9
Pacific	—	0	1	—	1	98	234	341	913	941
Alaska	N	0	0	N	N	—	2	7	5	8
California	—	0	1	—	—	67	165	239	754	777
Hawaii	N	0	0	N	N	3	8	25	32	39
Oregon	—	0	0	—	1	8	19	39	70	63
Washington	—	0	0	—	—	20	28	151	52	54
Territories										
American Samoa	U	0	0	U	U	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	N	0	0	N	N	—	1	3	4	7
U.S. Virgin Islands	N	0	0	N	N	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Chlamydia trachomatis infection					Coccidioidomycosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	14,398	29,380	32,147	129,232	179,378	134	202	315	944	1,263
New England	219	1,050	1,200	3,989	6,503	—	0	1	—	—
Connecticut	5	237	374	289	1,329	N	0	0	N	N
Maine	81	80	157	597	424	N	0	0	N	N
Massachusetts	—	510	597	1,884	3,326	N	0	0	N	N
New Hampshire	102	105	218	988	814	—	0	1	—	—
Rhode Island	24	78	449	143	359	—	0	1	—	—
Vermont	7	21	95	88	251	N	0	0	N	N
Mid. Atlantic	2,636	3,928	4,216	22,005	23,917	—	0	0	—	—
New Jersey	209	651	727	3,514	4,847	N	0	0	N	N
New York (Upstate)	776	811	1,822	4,216	4,085	N	0	0	N	N
New York City	775	1,301	1,543	7,743	7,983	N	0	0	N	N
Pennsylvania	876	1,122	1,264	6,532	7,002	N	0	0	N	N
E.N. Central	951	4,246	4,884	17,310	28,392	—	1	7	3	7
Illinois	75	1,104	1,218	3,001	8,246	N	0	0	N	N
Indiana	390	586	764	3,341	3,884	N	0	0	N	N
Michigan	185	854	1,127	2,986	5,393	—	0	3	—	4
Ohio	—	1,163	1,274	4,989	7,623	—	0	4	3	2
Wisconsin	301	502	623	2,993	3,246	—	0	2	—	1
W.N. Central	497	1,831	2,077	6,576	11,305	—	2	8	1	4
Iowa	82	248	302	1,285	1,570	N	0	0	N	N
Kansas	83	238	283	1,310	1,454	N	0	0	N	N
Minnesota	—	433	526	—	2,792	—	1	4	—	3
Missouri	222	590	714	2,706	3,583	—	0	2	—	1
Nebraska	90	149	274	651	866	—	0	1	1	—
North Dakota	7	59	93	196	472	—	0	1	—	—
South Dakota	13	79	107	428	568	N	0	0	N	N
S. Atlantic	2,380	5,681	7,095	16,898	34,049	—	0	2	—	2
Delaware	132	100	199	634	575	—	0	1	—	1
District of Columbia	—	152	294	673	855	—	0	0	—	—
Florida	1,223	1,815	2,801	9,212	9,816	N	0	0	N	N
Georgia	—	911	1,159	—	5,098	N	0	0	N	N
Maryland	560	565	1,245	1,915	1,847	—	0	2	—	1
North Carolina	—	1,037	1,193	542	7,062	N	0	0	N	N
South Carolina	465	580	789	3,435	3,486	N	0	0	N	N
Virginia	—	580	1,319	—	4,814	N	0	0	N	N
West Virginia	—	91	182	487	496	N	0	0	N	N
E.S. Central	348	1,796	2,406	7,362	9,418	—	0	0	—	—
Alabama	—	518	735	2,154	2,944	N	0	0	N	N
Kentucky	115	366	687	1,444	466	—	0	0	—	—
Mississippi	—	320	661	746	2,098	N	0	0	N	N
Tennessee	233	616	818	3,018	3,910	N	0	0	N	N
W.S. Central	3,888	3,945	5,433	22,815	23,742	—	0	1	—	3
Arkansas	82	271	508	414	1,704	—	0	1	—	—
Louisiana	661	600	1,983	3,820	2,776	—	0	1	—	3
Oklahoma	43	282	356	1,147	2,073	N	0	0	N	N
Texas	3,102	2,775	4,015	17,434	17,189	N	0	0	N	N
Mountain	1,329	1,995	2,634	9,699	11,783	124	121	160	746	807
Arizona	408	646	1,070	2,877	3,546	124	117	159	745	785
Colorado	624	488	1,191	3,134	2,627	N	0	0	N	N
Idaho	—	106	212	458	790	N	0	0	N	N
Montana	—	81	109	—	557	—	0	2	1	2
Nevada	114	208	290	1,030	1,156	—	1	5	—	15
New Mexico	55	237	399	965	1,617	—	0	3	—	2
Utah	111	182	218	1,077	1,220	—	1	3	—	3
Wyoming	17	37	55	158	270	—	0	1	—	—
Pacific	2,150	4,988	5,457	22,578	30,269	10	75	172	194	440
Alaska	—	100	152	—	608	N	0	0	N	N
California	1,299	3,797	4,254	17,255	23,525	10	75	172	192	440
Hawaii	—	132	174	432	747	N	0	0	N	N
Oregon	342	331	440	1,984	1,643	—	0	3	2	—
Washington	509	579	1,078	2,907	3,746	N	0	0	N	N
Territories	—	—	—	—	—	—	—	—	—	—
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	124	481	770	568	N	0	0	N	N
U.S. Virgin Islands	—	8	28	—	95	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —:No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Dengue Virus Infections														
	Cryptosporidiosis				Dengue [§]				Severe Dengue						
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	44	157	733	457	727	—	11	32	7	185	—	0	1	—	—
New England	—	7	23	19	23	—	0	1	—	7	—	0	0	—	—
Connecticut	—	1	5	3	4	—	0	1	—	2	—	0	0	—	—
Maine	—	1	4	4	2	—	0	1	—	—	—	0	0	—	—
Massachusetts	—	3	14	7	13	—	0	1	—	3	—	0	0	—	—
New Hampshire	—	1	7	—	2	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	2	2	1	—	0	1	—	2	—	0	0	—	—
Vermont	—	1	10	3	1	—	0	1	—	—	—	0	0	—	—
Mid. Atlantic	3	14	62	53	72	—	3	10	—	36	—	0	0	—	—
New Jersey	—	1	18	—	12	—	0	6	—	11	—	0	0	—	—
New York (Upstate)	1	5	25	10	18	—	1	3	—	3	—	0	0	—	—
New York City	—	4	12	20	14	—	0	5	—	16	—	0	0	—	—
Pennsylvania	2	7	25	23	28	—	0	2	—	6	—	0	0	—	—
E.N. Central	2	36	293	84	163	—	1	7	2	13	—	0	1	—	—
Illinois	—	5	50	11	23	—	0	3	—	7	—	0	0	—	—
Indiana	—	3	9	7	24	—	0	2	—	1	—	0	1	—	—
Michigan	—	6	19	6	26	—	0	2	1	2	—	0	0	—	—
Ohio	—	9	207	26	46	—	0	1	1	2	—	0	0	—	—
Wisconsin	2	12	59	34	44	—	0	2	—	1	—	0	0	—	—
W.N. Central	6	26	107	43	85	—	0	3	—	5	—	0	0	—	—
Iowa	1	9	65	13	25	—	0	1	—	—	—	0	0	—	—
Kansas	—	2	7	3	5	—	0	1	—	—	—	0	0	—	—
Minnesota	—	0	0	—	—	—	0	1	—	3	—	0	0	—	—
Missouri	1	6	22	8	20	—	0	2	—	2	—	0	0	—	—
Nebraska	4	3	16	13	16	—	0	1	—	—	—	0	0	—	—
North Dakota	—	0	5	—	2	—	0	0	—	—	—	0	0	—	—
South Dakota	—	3	7	6	17	—	0	1	—	—	—	0	0	—	—
S. Atlantic	10	25	79	83	159	—	2	7	—	30	—	0	1	—	—
Delaware	—	0	2	—	3	—	0	1	—	1	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	1	—	—	—	0	0	—	—
Florida	6	11	31	35	62	—	0	2	—	14	—	0	0	—	—
Georgia	3	6	26	22	38	—	0	2	—	3	—	0	0	—	—
Maryland	1	2	10	4	11	—	0	1	—	5	—	0	0	—	—
North Carolina	—	3	17	9	17	—	0	3	—	1	—	0	0	—	—
South Carolina	—	1	8	5	13	—	0	2	—	—	—	0	1	—	—
Virginia	—	4	12	8	13	—	0	3	—	6	—	0	0	—	—
West Virginia	—	0	5	—	2	—	0	0	—	—	—	0	0	—	—
E.S. Central	2	10	43	31	37	—	0	2	4	—	—	0	0	—	—
Alabama	1	5	27	14	13	—	0	1	—	—	—	0	0	—	—
Kentucky	—	2	7	4	8	—	0	1	—	—	—	0	0	—	—
Mississippi	1	1	3	3	3	—	0	2	2	—	—	0	0	—	—
Tennessee	—	3	9	10	13	—	0	1	2	—	—	0	0	—	—
W.S. Central	11	17	39	49	59	—	1	4	—	3	—	0	1	—	—
Arkansas	—	1	4	4	7	—	0	1	—	—	—	0	0	—	—
Louisiana	—	1	5	9	7	—	0	1	—	—	—	0	0	—	—
Oklahoma	—	3	9	5	9	—	0	1	—	2	—	0	0	—	—
Texas	11	12	33	31	36	—	1	4	—	1	—	0	1	—	—
Mountain	5	15	122	56	61	—	0	4	—	3	—	0	1	—	—
Arizona	2	3	82	15	8	—	0	2	—	2	—	0	0	—	—
Colorado	2	4	14	22	13	—	0	2	—	—	—	0	0	—	—
Idaho	—	2	10	5	11	—	0	1	—	1	—	0	0	—	—
Montana	—	1	5	2	2	—	0	1	—	—	—	0	0	—	—
Nevada	—	0	2	1	3	—	0	2	—	—	—	0	1	—	—
New Mexico	1	1	7	6	6	—	0	1	—	—	—	0	0	—	—
Utah	—	3	24	5	16	—	0	1	—	—	—	0	0	—	—
Wyoming	—	0	3	—	2	—	0	0	—	—	—	0	0	—	—
Pacific	5	14	47	39	68	—	3	14	1	88	—	0	1	—	—
Alaska	—	0	1	1	3	—	0	1	—	—	—	0	0	—	—
California	1	7	15	24	41	—	3	14	1	33	—	0	0	—	—
Hawaii	—	0	3	—	—	—	0	4	—	47	—	0	0	—	—
Oregon	—	5	26	10	24	—	0	2	—	2	—	0	0	—	—
Washington	4	0	34	4	—	—	0	2	—	6	—	0	1	—	—
Territories												0	0	—	—
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	1	1	—	—	—	0	0	—	—
Puerto Rico	—	0	1	—	—	—	2	27	1	43	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	1	6	1	12	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U:Unavailable. —:No reported cases. N:Not reportable. NN:Not Nationally Notifiable. NP:Nationally notifiable but not published. Cum:Cumulative year-to-date counts. Med:Median. Max:Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

§ Includes data for dengue and dengue-like illness.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Ehrlichiosis and Anaplasmosis [§]														
	Ehrlichia chaffeensis				Anaplasma phagocytophilum				Undetermined						
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	4	13	91	9	19	1	44	201	9	36	—	2	9	1	3
New England	1	0	8	2	3	—	19	100	2	19	—	0	1	—	1
Connecticut	—	0	0	—	—	—	0	4	—	—	N	0	0	N	N
Maine	—	0	1	1	—	—	3	31	2	3	—	0	1	—	1
Massachusetts	—	0	2	—	—	—	11	69	—	12	—	0	0	—	—
New Hampshire	—	0	1	—	1	—	0	6	—	—	—	0	0	—	—
Rhode Island	—	0	6	—	1	—	0	18	—	2	—	0	0	—	—
Vermont	1	0	1	1	1	—	2	22	—	2	—	0	1	—	—
Mid. Atlantic	1	3	17	3	5	1	14	61	6	11	—	0	3	1	2
New Jersey	—	0	7	1	1	—	1	13	—	2	—	0	2	—	—
New York (Upstate)	—	2	13	—	4	1	12	55	1	8	—	0	2	—	—
New York City	1	0	3	2	—	—	1	5	5	1	—	0	1	1	2
Pennsylvania	—	0	0	—	—	—	0	1	—	—	—	0	1	—	—
E.N. Central	—	1	8	1	—	—	6	42	1	—	—	1	5	—	—
Illinois	—	0	5	—	—	—	0	2	—	—	—	0	0	—	—
Indiana	—	0	0	—	—	—	0	0	—	—	—	0	2	—	—
Michigan	—	0	2	1	—	—	0	1	—	—	—	0	0	—	—
Ohio	—	0	1	—	—	—	0	2	—	—	—	0	0	—	—
Wisconsin	—	0	3	—	—	—	6	41	1	—	—	0	3	—	—
W.N. Central	—	2	25	—	3	—	0	4	—	1	—	0	2	—	—
Iowa	—	0	1	—	—	—	0	1	—	—	—	0	1	—	—
Kansas	—	0	5	—	2	—	0	1	—	—	—	0	1	—	—
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Missouri	—	2	20	—	1	—	0	2	—	1	—	0	1	—	—
Nebraska	—	0	2	—	—	—	0	1	—	—	—	0	0	—	—
North Dakota	—	0	1	—	—	—	0	2	—	—	—	0	1	—	—
South Dakota	—	0	0	—	—	—	0	1	—	—	—	0	0	—	—
S. Atlantic	—	2	18	1	4	—	0	4	—	5	—	0	2	—	—
Delaware	—	0	3	—	—	—	0	1	—	1	—	0	1	—	—
District of Columbia	—	0	1	—	—	—	N	0	0	N	—	0	0	—	—
Florida	—	0	6	—	—	—	0	1	—	2	—	0	0	—	—
Georgia	—	0	2	—	—	—	0	0	—	1	—	0	1	—	—
Maryland	—	0	9	1	2	—	0	2	—	—	—	0	1	—	—
North Carolina	—	1	5	—	1	—	0	2	—	1	—	0	0	—	—
South Carolina	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Virginia	—	1	10	—	1	—	0	2	—	—	—	0	2	—	—
West Virginia	—	0	1	—	—	—	0	0	—	—	—	0	0	—	—
E.S. Central	—	1	12	—	1	—	0	3	—	—	—	0	2	—	—
Alabama	—	0	2	—	—	—	0	1	—	—	—	0	1	—	—
Kentucky	—	0	4	—	1	—	0	1	—	—	—	0	1	—	—
Mississippi	—	0	2	—	—	—	0	0	—	—	—	0	0	—	—
Tennessee	—	1	10	—	—	—	0	2	—	—	—	0	2	—	—
W.S. Central	2	2	18	2	3	—	0	5	—	—	—	0	1	—	—
Arkansas	2	2	16	2	1	—	0	5	—	—	—	0	0	—	—
Louisiana	—	0	1	—	1	—	0	0	—	—	—	0	0	—	—
Oklahoma	—	0	1	—	—	—	0	0	—	—	—	0	0	—	—
Texas	—	0	2	—	1	—	0	1	—	—	—	0	1	—	—
Mountain	—	0	1	—	—	—	0	1	—	—	—	0	1	—	—
Arizona	—	0	0	—	—	—	0	0	—	—	—	0	1	—	—
Colorado	N	0	0	N	N	N	0	0	0	N	N	0	0	N	N
Idaho	N	0	0	N	N	N	0	0	0	N	N	0	0	N	N
Montana	—	0	1	—	—	—	0	0	—	—	—	0	0	—	—
Nevada	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New Mexico	N	0	0	N	N	N	0	0	0	N	N	0	0	N	N
Utah	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	1	—	—	—	0	0	—	—
Pacific	—	0	1	—	—	—	0	1	—	—	—	0	2	—	—
Alaska	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
California	—	0	0	—	—	—	0	0	—	—	—	0	2	—	—
Hawaii	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Oregon	—	0	1	—	—	—	0	1	—	—	—	0	0	—	—
Washington	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Puerto Rico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see

<http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

‡ Cumulative total *E. ewingii* cases reported for year 2017 = 1, and 16 cases reported for 2016.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Giardiasis					Gonorrhea					<i>Haemophilus influenzae</i> , invasive [§] (all ages, all serotypes)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max				Med	Max		
United States	95	272	439	837	1,439	4,215	8,479	9,933	39,749	49,271	50	82	161	471	670
New England	1	21	36	41	122	20	166	356	548	1,009	1	5	16	17	37
Connecticut	—	5	11	14	24	4	50	127	12	200	—	1	4	—	10
Maine	1	2	7	6	13	1	8	16	30	65	1	0	3	4	4
Massachusetts	—	11	22	15	68	—	91	145	403	522	—	2	8	11	20
New Hampshire	—	2	6	3	13	8	9	51	63	127	—	0	3	1	2
Rhode Island	—	1	8	3	4	7	9	167	30	76	—	0	11	—	—
Vermont	N	0	0	N	N	—	2	6	10	19	—	0	2	1	1
Mid. Atlantic	44	48	85	200	268	763	999	1,204	5,965	5,880	11	12	22	59	101
New Jersey	—	2	13	2	53	46	149	195	848	1,159	—	2	8	6	23
New York (Upstate)	10	17	42	56	77	207	185	392	1,041	906	6	4	15	16	21
New York City	27	16	25	102	89	277	370	506	2,336	2,098	4	2	7	14	14
Pennsylvania	7	11	33	40	49	233	287	353	1,740	1,717	1	4	10	23	43
E.N. Central	2	26	151	71	163	241	1,195	1,415	5,137	7,660	1	14	30	59	119
Illinois	N	0	0	N	N	16	287	395	798	2,046	—	4	11	16	28
Indiana	—	3	8	2	19	107	181	264	1,062	1,136	—	2	8	5	16
Michigan	—	9	24	8	48	39	227	299	685	1,321	1	3	8	12	24
Ohio	—	5	135	40	50	—	383	474	1,843	2,337	—	3	8	22	30
Wisconsin	2	9	86	21	46	79	125	149	749	820	—	2	6	4	21
W.N. Central	6	15	41	54	86	290	510	629	2,420	3,002	4	5	11	33	31
Iowa	—	4	13	9	20	18	49	70	301	275	—	0	0	—	—
Kansas	—	2	6	5	11	25	68	90	408	295	—	1	5	1	3
Minnesota	—	0	0	—	—	—	97	123	—	587	—	0	1	—	—
Missouri	3	5	16	14	24	204	224	291	1,381	1,312	2	2	9	20	20
Nebraska	2	2	9	16	13	42	43	78	229	239	2	1	4	11	2
North Dakota	—	0	4	—	6	—	17	32	24	116	—	0	4	1	4
South Dakota	1	2	6	10	12	1	20	33	77	178	—	0	2	—	2
S. Atlantic	24	50	77	177	277	666	1,734	2,419	5,122	10,041	13	19	89	142	170
Delaware	—	0	3	—	—	45	32	59	223	196	—	0	3	5	3
District of Columbia	—	0	2	—	3	—	65	146	307	267	—	0	1	—	5
Florida	19	21	53	122	103	341	519	905	2,796	2,827	2	4	65	31	42
Georgia	—	14	28	—	98	—	279	371	—	1,497	1	3	8	16	30
Maryland	4	4	11	24	26	113	167	331	486	613	1	2	10	22	21
North Carolina	—	0	0	—	—	—	359	418	4	2,253	—	3	9	19	30
South Carolina	1	2	7	14	13	167	178	300	1,174	1,176	4	2	10	29	12
Virginia	—	5	17	10	24	—	127	776	—	1,136	4	2	13	15	19
West Virginia	—	1	4	7	10	—	19	31	132	76	1	0	3	5	8
E.S. Central	2	4	13	21	27	94	574	781	2,570	2,950	4	7	12	47	56
Alabama	2	4	13	21	27	—	158	268	735	897	—	2	4	8	12
Kentucky	N	0	0	N	N	33	108	227	527	173	—	1	3	6	8
Mississippi	N	0	0	N	N	—	118	204	402	652	—	1	6	9	6
Tennessee	N	0	0	N	N	61	185	269	906	1,228	4	3	7	24	30
W.S. Central	—	4	20	8	23	1,192	1,227	1,697	7,441	7,224	8	9	28	40	51
Arkansas	—	3	9	7	12	31	96	190	177	497	—	1	4	5	5
Louisiana	—	1	11	1	11	245	214	675	1,431	999	—	1	3	3	16
Oklahoma	N	0	0	N	N	23	107	157	503	703	5	1	8	19	8
Texas	N	0	0	N	N	893	829	1,204	5,330	5,025	3	6	26	13	22
Mountain	9	25	52	96	126	302	508	730	2,653	2,880	5	7	14	51	76
Arizona	—	3	7	19	21	112	197	309	922	1,020	2	2	5	22	33
Colorado	8	11	21	50	49	132	122	253	881	655	2	1	6	14	12
Idaho	1	3	13	14	19	—	10	39	7	92	1	0	3	2	6
Montana	—	2	8	3	6	—	15	26	1	139	—	0	2	2	1
Nevada	—	1	4	1	8	25	63	99	310	334	—	0	3	1	9
New Mexico	—	1	9	4	8	8	64	128	283	379	—	1	3	7	11
Utah	—	2	9	5	13	25	40	59	234	240	—	1	3	3	4
Wyoming	—	1	2	—	2	—	5	16	15	21	—	0	2	—	—
Pacific	7	73	134	169	347	647	1,496	1,935	7,893	8,625	3	4	12	23	29
Alaska	—	1	5	4	9	—	24	49	—	131	—	0	2	—	4
California	4	54	82	151	279	456	1,210	1,586	6,551	7,006	1	1	4	6	6
Hawaii	—	0	4	1	3	1	27	50	75	124	—	0	6	5	5
Oregon	1	6	17	7	34	73	84	129	526	419	2	2	6	12	14
Washington	2	10	48	6	22	117	153	290	741	945	—	0	2	—	—
Territories												0	0	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	3	—	1	—	12	28	20	78	—	0	2	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	3	—	6	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see

<http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

[§] Data for *Haemophilus influenzae* (age <5 for serotype b, non typeable, non-b serotype, and unknown serotype) are available in Table I.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Current week	Hepatitis (viral, acute, by type)								
		A				B				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	12	31	104	95	184	11	55	79	180	336
New England	—	2	5	2	10	—	1	3	7	13
Connecticut	—	0	3	—	2	—	0	1	—	1
Maine	—	0	1	—	2	—	1	3	5	5
Massachusetts	—	1	4	2	6	—	0	2	2	6
New Hampshire	—	0	1	—	—	—	0	0	—	—
Rhode Island	—	0	2	—	—	U	0	0	U	U
Vermont	—	0	1	—	—	—	0	1	—	1
Mid. Atlantic	4	4	10	16	27	—	4	7	10	16
New Jersey	—	1	4	—	10	—	0	3	—	6
New York (Upstate)	2	1	3	5	5	—	1	3	1	3
New York City	2	1	3	9	6	—	1	3	2	6
Pennsylvania	—	1	3	2	6	—	1	3	7	1
E.N. Central	—	4	11	9	20	1	11	20	27	69
Illinois	—	1	4	1	9	—	0	3	—	7
Indiana	—	0	1	1	5	—	4	9	7	15
Michigan	—	1	7	5	6	—	1	4	4	1
Ohio	—	0	7	2	—	—	5	13	13	43
Wisconsin	—	0	2	—	—	1	0	1	3	3
W.N. Central	—	1	5	3	8	1	1	7	6	16
Iowa	—	0	2	1	2	—	0	2	2	1
Kansas	—	0	1	—	—	—	0	3	1	5
Minnesota	—	0	2	—	1	—	0	2	—	2
Missouri	—	0	2	1	3	—	1	3	2	6
Nebraska	—	0	4	1	2	1	0	2	1	1
North Dakota	—	0	1	—	—	—	0	1	—	1
South Dakota	—	0	1	—	—	—	0	1	—	—
S. Atlantic	6	7	55	34	45	6	19	34	70	116
Delaware	—	0	1	—	—	—	0	1	1	—
District of Columbia	U	0	0	U	U	U	0	0	U	U
Florida	4	2	7	18	15	4	11	17	48	52
Georgia	—	1	4	2	11	1	2	7	10	12
Maryland	—	0	5	1	2	1	0	3	4	3
North Carolina	—	1	5	—	7	—	2	6	1	16
South Carolina	2	0	3	6	2	—	0	4	2	6
Virginia	—	2	40	5	7	—	1	5	4	7
West Virginia	—	0	4	2	1	—	0	12	—	20
E.S. Central	—	0	4	2	6	—	7	18	35	62
Alabama	—	0	2	1	5	—	1	3	6	14
Kentucky	—	0	2	1	—	—	3	11	12	20
Mississippi	—	0	1	—	1	—	0	2	3	3
Tennessee	—	0	2	—	—	—	4	7	14	25
W.S. Central	—	3	8	2	19	1	4	16	13	14
Arkansas	—	0	3	—	—	—	1	5	4	6
Louisiana	—	0	1	—	3	—	1	4	5	3
Oklahoma	—	0	4	—	—	—	0	8	—	—
Texas	—	2	6	2	16	1	2	12	4	5
Mountain	2	2	5	9	19	1	1	4	3	7
Arizona	—	0	2	4	7	—	0	2	—	4
Colorado	1	0	2	2	4	1	0	2	2	—
Idaho	1	0	1	2	1	—	0	1	1	2
Montana	—	0	1	1	1	—	0	1	—	—
Nevada	—	0	2	—	4	—	0	2	—	1
New Mexico	—	0	1	—	—	—	0	1	—	—
Utah	—	0	2	—	2	—	0	1	—	—
Wyoming	—	0	0	—	—	U	0	0	U	U
Pacific	—	6	47	18	30	1	3	6	9	23
Alaska	—	0	1	1	—	—	0	2	—	—
California	—	4	9	10	28	—	2	6	6	20
Hawaii	—	0	39	2	—	—	0	1	—	—
Oregon	—	0	2	4	2	—	0	3	1	1
Washington	—	0	3	1	—	1	1	3	2	2
Territories	—	—	—	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	—	—	—	0	2	—	4
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Hepatitis (viral, acute, by type) [§] (Continued)										
Reporting area	Current week	C (confirmed)				Current week	C (probable)			
		Previous 52 weeks		Cum 2017	Cum 2016		Med	Max	Cum 2017	Cum 2016
Reporting area	Current week	Med	Max	Cum 2017	Cum 2016	Current week	Med	Max	Cum 2017	Cum 2016
United States	9	45	72	89	379	4	19	28	42	105
New England	—	6	13	2	84	—	2	8	1	14
Connecticut	—	0	2	—	6	—	0	0	—	—
Maine	—	0	3	2	3	—	0	2	—	1
Massachusetts	—	6	11	—	73	—	2	8	1	13
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	—	2	—	0	0	—	—
Mid. Atlantic	1	7	17	12	60	—	0	3	—	—
New Jersey	—	0	3	—	12	—	0	0	—	—
New York (Upstate)	1	3	11	7	21	—	0	0	—	—
New York City	—	0	1	—	2	—	0	0	—	—
Pennsylvania	—	3	11	5	25	—	0	3	—	—
E.N. Central	—	8	17	11	75	—	3	7	9	25
Illinois	—	0	3	—	5	—	0	1	—	—
Indiana	—	2	7	3	19	—	0	3	3	9
Michigan	—	1	5	2	13	—	0	5	—	6
Ohio	—	3	10	6	30	—	2	4	6	10
Wisconsin	—	1	2	—	8	—	0	0	—	—
W.N. Central	—	2	7	8	18	—	0	1	1	1
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	2	1	3	—	0	0	—	—
Minnesota	—	1	4	—	6	—	0	0	—	1
Missouri	—	0	3	6	3	—	0	0	—	—
Nebraska	—	0	2	—	2	—	0	1	1	—
North Dakota	—	0	1	1	—	—	0	0	—	—
South Dakota	—	0	1	—	4	—	0	1	—	—
S. Atlantic	6	9	20	32	71	4	4	9	11	21
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	3	4	9	21	32	3	1	4	7	6
Georgia	—	1	4	2	8	—	0	0	—	—
Maryland	—	0	3	—	3	1	0	3	1	—
North Carolina	—	1	4	—	12	—	1	6	—	7
South Carolina	—	0	2	1	1	—	0	1	—	—
Virginia	3	1	4	4	4	—	0	4	—	3
West Virginia	—	1	6	4	11	—	1	3	3	5
E.S. Central	1	5	17	5	40	—	5	14	14	29
Alabama	—	0	4	—	4	—	1	4	3	6
Kentucky	—	1	8	1	11	—	3	9	7	18
Mississippi	—	0	0	—	—	—	0	0	—	—
Tennessee	1	2	11	4	25	—	2	6	4	5
W.S. Central	—	1	5	5	3	—	0	3	—	7
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	1	1	—	0	2	—	7
Oklahoma	—	0	4	1	1	—	0	3	—	—
Texas	—	0	4	3	1	—	0	0	—	—
Mountain	—	2	9	8	20	—	1	4	4	6
Arizona	—	0	0	—	—	—	0	0	—	—
Colorado	—	0	3	3	2	—	0	2	1	1
Idaho	—	0	1	1	1	—	0	1	—	—
Montana	—	0	2	1	3	—	0	1	—	—
Nevada	—	0	3	—	1	—	0	2	—	2
New Mexico	—	0	2	—	10	—	0	2	—	2
Utah	—	1	4	3	3	—	0	2	3	1
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	1	2	8	6	8	—	1	4	2	2
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	4	4	4	—	0	3	2	2
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	2	1	2	—	0	1	—	—
Washington	1	1	6	1	2	—	0	3	—	—
Territories	—	—	—	—	—	—	—	—	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

§ Based on the CSTE Position Statement 15-ID-03: Revision of the Case Definition of Hepatitis C for National Notification, acute hepatitis C is now reported by case classification status.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (all ages)								
		Confirmed				Probable				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	212	296	559	2,093	2,395	—	0	6	13	5
New England	4	20	43	123	148	—	0	0	—	—
Connecticut	—	4	9	10	35	—	0	0	—	—
Maine	2	2	9	17	18	—	0	0	—	—
Massachusetts	—	11	25	68	66	—	0	0	—	—
New Hampshire	—	2	6	17	16	—	0	0	—	—
Rhode Island	2	1	8	5	—	—	0	0	—	—
Vermont	—	1	10	6	13	—	0	0	—	—
Mid. Atlantic	42	41	80	321	284	—	0	4	6	—
New Jersey	1	0	8	13	2	—	0	0	2	—
New York (Upstate)	25	17	51	115	110	—	0	0	—	—
New York City	12	14	29	127	92	—	0	0	—	—
Pennsylvania	4	9	24	66	80	—	0	3	4	—
E.N. Central	7	49	98	343	472	—	0	1	2	2
Illinois	N	0	0	N	N	—	0	0	N	N
Indiana	—	9	26	25	98	—	0	0	—	—
Michigan	2	14	29	63	133	—	0	1	2	2
Ohio	—	18	53	171	178	—	0	0	—	—
Wisconsin	5	7	21	84	63	—	0	0	—	—
W.N. Central	17	15	42	145	112	—	0	3	3	1
Iowa	N	0	0	N	N	—	0	0	N	N
Kansas	—	4	9	26	36	—	0	0	—	—
Minnesota	—	0	0	—	—	—	0	0	—	—
Missouri	4	5	18	67	25	—	0	3	3	—
Nebraska	6	3	8	23	33	—	0	1	—	1
North Dakota	1	2	5	13	4	—	0	0	—	—
South Dakota	6	2	9	16	14	—	0	0	—	—
S. Atlantic	56	51	123	423	439	—	0	1	1	1
Delaware	3	1	6	12	10	—	0	0	—	—
District of Columbia	—	1	4	2	8	—	0	0	—	—
Florida	21	10	59	93	116	—	0	1	1	—
Georgia	8	17	38	89	148	—	0	0	—	—
Maryland	9	8	22	71	66	—	0	0	—	1
North Carolina	N	0	0	N	N	—	0	0	N	N
South Carolina	14	8	39	130	51	—	0	0	—	—
Virginia	—	0	2	1	3	—	0	0	—	—
West Virginia	1	4	17	25	37	—	0	1	—	—
E.S. Central	12	34	69	238	260	—	0	1	—	—
Alabama	1	6	25	46	48	—	0	0	—	—
Kentucky	—	4	13	27	37	—	0	1	—	—
Mississippi	—	4	11	20	52	—	0	0	—	—
Tennessee	11	18	38	145	123	—	0	1	—	—
W.S. Central	35	37	161	205	275	—	0	1	—	—
Arkansas	7	4	24	36	31	—	0	1	—	—
Louisiana	—	5	16	18	52	—	0	1	—	—
Oklahoma	N	0	0	N	N	—	0	0	N	N
Texas	28	28	127	151	192	—	0	0	—	—
Mountain	35	35	78	273	378	—	0	1	1	1
Arizona	22	11	37	130	150	—	0	0	—	—
Colorado	13	9	19	68	86	—	0	0	—	—
Idaho	N	0	0	N	N	—	0	0	N	N
Montana	—	1	7	6	10	—	0	1	1	1
Nevada	—	3	9	6	48	—	0	0	—	—
New Mexico	—	5	15	42	38	—	0	0	—	—
Utah	—	4	10	18	39	—	0	0	—	—
Wyoming	—	0	3	3	7	—	0	0	—	—
Pacific	4	4	10	22	27	—	0	0	—	—
Alaska	—	2	8	10	17	—	0	0	—	—
California	N	0	0	N	N	—	0	0	N	N
Hawaii	4	2	5	12	10	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	N	N
Washington	N	0	0	N	N	—	0	0	N	N
Territories										
American Samoa	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

§ Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (age <5)						
		Confirmed			Probable			
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks	
Reporting area	Current week	Med	Max				Med	Max
United States	10	19	34	89	134	—	0	2
New England	—	1	4	2	9	—	0	0
Connecticut	—	0	2	—	2	—	0	0
Maine	—	0	2	—	1	—	0	0
Massachusetts	—	0	2	1	6	—	0	0
New Hampshire	—	0	1	1	—	—	0	0
Rhode Island	—	0	1	—	—	—	0	0
Vermont	—	0	2	—	—	—	0	0
Mid. Atlantic	1	1	8	10	13	—	0	0
New Jersey	—	0	0	—	—	—	0	0
New York (Upstate)	1	1	7	4	7	—	0	0
New York City	—	1	2	5	3	—	0	0
Pennsylvania	—	0	3	1	3	—	0	0
E.N. Central	—	2	6	15	25	—	0	1
Illinois	—	0	0	—	—	—	0	0
Indiana	—	0	3	—	1	—	0	0
Michigan	—	0	4	1	6	—	0	1
Ohio	—	1	5	10	15	—	0	0
Wisconsin	—	0	2	4	3	—	0	0
W.N. Central	—	1	4	8	4	—	0	1
Iowa	N	0	0	N	N	N	0	0
Kansas	—	0	2	3	1	—	0	0
Minnesota	—	0	0	—	—	—	0	0
Missouri	—	0	2	1	1	—	0	1
Nebraska	—	0	2	1	2	—	0	0
North Dakota	—	0	2	3	—	—	0	0
South Dakota	N	0	0	N	N	N	0	0
S. Atlantic	2	4	9	18	31	—	0	0
Delaware	—	0	0	—	—	—	0	0
District of Columbia	—	0	0	—	—	—	0	0
Florida	1	1	5	9	14	—	0	0
Georgia	1	1	5	4	7	—	0	0
Maryland	—	0	3	3	4	—	0	0
North Carolina	N	0	0	N	N	N	0	0
South Carolina	—	0	3	1	2	—	0	0
Virginia	—	0	2	1	3	—	0	0
West Virginia	—	0	1	—	1	—	0	0
E.S. Central	1	2	8	8	10	—	0	1
Alabama	—	0	5	1	3	—	0	0
Kentucky	—	0	2	1	—	—	0	1
Mississippi	—	0	2	1	3	—	0	0
Tennessee	1	1	7	5	4	—	0	0
W.S. Central	4	4	13	16	15	—	0	0
Arkansas	—	0	2	1	4	—	0	0
Louisiana	—	0	3	2	2	—	0	0
Oklahoma	—	0	3	1	—	—	0	0
Texas	4	3	9	12	9	—	0	0
Mountain	2	2	6	11	25	—	0	1
Arizona	1	1	3	2	14	—	0	0
Colorado	1	0	3	4	1	—	0	0
Idaho	—	0	1	2	1	—	0	1
Montana	—	0	1	1	1	—	0	0
Nevada	—	0	1	—	2	—	0	0
New Mexico	—	0	2	—	3	—	0	0
Utah	—	0	3	2	3	—	0	0
Wyoming	—	0	1	—	—	—	0	0
Pacific	—	0	1	1	2	—	0	0
Alaska	—	0	1	—	2	—	0	0
California	N	0	0	N	N	N	0	0
Hawaii	—	0	1	1	—	—	0	0
Oregon	N	0	0	N	N	N	0	0
Washington	N	0	0	N	N	N	0	N
Territories								
American Samoa	—	0	0	—	—	—	0	0
C.N.M.I.	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0
Puerto Rico	—	0	0	—	—	—	0	0
U.S. Virgin Islands	—	0	0	—	—	—	0	0

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

§ Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Legionellosis					Malaria				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	35	109	208	336	397	7	33	85	119	137
New England	1	4	21	10	14	—	2	7	4	15
Connecticut	—	1	6	2	2	—	0	0	—	1
Maine	—	0	2	—	4	—	0	1	—	2
Massachusetts	—	2	11	4	7	—	1	6	3	9
New Hampshire	—	0	3	2	—	—	0	2	—	3
Rhode Island	1	0	7	2	—	—	0	3	—	—
Vermont	—	0	2	—	1	—	0	2	1	—
Mid. Atlantic	15	20	64	87	96	2	8	24	35	33
New Jersey	—	2	7	—	9	—	1	7	6	7
New York (Upstate)	8	7	26	26	25	1	1	8	7	4
New York City	2	4	31	33	43	1	4	17	17	15
Pennsylvania	5	6	19	28	19	—	1	6	5	7
E.N. Central	—	20	69	60	85	—	3	25	7	13
Illinois	—	4	17	7	23	—	1	5	—	5
Indiana	—	2	12	5	7	—	0	2	—	—
Michigan	—	3	24	6	11	—	0	4	2	3
Ohio	—	8	32	42	38	—	1	13	5	4
Wisconsin	—	0	3	—	6	—	0	3	—	1
W.N. Central	1	5	25	16	16	—	1	5	4	4
Iowa	—	1	2	4	2	—	0	3	1	1
Kansas	—	0	4	—	1	—	0	2	1	—
Minnesota	—	1	11	—	2	—	0	0	—	—
Missouri	1	2	13	9	11	—	0	3	1	—
Nebraska	—	0	3	3	—	—	0	1	—	1
North Dakota	—	0	2	—	—	—	0	1	1	—
South Dakota	—	0	1	—	—	—	0	1	—	2
S. Atlantic	8	19	34	71	80	4	9	26	46	43
Delaware	—	0	2	—	3	—	0	3	1	3
District of Columbia	—	0	0	—	—	—	0	3	2	3
Florida	5	6	13	39	29	—	1	4	4	5
Georgia	—	2	6	8	13	—	1	5	3	7
Maryland	3	3	7	13	9	1	3	12	24	11
North Carolina	—	4	11	6	15	—	1	4	1	5
South Carolina	—	1	4	3	3	—	0	3	1	1
Virginia	—	3	8	2	7	3	1	4	10	7
West Virginia	—	0	3	—	1	—	0	0	—	1
E.S. Central	3	5	13	30	18	—	1	3	2	4
Alabama	1	1	4	6	3	—	0	1	—	1
Kentucky	—	2	6	12	4	—	0	2	1	—
Mississippi	—	0	3	—	1	—	0	1	—	2
Tennessee	2	2	7	12	10	—	0	2	1	1
W.S. Central	3	6	27	20	16	—	2	16	6	12
Arkansas	1	0	6	4	2	—	0	1	—	—
Louisiana	—	0	2	3	3	—	0	1	—	2
Oklahoma	—	0	20	—	—	—	0	1	—	—
Texas	2	4	16	13	11	—	2	16	6	10
Mountain	2	3	10	17	19	1	2	5	8	3
Arizona	—	1	4	8	8	1	1	4	4	1
Colorado	2	0	4	5	—	—	0	2	1	2
Idaho	—	0	1	—	3	—	0	1	2	—
Montana	—	0	1	2	1	—	0	1	—	—
Nevada	—	0	4	—	2	—	0	1	—	—
New Mexico	—	0	3	1	2	—	0	1	—	—
Utah	—	0	3	—	3	—	0	3	1	—
Wyoming	—	0	1	1	—	—	0	1	—	—
Pacific	2	10	32	25	53	—	3	9	7	10
Alaska	—	0	1	—	—	—	0	1	—	1
California	1	9	25	20	50	—	2	7	5	7
Hawaii	—	0	1	1	—	—	0	1	—	—
Oregon	—	1	3	3	3	—	0	3	2	1
Washington	1	1	7	1	—	—	1	4	—	1
Territories										
American Samoa	N	0	0	N	N	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	—	1	—	0	1	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Meningococcal disease (<i>Neisseria meningitidis</i>) [§] (all serogroups)					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max				Med	Max		
United States	3	6	20	39	45	80	88	402	767	299	65	317	471	903	1,970
New England	—	0	2	—	3	—	3	38	4	3	3	15	69	88	85
Connecticut	—	0	1	—	1	—	0	12	1	1	—	1	6	5	6
Maine	—	0	1	—	—	—	0	4	—	—	1	4	14	37	36
Massachusetts	—	0	1	—	2	—	2	28	2	2	—	3	9	4	19
New Hampshire	—	0	0	—	—	—	0	5	1	—	—	1	4	—	5
Rhode Island	—	0	0	—	—	—	0	1	—	—	—	0	16	1	—
Vermont	—	0	0	—	—	—	0	0	—	—	2	3	45	41	19
Mid. Atlantic	1	0	4	2	2	2	6	32	52	7	18	53	90	143	402
New Jersey	—	0	2	—	—	—	0	3	2	1	—	7	24	2	102
New York (Upstate)	1	0	1	1	—	2	2	23	16	1	5	13	27	39	61
New York City	—	0	2	—	2	—	3	19	30	5	—	5	14	7	48
Pennsylvania	—	0	2	1	—	—	0	2	4	—	13	23	77	95	191
E.N. Central	—	0	6	5	8	3	8	55	35	93	—	69	156	219	452
Illinois	—	0	2	—	2	—	3	25	8	67	—	18	40	34	109
Indiana	—	0	2	—	1	—	2	23	4	15	—	2	9	3	26
Michigan	—	0	1	1	1	—	0	2	1	3	—	7	29	31	46
Ohio	—	0	3	4	2	—	1	20	4	4	—	18	38	103	146
Wisconsin	—	0	1	—	2	3	0	13	18	4	—	23	99	48	125
W.N. Central	—	0	1	—	2	13	14	45	118	169	2	28	57	51	161
Iowa	—	0	1	—	—	—	8	40	21	154	—	2	11	2	14
Kansas	—	0	1	—	—	—	0	2	2	3	—	2	8	—	6
Minnesota	—	0	1	—	—	—	0	3	—	11	—	14	34	—	64
Missouri	—	0	1	—	1	13	0	29	94	—	2	3	27	28	33
Nebraska	—	0	1	—	—	—	0	10	—	1	—	2	6	11	41
North Dakota	—	0	0	—	—	—	0	3	1	—	—	0	5	10	—
South Dakota	—	0	0	—	1	—	0	2	—	—	—	0	2	—	3
S. Atlantic	1	1	4	11	7	—	2	6	14	12	5	25	38	77	198
Delaware	—	0	0	—	—	—	0	0	—	—	—	0	2	—	4
District of Columbia	—	0	0	—	—	—	0	2	—	—	1	0	2	3	2
Florida	1	0	3	6	2	—	0	2	2	—	2	6	16	21	51
Georgia	—	0	3	1	2	—	0	3	5	—	—	2	7	—	43
Maryland	—	0	1	—	—	—	0	3	—	—	—	2	9	9	10
North Carolina	—	0	1	—	1	—	0	3	2	10	—	4	11	9	45
South Carolina	—	0	2	2	2	—	0	2	—	1	2	2	15	30	17
Virginia	—	0	2	2	—	—	0	3	5	1	—	3	11	2	21
West Virginia	—	0	2	—	—	—	0	1	—	—	—	0	3	3	5
E.S. Central	—	0	2	1	1	1	1	15	3	2	3	12	33	33	142
Alabama	—	0	1	—	1	—	0	1	—	1	—	3	7	5	30
Kentucky	—	0	1	—	—	—	0	15	1	1	—	7	27	8	98
Mississippi	—	0	0	—	—	—	0	1	—	—	—	0	2	3	1
Tennessee	—	0	1	1	—	1	0	1	2	—	3	3	5	17	13
W.S. Central	—	0	3	2	4	47	2	332	461	4	8	27	119	63	85
Arkansas	—	0	1	—	1	28	0	247	356	—	1	1	6	18	7
Louisiana	—	0	1	1	1	—	0	0	—	—	—	1	5	2	7
Oklahoma	—	0	1	—	1	7	0	81	49	—	—	0	54	—	—
Texas	—	0	3	1	1	12	1	55	56	4	7	21	110	43	71
Mountain	—	0	3	5	2	10	1	10	33	5	23	30	49	158	273
Arizona	—	0	1	2	1	—	0	2	—	3	7	4	20	46	91
Colorado	—	0	2	2	—	10	0	10	30	2	10	15	28	83	114
Idaho	—	0	1	1	—	—	0	1	1	—	6	1	8	8	7
Montana	—	0	1	—	—	—	0	6	—	—	—	0	3	—	2
Nevada	—	0	2	—	1	—	0	1	2	—	—	0	3	—	7
New Mexico	—	0	1	—	—	—	0	1	—	—	—	3	9	17	14
Utah	—	0	1	—	—	—	0	1	—	—	—	4	10	4	35
Wyoming	—	0	0	—	—	—	0	0	—	—	—	0	3	—	3
Pacific	1	2	7	13	16	4	3	77	47	4	3	44	86	71	172
Alaska	—	0	2	—	2	—	0	2	1	—	—	3	10	7	12
California	—	1	6	7	11	—	2	9	11	4	1	24	40	42	117
Hawaii	—	0	1	—	—	—	0	3	—	—	—	1	5	3	9
Oregon	1	0	3	6	3	1	0	5	14	—	—	3	13	6	19
Washington	—	0	1	—	—	3	0	69	21	—	2	9	65	13	15
Territories							0	0	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	1	1	—	—	0	4	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

[§] Data for meningococcal disease, invasive caused by serogroups ACWY, serogroup B, other serogroups, and unknown serogroups are available in Table I.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Rabies, animal					Rubella					Rubella, congenital syndrome				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Current week	Med	Max			Current week	Med	Max			Current week	Med	Max		
United States	13	52	113	103	254	—	0	2	—	2	—	0	1	1	—
New England	—	4	13	3	24	—	0	0	—	—	—	0	0	—	—
Connecticut	—	1	6	1	14	—	0	0	—	—	—	0	0	—	—
Maine	—	1	6	2	5	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	2	—	2	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	4	—	1	—	0	0	—	—	—	0	0	—	—
Vermont	—	1	3	—	2	—	0	0	—	—	—	0	0	—	—
Mid. Atlantic	3	8	33	30	42	—	0	0	—	—	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	3	8	33	30	42	—	0	0	—	—	—	0	0	—	—
New York City	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Pennsylvania	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
E.N. Central	—	2	11	1	1	—	0	0	—	—	—	0	1	—	—
Illinois	—	0	7	—	—	—	0	0	—	—	—	0	1	—	—
Indiana	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Michigan	—	0	3	—	—	—	0	0	—	—	—	0	0	—	—
Ohio	—	0	8	1	1	—	0	0	—	—	—	0	0	—	—
Wisconsin	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
W.N. Central	—	2	8	3	11	—	0	0	—	—	—	0	0	—	—
Iowa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	8	1	5	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Missouri	—	0	4	—	2	—	0	0	—	—	—	0	0	—	—
Nebraska	—	0	2	—	1	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
South Dakota	—	0	3	2	3	—	0	0	—	—	—	0	0	—	—
S. Atlantic	4	11	24	37	119	—	0	2	—	2	—	0	1	—	—
Delaware	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Florida	2	0	9	17	79	—	0	2	—	1	—	0	0	—	—
Georgia	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Maryland	—	5	21	8	24	—	0	0	—	1	—	0	1	—	—
North Carolina	2	5	10	11	14	—	0	0	—	—	—	0	0	—	—
South Carolina	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
Virginia	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
West Virginia	—	0	3	1	2	—	0	0	—	—	—	0	0	—	—
E.S. Central	—	1	7	4	11	—	0	0	—	—	—	0	0	—	—
Alabama	—	1	7	4	11	—	0	0	—	—	—	0	0	—	—
Kentucky	—	0	5	—	—	—	0	0	—	—	—	0	0	—	—
Mississippi	—	0	1	—	—	—	0	0	—	—	—	0	0	—	—
Tennessee	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
W.S. Central	6	13	41	23	36	—	0	0	—	—	—	0	1	1	—
Arkansas	3	0	4	3	—	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Oklahoma	1	0	23	3	2	—	0	0	—	—	—	0	0	—	—
Texas	2	12	41	17	34	—	0	0	—	—	—	0	1	1	—
Mountain	—	1	8	—	2	—	0	0	—	—	—	0	0	—	—
Arizona	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	5	—	—	—	0	0	—	—	—	0	0	—	—
Montana	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Nevada	—	0	2	—	—	—	0	0	—	—	—	0	0	—	—
New Mexico	—	0	1	—	—	—	0	0	—	—	—	0	0	—	—
Utah	—	0	3	—	—	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	5	—	2	—	0	0	—	—	—	0	0	—	—
Pacific	—	1	11	2	8	—	0	0	—	—	—	0	0	—	—
Alaska	—	0	3	2	3	—	0	0	—	—	—	0	0	—	—
California	—	0	8	—	5	—	0	0	—	—	—	0	0	—	—
Hawaii	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	2	—	—	—	0	0	—	—	—	0	0	—	—
Washington	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	U	0	0	U	U	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Salmonellosis					Shiga toxin-producing <i>E. coli</i> (STEC) [§]					Shigellosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Current week	Med	Max			Current week	Med	Max			Current week	Med	Max		
United States	242	861	1,629	2,113	3,443	20	133	258	241	444	67	378	479	921	2,482
New England	4	38	80	84	137	—	5	38	10	18	1	5	13	20	22
Connecticut	—	8	22	24	39	—	1	34	1	4	—	1	4	4	2
Maine	2	2	7	4	8	—	0	3	—	2	—	0	1	—	—
Massachusetts	—	21	55	46	67	—	2	7	7	10	—	3	8	11	17
New Hampshire	—	3	9	5	11	—	0	3	1	—	—	0	2	2	—
Rhode Island	2	2	6	3	2	—	0	2	—	—	—	0	4	1	3
Vermont	—	1	10	2	10	—	0	2	1	2	1	0	1	1	—
Mid. Atlantic	45	81	198	222	302	7	13	30	43	51	8	27	52	72	154
New Jersey	—	15	55	4	81	—	2	7	1	14	—	4	10	1	33
New York (Upstate)	20	26	65	71	75	3	4	16	12	10	2	4	12	11	19
New York City	17	19	42	78	64	—	2	9	12	8	4	8	17	39	51
Pennsylvania	8	25	66	69	82	4	4	13	18	19	2	10	30	21	51
E.N. Central	—	101	191	112	416	—	15	85	18	66	1	60	102	164	503
Illinois	—	31	63	21	140	—	3	60	—	20	—	9	22	5	80
Indiana	—	10	28	5	43	—	1	8	2	5	—	4	14	3	43
Michigan	—	18	35	9	62	—	3	10	4	13	—	10	31	8	43
Ohio	—	26	68	74	110	—	4	14	11	10	—	20	30	106	203
Wisconsin	—	15	30	3	61	—	4	13	1	18	1	10	38	42	134
W.N. Central	15	47	202	149	204	1	17	41	30	49	2	26	70	65	337
Iowa	1	13	58	39	68	—	4	21	8	11	—	6	31	11	57
Kansas	—	8	25	24	25	—	2	7	3	6	—	4	13	25	44
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Missouri	11	18	42	54	61	1	5	19	7	14	2	11	47	25	212
Nebraska	3	4	14	22	20	—	2	9	9	12	—	3	14	4	20
North Dakota	—	2	10	5	10	—	0	3	3	2	—	0	2	—	1
South Dakota	—	3	107	5	20	—	1	9	—	4	—	0	2	—	3
S. Atlantic	103	215	499	644	934	5	12	29	37	51	16	50	83	166	333
Delaware	—	2	17	3	5	—	0	2	—	—	—	1	6	7	2
District of Columbia	—	0	2	—	1	—	0	0	—	1	—	0	1	—	1
Florida	72	107	213	359	471	4	3	8	15	22	11	14	32	56	101
Georgia	4	42	159	104	132	—	2	9	12	5	1	12	29	38	98
Maryland	10	14	38	57	65	1	1	5	4	9	3	3	9	28	14
North Carolina	—	28	93	18	107	—	1	4	1	4	—	9	28	8	47
South Carolina	11	17	68	63	87	—	0	2	3	4	—	3	10	18	40
Virginia	6	22	44	34	54	—	2	8	2	2	1	7	15	11	29
West Virginia	—	3	10	6	12	—	0	3	—	4	—	0	2	—	1
E.S. Central	24	71	205	209	287	1	5	13	24	37	11	15	28	100	104
Alabama	7	22	48	72	133	1	0	3	4	3	2	4	10	28	42
Kentucky	9	10	77	37	35	—	1	5	3	9	8	5	14	35	33
Mississippi	5	19	57	48	54	—	0	2	1	2	1	2	5	16	6
Tennessee	3	18	105	52	65	—	3	8	16	23	—	4	13	21	23
W.S. Central	27	146	318	252	425	1	23	43	16	45	22	100	162	137	532
Arkansas	3	13	45	26	25	—	1	7	2	3	2	2	13	21	18
Louisiana	—	10	41	55	89	—	0	2	1	—	—	4	16	19	25
Oklahoma	6	14	52	30	27	1	2	14	2	3	1	8	68	11	84
Texas	18	103	294	141	284	—	17	41	11	39	19	76	130	86	405
Mountain	18	52	98	206	232	4	16	34	33	48	3	32	56	75	237
Arizona	7	17	34	82	65	2	3	8	11	8	1	21	49	40	196
Colorado	7	12	33	57	51	1	4	11	8	17	2	3	16	27	12
Idaho	4	3	10	17	17	—	3	13	8	11	—	0	4	2	9
Montana	—	3	8	6	10	1	2	15	1	6	—	0	2	—	1
Nevada	—	3	9	2	17	—	1	4	1	4	—	0	10	—	5
New Mexico	—	6	17	16	30	—	1	5	1	—	—	3	22	6	7
Utah	—	6	12	23	38	—	2	5	3	1	—	1	5	—	5
Wyoming	—	1	5	3	4	—	0	2	—	1	—	0	1	—	2
Pacific	6	116	187	235	506	1	22	65	30	79	3	43	77	122	260
Alaska	—	1	5	4	7	—	0	2	1	1	—	0	1	1	—
California	1	87	150	175	413	—	15	36	23	65	2	37	69	106	198
Hawaii	—	5	18	14	29	—	0	3	—	1	—	0	5	1	5
Oregon	—	8	23	22	33	1	3	16	5	12	—	1	7	7	42
Washington	5	13	45	20	24	—	2	37	1	—	1	3	13	7	15
Territories															
American Samoa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	11	25	23	76	—	0	0	—	—	—	0	4	—	5
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.§ Includes *E. coli* O157:H7, Shiga toxin-positive, serogroup non-O157, and Shiga toxin-positive, not serogrouped.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Spotted Fever Rickettsiosis [§]																	
	Confirmed						Probable						Syphilis, primary and secondary					
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016			
United States	1	3	11	3	7	1	59	216	33	61	90	515	609	1,393	3,095			
New England	—	0	0	—	—	—	0	2	1	—	1	14	29	23	116			
Connecticut	—	0	0	—	—	—	0	0	—	—	—	1	7	2	17			
Maine	—	0	0	—	—	—	0	1	1	—	1	1	4	2	6			
Massachusetts	—	0	0	—	—	—	0	2	—	—	—	8	18	11	68			
New Hampshire	—	0	0	—	—	—	0	1	—	—	—	1	11	7	9			
Rhode Island	—	0	0	—	—	—	0	1	—	—	—	1	12	—	12			
Vermont	—	0	0	—	—	—	0	1	—	—	—	0	3	1	4			
Mid. Atlantic	—	0	1	—	—	—	2	13	4	5	9	65	91	210	387			
New Jersey	—	0	1	—	—	—	1	8	3	1	—	8	16	2	49			
New York (Upstate)	—	0	1	—	—	—	0	2	—	1	3	10	19	49	31			
New York City	—	0	0	—	—	—	0	3	—	1	4	35	49	106	221			
Pennsylvania	—	0	1	—	—	—	0	3	1	2	2	15	24	53	86			
E.N. Central	—	0	2	—	—	—	2	15	—	2	3	51	67	74	321			
Illinois	—	0	1	—	—	—	1	7	—	—	—	22	35	1	130			
Indiana	—	0	0	—	—	—	0	6	—	—	3	6	12	24	39			
Michigan	—	0	1	—	—	—	0	2	—	1	—	6	12	5	45			
Ohio	—	0	1	—	—	—	0	4	—	—	—	13	22	31	89			
Wisconsin	—	0	0	—	—	—	0	2	—	1	—	2	6	13	18			
W.N. Central	—	0	2	—	—	—	7	28	2	3	2	19	29	35	137			
Iowa	—	0	0	—	—	—	0	2	—	—	—	1	4	6	10			
Kansas	—	0	1	—	—	—	1	10	—	1	1	2	6	9	11			
Minnesota	—	0	0	—	—	—	0	0	—	—	—	5	11	—	47			
Missouri	—	0	1	—	—	—	5	22	2	2	1	7	14	18	63			
Nebraska	—	0	0	—	—	—	0	4	—	—	—	1	6	1	2			
North Dakota	—	0	0	—	—	—	0	1	—	—	—	0	3	1	2			
South Dakota	—	0	1	—	—	—	0	2	—	—	—	0	2	—	2			
S. Atlantic	1	1	10	2	5	—	17	45	4	15	7	113	162	222	774			
Delaware	—	0	0	—	—	—	0	3	—	2	—	0	7	1	11			
District of Columbia	—	0	1	—	—	—	0	1	—	—	—	2	7	2	14			
Florida	1	0	1	1	—	—	0	2	1	—	5	46	66	142	236			
Georgia	—	1	8	1	5	—	0	0	—	—	—	22	41	—	224			
Maryland	—	0	2	—	—	—	0	6	1	—	1	8	22	15	66			
North Carolina	—	0	2	—	—	—	7	29	—	7	—	20	28	30	133			
South Carolina	—	0	1	—	—	—	0	2	2	1	1	5	13	31	51			
Virginia	—	0	1	—	—	—	4	19	—	4	—	3	41	—	34			
West Virginia	—	0	0	—	—	—	0	2	—	—	—	1	4	1	5			
E.S. Central	—	0	4	—	2	1	21	65	14	27	3	22	38	60	109			
Alabama	—	0	1	—	—	—	7	24	2	9	—	6	14	24	28			
Kentucky	—	0	2	—	1	—	2	11	6	8	2	3	12	6	13			
Mississippi	—	0	0	—	—	—	1	7	2	1	—	5	13	17	26			
Tennessee	—	0	1	—	1	1	10	40	4	9	1	6	15	13	42			
W.S. Central	—	0	1	—	—	—	10	80	7	6	36	56	77	266	335			
Arkansas	—	0	1	—	—	—	8	75	5	6	—	2	11	6	14			
Louisiana	—	0	0	—	—	—	0	0	—	—	1	12	30	27	68			
Oklahoma	—	0	1	—	—	—	0	2	—	—	—	2	9	2	40			
Texas	—	0	1	—	—	—	1	6	2	—	35	38	53	231	213			
Mountain	—	0	2	1	—	—	0	2	1	—	1	31	55	88	191			
Arizona	—	0	2	1	—	—	0	1	1	—	—	13	23	29	72			
Colorado	—	0	0	—	—	—	0	0	—	—	1	4	14	21	28			
Idaho	—	0	1	—	—	—	0	1	—	—	—	1	3	1	10			
Montana	—	0	1	—	—	—	0	1	—	—	—	0	2	—	3			
Nevada	—	0	0	—	—	—	0	1	—	—	—	8	25	27	37			
New Mexico	—	0	0	—	—	—	0	0	—	—	—	3	11	7	28			
Utah	—	0	0	—	—	—	0	1	—	—	—	1	6	2	13			
Wyoming	—	0	0	—	—	—	0	1	—	—	—	0	1	1	—			
Pacific	—	0	1	—	—	—	0	2	—	3	28	126	156	415	725			
Alaska	N	0	0	N	N	N	0	0	N	N	—	0	1	—	—			
California	—	0	0	—	—	—	0	1	—	3	17	108	135	350	629			
Hawaii	N	0	0	N	N	N	0	0	N	N	—	1	6	1	11			
Oregon	—	0	1	—	—	—	0	1	—	—	3	6	15	21	33			
Washington	—	0	0	—	—	—	0	0	—	—	8	9	21	43	52			
Territories												0	0	—	—			
American Samoa	N	0	0	N	N	N	0	0	N	N	—	0	0	—	—			
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Guam	N	0	0	N	N	N	0	0	N	N	—	0	0	—	—			
Puerto Rico	N	0	0	N	N	N	0	0	N	N	—	8	26	13	61			
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—			

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

[§] Illnesses with similar clinical presentation that result from Spotted Fever Group Rickettsia infections are reported as Spotted Fever Rickettsioses. Rocky Mountain Spotted Fever (RMSF), caused by *Rickettsia rickettsii*, is the most common and well-known Spotted Fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Tetanus					Varicella (chickenpox)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	—	1	3	4	2	57	142	206	608	986
New England	—	0	1	—	—	8	14	27	53	95
Connecticut	—	0	0	—	—	1	2	6	10	20
Maine	—	0	1	—	—	2	4	9	19	19
Massachusetts	—	0	0	—	—	—	4	16	10	32
New Hampshire	—	0	0	—	—	—	0	4	—	7
Rhode Island	—	0	0	—	—	5	0	6	8	3
Vermont	—	0	0	—	—	—	0	6	6	14
Mid. Atlantic	—	0	2	—	—	3	17	39	68	107
New Jersey	—	0	0	—	—	—	5	15	13	38
New York (Upstate)	—	0	1	—	—	N	0	0	N	N
New York City	—	0	1	—	—	—	0	0	—	—
Pennsylvania	—	0	1	—	—	3	12	29	55	69
E.N. Central	—	0	1	—	1	6	34	56	154	266
Illinois	—	0	0	—	1	2	7	20	21	66
Indiana	—	0	1	—	—	—	3	9	17	25
Michigan	—	0	1	—	—	2	9	19	41	117
Ohio	—	0	1	—	—	—	8	23	53	54
Wisconsin	—	0	0	—	—	2	3	20	22	4
W.N. Central	—	0	1	1	—	4	11	29	50	65
Iowa	—	0	1	—	—	N	0	0	N	N
Kansas	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	0	—	—	1	6	16	25	28
Missouri	—	0	0	—	—	3	3	8	22	20
Nebraska	—	0	1	1	—	—	0	2	—	5
North Dakota	—	0	0	—	—	—	0	21	1	8
South Dakota	—	0	0	—	—	—	0	4	2	4
S. Atlantic	—	0	1	1	—	15	23	54	83	186
Delaware	—	0	0	—	—	—	0	3	1	2
District of Columbia	—	0	0	—	—	—	0	1	—	—
Florida	—	0	1	1	—	14	12	39	62	132
Georgia	—	0	0	—	—	—	3	7	5	17
Maryland	—	0	1	—	—	N	0	0	N	N
North Carolina	—	0	0	—	—	N	0	0	N	N
South Carolina	—	0	0	—	—	1	1	8	14	9
Virginia	—	0	1	—	—	—	4	12	1	23
West Virginia	—	0	0	—	—	—	0	1	—	3
E.S. Central	—	0	1	—	—	—	2	6	14	22
Alabama	—	0	1	—	—	—	1	5	13	21
Kentucky	—	0	1	—	—	N	0	0	N	N
Mississippi	—	0	1	—	—	—	0	2	1	1
Tennessee	—	0	1	—	—	N	0	0	N	N
W.S. Central	—	0	1	—	—	18	26	61	111	128
Arkansas	—	0	0	—	—	1	2	12	7	15
Louisiana	—	0	0	—	—	—	0	4	1	7
Oklahoma	—	0	1	—	—	N	0	0	N	N
Texas	—	0	1	—	—	17	23	58	103	106
Mountain	—	0	1	2	1	3	11	34	66	110
Arizona	—	0	0	—	1	2	5	13	27	41
Colorado	—	0	0	—	—	—	0	18	26	—
Idaho	—	0	1	1	—	—	0	0	N	N
Montana	—	0	0	—	—	—	0	6	2	10
Nevada	—	0	1	1	—	N	0	0	N	N
New Mexico	—	0	0	—	—	—	1	5	3	3
Utah	—	0	0	—	—	—	3	10	8	55
Wyoming	—	0	0	—	—	—	0	2	—	1
Pacific	—	0	1	—	—	—	1	4	9	7
Alaska	—	0	1	—	—	—	0	2	3	1
California	—	0	1	—	—	—	0	4	4	3
Hawaii	—	0	0	—	—	—	0	3	2	3
Oregon	—	0	0	—	—	N	0	0	N	N
Washington	—	0	0	—	—	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	1	6	2	6
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	Vibriosis (Any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae</i> O1 or O139) [§]									
	Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	4	16	70	41	60	—	0	2	8	5
New England	—	1	14	1	3	—	0	1	—	—
Connecticut	—	0	3	—	—	—	0	0	—	—
Maine	—	0	2	—	—	—	0	0	—	—
Massachusetts	—	0	7	1	2	—	0	0	—	—
New Hampshire	—	0	1	—	1	—	0	1	—	—
Rhode Island	—	0	3	—	—	—	0	0	—	—
Vermont	—	0	0	—	—	—	0	0	—	—
Mid. Atlantic	1	1	10	6	1	—	0	1	—	4
New Jersey	—	0	4	—	—	—	0	1	—	—
New York (Upstate)	—	0	5	4	1	—	0	0	—	4
New York City	1	0	3	1	—	—	0	1	—	—
Pennsylvania	—	0	3	1	—	—	0	0	—	—
E.N. Central	—	1	5	1	5	—	0	1	—	—
Illinois	—	0	3	—	2	—	0	0	—	—
Indiana	—	0	2	—	2	—	0	0	—	—
Michigan	—	0	1	—	1	—	0	1	—	—
Ohio	—	0	2	1	—	—	0	0	—	—
Wisconsin	—	0	1	—	—	—	0	0	—	—
W.N. Central	—	0	2	—	1	—	0	1	—	—
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	2	—	—	—	0	0	—	—
Minnesota	—	0	0	—	—	—	0	0	—	—
Missouri	—	0	1	—	1	—	0	0	—	—
Nebraska	—	0	0	—	—	—	0	1	—	—
North Dakota	—	0	1	—	—	—	0	0	—	—
South Dakota	—	0	1	—	—	—	0	0	—	—
S. Atlantic	3	7	21	18	20	—	0	2	4	1
Delaware	—	0	3	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	3	3	10	17	13	—	0	1	1	—
Georgia	—	0	3	—	4	—	0	0	—	—
Maryland	—	1	7	1	—	—	0	1	1	1
North Carolina	—	0	3	—	1	—	0	2	2	—
South Carolina	—	0	3	—	2	—	0	0	—	—
Virginia	—	0	6	—	—	—	0	0	—	—
West Virginia	—	0	1	—	—	—	0	0	—	—
E.S. Central	—	1	5	1	7	—	0	1	—	—
Alabama	—	0	4	1	2	—	0	1	—	—
Kentucky	—	0	1	—	2	—	0	0	—	—
Mississippi	—	0	1	—	—	—	0	0	—	—
Tennessee	—	0	1	—	3	—	0	1	—	—
W.S. Central	—	2	11	3	7	—	0	0	—	—
Arkansas	—	0	1	—	—	—	0	0	—	—
Louisiana	—	0	2	2	4	—	0	0	—	—
Oklahoma	—	0	1	—	—	—	0	0	—	—
Texas	—	1	9	1	3	—	0	0	—	—
Mountain	—	1	4	3	1	—	0	2	4	—
Arizona	—	0	3	—	—	—	0	1	1	—
Colorado	—	0	2	1	—	—	0	1	2	—
Idaho	—	0	0	—	—	—	0	0	—	—
Montana	—	0	1	1	—	—	0	0	—	—
Nevada	—	0	1	—	—	—	0	1	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	1	1	1	—	0	1	1	—
Wyoming	—	0	1	—	—	—	0	0	—	—
Pacific	—	3	22	8	15	—	0	1	—	—
Alaska	—	0	2	—	—	—	0	0	—	—
California	—	2	10	5	9	—	0	0	—	—
Hawaii	—	0	3	1	4	—	0	1	—	—
Oregon	—	0	3	2	2	—	0	1	—	—
Washington	—	0	16	—	—	—	0	1	—	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U:Unavailable. —:No reported cases. N:Not reportable. NN: Not Nationally Notifiable. NP:Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationallyNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

[§] The national surveillance case definition was revised in 2017 to include infections confirmed by culture-independent diagnostic tests as probable cases.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending February 11, 2017, and February 13, 2016 (6th week)[†] (Export data)

Reporting area	West Nile virus disease [§]									
	Neuroinvasive					Nonneuroinvasive [¶]				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	—	9	102	—	—	—	5	111	1	1
New England	—	0	3	—	—	—	0	3	—	—
Connecticut	—	0	1	—	—	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	2	—	—	—	0	2	—	—
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	1	—	—	—	0	0	—	—
Vermont	—	0	1	—	—	—	0	1	—	—
Mid. Atlantic	—	0	6	—	—	—	0	4	—	—
New Jersey	—	0	1	—	—	—	0	0	—	—
New York (Upstate)	—	0	0	—	—	—	0	4	—	—
New York City	—	0	3	—	—	—	0	0	—	—
Pennsylvania	—	0	2	—	—	—	0	1	—	—
E.N. Central	—	0	17	—	—	—	0	29	1	—
Illinois	—	0	0	—	—	—	0	27	1	—
Indiana	—	0	4	—	—	—	0	1	—	—
Michigan	—	0	10	—	—	—	0	1	—	—
Ohio	—	0	3	—	—	—	0	2	—	—
Wisconsin	—	0	2	—	—	—	0	2	—	—
W.N. Central	—	0	16	—	—	—	0	47	—	—
Iowa	—	0	3	—	—	—	0	5	—	—
Kansas	—	0	3	—	—	—	0	2	—	—
Minnesota	—	0	3	—	—	—	0	13	—	—
Missouri	—	0	2	—	—	—	0	1	—	—
Nebraska	—	0	7	—	—	—	0	7	—	—
North Dakota	—	0	3	—	—	—	0	10	—	—
South Dakota	—	0	8	—	—	—	0	16	—	—
S. Atlantic	—	0	6	—	—	—	0	2	—	—
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	1	—	—	—	0	0	—	—
Florida	—	0	3	—	—	—	0	1	—	—
Georgia	—	0	2	—	—	—	0	1	—	—
Maryland	—	0	1	—	—	—	0	0	—	—
North Carolina	—	0	1	—	—	—	0	0	—	—
South Carolina	—	0	2	—	—	—	0	2	—	—
Virginia	—	0	2	—	—	—	0	1	—	—
West Virginia	—	0	0	—	—	—	0	1	—	—
E.S. Central	—	0	4	—	—	—	0	4	—	—
Alabama	—	0	1	—	—	—	0	2	—	—
Kentucky	—	0	1	—	—	—	0	1	—	—
Mississippi	—	0	4	—	—	—	0	2	—	—
Tennessee	—	0	1	—	—	—	0	1	—	—
W.S. Central	—	2	20	—	—	—	1	12	—	—
Arkansas	—	0	2	—	—	—	0	1	—	—
Louisiana	—	0	6	—	—	—	0	3	—	—
Oklahoma	—	0	3	—	—	—	0	3	—	—
Texas	—	1	18	—	—	—	0	10	—	—
Mountain	—	0	17	—	—	—	0	23	—	1
Arizona	—	0	6	—	—	—	0	3	—	—
Colorado	—	0	9	—	—	—	0	16	—	—
Idaho	—	0	1	—	—	—	0	2	—	—
Montana	—	0	1	—	—	—	0	1	—	—
Nevada	—	0	2	—	—	—	0	1	—	—
New Mexico	—	0	2	—	—	—	0	0	—	—
Utah	—	0	3	—	—	—	0	2	—	—
Wyoming	—	0	2	—	—	—	0	2	—	—
Pacific	—	1	43	—	—	—	0	24	—	—
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	42	—	—	—	0	23	—	—
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	1	—	—	—	0	1	—	—
Washington	—	0	3	—	—	—	0	1	—	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData2010927.pdf>. Data for tuberculosis are displayed in Table IV, which appears quarterly.

§ Updated weekly from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for Jamestown Canyon virus, La Crosse virus, Chikungunya virus, Eastern equine encephalitis virus, Powassan virus, St. Louis virus, and Western equine encephalitis virus diseases are available in Table I.

¶ Not reportable in all states. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.