

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending May 27, 2017 (21st week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Anthrax	—	—	—	—	—	—	—	—	—
Arboviral diseases neuroinvasive and nonneuroinvasive ^{¶, **} :									
Chikungunya virus disease	—	9	3	244	896	NN	NN	NN	
Eastern equine encephalitis virus disease	—	—	0	7	6	8	8	15	
Jamestown Canyon virus disease	—	1	0	15	11	11	22	2	
La Crosse virus disease	—	—	0	36	55	80	85	78	
Powassan virus disease	—	—	0	21	7	8	12	7	
St. Louis encephalitis virus disease	—	1	0	8	23	10	1	3	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	—	50	4	191	195	161	152	168	
foodborne	—	5	1	29	37	15	4	27	
infant	—	40	2	137	138	127	136	123	
other (wound and unspecified)	—	5	0	25	20	19	12	18	
Brucellosis	—	35	3	110	126	92	99	114	
Chancroid	—	7	0	7	11	—	—	15	
Cholera	—	—	0	2	5	5	14	17	
Cyclosporiasis**	—	17	5	532	645	388	784	123	
Diphtheria	—	—	—	—	—	1	—	1	
<i>Haemophilus influenzae</i> invasive disease (age <5 yrs) ^{††} :									
serotype b	—	5	0	25	29	40	31	30	
nontypeable	—	47	3	163	175	128	141	115	
non-b serotype	—	56	2	138	135	266	233	263	
unknown serotype	—	100	4	251	167	39	34	37	
Hansen's disease**	1	28	1	58	89	88	81	82	FL (1)
Hantavirus**:									
Hantavirus infection (non-HPS)	—	—	0	2	3	NN	NN	NN	
Hantavirus Pulmonary Syndrome (HPS)	—	2	1	15	21	32	21	30	
Hemolytic uremic syndrome, postdiarrheal**	—	65	5	258	274	250	329	274	
Hepatitis B, perinatal virus infection ^{§§}	—	5	1	30	37	47	48	40	
Influenza-associated pediatric mortality ^{¶, ¶¶}	3	102	1	83	130	141	160	52	CA (1), MD (1), TX (1)
Leptospirosis**	—	19	0	66	40	38	NN	NN	
Listeriosis	—	185	13	784	768	769	735	727	
Measles***	—	90	14	83	188	667	187	55	
Meningococcal disease (<i>Neisseria meningitidis</i>) ^{†††} :									
serogroup ACWY	—	29	3	113	120	123	142	161	
serogroup B	—	30	2	77	111	89	99	110	
other serogroup	—	4	0	21	21	25	17	20	
unknown serogroup	—	76	4	160	120	196	298	260	
Novel influenza A virus infections ^{§§§}	—	1	—	23	7	3	21	313	
Plague	—	1	0	—	16	10	4	4	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus infection, nonparalytic**	—	—	—	—	—	—	—	—	
Psittacosis**	—	4	0	9	4	8	6	2	
Q fever, total**	1	45	4	154	156	168	170	135	
acute	1	33	3	125	122	132	137	113	FL (1)
chronic	—	12	1	29	34	36	33	22	
Rabies, human	—	—	0	—	2	1	2	1	
SARS-CoV	—	—	—	—	—	—	—	—	
Smallpox	—	—	—	—	—	—	—	—	
Streptococcal toxic shock syndrome**	1	127	5	270	335	259	224	194	NY (1)
Syphilis, congenital ^{¶¶¶}	—	151	8	622	493	458	348	322	
Toxic shock syndrome (other than streptococcal)**	—	7	1	33	64	59	71	65	
Trichinellosis**	—	5	0	26	14	14	22	18	
Tularemia	—	21	7	221	314	180	203	149	
Typhoid fever (caused by <i>Salmonella typhi</i>)	—	106	6	316	367	349	338	354	
Vancomycin-intermediate <i>Staphylococcus aureus</i> **	—	25	3	91	183	212	248	134	
Vancomycin-resistant <i>Staphylococcus aureus</i> **	—	—	—	—	3	—	—	2	

See Table I footnotes on next page.

Morbidity and Mortality Weekly Report

TABLE I. (Continued) Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending May 27, 2017 (21st week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Viral hemorrhagic fevers****:									
Crimean-Congo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Ebola hemorrhagic fever	—	—	—	—	—	4	NP	NP	
Guanarito hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Junin hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Lassa fever	—	—	—	—	1	1	NP	NP	
Lujo virus	—	—	—	—	—	NP	NP	NP	
Machupo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Marburg fever	—	—	—	—	—	NP	NP	NP	
Sabia-associated hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Yellow fever	—	—	—	—	—	—	—	—	
Zika virus disease, non-congenital ^{††††}	—	170	31	5,057	NN	NN	NN	NN	

—: No reported cases. N: Not reportable. NA: Not available. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts.

* Case counts for reporting years 2016 and 2017 are provisional and subject to change. Data for years 2012 through 2015 are finalized. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.

† This table does not include cases from the U.S. territories. Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

§ Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.

¶ Updated weekly reports from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.

** Not reportable in all jurisdictions. Data from states where the condition is not reportable are excluded from this table, except for the arboviral diseases and influenza-associated pediatric mortality. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

†† Data for Haemophilus influenzae (all ages, all serotypes) are available in Table II.

§§ In 2016, the nationally notifiable condition 'Hepatitis B Perinatal Infection' was renamed to 'Perinatal Hepatitis B Virus Infection' and reflects updates in the 2016 CSTE position statement for Perinatal Hepatitis B Virus Infection.

¶¶ Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 2, 2016, 98 influenza-associated pediatric deaths occurring during the 2016–17 season have been reported.

*** No measles cases were reported for the current week.

††† Data for meningococcal disease (all serogroups) are available in Table II.


§§§ Novel influenza A virus infections are human infections with influenza A viruses that are different from currently circulating human seasonal influenza viruses. With the exception of one avian lineage influenza A (H7N2) virus, all novel influenza A virus infections reported to CDC since 2012 have been variant influenza viruses. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).

¶¶¶ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.

**** Prior to 2015, CDC's National Notifiable Diseases Surveillance System (NNDSS) did not receive electronic data about incident cases of specific viral hemorrhagic fevers; instead data were collected in aggregate as "viral hemorrhagic fevers". Beginning in 2015, NNDSS has been updated to receive data for each of the viral hemorrhagic fevers listed below. In addition to the four cases of Ebola diagnosed in the United States to date in 2014, six residents of the United States have been medically evacuated to the United States for care after developing Ebola in West Africa. Ten of the 11 VHF cases reported for 2014 are confirmed as Ebola and one as Lassa fever.

†††† The Council of State and Territorial Epidemiologists approved position statement 16-ID-01 in June 2016, which modifies the previous case definition and naming convention from "Zika virus congenital infection" to "Zika virus disease, non-congenital".

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals May 27, 2017, with historical data



* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

National Notifiable Diseases Data Team

Yvette D. Dominique Deborah A. Adams Karen Clinkscales Alan W. Schley	Willie J. Anderson Diana Harris Onwheh
--	---

Data presented by the National Notifiable Diseases Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <https://www.cdc.gov/mmwr/volumes/66/wr/mm6621md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd, N.E., Atlanta, GA 30329-4027 or to mmwrq@cdc.gov.

Morbidity and Mortality Weekly Report

TABLE II. Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Reporting area	Babesiosis					Campylobacteriosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	—	10	127	64	99	158	940	2,838	17,153	15,163
New England	—	5	110	20	64	—	48	102	707	937
Connecticut	—	2	32	5	26	—	10	35	145	208
Maine	—	1	10	8	2	—	3	12	54	70
Massachusetts	—	2	50	5	27	—	24	44	334	461
New Hampshire	—	0	2	2	1	—	4	12	81	74
Rhode Island	—	1	25	—	8	—	4	13	47	66
Vermont	—	0	5	—	—	—	4	10	46	58
Mid. Atlantic	—	3	22	34	21	38	118	179	2,339	1,954
New Jersey	—	1	22	5	11	—	36	68	476	628
New York (Upstate)	—	0	3	21	—	38	0	41	494	—
New York City	—	0	9	8	10	—	36	54	733	592
Pennsylvania	N	0	0	N	N	—	42	82	636	734
E.N. Central	—	1	7	4	9	1	125	207	2,134	2,202
Illinois	—	0	1	—	—	—	36	63	526	656
Indiana	—	0	0	—	—	—	18	36	197	345
Michigan	—	0	0	—	—	1	0	37	425	—
Ohio	—	0	0	—	—	—	37	63	582	659
Wisconsin	—	1	7	4	9	—	26	61	404	542
W.N. Central	—	0	1	—	1	—	77	159	1,141	1,409
Iowa	—	0	1	—	—	—	18	43	269	338
Kansas	N	0	0	N	N	—	13	33	151	225
Minnesota	—	0	0	—	—	—	0	0	—	—
Missouri	N	0	1	N	N	—	26	58	408	436
Nebraska	—	0	1	—	—	—	10	25	137	177
North Dakota	—	0	0	—	1	—	3	13	89	79
South Dakota	—	0	0	—	—	—	7	24	87	154
S. Atlantic	—	0	1	3	2	105	139	172	2,995	1,857
Delaware	—	0	1	—	—	—	3	9	33	53
District of Columbia	N	0	0	N	N	—	0	0	—	—
Florida	N	0	0	N	N	105	0	93	1,580	—
Georgia	N	0	0	N	N	—	18	31	318	337
Maryland	—	0	1	3	1	—	16	32	250	279
North Carolina	N	0	0	N	N	—	25	49	349	479
South Carolina	—	0	1	—	1	—	7	16	83	118
Virginia	N	0	0	N	N	—	26	69	352	497
West Virginia	—	0	0	—	—	—	5	21	30	94
E.S. Central	—	0	1	2	—	—	45	75	808	797
Alabama	—	0	1	1	—	—	12	25	194	244
Kentucky	—	0	1	—	—	—	13	27	235	231
Mississippi	N	0	0	N	N	—	6	15	157	74
Tennessee	—	0	1	1	—	—	14	31	222	248
W.S. Central	—	0	1	—	1	—	122	278	1,760	1,546
Arkansas	—	0	0	—	—	—	11	29	174	142
Louisiana	—	0	1	—	1	—	11	23	123	194
Oklahoma	N	0	0	N	N	—	21	45	108	272
Texas	—	0	1	—	—	—	89	224	1,355	938
Mountain	—	0	1	—	1	—	85	147	1,393	1,471
Arizona	—	0	0	—	—	—	23	51	419	467
Colorado	N	0	0	N	N	—	19	45	310	329
Idaho	N	0	0	N	N	—	9	20	149	126
Montana	—	0	1	—	—	—	7	14	114	126
Nevada	N	0	0	N	N	—	4	12	47	65
New Mexico	N	0	0	N	N	—	10	27	143	156
Utah	—	0	0	—	1	—	9	27	151	154
Wyoming	—	0	0	—	—	—	3	9	60	48
Pacific	—	0	1	1	—	14	195	2,050	3,876	2,990
Alaska	N	0	0	N	N	—	2	7	23	25
California	—	0	1	—	—	—	166	239	2,957	2,825
Hawaii	N	0	0	N	N	—	8	25	148	140
Oregon	—	0	1	1	—	14	0	24	311	—
Washington	—	0	0	—	—	—	0	1,912	437	—
Territories										
American Samoa	U	0	0	U	U	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	N	0	0	N	N	—	1	2	14	16
U.S. Virgin Islands	N	0	0	N	N	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —:No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Reporting area	Chlamydia trachomatis infection					Coccidioidomycosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	—	30,015	37,937	539,486	643,369	1	206	367	3,275	4,052
New England	—	1,049	1,457	18,643	21,550	—	0	1	1	2
Connecticut	—	252	459	3,383	5,253	N	0	0	N	N
Maine	—	79	152	1,801	1,583	N	0	0	N	N
Massachusetts	—	526	612	9,277	10,669	N	0	0	N	N
New Hampshire	—	66	201	2,230	1,862	—	0	1	1	2
Rhode Island	—	74	496	1,512	1,465	—	0	1	—	—
Vermont	—	26	102	440	718	N	0	0	N	N
Mid. Atlantic	—	4,008	5,100	83,865	80,463	—	0	0	—	—
New Jersey	—	661	723	12,304	13,949	N	0	0	N	N
New York (Upstate)	—	846	2,358	16,136	16,043	N	0	0	N	N
New York City	—	1,339	1,593	27,384	26,774	N	0	0	N	N
Pennsylvania	—	1,103	2,005	28,041	23,697	N	0	0	N	N
E.N. Central	—	4,471	5,214	73,465	96,730	1	0	3	15	19
Illinois	—	1,331	1,501	17,058	29,894	N	0	0	N	N
Indiana	—	606	981	12,770	12,794	N	0	0	N	N
Michigan	—	852	1,095	14,406	18,277	1	0	2	9	—
Ohio	—	1,161	1,275	19,891	24,974	—	0	2	6	11
Wisconsin	—	510	632	9,340	10,791	—	0	2	—	8
W.N. Central	—	1,846	2,117	33,343	38,336	—	0	3	12	18
Iowa	—	252	302	4,832	5,276	N	0	0	N	N
Kansas	—	240	298	4,479	4,957	N	0	0	N	N
Minnesota	—	438	524	7,285	9,218	—	0	0	—	—
Missouri	—	611	750	11,295	12,231	—	0	3	7	10
Nebraska	—	151	274	3,116	3,379	—	0	1	4	4
North Dakota	—	61	77	1,021	1,472	—	0	1	1	4
South Dakota	—	82	117	1,315	1,803	N	0	0	N	N
S. Atlantic	—	5,804	11,516	83,872	133,237	—	0	2	3	5
Delaware	—	102	197	2,157	2,109	—	0	1	—	1
District of Columbia	—	160	318	2,792	2,929	—	0	0	—	—
Florida	—	1,836	2,771	36,630	37,984	N	0	0	N	N
Georgia	—	1,123	1,415	7,981	26,102	N	0	0	N	N
Maryland	—	524	1,343	8,743	10,889	—	0	2	3	4
North Carolina	—	1,073	1,254	12,120	23,332	N	0	0	N	N
South Carolina	—	579	767	11,845	12,045	N	0	0	N	N
Virginia	—	327	4,710	—	15,847	N	0	0	N	N
West Virginia	—	89	130	1,604	2,000	N	0	0	N	N
E.S. Central	—	1,833	2,485	32,600	38,182	—	0	1	2	—
Alabama	—	487	720	9,406	11,721	N	0	0	N	N
Kentucky	—	384	714	7,251	5,695	—	0	1	2	—
Mississippi	—	327	711	4,893	7,793	N	0	0	N	N
Tennessee	—	638	905	11,050	12,973	N	0	0	N	N
W.S. Central	—	4,222	5,455	82,775	85,189	—	0	3	2	7
Arkansas	—	281	549	4,145	6,276	—	0	1	1	1
Louisiana	—	694	1,780	14,631	10,864	—	0	3	1	6
Oklahoma	—	380	472	5,188	8,876	N	0	0	N	N
Texas	—	2,859	4,058	58,811	59,173	N	0	0	N	N
Mountain	—	2,080	2,713	37,446	44,356	—	114	159	2,223	2,614
Arizona	—	657	1,091	12,640	13,255	—	111	155	2,157	2,551
Colorado	—	458	672	7,950	11,123	N	0	0	N	N
Idaho	—	110	166	1,760	2,438	N	0	0	N	N
Montana	—	81	158	1,106	1,867	—	0	2	6	7
Nevada	—	271	433	4,828	5,643	—	2	6	43	35
New Mexico	—	244	391	4,647	5,293	—	0	2	—	11
Utah	—	187	231	3,863	3,898	—	1	3	17	10
Wyoming	—	34	55	652	839	—	0	1	—	—
Pacific	—	5,007	5,737	93,477	105,326	—	86	229	1,017	1,387
Alaska	—	93	142	53	2,263	N	0	0	N	N
California	—	3,896	4,420	74,649	80,374	—	85	229	1,014	1,387
Hawaii	—	128	179	2,190	2,726	N	0	0	N	N
Oregon	—	342	440	6,968	7,225	—	0	1	3	—
Washington	—	536	819	9,617	12,738	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	132	481	2,787	2,418	N	0	0	N	N
U.S. Virgin Islands	—	7	20	46	285	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Reporting area	Current week	Hepatitis (viral, acute, by type)								
		A				B				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	—	32	99	582	495	1	52	131	1,044	1,069
New England	—	2	5	26	31	—	2	4	35	39
Connecticut	—	0	3	8	4	—	0	2	—	3
Maine	—	0	1	1	1	—	1	3	27	17
Massachusetts	—	1	4	14	21	—	0	3	8	18
New Hampshire	—	0	1	1	—	—	0	0	—	—
Rhode Island	—	0	1	—	3	U	0	0	U	U
Vermont	—	0	1	2	2	—	0	1	—	1
Mid. Atlantic	—	4	11	85	82	—	4	9	63	69
New Jersey	—	1	4	13	30	—	1	4	6	17
New York (Upstate)	—	1	4	18	19	—	1	4	11	12
New York City	—	1	6	39	18	—	1	4	21	22
Pennsylvania	—	1	4	15	15	—	1	3	25	18
E.N. Central	—	4	15	140	44	—	11	22	168	298
Illinois	—	1	5	20	23	—	0	3	10	21
Indiana	—	0	2	5	11	—	5	14	44	136
Michigan	—	0	12	101	—	—	0	4	23	—
Ohio	—	0	7	10	10	—	5	14	83	136
Wisconsin	—	0	4	4	—	—	0	2	8	5
W.N. Central	—	1	5	6	27	—	1	5	35	38
Iowa	—	0	2	3	5	—	0	2	7	5
Kansas	—	0	1	1	3	—	0	3	11	9
Minnesota	—	0	0	—	—	—	0	0	—	—
Missouri	—	0	1	1	10	—	1	3	14	17
Nebraska	—	0	4	1	8	—	0	2	3	4
North Dakota	—	0	1	—	1	—	0	1	—	1
South Dakota	—	0	1	—	—	—	0	0	—	2
S. Atlantic	—	6	53	127	94	—	14	27	380	266
Delaware	—	0	1	1	—	—	0	1	6	—
District of Columbia	U	0	0	U	U	U	0	0	U	U
Florida	—	0	7	72	—	—	0	17	196	—
Georgia	—	0	5	11	18	—	2	7	38	43
Maryland	—	0	5	8	11	—	0	2	10	13
North Carolina	—	1	5	7	22	—	2	10	27	65
South Carolina	—	0	4	9	8	—	0	4	3	16
Virginia	—	1	41	14	33	—	1	3	25	22
West Virginia	—	0	4	5	2	—	4	12	75	107
E.S. Central	—	0	4	4	15	—	10	18	198	199
Alabama	—	0	2	1	10	—	1	5	26	30
Kentucky	—	0	1	1	3	—	3	11	80	79
Mississippi	—	0	1	1	2	—	1	3	17	8
Tennessee	—	0	2	1	—	—	4	8	75	82
W.S. Central	—	2	8	37	69	—	4	40	86	83
Arkansas	—	0	3	2	2	—	1	5	19	20
Louisiana	—	0	1	3	7	—	1	6	26	21
Oklahoma	—	0	4	—	4	—	0	21	5	5
Texas	—	2	7	32	56	—	2	15	36	37
Mountain	—	2	10	68	41	—	1	4	26	23
Arizona	—	1	4	22	16	—	0	2	8	8
Colorado	—	0	7	24	12	—	0	2	4	6
Idaho	—	0	1	2	—	—	0	1	3	—
Montana	—	0	1	3	1	—	0	1	—	—
Nevada	—	0	2	6	8	—	0	2	7	9
New Mexico	—	0	1	—	—	—	0	1	—	—
Utah	—	0	2	5	4	—	0	1	4	—
Wyoming	—	0	3	6	—	U	0	0	U	U
Pacific	—	6	47	89	92	1	2	45	53	54
Alaska	—	0	1	1	—	—	0	1	2	4
California	—	3	9	69	90	—	2	8	30	50
Hawaii	—	0	41	3	2	—	0	0	—	—
Oregon	—	0	3	15	—	1	0	2	8	—
Washington	—	0	31	1	—	—	0	45	13	—
Territories	—	—	—	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	9	2	2	—	0	1	1	10
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Hepatitis (viral, acute, by type) [§] (Continued)										
Reporting area	Current week	C (confirmed)				Current week	C (probable)			
		Previous 52 weeks		Cum 2017	Cum 2016		Med	Max	Cum 2017	Cum 2016
Reporting area	Current week	Med	Max	Cum 2017	Cum 2016	Current week	Med	Max	Cum 2017	Cum 2016
United States	2	41	118	661	1,135	—	18	57	313	372
New England	—	6	17	63	248	—	2	7	23	51
Connecticut	—	0	1	1	11	—	0	0	—	—
Maine	—	0	3	8	8	—	0	2	3	8
Massachusetts	—	5	16	53	224	—	2	7	20	43
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	1	5	—	0	0	—	—
Mid. Atlantic	—	8	21	101	224	—	1	3	12	28
New Jersey	—	1	5	16	52	—	0	0	—	—
New York (Upstate)	—	3	9	53	79	—	0	3	2	8
New York City	—	0	3	3	4	—	0	0	—	—
Pennsylvania	—	3	12	29	89	—	0	3	10	20
E.N. Central	—	7	14	114	203	—	2	6	49	45
Illinois	—	0	2	6	11	—	0	1	—	1
Indiana	—	2	7	24	63	—	1	3	11	11
Michigan	—	0	5	42	—	—	0	3	23	—
Ohio	—	3	7	39	86	—	1	4	15	33
Wisconsin	—	1	4	3	43	—	0	0	—	—
W.N. Central	—	1	5	28	25	—	0	1	4	1
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	2	6	4	—	0	1	—	—
Minnesota	—	0	0	—	—	—	0	0	—	—
Missouri	—	0	3	17	8	—	0	0	—	—
Nebraska	—	0	1	1	1	—	0	1	3	—
North Dakota	—	0	1	1	—	—	0	0	—	—
South Dakota	—	0	2	3	12	—	0	1	—	1
S. Atlantic	—	6	13	169	171	—	4	8	65	75
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	0	9	99	—	—	0	3	19	—
Georgia	—	1	5	9	46	—	0	2	3	10
Maryland	—	0	2	9	18	—	0	2	5	3
North Carolina	—	0	4	3	43	—	1	6	5	45
South Carolina	—	0	1	1	6	—	0	1	—	—
Virginia	—	1	4	19	19	—	0	5	10	5
West Virginia	—	1	6	29	39	—	1	3	23	12
E.S. Central	—	4	9	69	145	—	5	12	102	125
Alabama	—	0	3	8	21	—	0	3	6	28
Kentucky	—	1	8	19	49	—	3	9	68	62
Mississippi	—	0	0	—	—	—	0	0	—	—
Tennessee	—	2	7	42	75	—	2	5	28	35
W.S. Central	—	1	11	18	27	—	0	7	16	18
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	2	4	—	0	2	2	9
Oklahoma	—	0	8	4	4	—	0	7	6	9
Texas	—	0	3	12	19	—	0	2	8	—
Mountain	—	2	9	46	73	—	1	4	18	20
Arizona	—	0	0	—	—	—	0	0	—	—
Colorado	—	0	3	8	13	—	0	2	5	3
Idaho	—	0	1	3	—	—	0	1	2	—
Montana	—	0	2	8	10	—	0	1	1	—
Nevada	—	0	3	10	6	—	0	1	—	6
New Mexico	—	0	3	—	10	—	0	2	—	5
Utah	—	1	4	17	34	—	0	2	10	6
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	2	2	62	53	19	—	0	32	24	9
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	5	21	19	—	0	3	12	9
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	2	0	2	15	—	—	0	1	4	—
Washington	—	0	62	17	—	—	0	32	8	—
Territories	—	0	0	—	—	—	0	0	—	—
American Samoa	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Based on the CSTE Position Statement 15-ID-03: Revision of the Case Definition of Hepatitis C for National Notification, acute hepatitis C is now reported by case classification status.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (all ages)								
		Confirmed				Probable				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	—	316	775	7,840	9,097	—	1	10	55	14
New England	—	22	50	575	561	—	0	0	—	—
Connecticut	—	4	17	103	116	—	0	0	—	—
Maine	—	2	10	63	69	—	0	0	—	—
Massachusetts	—	11	28	319	258	—	0	0	—	—
New Hampshire	—	1	6	44	57	—	0	0	—	—
Rhode Island	—	1	11	24	29	—	0	0	—	—
Vermont	—	1	5	22	32	—	0	0	—	—
Mid. Atlantic	—	49	126	1,047	1,396	—	0	8	22	6
New Jersey	—	7	22	105	302	—	0	2	7	—
New York (Upstate)	—	16	70	381	455	—	0	0	—	—
New York City	—	12	29	328	328	—	0	2	2	—
Pennsylvania	—	8	22	233	311	—	0	4	13	6
E.N. Central	—	50	105	1,310	1,658	—	0	2	4	5
Illinois	N	0	0	N	N	—	0	0	N	N
Indiana	—	10	33	210	366	—	0	0	—	—
Michigan	—	14	28	295	490	—	0	2	2	5
Ohio	—	18	52	574	564	—	0	2	2	—
Wisconsin	—	8	22	231	238	—	0	0	—	—
W.N. Central	—	27	46	615	583	—	0	3	17	2
Iowa	N	0	0	N	N	—	0	0	N	N
Kansas	—	5	14	133	116	—	0	1	—	—
Minnesota	—	4	22	—	252	—	0	0	—	—
Missouri	—	8	24	298	11	—	0	3	14	1
Nebraska	—	3	10	85	96	—	0	1	2	1
North Dakota	—	2	5	37	33	—	0	0	—	—
South Dakota	—	2	7	62	75	—	0	1	1	—
S. Atlantic	—	50	118	1,435	1,534	—	0	3	4	—
Delaware	—	1	6	42	39	—	0	0	—	—
District of Columbia	—	0	3	2	33	—	0	0	—	—
Florida	—	10	23	282	358	—	0	2	3	—
Georgia	—	16	39	406	510	—	0	0	—	—
Maryland	—	8	19	223	230	—	0	1	1	—
North Carolina	N	0	0	N	N	—	0	0	N	N
South Carolina	—	11	42	365	192	—	0	0	—	—
Virginia	—	0	2	9	13	—	0	0	—	—
West Virginia	—	3	13	106	159	—	0	0	—	—
E.S. Central	—	32	70	842	887	—	0	1	1	—
Alabama	—	6	25	145	180	—	0	0	—	—
Kentucky	—	4	17	173	135	—	0	1	1	—
Mississippi	—	5	11	107	126	—	0	0	—	—
Tennessee	—	14	38	417	446	—	0	1	—	—
W.S. Central	—	36	210	957	1,146	—	0	2	4	—
Arkansas	—	5	31	158	127	—	0	1	—	—
Louisiana	—	5	13	126	185	—	0	1	—	—
Oklahoma	N	0	0	N	N	—	0	0	N	N
Texas	—	26	169	673	834	—	0	2	4	—
Mountain	—	34	69	970	1,238	—	0	1	3	1
Arizona	—	10	27	341	469	—	0	1	1	—
Colorado	—	10	19	248	266	—	0	0	—	—
Idaho	N	0	0	N	N	—	0	0	N	N
Montana	—	1	4	33	54	—	0	1	2	1
Nevada	—	3	16	110	124	—	0	0	—	—
New Mexico	—	5	13	150	176	—	0	0	—	—
Utah	—	4	10	84	129	—	0	0	—	—
Wyoming	—	0	3	4	20	—	0	0	—	—
Pacific	—	4	11	89	94	—	0	0	—	—
Alaska	—	2	6	40	54	—	0	0	—	—
California	N	0	0	N	N	—	0	0	N	N
Hawaii	—	1	8	49	40	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	N	N
Washington	N	0	0	N	N	—	0	0	N	N
Territories	—	—	—	—	—	—	—	—	—	—
American Samoa	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (age <5)								
		Confirmed				Probable				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	—	19	44	402	530	—	0	2	3	2
New England	—	1	3	15	30	—	0	0	—	—
Connecticut	—	0	2	1	6	—	0	0	—	—
Maine	—	0	1	2	6	—	0	0	—	—
Massachusetts	—	0	2	9	15	—	0	0	—	—
New Hampshire	—	0	1	2	1	—	0	0	—	—
Rhode Island	—	0	1	1	1	—	0	0	—	—
Vermont	—	0	1	—	1	—	0	0	—	—
Mid. Atlantic	—	2	9	38	61	—	0	0	—	—
New Jersey	—	0	2	4	11	—	0	0	—	—
New York (Upstate)	—	1	7	17	24	—	0	0	—	—
New York City	—	0	2	10	12	—	0	0	—	—
Pennsylvania	—	0	3	7	14	—	0	0	—	—
E.N. Central	—	2	8	77	77	—	0	1	1	1
Illinois	—	0	0	—	—	—	0	0	—	—
Indiana	—	0	3	13	5	—	0	0	—	—
Michigan	—	0	3	9	26	—	0	1	—	1
Ohio	—	1	5	39	33	—	0	1	1	—
Wisconsin	—	0	2	16	13	—	0	0	—	—
W.N. Central	—	1	4	29	40	—	0	1	1	1
Iowa	N	0	0	N	N	N	0	0	N	N
Kansas	—	0	2	8	7	—	0	0	—	—
Minnesota	—	0	2	—	18	—	0	0	—	—
Missouri	—	0	2	14	5	—	0	1	1	1
Nebraska	—	0	2	3	9	—	0	0	—	—
North Dakota	—	0	2	4	1	—	0	0	—	—
South Dakota	N	0	0	N	N	N	0	0	N	N
S. Atlantic	—	5	12	92	99	—	0	0	—	—
Delaware	—	0	0	—	1	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	1	5	32	26	—	0	0	—	—
Georgia	—	1	6	20	33	—	0	0	—	—
Maryland	—	0	2	15	16	—	0	0	—	—
North Carolina	N	0	0	N	N	N	0	0	N	N
South Carolina	—	0	4	12	4	—	0	0	—	—
Virginia	—	0	2	9	13	—	0	0	—	—
West Virginia	—	0	2	4	6	—	0	0	—	—
E.S. Central	—	2	8	38	47	—	0	1	—	—
Alabama	—	0	2	10	15	—	0	0	—	—
Kentucky	—	0	2	8	4	—	0	1	—	—
Mississippi	—	0	2	6	9	—	0	0	—	—
Tennessee	—	0	7	14	19	—	0	0	—	—
W.S. Central	—	3	21	64	96	—	0	1	1	1
Arkansas	—	0	2	7	10	—	0	0	—	—
Louisiana	—	0	2	7	15	—	0	0	—	—
Oklahoma	—	0	3	5	6	—	0	0	—	—
Texas	—	2	18	45	65	—	0	1	1	1
Mountain	—	2	6	46	75	—	0	1	—	—
Arizona	—	0	2	10	29	—	0	0	—	—
Colorado	—	0	2	12	8	—	0	0	—	—
Idaho	—	0	1	5	4	—	0	1	—	—
Montana	—	0	2	2	3	—	0	0	—	—
Nevada	—	0	1	2	8	—	0	0	—	—
New Mexico	—	0	2	5	7	—	0	0	—	—
Utah	—	0	2	10	15	—	0	0	—	—
Wyoming	—	0	1	—	1	—	0	0	—	—
Pacific	—	0	1	3	5	—	0	0	—	—
Alaska	—	0	1	1	5	—	0	0	—	—
California	N	0	0	N	N	N	0	0	N	N
Hawaii	—	0	1	2	—	—	0	0	—	—
Oregon	N	0	0	N	N	N	0	0	N	N
Washington	N	0	0	N	N	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Reporting area	Legionellosis					Malaria				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	15	95	193	1,281	1,126	—	35	99	426	497
New England	—	4	21	54	51	—	2	7	28	50
Connecticut	—	1	6	14	7	—	0	2	1	1
Maine	—	0	2	—	6	—	0	1	2	7
Massachusetts	—	2	11	27	28	—	1	6	23	33
New Hampshire	—	0	3	8	4	—	0	2	—	4
Rhode Island	—	0	9	2	4	—	0	3	1	2
Vermont	—	0	2	3	2	—	0	2	1	3
Mid. Atlantic	8	16	43	258	197	—	9	24	99	107
New Jersey	—	3	11	8	51	—	1	7	20	23
New York (Upstate)	8	0	12	103	—	—	1	8	15	18
New York City	—	4	31	66	75	—	4	17	44	45
Pennsylvania	—	7	19	81	71	—	1	4	20	21
E.N. Central	—	20	63	244	217	—	3	27	46	50
Illinois	—	5	17	46	63	—	1	5	14	17
Indiana	—	3	12	26	33	—	0	4	1	4
Michigan	—	0	6	52	—	—	1	4	10	10
Ohio	—	9	32	116	102	—	1	13	20	13
Wisconsin	—	1	8	4	19	—	0	3	1	6
W.N. Central	—	4	16	65	52	—	2	8	24	35
Iowa	—	1	2	9	6	—	0	3	4	4
Kansas	—	0	4	4	6	—	0	2	5	1
Minnesota	—	0	0	—	—	—	0	5	—	19
Missouri	—	2	13	39	37	—	0	3	9	5
Nebraska	—	0	3	8	1	—	0	1	1	1
North Dakota	—	0	2	2	2	—	0	2	4	2
South Dakota	—	0	1	3	—	—	0	1	1	3
S. Atlantic	7	16	26	273	200	—	9	22	145	135
Delaware	—	0	2	3	5	—	0	3	2	9
District of Columbia	—	0	0	—	—	—	0	3	2	5
Florida	7	0	11	128	—	—	1	4	18	11
Georgia	—	2	7	35	40	—	1	5	21	18
Maryland	—	2	7	30	36	—	3	13	69	57
North Carolina	—	4	11	34	71	—	1	4	13	15
South Carolina	—	1	4	6	11	—	0	3	1	2
Virginia	—	3	9	36	32	—	1	4	19	17
West Virginia	—	0	3	1	5	—	0	0	—	1
E.S. Central	—	5	13	79	88	—	1	3	9	14
Alabama	—	1	4	20	20	—	0	1	1	4
Kentucky	—	2	6	28	21	—	0	2	1	2
Mississippi	—	0	3	8	6	—	0	2	3	3
Tennessee	—	2	7	23	41	—	0	2	4	5
W.S. Central	—	7	38	105	76	—	3	27	25	36
Arkansas	—	1	6	17	13	—	0	2	1	1
Louisiana	—	0	2	4	9	—	0	2	1	5
Oklahoma	—	0	20	6	1	—	0	3	1	1
Texas	—	5	19	78	53	—	2	23	22	29
Mountain	—	4	14	62	64	—	1	5	14	24
Arizona	—	2	6	35	24	—	1	4	8	9
Colorado	—	1	4	10	12	—	0	2	1	7
Idaho	—	0	1	1	6	—	0	1	2	—
Montana	—	0	1	5	2	—	0	1	1	3
Nevada	—	0	4	3	6	—	0	1	—	2
New Mexico	—	0	3	3	5	—	0	1	—	—
Utah	—	0	3	4	9	—	0	3	2	2
Wyoming	—	0	1	1	—	—	0	1	—	1
Pacific	—	11	83	141	181	—	2	46	36	46
Alaska	—	0	1	1	—	—	0	1	1	2
California	—	11	30	115	178	—	2	7	24	37
Hawaii	—	0	1	3	3	—	0	1	1	—
Oregon	—	0	2	13	—	—	0	3	4	7
Washington	—	0	67	9	—	—	0	44	6	—
Territories										
American Samoa	N	0	0	N	N	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	2	1	4	—	0	1	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Reporting area	Tetanus					Varicella (chickenpox)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	—	1	3	16	11	—	148	228	2,854	4,054
New England	—	0	1	1	—	—	12	24	269	372
Connecticut	—	0	0	—	—	—	1	5	38	68
Maine	—	0	1	1	—	—	4	10	68	92
Massachusetts	—	0	0	—	—	—	5	16	125	145
New Hampshire	—	0	0	—	—	—	0	1	—	22
Rhode Island	—	0	0	—	—	—	1	6	18	17
Vermont	—	0	0	—	—	—	0	4	20	28
Mid. Atlantic	—	0	2	1	—	—	17	36	338	504
New Jersey	—	0	0	—	—	—	8	23	125	180
New York (Upstate)	—	0	1	1	—	N	0	0	N	N
New York City	—	0	1	—	—	—	0	0	—	—
Pennsylvania	—	0	1	—	—	—	11	21	213	324
E.N. Central	—	0	1	1	2	—	35	58	715	968
Illinois	—	0	0	—	1	—	7	17	139	186
Indiana	—	0	1	—	—	—	3	9	70	92
Michigan	—	0	1	1	—	—	9	21	212	295
Ohio	—	0	1	—	1	—	8	23	192	213
Wisconsin	—	0	0	—	—	—	5	21	102	182
W.N. Central	—	0	1	2	—	—	13	29	269	354
Iowa	—	0	1	—	—	N	0	0	N	N
Kansas	—	0	1	1	—	—	1	8	—	73
Minnesota	—	0	0	—	—	—	6	23	169	155
Missouri	—	0	0	—	—	—	3	8	60	67
Nebraska	—	0	1	1	—	—	0	2	14	14
North Dakota	—	0	0	—	—	—	0	3	16	26
South Dakota	—	0	0	—	—	—	0	4	10	19
S. Atlantic	—	0	1	4	4	—	22	41	383	619
Delaware	—	0	0	—	—	—	0	3	8	4
District of Columbia	—	0	0	—	—	—	0	1	1	3
Florida	—	0	1	1	2	—	12	28	279	386
Georgia	—	0	0	—	—	—	3	7	49	67
Maryland	—	0	1	1	—	N	0	0	N	N
North Carolina	—	0	1	2	—	N	0	0	N	N
South Carolina	—	0	0	—	—	—	2	9	35	52
Virginia	—	0	0	—	1	—	3	15	11	102
West Virginia	—	0	0	—	1	—	0	2	—	5
E.S. Central	—	0	1	1	2	—	2	5	32	46
Alabama	—	0	1	1	—	—	2	5	29	44
Kentucky	—	0	1	—	—	N	0	0	N	N
Mississippi	—	0	0	—	1	—	0	2	3	2
Tennessee	—	0	0	—	1	N	0	0	N	N
W.S. Central	—	0	1	1	1	—	27	86	525	639
Arkansas	—	0	1	1	—	—	2	10	41	63
Louisiana	—	0	0	—	—	—	0	8	1	37
Oklahoma	—	0	1	—	—	N	0	0	N	N
Texas	—	0	1	—	1	—	23	81	483	539
Mountain	—	0	1	4	1	—	15	39	280	517
Arizona	—	0	0	—	1	—	4	13	85	149
Colorado	—	0	0	—	—	—	4	32	83	146
Idaho	—	0	1	1	—	—	0	0	N	N
Montana	—	0	1	1	—	—	1	8	20	44
Nevada	—	0	1	1	—	N	0	0	N	N
New Mexico	—	0	0	—	—	—	1	5	28	34
Utah	—	0	1	1	—	—	3	8	61	141
Wyoming	—	0	0	—	—	—	0	2	3	3
Pacific	—	0	1	1	1	—	1	6	43	35
Alaska	—	0	0	—	1	—	0	3	18	7
California	—	0	1	1	—	—	0	3	7	14
Hawaii	—	0	0	—	—	—	1	5	18	14
Oregon	—	0	0	—	—	N	0	0	N	N
Washington	—	0	0	—	—	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	1	5	20	34
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Reporting area	Vibriosis (Any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae</i> O1 or O139) [§]									
	Confirmed				Probable					
	Current week	Previous 52 weeks			Current week	Previous 52 weeks				
Current week	Med	Max		Cum 2017	Cum 2016	Med	Max	Cum 2017	Cum 2016	
United States	2	15	75	220	149	—	1	9	90	—
New England	—	1	13	15	11	—	0	2	2	—
Connecticut	—	0	3	3	2	—	0	2	2	—
Maine	—	0	2	2	—	—	0	0	—	—
Massachusetts	—	1	7	8	7	—	0	1	—	—
New Hampshire	—	0	1	—	1	—	0	1	—	—
Rhode Island	—	0	3	2	1	—	0	0	—	—
Vermont	—	0	0	—	—	—	0	0	—	—
Mid. Atlantic	—	1	6	18	6	—	0	2	5	—
New Jersey	—	0	4	4	2	—	0	1	2	—
New York (Upstate)	—	0	2	9	—	—	0	0	—	—
New York City	—	0	3	2	2	—	0	2	2	—
Pennsylvania	—	0	4	3	2	—	0	1	1	—
E.N. Central	—	1	5	8	16	—	0	3	13	—
Illinois	—	0	3	2	6	—	0	1	3	—
Indiana	—	0	2	—	4	—	0	0	—	—
Michigan	—	0	1	2	—	—	0	1	1	—
Ohio	—	0	2	4	2	—	0	3	6	—
Wisconsin	—	0	1	—	4	—	0	1	3	—
W.N. Central	—	0	2	2	6	—	0	2	9	—
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	1	—	2	—	0	1	1	—
Minnesota	—	0	0	—	—	—	0	0	—	—
Missouri	—	0	1	2	3	—	0	2	4	—
Nebraska	—	0	0	—	—	—	0	1	1	—
North Dakota	—	0	1	—	—	—	0	0	—	—
South Dakota	—	0	1	—	1	—	0	1	3	—
S. Atlantic	2	5	13	97	22	—	0	5	24	—
Delaware	—	0	3	—	2	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	2	0	8	74	—	—	0	5	16	—
Georgia	—	0	3	9	6	—	0	0	—	—
Maryland	—	1	7	6	2	—	0	1	1	—
North Carolina	—	0	3	6	3	—	0	2	5	—
South Carolina	—	0	3	—	6	—	0	0	—	—
Virginia	—	0	5	2	3	—	0	1	2	—
West Virginia	—	0	1	—	—	—	0	0	—	—
E.S. Central	—	1	5	10	16	—	0	2	2	—
Alabama	—	0	4	3	8	—	0	1	1	—
Kentucky	—	0	1	1	3	—	0	0	—	—
Mississippi	—	0	2	4	1	—	0	0	—	—
Tennessee	—	0	1	2	4	—	0	1	1	—
W.S. Central	—	2	14	24	28	—	0	3	16	—
Arkansas	—	0	1	—	1	—	0	0	—	—
Louisiana	—	0	4	8	14	—	0	2	3	—
Oklahoma	—	0	1	—	—	—	0	0	—	—
Texas	—	2	10	16	13	—	0	3	13	—
Mountain	—	1	5	8	12	—	0	2	13	—
Arizona	—	0	3	—	3	—	0	1	4	—
Colorado	—	0	2	3	6	—	0	1	4	—
Idaho	—	0	0	—	—	—	0	0	—	—
Montana	—	0	1	2	1	—	0	1	1	—
Nevada	—	0	1	—	—	—	0	1	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	1	2	2	—	0	1	4	—
Wyoming	—	0	1	1	—	—	0	0	—	—
Pacific	—	3	63	38	32	—	0	1	6	—
Alaska	—	0	2	—	—	—	0	1	1	—
California	—	1	11	22	26	—	0	0	—	—
Hawaii	—	0	3	10	6	—	0	1	—	—
Oregon	—	0	1	6	—	—	0	1	4	—
Washington	—	0	62	—	—	—	0	1	1	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ The national surveillance case definition was revised in 2017 to include infections confirmed by culture-independent diagnostic tests as probable cases.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending May 27, 2017, and May 28, 2016 (21st week)[†] (Export data)

Reporting area	West Nile virus disease [§]									
	Neuroinvasive					Nonneuroinvasive [¶]				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	—	9	105	6	7	—	5	112	3	12
New England	—	0	3	—	—	—	0	3	—	—
Connecticut	—	0	1	—	—	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	2	—	—	—	0	2	—	—
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	1	—	—	—	0	0	—	—
Vermont	—	0	1	—	—	—	0	1	—	—
Mid. Atlantic	—	0	6	—	—	—	0	4	—	—
New Jersey	—	0	1	—	—	—	0	0	—	—
New York (Upstate)	—	0	0	—	—	—	0	4	—	—
New York City	—	0	3	—	—	—	0	0	—	—
Pennsylvania	—	0	2	—	—	—	0	1	—	—
E.N. Central	—	0	17	1	1	—	0	29	—	3
Illinois	—	0	0	—	—	—	0	27	—	3
Indiana	—	0	4	1	1	—	0	1	—	—
Michigan	—	0	10	—	—	—	0	1	—	—
Ohio	—	0	3	—	—	—	0	2	—	—
Wisconsin	—	0	2	—	—	—	0	2	—	—
W.N. Central	—	0	19	—	—	—	0	48	—	1
Iowa	—	0	3	—	—	—	0	5	—	—
Kansas	—	0	3	—	—	—	0	2	—	—
Minnesota	—	0	3	—	—	—	0	19	—	—
Missouri	—	0	3	—	—	—	0	1	—	—
Nebraska	—	0	7	—	—	—	0	7	—	1
North Dakota	—	0	6	—	—	—	0	11	—	—
South Dakota	—	0	8	—	—	—	0	16	—	—
S. Atlantic	—	0	6	—	2	—	0	3	—	1
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	1	—	—	—	0	0	—	—
Florida	—	0	3	—	—	—	0	2	—	—
Georgia	—	0	2	—	—	—	0	1	—	—
Maryland	—	0	1	—	1	—	0	0	—	—
North Carolina	—	0	1	—	—	—	0	0	—	—
South Carolina	—	0	2	—	1	—	0	2	—	—
Virginia	—	0	2	—	—	—	0	1	—	—
West Virginia	—	0	0	—	—	—	0	1	—	—
E.S. Central	—	0	4	1	1	—	0	5	1	1
Alabama	—	0	1	—	—	—	0	2	—	—
Kentucky	—	0	1	—	—	—	0	1	—	—
Mississippi	—	0	4	—	1	—	0	2	—	—
Tennessee	—	0	1	1	—	—	0	1	1	1
W.S. Central	—	2	23	2	1	—	0	12	—	2
Arkansas	—	0	2	—	—	—	0	1	—	—
Louisiana	—	0	6	—	—	—	0	3	—	—
Oklahoma	—	0	3	—	—	—	0	3	—	1
Texas	—	1	19	2	1	—	0	10	—	1
Mountain	—	1	18	2	2	—	0	21	—	5
Arizona	—	0	6	—	2	—	0	3	—	4
Colorado	—	0	9	—	—	—	0	16	—	1
Idaho	—	0	1	—	—	—	0	2	—	—
Montana	—	0	1	—	—	—	0	1	—	—
Nevada	—	0	2	1	—	—	0	1	—	—
New Mexico	—	0	2	1	—	—	0	0	—	—
Utah	—	0	3	—	—	—	0	2	—	—
Wyoming	—	0	2	—	—	—	0	2	—	—
Pacific	—	1	43	—	—	—	0	23	1	—
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	42	—	—	—	0	22	1	—
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	1	—	—	—	0	1	—	—
Washington	—	0	3	—	—	—	0	1	—	—
Territories	—	—	—	—	—	—	—	—	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Updated weekly from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for Jamestown Canyon virus, La Crosse virus, Chikungunya virus, Eastern equine encephalitis virus, Powassan virus, St. Louis virus, and Western equine encephalitis virus diseases are available in Table I.

¶ Not reportable in all states. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.