

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending June 17, 2017 (24th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Anthrax	—	—	—	—	—	—	—	—	—
Arboviral diseases neuroinvasive and nonneuroinvasive ^{¶,**} :									
Chikungunya virus disease	—	11	5	244	896	NN	NN	NN	
Eastern equine encephalitis virus disease	—	—	0	7	6	8	8	15	
Jamestown Canyon virus disease	—	2	0	15	11	11	22	2	
La Crosse virus disease	—	—	1	35	55	80	85	78	
Powassan virus disease	—	5	0	22	7	8	12	7	
St. Louis encephalitis virus disease	—	1	0	8	23	10	1	3	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	1	68	4	200	195	161	152	168	
foodborne	—	11	1	30	37	15	4	27	
infant	1	50	3	144	138	127	136	123	TX (1)
other (wound and unspecified)	—	7	0	26	20	19	12	18	
Brucellosis	1	40	3	130	126	92	99	114	AZ (1)
Chancroid	—	5	0	7	11	—	—	15	
Cholera	—	—	0	2	5	5	14	17	
Cyclosporiasis ^{**}	15	73	20	532	645	388	784	123	NE (1), MD (2), FL (4), TX (5), CO (2), CA (1)
Diphtheria	—	—	—	—	—	1	—	1	
<i>Haemophilus influenzae</i> invasive disease (age <5 yrs) ^{††} :									
serotype b	—	9	0	30	29	40	31	30	
nontypeable	—	62	3	180	175	128	141	115	
non-b serotype	—	62	2	147	135	266	233	263	
unknown serotype	2	125	4	218	167	39	34	37	NYC (1), FL (1)
Hansen's disease ^{**}	3	34	1	80	89	88	81	82	FL (3)
Hantavirus ^{**} :									
Hantavirus infection (non-HPS)	—	—	—	2	3	NN	NN	NN	
Hantavirus Pulmonary Syndrome (HPS)	—	3	1	14	21	32	21	30	
Hemolytic uremic syndrome, postdiarrheal ^{**}	1	90	7	308	274	250	329	274	MO (1)
Hepatitis B, perinatal virus infection ^{§§}	—	7	1	34	37	47	48	40	
Influenza-associated pediatric mortality ^{**,¶¶}	2	105	1	83	130	141	160	52	FL (1), WA (1)
Leptospirosis ^{**}	—	27	0	78	40	38	NN	NN	
Listeriosis	4	232	15	792	768	769	735	727	NY (1), PA (1), MD (1), OR (1)
Measles ^{***}	2	110	12	85	188	667	187	55	MN (2)
Meningococcal disease (<i>Neisseria meningitidis</i>) ^{†††} :									
serogroup ACWY	—	34	2	120	120	123	142	161	
serogroup B	1	35	1	80	111	89	99	110	WA (1)
other serogroup	—	6	0	22	21	25	17	20	
unknown serogroup	2	90	3	153	120	196	298	260	FL (2)
Novel influenza A virus infections ^{§§§}	—	1	0	23	7	3	21	313	
Plague	—	1	0	—	16	10	4	4	
Poliomyelitis, paralytic	—	—	—	—	—	—	—	—	
Polio virus infection, nonparalytic ^{**}	—	—	—	—	—	—	—	—	
Psittacosis ^{**}	—	4	0	12	4	8	6	2	
Q fever, total ^{**}	1	58	4	163	156	168	170	135	
acute	1	45	3	132	122	132	137	113	MO (1)
chronic	—	13	0	31	34	36	33	22	
Rabies, human	—	—	0	—	2	1	2	1	
SARS-CoV	—	—	—	—	—	—	—	—	
Smallpox	—	—	—	—	—	—	—	—	
Streptococcal toxic shock syndrome ^{**}	2	153	4	283	335	259	224	194	VT (1), NY (1)
Syphilis, congenital ^{¶¶¶}	—	192	9	624	493	458	348	322	
Toxic shock syndrome (other than streptococcal) ^{**}	—	8	1	41	64	59	71	65	
Trichinellosis ^{**}	—	5	0	25	14	14	22	18	
Tularemia	1	44	9	230	314	180	203	149	MT (1)
Typhoid fever (caused by <i>Salmonella typhi</i>)	2	128	7	371	367	349	338	354	MD (1), TX (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> ^{**}	—	30	3	110	183	212	248	134	
Vancomycin-resistant <i>Staphylococcus aureus</i> ^{**}	—	—	0	—	3	—	—	2	

See Table I footnotes on next page.

Morbidity and Mortality Weekly Report

TABLE I. (Continued) Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending June 17, 2017 (24th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Viral hemorrhagic fevers****:									
Crimean-Congo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Ebola hemorrhagic fever	—	—	—	—	—	4	NP	NP	
Guanarito hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Junin hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Lassa fever	—	—	—	—	1	1	NP	NP	
Lujo virus	—	—	—	—	—	NP	NP	NP	
Machupo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Marburg fever	—	—	—	—	—	NP	NP	NP	
Sabia-associated hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Yellow fever	—	—	—	—	—	—	—	—	
Zika virus disease, non-congenital ^{††††}	1	187	51	5,051	NN	NN	NN	NN	RI (1)

—: No reported cases. N: Not reportable. NA: Not available. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts.

* Case counts for reporting years 2016 and 2017 are provisional and subject to change. Data for years 2012 through 2015 are finalized. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.

† This table does not include cases from the U.S. territories. Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

§ Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.

¶ Updated weekly reports from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.

** Not reportable in all jurisdictions. Data from states where the condition is not reportable are excluded from this table, except for the arboviral diseases and influenza-associated pediatric mortality. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

†† Data for Haemophilus influenzae (all ages, all serotypes) are available in Table II.

§§ In 2016, the nationally notifiable condition 'Hepatitis B Perinatal Infection' was renamed to 'Perinatal Hepatitis B Virus Infection' and reflects updates in the 2016 CSTE position statement for Perinatal Hepatitis B Virus Infection.

¶¶ Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 2, 2016, 101 influenza-associated pediatric deaths occurring during the 2016-17 season have been reported.

*** The two measles cases reported for the current week were indigenous.

††† Data for meningococcal disease (all serogroups) are available in Table II.


§§§ Novel influenza A virus infections are human infections with influenza A viruses that are different from currently circulating human seasonal influenza viruses. With the exception of one avian lineage influenza A (H7N2) virus, all novel influenza A virus infections reported to CDC since 2012 have been variant influenza viruses. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).

¶¶¶ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.

**** Prior to 2015, CDC's National Notifiable Diseases Surveillance System (NNDS) did not receive electronic data about incident cases of specific viral hemorrhagic fevers; instead data were collected in aggregate as "viral hemorrhagic fevers". Beginning in 2015, NNDS has been updated to receive data for each of the viral hemorrhagic fevers listed below. In addition to the four cases of Ebola diagnosed in the United States to date in 2014, six residents of the United States have been medically evacuated to the United States for care after developing Ebola in West Africa. Ten of the 11 VHF cases reported for 2014 are confirmed as Ebola and one as Lassa fever.

†††† The Council of State and Territorial Epidemiologists approved position statement 16-ID-01 in June 2016, which modifies the previous case definition and naming convention from "Zika virus congenital infection" to "Zika virus disease, non-congenital".

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals June 17, 2017, with historical data



* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

National Notifiable Diseases Data Team

Yvette D. Dominique Deborah A. Adams Karen Clinkscales Alan W. Schley	Willie J. Anderson Diana Harris Onweh
--	--

Data presented by the National Notifiable Diseases Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <https://www.cdc.gov/mmwr/volumes/66/wr/mm6624md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd, N.E., Atlanta, GA 30329-4027 or to mmwrq@cdc.gov.

TABLE II. Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending June 17, 2017, and June 18, 2016 (24th week)[†] (Export data)

Reporting area	Babesiosis					Campylobacteriosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	8	13	147	126	259	755	1,086	3,043	22,348	22,809
New England	4	6	110	60	149	27	51	102	983	1,179
Connecticut	—	1	32	6	47	4	11	26	203	269
Maine	1	1	11	14	4	1	3	12	70	100
Massachusetts	1	3	50	30	77	14	26	44	494	566
New Hampshire	—	0	2	6	4	3	4	12	97	89
Rhode Island	1	1	25	2	17	3	4	13	62	80
Vermont	1	0	5	2	—	2	3	10	57	75
Mid. Atlantic	4	5	119	54	74	118	143	234	2,981	3,019
New Jersey	—	1	22	8	42	—	34	68	594	785
New York (Upstate)	4	3	118	36	29	33	33	74	600	621
New York City	—	1	9	10	3	59	35	54	944	711
Pennsylvania	N	0	0	N	N	26	42	82	843	902
E.N. Central	—	1	7	5	16	13	134	258	2,701	3,247
Illinois	—	0	1	—	1	—	35	63	658	800
Indiana	—	0	0	—	—	—	17	36	282	438
Michigan	—	0	2	—	—	3	31	54	526	565
Ohio	—	0	0	—	—	—	37	63	700	797
Wisconsin	—	1	7	5	15	10	27	61	535	647
W.N. Central	—	0	7	—	12	40	88	207	1,581	2,471
Iowa	—	0	1	—	—	11	18	43	359	423
Kansas	N	0	0	N	N	—	12	33	206	290
Minnesota	—	0	7	—	10	—	14	57	—	678
Missouri	N	0	1	N	N	20	26	58	534	539
Nebraska	—	0	0	—	1	8	10	25	219	231
North Dakota	—	0	0	—	1	—	4	13	113	105
South Dakota	—	0	0	—	—	1	7	24	150	205
S. Atlantic	—	0	1	4	3	165	161	256	3,691	3,954
Delaware	—	0	1	1	—	6	3	9	51	65
District of Columbia	N	0	0	N	N	—	0	0	—	—
Florida	N	0	0	N	N	103	69	108	1,851	1,462
Georgia	N	0	0	N	N	17	18	31	426	417
Maryland	—	0	1	3	1	17	16	31	320	352
North Carolina	N	0	0	N	N	—	25	49	411	592
South Carolina	—	0	1	—	2	—	7	16	90	281
Virginia	N	0	0	N	N	21	27	69	503	631
West Virginia	—	0	0	—	—	1	4	21	39	154
E.S. Central	—	0	1	2	—	11	49	75	1,033	988
Alabama	—	0	1	1	—	—	13	25	293	296
Kentucky	—	0	1	—	—	—	14	27	287	313
Mississippi	N	0	0	N	N	10	7	15	205	85
Tennessee	—	0	1	1	—	1	13	31	248	294
W.S. Central	—	0	1	—	3	153	124	275	2,409	2,048
Arkansas	—	0	0	—	1	9	11	29	216	190
Louisiana	—	0	0	—	2	2	10	23	125	234
Oklahoma	N	0	0	N	N	16	20	60	194	359
Texas	—	0	1	—	—	126	90	223	1,874	1,265
Mountain	—	0	1	—	1	86	91	147	1,907	1,870
Arizona	—	0	0	—	—	18	23	51	566	578
Colorado	N	0	0	N	N	39	18	45	415	410
Idaho	N	0	0	N	N	12	9	20	205	181
Montana	—	0	1	—	—	8	7	15	168	162
Nevada	N	0	0	N	N	—	3	10	57	83
New Mexico	N	0	0	N	N	9	10	27	222	182
Utah	—	0	0	—	1	—	9	20	195	208
Wyoming	—	0	0	—	—	—	3	9	79	66
Pacific	—	0	1	1	1	142	201	2,060	5,062	4,033
Alaska	N	0	0	N	N	—	2	7	34	35
California	—	0	1	—	—	95	170	247	3,880	3,424
Hawaii	N	0	0	N	N	—	8	25	199	183
Oregon	—	0	1	1	1	16	18	37	364	391
Washington	—	0	0	—	—	31	0	1,911	585	—
Territories										
American Samoa	U	0	0	U	U	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	3	—	—
Puerto Rico	N	0	0	N	N	—	1	2	14	21
U.S. Virgin Islands	N	0	0	N	N	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending June 17, 2017, and June 18, 2016 (24th week)[†] (Export data)

Reporting area	Current week	Hepatitis (viral, acute, by type)								
		A				B				
		Previous 52 weeks		Current week	Cum 2017	Cum 2016	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	19	36	104	754	664	29	59	140	1,318	1,419
New England	—	2	5	28	33	—	2	4	48	42
Connecticut	—	0	3	7	4	—	0	1	4	5
Maine	—	0	1	2	1	—	1	3	34	18
Massachusetts	—	1	4	16	21	—	0	3	10	18
New Hampshire	—	0	1	1	1	—	0	0	—	—
Rhode Island	—	0	1	—	3	U	0	0	U	U
Vermont	—	0	1	2	3	—	0	1	—	1
Mid. Atlantic	6	5	11	103	96	—	4	10	75	89
New Jersey	—	1	4	15	33	—	1	4	10	23
New York (Upstate)	2	1	4	22	23	—	1	4	13	15
New York City	4	1	6	47	21	—	1	6	27	31
Pennsylvania	—	1	4	19	19	—	1	3	25	20
E.N. Central	—	6	15	168	81	—	10	18	224	254
Illinois	—	1	5	22	28	—	0	3	11	21
Indiana	—	0	2	6	11	—	3	9	68	53
Michigan	—	4	12	122	25	—	1	4	24	22
Ohio	—	0	7	13	17	—	5	14	109	153
Wisconsin	—	0	2	5	—	—	0	2	12	5
W.N. Central	—	1	5	9	34	—	2	5	38	48
Iowa	—	0	2	4	6	—	0	2	7	5
Kansas	—	0	1	2	3	—	0	3	13	10
Minnesota	—	0	2	—	6	—	0	2	—	7
Missouri	—	0	1	2	10	—	1	3	15	19
Nebraska	—	0	4	1	8	—	0	2	3	4
North Dakota	—	0	1	—	1	—	0	1	—	1
South Dakota	—	0	1	—	—	—	0	0	—	2
S. Atlantic	5	7	54	170	160	13	21	33	482	567
Delaware	—	0	1	1	—	—	0	1	7	—
District of Columbia	U	0	0	U	U	U	0	0	U	U
Florida	3	3	8	101	45	10	11	19	248	241
Georgia	1	0	5	12	20	1	2	7	42	55
Maryland	1	0	5	13	11	—	1	2	14	13
North Carolina	—	1	5	10	25	—	3	10	44	75
South Carolina	—	0	4	11	17	—	0	4	7	32
Virginia	—	1	41	17	40	2	1	3	32	24
West Virginia	—	0	4	5	2	—	4	12	88	127
E.S. Central	—	0	4	6	17	11	10	18	244	230
Alabama	—	0	2	1	11	—	1	5	27	33
Kentucky	—	0	1	2	3	9	4	10	101	92
Mississippi	—	0	1	2	2	—	1	3	19	8
Tennessee	—	0	2	1	1	2	4	8	97	97
W.S. Central	2	3	8	56	79	—	4	34	107	91
Arkansas	—	0	3	3	3	—	1	5	24	21
Louisiana	—	0	1	4	9	—	1	6	38	23
Oklahoma	—	0	4	1	4	—	0	15	6	5
Texas	2	2	7	48	63	—	2	15	39	42
Mountain	3	2	11	85	45	3	1	4	33	32
Arizona	2	1	5	33	16	—	0	2	11	9
Colorado	1	0	7	28	12	1	0	2	6	8
Idaho	—	0	1	2	2	2	0	1	5	4
Montana	—	0	1	3	1	—	0	1	—	—
Nevada	—	0	2	6	8	—	0	2	7	10
New Mexico	—	0	1	2	1	—	0	1	—	—
Utah	—	0	2	5	5	—	0	1	4	1
Wyoming	—	0	3	6	—	U	0	0	U	U
Pacific	3	7	47	129	119	2	2	47	67	66
Alaska	—	0	1	1	—	—	0	1	3	4
California	1	4	11	106	104	—	2	7	39	55
Hawaii	—	0	41	4	6	—	0	0	—	—
Oregon	—	0	3	15	9	—	0	3	8	7
Washington	2	0	31	3	—	2	0	45	17	—
Territories	—	—	—	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	1	—	1	—	0	0	—	—
Puerto Rico	—	0	9	2	13	—	0	1	1	10
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending June 17, 2017, and June 18, 2016 (24th week)[†] (Export data)

Hepatitis (viral, acute, by type) [§] (Continued)										
Reporting area	Current week	C (confirmed)				Current week	C (probable)			
		Previous 52 weeks		Cum 2017	Cum 2016		Med	Max	Cum 2017	Cum 2016
Reporting area	Current week	Med	Max	Cum 2017	Cum 2016	Current week	Med	Max	Cum 2017	Cum 2016
United States	22	43	131	856	1,460	6	19	77	401	466
New England	—	6	17	91	271	—	2	7	30	59
Connecticut	—	0	1	3	13	—	0	0	—	—
Maine	—	0	3	12	8	—	0	1	3	8
Massachusetts	—	5	16	75	245	—	2	7	27	51
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	1	5	—	0	0	—	—
Mid. Atlantic	4	7	21	119	250	2	0	3	15	9
New Jersey	—	1	5	21	62	—	0	0	—	—
New York (Upstate)	4	3	9	64	83	1	0	3	6	9
New York City	—	0	3	4	1	—	0	0	—	—
Pennsylvania	—	3	12	30	104	1	0	2	9	—
E.N. Central	—	8	17	152	276	1	3	8	61	74
Illinois	—	0	2	11	12	—	0	1	2	1
Indiana	—	2	7	45	73	1	1	3	20	13
Michigan	—	2	5	46	50	—	1	4	23	20
Ohio	—	3	7	43	92	—	1	4	16	40
Wisconsin	—	1	4	7	49	—	0	0	—	—
W.N. Central	—	2	7	34	47	—	0	1	5	3
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	2	8	4	—	0	1	1	1
Minnesota	—	0	3	—	22	—	0	0	—	—
Missouri	—	0	3	20	8	—	0	0	—	—
Nebraska	—	0	1	1	1	—	0	1	3	—
North Dakota	—	0	1	1	—	—	0	0	—	—
South Dakota	—	0	2	4	12	—	0	1	1	1
S. Atlantic	10	10	19	226	301	1	5	11	98	115
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	7	5	13	128	101	1	1	4	25	26
Georgia	—	1	5	16	51	—	0	4	11	11
Maryland	—	0	2	11	21	—	0	2	7	4
North Carolina	—	0	4	4	47	—	1	4	9	48
South Carolina	—	0	1	2	12	—	0	1	1	1
Virginia	3	1	4	23	24	—	0	5	11	10
West Virginia	—	2	6	42	45	—	1	5	34	15
E.S. Central	—	4	9	88	165	—	6	12	117	143
Alabama	—	0	3	8	24	—	0	3	6	29
Kentucky	—	1	8	25	55	—	3	9	75	72
Mississippi	—	0	0	—	—	—	0	0	—	—
Tennessee	—	2	6	55	86	—	2	5	36	42
W.S. Central	1	1	16	23	32	—	0	23	21	23
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	2	5	—	0	2	3	9
Oklahoma	1	0	12	5	8	—	0	23	8	14
Texas	—	0	4	16	19	—	0	2	10	—
Mountain	1	3	9	49	85	2	1	5	26	27
Arizona	—	0	0	—	—	—	0	0	—	—
Colorado	1	0	3	9	16	1	0	2	7	3
Idaho	—	0	1	3	3	—	0	1	2	2
Montana	—	0	2	7	11	—	0	1	1	—
Nevada	—	0	3	11	6	—	0	1	—	7
New Mexico	—	0	3	2	11	—	0	2	1	9
Utah	—	1	4	17	38	1	0	3	15	6
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	6	2	62	74	33	—	0	33	28	13
Alaska	—	0	0	—	—	—	0	0	—	—
California	5	1	5	36	23	—	0	3	16	10
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	2	17	10	—	0	1	4	3
Washington	1	0	62	21	—	—	0	33	8	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

‡ Based on the CSTE Position Statement 15-ID-03: Revision of the Case Definition of Hepatitis C for National Notification, acute hepatitis C is now reported by case classification status.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending June 17, 2017, and June 18, 2016 (24th week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (all ages)								
		Confirmed				Probable				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	139	317	782	9,266	10,083	2	1	12	69	9
New England	14	24	51	702	607	—	0	2	2	—
Connecticut	—	5	18	152	126	—	0	2	2	—
Maine	1	2	10	76	77	—	0	0	—	—
Massachusetts	12	12	28	374	279	—	0	0	—	—
New Hampshire	—	1	6	48	60	—	0	0	—	—
Rhode Island	—	1	11	29	29	—	0	0	—	—
Vermont	1	1	5	23	36	—	0	0	—	—
Mid. Atlantic	26	52	129	1,281	1,531	1	0	8	29	—
New Jersey	—	7	22	137	331	—	0	2	8	—
New York (Upstate)	11	16	70	448	512	—	0	0	—	—
New York City	12	12	29	382	354	—	0	2	2	—
Pennsylvania	3	10	22	314	334	1	0	4	19	—
E.N. Central	8	53	108	1,563	1,805	—	0	2	5	5
Illinois	N	0	0	N	N	N	0	0	N	N
Indiana	—	11	33	282	391	—	0	0	—	—
Michigan	2	14	28	372	544	—	0	2	3	5
Ohio	—	18	52	638	618	—	0	2	2	—
Wisconsin	6	9	22	271	252	—	0	0	—	—
W.N. Central	9	27	46	697	637	1	0	3	15	2
Iowa	N	0	0	N	N	N	0	0	N	N
Kansas	—	5	14	142	124	—	0	1	—	—
Minnesota	—	3	14	—	280	—	0	0	—	—
Missouri	2	8	24	341	13	1	0	3	12	1
Nebraska	2	3	10	91	103	—	0	1	2	1
North Dakota	2	2	5	47	39	—	0	0	—	—
South Dakota	3	2	7	76	78	—	0	1	1	—
S. Atlantic	22	54	119	1,718	1,875	—	0	3	7	—
Delaware	—	1	6	45	42	—	0	0	—	—
District of Columbia	—	0	3	2	36	—	0	0	—	—
Florida	11	10	25	340	396	—	0	2	4	—
Georgia	4	17	39	522	540	—	0	0	—	—
Maryland	6	9	19	267	250	—	0	1	1	—
North Carolina	N	0	0	N	N	N	0	0	N	N
South Carolina	—	12	44	411	418	—	0	2	2	—
Virginia	—	1	2	13	16	—	0	0	—	—
West Virginia	1	3	13	118	177	—	0	0	—	—
E.S. Central	16	31	70	962	940	—	0	1	1	1
Alabama	—	6	25	163	191	—	0	0	—	—
Kentucky	6	4	17	198	147	—	0	1	1	1
Mississippi	—	5	11	122	131	—	0	0	—	—
Tennessee	10	15	38	479	471	—	0	1	—	—
W.S. Central	17	36	211	1,111	1,263	—	0	2	6	—
Arkansas	3	5	32	177	140	—	0	1	—	—
Louisiana	2	5	13	151	207	—	0	1	—	—
Oklahoma	N	0	0	N	N	N	0	0	N	N
Texas	12	26	169	783	916	—	0	2	6	—
Mountain	26	36	68	1,129	1,319	—	0	1	4	1
Arizona	13	11	27	394	493	—	0	1	2	—
Colorado	8	10	19	291	282	—	0	0	—	—
Idaho	N	0	0	N	N	N	0	0	N	N
Montana	1	2	4	44	58	—	0	1	2	1
Nevada	1	3	16	118	131	—	0	0	—	—
New Mexico	1	5	13	175	193	—	0	0	—	—
Utah	2	4	10	97	142	—	0	0	—	—
Wyoming	—	0	3	10	20	—	0	0	—	—
Pacific	1	4	11	103	106	—	0	0	—	—
Alaska	1	2	6	53	63	—	0	0	—	—
California	N	0	0	N	N	N	0	0	N	N
Hawaii	—	1	8	50	43	—	0	0	—	—
Oregon	N	0	0	N	N	N	0	0	N	N
Washington	N	0	0	N	N	N	0	0	N	N
Territories										
American Samoa	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending June 17, 2017, and June 18, 2016 (24th week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (age <5)								
		Confirmed				Probable				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	5	20	44	493	603	—	0	2	3	3
New England	1	1	3	22	33	—	0	0	—	—
Connecticut	—	0	2	5	6	—	0	0	—	—
Maine	—	0	1	2	6	—	0	0	—	—
Massachusetts	—	0	2	10	18	—	0	0	—	—
New Hampshire	—	0	1	3	1	—	0	0	—	—
Rhode Island	—	0	1	1	1	—	0	0	—	—
Vermont	1	0	1	1	1	—	0	0	—	—
Mid. Atlantic	1	2	9	55	73	—	0	0	—	—
New Jersey	—	0	2	6	12	—	0	0	—	—
New York (Upstate)	1	1	7	23	28	—	0	0	—	—
New York City	—	0	2	14	14	—	0	0	—	—
Pennsylvania	—	0	3	12	19	—	0	0	—	—
E.N. Central	1	2	9	91	89	—	0	1	1	1
Illinois	—	0	0	—	—	—	0	0	—	—
Indiana	—	0	3	17	6	—	0	0	—	—
Michigan	—	0	3	11	32	—	0	1	—	1
Ohio	—	1	5	40	37	—	0	1	1	—
Wisconsin	1	0	2	23	14	—	0	0	—	—
W.N. Central	1	1	5	33	45	—	0	1	1	1
Iowa	N	0	0	N	N	N	0	0	N	N
Kansas	—	0	2	8	8	—	0	0	—	—
Minnesota	—	0	2	—	19	—	0	0	—	—
Missouri	1	0	2	17	5	—	0	1	1	1
Nebraska	—	0	2	3	11	—	0	0	—	—
North Dakota	—	0	2	5	2	—	0	0	—	—
South Dakota	N	0	2	N	N	N	0	0	N	N
S. Atlantic	—	5	12	109	113	—	0	0	—	—
Delaware	—	0	1	1	1	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	1	5	35	30	—	0	0	—	—
Georgia	—	1	6	26	34	—	0	0	—	—
Maryland	—	1	2	17	16	—	0	0	—	—
North Carolina	N	0	0	N	N	N	0	0	N	N
South Carolina	—	0	4	12	9	—	0	0	—	—
Virginia	—	1	2	13	16	—	0	0	—	—
West Virginia	—	0	2	5	7	—	0	0	—	—
E.S. Central	—	2	8	43	52	—	0	0	—	1
Alabama	—	0	2	10	16	—	0	0	—	—
Kentucky	—	0	2	8	4	—	0	0	—	1
Mississippi	—	0	2	6	10	—	0	0	—	—
Tennessee	—	0	7	19	22	—	0	0	—	—
W.S. Central	—	4	21	82	109	—	0	1	1	—
Arkansas	—	0	2	8	11	—	0	0	—	—
Louisiana	—	0	2	10	18	—	0	0	—	—
Oklahoma	—	0	3	6	8	—	0	0	—	—
Texas	—	2	18	58	72	—	0	1	1	—
Mountain	1	2	6	53	83	—	0	1	—	—
Arizona	1	0	2	12	31	—	0	0	—	—
Colorado	—	0	2	12	10	—	0	0	—	—
Idaho	—	0	1	5	4	—	0	1	—	—
Montana	—	0	2	4	3	—	0	0	—	—
Nevada	—	0	1	2	8	—	0	0	—	—
New Mexico	—	0	2	5	9	—	0	0	—	—
Utah	—	0	2	13	17	—	0	0	—	—
Wyoming	—	0	1	—	1	—	0	0	—	—
Pacific	—	0	2	5	6	—	0	0	—	—
Alaska	—	0	1	3	6	—	0	0	—	—
California	N	0	0	N	N	N	0	0	N	N
Hawaii	—	0	1	2	—	—	0	0	—	—
Oregon	N	0	0	N	N	N	0	0	N	N
Washington	N	0	0	N	N	N	0	0	N	N
Territories	—	—	—	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending June 17, 2017, and June 18, 2016 (24th week)[†] (Export data)

Reporting area	Legionellosis					Malaria				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	72	117	236	1,774	1,705	18	32	100	576	656
New England	7	5	21	93	66	2	2	7	44	65
Connecticut	1	2	6	31	11	—	0	2	1	3
Maine	—	0	2	—	7	—	0	1	3	8
Massachusetts	5	2	11	46	33	2	2	6	37	42
New Hampshire	1	0	3	9	8	—	0	2	1	7
Rhode Island	—	0	9	3	4	—	0	3	1	2
Vermont	—	0	2	4	3	—	0	1	1	3
Mid. Atlantic	39	24	56	378	327	8	9	28	139	140
New Jersey	—	3	11	18	60	—	1	7	26	30
New York (Upstate)	14	8	26	138	109	3	1	8	21	23
New York City	18	4	22	92	55	4	4	14	63	58
Pennsylvania	7	7	19	130	103	1	2	4	29	29
E.N. Central	1	25	80	325	331	—	3	27	60	78
Illinois	—	5	17	64	83	—	1	5	17	24
Indiana	—	3	12	38	38	—	0	4	2	7
Michigan	1	4	30	62	63	—	1	4	18	18
Ohio	—	9	32	156	122	—	1	13	22	18
Wisconsin	—	1	8	5	25	—	0	1	1	11
W.N. Central	3	6	26	94	115	1	2	8	29	43
Iowa	—	1	2	11	11	—	0	3	5	5
Kansas	—	0	4	5	9	—	0	2	5	2
Minnesota	—	0	12	—	28	—	0	5	—	23
Missouri	1	2	11	60	61	—	0	3	10	6
Nebraska	2	0	3	10	2	1	0	1	2	2
North Dakota	—	0	2	3	2	—	0	2	5	2
South Dakota	—	0	1	5	2	—	0	1	2	3
S. Atlantic	13	22	39	392	365	5	9	22	195	173
Delaware	1	0	2	5	8	—	0	3	3	10
District of Columbia	—	0	0	—	—	—	0	3	2	5
Florida	5	7	13	149	103	—	1	4	20	17
Georgia	3	2	7	62	43	—	1	5	27	22
Maryland	1	3	11	55	43	3	3	15	102	70
North Carolina	—	3	11	44	83	—	1	4	15	18
South Carolina	—	1	4	8	31	—	0	3	1	5
Virginia	3	3	14	67	46	2	1	4	25	25
West Virginia	—	0	3	2	8	—	0	0	—	1
E.S. Central	3	5	13	101	118	—	1	3	10	18
Alabama	—	1	4	20	22	—	0	1	1	4
Kentucky	—	2	6	38	32	—	0	2	1	3
Mississippi	1	1	4	14	8	—	0	2	3	4
Tennessee	2	2	5	29	56	—	0	2	5	7
W.S. Central	4	7	39	138	97	2	3	27	38	50
Arkansas	—	0	6	19	16	—	0	2	2	1
Louisiana	—	0	2	4	9	—	0	2	1	8
Oklahoma	1	0	20	18	1	—	0	3	1	1
Texas	3	5	20	97	71	2	2	23	34	40
Mountain	2	4	14	80	82	—	1	5	15	33
Arizona	1	2	6	42	30	—	0	4	8	14
Colorado	1	1	6	17	16	—	0	2	1	8
Idaho	—	0	1	1	6	—	0	1	3	—
Montana	—	0	1	7	3	—	0	1	1	3
Nevada	—	0	4	3	10	—	0	1	—	4
New Mexico	—	0	3	3	6	—	0	1	—	1
Utah	—	0	3	6	11	—	0	3	2	2
Wyoming	—	0	1	1	—	—	0	1	—	1
Pacific	—	11	84	173	204	—	2	46	46	56
Alaska	—	0	1	1	—	—	0	2	2	2
California	—	10	31	145	190	—	2	7	33	47
Hawaii	—	0	1	3	3	—	0	1	1	—
Oregon	—	1	3	14	11	—	0	3	4	7
Washington	—	0	67	10	—	—	0	44	6	—
Territories										
American Samoa	N	0	0	N	N	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	2	1	4	—	0	1	—	2
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —:No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending June 17, 2017, and June 18, 2016 (24th week)[†] (Export data)

Reporting area	Tetanus					Varicella (chickenpox)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	—	1	3	18	14	41	152	232	3,419	4,570
New England	—	0	1	1	—	7	14	25	345	449
Connecticut	—	0	0	—	—	—	1	5	45	72
Maine	—	0	1	1	—	4	4	10	84	111
Massachusetts	—	0	0	—	—	3	5	16	172	171
New Hampshire	—	0	0	—	—	—	0	5	—	41
Rhode Island	—	0	0	—	—	—	1	6	21	23
Vermont	—	0	0	—	—	—	0	4	23	31
Mid. Atlantic	—	0	2	2	1	4	17	36	383	573
New Jersey	—	0	0	—	—	—	7	23	130	209
New York (Upstate)	—	0	1	1	—	N	0	0	N	N
New York City	—	0	1	—	—	—	0	0	—	—
Pennsylvania	—	0	1	1	1	4	11	21	253	364
E.N. Central	—	0	1	1	2	3	34	56	837	1,058
Illinois	—	0	0	—	1	—	6	17	161	209
Indiana	—	0	1	—	—	—	3	10	79	95
Michigan	—	0	1	1	—	1	9	21	260	323
Ohio	—	0	1	—	1	—	8	23	217	232
Wisconsin	—	0	0	—	—	2	5	21	120	199
W.N. Central	—	0	1	2	—	2	14	29	315	415
Iowa	—	0	1	—	—	N	0	0	N	N
Kansas	—	0	1	1	—	—	1	11	—	105
Minnesota	—	0	0	—	—	—	7	23	205	171
Missouri	—	0	0	—	—	2	3	8	67	71
Nebraska	—	0	1	1	—	—	0	2	14	17
North Dakota	—	0	0	—	—	—	0	3	17	27
South Dakota	—	0	0	—	—	—	0	2	12	24
S. Atlantic	—	0	1	4	4	—	22	45	476	701
Delaware	—	0	0	—	—	—	0	3	9	4
District of Columbia	—	0	0	—	—	—	0	1	1	4
Florida	—	0	1	1	2	—	12	28	312	427
Georgia	—	0	0	—	—	—	4	8	79	74
Maryland	—	0	1	1	—	N	0	0	N	N
North Carolina	—	0	1	2	—	N	0	0	N	N
South Carolina	—	0	0	—	—	—	2	14	58	55
Virginia	—	0	0	—	1	—	2	15	17	132
West Virginia	—	0	0	—	1	—	0	2	—	5
E.S. Central	—	0	1	1	2	—	2	5	33	49
Alabama	—	0	1	1	—	—	2	5	29	47
Kentucky	—	0	1	—	—	N	0	0	N	N
Mississippi	—	0	0	—	1	—	0	2	4	2
Tennessee	—	0	0	—	1	N	0	0	N	N
W.S. Central	—	0	1	1	3	23	27	87	633	739
Arkansas	—	0	1	1	—	—	2	10	43	64
Louisiana	—	0	0	—	—	—	0	8	1	38
Oklahoma	—	0	0	—	1	N	0	0	N	N
Texas	—	0	1	—	2	23	23	82	589	637
Mountain	—	0	1	4	1	2	16	39	345	540
Arizona	—	0	0	—	1	1	4	13	96	154
Colorado	—	0	0	—	—	—	4	32	85	152
Idaho	—	0	1	1	—	—	0	0	N	N
Montana	—	0	1	1	—	—	1	8	20	46
Nevada	—	0	1	1	—	N	0	0	N	N
New Mexico	—	0	0	—	—	1	1	6	40	35
Utah	—	0	1	1	—	—	3	10	99	149
Wyoming	—	0	0	—	—	—	0	2	5	4
Pacific	—	0	1	2	1	—	2	6	52	46
Alaska	—	0	0	—	1	—	0	3	21	7
California	—	0	1	2	—	—	0	3	11	20
Hawaii	—	0	0	—	—	—	1	5	20	19
Oregon	—	0	0	—	—	N	0	0	N	N
Washington	—	0	0	—	—	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	5	—	7
Puerto Rico	—	0	0	—	—	—	1	5	20	40
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending June 17, 2017, and June 18, 2016 (24th week)[†] (Export data)

Reporting area	Vibriosis (Any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae</i> O1 or O139) [§]									
	Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max	Cum 2017	Cum 2016	Current week	Med	Max	Cum 2017	Cum 2016
United States	7	18	83	288	303	4	2	9	120	10
New England	1	1	13	20	14	—	0	2	4	—
Connecticut	1	0	3	6	2	—	0	2	4	—
Maine	—	0	2	2	—	—	0	0	—	—
Massachusetts	—	1	7	10	9	—	0	1	—	—
New Hampshire	—	0	1	—	1	—	0	1	—	—
Rhode Island	—	0	3	2	2	—	0	0	—	—
Vermont	—	0	0	—	—	—	0	0	—	—
Mid. Atlantic	—	2	10	23	13	—	0	2	9	5
New Jersey	—	0	4	5	2	—	0	1	5	—
New York (Upstate)	—	1	5	10	6	—	0	0	—	4
New York City	—	0	2	3	2	—	0	2	3	—
Pennsylvania	—	0	4	5	3	—	0	1	1	1
E.N. Central	—	1	5	12	24	—	0	3	18	—
Illinois	—	0	3	4	8	—	0	1	5	—
Indiana	—	0	2	1	5	—	0	0	—	—
Michigan	—	0	1	2	4	—	0	1	2	—
Ohio	—	0	2	4	2	—	0	3	7	—
Wisconsin	—	0	1	1	5	—	0	1	4	—
W.N. Central	1	0	4	3	14	—	0	3	10	3
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	1	—	2	—	0	1	—	1
Minnesota	—	0	3	—	8	—	0	3	—	3
Missouri	1	0	1	3	3	—	0	2	5	—
Nebraska	—	0	0	—	—	—	0	1	1	—
North Dakota	—	0	1	—	—	—	0	0	—	—
South Dakota	—	0	1	—	1	—	0	1	3	—
S. Atlantic	3	7	21	117	105	1	0	7	32	1
Delaware	—	0	3	—	2	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	1	4	10	82	61	1	0	5	19	—
Georgia	—	0	2	10	9	—	0	0	—	—
Maryland	2	1	7	10	6	—	0	1	2	1
North Carolina	—	0	3	9	6	—	0	2	9	—
South Carolina	—	0	3	2	14	—	0	0	—	—
Virginia	—	0	5	4	7	—	0	1	2	—
West Virginia	—	0	1	—	—	—	0	0	—	—
E.S. Central	2	1	5	16	21	1	0	2	4	—
Alabama	2	0	4	6	10	—	0	1	1	—
Kentucky	—	0	1	1	4	1	0	1	2	—
Mississippi	—	0	2	7	2	—	0	0	—	—
Tennessee	—	0	1	2	5	—	0	1	1	—
W.S. Central	—	2	14	32	41	1	0	3	20	—
Arkansas	—	0	1	—	1	—	0	0	—	—
Louisiana	—	0	4	8	19	—	0	2	3	—
Oklahoma	—	0	1	1	—	—	0	0	—	—
Texas	—	2	10	23	21	1	0	3	17	—
Mountain	—	1	5	12	19	1	0	3	17	—
Arizona	—	0	3	2	5	—	0	1	6	—
Colorado	—	0	2	6	6	1	0	1	5	—
Idaho	—	0	0	—	—	—	0	0	—	—
Montana	—	0	1	2	2	—	0	1	1	—
Nevada	—	0	1	—	1	—	0	1	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	1	1	5	—	0	2	5	—
Wyoming	—	0	1	1	—	—	0	0	—	—
Pacific	—	3	63	53	52	—	0	2	6	1
Alaska	—	0	2	—	1	—	0	1	1	—
California	—	2	11	32	38	—	0	0	—	—
Hawaii	—	0	3	15	8	—	0	0	—	1
Oregon	—	0	3	6	5	—	0	1	4	—
Washington	—	0	62	—	—	—	0	1	1	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ The national surveillance case definition was revised in 2017 to include infections confirmed by culture-independent diagnostic tests as probable cases.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending June 17, 2017, and June 18, 2016 (24th week)[†] (Export data)

Reporting area	West Nile virus disease [§]									
	Neuroinvasive					Nonneuroinvasive [¶]				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	—	9	120	8	22	—	3	97	12	27
New England	—	0	3	—	1	—	0	2	—	—
Connecticut	—	0	1	—	—	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	2	—	—	—	0	2	—	—
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	1	—	—	—	0	0	—	—
Vermont	—	0	1	—	1	—	0	0	—	—
Mid. Atlantic	—	0	6	—	—	—	0	4	—	1
New Jersey	—	0	1	—	—	—	0	0	—	—
New York (Upstate)	—	0	0	—	—	—	0	4	—	—
New York City	—	0	3	—	—	—	0	0	—	—
Pennsylvania	—	0	2	—	—	—	0	1	—	1
E.N. Central	—	0	30	1	3	—	0	14	—	2
Illinois	—	0	15	—	1	—	0	14	—	2
Indiana	—	0	4	1	1	—	0	1	—	—
Michigan	—	0	10	—	—	—	0	1	—	—
Ohio	—	0	3	—	—	—	0	2	—	—
Wisconsin	—	0	2	—	1	—	0	2	—	—
W.N. Central	—	0	19	—	1	—	0	48	2	9
Iowa	—	0	3	—	—	—	0	5	—	—
Kansas	—	0	3	—	1	—	0	2	1	—
Minnesota	—	0	3	—	—	—	0	19	—	1
Missouri	—	0	3	—	—	—	0	1	—	—
Nebraska	—	0	7	—	—	—	0	7	—	2
North Dakota	—	0	6	—	—	—	0	11	—	1
South Dakota	—	0	8	—	—	—	0	16	1	5
S. Atlantic	—	0	6	—	2	—	0	3	1	—
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	1	—	—	—	0	0	—	—
Florida	—	0	3	—	—	—	0	2	—	—
Georgia	—	0	2	—	—	—	0	1	—	—
Maryland	—	0	1	—	1	—	0	0	—	—
North Carolina	—	0	1	—	—	—	0	0	—	—
South Carolina	—	0	2	—	1	—	0	2	—	—
Virginia	—	0	2	—	—	—	0	1	—	—
West Virginia	—	0	0	—	—	—	0	1	—	—
E.S. Central	—	0	4	1	3	—	0	5	2	2
Alabama	—	0	1	—	—	—	0	2	1	—
Kentucky	—	0	1	—	—	—	0	1	—	—
Mississippi	—	0	4	—	3	—	0	2	—	1
Tennessee	—	0	1	1	—	—	0	1	1	1
W.S. Central	—	2	23	2	2	—	1	12	3	3
Arkansas	—	0	2	—	—	—	0	1	—	1
Louisiana	—	0	6	—	1	—	0	3	—	—
Oklahoma	—	0	3	—	—	—	0	3	—	1
Texas	—	1	19	2	1	—	1	10	3	1
Mountain	—	1	18	4	8	—	0	21	2	10
Arizona	—	0	6	2	6	—	0	3	2	9
Colorado	—	0	9	—	2	—	0	16	—	1
Idaho	—	0	1	—	—	—	0	2	—	—
Montana	—	0	1	—	—	—	0	1	—	—
Nevada	—	0	2	1	—	—	0	1	—	—
New Mexico	—	0	2	1	—	—	0	0	—	—
Utah	—	0	3	—	—	—	0	2	—	—
Wyoming	—	0	2	—	—	—	0	2	—	—
Pacific	—	1	43	—	2	—	0	23	2	—
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	42	—	2	—	0	22	2	—
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	1	—	—	—	0	1	—	—
Washington	—	0	3	—	—	—	0	1	—	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Updated weekly from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for Jamestown Canyon virus, La Crosse virus, Chikungunya virus, Eastern equine encephalitis virus, Powassan virus, St. Louis virus, and Western equine encephalitis virus diseases are available in Table I.

[¶] Not reportable in all states. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.