

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending September 23, 2017 (38th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No)
				2016	2015	2014	2013	2012	
Anthrax	—	—	—	—	—	—	—	—	—
Arboviral diseases neuroinvasive and nonneuroinvasive ^{¶,**} :									
Chikungunya virus disease	—	52	4	246	896	NN	NN	NN	
Eastern equine encephalitis virus disease	—	—	1	7	6	8	8	15	
Jamestown Canyon virus disease	—	37	0	15	11	11	22	2	
La Crosse virus disease	1	29	2	35	55	80	85	78	TN (1)
Powassan virus disease	—	22	0	22	7	8	12	7	
St. Louis encephalitis virus disease	—	2	0	8	23	10	1	3	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	2	111	2	201	195	161	152	168	
foodborne	—	17	0	31	37	15	4	27	
infant	2	81	2	144	138	127	136	123	NYC (1), WA (1)
other (wound and unspecified)	—	13	0	26	20	19	12	18	
Brucellosis	—	84	2	127	126	92	99	114	
Chancroid	—	7	0	7	11	—	—	15	
Cholera	—	1	0	2	5	5	14	17	
Cyclosporiasis ^{**}	4	992	6	535	645	388	784	123	NYC (1), TX (2), CO (1)
Diphtheria	—	—	—	—	—	1	—	1	
<i>Haemophilus influenzae</i> invasive disease (age <5 yrs) ^{††} :									
serotype b	1	18	1	30	29	40	31	30	OH (1)
nontypeable	1	97	3	196	175	128	141	115	OK (1)
non-b serotype	1	110	2	159	135	266	233	263	OK (1)
unknown serotype	5	176	3	187	167	39	34	37	NY (2), OH (1), WV (1), FL (1)
Hansen's disease ^{**}	—	46	1	78	89	88	81	82	
Hantavirus ^{**} :									
Hantavirus infection (non-HPS)	—	—	—	2	3	NN	NN	NN	
Hantavirus Pulmonary Syndrome (HPS)	—	7	0	14	21	32	21	30	
Hemolytic uremic syndrome, postdiarrheal ^{**}	1	203	7	307	274	250	329	274	AZ (1)
Hepatitis B, perinatal virus infection ^{§§}	2	17	1	34	37	47	48	40	OH (1), GA (1)
Influenza-associated pediatric mortality ^{¶,¶¶}	—	110	0	83	130	141	160	52	
Leptospirosis ^{**}	—	40	1	78	40	38	NN	NN	
Listeriosis	17	478	20	786	768	769	735	727	MA (1), NY (1), NYC (1), PA (1), MO (1), VA (1), FL (2), OK (1), AZ (1), WA (6), OR (1)
Measles ^{***}	—	123	1	85	188	667	187	55	
Meningococcal disease (<i>Neisseria meningitidis</i>) ^{†††} :									
serogroup ACWY	—	43	2	126	120	123	142	161	
serogroup B	—	45	1	86	111	89	99	110	
other serogroup	—	13	0	21	21	25	17	20	
unknown serogroup	3	139	3	142	120	196	298	260	NYC (1), OH (1), TX (1)
Novel influenza A virus infections ^{§§§}	—	20	1	23	7	3	21	313	
Plague	—	1	0	—	16	10	4	4	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus infection, nonparalytic ^{**}	—	—	—	—	—	—	—	—	
Psittacosis ^{**}	—	4	0	12	4	8	6	2	
Q fever, total ^{**}	—	114	3	164	156	168	170	135	
acute	—	92	2	132	122	132	137	113	
chronic	—	22	1	32	34	36	33	22	
Rabies, human	—	—	0	—	2	1	2	1	
SARS-CoV	—	—	—	—	—	—	—	—	
Smallpox	—	—	—	—	—	—	—	—	
Streptococcal toxic shock syndrome ^{**}	—	236	3	283	335	259	224	194	
Syphilis, congenital ^{¶¶¶}	—	362	10	631	493	458	348	322	
Toxic shock syndrome (other than streptococcal) ^{**}	—	16	1	40	64	59	71	65	
Trichinellosis ^{**}	—	10	0	26	14	14	22	18	
Tularemia	9	151	5	230	314	180	203	149	PA (1), AR (1), OK (6), CO (1)
Typhoid fever (caused by <i>Salmonella typhi</i>)	1	223	8	376	367	349	338	354	NYC (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> ^{**}	1	59	4	108	183	212	248	134	AZ (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> ^{**}	—	—	—	—	3	—	—	2	

See Table I footnotes on next page.

Morbidity and Mortality Weekly Report

TABLE I. (Continued) Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending September 23, 2017 (38th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No)
				2016	2015	2014	2013	2012	
Viral hemorrhagic fevers****:									
Crimean-Congo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Ebola hemorrhagic fever	—	—	—	—	—	4	NP	NP	
Guanarito hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Junin hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Lassa fever	—	—	—	—	1	1	NP	NP	
Lujo virus	—	—	—	—	—	NP	NP	NP	
Machupo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Marburg fever	—	—	—	—	—	NP	NP	NP	
Sabia-associated hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Yellow fever	—	—	—	—	—	—	—	—	
Zika virus disease, non-congenital ^{††††}	2	324	32	5,113	NN	NN	NN	NN	FL (1), TX (1)

—: No reported cases. N: Not reportable. NA: Not available. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts.

* Case counts for reporting years 2016 and 2017 are provisional and subject to change. Data for years 2012 through 2015 are finalized. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.

† This table does not include cases from the U.S. territories. Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

§ Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.

¶ Updated weekly reports from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.

** Not reportable in all jurisdictions. Data from states where the condition is not reportable are excluded from this table, except for the arboviral diseases and influenza-associated pediatric mortality. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

†† Data for Haemophilus influenzae (all ages, all serotypes) are available in Table II.

§§ In 2016, the nationally notifiable condition 'Hepatitis B Perinatal Infection' was renamed to 'Perinatal Hepatitis B Virus Infection' and reflects updates in the 2016 CSTE position statement for Perinatal Hepatitis B Virus Infection.

¶¶ Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 2, 2016, 106 influenza-associated pediatric deaths occurring during the 2016-17 season have been reported.

*** No measles cases were reported for the current week.

††† Data for meningococcal disease (all serogroups) are available in Table II.


§§§ Novel influenza A virus infections are human infections with influenza A viruses that are different from currently circulating human seasonal influenza viruses. With the exception of one avian lineage influenza A (H7N2) virus, all novel influenza A virus infections reported to CDC since 2012 have been variant influenza viruses. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).

¶¶¶ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.

**** Prior to 2015, CDC's National Notifiable Diseases Surveillance System (NNDSS) did not receive electronic data about incident cases of specific viral hemorrhagic fevers; instead data were collected in aggregate as "viral hemorrhagic fevers". Beginning in 2015, NNDSS has been updated to receive data for each of the viral hemorrhagic fevers listed below. In addition to the four cases of Ebola diagnosed in the United States to date in 2014, six residents of the United States have been medically evacuated to the United States for care after developing Ebola in West Africa. Ten of the 11 VHF cases reported for 2014 are confirmed as Ebola and one as Lassa fever.

†††† The Council of State and Territorial Epidemiologists approved position statement 16-ID-01 in June 2016, which modifies the previous case definition and naming convention from "Zika virus congenital infection" to "Zika virus disease, non-congenital".

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals September 23, 2017, with historical data



National Notifiable Diseases Data Team

Yvette D. Dominique
 Deborah A. Adams Willie J. Anderson
 Diana Harris Onweh Alan W. Schley

Data presented by the National Notifiable Diseases Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <https://www.cdc.gov/mmwr/volumes/66/wr/mm6638md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd, N.E., Atlanta, GA 30329-4027 or to mmwraq@cdc.gov.

TABLE II. Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Reporting area	Babesiosis					Campylobacteriosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	17	15	137	1,333	1,571	770	1,096	3,079	43,603	43,413
New England	4	6	79	629	1,011	16	52	106	2,090	2,228
Connecticut	—	0	7	26	292	2	10	31	451	509
Maine	3	1	11	83	76	5	3	9	144	206
Massachusetts	—	3	68	435	482	6	26	51	1,007	1,039
New Hampshire	—	0	7	47	11	1	5	9	192	162
Rhode Island	1	0	6	31	140	1	4	15	174	154
Vermont	—	0	2	7	10	1	3	10	122	158
Mid. Atlantic	13	5	119	624	438	111	144	236	5,783	5,759
New Jersey	—	1	24	131	156	—	31	67	1,138	1,448
New York (Upstate)	9	3	118	413	235	34	33	84	1,357	1,334
New York City	4	0	13	80	47	53	39	61	1,560	1,243
Pennsylvania	N	0	0	N	N	24	42	92	1,728	1,734
E.N. Central	—	1	7	62	59	77	141	243	5,743	6,252
Illinois	—	0	1	1	2	—	37	65	1,413	1,511
Indiana	—	0	1	1	—	—	15	30	536	786
Michigan	—	0	2	2	2	—	28	55	1,109	1,195
Ohio	—	0	1	1	—	65	37	65	1,506	1,501
Wisconsin	—	1	6	57	55	12	29	64	1,179	1,259
W.N. Central	—	0	2	2	47	11	89	156	3,115	4,704
Iowa	—	0	1	2	—	—	18	44	758	832
Kansas	N	0	0	N	N	—	13	32	438	604
Minnesota	—	0	2	—	45	—	0	34	—	1,227
Missouri	N	0	0	N	N	11	25	51	1,052	1,044
Nebraska	—	0	0	—	1	—	9	23	391	471
North Dakota	—	0	0	—	1	—	4	13	183	159
South Dakota	—	0	0	—	—	—	7	16	293	367
S. Atlantic	—	0	2	8	8	132	168	273	7,042	6,866
Delaware	—	0	1	4	1	1	3	10	129	132
District of Columbia	—	0	1	—	1	—	0	4	16	49
Florida	N	0	0	N	N	84	74	111	3,174	2,416
Georgia	N	0	0	N	N	12	19	40	847	758
Maryland	—	0	1	3	5	—	15	38	607	618
North Carolina	N	0	0	N	N	—	25	50	925	1,127
South Carolina	—	0	1	1	1	5	8	16	297	293
Virginia	N	0	0	N	N	30	26	69	1,000	1,173
West Virginia	—	0	0	—	—	—	2	12	47	300
E.S. Central	—	0	1	2	1	5	49	80	1,842	1,790
Alabama	—	0	1	1	—	—	13	32	569	519
Kentucky	—	0	0	—	1	—	14	26	413	544
Mississippi	N	0	0	N	N	5	9	15	353	171
Tennessee	—	0	1	1	—	—	13	25	507	556
W.S. Central	—	0	1	—	3	141	125	293	4,668	4,839
Arkansas	—	0	0	—	1	13	10	27	466	408
Louisiana	—	0	0	—	2	3	7	23	185	403
Oklahoma	N	0	0	N	N	59	12	76	498	834
Texas	—	0	1	—	—	66	93	241	3,519	3,194
Mountain	—	0	0	—	1	64	91	170	3,761	3,440
Arizona	—	0	0	—	—	23	24	50	977	918
Colorado	N	0	0	N	N	26	18	45	853	865
Idaho	N	0	0	N	N	5	9	24	407	354
Montana	—	0	0	—	1	6	7	16	306	294
Nevada	N	0	0	N	N	—	3	9	116	153
New Mexico	N	0	0	N	N	4	13	27	515	342
Utah	—	0	0	—	—	—	11	21	438	385
Wyoming	—	0	0	—	—	—	3	9	149	129
Pacific	—	0	1	6	3	213	205	2,060	9,559	7,535
Alaska	N	0	0	N	N	—	2	7	77	88
California	—	0	1	3	2	125	171	267	7,108	6,278
Hawaii	N	0	0	N	N	—	9	36	502	408
Oregon	—	0	1	3	1	25	18	39	798	761
Washington	—	0	0	—	—	63	10	1,911	1,074	—
Territories										
American Samoa	U	0	0	U	U	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	3	—	1
Puerto Rico	N	0	0	N	N	—	0	2	14	35
U.S. Virgin Islands	N	0	0	N	N	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Reporting area	Chlamydia trachomatis infection					Coccidioidomycosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	18,303	31,346	37,915	1,140,791	1,160,114	185	209	363	7,295	7,673
New England	212	1,057	1,524	37,084	38,729	—	0	1	1	2
Connecticut	3	250	459	6,451	9,664	N	0	0	N	N
Maine	—	82	153	2,704	2,951	N	0	0	N	N
Massachusetts	—	553	617	19,690	19,364	N	0	0	N	N
New Hampshire	73	85	201	3,999	2,677	—	0	1	1	2
Rhode Island	136	86	496	3,506	2,818	—	0	1	—	—
Vermont	—	22	102	734	1,255	N	0	0	N	N
Mid. Atlantic	3,243	4,124	5,071	155,839	144,768	—	0	0	—	—
New Jersey	354	685	839	24,695	25,070	N	0	0	N	N
New York (Upstate)	1,038	858	2,358	31,542	29,515	N	0	0	N	N
New York City	931	1,411	1,565	51,988	48,540	N	0	0	N	N
Pennsylvania	920	1,106	2,005	47,614	41,643	N	0	0	N	N
E.N. Central	1,577	4,293	5,214	152,412	173,256	—	1	4	29	55
Illinois	55	1,023	1,498	34,475	53,403	N	0	0	N	N
Indiana	365	642	974	24,470	22,640	—	0	0	—	1
Michigan	180	878	1,104	31,061	33,212	—	0	2	12	30
Ohio	600	1,167	1,275	42,573	44,370	—	0	4	16	14
Wisconsin	377	529	644	19,833	19,631	—	0	1	1	10
W.N. Central	286	1,890	2,128	66,323	68,906	—	1	5	70	81
Iowa	—	256	299	8,913	9,500	N	0	0	N	N
Kansas	87	258	295	9,400	8,705	N	0	0	N	N
Minnesota	3	441	524	14,386	16,535	—	1	4	44	53
Missouri	132	632	751	23,098	22,452	—	0	2	13	17
Nebraska	60	159	274	5,591	5,950	—	0	2	9	5
North Dakota	4	58	77	2,052	2,594	—	0	1	4	6
South Dakota	—	83	120	2,883	3,170	N	0	0	N	N
S. Atlantic	3,613	6,449	11,499	235,187	241,203	—	0	2	4	7
Delaware	137	102	197	3,943	3,693	—	0	1	—	1
District of Columbia	—	163	426	6,378	5,238	—	0	0	—	—
Florida	1,042	1,951	2,771	70,976	68,523	N	0	0	N	N
Georgia	395	1,175	1,433	41,931	46,645	N	0	0	N	N
Maryland	641	529	1,343	20,984	20,469	—	0	2	4	6
North Carolina	—	1,152	1,378	35,180	42,231	N	0	0	N	N
South Carolina	634	583	758	22,490	21,060	N	0	0	N	N
Virginia	764	743	4,710	30,363	29,869	N	0	0	N	N
West Virginia	—	81	130	2,942	3,475	N	0	0	N	N
E.S. Central	1,260	1,881	2,485	69,084	69,784	—	0	1	2	—
Alabama	427	533	761	20,965	20,430	N	0	0	N	N
Kentucky	402	381	714	13,508	11,755	—	0	1	2	—
Mississippi	431	343	711	11,888	13,943	N	0	0	N	N
Tennessee	—	649	917	22,723	23,656	N	0	0	N	N
W.S. Central	3,587	4,193	5,406	155,420	155,763	—	0	1	2	12
Arkansas	341	247	549	8,914	11,789	—	0	1	1	1
Louisiana	596	686	1,684	26,306	22,498	—	0	1	1	11
Oklahoma	53	341	468	11,817	16,013	N	0	0	N	N
Texas	2,597	2,872	4,062	108,383	105,463	N	0	0	N	N
Mountain	1,535	2,092	2,714	76,800	79,359	175	115	159	4,409	4,443
Arizona	638	693	1,571	26,491	24,478	175	112	155	4,255	4,327
Colorado	474	462	790	17,570	19,416	N	0	0	N	N
Idaho	90	111	153	3,555	4,324	N	0	0	N	N
Montana	81	82	158	3,254	3,199	—	0	3	13	10
Nevada	1	261	433	8,028	10,308	—	2	8	93	58
New Mexico	77	253	391	9,232	9,287	—	0	2	7	21
Utah	128	192	231	7,308	6,896	—	1	4	34	26
Wyoming	46	36	60	1,362	1,451	—	0	1	7	1
Pacific	2,990	5,226	5,737	192,642	188,346	10	86	224	2,778	3,073
Alaska	—	111	142	3,649	4,150	N	0	0	N	N
California	2,153	4,070	4,489	153,130	143,891	10	86	224	2,771	3,065
Hawaii	—	130	180	4,605	5,061	N	0	0	N	N
Oregon	398	357	545	13,629	12,598	—	0	2	7	8
Washington	439	492	819	17,629	22,646	N	0	0	N	N
Territories	—	—	—	—	—	N	0	0	N	N
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	122	350	4,914	5,551	N	0	0	N	N
U.S. Virgin Islands	—	9	21	349	472	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationaNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Reporting area	Current week	Hepatitis (viral, acute, by type)								
		A				B				
		Previous 52 weeks		Current week	Cum 2017	Cum 2016	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	17	40	90	1,722	1,506	14	58	146	2,211	2,288
New England	—	2	5	48	70	—	2	6	82	65
Connecticut	—	0	2	9	10	—	0	1	6	7
Maine	—	0	1	2	3	—	1	3	55	32
Massachusetts	—	1	3	31	46	—	0	3	20	24
New Hampshire	—	0	1	3	4	—	0	0	—	—
Rhode Island	—	0	1	1	3	U	0	0	U	U
Vermont	—	0	1	2	4	—	0	1	1	2
Mid. Atlantic	7	5	12	221	171	2	4	11	127	151
New Jersey	—	1	4	44	59	—	1	4	25	41
New York (Upstate)	5	1	5	51	42	—	0	4	20	29
New York City	2	2	6	82	31	—	1	4	36	50
Pennsylvania	—	1	5	44	39	2	1	4	46	31
E.N. Central	1	8	28	380	146	1	10	25	432	408
Illinois	—	1	5	44	47	—	0	2	18	29
Indiana	—	0	2	9	15	—	4	10	151	113
Michigan	—	5	25	295	60	—	1	4	48	34
Ohio	1	0	7	24	21	1	4	18	197	224
Wisconsin	—	0	2	8	3	—	0	3	18	8
W.N. Central	—	1	3	37	57	—	2	5	70	76
Iowa	—	0	2	4	10	—	0	2	11	8
Kansas	—	0	1	4	3	—	0	3	20	16
Minnesota	—	0	2	22	10	—	0	2	9	13
Missouri	—	0	1	6	13	—	1	3	26	30
Nebraska	—	0	2	1	18	—	0	2	4	6
North Dakota	—	0	0	—	2	—	0	1	—	1
South Dakota	—	0	0	—	1	—	0	0	—	2
S. Atlantic	6	8	16	296	380	9	23	35	800	884
Delaware	—	0	1	3	1	—	0	2	8	1
District of Columbia	—	0	3	1	1	U	0	0	U	U
Florida	5	4	11	182	81	9	12	19	419	395
Georgia	1	0	5	31	31	—	2	7	71	74
Maryland	—	0	4	18	30	—	1	2	23	21
North Carolina	—	1	5	20	36	—	3	10	89	122
South Carolina	—	0	4	11	16	—	0	4	7	21
Virginia	—	0	5	24	173	—	1	5	48	39
West Virginia	—	0	2	6	11	—	4	13	135	211
E.S. Central	1	1	4	27	25	—	11	19	377	355
Alabama	—	0	3	12	15	—	1	5	50	46
Kentucky	1	0	1	9	5	—	4	12	161	143
Mississippi	—	0	1	2	2	—	1	3	26	20
Tennessee	—	0	1	4	3	—	4	9	140	146
W.S. Central	—	3	9	108	121	1	4	36	151	184
Arkansas	—	0	2	6	9	—	1	3	34	37
Louisiana	—	0	1	4	10	—	1	6	40	36
Oklahoma	—	0	4	5	5	—	0	15	10	6
Texas	—	3	8	93	97	1	2	17	67	105
Mountain	2	3	11	152	72	—	2	4	60	53
Arizona	—	1	5	47	26	—	0	2	17	10
Colorado	1	1	7	41	16	—	0	2	12	15
Idaho	—	0	2	4	6	—	0	2	7	6
Montana	—	0	1	3	3	—	0	1	3	1
Nevada	—	0	2	10	11	—	0	3	15	16
New Mexico	—	0	1	2	1	—	0	0	—	1
Utah	1	0	5	39	9	—	0	2	6	4
Wyoming	—	0	3	6	—	U	0	0	U	U
Pacific	—	9	35	453	464	1	3	47	112	112
Alaska	—	0	1	—	1	—	0	1	4	5
California	—	7	32	417	177	—	1	8	68	95
Hawaii	—	0	7	5	274	—	0	1	1	—
Oregon	—	0	3	19	12	—	0	2	12	12
Washington	—	0	31	12	—	1	0	45	27	—
Territories	—	—	—	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	2	—	0	0	—	—
Puerto Rico	—	0	1	2	19	—	0	1	1	12
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Hepatitis (viral, acute, by type) [§] (Continued)										
Reporting area	Current week	C (confirmed)				Current week	C (probable)			
		Previous 52 weeks		Cum 2017	Cum 2016		Med	Max	Cum 2017	Cum 2016
Reporting area	Current week	Med	Max	Cum 2017	Cum 2016	Current week	Med	Max	Cum 2017	Cum 2016
United States	8	44	134	1,536	2,214	13	19	80	646	760
New England	—	5	13	166	395	—	1	4	41	102
Connecticut	—	0	1	4	16	—	0	0	—	—
Maine	—	0	3	15	17	—	0	1	5	10
Massachusetts	—	4	13	144	357	—	1	4	36	92
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	3	5	—	0	0	—	—
Mid. Atlantic	3	6	16	220	406	4	0	4	33	15
New Jersey	—	1	5	25	94	—	0	0	—	—
New York (Upstate)	3	3	9	104	136	3	0	3	17	15
New York City	—	0	3	7	3	—	0	0	—	—
Pennsylvania	—	3	9	84	173	1	0	3	16	—
E.N. Central	—	9	18	316	424	2	3	10	140	118
Illinois	—	0	3	25	18	—	0	2	7	2
Indiana	—	2	10	98	116	—	1	5	41	24
Michigan	—	2	6	77	78	—	1	4	46	30
Ohio	—	3	7	95	140	2	1	6	46	62
Wisconsin	—	1	4	21	72	—	0	0	—	—
W.N. Central	—	2	6	76	85	—	0	2	6	3
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	2	11	10	—	0	1	1	1
Minnesota	—	1	3	22	37	—	0	1	2	1
Missouri	—	1	3	34	18	—	0	0	—	—
Nebraska	—	0	0	—	2	—	0	1	1	—
North Dakota	—	0	1	1	1	—	0	1	1	—
South Dakota	—	0	2	8	17	—	0	1	1	1
S. Atlantic	4	10	19	371	454	2	4	11	143	193
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	4	5	10	220	184	2	1	5	47	44
Georgia	—	1	5	30	70	—	0	4	15	21
Maryland	—	0	3	18	29	—	0	2	8	8
North Carolina	—	0	4	5	66	—	0	4	9	73
South Carolina	—	0	1	2	8	—	0	1	1	1
Virginia	—	0	4	36	32	—	0	5	17	19
West Virginia	—	2	6	60	65	—	1	5	46	27
E.S. Central	—	4	9	140	217	—	5	12	173	230
Alabama	—	0	3	15	28	—	0	4	17	41
Kentucky	—	1	8	40	68	—	3	9	98	121
Mississippi	—	0	0	—	—	—	0	0	—	—
Tennessee	—	2	7	85	121	—	2	5	58	68
W.S. Central	—	1	17	37	50	4	0	23	32	37
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	2	5	—	0	2	3	11
Oklahoma	—	0	12	8	17	1	0	23	11	26
Texas	—	1	5	27	28	3	0	2	18	—
Mountain	—	2	8	76	124	1	1	5	46	47
Arizona	—	0	0	—	—	—	0	0	—	—
Colorado	—	0	2	10	26	1	0	2	15	5
Idaho	—	0	1	4	4	—	0	1	3	2
Montana	—	0	2	10	14	—	0	1	1	—
Nevada	—	0	3	20	11	—	0	1	2	12
New Mexico	—	0	2	5	16	—	0	1	5	13
Utah	—	1	4	27	53	—	0	3	20	15
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	1	2	62	134	59	—	0	33	32	15
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	2	6	73	46	—	0	2	16	12
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	1	0	3	25	13	—	0	1	4	3
Washington	—	0	62	36	—	—	0	33	12	—
Territories	—	—	—	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

‡ Based on the CSTE Position Statement 15-ID-03: Revision of the Case Definition of Hepatitis C for National Notification, acute hepatitis C is now reported by case classification status.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (all ages)								
		Confirmed				Probable				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	136	335	791	12,013	12,318	2	1	12	85	13
New England	9	25	49	859	755	—	0	2	3	—
Connecticut	—	5	16	177	157	—	0	2	3	—
Maine	—	2	10	94	90	—	0	0	—	—
Massachusetts	9	12	28	454	349	—	0	0	—	—
New Hampshire	—	2	6	61	73	—	0	0	—	—
Rhode Island	—	1	11	42	44	—	0	0	—	—
Vermont	—	1	5	31	42	—	0	0	—	—
Mid. Atlantic	20	53	129	1,699	1,899	—	0	8	36	—
New Jersey	—	7	22	197	402	—	0	2	11	—
New York (Upstate)	15	16	70	622	639	—	0	0	—	—
New York City	2	13	29	490	447	—	0	2	2	—
Pennsylvania	3	11	23	390	411	—	0	4	23	—
E.N. Central	27	57	108	2,146	2,182	—	0	2	7	7
Illinois	N	0	0	N	N	—	0	0	N	N
Indiana	—	12	33	421	479	—	0	0	—	—
Michigan	—	16	28	533	670	—	0	2	4	7
Ohio	23	19	52	835	735	—	0	2	3	—
Wisconsin	4	10	22	357	298	—	0	0	—	—
W.N. Central	11	27	47	875	866	2	0	3	20	2
Iowa	N	0	0	N	N	—	0	0	N	N
Kansas	—	5	14	193	157	—	0	1	2	—
Minnesota	—	0	14	—	345	—	0	0	—	—
Missouri	8	10	24	424	76	2	0	3	14	1
Nebraska	—	2	10	106	136	—	0	1	2	1
North Dakota	3	2	5	63	59	—	0	0	—	—
South Dakota	—	2	7	89	93	—	0	1	2	—
S. Atlantic	21	56	120	2,174	2,049	—	0	3	7	—
Delaware	—	1	6	48	48	—	0	0	—	—
District of Columbia	1	1	4	36	48	—	0	0	—	—
Florida	15	10	27	467	479	—	0	2	4	—
Georgia	3	19	39	670	680	—	0	0	—	—
Maryland	—	9	19	330	318	—	0	1	1	—
North Carolina	N	0	0	N	N	—	0	0	N	N
South Carolina	—	8	37	442	255	—	0	2	2	—
Virginia	—	0	2	18	22	—	0	0	—	—
West Virginia	2	4	13	163	199	—	0	0	—	—
E.S. Central	6	33	72	1,242	1,172	—	0	1	1	2
Alabama	—	6	26	226	247	—	0	0	—	—
Kentucky	—	6	17	236	167	—	0	1	1	1
Mississippi	—	6	11	174	168	—	0	0	—	—
Tennessee	6	16	38	606	590	—	0	0	—	1
W.S. Central	23	35	231	1,389	1,640	—	0	2	7	1
Arkansas	5	5	32	238	184	—	0	0	—	1
Louisiana	—	4	13	158	262	—	0	1	—	—
Oklahoma	N	0	0	N	N	—	0	0	N	N
Texas	18	26	189	993	1,194	—	0	2	7	—
Mountain	19	36	69	1,489	1,596	—	0	1	4	1
Arizona	10	11	28	487	569	—	0	1	2	—
Colorado	8	11	19	383	356	—	0	0	—	—
Idaho	N	0	0	N	N	—	0	0	N	N
Montana	1	2	4	65	72	—	0	1	2	1
Nevada	—	4	16	177	160	—	0	0	—	—
New Mexico	—	5	14	230	241	—	0	0	—	—
Utah	—	4	11	128	173	—	0	0	—	—
Wyoming	—	0	5	19	25	—	0	0	—	—
Pacific	—	4	12	140	159	—	0	0	—	—
Alaska	—	2	5	76	98	—	0	0	—	—
California	N	0	0	N	N	—	0	0	N	N
Hawaii	—	2	8	64	61	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	N	N
Washington	N	0	0	N	N	—	0	0	N	N
Territories										
American Samoa	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (age <5)								
		Confirmed				Probable				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	7	21	45	677	786	—	0	2	4	3
New England	—	1	3	30	43	—	0	0	—	—
Connecticut	—	0	2	7	9	—	0	0	—	—
Maine	—	0	1	2	6	—	0	0	—	—
Massachusetts	—	0	2	14	23	—	0	0	—	—
New Hampshire	—	0	1	3	2	—	0	0	—	—
Rhode Island	—	0	1	3	2	—	0	0	—	—
Vermont	—	0	1	1	1	—	0	0	—	—
Mid. Atlantic	2	2	9	71	92	—	0	0	—	—
New Jersey	—	0	2	7	17	—	0	0	—	—
New York (Upstate)	1	1	7	32	36	—	0	0	—	—
New York City	—	0	2	15	20	—	0	0	—	—
Pennsylvania	1	0	3	17	19	—	0	0	—	—
E.N. Central	1	3	9	127	107	—	0	1	1	1
Illinois	—	0	0	—	—	—	0	0	—	—
Indiana	—	0	3	24	11	—	0	0	—	—
Michigan	—	0	3	20	35	—	0	1	—	1
Ohio	1	1	5	56	46	—	0	1	1	—
Wisconsin	—	0	3	27	15	—	0	0	—	—
W.N. Central	—	1	5	54	68	—	0	1	2	1
Iowa	N	0	0	N	N	N	0	0	N	N
Kansas	—	0	2	14	10	—	0	0	—	—
Minnesota	—	0	2	—	23	—	0	0	—	—
Missouri	—	0	2	20	10	—	0	1	2	1
Nebraska	—	0	2	5	13	—	0	0	—	—
North Dakota	—	0	2	6	3	—	0	0	—	—
South Dakota	—	0	2	9	9	—	0	0	—	—
S. Atlantic	1	4	10	142	150	—	0	0	—	—
Delaware	—	0	1	2	1	—	0	0	—	—
District of Columbia	—	0	1	2	—	—	0	0	—	—
Florida	1	1	3	47	47	—	0	0	—	—
Georgia	—	1	6	33	47	—	0	0	—	—
Maryland	—	0	2	20	21	—	0	0	—	—
North Carolina	N	0	0	N	N	N	0	0	N	N
South Carolina	—	0	4	13	4	—	0	0	—	—
Virginia	—	0	2	18	22	—	0	0	—	—
West Virginia	—	0	2	7	8	—	0	0	—	—
E.S. Central	—	2	8	60	62	—	0	0	—	1
Alabama	—	0	3	18	18	—	0	0	—	—
Kentucky	—	0	2	10	5	—	0	0	—	1
Mississippi	—	0	2	10	14	—	0	0	—	—
Tennessee	—	0	7	22	25	—	0	0	—	—
W.S. Central	2	3	22	107	146	—	0	1	1	—
Arkansas	—	0	2	10	15	—	0	0	—	—
Louisiana	—	0	2	11	24	—	0	0	—	—
Oklahoma	1	0	3	9	10	—	0	0	—	—
Texas	1	2	19	77	97	—	0	1	1	—
Mountain	1	2	7	75	109	—	0	1	—	—
Arizona	1	0	2	20	38	—	0	0	—	—
Colorado	—	0	2	15	16	—	0	0	—	—
Idaho	—	0	1	5	7	—	0	1	—	—
Montana	—	0	2	5	3	—	0	0	—	—
Nevada	—	0	1	6	10	—	0	0	—	—
New Mexico	—	0	2	8	14	—	0	0	—	—
Utah	—	0	3	15	20	—	0	0	—	—
Wyoming	—	0	1	1	1	—	0	0	—	—
Pacific	—	0	2	11	9	—	0	0	—	—
Alaska	—	0	2	8	7	—	0	0	—	—
California	N	0	0	N	N	N	0	0	N	N
Hawaii	—	0	1	3	2	—	0	0	—	—
Oregon	N	0	0	N	N	N	0	0	N	N
Washington	N	0	0	N	N	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.§ Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Reporting area	Legionellosis					Malaria				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	107	136	246	4,520	3,860	17	35	102	1,285	1,411
New England	1	6	40	278	177	1	2	8	103	110
Connecticut	—	2	6	71	47	—	0	2	1	8
Maine	—	0	2	8	10	1	0	3	13	8
Massachusetts	1	3	18	127	82	—	2	6	73	72
New Hampshire	—	0	9	40	20	—	0	2	5	12
Rhode Island	—	0	9	19	14	—	0	3	9	5
Vermont	—	0	2	13	4	—	0	1	2	5
Mid. Atlantic	50	30	71	1,126	770	12	9	23	346	331
New Jersey	—	3	9	79	132	—	1	9	80	67
New York (Upstate)	27	12	27	403	238	3	1	6	51	49
New York City	15	5	27	317	152	9	4	15	163	162
Pennsylvania	8	7	22	327	248	—	1	5	52	53
E.N. Central	11	24	84	957	917	1	3	8	124	161
Illinois	—	4	24	175	228	—	1	4	32	51
Indiana	—	3	10	109	119	—	0	2	12	16
Michigan	—	4	30	199	172	—	1	3	29	35
Ohio	11	9	41	419	324	1	1	5	50	41
Wisconsin	—	1	9	55	74	—	0	1	1	18
W.N. Central	2	6	26	243	281	—	2	5	62	103
Iowa	—	0	3	20	26	—	0	3	12	18
Kansas	—	0	4	21	22	—	0	2	12	5
Minnesota	—	1	12	63	87	—	0	2	—	53
Missouri	2	2	13	113	126	—	1	3	22	12
Nebraska	—	0	3	15	11	—	0	1	3	4
North Dakota	—	0	2	4	3	—	0	2	9	7
South Dakota	—	0	1	7	6	—	0	1	4	4
S. Atlantic	24	25	40	856	714	1	9	25	413	362
Delaware	—	0	4	18	16	—	0	3	6	13
District of Columbia	—	0	2	9	9	—	0	2	11	15
Florida	18	8	13	292	208	—	1	5	44	51
Georgia	1	2	7	123	86	—	1	5	62	43
Maryland	—	3	12	120	93	—	4	15	196	144
North Carolina	—	4	11	118	143	—	1	3	28	38
South Carolina	—	1	4	38	43	—	0	3	—	7
Virginia	5	3	14	136	94	1	1	4	66	50
West Virginia	—	0	3	2	22	—	0	0	—	1
E.S. Central	5	6	18	298	213	—	0	4	24	41
Alabama	—	1	6	52	40	—	0	1	5	7
Kentucky	4	2	6	76	59	—	0	2	6	9
Mississippi	—	1	5	32	20	—	0	1	4	7
Tennessee	1	3	11	138	94	—	0	2	9	18
W.S. Central	7	8	39	283	236	2	2	29	79	114
Arkansas	—	1	5	39	34	—	0	2	3	2
Louisiana	—	0	2	11	24	—	0	1	1	11
Oklahoma	3	0	20	43	15	—	0	3	6	3
Texas	4	5	20	190	163	2	2	25	69	98
Mountain	3	4	13	161	167	—	1	3	32	70
Arizona	1	2	7	62	54	—	0	2	17	33
Colorado	1	1	11	43	43	—	0	2	1	17
Idaho	1	0	1	6	9	—	0	1	4	—
Montana	—	0	2	11	6	—	0	1	3	3
Nevada	—	0	2	11	22	—	0	1	2	6
New Mexico	—	0	3	7	12	—	0	1	1	2
Utah	—	0	2	17	18	—	0	2	4	6
Wyoming	—	0	1	4	3	—	0	1	—	3
Pacific	4	10	84	318	385	—	2	46	102	119
Alaska	—	0	1	3	1	—	0	2	4	2
California	2	8	31	251	357	—	2	5	66	101
Hawaii	—	0	1	5	3	—	0	1	3	—
Oregon	1	1	3	24	24	—	0	2	9	16
Washington	1	0	67	35	—	—	0	44	20	—
Territories										
American Samoa	N	0	0	N	N	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	1	10	—	0	1	—	2
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationaNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Reporting area	Tetanus					Varicella (chickenpox)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	—	1	2	25	26	101	157	241	5,117	6,426
New England	—	0	1	1	—	11	14	25	565	651
Connecticut	—	0	0	—	—	2	2	5	79	87
Maine	—	0	1	1	—	2	4	9	137	169
Massachusetts	—	0	0	—	—	6	6	16	282	250
New Hampshire	—	0	0	—	—	—	0	4	—	67
Rhode Island	—	0	0	—	—	1	0	5	27	43
Vermont	—	0	0	—	—	—	1	5	40	35
Mid. Atlantic	—	0	1	2	4	17	19	38	698	761
New Jersey	—	0	0	—	—	—	8	23	313	292
New York (Upstate)	—	0	1	1	1	N	0	0	N	N
New York City	—	0	0	—	1	—	0	0	—	—
Pennsylvania	—	0	1	1	2	17	11	21	385	469
E.N. Central	—	0	1	3	5	16	35	56	1,173	1,452
Illinois	—	0	0	—	1	2	6	14	232	353
Indiana	—	0	1	1	1	1	4	10	147	157
Michigan	—	0	1	2	1	—	9	21	329	380
Ohio	—	0	0	—	2	8	8	23	287	310
Wisconsin	—	0	0	—	—	5	5	21	178	252
W.N. Central	—	0	1	2	1	2	13	29	439	587
Iowa	—	0	1	—	1	N	0	0	N	N
Kansas	—	0	1	1	—	—	0	9	—	159
Minnesota	—	0	0	—	—	1	7	23	285	233
Missouri	—	0	0	—	—	1	2	7	99	108
Nebraska	—	0	1	1	—	—	0	3	19	22
North Dakota	—	0	0	—	—	—	0	3	21	40
South Dakota	—	0	0	—	—	—	0	2	15	25
S. Atlantic	—	0	1	7	6	16	21	48	763	1,035
Delaware	—	0	0	—	—	—	0	3	18	11
District of Columbia	—	0	0	—	—	—	0	2	13	15
Florida	—	0	1	2	3	15	12	29	480	576
Georgia	—	0	0	—	—	1	4	18	148	124
Maryland	—	0	1	1	1	N	0	0	N	N
North Carolina	—	0	1	3	—	N	0	0	N	N
South Carolina	—	0	0	—	—	—	2	15	70	107
Virginia	—	0	1	1	1	—	1	14	34	202
West Virginia	—	0	0	—	1	—	0	0	—	—
E.S. Central	—	0	1	1	5	—	1	5	34	85
Alabama	—	0	1	1	1	—	0	5	29	78
Kentucky	—	0	0	—	2	N	0	0	N	N
Mississippi	—	0	0	—	1	—	0	1	5	7
Tennessee	—	0	0	—	1	N	0	0	N	N
W.S. Central	—	0	1	2	3	17	24	96	856	1,089
Arkansas	—	0	1	1	—	4	2	7	74	107
Louisiana	—	0	0	—	—	—	0	8	4	52
Oklahoma	—	0	0	—	1	N	0	0	N	N
Texas	—	0	1	1	2	13	23	91	778	930
Mountain	—	0	1	4	1	21	15	39	501	693
Arizona	—	0	0	—	1	5	4	13	134	211
Colorado	—	0	0	—	—	16	5	32	148	195
Idaho	—	0	1	1	—	N	0	0	N	N
Montana	—	0	1	1	—	—	1	8	25	52
Nevada	—	0	1	1	—	N	0	0	N	N
New Mexico	—	0	0	—	—	—	1	6	53	41
Utah	—	0	1	1	—	—	3	11	136	183
Wyoming	—	0	0	—	—	—	0	2	5	11
Pacific	—	0	1	3	1	1	2	6	88	73
Alaska	—	0	0	—	1	1	1	3	34	15
California	—	0	1	1	—	—	0	3	16	34
Hawaii	—	0	0	—	—	—	1	5	38	24
Oregon	—	0	1	2	—	N	0	0	N	N
Washington	—	0	0	—	—	N	0	0	N	N
Territories	—	—	—	—	—	N	0	0	N	N
American Samoa	—	0	0	—	—	N	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	5	—	8
Puerto Rico	—	0	0	—	—	—	0	5	20	61
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Reporting area	Vibriosis (Any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae</i> O1 or O139) [§]									
	Confirmed				Probable					
	Current week	Previous 52 weeks			Current week	Previous 52 weeks				
Current week	Med	Max		Cum 2017	Cum 2016	Current week	Med	Max	Cum 2017	Cum 2016
United States	20	18	84	899	930	6	6	14	281	22
New England	1	2	12	108	81	—	0	2	6	2
Connecticut	—	0	5	32	16	—	0	2	6	—
Maine	—	0	2	5	5	—	0	0	—	—
Massachusetts	1	1	7	55	48	—	0	0	—	1
New Hampshire	—	0	1	5	4	—	0	0	—	1
Rhode Island	—	0	5	9	8	—	0	0	—	—
Vermont	—	0	1	2	—	—	0	0	—	—
Mid. Atlantic	4	2	8	92	98	1	0	3	20	7
New Jersey	—	0	2	21	24	—	0	2	11	1
New York (Upstate)	4	1	6	38	38	—	0	0	—	4
New York City	—	0	3	13	12	1	0	2	3	1
Pennsylvania	—	0	3	20	24	—	0	1	6	1
E.N. Central	—	1	5	51	61	—	1	3	36	1
Illinois	—	0	2	10	26	—	0	2	12	—
Indiana	—	0	2	4	11	—	0	0	—	—
Michigan	—	0	2	6	7	—	0	1	6	1
Ohio	—	0	3	18	8	—	0	3	9	—
Wisconsin	—	0	2	13	9	—	0	2	9	—
W.N. Central	1	0	2	14	31	—	0	3	21	6
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	1	2	4	—	0	1	—	1
Minnesota	—	0	2	—	16	—	0	3	—	5
Missouri	1	0	1	6	5	—	0	2	12	—
Nebraska	—	0	1	1	—	—	0	1	4	1
North Dakota	—	0	1	2	2	—	0	0	—	—
South Dakota	—	0	1	3	4	—	0	1	4	—
S. Atlantic	9	7	18	276	304	1	1	7	76	2
Delaware	—	0	1	5	11	—	0	0	—	—
District of Columbia	—	0	1	—	2	—	0	1	5	—
Florida	8	3	10	152	132	—	0	5	31	1
Georgia	—	0	2	18	23	—	0	0	—	—
Maryland	—	1	3	31	54	—	0	2	10	1
North Carolina	—	0	4	22	29	—	0	2	13	—
South Carolina	—	0	4	15	18	1	0	2	9	—
Virginia	1	0	5	33	35	—	0	2	8	—
West Virginia	—	0	1	—	—	—	0	0	—	—
E.S. Central	—	1	3	34	49	1	0	4	25	1
Alabama	—	0	2	13	25	—	0	1	3	—
Kentucky	—	0	1	1	5	—	0	2	4	—
Mississippi	—	0	2	12	7	—	0	0	—	—
Tennessee	—	0	2	8	12	1	0	4	18	1
W.S. Central	—	2	9	85	104	1	0	4	46	—
Arkansas	—	0	1	1	2	—	0	0	—	—
Louisiana	—	0	3	9	40	—	0	2	4	—
Oklahoma	—	0	2	3	1	1	0	1	3	—
Texas	—	2	8	72	61	—	0	4	39	—
Mountain	1	1	4	37	44	2	0	3	30	1
Arizona	—	0	1	7	16	2	0	1	9	—
Colorado	1	0	2	17	15	—	0	2	11	—
Idaho	—	0	0	—	—	—	0	0	—	—
Montana	—	0	1	5	2	—	0	1	1	—
Nevada	—	0	1	2	2	—	0	0	—	1
New Mexico	—	0	1	2	—	—	0	0	—	—
Utah	—	0	1	3	8	—	0	1	9	—
Wyoming	—	0	1	1	1	—	0	0	—	—
Pacific	4	3	63	202	158	—	0	3	21	2
Alaska	—	0	1	3	8	—	0	1	1	—
California	—	2	12	91	113	—	0	0	—	—
Hawaii	—	0	3	33	18	—	0	0	—	1
Oregon	—	0	3	16	19	—	0	2	13	1
Washington	4	0	62	59	—	—	0	2	7	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] The national surveillance case definition was revised in 2017 to include infections confirmed by culture-independent diagnostic tests as probable cases.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending September 23, 2017, and September 24, 2016 (38th week)[†] (Export data)

Reporting area	West Nile virus disease [§]									
	Neuroinvasive					Nonneuroinvasive [¶]				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	7	11	98	658	973	2	4	58	419	745
New England	—	0	3	3	11	—	0	1	—	6
Connecticut	—	0	1	1	1	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	2	1	7	—	0	1	—	6
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	1	—	1	—	0	0	—	—
Vermont	—	0	1	1	2	—	0	0	—	—
Mid. Atlantic	—	0	8	17	28	—	0	5	21	5
New Jersey	—	0	1	3	9	—	0	1	1	—
New York (Upstate)	—	0	4	—	5	—	0	4	12	1
New York City	—	0	2	7	4	—	0	2	3	—
Pennsylvania	—	0	3	7	10	—	0	3	5	4
E.N. Central	—	0	18	86	156	1	0	8	33	63
Illinois	—	0	7	27	87	—	0	6	12	52
Indiana	—	0	3	10	13	1	0	1	4	2
Michigan	—	0	7	27	38	—	0	2	7	1
Ohio	—	0	4	13	11	—	0	3	8	5
Wisconsin	—	0	3	9	7	—	0	1	2	3
W.N. Central	—	0	18	78	136	—	0	28	137	326
Iowa	—	0	3	4	10	—	0	4	2	18
Kansas	—	0	2	5	17	—	0	2	8	13
Minnesota	—	0	4	9	12	—	0	3	13	63
Missouri	—	0	2	8	9	—	0	1	—	2
Nebraska	—	0	4	12	32	—	0	7	33	53
North Dakota	—	0	4	16	22	—	0	13	41	61
South Dakota	—	0	6	24	34	—	0	7	40	116
S. Atlantic	—	0	7	40	23	—	0	2	10	11
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	1	—	0	1	1	—
Florida	—	0	1	—	5	—	0	0	—	2
Georgia	—	0	5	24	2	—	0	2	6	1
Maryland	—	0	2	2	6	—	0	0	—	—
North Carolina	—	0	1	1	2	—	0	0	—	—
South Carolina	—	0	1	5	4	—	0	1	2	2
Virginia	—	0	3	7	3	—	0	1	1	5
West Virginia	—	0	1	1	—	—	0	0	—	1
E.S. Central	—	0	9	54	30	1	0	3	23	17
Alabama	—	0	1	1	4	—	0	1	1	3
Kentucky	—	0	1	4	4	—	0	1	1	3
Mississippi	—	0	7	41	19	—	0	2	13	8
Tennessee	—	0	3	8	3	1	0	3	8	3
W.S. Central	7	2	23	110	151	—	1	12	55	85
Arkansas	—	0	3	11	3	—	0	2	3	1
Louisiana	—	0	7	29	18	—	0	2	8	10
Oklahoma	—	0	4	15	17	—	0	2	8	12
Texas	7	1	19	55	113	—	1	10	36	62
Mountain	—	1	18	131	141	—	0	15	98	126
Arizona	—	0	8	45	48	—	0	2	11	18
Colorado	—	0	2	16	58	—	0	4	24	88
Idaho	—	0	3	6	3	—	0	2	5	5
Montana	—	0	1	1	3	—	0	3	7	3
Nevada	—	0	5	20	10	—	0	6	27	3
New Mexico	—	0	3	16	5	—	0	4	8	—
Utah	—	0	8	27	7	—	0	3	15	6
Wyoming	—	0	1	—	7	—	0	1	1	3
Pacific	—	1	26	139	297	—	0	7	42	106
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	26	135	287	—	0	6	39	103
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	1	2	2	—	0	1	2	2
Washington	—	0	1	2	8	—	0	1	1	1
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Updated weekly from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for Jamestown Canyon virus, La Crosse virus, Chikungunya virus, Eastern equine encephalitis virus, Powassan virus, St. Louis virus, and Western equine encephalitis virus diseases are available in Table I.

[¶] Not reportable in all states. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.