
FROM THE NATIONAL CENTER FOR HEALTH STATISTICS

Age-Adjusted Suicide Rates,*,† by Race/Ethnicity — National Vital Statistics System, United States, 2015–2016



^{*} Deaths per 100,000 population are age-adjusted to the 2000 U.S. standard population.

From 2015 to 2016, the age-adjusted suicide rate for the total U.S. population increased from 13.3 per 100,000 standard population to 13.5 (an increase of 1.5%). The rate increased from 5.8 to 6.3 (8.6%) for non-Hispanic blacks and from 6.2 to 6.7 (8.1%) for Hispanics; it remained unchanged for non-Hispanic whites. In both 2015 and 2016, the non-Hispanic white rate was nearly three times the non-Hispanic black rate and 2.5 times the rate for the Hispanic population.

Source: National Vital Statistics System. Underlying cause of death data, 1999–2016. https://wonder.cdc.gov/ucd-icd10.html. Reported by: Jiaquan Xu, MD, jiaquanxu@cdc.gov, 301-458-4086.

 $For more information on this topic, CDC \, recommends \, the following \, link: \, https://www.cdc.gov/violenceprevention/suicide/index.html. \, and \, recommends \, the following \, link: \, https://www.cdc.gov/violenceprevention/suicide/index.html. \, and \, recommends \, the following \, link: \, https://www.cdc.gov/violenceprevention/suicide/index.html. \, and \, recommends \, the following \, link: \, https://www.cdc.gov/violenceprevention/suicide/index.html. \, and \, recommends \, https://www.cdc.gov/violenceprevention/suicide/index.$

[†] As underlying cause of death, suicide is identified with *International Classification of Diseases, 10th Revision* codes X60–X84, Y87.0, and also code U03.