From Vital and Health Statistics of the National Center for Health Statistics

Number 145 • September 30, 1987

1986 Summary: National Hospital Discharge Survey

Hospital Care Statistics Branch, Division of Health Care Statistics

Introduction

The hospital discharge rate has continued a decline that began in 1983. The 1986 rate was 143 discharges per 1,000 civilian population—a 14 percent decrease in 3 years (figure 1). In addition, the average length of stay in 1986 was 6.4 days compared with 7.6 days a decade ago (figure 2).

During 1986 an estimated 34.3 million inpatients, excluding newborn infants, were discharged from short-stay non-Federal hospitals in the United States. These patients were hospitalized an average of 6.4 days and used 218.5 million days of inpatient hospital care. Patients hospitalized during 1986 accounted for 143 discharges per 1,000 civilian population.




Figure 1. Discharge rate in non-Federal short-stay hospitals: United States, 1965-86




Figure 2. Average length of stay in non-Federal short-stay hospitals: United States, 1965-86

These and other statistics presented in this report are based on data collected by means of the National Hospital Discharge Survey, a continuous survey that has been conducted by the National Center for Health Statistics since 1965. In 1986, data were abstracted from the medical records of approximately 193,000 patients discharged from 418 shortstay non-Federal hospitals. A brief description of the sample design, data collection procedures, and estimation process, and definition of terms used in this report can be found in the section entitled "Technical notes." Detailed discussions of these items, as well as the survey form used to collect the data, have been published (NCHS, 1970, 1987).

Coding of medical data for patients hospitalized is done according to the International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) (U.S. Public Health Service and Health Care Financing Administration, 1980). Up to seven diagnoses and four procedures are coded for each discharge. Although diagnoses included in the ICD-9-CM section entitled "Supplementary classification of external causes of injury and poisoning" (codes E800-E999) are used by the National Hospital Discharge Survey, these diagnoses are excluded from this report. The conditions diagnosed and procedures performed are presented here by chapter of ICD-9-CM. Within these chapters, a few diagnoses and procedures or groups thereof also are shown. These specific categories were selected primarily because of large numbers of occurrences or because they are of special interest. Residual categories of the diagnostic and procedure classes, however, are not included in the tables. More detailed analyses of these

data will be presented in later reports in Series 13 of Vital and Health Statistics.

In 1986, approximately 19 percent of the hospitals submitted machine-readable data tapes through commercial abstracting services. Preliminary analysis indicates that a greater number of nonsurgical procedures per patient are obtained from these hospitals than from hospitals submitting data in the traditional manual mode (see "Technical notes"). This has resulted in increases from 1984 to 1986 in the estimates for miscellaneous diagnostic and therapeutic procedures and, therefore, for total procedures.

Data highlights

Utilization by patient and hospital characteristics

The number, rate, and average length of stay of patients discharged from short-stay non-Federal hospitals are shown by selected patient and hospital characteristics in tables 1–3. The 34.3 million patients discharged from short-stay hospitals during 1986 included an estimated 13.9 million males and 20.3 million females. The rates per 1,000 population were 121 for males and 164 for females, making the rate for females about 36 percent higher than the rate for males. The number and rate of discharges are always higher for females than for males because of the large number of women in their child-bearing years (15–44 years of age) who are hospitalized for deliveries and other obstetrical conditions.

The average length of stay was 6.8 days for males and 6.1 days for females during 1986. The length of stay for females

was shorter than that for males primarily because the average length of stay of the 3.8 million women who were hospitalized for deliveries was only 3.2 days.

The number of discharges from short-stay hospitals by geographic region during 1986 ranged from 11.9 million in the South Region to 6.5 million in the West Region, and the rates per 1,000 population ranged from 151 in the Midwest Region to 134 in the West Region. Regional differences in the number of discharges are accounted for mainly by variations in population sizes.

Average lengths of stay by geographic region were 5.5 days in the West, 6.1 days in the South, 6.6 days in the Midwest, and 7.4 days in the Northeast.

Discharges from short-stay hospitals were about 40 percent male and 60 percent female in every hospital bed-size group. The average length of stay increased steadily from 5.3 days in the smallest hospitals (6–99 beds) to 7.3 days in the largest hospitals (500 beds or more) for all patients.

During 1986, voluntary nonprofit hospitals provided medical care to an estimated 23.5 million patients, or 69 percent of all patients hospitalized. Hospitals operated by State and local governments cared for 7.1 million patients, or 21 percent of all discharges, and proprietary hospitals operated for profit cared for 3.6 million patients or 11 percent of all discharges. Average lengths of stay were 6.6 days in voluntary nonprofit hospitals, 5.9 days in State and local government hospitals, and 6.0 days in proprietary hospitals.

Utilization by diagnosis

Diseases of the circulatory system ranked first in 1986 among the ICD-9-CM diagnostic chapters as a principal or first-listed diagnosis among patients discharged from non-Federal short-stay hospitals. These conditions accounted for an estimated 5.6 million discharges. Other leading ICD-9-CM diagnostic chapters were supplementary classifications (including females with deliveries) (4.2 million discharges) and diseases of the digestive system (3.7 million discharges). About 39 percent of the patients discharged from non-Federal short-stay hospitals were included in these three ICD-9-CM diagnostic chapters.

The diagnostic categories presented in this report were selected either because they appear as principal or first-listed diagnoses with great frequency or because the conditions are of special interest. Although many of these categories (such as malignant neoplasms; psychoses; and fractures, all sites) are groupings of more detailed diagnoses, they are presented as single categories without showing all of the specific diagnostic inclusions.

The number and rate of discharges and average length of stay for each ICD-9-CM diagnostic chapter and selected categories are shown by sex and age in tables 4-6. The most common diagnostic category for all patients was females with deliveries. This was followed by the diagnostic categories heart disease and malignant neoplasms. Excluding females with deliveries, these last two non-sex-specific diagnostic categories were also the most common first-listed diagnoses for each sex.

The most frequent first-listed diagnoses for 1986 varied

for the different age groups. For patients under 15 years of age, the most frequent diagnoses were pneumonia, all forms; acute respiratory infections, except influenza; chronic disease of tonsils and adenoids; and asthma. Excluding females with deliveries, the most frequent diagnoses for patients 15–44 years of age were psychoses; fractures, all sites; and abortions and ectopic and molar pregnancies. Patients 45–64 years of age were hospitalized most frequently for heart disease. The most common diagnoses for patients 65 years of age and over were heart disease and malignant neoplasms.

The average length of stay for all patients ranged from a low of 1.3 days for the diagnostic category chronic disease of tonsils and adenoids, 1.7 days for the diagnostic category of cataract, and 2.1 days for abortions and ectopic and molar pregnancies to a high of 14.4 days for psychoses and 14.2 days for fracture of neck of femur. Although the overall average length of stay for females was shorter than that for males, females stayed in the hospital longer than males for many of the specific diagnostic categories shown in this report.

The average length of stay increased with increasing age for most categories of diagnoses shown. Overall, the average length of stay ranged from 4.6 days for patients under 15 years of age to 8.5 days for patients 65 years and over.

Utilization by procedures

One or more surgical or nonsurgical procedures were performed for an estimated 20.6 million of the 34.3 million inpatients discharged from short-stay hospitals during 1986. A total of 38.0 million procedures, or an average of 1.8 per patient who underwent at least one procedure, were recorded in 1986.

Procedures are grouped in the tables of this report by the ICD-9-CM procedure chapters. Selected procedures within these chapters also are presented by specific categories. Some of these categories (such as extraction of lens and hysterectomy) are presented as single categories although they may be divided into more precise subgroups.

When grouped by chapters, miscellaneous diagnostic and therapeutic procedures with 9.8 million procedures ranked first among the surgical and nonsurgical procedures performed during 1986. These were followed by operations on the digestive system with 5.7 million procedures performed. Other leading chapters were obstetrical procedures with 4.7 million procedures, operations on the musculoskeletal system with 3.5 million procedures, and operations on female genital organs with 3.0 million procedures. Approximately two-thirds of all procedures performed in 1986 were included in these five ICD-9-CM procedure chapters.

The number and rate of all-listed procedures in 1986 for each ICD-9-CM procedure chapter and selected procedure categories are shown by sex and age in tables 7 and 8. Of the 38.0 million procedures performed during 1986, 15.3 million were for males and 22.7 million were for females. The corresponding rates per 1,000 population were 159 for both sexes, 132 for males, and 184 for females. Of the procedures shown in table 7, some common ones for males were arteriography and angiocardiography and computerized axial tomography;

the most frequently performed procedures for females were episiotomy and cesarean section.

The rate of procedures per 1,000 population increased with advancing age from 36 for patients under 15 years to 409 for patients 65 years of age and over. The most frequently performed procedures for patients under 15 years of age were ton-

sillectomy with or without adenoidectomy; for patients 15-44 years of age, episiotomy and cesarean section; for patients 45-64 years of age, arteriography and angiocardiography, computerized axial tomography, and cardiac catherization; and for patients 65 years of age and over, computerized axial tomography and diagnostic ultrasound.

TABLE 1. NUMBER OF INPATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY SELECTED CHARACTERISTICS: UNITED STATES, 1986

[DISCHARGES FROM NON-FEDERAL HUSPITALS. EXCLUDES NEWBORN THEADTS]

SELECTED CHARACTERISTIC	BOTH Sexes	MALE	FEMALE		
	NUMBER OF PATIENTS DISCHARGED IN THOUSANDS				
TOTAL	34,256	13,949	20,307		
AGE					
UNDER 15 YEARS	2,783	1,603	1,179		
15-44 YEARS	13,458	4,100	9,358		
45-64 YEARS	7,300	3,569	3,731		
65 YEARS AND OVER	10,716	4+677	6,039		
REGION					
NORTHEAST	6,955	2,925	4,031		
MIDWEST	8,931	3,712	5,219		
SOUTH	11,892	4,758	7,134		
WEST	6,478,	2,555	3,923		
BED SIZE					
6-99 BEDS	5,614	2,260	3,354		
100-199 BEDS	6,243	2,444	3,799		
200-299 BEDS	6,215	2,670	3,544		
300-499 BEDS	8,803	3,512	5,291		
500 BEDS OR MORE	7,381	3,063	4,318		
OWNERSHIP					
NONPROFIT	23,506	9,578	13,928		
STATE AND LOCAL GOVERNMENT	7,131	2,903	4,229		
PROPRIETARY	3,618	1,468	2,150		

TABLE 2. RATE OF INPATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY AGE, GEOGRAPHIC REGION, AND SEX: UNITED STATES, 1986

[DISCHARGES FROM NON-FEDERAL HOSPITALS. EXCLUDES NEWBORN INFANTS]

AGE AND REGION	BOTH Sexes	MALE	FEMALE
		ATIENTS D	
TOTAL	143.1	120.5	164.4
AGE			
UNDER 15 YEARS	53.5 118.9 162.2 367.3	60.3 73.4 166.1 395.6	46.5 163.2 158.7 348.1
REGION			
NORTHEAST	139•4 150•9 144•9 134•4	122.7 129.2 120.4 107.7	154.6 171.4 167.6 160.3

TABLE 3. AVERAGE LENGTH OF STAY FOR INPATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY SELECTED CHARACTERISTICS: UNITED STATES, 1986

[DISCHARGES FROM NON-FEDERAL HOSPITALS. EXCLUDES NEWBORN INFANTS]

SELECTED CHARACTERISTIC	BOTH Sexes	MALE	FEMALE
	AVERAGE LENGTH	OF STAY	IN DAYS
TOTAL	6.4	6.8	6.1
AGE			
UNDER 15 YEARS	4.6	4.5	4.6
15-44 YEARS		6.1	4.3
45-64 YEARS		6.7	6.9
65 YEARS AND OVER	8.5	8.2	8.7
REGION			
NORTHEAST		7.7	7-1
MIDWEST	6.6	7.0	6.3
**************************************	-6 • 1	6.4	5.9
WEST	5.5	6.0	5.1
BED SIZE			
6-99 BEDS	5.3	5.4	5.2
100-199 BEDS	5.7	5.9	5.6
200-299 BEDS	6.5	6.8	6.2
300-499 BEDS	6•7	7 • 2	6.4
500 BEDS OR MORE	7.3	8.0	6.8
OWNERSHIP			
NONPROFIT	6.6	7.0	6.3
STATE AND LOCAL GOVERNMENT	5.9	6.4	5.5
PROPRIETARY	6.0	6.3	5.8

TABLE 4. NUMBER OF INPATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY CATEGORY OF FIRST-LISTED DIAGNOSIS, SEX, AND AGE: UNITED STATES, 1986

[DISCHARGES FROM NON-FEDERAL HOSPITALS. EXCLUDES NEWBORN INFANTS. DIAGNOSTIC GROUPINGS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION (ICD-9-CM)]

		SE	X		A	GE	
CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICO-9-CM CODE	TOTAL	MALE	FEMALE	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS
		NUMBER	OF PATIENT	S DISCHARG	ED IN THO	USANDS	
ALL CONDITIONS	34,256	13,949	20,307	2,783	13,458	7+300	10,716
INFECTIOUS AND PARASITIC DISEASES	700	343	357	184	223	95	198
NEOPLASMS140-239	2,305	959	1,346	60	423	774	1,049
MALIGNANT NEOPLASMS	1,860 210	866 105	994 105	42 ≠	222 #5	631 59	964 146
MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS, AND LUNG	290	175	115	_	15	120	155
MALIGNANT NEOPLASM OF BREAST	216	#	214	-	35	84	96
BEHAVIOR AND UNSPECIFIED NATURE210-229,235-239	445	93	353	17	201	143	85
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES.			.or		240	205	4.04
AND IMMUNITY DISORDERS240-279 DIABETES MELLITUS250	1•117 491	422 205	695 286	80 20	268 133	285 159	484 179
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	333	147	186	60	92	55	126
MENTAL DISORDERS290-319	1,807	962	845	53	1,111	392	251
PSYCHOSES290-299 ALCOHOL DEPENDENCE SYNDROME	766 397	356 303	410 93	≑6 ≠	422 258	180 114	158 24
DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS320-389	1,039	480	558	196	270	225	348
DISEASES OF THE CENTRAL NERVOUS SYSTEM 320-336,340-349	401	194	206	60	134	79	127
CATARACT	104 217	41 107	62 110	≠ 94	∻ 5 4 8	20 41	76 35
DISEASES OF THE CIRCULATORY SYSTEM390-459	5,563	2 • 846	2,717	38	468	1,717	3,341
HEART DISEASE391-392.0,393-398,402,404,410-416,420-429 ACUTE MYOCARDIAL INFARCTION	3•731 758	2•002 467	1•729 290	25 ≉	247 42	1•219 263	2,240 452
ATHEROSCLEROTIC HEART DISEASE414.0	338	219	119	*	16	156	164
OTHER ISCHEMIC HEART DISEASE411-413,414.1-414.9	1,043	565	479 275	≑ ≉8	67 41	412 128	561 338
CARDIAC DYSRHYTHMIAS	515 582	240 274	308	**	13	104	461
CEREBROVASCULAR DISEASE430-438	889	398	491	÷	34	178	674
DISEASES OF THE RESPIRATORY SYSTEM460-519 ACUTE RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-466	3 + 204 426	1•560 213	1,644 213	772 169	657 80	585 60	1,189 118
CHRONIC DISEASE OF TONSILS AND ADENOIDS474	255	107	148	166	86	#	*
PNEUMONIA, ALL FORMS480-486 ASTHMA493	943 477	471 206	472 271	194 158	134 122	148 99	466 98
DISEASES OF THE DIGESTIVE SYSTEM	3,732	1,696	2,036	308	1,158	977	1,288
ULCERS OF THE STOMACH AND SMALL INTESTINE531-534	295	149	146	*	67	80	146
GASTRITIS AND DUODENITIS	196 250	79 138	117 112	11 56	77 153	54 28	54 13
INGUINAL HERNIA	304	273	31	34	78	94	98
NONINFECTIOUS ENTERITIS AND COLITIS555-556,558 CHOLELITHIASIS574	429 494	169 142	260 352	115 #	159 171	65 150	90 170
DISEASES OF THE GENITOURINARY SYSTEM	2,665	949	1,715	91	1,210	613	751
CALCULUS OF KIDNEY AND URETER	331	219	112	*	164	114	51 194
HYPERPLASIA OF PROSTATE	256	256	•••	*	~	60	174
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM 1/630-676	889	•••	889	* 5	883	#	•••
ABORTIONS AND ECTOPIC AND MOLAR PREGNANCIES630-639	343	•••	343	*	341	*	•••
DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	515	249	266	50	177	132	156
DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	2,081	940	1,142	53	838	639	552
ARTHROPATHIES AND RELATED DISORDERS	475 504	194 288	280 216	14	142 273	125 178	193 52
CONGENITAL ANDMALIES740-759	267	149	118	163	5 <i>9</i>	31	14
CERTAIN CONDITIONS ORIGINATING IN THE							
PERINATAL PERIOD760-779	139	79	60	138	*	*	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	454	225	229	83	196	109	66
INJURY AND POISONING800-999 FRACTURES, ALL SITES800-829	3+225 1+100	1,776 540	1•449 560	395 134	1,453 381	561 173	816 413
FRACTURE OF NECK OF FEMUR820	252	62	190	*	*8	23	218
SPRAINS AND STRAINS OF BACK (INCLUDING NECK)846-847 INTRACRANIAL INJURIES (EXCUDING THOSE WITH	192	98	95	\$	118	55	16
SKULL FRACTURE)	267 284	163 219	104 65	60 35	140 187	29 36	38 26
SUPPLEMENTARY CLASSIFICATIONS	4•222 3•762	169	4•052 3•762	55 11	3,973 3,748	110 *	84

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS CODED V27. SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 5. RATE OF INPATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY CATEGURY OF FIRST-LISTED DIAGNOSIS, SEX, AND AGE: UNITED STATES, 1986

[DISCHARGES FROM NON-FEDERAL HOSPITALS. EXCLUDES NEMBORN INFANTS. DIAGNOSTIC GROUPINGS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION (ICD-9-CM)]

		SI	ΞX		A	GE	
CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	TOTAL	MALE	FEMALE	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS
	F	RATE OF IN	PATIENTS DI	SCHARGED P	ER 10,000	POPULATIO	N
ALL CONDITIONS	1,431.2	1,204.6	1.643.5	535•3	1,188.8	1,622.2	3,673.1
INFECTIOUS AND PARASITIC DISEASES	29•3	29.6	28.9	35•4	19.7	21•1	68•0
NEOPLASMS140-239	96.3	82.8	109.0	11.5	37.3	171.9	359•6
MALIGNANT NEOPLASMS140-208,230-234 MALIGNANT NEOPLASM OF LARGE INTESTINE	77.7	74.8	80•4	8.2	19.6	140•2	330-6
AND RECTUM153-154,197.5 MALIGNANT NEOPLASM OF TRACHEA,	8.8	9.1	8.5	*	≑0. 4	13.0	50 • 1
BRONCHUS, AND LUNG	12•1 9•0	15•1	9•3 17•3	=	1.3 3.1	26.7 18.8	53 • 3 32 • 9
BEHAVIOR AND UNSPECIFIED NATURE210-229,235-239	18.6	8.0	28.6	3-3	17.7	31.7	29•0
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS240-279	46.7	36.4	56.3	15.5	23.6	63•3	165•9
DIABETES MELLITUS	20.5	17.7	23-1	3.8	11.7	35.4	61.5
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	13.9	12.7	15.0	11.5	8.2	12.2	43.3
MENTAL DISORDERS290-319	75.5	83.1	68•4	10•2	98.1	87.1	86.1
PSYCHOSES290-299 ALCOHOL DEPENDENCE SYNDROME303	32•0 16•6	30 • 8 26 • 2	33•2 7•6	≑1•1 ≑	37•3 22•8	40•1 25•4	54 • 2 8 • 1
DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS320-389	43.4	41.5	45.2	37.6	23.8	50.0	119•4
DISEASES OF THE CENTRAL NERVOUS SYSTEM320-336,340-349	16.7	16.8	16.7	11.6	11.9	17.5	43.7
CATARACT366 DISEASES OF THE EAR AND MASTOID PROCESS380-389	4•3 9•1	3.6 9.3	5.0 8.9	18•0	≎0∙5 4∙2	4•4 9•0	26 • 0 12 • 0
DISEASES OF THE CIRCULATORY SYSTEM	232•4	245.8	219.9	7.3	41.3	381.5	1,145.3
HEART DISEASE391-392.0,393-398,402,404,410-416,420-429 ACUTE MYDCARDIAL INFARCTION410	155.9 31.7	172.9 40.4	139•9 23•5	4.8	21.8 3.7	270•9 58•4	767•7 155•0
ATHEROSCLEROTIC HEART DISEASE414.0	14.1	18.9	9.6	÷	1.5	34.7	56.4
OTHER ISCHEMIC HEART DISEASE	43.6	48.8	38.8	*	5.9	91.5	192.3
CARDIAC DYSRHYTHMIAS427	21.5	20.7	22.3	≉1.5 ≄	3.6	28.5	116.0
CONGESTIVE HEART FAILURE428.0 CEREBROVASCULAR DISEASE430-438	24.3 37.1	23•7 34•4	24•9 39•7	÷	1•2 3•0	23•1 39•5	158•2 231•0
DISEASES OF THE RESPIRATORY SYSTEM460-519	133.8	134.7	133.0	148.6	58-1	130.0	407.6
ACUTE RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-466 CHRONIC DISEASE OF TONSILS AND ADENOIDS474	17•8 10•6	18•4 9•2	17•2 12•0	32•4 31•9	7•1 7•6	13•3	40 • 3
PNEUMONIA, ALL FORMS480-486	39•4	40.6	38.2	37•4	11.9	32.9	159.9
ASTHMA493	19.9	17.8	21.9	30.3	10-8	22.0	33.7
DISEASES OF THE DIGESTIVE SYSTEM520-579 ULCERS OF THE STOMACH AND SMALL INTESTINE531-534	155.9 12.3	146•4 12•9	164•8 11•8	59∙3 ≄	102•3 5•9	217•1 17•8	441.7 50.2
GASTRITIS AND DUDDENITIS	8.2	6.8	9.5	2.2	6.8	12-1	18.4
APPENDICITIS540-543	10.5	11.9	9.1	10.8	13.5	6.2	4 • 6
INGUINAL HERNIA	12.7	23.6	2.5	6.5	6.9	20-8	33.7
NONINFECTIOUS ENTERITIS AND COLITIS555-556,558 CHOLELITHIASIS574	17.9 20.6	14.6 12.2	21•1 28•5	22•1	14.1 15.1	14.5 33.4	30 • 8 58 • 3
DISEASES OF THE GENITOURINARY SYSTEM580-629	111.3	82.0	138.8	17•4	106.9	136.2	257•4
CALCULUS OF KIDNEY AND URETER	13.8 10.7	18.9 22.1	9•1	*	14.5	25•3 13•3	17 • 5 66 • 5
	2001						
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM 1/630-676 ABORTIONS AND ECTOPIC AND MOLAR PREGNANCIES630-639	37•1 14•3	•••	72.0 27.8	≎0•9 ≎	78.0 30.1	*	•••
DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	21.5	21.5	21.5	9•6	15.6	29•4	53.5
DISEASES OF THE MUSCULOSKELETAL SYSTEM							
AND CONNECTIVE TISSUE710-739	87.0	81.2	92.4	10.2	74.0	142.0	189.1
ARTHROPATHIES AND RELATED DISORDERS710-719 INTERVERTEBRAL DISC DISORDERS722	19•8 21•0	16•8 24•8	22•7 17•5	2•7 ≠	12.6 24.1	27•9 39•5	66.0 17.8
CONGENITAL ANOMALIES740-759	11-1	12.8	9.6	31.4	5.2	6.8	4 • 8
CERTAIN CONDITIONS ORIGINATING IN THE	<i>5</i> 0			24 6		**	_
PERINATAL PERIOD	5•8 19•0	6•8 19•4	4•9 18•5	26.5 16.0	≄ 17•3	≠ 24•3	22.7
(
INJURY AND POISONING	134•7 46•0	153.4 46.6	117•3 45•4	76•0 25•7	128•3 33•6	124.6 38.4	279.8 141.5
FRACTURE OF NECK OF FEMUR	10.5	5.4	15.4	*	≎0.7	5.1	74.8
SPRAINS AND STRAINS OF BACK (INCLUDING NECK)846-847	8.0	8 • 4	7.7	*	10.4	12.3	5.6
INTRACRANIAL INJURIES (EXCUDING THOSE WITH SKULL FRACTURE)850-854	11-1	14.1	8 • 4	11.6	12.3	6.4	13.0
LACERATIONS AND OPEN WOUNDS870-904	11.9	18.9	5.3	6•7	16.5	8.1	8.9
SUPPLEMENTARY CLASSIFICATIONS	176-4	14.6	328.0	10.6	350.9	24.5	28.7

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS CODED V27, SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 6. AVERAGE LENGTH OF STAY FOR INPATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY CATEGORY OF FIRST-LISTED DIAGNOSIS, SEX, AND AGE: UNITED STATES, 1986

UISCHARGES FROM NON-FEDERAL HOSPITALS. EXCLUDES NEMBORN INFANTS. DIAGNOSTIC GROUPINGS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION (ICD-9-CM)]

		s	EX		A	GE	
CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	TOTAL	MALE	FEMALE	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS AND OVER
			AVERAGE LE	NGTH OF STA	Y IN DAYS		
ALL CONDITIONS	6•4	6.8	6.1	4•6	4-8	6.8	8.5
INFECTIOUS AND PARASITIC DISEASES	7.0	7.4	6.6	3.9	6.3	8.7	9.8
NEOPLASMS140-239	8 • 4	9.0	7.9	5.4	5.9	8.2	9.6
MALIGNANT NEOPLASMS	9-1	9•4	8.8	6•6	6.8	8.8	9•9
AND RECTUM	12.8	13-1	12.5	\$	#10.9	11.3	13.5
BRONCHUS, AND LUNG	8•8 7•1	8•6 ≠	9•2 7•0	-	8.0 6.2	8•7 6•8	9•0 7• 7
BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND UNSPECIFIED NATURE210-229,235-239	5.3	4.9	5 • 4	2.5	4.9	5.4	6•6
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES,			~ .	<i>.</i> .			
AND IMMUNITY DISORDERS240-279 DIABETES MELLITUS250	7•2 7•6	7•2 7•4	7•1 7•8	5.6 4.1	5 • 4 5 • 4	7•0 8•0	8•5 9•4
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	5 - 8	5.9	5 • B	4.0	5.4	5.9	7.0
MENTAL DISORDERS290-319	12.3	11-9	12.7	24.2	12.0	11.5	12-2
PSYCHOSES290-299 ALCOHOL DEPENDENCE SYNDROME303	14•4 10•7	13.7 10.5	15•1 11•2	\$41•6 \$	14.5 10.4	14•2 10•7	13•5 13•1
DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS320-389	5.6	6.0	5.3	4.0	5.8	5.4	6.5
DISEASES OF THE CENTRAL NERVOUS SYSTEM320-336,340-349 CATARACT	9.3 1.7	10.0	8.5 1.6	6.8 *	≠2 •3	9•8 1•7	11•3 1•7
DISEASES OF THE EAR AND MASTOID PROCESS380-389	2.9	2.7	3.1	2•3	2•5	2.9	4•9
DISEASES OF THE CIRCULATORY SYSTEM	7.5 7.0	7•2 6•7	7•8 7•4	6.8 7.7	5•7 5•7	6•7 6•4	8•1 7•5
ACUTE MYOCARDIAL INFARCTION410	8.9	8.5	9.5	\$	7•2 5•0	8•2 5•5	9∙4 7∙0
ATHEROSCLEROTIC HEART DISEASE411-413,414-1-414-9	6 • 2 5 • 3	6•2 5•1	6•2 5•5	÷	4.2	4.9	5.8
CARDIAC DYSRHYTHMIAS427	5.9	5.2	6.5	 \$9•9	4+2	5.5	6-1
CONGESTIVE HEART FAILURE428.0 CEREBROVASCULAR DISEASE430-438	8•2 9•7	7•7 9•5	8•7 9•9	*	7•3 10•9	8•0 9•7	8•3 9•6
DISEASES OF THE RESPIRATORY SYSTEM	6.0	5.9	6.1	3.2		. 6.7	8.6
ACUTE RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-466 CHRONIC DISEASE OF TONSILS AND ADENOIDS474	4.7 1.3	4.4 1.3	5•1 1•3	3•2 1•3	3.6 1.3	5•9 *	7 . 0
PNEUMONIA, ALL FORMS480-486 ASTHMA493	7.8 4.8	7.6 4.4	8.0 5.1	4•6 3•2	6•3 4•1	8•0 6•1	9.5 6.8
DISEASES OF THE DIGESTIVE SYSTEM	6.1	5.5	6•5	3.4	4.8	6.2	7.8
ULCERS OF THE STOMACH AND SMALL INTESTINE531-534	7.1	6.6	7.7	÷	5.2	7-2	8.0
GASTRITIS AND DUODENITIS535 APPENDICITIS540-543	4•5 4•9	4•2 4•7	4∙7 5•0	2.9 4.1	3•8 4•2	4∙6 6∙8	5•8 11•3
INGUINAL HERNIA550	3.0	2.9	3.8	1.7	2.3	3.0	3.9
NONINFECTIOUS ENTERITIS AND COLITIS555-556,558 CHOLELITHIASIS574	4•8 6•9	4.5 7.6	5•1 6•6	3•0 ≠	5•0 5•3	5•4 6•5	6.6 8.8
DISEASES OF THE GENITOURINARY SYSTEM580-629	5.2	5.5	5.0	4.0	4.2	5.0	7.2
CALCULUS OF KIDNEY AND URETER592 HYPERPLASIA OF PROSTATE600	3.6 5.7	3.3 5.7	4.0 •••	*	2•9 ≑	3•7 5•0	5•2 6•0
COMPLICATIONS OF PREGNANCY, CHILDBIRTH,							
AND THE PUERPERIUM 1/630-676 ABORTIONS AND ECTOPIC AND MOLAR PREGNANCIES630-639	2.5 2.1	•••	2•5 2•1	≎2•0 ≠	2.5 2.1	≠	•••
DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	7.9	7.7	8.0	4.4	5.9	8-1	10.9
DISEASES OF THE MUSCULOSKELETAL SYSTEM							
AND CONNECTIVE TISSUE710-739	6.6	6.3	6.9	6.3	5-1	6•4	9•3
ARTHROPATHIES AND RELATED DISORDERS710-719 INTERVERTEBRAL DISC DISORDERS722	7.8 6.9	7.0 6.4	8•4 7•5	7∙2 ≄	4•4 6•4	7•0 7•0	10.9 8.9
CONGENITAL ANOMALIES740-759	5.5	5.5	5.5	5.1	4.4	8-1	8.7
CERTAIN CONDITIONS ORIGINATING IN THE	0.0	7.6	10.8	9.0	*	*	_
PERINATAL PERIOD	9.0 3.4	3.2	3.5	3.0	3.2	3•2	4•7
INJURY AND POISONING	6.4	5.8	7.2	4.2	5.2	6•4	9.8
FRACTURES, ALL SITES800-829	8.6	7.4	9.7	5.2	6.4	7.8	11.9
FRACTURE OF NECK OF FEMUR820 SPRAINS AND STRAINS OF BACK (INCLUDING NECK)846-847	14.2	12.9	14.6	*	≉15•1 5-4	13.0	14.2
INTRACRANIAL INJURIES (EXCUDING THOSE WITH	5.6	5.3	5.8	*		. 5.8	6.5
SKULL FRACTURE)850-854 LACERATIONS AND OPEN HOUNDS870-904	5.0 4.5	4-8 4-2	5 • 4 5 • 2	2 • 8 3 • 1	5•3 4•1	4•9 5•8	7•4 7•3
SUPPLEMENTARY CLASSIFICATIONS	3.3	4.3	3.2	4.0	3•2	4.2	6.8
FEMALES WITH DELIVERIES V27	3.2	•••	3.2	3.5	3 - 2	÷	• • •

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS CODED V27. SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 7. NUMBER OF ALL-LISTED PROCEDURES FOR INPATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY, SEX, AND AGE: UNITED STATES, 1986

[DISCHARGES FROM NON-FEDERAL HOSPITALS. EXCLUDES NEWBORN INFANTS. PROCEDURE SKOUPINGS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION (ICD-9-CH)]

		SE	SEX		AGE			
PROCEDURE CATEGORY AND ICO-9-CM CODE	TOTAL	MALE	FEMALE	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS	
		NUMBER (F ALL-LIST	TED PROCEDU	RES IN TH	OUSANDS		
ALL PROCEDURES	38,000	15•318	22,682	1,887	15,192	8,976	11,946	
DPERATIONS ON THE NERVOUS SYSTEM	933 347	480 180	453 167	164 123	326 99	214 45	229 80	
OPERATIONS ON THE ENDOCRINE SYSTEM06-07	101	26	75	÷ 5	41	. 32	23	
OPERATIONS ON THE EYE08-16	561	252	310	37.	96	132	297	
EXTRACTION OF LENS	122 105	48 40	74 65	≑	\$8 ≑	23 18	87 83	
DPERATIONS ON THE EAR18-20	208	120	88	102	60	31	16	
PERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29	1.046	535	511	280	484	185	96	
RHINOPLASTY AND REPAIR OF NOSE21-8 TONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28-2-28-3	153 281	79 121	74 160	≑7 176	109 100	27 ≑	10 *	
DPERATIONS ON THE RESPIRATORY SYSTEM	1,011	585 119	426 80	57 14	199 36	313 65	442 85	
DPERATIONS ON THE CARDIOVASCULAR SYSTEM	2,786	1,684	1,102	129	332	1.108	1,217	
REMOVAL OF CORONARY ARTERY OBSTRUCTION	133 284	94 214	39 70	*	15	74	44	
CARDIAC CATHETERIZATION	775	495	280	32	16 82	144 386	125 275	
PACEMAKER INSERTION, REPLACEMENT, REMOVAL, REPAIR37.7-37.8	214	113	101	*	\$8	44	158	
DPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	403	203	200	20	96	116	171	
PPERATIONS ON THE DIGESTIVE SYSTEM	5•728 194	2•434 92	3•294 102	221 \$7	1,798 38	1,471 56	2•238 93	
OF INTESTINE43.5-43.8,45.6-45.8 ENDOSCOPY OF LARGE INTESTINE (NATURAL ORIFICE)45.24	293 448	128 192	165 256	≑ 5 ≠5	41 80	80 110	168 254	
APPENDECTOMY + EXCLUDING INCIDENTAL	275	143	132	59	174	28	15	
HEMORRHOIDECTOMY49.43-49.46	114	60	55	*	54	40	19	
CHOLECYSTECTOMY51.2 REPAIR OF INGUINAL HERNIA53.0-53.1	502 329	144 293	358 36		176 84	157 101	166 107	
DIVISION OF PERITONEAL ADHESIONS54.5	325	54	271	#	175	67	81	
DPERATIONS ON THE URINARY SYSTEM	1,885 671	1+159 493	726 178	61 14	427 113	520 178	877 366	
PPERATIONS ON THE MALE GENITAL ORGANS60-64 PROSTATECTOMY60-2-60-6	718 367	718 367	•••	79	80 ≑	147 77	411 287	
DPERATIONS ON THE FEMALE GENITAL ORGANS65-71 OOPHORECTOMY AND SALPINGO-OOPHORECTOMY65.3-65.6	2•999 502	•••	2•999 502	≑9 ≠	2,186 277	573 173	230 51	
BILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES	423	•••	423	-	421	‡	•••	
HYSTERECTOMY	644		644	-	397	191	57 23	
REPAIR OF CYSTOCELE AND RECTOCELE	472 147	•••	472 147	-	382 48	66 60	39	
DBSTETRICAL PROCEDURES72-75 EPISIGTOMY WITH OR WITHOUT FORCEPS	4,701	•••	4,701	15	4,682	*	•••	
OR VACUUM EXTRACTION	1 • 741 906	•••	1•741 906	≑7	1•732 904	\$	•••	
REPAIR OF CURRENT OBSTETRIC LACERATION	612	•••	612	*	609	*	•••	
PERATIONS ON THE MUSCULOSKELETAL SYSTEM76-84 OPEN REDUCTION OF FRACTURE	3,521	1,754	1.767	220	1,533	862	905	
EXCEPT JAM76.79,79.2-79.3,79.5-79.6 OTHER REDUCTION OF FRACTURE	459	239	220	32	180	82	165	
EXCEPT JAM	214	110	104	55	73	33	53	
AND SPINAL FUSION	338	211	127	*	191	115	29 74	
ARTHROPLASTY AND REPLACEMENT OF KNEE	185 201	91 63	94 138	⇒	75 ≠8	33 40	74 152	
OPERATIONS ON MUSCLES, TENDONS, FASCIA, AND BURSA82-83-1,83-3-83-9	344	196	149	30	163	98	54	
PERATIONS ON THE INTEGUMENTARY SYSTEM85-86	1,619	651	969	93	642	446	438	
MASTECTOMY85.4 EXCISION OR DESTRUCION OF LESION OR TISSUE OF SKIN	132	\$	130	-	19	51	63	
OR SUBCUTANEOUS TISSUE	565 150	283 87	282 63	40 17	225 50	134 37	166 46	
ISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES87-99	9,781	4.718	5+062	392	2,209	2 • 825	4,355	
COMPUTERIZED AXIAL TOMOGRAPHY87.03,87.41,87.71,88.01,88.38 PYELOGRAM87.73-87.75	1,531 406	747 223	784 183	68 13	346 145	373 110	743 138	
ARTERIOGRAPHY AND ANGIOCARDIOGRAPHY				17	159	579	529	
USING CONTRAST MATERIAL88.4-88.5 DIAGNOSTIC ULTRASOUND88.7	1,285 1,411	771 547	514 865	52	435	337	587	
CIRCULATORY MONITORING	799	414	385	20	104	184	492 429	

TABLE 8. RATE OF ALL-LISTED PROCEDURES FOR INPATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY, SEX, AND AGE: UNITED STATES, 1986

[DISCHARGES FROM NON-FEDERAL HOSPITALS. EXCLUDES NEMBORN INFANTS. PROCEDURE GROUPINGS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION (ICD-9-CM)]

		SE	X		A	ĢE	
PROCEDURE CATEGORY AND ICD-9-CM CODE	TOTAL	MALE	FEMALE	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS
	R	ATE OF ALL-	LISTED PRO	CEDURES PE	R 100,000	POPULATION	ı
ALL PROCEDURES	15,876.0	13,228.2	18,357.7	3,629.2	13,420.4	19,946.6	40,947.9
OPERATIONS ON THE NERVOUS SYSTEM01-05 SPINAL TAP03-31		414.9 155.2	366.3 135.2	316.0 235.7	287•9 87•8	474•8 99•6	786 • 6 274 • 3
OPERATIONS ON THE ENDOCRINE SYSTEM		22.1	61.0	‡10.5	36.3	70•1	78 •
OPERATIONS ON THE EYE08-16	234.5	217.4	250•5	71.6	84.4	292•6	1.017.
EXTRACTION OF LENS	51.0	41.4	60.0 52.4	*	≠7•1 #	51 • 8 40 • 1	298 • 285 •
DPERATIONS ON THE EAR		34.5 103.6	71.6	196.5	52•7	68.6	54.
OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29 RHINOPLASTY AND REPAIR OF NOSE21.8		462.0 68.4	413.4 60.1	539•1 ≉13•9	428•0 96•2	410•1 60•5	330 • 34 •
TONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28.2-28.3		104-1	129.8	339.2	88.5	*	;
OPERATIONS ON THE RESPIRATORY SYSTEM30-34 BRONCHOSCOPY33.21-33.23		505•0 102•7	345.0 65.1	109.9 26.6	176•1 31•6	694•8 143•6	1,514.0 291.0
DPERATIONS ON THE CARDIOVASCULAR SYSTEM	1,164.0	1,454.1	892.1	248.8	293.4	2,462.1	4,170.
REMOVAL OF CORONARY ARTERY OBSTRUCTION		81.5	31.7	*	13.2	164.6	150.
DIRECT HEART REVASCULARIZATION		185•1 427•6	56.8 226.4	62.1	13.9 72.5	319•1 857•8	429. 941.
PACEMAKER INSERTION, REPLACEMENT, REMOVAL, REPAIR37.7-37.8		97.8	81.8	*	26.9	97.5	542.
OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	168•3	175.2	161.7	38.3	85•2	257.4	584•
DPERATIONS ON THE OIGESTIVE SYSTEM42-54 ESOPHAGOSCOPY AND GASTROSCOPY (NATURAL ORIFICE)42.23,44.13		2•102•1 79•3	2,666.0 82.7	424•7 ≄13•1	1,588.5 33.9	3+268+8 124+4	7,672. 318.
PARTIAL GASTRECTOMY AND RESECTION OF INTESTINE	122.5	110.5	133.8	≉8 •8	36.1	177-4	576.
ENDOSCOPY OF LARGE INTESTINE (NATURAL ORIFICE)45.24	187.3	165.9	207.3	≉8•8	70.3	244-7	870.
APPENDECTOMY, EXCLUDING INCIDENTAL		123.3	107.1	112.7	153.5	62•3	50•
HEMORRHOIDECTOMY		51.5 124.1	44.2 290.1	* *	48∙0 155•6	89•8 348•5	64. 569.
REPAIR OF INGUINAL HERNIA53.0-53.1		253.3	29.0	72.1	74.0	225.0	365.
DIVISION OF PERITONEAL ADHESIONS54.5		46•6	219.7		154.7	147.9	276.
OPERATIONS ON THE URINARY SYSTEM55-59 ENDOSCOPIES (NATURAL ORIFICE)55-21-55-22,56-31,57-32,58-22		1,000.8 425.6	587.6 144.2	117•2 26•9	376.8 99.6	1•156•3 396•6	3,006. 1,253.
PERATIONS ON THE MALE GENITAL ORGANS60-64-60-26-60-60-26-60-60-26-60-60-26-60-60-26-60-60-26-60-60-60-60-60-60-60-60-60-60-60-60-60		619•7 316•7	•••	152.5	70•7 ≄	327•1 171•3	1,409. 985.
OPERATIONS ON THE FEMALE GENITAL ORGANS		•••	2•427•0 406•4	*16•9 *	1•931•4 244•3	1,274.0 385.4	789. 173.
BILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES			342.6	-	372.0	*	
HYSTERECTOMY68.3-68.7		•••	521.4	_	350.3	424.5	194.
DILATION AND CURETTAGE OF UTERUS		•••	381.6 118.8	* -	337•2 42•5	146.3 133.2	79. 132.
JBSTETRICAL PROCEDURES72-75 EPISIOTOMY WITH OR WITHOUT FORCEPS	1,963.8	•••	3,804.4	29•7	4,136-2	*	••
OR VACUUM EXTRACTION	727.5		1,409.3	≉14•0	1,530.3		••
CESAREAN SECTION		•••	733.0 495.6	*	798•4 537•8		••
DPERATIONS ON THE MUSCULOSKELETAL SYSTEM		1,514.5	1,430.0	424•2	1,354.3	1,914.9	3,103.
OPEN REDUCTION OF FRACTURE EXCEPT JAM	191.7	206•4	177.9	61.9	158•7	182•3	565.
OTHER REDUCTION OF FRACTURE EXCEPT JAH	89.5	95•4	84.0	105.2	64.7	73•7	182.
EXCISION OR DESTRUCTION OF INTERVENTEBRAL DISC AND SPINAL FUSION	141.1	181.8	102.9	*	168.7	255•2	98.
ARTHROPLASTY AND REPLACEMENT OF KNEE81-41-81-47	77.4	78-4	76.5	*	65.9	72•7	252.
ARTHROPLASTY AND REPLACEMENT OF HIP		54.7	111.3	÷	≑7.1	89•7	521.
AND BURSA82-83-1-83-3-83-9	143.8	169.0	120.2	57.3	143.8	217•4	184.
PERATIONS ON THE INTEGUMENTARY SYSTEM85-86 MASTECTOMY85-4		561∙9 \$	784•0 105•4	179-1	567.5 16.4	991•7 112•9	1.500. 216.
EXCISION OR DESTRUCION OF LESION OR TISSUE OF SKIN OR SUBCUTANEOUS TISSUE		244.0 75.4	228•4 50•7	77•2 32•2	198-6 44-3	297•4 83•0	568.9 156.0
4ISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES87-99	4.086.2	4,074.7	4.097.1	754.3	1,951.1	6,276.9	14,928.
COMPUTERIZED AXIAL TOMOGRAPHY 87.03,87.41,87.71,88.01,88.38	639.6	645.5	634.2	131.6	305.5	829.7	2,548.
PYELOGRAM	169.8	192.6	148-4	25.8	127.7	244•3	474.
ARTERIOGRAPHY AND ANGIOCARDIOGRAPHY USING CONTRAST MATERIAL88.4-88.5	536.7	665.7	415.8	33.3	140.3	1,287.2	1,814.
DIAGNOSTIC ULTRASOUND88.7	589.7	472.1	699•8	100.8	384.2	748.8	2.012.
CIRCULATORY MONITORING89.6	334.0	357.9	311.6	38.0	91.7	409.6	1.685.
RADIOISOTOPE SCAN92-0-92-1	355.3	335.8	373.6	35.0	131.5	564.8	1,471.

References

National Center for Health Statistics, M. G. Sirken. 1967a. Utilization of short-stay hospitals, summary of nonmedical statistics, United States, 1965. *Vital and Health Statistics*. Series 13, No. 2. PHS Pub. No. 1000. Public Health Service. Washington. U.S. Government Printing Office.

National Center for Health Statistics, M. J. Witkin. 1967b. Utilization of short-stay hospitals by characteristics of discharged patients, United States, 1965. *Vital and Health Statistics*. Series 13, No. 3. PHS Pub. No. 1000. Public Health Service. Washington. U.S. Government Printing Office.

National Center for Health Statistics, W. R. Simmons. 1970. Development of the design of the NCHS Hospital Discharge Survey. Vital

and Health Statistics. Series 2, No. 39. PHS Pub. No. 1000. Public Health Service. Washington. U.S. Government Printing Office.

National Center for Health Statistics, E. J. Graves. 1987. Utilization of short-stay hospitals, United States, 1985, annual summary. *Vital and Health Statistics*. Series 13, No. 91. DHHS Pub. No. (PHS) 87–1752. Public Health Service. Washington. U.S. Government Printing Office.

U.S. Public Health Service and Health Care Financing Administration. 1980. *International Classification of Diseases, 9th Revision, Clinical Modification*. DHHS Pub. No. (PHS) 80-1260. Public Health Service. Washington. U.S. Government Printing Office.

Technical notes

Survey methodology

Source of data

The National Hospital Discharge Survey (NHDS) encompasses patients discharged from short-stay hospitals, exclusive of military and Veterans Administration hospitals, located in 50 States and the District of Columbia. Only hospitals with six beds or more and an average length of stay of less than 30 days for all patients are included in the survey. Discharges of newborn infants are excluded from this report.

The original universe for the survey consisted of 6,965 hospitals contained in the 1963 National Master Facility Inventory. New hospitals were sampled for inclusion in the survey in 1972, 1975, 1977, 1979, 1981, 1983, and 1985. In all, 558 hospitals were sampled in 1986. Of these hospitals, 75 refused to participate, and 65 were out of scope. The 418 participating hospitals provided approximately 193,000 abstracts of medical records.

Sample design and data collection

All hospitals with 1,000 beds or more in the universe of short-stay hospitals were selected with certainty in the sample. All hospitals with fewer than 1,000 beds were stratified, the primary strata being 24 size-by-region classes. Within each of these 24 primary strata, the allocation of the hospitals was made through a controlled selection technique so that hospitals in the sample would be properly distributed with regard to type of ownership and geographic division. Sample hospitals were drawn with probabilities ranging from certainty for the largest hospitals to 1 in 40 for the smallest hospitals. The within-hospital sampling ratio for selecting sample discharges varied inversely with the probability of selection of the hospital.

In 1985, for the first time, there were two data collection procedures used for the survey. The first was the traditional manual system of sample selection and data abstraction. The second involved the purchase of data tapes from commercial abstracting services. In 1986 this automated method was used in approximately 19 percent of the sample hospitals.

In the manual hospitals, sample discharges were selected using the daily listing sheet of discharges as the sampling frame. These discharges were selected by a random technique, usually on the basis of the terminal digit or digits of the patient's medical record number. The sample selection and abstraction of data from the face sheet and discharge summary of the medical records were performed by the hospital staff or by representatives of the National Center for Health Statistics (NCHS). The completed forms were forwarded to NCHS for coding, editing, and weighting procedures.

For the automated hospitals, tapes containing machinereadable medical record data are purchased from commercial abstracting services. These tapes are subject to NCHS sampling, editing, and weighting procedures. A detailed description of the automated process is to be published.

The Medical Abstract Form and the abstract service data tapes contain items relating to the personal characteristics of the patient, including birth date, sex, race, and marital status but not name and address; administrative information, including admission and discharge dates, discharge status, and medical record number; and medical information, including diagnoses and surgical and nonsurgical operations or procedures. Since 1977, patient zip code, expected source of payment, and dates of surgery have also been collected. (The medical record number and patient zip code are considered confidential information and are not available to the public.)

Presentation of estimates

Statistics produced by NHDS are derived by a complex estimating procedure. The basic unit of estimation is the sample inpatient discharge abstract. The estimating procedure used to produce essentially unbiased national estimates in NHDS has three principal components: Inflation by reciprocals of the probabilities of sample selection, adjustment for nonresponse, and ratio adjustment to fixed totals. These components of estimation are described in appendix I of two earlier publications (NCHS, 1967a, 1967b).

Based on consideration of the complex sample design of NHDS, the following guidelines are used for presenting NHDS estimates in this report:

- If the sample size is less than 30, the value of the estimate is not reported. Only an asterisk (*) is shown in the tables.
- If the sample size is 30-59, the value of the estimate is reported but should be used with caution. The estimate is preceded by an asterisk (*) in the tables.

Sampling errors and rounding of numbers

The standard error is a measure of the sampling variability that occurs by chance because only a sample, rather than an entire universe, is surveyed. The relative standard error of the estimate is obtained by dividing the standard error by the estimate itself and is expressed as a percent of the estimate. Relative standard errors for first-listed diagnoses and all-listed procedures are shown in table I. The relative standard errors for region and ownership of hospital are approximately 1½ times larger. The standard errors for average lengths of stay are shown in table II.

Estimates have been rounded to the nearest thousand. For this reason detailed figures within tables do not always add to the totals. Rates and average lengths of stay were calculated from original, unrounded figures and will not necessarily agree precisely with rates or average lengths of stay calculated from rounded data.

Tests of significance

In this report, the determination of statistical inference is based on the two-tailed Bonferroni test for multiple comparisons. Terms relating to differences such as "higher" and "less" indicate that the differences are statistically significant. Terms

Table I. Approximate relative standard errors of estimated numbers of first-listed discharges and all-listed procedures: United States, 1986

Size of estimate	First-listed diagnosis	All-listed procedures
5,000	13.2	18.2
10,000	10.6	15.1
50,000	6.7	10.3
100,000	5.7	8.9
500,000	4.0	6.7
1,000,000	3.5	6.0
3,000,000	2.9	5.1
5,000,000	2.7	4.8
10,000,000	2.4	4.4
20,000,000	2.2	4.1
30,000,000	2.1	4.0
40,000,000	2.1	• • •

Table II. Approximate standard errors of average lengths of stay by number of discharges: United States, 1986

Number of discharges	Aver	age length	of stay in	days
	2	6	10	20
	Standard error in days			
10,000	0.7	1.2	1.7	2.2
50,000	0.3	0.7	1.0	1.4
100,000	0.3	0.6	0.9	1.2
500,000	0.2	0.5	0.8	0.9
1,000,000	0.2	0.5	0.8	0.7
5,000,000	0.2	0.5	8.0	

such as "similar" or "no difference" mean that no statistically significant difference exists between the estimates being compared. A lack of comment on the difference between any two estimates does not mean that the difference was tested and found to be not significant.

Definition of terms

Terms relating to hospitals and hospital characteristics

Hospitals—Short-stay special and general hospitals have six beds or more for inpatient use and an average length of stay of less than 30 days. Federal hospitals and hospital units of institutions are not included.

Bed size of hospital—Measured by the number of beds, cribs, and pediatric bassinets regularly maintained (set up and staffed for use) for patients; bassinets for newborn infants are not included. In this report the classification of hospitals by bed size reported by the hospitals is based on the number of beds at or near midyear.

Type of ownership of hospital—Determined by the organization that controls and operates the hospital. Hospitals are grouped as follows:

- Voluntary nonprofit—Hospitals operated by a church or another nonprofit organization.
- Government—Hospitals operated by a State or local government.

 Proprietary—Hospitals operated by individuals, partnerships, or corporations for profit.

Terms relating to hospitalization

Patient—A person who is formally admitted to the inpatient service of a short-stay hospital for observation, care, diagnosis, or treatment. In this report the number of patients refers to the number of discharges during the year including any multiple discharges of the same individual from one or more short-stay hospitals. Infants admitted on the day of birth, directly or by transfer from another medical facility, with or without mention of disease, disorder, or immaturity, are included. All newborn infants, defined as those admitted by birth to the hospital, are excluded from this report. The terms "patient" and "inpatient" are used synonymously.

Discharge—The formal release of a patient by a hospital; that is, the termination of a period of hospitalization by death or by disposition to place of residence, nursing home, or another hospital. The terms "discharges" and "patients discharged" are used synonymously.

Discharge rate—The ratio of the number of hospital discharges during a year to the number of persons in the civilian population on July 1 of that year.

Days of care—The total number of patient days accumulated at time of discharge by patients discharged from short-stay hospitals during a year. A stay of less than 1 day (patient admission and discharge on the same day) is counted as 1 day in the summation of total days of care. For patients admitted and discharged on different days, the number of days of care is computed by counting all days from (and including) the date of admission to (but not including) the date of discharge.

Rate of days of care—The ratio of the number of patient days accumulated at time of discharge by patients discharged from short-stay hospitals during a year to the number of persons in the civilian population on July 1 of that year.

Average length of stay—The total number of patient days accumulated at time of discharge by patients discharged during the year, divided by the number of patients discharged.

Terms relating to diagnoses

Discharge diagnoses—One or more diseases or injuries (or some factor that influences health status and contact with health services which is not itself a current illness or injury) listed by the attending physician or the medical record of a patient. In the NHDS all discharge (or final) diagnoses listed on the face sheet (summary sheet) of the medical record for patients discharged from the inpatient service of short-stay hospitals are transcribed in the order listed. Each sample discharge is assigned a maximum of seven five-digit codes according to ICD-9-CM (U.S. Public Health Service and Health Care Financing Administration, 1980). The number of principal or first-listed diagnoses is equivalent to the number of discharges.

Principal diagnosis—The condition established after study to be chiefly responsible for occasioning the admission of the patient to the hospital for care.

First-listed diagnosis—The coded diagnosis identified as the principal diagnosis or listed first on the face sheet of the medical record if the principal diagnosis cannot be identified. The number of first-listed diagnoses is equivalent to the number of discharges.

Procedures—One or more surgical or nonsurgical operations, procedures, or special treatments assigned by the physician to patients discharged from the inpatient service of shortstay hospitals. In the NHDS all terms listed on the face sheet (summary sheet) of the medical record under the captions "operation," "operative procedures," "operations and/or special treatment," and the like are transcribed in the order listed. A maximum of four procedures is coded.

Rate of procedures—The ratio of the number of all-listed procedures during a year to the number of persons in the civilian population on July 1 of that year.

Demographic terms

Age—Refers to the age of the patient on the birthday prior to admission to the hospital inpatient service.

Population—Civilian population is the resident population excluding members of the Armed Forces.

Geographic regions—One of the four geographic regions of the United States corresponding to those used by the U.S. Bureau of the Census:

Region	States included
Northeast	Maine, New Hampshire, Vermont, Massa- chusetts, Rhode Island, Connecticut, New York, New Jersey, and Pennsylvania
Midwest	Michigan, Ohio, Illinois, Indiana, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, and Kansas
South	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Tennessee, Alabama, Mississippi, Arkan- sas, Louisiana, Oklahoma, and Texas
West	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Washing- ton, Oregon, California, Hawaii, and Alaska.

Symbols

- --- Data not available
- ... Category not applicable
- Quantity zero
- 0.0 Quantity more than zero but less than 0.05
- Z Quantity more than zero but less than500 where numbers are rounded to thousands
- Figure does not meet standard of reliability or precision (more than 30-percent relative standard error)
- # Figure suppressed to comply with confidentiality requirements

Recent Issues of Advance Data From Vital and Health Statistics

No. 144. Expected Source of Payment for Hospital Discharges, United States, 1985 (In preparation)

No. 143. The 1986 Inventory of Long-Term Care Places: An Overview of Facilities for the Mentally Retarded (Issued September 30, 1987)

No. 142. Discharges From Nursing Homes: Preliminary Data From the 1985 National Nursing Home Survey (Issued September 30, 1987)

No. 141. Health Practices and Perceptions of U.S. Adults with Non-insulin-Dependent Diabetes: Data From the 1985 National Health Interview Survey of Health Promotion and Disease Prevention (Issued September 30, 1987)

No. 140. Recent Declines in Hospitalization: United States, 1982-86 (Issued September 24, 1987)

Related Publications From the National Hospital Discharge Survey in the Vital and Health Statistics Series

Series 13, No. 88. Surgical and Nonsurgical Procedures in Short-Stay Hospitals, United States, 1983

Series 13, No. 89. Inpatient Utilization of Short-Stay Hospitals by Diagnosis, United States, 1984

Series 13, No. 90. Detailed Diagnoses and Procedures for Patients Discharged from Short-Stay Hospitals, United States, 1984

Series 13, No. 91. Utilization of Short-Stay Hospitals, United States, 1985 Annual Summary

For more information or to order copies of these reports, contact the Scientific and Technical Information Branch, National Center for Health Statistics, 3700 East-West Highway, Hyattsville, Maryland 20782, (301) 436–8500.

Suggested citation

National Center for Health Statistics. 1987. 1986 summary: National Hospital Discharge Survey. Advance Data From Vital and Health Statistics. No. 145. DHHS Pub. No. (PHS) 87–1250. Public Health Service. Hyattsville, Md.

Copyright Information

This report may be reprinted without further permission.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service National Center for Health Statistics 3700 East-West Highway Hyattsville, Maryland 20782

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300

To receive this publication regularly, contact the National Center for Health Statistics by calling 301 436–8500 THIRD CLASS MAIL. BULK RATE POSTAGE & FEES PAID PHS/NCHS PERMIT No. G-281