

Body Weight Status of Adults: United States, 1997–98
Advance Data No. 330:
Companion tables—unadjusted
INTERNET RELEASE ONLY

Advance Data No. 330, “Body Weight Status of Adults: United States, 1997–98,” published by the National Center for Health Statistics on September 6, 2002, includes two tables that show selected measures of body weight status of U.S. adults. Each table in the published report presents crude rates for the total population and age-specific rates. All other statistics included in the published tables are age adjusted to the 2000 projected U.S. population.

The following two tables are designed as companions to [tables 1](#) and [2](#) of the published report. They provide the crude (unadjusted) estimates for each of the published tables. A subtitle on each table identifies them as “INTERNET RELEASE ONLY.” These tables can be used to estimate the actual number and percent of persons by body weight status, but should not be used for analysis of differences between subgroups except insofar as variations in age composition of the groups are considered. The tables are:

[Table 1](#). Percent of adults 18 years of age and over who were overweight, by selected characteristics: United States, average annual, 1997–98. [CRUDE (unadjusted) estimates, with age-adjusted totals. Companion to Advance Data No. 330. INTERNET RELEASE ONLY]

[Table 2](#). Percent distribution of body weight status for adults 18 years of age and over, by selected characteristics: United States, average annual, 1997–98. [CRUDE (unadjusted) estimates, with age-adjusted totals. Companion to Advance Data No. 330. INTERNET RELEASE ONLY]

Table 1. Percent of adults 18 years of age and over who were overweight, by selected characteristics: United States, average annual, 1997–98

[CRUDE (unadjusted estimates, with age-adjusted totals. Companion to Advance Data No. 330.)

INTERNET RELEASE ONLY

| Selected characteristic | Overweight (BMI of 25 or more) ¹ | | |
|--|---|------------|------------|
| | Both sexes | Men | Women |
| | Percent of adults (standard error) | | |
| Ages 18 years and over (crude) ² | 54.6(0.26) | 62.9(0.38) | 46.8(0.33) |
| Ages 18 years and over (age-adjusted) ^{2,3} | 54.7(0.25) | 62.7(0.37) | 46.9(0.33) |
| Age | | | |
| 18–24 years | 37.5(0.72) | 42.5(1.06) | 32.3(0.95) |
| 25–44 years | 53.7(0.36) | 64.3(0.48) | 43.2(0.47) |
| 45–64 years | 63.5(0.43) | 71.5(0.61) | 55.7(0.61) |
| 65–74 years | 61.1(0.67) | 67.0(0.93) | 56.2(0.91) |
| 75 years and over | 47.2(0.75) | 50.0(1.31) | 45.3(0.88) |
| Race-ethnicity | | | |
| Hispanic | 60.1(0.68) | 65.4(0.91) | 54.6(0.93) |
| White non-Hispanic | 53.3(0.30) | 63.2(0.41) | 43.9(0.39) |
| Black non-Hispanic | 65.0(0.61) | 66.0(1.04) | 64.2(0.71) |
| Asian/Pacific Islander non-Hispanic | 31.1(1.64) | 37.1(2.64) | 25.4(1.79) |
| Education | | | |
| Less than high school graduate | 59.3(0.50) | 60.5(0.76) | 58.2(0.70) |
| GED diploma ⁴ | 59.8(1.31) | 64.3(1.78) | 54.3(1.96) |
| High school graduate | 56.8(0.45) | 64.8(0.65) | 49.9(0.54) |
| Some college - no degree | 53.3(0.59) | 63.5(0.84) | 43.7(0.73) |
| Associate of Arts degree | 56.2(0.81) | 67.3(1.10) | 46.7(1.09) |
| Bachelor of Arts, Science degree | 48.2(0.61) | 61.4(0.84) | 34.8(0.82) |
| Masters, doctorate, medical degree | 47.4(0.88) | 59.0(1.16) | 32.6(1.07) |
| Poverty status ⁵ | | | |
| Below poverty level | 53.9(0.74) | 54.6(1.21) | 53.5(0.85) |
| 1.00–1.99 times poverty level | 56.8(0.60) | 60.4(0.88) | 53.8(0.77) |
| 2.00–3.99 times poverty level | 56.3(0.43) | 63.7(0.64) | 49.0(0.60) |
| 4.00 times poverty level or more | 53.4(0.45) | 66.0(0.62) | 39.1(0.61) |
| Marital status | | | |
| Never married | 45.1(0.59) | 49.0(0.78) | 40.4(0.85) |
| Married | 57.8(0.33) | 68.1(0.45) | 46.9(0.44) |
| Cohabiting | 51.5(1.04) | 59.7(1.48) | 42.6(1.39) |
| Divorced or separated | 56.6(0.55) | 62.3(0.87) | 52.7(0.68) |
| Widowed | 52.5(0.69) | 57.5(1.48) | 51.4(0.76) |
| Geographic region | | | |
| Northeast | 54.3(0.56) | 63.5(0.79) | 46.0(0.65) |
| Midwest | 56.2(0.47) | 64.8(0.66) | 48.0(0.66) |
| South | 55.4(0.46) | 62.9(0.69) | 48.4(0.59) |
| West | 51.3(0.62) | 59.7(0.87) | 43.2(0.70) |
| Place of residence | | | |
| MSA, central city ⁶ | 52.9(0.46) | 59.1(0.67) | 47.4(0.62) |
| MSA, not central city ⁶ | 54.4(0.37) | 64.2(0.48) | 45.1(0.51) |
| Not MSA ⁶ | 57.3(0.61) | 64.8(0.93) | 50.1(0.71) |

¹Body Mass Index (BMI) is calculated as kilograms/meters², using self-reported height and weight. Overweight is defined as a BMI of 25 or more, which includes obese.²Persons of other races and unknown race and ethnicity, unknown education, unknown poverty status, and unknown marital status are included in the total.³Age adjusted to the 2000 projected U.S. population using age groups 18–24 years, 25–44 years, 45–64 years, 65–74 years, and 75 years and over.⁴GED is General Educational Development high school equivalency diploma.⁵Poverty status is based on family income and family size using the U.S. Census Bureau poverty thresholds for 1996 and 1997.⁶MSA is metropolitan statistical area (see Technical notes).

NOTE: Denominator for each percent excludes persons with unknown body mass index.

Table 2. Percent distribution of body weight status for adults 18 years of age and over by selected characteristics: United States, average annual, 1997–98

[CRUDE (unadjusted estimates, with age-adjusted totals. Companion to Advance Data No. 330.)

INTERNET RELEASE ONLY

| Selected characteristic | Total | Body weight status ¹ | | | |
|--|-------|---------------------------------------|----------------|-----------------------------|------------|
| | | Not overweight | | Overweight | |
| | | Underweight | Healthy weight | Overweight, (but not obese) | Obese |
| | | Percent distribution (standard error) | | | |
| Both sexes | | | | | |
| Ages 18 years and over (crude) ² | 100.0 | 2.3(0.08) | 43.0(0.26) | 35.1(0.23) | 19.5(0.19) |
| Ages 18 years and over (age-adjusted) ^{2,3} | 100.0 | 3.6(0.10) | 41.7(0.26) | 35.2(0.22) | 19.5(0.19) |
| Age | | | | | |
| 18–24 years | 100.0 | 4.7(0.35) | 57.8(0.75) | 24.7(0.60) | 12.8(0.50) |
| 25–44 years | 100.0 | 2.0(0.10) | 44.2(0.35) | 34.4(0.34) | 19.4(0.27) |
| 45–64 years | 100.0 | 1.2(0.09) | 35.3(0.43) | 39.2(0.41) | 24.3(0.39) |
| 65–74 years | 100.0 | 1.6(0.16) | 37.3(0.65) | 41.1(0.73) | 20.0(0.56) |
| 75 years and over | 100.0 | 5.0(0.35) | 47.8(0.79) | 34.4(0.69) | 12.8(0.46) |
| Race-ethnicity | | | | | |
| Hispanic | 100.0 | 1.5(0.15) | 38.4(0.65) | 38.1(0.57) | 22.0(0.50) |
| White non-Hispanic | 100.0 | 2.4(0.10) | 44.3(0.30) | 35.0(0.26) | 18.3(0.22) |
| Black non-Hispanic | 100.0 | 1.4(0.14) | 33.6(0.62) | 36.2(0.60) | 28.8(0.55) |
| Asian/Pacific Islander non-Hispanic | 100.0 | 6.4(0.82) | 62.5(1.75) | 24.8(1.43) | 6.3(0.83) |
| Education | | | | | |
| Less than high school graduate | 100.0 | 2.7(0.20) | 38.0(0.51) | 35.7(0.54) | 23.6(0.46) |
| GED diploma ⁴ | 100.0 | 2.4(0.55) | 37.9(1.36) | 34.7(1.31) | 25.0(1.13) |
| High school graduate | 100.0 | 2.4(0.15) | 40.8(0.45) | 36.0(0.44) | 20.8(0.35) |
| Some college - no degree | 100.0 | 2.3(0.16) | 44.3(0.59) | 34.2(0.51) | 19.1(0.42) |
| Associate of arts degree | 100.0 | 1.8(0.20) | 42.0(0.81) | 35.9(0.75) | 20.4(0.68) |
| Bachelor of arts, science degree | 100.0 | 2.3(0.19) | 49.5(0.60) | 34.1(0.55) | 14.1(0.41) |
| Masters, doctorate, medical degree | 100.0 | 1.7(0.22) | 50.9(0.90) | 34.0(0.79) | 13.4(0.57) |
| Poverty status⁵ | | | | | |
| Below poverty level | 100.0 | 3.6(0.25) | 42.5(0.73) | 29.8(0.65) | 24.1(0.59) |
| 1.00–1.99 times poverty level | 100.0 | 2.5(0.20) | 40.7(0.58) | 34.1(0.56) | 22.7(0.47) |
| 2.00–3.99 times poverty level | 100.0 | 2.3(0.14) | 41.4(0.43) | 35.8(0.41) | 20.5(0.36) |
| 4.00 times poverty level or more | 100.0 | 1.7(0.12) | 44.9(0.45) | 36.6(0.42) | 16.8(0.33) |
| Marital status | | | | | |
| Never married | 100.0 | 3.4(0.24) | 51.4(0.57) | 28.4(0.49) | 16.7(0.42) |
| Married | 100.0 | 1.8(0.09) | 40.4(0.32) | 37.6(0.31) | 20.2(0.26) |
| Cohabiting | 100.0 | 2.2(0.31) | 46.3(1.04) | 34.8(0.98) | 16.6(0.78) |
| Divorced or separated | 100.0 | 2.3(0.18) | 41.1(0.54) | 34.5(0.52) | 22.1(0.47) |
| Widowed | 100.0 | 4.0(0.28) | 43.5(0.72) | 33.0(0.62) | 19.6(0.55) |
| Geographic region | | | | | |
| Northeast | 100.0 | 2.1(0.17) | 43.6(0.57) | 35.3(0.44) | 19.0(0.49) |
| Midwest | 100.0 | 2.2(0.14) | 41.6(0.45) | 35.6(0.44) | 20.6(0.39) |
| South | 100.0 | 2.5(0.14) | 42.0(0.45) | 35.0(0.42) | 20.4(0.33) |
| West | 100.0 | 2.4(0.19) | 46.3(0.62) | 34.5(0.49) | 16.8(0.32) |
| Place of residence | | | | | |
| MSA, central city ⁶ | 100.0 | 2.6(0.13) | 44.4(0.47) | 33.7(0.39) | 19.2(0.33) |
| MSA, not central city ⁶ | 100.0 | 2.2(0.11) | 43.4(0.36) | 35.7(0.30) | 18.8(0.29) |
| Not MSA ⁶ | 100.0 | 2.2(0.17) | 40.4(0.59) | 35.7(0.53) | 21.6(0.41) |

See footnotes at end of table.

Table 2. Percent distribution of body weight status for adults 18 years of age and over by selected characteristics: United States, average annual, 1997–98—Con.

[CRUDE (unadjusted estimates, with age-adjusted totals. Companion to Advance Data No. 330.)

INTERNET RELEASE ONLY

| Selected characteristic | Total | Body weight status ¹ | | | |
|--|-------|---------------------------------------|----------------|-----------------------------|------------|
| | | Not overweight | | Overweight | |
| | | Underweight | Healthy weight | Overweight, (but not obese) | Obese |
| Men | | Percent distribution (standard error) | | | |
| Ages 18 years and over (crude) ² | 100.0 | 0.9(0.07) | 36.2(0.37) | 43.4(0.35) | 19.4(0.29) |
| Ages 18 years and over (age-adjusted) ^{2,3} | 100.0 | 1.5(0.09) | 35.8(0.37) | 43.4(0.35) | 19.3(0.29) |
| Age | | | | | |
| 18–24 years | 100.0 | 2.2(0.33) | 55.2(1.09) | 29.8(0.91) | 12.7(0.74) |
| 25–44 years | 100.0 | 0.6(0.07) | 35.1(0.48) | 44.3(0.49) | 20.0(0.40) |
| 45–64 years | 100.0 | 0.6(0.10) | 27.9(0.61) | 47.7(0.65) | 23.8(0.56) |
| 65–74 years | 100.0 | 0.7(0.16) | 32.3(0.92) | 48.0(1.02) | 18.9(0.84) |
| 75 years and over | 100.0 | 2.3(0.39) | 47.7(1.30) | 40.0(1.22) | 10.0(0.70) |
| Race-ethnicity | | | | | |
| Hispanic | 100.0 | 0.8(0.20) | 33.8(0.91) | 43.8(0.82) | 21.5(0.75) |
| White non-Hispanic | 100.0 | 0.9(0.08) | 35.9(0.41) | 44.2(0.41) | 19.0(0.34) |
| Black non-Hispanic | 100.0 | 0.7(0.15) | 33.3(1.04) | 41.6(1.04) | 24.4(0.91) |
| Asian/Pacific Islander non-Hispanic | 100.0 | 2.2(0.60) | 60.8(2.69) | 29.6(2.15) | 7.4(1.34) |
| Education | | | | | |
| Less than high school graduate | 100.0 | 1.5(0.19) | 38.0(0.76) | 39.8(0.77) | 20.7(0.63) |
| GED diploma ⁴ | 100.0 | 2.0(0.78) | 33.6(1.75) | 39.7(1.91) | 24.6(1.62) |
| High school graduate | 100.0 | 1.0(0.16) | 34.1(0.65) | 43.8(0.70) | 21.0(0.56) |
| Some college - no degree | 100.0 | 0.6(0.11) | 36.0(0.82) | 43.5(0.77) | 20.0(0.65) |
| Associate of arts degree | 100.0 | 0.5(0.16) | 32.2(1.10) | 46.1(1.17) | 21.2(0.98) |
| Bachelor of arts, science degree | 100.0 | 0.7(0.14) | 37.8(0.83) | 45.8(0.88) | 15.6(0.68) |
| Masters, doctorate, medical degree | 100.0 | 0.3(0.12) | 40.7(1.17) | 44.5(1.16) | 14.5(0.84) |
| Poverty status⁵ | | | | | |
| Below poverty level | 100.0 | 1.9(0.30) | 43.5(1.19) | 34.2(1.05) | 20.4(0.99) |
| 1.00–1.99 times poverty level | 100.0 | 1.2(0.20) | 38.4(0.87) | 39.2(0.90) | 21.2(0.73) |
| 2.00–3.99 times poverty level | 100.0 | 1.0(0.14) | 35.4(0.63) | 43.2(0.65) | 20.5(0.51) |
| 4.00 times poverty level or more | 100.0 | 0.4(0.08) | 33.6(0.63) | 47.0(0.60) | 19.0(0.48) |
| Marital status | | | | | |
| Never married | 100.0 | 1.6(0.21) | 49.4(0.79) | 33.7(0.67) | 15.3(0.56) |
| Married | 100.0 | 0.7(0.07) | 31.2(0.44) | 46.8(0.48) | 21.3(0.38) |
| Cohabiting | 100.0 | 0.7(0.21) | 39.7(1.48) | 42.2(1.51) | 17.5(1.17) |
| Divorced or separated | 100.0 | 0.7(0.16) | 36.9(0.86) | 43.8(0.87) | 18.6(0.72) |
| Widowed | 100.0 | 1.6(0.36) | 41.0(1.46) | 41.6(1.46) | 15.8(1.19) |
| Geographic region | | | | | |
| Northeast | 100.0 | 0.8(0.13) | 35.8(0.78) | 44.1(0.76) | 19.3(0.75) |
| Midwest | 100.0 | 0.8(0.11) | 34.5(0.65) | 44.8(0.74) | 20.0(0.61) |
| South | 100.0 | 1.1(0.14) | 36.0(0.69) | 42.6(0.60) | 20.3(0.48) |
| West | 100.0 | 0.9(0.14) | 39.4(0.87) | 42.5(0.73) | 17.2(0.54) |
| Place of residence⁶ | | | | | |
| MSA, central city ⁶ | 100.0 | 1.0(0.12) | 39.9(0.68) | 40.9(0.63) | 18.1(0.49) |
| MSA, not central city ⁶ | 100.0 | 0.8(0.10) | 35.0(0.48) | 44.7(0.45) | 19.5(0.44) |
| Not MSA ⁶ | 100.0 | 1.0(0.17) | 34.2(0.88) | 43.7(0.83) | 21.1(0.58) |

See footnotes at end of table.

Table 2. Percent distribution of body weight status for adults 18 years of age and over by selected characteristics: United States, average annual, 1997–98—Con.

[CRUDE (unadjusted estimates, with age-adjusted totals. Companion to Advance Data No. 330.)

INTERNET RELEASE ONLY

| Selected characteristic | Total | Body weight status ¹ | | | |
|--|-------|---------------------------------------|----------------|-----------------------------|------------|
| | | Not overweight | | Overweight | |
| | | Underweight | Healthy weight | Overweight, (but not obese) | Obese |
| Women | | Percent distribution (standard error) | | | |
| Ages 18 years and over (crude) ² | 100.0 | 3.7(0.13) | 49.5(0.33) | 27.2(0.28) | 19.6(0.25) |
| Ages 18 years and over (age-adjusted) ^{2,3} | 100.0 | 5.5(0.15) | 47.6(0.34) | 27.2(0.27) | 19.7(0.27) |
| Age | | | | | |
| 18–24 years | 100.0 | 7.2(0.60) | 60.4(1.01) | 19.5(0.78) | 12.9(0.63) |
| 25–44 years | 100.0 | 3.5(0.18) | 53.3(0.45) | 24.5(0.40) | 18.8(0.36) |
| 45–64 years | 100.0 | 1.8(0.16) | 42.5(0.62) | 30.9(0.53) | 24.7(0.54) |
| 65–74 years | 100.0 | 2.4(0.27) | 41.4(0.91) | 35.3(0.94) | 20.9(0.72) |
| 75 years and over | 100.0 | 6.7(0.50) | 47.9(0.92) | 30.7(0.84) | 14.7(0.63) |
| Race-ethnicity | | | | | |
| Hispanic | 100.0 | 2.3(0.21) | 43.1(0.88) | 32.1(0.79) | 22.6(0.67) |
| White non-Hispanic | 100.0 | 3.8(0.16) | 52.3(0.39) | 26.2(0.32) | 17.7(0.30) |
| Black non-Hispanic | 100.0 | 2.0(0.23) | 33.8(0.71) | 31.8(0.74) | 32.4(0.71) |
| Asian/Pacific Islander non-Hispanic | 100.0 | 10.5(1.45) | 64.1(1.78) | 20.1(1.57) | 5.3(0.94) |
| Education | | | | | |
| Less than high school graduate | 100.0 | 3.9(0.33) | 37.9(0.72) | 31.9(0.66) | 26.3(0.64) |
| GED diploma ⁴ | 100.0 | 2.8(0.65) | 42.9(2.02) | 28.8(1.80) | 25.6(1.72) |
| High school graduate | 100.0 | 3.5(0.23) | 46.5(0.54) | 29.3(0.52) | 20.7(0.46) |
| Some college - no degree | 100.0 | 4.0(0.29) | 52.3(0.74) | 25.4(0.60) | 18.2(0.56) |
| Associate of arts degree | 100.0 | 2.8(0.35) | 50.5(1.08) | 27.1(0.94) | 19.6(0.81) |
| Bachelor of arts, science degree | 100.0 | 3.8(0.34) | 61.4(0.82) | 22.2(0.67) | 12.6(0.50) |
| Masters, doctorate, medical degree | 100.0 | 3.4(0.48) | 63.9(1.12) | 20.6(0.92) | 12.0(0.76) |
| Poverty status ⁵ | | | | | |
| Below poverty level | 100.0 | 4.7(0.37) | 41.9(0.85) | 27.0(0.76) | 26.5(0.74) |
| 1.00–1.99 times poverty level | 100.0 | 3.6(0.31) | 42.6(0.73) | 29.9(0.73) | 23.9(0.62) |
| 2.00–3.99 times poverty level | 100.0 | 3.6(0.24) | 47.4(0.59) | 28.5(0.56) | 20.5(0.48) |
| 4.00 times poverty level or more | 100.0 | 3.2(0.24) | 57.7(0.63) | 24.8(0.53) | 14.3(0.44) |
| Marital status | | | | | |
| Never married | 100.0 | 5.7(0.45) | 53.9(0.84) | 22.0(0.70) | 18.4(0.59) |
| Married | 100.0 | 2.9(0.16) | 50.2(0.44) | 27.9(0.38) | 19.0(0.35) |
| Cohabiting | 100.0 | 3.8(0.60) | 53.6(1.42) | 26.9(1.11) | 15.7(1.01) |
| Divorced or separated | 100.0 | 3.3(0.28) | 44.0(0.67) | 28.2(0.62) | 24.5(0.62) |
| Widowed | 100.0 | 4.6(0.33) | 44.0(0.78) | 30.9(0.68) | 20.5(0.63) |
| Geographic region | | | | | |
| Northeast | 100.0 | 3.2(0.29) | 50.8(0.66) | 27.4(0.60) | 18.7(0.59) |
| Midwest | 100.0 | 3.5(0.26) | 48.5(0.62) | 26.8(0.55) | 21.2(0.52) |
| South | 100.0 | 3.9(0.23) | 47.8(0.58) | 27.8(0.48) | 20.5(0.44) |
| West | 100.0 | 3.9(0.32) | 52.9(0.75) | 26.7(0.57) | 16.5(0.46) |
| Place of residence ⁶ | | | | | |
| MSA, central city ⁶ | 100.0 | 4.1(0.23) | 48.5(0.63) | 27.2(0.53) | 20.2(0.43) |
| MSA, not central city ⁶ | 100.0 | 3.5(0.18) | 51.5(0.49) | 27.0(0.40) | 18.1(0.38) |
| Not MSA ⁶ | 100.0 | 3.5(0.29) | 46.4(0.68) | 28.0(0.54) | 22.1(0.54) |

* Figure does not meet standards of reliability or precision (see Technical notes.)

¹Body weight status was based on Body Mass Index (BMI) using self-reported height and weight. The formula for BMI is kilograms/meters². Underweight is defined as a BMI of less than 18.5; healthy weight is defined as a BMI of at least 18.5 and less than 25; overweight, and not obese, is defined as a BMI of at least 25 and less than 30; and obese is defined as a BMI of 30 or more.²Persons of other races and unknown race and ethnicity, unknown education, unknown poverty status, and unknown marital status are included in the total.³Age adjusted to the 2000 projected U.S. population using age groups 18–24 years, 25–44 years, 45–64 years, 65–74 years, and 75 years and over.⁴GED is General Educational Development high school equivalency diploma.⁵Poverty status is based on family income and family size using U.S. Census Bureau poverty thresholds for 1996 and 1997.⁶MSA is metropolitan statistical area (see Technical notes).

NOTE: Denominator for each percent distribution excludes persons with unknown body mass index.

Table X. Number of adults 18 years of age and over, by selected characteristics, United States, average annual, 1997–98

INTERNET RELEASE ONLY

| Selected characteristic | Both sexes | Men | Women |
|---|-----------------------|--------|---------|
| | Number (in thousands) | | |
| Total ¹ | 196,290 | 94,187 | 102,103 |
| Age | | | |
| 18–24 years | 25,213 | 12,659 | 12,554 |
| 25–44 years | 83,180 | 40,997 | 42,184 |
| 45–64 years | 55,783 | 26,996 | 28,786 |
| 65–74 years | 18,096 | 8,094 | 10,002 |
| 75 years and over | 14,018 | 5,441 | 8,577 |
| Race-ethnicity | | | |
| Hispanic | 19,624 | 9,990 | 9,634 |
| White non-Hispanic | 147,133 | 70,803 | 76,329 |
| Black non-Hispanic | 21,814 | 9,697 | 12,117 |
| Asian/Pacific Islander non-Hispanic | 6,170 | 3,001 | 3,169 |
| Hispanic | 19,624 | 9,990 | 9,634 |
| Education | | | |
| Less than high school graduate | 36,869 | 17,632 | 19,237 |
| GED diploma ² | 4,961 | 2,643 | 2,318 |
| High school graduate | 54,100 | 24,506 | 29,593 |
| Some college - no degree | 37,985 | 18,270 | 19,715 |
| Associate of Arts degree | 17,208 | 7,853 | 9,354 |
| Bachelor of Arts, Science degree | 28,758 | 14,357 | 14,401 |
| Masters, doctorate, medical degree | 14,681 | 8,147 | 6,534 |
| Poverty status ³ | | | |
| Below poverty level | 18,963 | 7,421 | 11,542 |
| 1.00–1.99 times poverty level | 28,596 | 12,972 | 15,624 |
| 2.00–3.99 times poverty level | 52,165 | 25,784 | 26,381 |
| 4.00 times poverty level or more | 58,036 | 30,564 | 27,472 |
| Marital status | | | |
| Never married | 36,462 | 19,912 | 16,550 |
| Married | 116,211 | 58,598 | 57,613 |
| Cohabiting | 9,584 | 4,943 | 4,641 |
| Divorced or separated | 19,890 | 7,941 | 11,949 |
| Widowed | 13,388 | 2,466 | 10,922 |
| Geographic region | | | |
| Northeast | 39,221 | 18,371 | 20,850 |
| Midwest | 49,781 | 24,066 | 25,715 |
| South | 69,991 | 33,655 | 36,336 |
| West | 37,297 | 18,095 | 19,201 |
| Place of residence | | | |
| MSA, central city ⁴ | 56,987 | 26,853 | 30,133 |
| MSA, not central city ⁴ | 97,672 | 47,175 | 50,498 |
| Not MSA ⁴ | 41,631 | 20,159 | 21,472 |

¹Persons of other races and unknown race and ethnicity, unknown education, unknown poverty status, and unknown marital status are included in the total but not shown separately.²GED is General Educational Development high school equivalency diploma.³Poverty status is based on family income and family size using the U.S. Census Bureau poverty thresholds for 1996 and 1997.⁴MSA is metropolitan statistical area (see Technical notes).

NOTE: Population estimates were calculated using the 1997–98 National Health Interview Survey and can be used in conjunction with the unadjusted statistics to calculate the numbers of persons in each category shown in tables 1 and 2.