

Data Brief 136: Pregnancy Rates for U.S. Women Continue to Drop

Data table for figures 1,2, and 4. Pregnancy, live-birth, induced-abortion, and fetal-loss rates, by age and race and Hispanic origin of woman: United States, 1990–2009

[Rates are pregnancy outcomes per 1,000 women in specified group, estimated as of April 1 for 1990 and 2000 and as of July 1 for all other years]

Race and Hispanic origin and year	Age of woman in years									
	15–19									
	Total ¹	Under 15 ²	Total	15–17	18–19	20–24	25–29	30–34	35–39	40–44 ³
All races⁴										
All pregnancies:										
2009	102.1	1.2	65.3	36.4	106.3	153.8	162.0	138.0	77.0	19.2
2008	105.5	1.4	69.8	39.5	114.2	163.0	167.9	141.2	78.5	18.8
2007	107.0	1.5	71.9	40.6	119.6	167.5	171.8	142.5	79.5	18.3
2006	106.6	1.5	72.1	40.9	120.2	169.0	172.9	140.8	79.7	18.0
2005	103.7	1.6	70.2	40.2	116.2	163.4	170.5	137.5	77.7	17.5
2004	104.1	1.6	71.9	41.4	117.6	164.8	174.5	135.1	77.2	17.3
2003	103.7	1.6	73.6	42.9	119.9	166.6	172.0	136.6	73.7	16.8
2002	102.6	1.7	76.3	44.5	124.4	168.9	170.0	133.0	70.4	16.2
2001	103.1	1.8	80.8	47.1	130.8	173.7	169.1	131.9	68.8	15.7
2000	104.5	2.0	85.8	51.6	135.8	180.7	168.9	131.1	67.5	15.4
1999	102.2	2.1	86.9	53.1	136.6	177.8	166.0	125.1	64.7	14.6
1998	102.2	2.3	90.1	56.7	140.3	178.9	164.7	122.4	63.3	14.4
1997	101.6	2.4	92.7	59.5	144.3	178.7	162.5	119.5	61.4	13.9
1996	102.8	2.7	97.0	63.4	149.0	180.5	163.2	118.4	60.6	13.5
1995	103.5	2.9	101.1	67.4	153.4	179.8	162.8	117.0	59.1	13.1
1994	106.1	3.2	106.1	71.1	159.6	184.8	166.1	116.7	58.5	12.9
1993	108.8	3.2	109.4	72.7	164.1	190.4	169.8	116.6	57.7	12.4
1992	111.1	3.3	112.3	73.5	169.3	194.3	173.1	116.6	57.4	12.0
1991	112.7	3.3	116.4	76.1	172.1	196.8	174.9	116.2	56.8	11.3
1990	115.8	3.4	116.8	77.1	167.7	198.5	179.0	118.8	56.9	11.4
Live births:										
2009	66.2	0.5	37.9	19.6	64.0	96.2	111.5	97.5	46.1	10.8
2008	68.1	0.6	40.2	21.1	68.2	101.8	115.0	99.4	46.8	10.6
2007	69.3	0.6	41.5	21.7	71.7	105.4	118.1	100.6	47.6	10.2
2006	68.6	0.6	41.1	21.6	71.2	105.5	118.0	98.9	47.5	10.0
2005	66.7	0.6	39.7	21.1	68.4	101.8	116.5	96.7	46.4	9.7
2004	66.4	0.6	40.5	21.7	68.7	102.1	119.4	94.7	46.2	9.6
2003	66.1	0.6	41.1	22.2	69.6	102.3	116.7	95.7	43.9	9.3
2002	65.0	0.7	42.6	23.1	72.2	103.1	114.7	92.6	41.6	8.8
2001	65.1	0.8	45.0	24.5	75.5	105.6	113.8	91.8	40.5	8.5
2000	65.9	0.9	47.7	26.9	78.1	109.7	113.5	91.2	39.7	8.4
1999	64.4	0.9	48.8	28.2	79.1	107.9	111.2	87.1	37.8	7.8
1998	64.3	1.0	50.3	29.9	80.9	108.4	110.2	85.2	36.9	7.7
1997	63.6	1.1	51.3	31.4	82.1	107.3	108.3	83.0	35.7	7.4
1996	64.1	1.2	53.5	33.3	84.7	107.8	108.6	82.1	34.9	7.1
1995	64.6	1.3	56.0	35.5	87.7	107.5	108.8	81.1	34.0	6.8
1994	65.9	1.4	58.2	37.2	90.2	109.2	111.0	80.4	33.4	6.6
1993	67.0	1.4	59.0	37.5	91.1	111.3	113.2	79.9	32.7	6.3
1992	68.4	1.4	60.3	37.6	93.6	113.7	115.7	79.6	32.3	6.1
1991	69.3	1.4	61.8	38.6	94.0	115.3	117.2	79.2	31.9	5.7
1990	70.9	1.4	59.9	37.5	88.6	116.5	120.2	80.8	31.7	5.6
Induced abortions:										
2009	18.5	0.5	16.3	9.5	25.9	36.0	27.1	17.7	9.8	3.5
2008	19.4	0.6	17.8	10.4	28.6	38.4	28.6	18.4	10.2	3.4
2007	19.4	0.6	18.2	10.8	29.6	38.4	28.8	18.2	10.1	3.4
2006	20.0	0.6	18.9	11.2	30.8	39.8	30.1	18.7	10.4	3.4
2005	19.4	0.7	18.7	11.2	30.3	38.7	29.5	18.2	10.0	3.3
2004	19.7	0.7	19.5	11.6	31.3	39.8	30.0	18.3	9.8	3.3
2003	20.2	0.7	20.4	12.4	32.5	41.4	30.7	18.6	9.8	3.4
2002	20.5	0.7	21.1	12.7	33.8	42.7	31.3	18.8	9.8	3.4
2001	20.9	0.8	22.5	13.4	36.0	44.4	31.5	18.7	9.7	3.3
2000	21.3	0.9	24.0	14.5	37.7	46.3	31.6	18.7	9.7	3.2
1999	21.4	0.9	24.7	15.2	38.6	46.4	31.7	18.3	9.7	3.2
1998	21.5	1.0	25.8	16.4	40.0	47.0	31.7	17.9	9.5	3.2
1997	21.9	1.0	27.1	17.2	42.6	48.1	31.9	17.7	9.5	3.1
1996	22.4	1.1	28.6	18.6	44.0	49.3	32.1	17.7	9.7	3.2
1995	22.5	1.2	29.4	19.5	44.8	49.1	31.5	17.5	9.7	3.2
1994	23.7	1.3	31.6	21.0	47.8	51.9	32.1	18.1	9.9	3.2
1993	25.0	1.4	33.9	22.2	51.2	54.9	33.2	18.6	10.2	3.2
1992	25.7	1.4	35.2	22.9	53.3	55.9	33.5	18.9	10.3	3.2
1991	26.2	1.4	37.4	24.2	55.7	56.4	33.4	19.0	10.4	3.0
1990	27.4	1.5	40.3	26.5	57.9	56.7	33.9	19.7	10.8	3.2

Data Brief 136: Pregnancy Rates for U.S. Women Continue to Drop

Data table for figures 1,2, and 4. Pregnancy, live-birth, induced-abortion, and fetal-loss rates, by age and race and Hispanic origin of woman: United States, 1990–2009—Con.

[Rates are pregnancy outcomes per 1,000 women in specified group, estimated as of April 1 for 1990 and 2000 and as of July 1 for all other years]

Race and Hispanic origin and year	Age of woman in years									
	15–19									
	Total ¹	Under 15 ²	Total	15–17	18–19	20–24	25–29	30–34	35–39	40–44 ³
All races—Con.										
Fetal losses: ⁵										
2009	17.4	0.2	11.1	7.3	16.4	21.6	23.4	22.9	21.1	4.9
2008	17.9	0.2	11.8	7.9	17.5	22.9	24.2	23.3	21.5	4.8
2007	18.2	0.2	12.2	8.1	18.4	23.7	24.8	23.6	21.8	4.7
2006	18.1	0.2	12.1	8.1	18.3	23.7	24.8	23.2	21.8	4.6
2005	17.6	0.2	11.7	7.9	17.5	22.9	24.5	22.6	21.2	4.4
2004	17.6	0.2	11.9	8.1	17.6	22.9	25.1	22.0	21.2	4.4
2003	17.4	0.2	12.1	8.3	17.8	23.0	24.5	22.3	20.1	4.2
2002	17.1	0.3	12.6	8.7	18.5	23.1	24.1	21.6	19.1	4.0
2001	17.1	0.3	13.3	9.2	19.4	23.7	23.9	21.4	18.6	3.9
2000	17.3	0.3	14.1	10.1	20.0	24.6	23.9	21.2	18.2	3.8
1999	16.5	0.3	13.5	9.8	18.9	23.5	23.0	19.8	17.2	3.6
1998	16.4	0.3	14.0	10.4	19.4	23.6	22.8	19.3	16.8	3.5
1997	16.2	0.4	14.3	10.9	19.6	23.3	22.4	18.8	16.2	3.4
1996	16.3	0.4	15.0	11.6	20.3	23.4	22.5	18.6	15.9	3.2
1995	16.3	0.5	15.7	12.3	21.0	23.3	22.6	18.4	15.5	3.1
1994	16.6	0.5	16.3	12.9	21.6	23.7	23.0	18.2	15.2	3.0
1993	16.7	0.5	16.5	13.0	21.8	24.2	23.5	18.1	14.9	2.9
1992	17.0	0.5	16.8	13.0	22.4	24.7	24.0	18.1	14.7	2.8
1991	17.1	0.5	17.2	13.4	22.5	25.1	24.3	18.0	14.5	2.6
1990	17.4	0.5	16.6	13.0	21.2	25.3	24.9	18.3	14.4	2.6
Non-Hispanic white										
All pregnancies:										
2009	85.7	0.5	42.6	20.5	73.5	118.1	145.3	130.6	70.7	16.7
2008	87.5	0.5	44.8	21.6	78.0	124.2	149.8	132.5	71.9	16.2
2007	88.1	0.5	45.9	22.3	81.3	127.2	152.6	133.2	73.4	15.7
2006	87.3	0.5	45.4	22.4	80.4	127.5	152.9	131.4	74.3	15.5
2005	85.4	0.6	44.6	21.9	79.0	124.1	151.9	129.3	73.0	15.1
2004	85.3	0.6	45.8	22.8	80.1	124.4	152.7	129.3	71.5	15.0
2003	85.5	0.6	47.7	24.2	82.9	126.7	153.5	129.7	69.1	14.7
2002	83.9	0.6	49.6	25.4	86.3	127.6	150.9	125.7	65.3	14.0
2001	84.4	0.6	52.9	27.3	91.4	131.9	150.1	124.9	63.7	13.6
2000	85.7	0.7	56.9	30.2	96.4	138.1	150.4	123.7	62.5	13.4
1999	84.8	0.8	59.0	32.4	98.2	137.7	148.9	119.9	60.3	12.9
1998	85.2	0.9	61.8	35.4	101.8	139.8	148.3	117.3	59.1	12.6
1997	84.8	1.0	64.5	37.9	106.1	140.0	146.0	114.0	57.0	12.0
1996	85.6	1.0	67.2	40.3	109.1	141.1	146.6	112.3	56.0	11.7
1995	86.6	1.2	70.6	43.0	113.7	142.4	147.4	110.9	54.4	11.2
1994	88.0	1.2	73.4	44.7	117.4	144.9	149.2	109.7	53.4	10.9
1993	90.0	1.3	75.9	46.0	120.8	149.5	152.3	108.7	52.2	10.4
1992	92.0	1.3	78.3	46.6	125.3	152.8	155.6	108.2	51.5	10.0
1991	94.4	1.3	83.8	50.1	130.4	157.6	158.9	108.2	51.3	9.3
1990	98.3	1.4	86.8	52.5	129.8	162.1	164.0	110.9	51.4	9.4
Live births:										
2009	59.6	0.2	25.7	11.0	46.2	79.2	107.1	99.7	44.4	9.8
2008	60.5	0.2	26.7	11.6	48.6	82.8	109.7	100.8	45.2	9.6
2007	61.0	0.2	27.2	11.9	50.4	85.1	112.0	101.5	46.3	9.3
2006	60.3	0.2	26.7	11.8	49.4	85.1	112.2	100.0	46.8	9.1
2005	59.0	0.2	26.0	11.5	48.0	82.7	111.7	98.4	46.0	8.9
2004	58.9	0.2	26.7	12.0	48.6	83.0	112.1	98.3	45.1	8.8
2003	58.9	0.2	27.4	12.4	50.0	84.1	112.7	98.4	43.5	8.6
2002	57.6	0.2	28.6	13.1	52.0	84.7	110.3	95.0	40.9	8.1
2001	57.7	0.3	30.3	14.0	54.7	87.0	109.6	94.3	39.8	7.9
2000	58.5	0.3	32.6	15.8	57.5	91.2	109.4	93.2	38.8	7.7
1999	57.7	0.3	34.1	17.1	59.4	90.6	108.6	89.5	37.3	7.3
1998	57.6	0.3	35.3	18.3	60.9	91.2	107.4	87.2	36.4	7.1
1997	56.8	0.4	36.0	19.3	62.1	90.0	104.8	84.3	34.8	6.8
1996	57.1	0.4	37.6	20.6	64.0	90.1	104.9	82.8	33.9	6.5
1995	57.5	0.4	39.3	22.0	66.2	90.2	105.1	81.5	32.8	6.1
1994	58.2	0.5	40.4	22.7	67.6	90.9	106.6	80.2	32.0	5.9
1993	58.9	0.5	40.7	22.7	67.7	92.2	108.2	79.0	31.0	5.6
1992	60.0	0.5	41.6	22.7	69.7	93.8	110.7	78.3	30.4	5.3
1991	60.9	0.5	43.3	23.6	70.5	95.7	112.2	77.7	30.2	4.8
1990	62.8	0.5	42.6	23.3	66.9	97.9	115.3	79.2	29.9	4.8

Data Brief 136: Pregnancy Rates for U.S. Women Continue to Drop

Data table for figures 1,2, and 4. Pregnancy, live-birth, induced-abortion, and fetal-loss rates, by age and race and Hispanic origin of woman: United States, 1990–2009—Con.

[Rates are pregnancy outcomes per 1,000 women in specified group, estimated as of April 1 for 1990 and 2000 and as of July 1 for all other years]

Race and Hispanic origin and year	Total ¹	Under 15 ²	Age of woman in years									
			15–19									
			Total	15–17	18–19	20–24	25–29	30–34	35–39	40–44 ³		
Non-Hispanic white—Con.												
Induced abortions:												
2009	10.2	0.2	9.6	5.3	15.5	20.8	14.0	9.1	6.1	2.4		
2008	10.9	0.2	10.4	5.7	17.0	22.5	15.3	9.7	6.1	2.2		
2007	10.8	0.2	10.8	6.0	18.0	22.6	15.2	9.5	6.0	2.2		
2006	10.9	0.2	11.0	6.2	18.4	22.9	15.3	9.5	6.3	2.2		
2005	10.6	0.3	11.1	6.1	18.7	22.4	14.9	9.4	6.1	2.2		
2004	10.6	0.3	11.4	6.3	19.0	22.4	15.1	9.5	5.8	2.1		
2003	10.9	0.3	12.3	7.2	20.1	23.3	15.3	9.8	5.9	2.2		
2002	10.9	0.3	12.7	7.3	21.0	23.4	15.5	9.9	5.7	2.2		
2001	11.3	0.3	13.9	8.0	22.7	24.9	15.7	10.0	5.8	2.1		
2000	11.7	0.3	14.8	8.5	24.1	26.0	16.2	10.2	6.0	2.2		
1999	11.9	0.4	15.5	9.4	24.6	26.3	16.6	10.2	6.1	2.2		
1998	12.5	0.4	16.9	10.7	26.3	27.7	17.5	10.4	6.3	2.2		
1997	13.2	0.5	18.6	11.8	29.1	29.4	18.3	10.7	6.4	2.2		
1996	13.6	0.5	19.3	12.6	29.8	30.3	18.8	10.8	6.7	2.3		
1995	14.2	0.6	20.5	13.4	31.6	31.6	19.3	11.1	6.7	2.3		
1994	14.8	0.6	21.8	14.1	33.7	33.2	19.2	11.4	6.7	2.3		
1993	16.1	0.6	24.0	15.4	36.9	36.2	20.4	11.9	7.1	2.3		
1992	16.7	0.7	25.3	16.0	38.9	37.5	20.8	12.2	7.2	2.3		
1991	18.1	0.7	28.7	18.3	43.0	40.0	22.2	13.0	7.5	2.2		
1990	19.7	0.8	32.5	21.1	46.8	41.9	23.4	13.8	7.9	2.4		
Fetal losses: ⁵												
2009	15.8	0.1	7.3	4.1	11.8	18.2	24.3	21.8	20.2	4.5		
2008	16.1	0.1	7.7	4.3	12.4	19.0	24.9	22.1	20.6	4.4		
2007	16.3	0.1	7.8	4.4	12.9	19.5	25.4	22.2	21.1	4.2		
2006	16.1	0.1	7.7	4.4	12.6	19.5	25.5	21.9	21.3	4.2		
2005	15.8	0.1	7.5	4.3	12.3	19.0	25.3	21.5	21.0	4.0		
2004	15.7	0.1	7.7	4.5	12.5	19.0	25.4	21.5	20.5	4.0		
2003	15.7	0.1	7.9	4.7	12.8	19.3	25.6	21.5	19.8	3.9		
2002	15.4	0.1	8.3	4.9	13.3	19.4	25.0	20.8	18.7	3.7		
2001	15.4	0.1	8.8	5.2	14.0	20.0	24.9	20.7	18.1	3.6		
2000	15.6	0.1	9.5	5.9	14.7	20.9	24.8	20.4	17.7	3.5		
1999	15.2	0.1	9.3	5.9	14.2	20.8	23.7	20.2	16.9	3.3		
1998	15.1	0.1	9.6	6.4	14.6	20.9	23.5	19.7	16.5	3.2		
1997	14.9	0.1	9.9	6.7	14.9	20.6	22.9	19.0	15.8	3.1		
1996	14.9	0.1	10.3	7.2	15.3	20.6	22.9	18.7	15.4	2.9		
1995	14.9	0.2	10.8	7.6	15.8	20.6	23.0	18.4	14.9	2.8		
1994	15.0	0.2	11.2	7.9	16.2	20.8	23.3	18.1	14.6	2.7		
1993	15.1	0.2	11.2	7.9	16.2	21.1	23.7	17.8	14.1	2.5		
1992	15.2	0.2	11.4	7.9	16.7	21.5	24.2	17.7	13.8	2.4		
1991	15.4	0.2	11.8	8.2	16.9	21.9	24.5	17.5	13.7	2.2		
1990	15.8	0.2	11.6	8.1	16.0	22.4	25.2	17.9	13.6	2.2		
Non-Hispanic black												
All pregnancies:												
2009	140.2	3.3	113.7	67.3	179.9	250.7	211.2	154.1	79.8	21.3		
2008	144.3	3.8	121.6	72.8	193.8	261.6	216.2	157.7	81.1	21.3		
2007	144.2	4.1	123.5	74.4	200.9	264.3	218.0	155.5	80.4	21.0		
2006	145.9	4.1	128.0	80.6	204.5	267.9	222.6	155.5	80.8	20.5		
2005	140.0	4.4	122.1	75.2	197.3	257.6	216.4	148.2	77.3	20.4		
2004	140.2	4.4	126.7	79.7	200.2	259.9	216.2	146.1	75.7	19.7		
2003	141.2	4.5	130.9	83.7	204.3	265.0	217.2	146.2	74.2	19.0		
2002	143.0	5.0	138.2	88.1	215.7	272.5	217.8	144.3	72.6	19.0		
2001	146.2	5.5	148.0	94.8	228.2	284.0	218.5	144.4	72.4	18.3		
2000	151.0	6.2	160.5	106.2	239.9	301.4	218.5	144.1	72.2	18.3		
1999	148.0	6.4	161.9	106.4	242.9	298.9	214.6	134.8	70.3	16.9		
1998	148.7	7.0	168.4	114.5	247.8	299.1	213.4	133.5	69.1	17.0		
1997	148.9	7.6	174.7	121.3	257.3	296.7	210.2	132.0	68.0	16.7		
1996	150.5	8.6	182.2	129.7	264.0	297.1	209.3	130.9	67.1	16.3		
1995	151.3	9.6	189.6	139.4	268.4	291.7	205.3	130.8	66.3	15.8		
1994	161.7	10.9	207.3	152.9	292.2	313.3	215.4	134.7	67.6	15.8		
1993	170.6	11.1	219.0	161.9	305.1	331.5	224.7	139.3	68.9	15.8		
1992	175.2	11.5	226.0	165.2	314.8	339.3	228.8	139.6	68.7	15.2		
1991	177.9	11.7	231.8	170.5	316.0	342.1	228.8	139.2	67.6	15.1		
1990	181.8	12.2	232.7	172.0	312.6	340.2	232.7	141.7	68.0	15.3		

Data Brief 136: Pregnancy Rates for U.S. Women Continue to Drop

Data table for figures 1,2, and 4. Pregnancy, live-birth, induced-abortion, and fetal-loss rates, by age and race and Hispanic origin of woman: United States, 1990–2009—Con.

[Rates are pregnancy outcomes per 1,000 women in specified group, estimated as of April 1 for 1990 and 2000 and as of July 1 for all other years]

Race and Hispanic origin and year	Total ¹	Under 15 ²	Age of woman in years									
			15–19									
			Total	15–17	18–19	20–24	25–29	30–34	35–39	40–44 ³		
Non-Hispanic black—Con.												
Live births:												
2009	68.9	1.1	56.8	31.0	93.5	125.9	106.0	73.9	36.1	9.5		
2008	70.8	1.4	60.4	33.6	100.0	131.5	108.8	75.3	36.3	9.3		
2007	71.4	1.4	62.0	34.6	105.2	134.5	110.5	74.7	36.2	9.2		
2006	70.7	1.5	61.9	38.1	105.0	134.4	110.0	73.2	35.9	8.8		
2005	67.2	1.6	59.4	34.1	100.2	127.9	105.5	68.8	34.2	8.7		
2004	67.1	1.6	61.8	36.4	101.5	127.8	104.9	67.8	33.6	8.2		
2003	67.1	1.6	63.7	38.2	103.4	128.8	103.9	67.7	33.4	8.1		
2002	67.5	1.9	67.7	40.6	109.5	131.4	103.1	66.5	32.1	7.9		
2001	69.1	2.1	73.1	44.8	115.8	137.3	102.7	66.4	32.0	7.6		
2000	71.4	2.4	79.2	50.1	121.9	145.4	102.8	66.5	31.8	7.5		
1999	69.9	2.6	81.0	51.7	123.9	142.1	99.8	63.9	30.6	6.8		
1998	70.9	2.9	85.7	56.8	128.2	142.5	99.9	64.4	30.4	6.9		
1997	70.3	3.2	88.3	60.7	131.0	138.8	97.2	63.6	29.6	6.8		
1996	70.7	3.6	91.9	64.8	134.1	137.0	96.7	63.2	29.1	6.4		
1995	72.8	4.2	97.2	70.4	139.2	137.8	98.5	64.4	28.8	6.3		
1994	77.5	4.6	105.7	77.0	150.4	146.8	104.1	66.3	29.1	6.2		
1993	81.5	4.6	110.5	81.1	154.6	154.5	109.2	68.1	29.4	6.1		
1992	84.5	4.8	114.7	82.9	161.0	160.8	112.8	68.4	29.1	5.8		
1991	87.0	4.9	118.2	86.1	162.2	164.8	115.1	68.9	28.7	5.7		
1990	89.0	5.0	116.2	84.9	157.5	165.2	118.3	70.2	28.6	5.8		
Induced abortions:												
2009	49.8	1.8	40.3	24.8	62.4	93.8	78.7	50.4	24.0	6.6		
2008	51.5	2.0	43.4	26.7	68.2	97.7	80.1	52.0	25.0	6.9		
2007	50.6	2.1	43.1	26.8	68.8	96.7	79.8	50.5	24.5	6.8		
2006	52.7	2.0	45.2	28.3	72.5	100.4	85.1	52.7	25.4	6.9		
2005	51.8	2.2	44.9	28.3	71.5	98.3	84.5	51.5	24.5	7.0		
2004	52.2	2.2	46.4	29.6	72.6	100.6	85.0	50.8	23.8	7.0		
2003	53.1	2.4	48.1	31.2	74.4	104.6	87.2	51.0	22.7	6.5		
2002	54.4	2.4	50.2	32.2	78.1	108.8	88.8	50.9	23.1	6.8		
2001	55.5	2.6	53.0	33.3	82.7	113.0	90.0	51.1	22.9	6.5		
2000	57.4	2.9	57.4	37.3	86.8	120.2	89.9	50.7	23.0	6.6		
1999	57.2	3.0	58.1	36.7	89.4	120.8	90.3	49.0	22.7	6.3		
1998	56.5	3.2	58.6	38.0	89.0	120.3	89.0	47.0	21.9	6.2		
1997	57.5	3.2	61.3	39.5	95.0	122.7	89.3	46.6	22.0	6.2		
1996	58.6	3.8	64.1	42.4	97.9	125.3	88.9	46.1	21.9	6.4		
1995	56.7	3.9	64.6	44.6	96.0	118.9	82.8	44.3	21.4	6.1		
1994	61.1	4.6	71.2	49.1	105.8	129.2	85.9	45.7	22.3	6.2		
1993	65.0	4.8	76.9	52.6	113.5	137.7	88.8	47.9	23.1	6.3		
1992	65.9	5.1	78.6	53.5	115.2	137.6	88.4	47.7	23.4	6.2		
1991	65.5	5.1	80.0	54.5	115.0	135.4	85.4	46.8	22.9	6.2		
1990	67.0	5.4	83.5	57.7	117.4	133.1	85.4	47.5	23.5	6.4		
Fetal losses: ⁵												
2009	21.5	0.4	16.7	11.6	24.0	31.0	26.6	29.9	19.7	5.2		
2008	22.1	0.5	17.8	12.6	25.6	32.3	27.3	30.5	19.8	5.1		
2007	22.2	0.5	18.4	13.0	26.9	33.1	27.7	30.2	19.7	5.0		
2006	22.1	0.6	19.1	14.3	26.9	33.0	27.6	29.6	19.5	4.8		
2005	21.0	0.6	17.7	12.8	25.7	31.4	26.4	27.9	18.6	4.7		
2004	21.0	0.6	18.5	13.7	26.0	31.4	26.3	27.4	18.3	4.5		
2003	21.0	0.6	19.1	14.3	26.5	31.6	26.1	27.4	18.2	4.4		
2002	21.1	0.7	20.3	15.2	28.1	32.3	25.9	26.9	17.5	4.3		
2001	21.6	0.8	21.9	16.8	29.7	33.8	25.8	26.9	17.4	4.1		
2000	22.2	0.9	23.8	18.8	31.2	35.7	25.8	26.9	17.3	4.1		
1999	20.9	0.9	22.7	18.0	29.6	36.1	24.4	21.9	17.0	3.8		
1998	21.3	1.0	24.1	19.7	30.7	36.2	24.5	22.1	16.9	3.9		
1997	21.1	1.1	25.1	21.1	31.3	35.3	23.8	21.8	16.4	3.8		
1996	21.2	1.3	26.2	22.5	32.1	34.8	23.7	21.6	16.2	3.5		
1995	21.8	1.5	27.9	24.4	33.3	35.0	24.1	22.0	16.0	3.5		
1994	23.1	1.6	30.4	26.8	36.0	37.3	25.5	22.7	16.2	3.4		
1993	24.1	1.6	31.7	28.2	37.0	39.3	26.7	23.3	16.4	3.4		
1992	24.8	1.7	32.7	28.8	38.5	40.9	27.6	23.4	16.2	3.2		
1991	25.4	1.7	33.7	29.9	38.8	41.9	28.2	23.6	16.0	3.2		
1990	25.8	1.7	33.0	29.5	37.7	42.0	29.0	24.0	15.9	3.2		

Data Brief 136: Pregnancy Rates for U.S. Women Continue to Drop

Data table for figures 1,2, and 4. Pregnancy, live-birth, induced-abortion, and fetal-loss rates, by age and race and Hispanic origin of woman: United States, 1990–2009—Con.

[Rates are pregnancy outcomes per 1,000 women in specified group, estimated as of April 1 for 1990 and 2000 and as of July 1 for all other years]

Race and Hispanic origin and year	Age of woman in years									
	15–19									
	Total ¹	Under 15 ²	Total	15–17	18–19	20–24	25–29	30–34	35–39	40–44 ³
Hispanic⁶										
All pregnancies:										
2009	127.6	1.9	100.1	61.1	158.9	208.2	185.7	142.7	84.3	23.9
2008	136.9	2.2	111.5	69.7	176.4	229.5	197.1	149.2	87.2	23.9
2007	143.7	2.2	119.9	74.1	193.3	243.3	206.7	153.4	89.0	23.8
2006	146.2	2.4	123.5	75.4	199.7	248.8	209.6	153.4	88.8	24.0
2005	143.3	2.4	122.3	76.6	193.6	240.9	205.1	150.4	86.5	23.2
2004	143.9	2.4	127.1	80.2	198.5	241.9	203.4	148.5	85.4	22.7
2003	144.2	2.5	127.5	80.6	198.4	243.2	203.6	147.3	83.2	23.0
2002	144.8	2.7	131.8	83.9	203.0	245.6	201.8	144.6	81.9	22.6
2001	145.9	3.0	137.7	87.9	209.4	247.5	200.6	143.9	80.7	22.2
2000	147.5	3.3	143.9	94.8	213.9	250.3	200.8	143.3	78.8	21.8
1999	143.5	3.5	143.2	97.0	209.6	241.1	198.6	136.4	75.9	20.4
1998	143.9	3.8	146.3	100.3	214.5	243.2	199.1	133.7	74.2	20.6
1997	144.3	4.0	147.7	102.6	215.5	245.8	199.9	131.6	73.6	20.5
1996	149.4	4.4	157.1	109.4	228.4	256.5	204.4	134.0	74.9	20.3
1995	151.2	4.7	163.3	115.5	234.2	259.6	203.2	133.4	74.8	20.5
1994	156.6	4.9	169.0	120.3	240.7	270.1	208.8	136.5	75.8	21.1
1993	160.6	4.9	170.3	117.8	247.9	277.3	213.8	139.9	76.6	20.8
1992	166.2	4.9	174.0	119.7	253.9	286.6	219.3	144.1	80.1	21.7
1991	164.1	4.6	173.7	117.4	254.3	279.5	217.0	141.3	77.3	20.6
1990	164.2	4.4	167.4	113.0	242.4	271.2	219.3	145.4	78.1	21.0
Live births:										
2009	86.5	1.0	63.6	37.3	103.3	140.1	134.3	100.8	52.5	14.0
2008	92.7	1.1	70.3	42.2	114.0	154.1	142.3	105.3	54.0	14.0
2007	97.4	1.2	75.3	44.4	124.7	164.6	149.5	108.5	55.0	13.8
2006	98.3	1.2	77.4	45.1	128.7	166.7	149.9	107.5	54.6	13.7
2005	96.4	1.3	76.5	45.8	124.4	161.1	147.0	105.6	53.3	13.4
2004	95.7	1.2	78.1	47.3	124.8	159.2	144.7	103.4	52.2	12.9
2003	95.2	1.3	78.4	47.6	124.8	159.1	144.0	101.5	50.1	12.7
2002	94.7	1.4	80.6	49.3	127.1	159.0	141.6	98.3	48.8	12.3
2001	95.4	1.5	84.4	51.9	131.3	160.5	140.8	97.8	47.9	12.1
2000	95.9	1.7	87.3	55.5	132.6	161.3	139.9	97.1	46.6	12.0
1999	93.0	1.9	86.8	56.9	129.5	157.3	135.8	92.3	44.5	11.1
1998	93.2	1.9	87.9	58.5	131.5	159.3	136.1	90.5	43.4	11.3
1997	94.2	2.1	89.6	61.1	132.4	162.6	137.5	89.6	43.4	11.2
1996	97.5	2.4	94.6	64.2	140.0	170.2	140.7	91.3	43.9	11.2
1995	98.8	2.6	99.3	68.3	145.4	171.9	140.4	90.5	43.7	11.2
1994	100.7	2.6	101.3	69.9	147.5	175.7	142.4	91.1	43.4	11.1
1993	103.3	2.6	101.8	68.5	151.1	180.0	146.0	93.2	44.1	11.1
1992	106.1	2.5	103.3	68.9	153.8	185.1	148.7	94.7	45.3	11.4
1991	106.9	2.4	104.6	69.2	155.4	184.6	149.9	95.0	44.7	11.1
1990	107.6	2.4	100.2	65.8	147.6	180.8	152.8	98.1	45.2	11.4
Induced abortions:										
2009	21.8	0.6	17.5	9.8	29.1	41.7	31.9	20.3	11.2	4.4
2008	23.8	0.6	20.1	11.7	33.2	46.4	34.0	21.1	12.0	4.3
2007	24.8	0.6	22.1	13.0	36.7	47.7	35.5	21.5	12.4	4.6
2006	26.2	0.7	22.9	13.4	38.1	50.6	37.9	22.7	12.7	4.8
2005	25.7	0.7	22.9	13.6	37.4	49.5	36.7	22.0	12.3	4.5
2004	27.2	0.7	25.7	15.1	41.7	52.8	37.6	22.8	12.6	4.7
2003	28.2	0.7	25.7	15.1	41.6	54.1	38.7	23.9	13.3	5.3
2002	29.4	0.8	27.0	16.0	43.3	56.6	39.6	25.0	13.9	5.4
2001	29.6	0.9	28.0	16.6	44.4	56.7	39.2	25.0	13.9	5.3
2000	30.6	1.0	30.3	18.4	47.3	58.6	40.5	25.2	13.8	5.0
1999	31.4	1.0	32.1	20.2	49.1	60.3	41.5	25.2	14.1	5.0
1998	31.6	1.1	33.7	21.5	51.6	60.1	41.6	24.6	14.0	5.0
1997	30.7	1.1	32.7	20.3	51.4	58.8	40.8	23.7	13.4	4.9
1996	31.9	1.2	35.7	22.9	54.9	60.9	41.6	24.1	14.0	4.8
1995	32.2	1.2	35.8	23.5	54.0	62.1	40.8	24.4	14.3	5.0
1994	35.4	1.4	39.0	26.1	58.0	68.2	44.1	26.8	15.6	5.7
1993	36.4	1.4	39.7	25.5	60.7	70.4	45.0	27.6	15.4	5.4
1992	38.8	1.5	41.6	26.8	63.3	73.9	47.3	29.9	17.2	5.9
1991	35.8	1.4	39.6	24.2	61.7	67.4	43.6	26.8	15.4	5.2
1990	35.1	1.1	39.1	24.3	59.5	63.4	42.6	27.2	15.4	5.2

Data Brief 136: Pregnancy Rates for U.S. Women Continue to Drop

Data table for figures 1,2, and 4. Pregnancy, live-birth, induced-abortion, and fetal-loss rates, by age and race and Hispanic origin of woman: United States, 1990–2009—Con.

[Rates are pregnancy outcomes per 1,000 women in specified group, estimated as of April 1 for 1990 and 2000 and as of July 1 for all other years]

Race and Hispanic origin and year	Total ¹	Under 15 ²	Age of woman in years									
			15–19									
			Total	15–17	18–19	20–24	25–29	30–34	35–39	40–44 ³		
Hispanic⁶—Con.												
Fetal losses: ⁵												
2009	19.2	0.4	19.0	14.0	26.5	26.4	19.5	21.7	20.7	5.5		
2008	20.5	0.4	21.1	15.8	29.2	29.0	20.7	22.7	21.3	5.5		
2007	21.5	0.4	22.5	16.7	32.0	31.0	21.7	23.4	21.7	5.4		
2006	21.6	0.5	23.1	16.9	33.0	31.4	21.8	23.2	21.5	5.4		
2005	21.2	0.5	22.9	17.2	31.9	30.4	21.4	22.8	21.0	5.3		
2004	21.0	0.5	23.4	17.8	32.0	30.0	21.1	22.3	20.6	5.1		
2003	20.9	0.5	23.5	17.9	32.0	30.0	20.9	21.9	19.8	5.0		
2002	20.7	0.5	24.2	18.5	32.6	30.0	20.6	21.2	19.2	4.8		
2001	20.9	0.6	25.3	19.5	33.7	30.3	20.5	21.1	18.9	4.8		
2000	21.0	0.6	26.3	20.8	34.0	30.4	20.4	20.9	18.4	4.7		
1999	19.0	0.6	24.4	19.8	31.0	23.5	21.3	18.9	17.2	4.3		
1998	19.1	0.7	24.8	20.3	31.4	23.8	21.4	18.5	16.8	4.4		
1997	19.3	0.7	25.4	21.2	31.7	24.3	21.6	18.4	16.8	4.3		
1996	20.0	0.8	26.8	22.3	33.5	25.4	22.1	18.7	17.0	4.3		
1995	20.2	0.9	28.2	23.7	34.8	25.7	22.0	18.5	16.9	4.3		
1994	20.5	0.9	28.7	24.3	35.3	26.3	22.3	18.7	16.8	4.3		
1993	20.9	0.9	28.8	23.8	36.1	26.9	22.9	19.1	17.0	4.3		
1992	21.4	0.9	29.1	23.9	36.8	27.7	23.3	19.4	17.5	4.4		
1991	21.5	0.8	29.4	24.0	37.2	27.6	23.5	19.5	17.3	4.3		
1990	21.5	0.8	28.1	22.9	35.3	27.0	24.0	20.1	17.5	4.4		

¹Rates computed by relating the number of events to women of all ages to women aged 15–44.

²Rates computed by relating the number of events to women under age 15 to women aged 10–14.

³Rates computed by relating the number of events to women aged 40 and over to women aged 40–44.

⁴Includes races other than white and black and origin not stated.

⁵Spontaneous fetal losses from recognized pregnancies of all gestational periods, as estimated from reports from women in the 1995, 2002, and 2006–2010 National Surveys of Family Growth. The rate of fetal loss depends on the degree to which losses at very early gestations are detected. See references 1 and 2 for more information.

⁶Includes all persons of Hispanic origin of any race.

NOTES: Due to sample size limitations in any given year, fetal loss proportions for teenagers for 1990–2009 are based on the 1988, 1995, 2002, and 2006–2010 National Surveys of Family Growth. For information on sources and methods of estimation, see references 1 and 2.

Data Brief 136: Pregnancy Rates for U.S. Women Continue to Drop**Data table for figure 3. Pregnancy, live-birth, and induced-abortion rates for teenagers aged 15–19: United States, 1976–2012**

[Rates per 1,000 women aged 15–19, estimated as of April 1 for 1980, 1990, 2000, and 2010 and as of July 1 for all other years]

Year	Pregnancy	Live birth	Induced abortion
2012	---	29.4	---
2011	---	31.3	---
2010	---	34.2	---
2009	65.3	37.9	16.3
2008	69.8	40.2	17.8
2007	71.9	41.5	18.2
2006	72.1	41.1	18.9
2005	70.2	39.7	18.7
2004	71.9	40.5	19.5
2003	73.6	41.1	20.4
2002	76.3	42.6	21.1
2001	80.8	45.0	22.5
2000	85.8	47.7	24.0
1999	86.9	48.8	24.7
1998	90.1	50.3	25.8
1997	92.7	51.3	27.1
1996	97.0	53.5	28.6
1995	101.1	56.0	29.4
1994	106.1	58.2	31.6
1993	109.4	59.0	33.9
1992	112.3	60.3	35.2
1991	116.4	61.8	37.4
1990	116.8	59.9	40.3
1989	113.0	57.3	42.0
1988	109.9	53.0	43.5
1987	104.8	50.6	41.8
1986	104.7	50.2	42.3
1985	106.9	51.0	43.5
1984	105.8	50.6	42.9
1983	107.2	51.4	43.2
1982	107.8	52.4	42.7
1981	109.2	52.2	42.9
1980	110.0	53.0	42.7
1979	108.8	52.3	42.4
1978	105.1	51.5	39.7
1977	104.7	52.8	37.5
1976	101.4	52.8	34.3

—Data not available.

Data Brief 136: Pregnancy Rates for U.S. Women Continue to Drop

Data table for figure 5. Pregnancy, live-birth, induced-abortion, and fetal-loss rates, by marital status and race and Hispanic origin: United States, 1990–2009

[Rates per 1,000 women aged 15–44 in specified group; populations estimated as of July 1 for each year]

Race and Hispanic origin and year	Married				Unmarried			
	All pregnancies	Live birth	Induced abortion	Fetal loss	All pregnancies	Live birth	Induced abortion	Fetal loss
All races								
2009	114.1	85.6	6.1	22.4	92.1	49.9	28.9	13.3
2008	116.2	86.9	6.5	22.8	96.2	51.8	30.7	13.7
2007	119.2	89.1	6.8	23.3	96.1	51.8	30.6	13.8
2006	119.2	88.7	7.2	23.3	95.3	50.3	31.6	13.4
2005	117.9	87.9	7.0	23.0	90.6	47.2	30.9	12.6
2004	118.3	88.1	7.1	23.2	89.9	46.0	31.6	12.3
2003	118.9	88.4	7.4	23.1	89.1	44.7	32.5	11.9
2002	117.1	86.9	7.5	22.7	88.5	43.6	33.2	11.6
2001	116.9	86.6	7.6	22.6	89.4	43.7	34.1	11.6
2000	117.7	87.4	7.9	22.3	90.3	44.1	34.9	11.3
1999	114.5	84.8	8.1	21.6	89.5	43.3	35.1	11.1
1998	113.5	84.2	7.9	21.4	90.2	43.3	35.8	11.1
1997	111.7	82.7	8.0	21.0	90.7	42.9	36.9	11.0
1996	111.7	82.3	8.5	20.9	92.9	43.8	37.9	11.2
1995	111.8	82.6	8.4	20.8	94.0	44.3	38.5	11.3
1994	112.6	82.9	8.9	20.8	98.7	46.2	40.8	11.7
1993	117.0	86.1	9.5	21.4	99.2	44.8	43.1	11.3
1992	120.0	88.5	9.7	21.9	100.7	44.9	44.6	11.2
1991	121.8	89.6	10.1	22.0	101.8	45.0	45.6	11.2
1990	126.6	93.2	10.6	22.8	102.4	43.8	47.7	10.8
White, total								
2009	114.5	87.4	4.6	22.5	79.5	46.6	20.9	12.0
2008	116.2	88.6	4.8	22.8	83.6	48.4	22.7	12.5
2007	118.8	90.5	5.0	23.3	83.6	48.3	22.8	12.5
2006	118.9	90.3	5.2	23.3	81.7	46.4	23.3	12.0
2005	117.8	89.6	5.1	23.2	77.0	43.2	22.7	11.2
2004	118.3	90.0	5.1	23.2	75.8	41.8	23.2	10.8
2003	119.4	90.6	5.4	23.4	74.7	40.5	23.8	10.4
2002	117.4	88.9	5.6	22.9	73.4	39.0	24.3	10.0
2001	116.8	88.4	5.6	22.8	73.3	38.4	24.9	9.9
2000	117.1	88.7	5.9	22.6	73.5	38.2	25.5	9.7
1999	114.3	86.4	6.0	21.9	73.0	37.4	26.0	9.5
1998	113.6	85.8	6.0	21.8	73.4	36.9	27.1	9.4
1997	111.6	84.2	6.1	21.3	73.4	36.3	28.0	9.2
1996	111.7	84.1	6.4	21.2	75.2	37.0	28.9	9.3
1995	111.8	84.2	6.5	21.1	76.3	37.0	30.0	9.3
1994	112.1	84.3	6.8	21.0	79.1	37.8	31.8	9.4
1993	115.8	87.0	7.3	21.5	78.4	35.6	33.9	8.8
1992	118.6	89.1	7.5	21.9	79.2	35.0	35.6	8.6
1991	120.3	90.3	7.9	22.1	80.1	34.5	37.1	8.4
1990	125.4	94.1	8.5	22.9	80.3	32.9	39.4	8.0
Non-Hispanic white								
2009	114.2	87.2	3.9	23.1	58.8	33.6	16.3	8.9
2008	114.5	87.5	3.8	23.2	61.1	34.3	17.8	9.1
2007	116.1	88.6	3.9	23.6	60.4	33.8	17.6	9.0
2006	115.5	87.8	4.1	23.5	58.8	32.4	17.7	8.7
2005	114.2	86.9	4.0	23.2	55.9	30.4	17.4	8.1
2004	114.1	86.8	4.0	23.2	55.0	29.6	17.5	7.9
2003	114.5	87.1	4.2	23.2	54.5	28.8	18.1	7.7
2002	111.6	84.8	4.3	22.6	53.5	27.9	18.3	7.4
2001	110.9	84.2	4.3	22.4	54.4	27.8	19.2	7.4
2000	112.1	85.0	4.7	22.4	55.2	28.0	19.8	7.4
1999	109.5	82.9	4.7	21.8	55.7	27.9	20.4	7.3
1998	108.5	82.1	4.8	21.6	57.1	27.9	21.8	7.3
1997	106.2	80.2	5.0	21.0	58.2	27.5	23.4	7.2
1996	105.6	79.6	5.3	20.8	59.9	28.2	24.4	7.3
1995	106.0	79.9	5.4	20.7	61.2	28.1	25.8	7.3
1994	106.7	80.5	5.5	20.8	63.3	28.4	27.5	7.3

Data Brief 136: Pregnancy Rates for U.S. Women Continue to Drop

Data table for figure 5. Pregnancy, live-birth, induced-abortion, and fetal-loss rates, by marital status and race and Hispanic origin: United States, 1990–2009—Con.

[Rates per 1,000 women aged 15–44 in specified group; populations estimated as of July 1 for each year]

Race and Hispanic origin and year	Married				Unmarried			
	All pregnancies	Live birth	Induced abortion	Fetal loss	All pregnancies	Live birth	Induced abortion	Fetal loss
Black, total								
2009	105.9	69.1	15.3	21.6	148.6	68.7	58.5	21.4
2008	107.9	69.7	16.5	21.7	154.1	71.0	60.9	22.1
2007	112.8	72.6	17.5	22.6	153.1	71.4	59.5	22.2
2006	115.1	73.2	19.1	22.8	154.9	70.7	62.3	22.0
2005	112.8	71.7	18.7	22.4	149.6	67.2	61.5	21.0
2004	107.5	68.2	18.0	21.3	151.0	66.8	63.3	20.9
2003	104.5	66.1	17.7	20.7	152.2	65.9	65.6	20.7
2002	103.5	65.0	18.2	20.3	154.4	66.1	67.7	20.7
2001	106.5	66.5	19.3	20.8	158.1	68.0	68.9	21.2
2000	109.5	68.6	20.3	20.6	162.8	70.5	71.1	21.2
1999	106.6	65.9	21.0	19.7	161.5	69.7	70.9	20.9
1998	104.9	65.0	20.4	19.5	163.9	71.6	70.8	21.5
1997	103.8	63.9	20.7	19.2	165.4	71.5	72.3	21.5
1996	103.4	62.2	22.5	18.7	167.9	72.8	73.2	21.8
1995	104.4	64.1	21.1	19.2	167.9	74.5	71.1	22.3
1994	109.3	66.1	23.5	19.7	181.5	80.9	76.6	24.1
1993	120.8	73.0	26.2	21.6	188.7	82.9	81.2	24.5
Hispanic¹								
2009	109.1	83.5	7.2	18.4	144.7	89.4	35.6	19.7
2008	115.7	88.0	8.2	19.5	158.1	97.3	39.3	21.6
2007	122.0	93.0	8.6	20.5	166.3	102.1	41.7	22.5
2006	125.5	95.3	9.2	21.0	168.4	101.5	44.5	22.3
2005	126.9	96.6	9.1	21.2	161.0	96.2	43.6	21.2
2004	129.2	98.4	9.2	21.6	159.9	92.7	46.8	20.4
2003	132.5	100.1	10.4	21.9	157.2	89.9	47.6	19.7
2002	134.8	101.5	11.0	22.2	155.9	87.0	49.8	19.1
2001	136.8	103.0	11.2	22.6	156.3	86.8	50.5	19.0
2000	134.3	101.8	11.6	20.8	157.0	87.2	51.9	17.8
1999	132.9	100.0	12.4	20.5	155.9	84.9	53.6	17.4
1998	135.7	102.3	12.4	20.9	153.2	82.8	53.4	17.0
1997	137.5	103.7	12.6	21.2	152.1	83.2	51.8	17.0
1996	142.4	107.2	13.3	21.9	157.6	86.2	53.8	17.6
1995	142.8	107.1	13.8	21.9	161.3	88.8	54.4	18.2
1994	142.0	104.7	15.9	21.4	172.8	95.8	57.5	19.5
1993	152.4	113.0	16.4	22.9	170.6	91.4	60.6	18.5

¹Includes all persons of Hispanic origin of any race.

NOTES: Marital status is the woman's marital status as of the date the pregnancy ended, rather than at the time of conception.

Figures for married women include pregnancies for separated women. For information on sources and methods of estimation, see references 1 and 2. Pregnancy rates for unmarried Hispanic and black women are available beginning 1993, when estimates of abortions became available. Rates for unmarried non-Hispanic white women are available beginning 1994, when population estimates by marital status became available. Rates for unmarried non-Hispanic black women are not available because the necessary population estimates are not available.