Data Brief 329. Drug Overdose Deaths in the United States, 1999-2017

Data table for Figure 1. Age-adjusted drug overdose death rates: United States, 1999–2017

	To	tal	Ma	ale	Female		
Year	Number	Deaths per 100,000	Number	Deaths per 100,000	Number	Deaths per 100,000	
1999	16,849	6.1	11,258	8.2	5,591	3.9	
2000	17,415	6.2	11,563	8.3	5,852	4.1	
2001	19,394	6.8	12,658	9.0	6,736	4.6	
2002	23,518	8.2	15,028	10.6	8,490	5.8	
2003	25,785	8.9	16,399	11.5	9,386	6.4	
2004	27,424	9.4	17,120	11.8	10,304	6.9	
2005	29,813	10.1	18,724	12.8	11,089	7.3	
2006	34,425	11.5	21,893	14.8	12,532	8.2	
2007	36,010	11.9	22,298	14.9	13,712	8.8	
2008	36,450	11.9	22,468	14.9	13,982	8.9	
2009	37,004	11.9	22,593	14.8	14,411	9.1	
2010	38,329	12.3	23,006	15.0	15,323	9.6	
2011	41,340	13.2	24,988	16.1	16,352	10.2	
2012	41,502	13.1	25,112	16.1	16,390	10.2	
2013	43,982	13.8	26,799	17.0	17,183	10.6	
2014	47,055	14.7	28,812	18.3	18,243	11.1	
2015	52,404	16.3	32,957	20.8	19,447	11.8	
2016	63,632	19.8	41,558	26.2	22,074	13.4	
2017	70,237	21.7	46,552	29.1	23,685	14.4	

NOTES: Deaths are classified using the *International Classification of Diseases*, 10th Revision. Drug-poisoning (overdose) deaths are identified using underlying cause-of-death codes X40–X44, X60–X64, X85, and Y10–Y14.

Data Brief 329. Drug Overdose Deaths in the United States, 1999-2017

Data table for Figure 2. Drug overdose death rates, by selected age group: United States, 1999–2017

Year	15–24		25–34		35–44		45–54		55–64		65 and over	
	Number	Deaths per 100,000	Number	Deaths per 100,000								
1999	1,240	3.2	3,236	8.1	6,295	14.0	4,067	11.1	991	4.2	930	2.7
2000	1,435	3.7	3,169	7.9	6,469	14.3	4,389	11.6	1,013	4.2	854	2.4
2001	1,700	4.2	3,410	8.6	6,968	15.5	5,115	13.0	1,185	4.7	910	2.6
2002	2,095	5.1	4,125	10.5	8,064	18.1	6,466	16.2	1,601	6.0	1,060	3.0
2003	2,491	6.0	4,488	11.4	8,358	18.9	7,325	17.9	1,943	6.9	1,070	3.0
2004	2,751	6.6	4,680	11.9	8,439	19.3	8,040	19.3	2,283	7.8	1,104	3.0
2005	2,918	6.9	5,340	13.6	8,506	19.6	8,968	21.1	2,761	9.0	1,203	3.3
2006	3,460	8.1	6,346	16.1	9,373	21.7	10,421	24.1	3,355	10.5	1,321	3.6
2007	3,550	8.2	6,663	16.8	9,152	21.4	11,012	25.1	4,043	12.2	1,435	3.8
2008	3,487	8.0	6,739	16.8	8,885	21.1	11,222	25.2	4,396	12.9	1,587	4.1
2009	3,377	7.7	7,013	17.2	8,524	20.5	11,390	25.4	4,858	13.7	1,721	4.3
2010	3,571	8.2	7,572	18.4	8,546	20.8	11,299	25.1	5,486	15.0	1,722	4.3
2011	3,762	8.6	8,445	20.2	9,130	22.5	11,933	26.7	6,060	15.9	1,892	4.6
2012	3,518	8.0	8,508	20.1	8,948	22.1	11,895	26.9	6,423	16.6	2,094	4.9
2013	3,664	8.3	8,947	20.9	9,320	23.0	12,045	27.5	7,551	19.2	2,344	5.2
2014	3,798	8.6	10,055	23.1	10,134	25.0	12,263	28.2	8,122	20.3	2,568	5.6
2015	4,235	9.7	11,880	26.9	11,505	28.3	12,974	30.0	8,901	21.8	2,760	5.8
2016	5,376	12.4	15,443	34.6	14,183	35.0	14,771	34.5	10,632	25.6	3,075	6.2
2017	5,455	12.6	17,400	38.4	15,949	39.0	15,996	37.7	11,747	28.0	3,529	6.9

NOTES: Deaths are classified using the *International Classification of Diseases, 10th Revision*. Drug-poisoning (overdose) deaths are identified using underlying cause-of-death codes X40–X44, X60–X64, X85, and Y10–Y14.

Data Brief 329. Drug Overdose Deaths in the United States, 1999-2017

Data table for Figure 3. Age-adjusted drug overdose death rates, by state: United States, 2017

		Deaths
State	Number	per 100,000
Alabama	835	18.0
Alaska	147	20.2
Arizona	1,532	22.2
Arkansas	446	15.5
California	4,868	11.7
Colorado	1,015	17.6
Connecticut	1,072	30.9
Delaware	338	37.0
District of Columbia	310	44.0
Florida	5,088	25.1
Georgia	1,537	14.7
Hawaii	203	13.8
Idaho	236	14.4
Illinois	2,778	21.6
Indiana	1,852	29.4
lowa	341	11.5
Kansas	333	11.8
Kentucky	1,566	37.2
Louisiana	1,108	24.5
Maine	424	34.4
Maryland	2,247	36.3
Massachusetts	2,168	31.8
Michigan	2,694	27.8
Minnesota	733	13.3
Mississippi	354	12.2
Missouri	1,367	23.4
Montana	119	11.7
Nebraska	152	8.1
Nevada New Hampshire	676 467	21.6 37.0
·		
New Jersey	2,685	30.0
New Mexico	493	24.8
New York	3,921	19.4
North Carolina	2,414	24.1
North Dakota Ohio	68 5,111	9.2 46.3
Oklahoma	775	20.1
Oregon	530	12.4
Pennsylvania	5,388	44.3
Rhode Island	320	31.0
South Carolina	1,008	20.5
South Dakota	73	8.5
Tennessee	1,776	26.6
Texas	2,989	10.5
Utah	650	22.3
Vermont	134	23.2
Virginia	1,507	17.9
Washington	1,169	15.2
West Virginia	974	57.8
Wisconsin	1,177	21.2

NOTES: Deaths are classified using the *International Classification of Diseases, 10th Revision*. Drug-poisoning (overdose) deaths are identified using underlying cause-of-death codes X40–X44, X60–X64, X85, and Y10–Y14. The age-adjusted drug overdose death rate in the United States in 2017 was 21.7 per 100,000 standard population.

Data Brief 329. Drug Overdose Deaths in the United States, 1999-2017

Data table for Figure 4. Age-adjusted drug overdose death rates, by opioid category: United States, 1999-2017

Year	Any opioid		Heroin		Natural and semisynthetic opioids		Methadone		Synthetic opioids other than methadone	
	Number	Deaths per 100,000	Number	Deaths per 100,000	Number	Deaths per 100,000	Number	Deaths per 100,000	Number	Deaths per 100,000
1999	8,050	2.9	1,960	0.7	2,749	1.0	784	0.3	730	0.3
2000	8,407	3.0	1,842	0.7	2,917	1.0	986	0.4	782	0.3
2001	9,496	3.3	1,779	0.6	3,479	1.2	1,456	0.5	957	0.3
2002	11,920	4.1	2,089	0.7	4,416	1.5	2,358	8.0	1,295	0.4
2003	12,940	4.5	2,080	0.7	4,867	1.7	2,972	1.0	1,400	0.5
2004	13,756	4.7	1,878	0.6	5,231	1.8	3,845	1.3	1,664	0.6
2005	14,918	5.1	2,009	0.7	5,774	1.9	4,460	1.5	1,742	0.6
2006	17,545	5.9	2,088	0.7	7,017	2.3	5,406	1.8	2,707	0.9
2007	18,516	6.1	2,399	8.0	8,158	2.7	5,518	1.8	2,213	0.7
2008	19,582	6.4	3,041	1.0	9,119	3.0	4,924	1.6	2,306	0.8
2009	20,422	6.6	3,278	1.1	9,735	3.1	4,696	1.5	2,946	1.0
2010	21,089	6.8	3,036	1.0	10,943	3.5	4,577	1.5	3,007	1.0
2011	22,784	7.3	4,397	1.4	11,693	3.7	4,418	1.4	2,666	0.8
2012	23,166	7.4	5,925	1.9	11,140	3.5	3,932	1.2	2,628	0.8
2013	25,052	7.9	8,257	2.7	11,346	3.5	3,591	1.1	3,105	1.0
2014	28,647	9.0	10,574	3.4	12,159	3.8	3,400	1.1	5,544	1.8
2015	33,091	10.4	12,989	4.1	12,727	3.9	3,301	1.0	9,580	3.1
2016	42,249	13.3	15,469	4.9	14,487	4.4	3,373	1.0	19,413	6.2
2017	47,600	14.9	15,482	4.9	14,495	4.4	3,194	1.0	28,466	9.0

NOTES: Deaths are classified using the *International Classification of Diseases*, *10th Revision*. Drug-poisoning (overdose) deaths are identified using underlying cause-of-death codes X40–X44, X80–X64, X85, and Y10–Y14. Among deaths with drug poisoning as the underlying cause, the following multiple cause-of-death codes indicate the drug type(s) involved: any opioid, T40.0–T40.4 and T40.6; heroin, T40.1; natural and semisynthetic opioids, T40.2; methadone, T40.3; and synthetic opioids other than methadone, T40.4. Deaths involving more than one opioid category (e.g., a death involving both methadone and a natural and semisynthetic opioid such as oxycodone) are counted in both categories. Natural and semisynthetic opioids include drugs such as morphine, oxycodone, and hydrocodone; and synthetic opioids other than methadone include such drugs as fentanyl, fentanyl analogs, and tramadol. The percentage of drug overdose deaths for which at least one specific drug was identified as being involved varied by year, ranging from 75%–79% from 1999 through 2013 and from 81%–88% from 2014 through 2017.