

Data Brief 439. Physical, Speech, Rehabilitative, or Occupational Therapy Use Among Adults Aged 25–64, by Veteran Status: United States, 2019–2020

Data table for Figure 1. Percentage of adults aged 25–64 who received physical, speech, rehabilitative, or occupational therapy in the past 12 months, by veteran status and sex: United States, 2019–2020

Veteran status	Percent (95% confidence interval)	Standard error
Veteran		
Total	13.6 (12.0–15.4)	0.86
Men	13.4 (11.5–15.4)	0.96
Women	14.8 (11.2–19.0)	1.93
Nonveteran		
Total	9.0 (8.6–9.4)	0.20
Men	7.3 (6.8–7.8)	0.26
Women	10.5 (9.9–11.1)	0.30

NOTE: Estimates are based on responses to the question, "During the past 12 months, did you receive physical therapy, speech therapy, rehabilitative therapy, or occupational therapy?"

SOURCE: National Center for Health Statistics, National Health Interview Survey, 2019–2020.

Data Brief 439. Physical, Speech, Rehabilitative, or Occupational Therapy Use Among Adults Aged 25–64, by Veteran Status: United States, 2019–2020

Data table for Figure 2. Percentage of adults aged 25–64 who received physical, speech, rehabilitative, or occupational therapy in the past 12 months, by veteran status and age group: United States, 2019–2020

Veteran status	Percent (95% confidence interval)	Standard error
Veteran		
25–34.	12.4 (8.7–17.0)	2.02
35–49.	11.9 (9.0–15.2)	1.53
50–64.	15.2 (12.9–17.7)	1.19
Nonveteran		
25–34.	5.2 (4.7–5.8)	0.30
35–49.	8.5 (7.8–9.1)	0.32
50–64.	12.3 (11.6–13.1)	0.38

NOTE: Estimates are based on responses to the question, "During the past 12 months, did you receive physical therapy, speech therapy, rehabilitative therapy, or occupational therapy?"

SOURCE: National Center for Health Statistics, National Health Interview Survey, 2019–2020.

Data Brief 439. Physical, Speech, Rehabilitative, or Occupational Therapy Use Among Adults Aged 25–64, by Veteran Status: United States, 2019–2020

Data table for Figure 3. Percentage of adults aged 25–64 who received physical, speech, rehabilitative, or occupational therapy in the past 12 months, by veteran status and education level: United States, 2019–2020

Veteran status	Percent (95% confidence interval)	Standard error
Veteran		
High school diploma or less.	11.5 (8.6–15.0)	1.56
Some college.	13.1 (10.7–15.8)	1.25
College degree or higher.	16.2 (13.3–19.4)	1.52
Nonveteran		
High school diploma or less.	7.9 (7.2–8.6)	0.34
Some college.	9.4 (8.7–10.2)	0.38
College degree or higher.	9.8 (9.2–10.5)	0.31

NOTE: Estimates are based on responses to the question, "During the past 12 months, did you receive physical therapy, speech therapy, rehabilitative therapy, or occupational therapy?"

SOURCE: National Center for Health Statistics, National Health Interview Survey, 2019–2020.

Data Brief 439. Physical, Speech, Rehabilitative, or Occupational Therapy Use Among Adults Aged 25–64, by Veteran Status: United States, 2019–2020

Data table for Figure 4. Percentage of adults aged 25–64 who received physical, speech, rehabilitative, or occupational therapy in the past 12 months, by veteran status and disability status: United States, 2019–2020

Veteran status	Percent (95% confidence interval)	Standard error
Veteran		
With disability.	33.6 (25.9–42.0)	3.96
Without disability	11.7 (10.1–13.5)	0.84
Nonveteran		
With disability.	23.9 (21.6–26.3)	1.19
Without disability	8.0 (7.6–8.4)	0.20

NOTES: Disability is defined by the reported level of difficulty (no difficulty, some difficulty, a lot of difficulty, or cannot do at all) in six functioning domains: seeing (even if wearing glasses), hearing (even if wearing hearing aids), mobility (walking or climbing stairs), communication (understanding or being understood by others), cognition (remembering or concentrating), and self-care (such as washing all over or dressing). Sample adults who responded "a lot of difficulty" or "cannot do at all" to at least one question were considered to have disability. Estimates are based on responses to the question, "During the past 12 months, did you receive physical therapy, speech therapy, rehabilitative therapy, or occupational therapy?"

SOURCE: National Center for Health Statistics, National Health Interview Survey, 2019–2020.

Data Brief 439. Physical, Speech, Rehabilitative, or Occupational Therapy Use Among Adults Aged 25–64, by Veteran Status: United States, 2019–2020

Data table for Figure 5. Percentage of adults aged 25–64 who received physical, speech, rehabilitative, or occupational therapy in the past 12 months, by veteran status and urbanicity: United States, 2019–2020

Veteran status	Percent (95% confidence interval)	Standard error
Veteran		
Large central metropolitan	10.3 (7.7–13.5)	1.42
Large fringe metropolitan	13.8 (10.4–17.8)	1.83
Medium and small metropolitan	14.2 (11.5–17.3)	1.44
Nonmetropolitan	17.5 (12.7–23.2)	2.58
Nonveteran		
Large central metropolitan	9.2 (8.5–10.0)	0.37
Large fringe metropolitan	9.0 (8.2–9.8)	0.39
Medium and small metropolitan	8.8 (8.1–9.4)	0.33
Nonmetropolitan	8.9 (7.7–10.2)	0.62

NOTE: Estimates are based on responses to the question, "During the past 12 months, did you receive physical therapy, speech therapy, rehabilitative therapy, or occupational therapy?"

SOURCE: National Center for Health Statistics, National Health Interview Survey, 2019–2020.