Data Brief 492. Mortality in the United States, 2022

Data table for Figure 1. Life expectancy at birth and age 65, by sex: United States, 2021 and 2022 $\,$

| | At birth Both sexes Male Female | | | At age 65 | | | |
|------|----------------------------------|--------------|--------------|--------------|--------------|--------------|--|
| Year | Both sexes | Male | Female | Both sexes | Male | Female | |
| 2021 | | 73.5 74.8 | 79.3 80.2 | 18.4 18.9 | 17.0 17.5 | 19.7 20.2 | |



Data table for Figure 2. Number of deaths and age-adjusted death rate, by race and Hispanic origin and sex: United States, 2021 and 2022

| | | 2021 | | 2022 | | | | |
|-------------------------------------|-----------|--|--|-----------|--|--|--|--|
| Race and Hispanic origin and sex | Number | Age-adjusted rate uncorrected for misclassification ^{1,2} | Age-adjusted rate corrected for misclassification ^{1,3} | Number | Age-adjusted rate uncorrected for misclassification ^{1,2} | Age-adjusted rate corrected for misclassification ^{1,3} | | |
| Total ⁴ | 3,464,231 | 879.7 | 879.7 | 3,279,857 | 798.8 | 798.8 | | |
| Hispanic: | | | | | | | | |
| Male | 181,195 | 884.9 | 915.6 | 155,240 | 748.8 | 774.2 | | |
| Female | 134,469 | 582.7 | 599.8 | 120,444 | 498.4 | 512.9 | | |
| Non-Hispanic: | | | | | | | | |
| American Indian and | | | | | | | | |
| Alaska Native male | 14,724 | 1,282.7 | 1,717.5 | 12,721 | 1,084.3 | 1,444.1 | | |
| American Indian and | | | | | | | | |
| Alaska Native female | 12,248 | 946.6 | 1,236.6 | 10,892 | 816.1 | 1,063.6 | | |
| Asian male | 48,386 | 554.9 | 578.1 | 46,137 | 501.7 | 522.2 | | |
| Asian female | 44,046 | 386.3 | 391.1 | 43,454 | 350.7 | 354.9 | | |
| Black male | 238,599 | 1,374.0 | 1,380.2 | 219,538 | 1,257.5 | 1,263.3 | | |
| Black female | 211,165 | 917.2 | 921.9 | 192,396 | 809.0 | 813.2 | | |
| White male | 1,337,385 | 1,055.6 | 1,055.3 | 1,267,526 | 972.1 | 971.9 | | |
| White female | 1,211,424 | 751.4 | 750.6 | 1,180,567 | 692.7 | 691.9 | | |

¹Deaths per 100,000 U.S. standard population.
²Not adjusted for race and Hispanic-origin misclassification on death certificates.
³Adjusted for race and Hispanic-origin misclassification on death certificates. Adjusted data may differ from data shown in other reports that have not been adjusted for misclassification. ⁴Includes races and origins not shown separately.

NOTE: Race groups are single race.

Data table for Figure 3. Number of deaths and death rate for age 1 year and older: United States, 2021 and 2022 $\,$

| | 20 | 21 | 2022 | | |
|-------------------|---------|-------------------|---------|-------------------|--|
| Age group (years) | Number | Rate ¹ | Number | Rate ¹ | |
| 1–4 | 3,816 | 25.0 | 4,156 | 28.0 | |
| 5–14 | 5,975 | 14.3 | 6,239 | 15.3 | |
| 15–24 | 38,307 | 88.9 | 35,232 | 79.5 | |
| 25–34 | 82,274 | 180.8 | 74,369 | 163.4 | |
| 35–44 | 124,939 | 287.9 | 111,605 | 255.4 | |
| 45–54 | 216,037 | 531.0 | 183,284 | 453.3 | |
| 55–64 | 478,171 | 1,117.1 | 417,541 | 992.1 | |
| 65–74 | 724,266 | 2,151.3 | 668,581 | 1,978.7 | |
| 75–84 | 829,653 | 5,119.4 | 824,903 | 4,708.2 | |
| 85 and older | 940,780 | 15,743.3 | 933,291 | 14,389.6 | |

¹Deaths per 100,000 U.S. population.

Data table for Figure 4. Number of deaths, percentage of total deaths, and age-adjusted death rate for the 10 leading causes of death in 2022: United States, 2021 and 2022

| | | 2021 | | | 2022 | | |
|-------------------|---|-----------|---------|-------------------|-----------|---------|-------------------|
| Rank ¹ | Cause of death (based on International Classification of Diseases, 10th Revision) | Number | Percent | Rate ² | Number | Percent | Rate ² |
| | All causes | 3,464,231 | 100.0 | 879.7 | 3,279,857 | 100.0 | 798.8 |
| | Diseases of heart(I00–I09,I11,I13,I20–I51) | 695,547 | 20.1 | 173.8 | 702,880 | 21.4 | 167.2 |
| | Malignant neoplasms (cancer)(C00–C97) | 605,213 | 17.5 | 146.6 | 608,371 | 18.5 | 142.3 |
| | Accidents (unintentional | | | | | | |
| | injuries) (V01–X59,Y85–Y86) | 224,935 | 6.5 | 64.7 | 227,039 | 6.9 | 64.0 |
| | COVID-19 (U07.1) | 416,893 | 12.0 | 104.1 | 186,552 | 5.7 | 44.5 |
| | Cerebrovascular diseases (stroke) (160–169) | 162,890 | 4.7 | 41.1 | 165,393 | 5.0 | 39.5 |
| | Chronic lower respiratory diseases (J40–J47) | 142,342 | 4.1 | 34.7 | 147,382 | 4.5 | 34.3 |
| | Alzheimer disease(G30) | 119,399 | 3.4 | 31.0 | 120,122 | 3.7 | 28.9 |
| | Diabetes mellitus(E10–E14) | 103,294 | 3.0 | 25.4 | 101,209 | 3.1 | 24.1 |
| | Nephritis, nephrotic syndrome and nephrosis | • | | | | | |
| | (kidney disease) (N00–N07,N17–N19,N25–N27) | 54,358 | 1.6 | 13.6 | 57,937 | 1.8 | 13.8 |
|) | Chronic liver disease and cirrhosis (K70,K73–K74) | 56,585 | 1.6 | 14.5 | 54,803 | 1.7 | 13.8 |
| | All other causes(residual) | 882,775 | 25.5 | | 908,169 | 27.7 | |

NOTES: Numbers showing percentage by cause are rounded, so these numbers may not add to 100.0%. The 10 leading causes of death accounted for 72.3% of all U.S deaths in 2022. Causes of deaths are ranked according to number of deaths. Rankings for 2021 data are not shown.

^{...} Category not applicable.

¹Based on number of deaths.

²Deaths per 100,000 U.S. standard population.

Data table for Figure 5. Number of infant deaths, percentage of total infant deaths, and infant mortality rate for the 10 leading causes of infant death in 2022: United States, 2021 and 2022

| | | | 2021 | | 2022 | | |
|-------------------|---|--------|---------|-------------------|--------|---------|-------------------|
| Rank ¹ | Cause of death (based on International Classification of Diseases, 10th Revision) | Number | Percent | Rate ² | Number | Percent | Rate ² |
| / | All causes | 19,920 | 100.0 | 543.6 | 20,553 | 100.0 | 560.4 |
| | Congenital malformations, deformations and | | | | | | |
| | chromosomal abnormalities (Q00–Q99) | 3,963 | 19.9 | 108.2 | 3,970 | 19.3 | 108.2 |
| | Disorders related to short gestation and | | | | | | |
| | low birth weight, not elsewhere classified (P07) | 2,946 | 14.8 | 80.4 | 2,884 | 14.0 | 78.6 |
| 5 | Sudden infant death syndrome (R95) | 1,459 | 7.3 | 39.8 | 1,529 | 7.4 | 41.7 |
| P | Accidents (unintentional injuries) (V01–X59) | 1,306 | 6.6 | 35.6 | 1,354 | 6.6 | 36.9 |
| ١ | Newborn affected by maternal complications of | | | | | | |
| | pregnancy (P01) | 1,113 | 5.6 | 30.4 | 1,215 | 5.9 | 33.1 |
| | Newborn affected by complications of | | | | | | |
| | placenta, cord and membranes(P02) | 672 | 3.4 | 18.3 | 649 | 3.2 | 17.7 |
| E | Bacterial sepsis of newborn(P36) | 557 | 2.8 | 15.2 | 636 | 3.1 | 17.3 |
| | Respiratory distress of newborn (P22) | 414 | 2.1 | 11.3 | 455 | 2.2 | 12.4 |
| | Intrauterine hypoxia and birth asphyxia(P20–P21) | 358 | 1.8 | 9.8 | 362 | 1.8 | 9.9 |
| | Diseases of the circulatory system (100–199) | 402 | 2.0 | 11.0 | 356 | 1.7 | 9.7 |
| | All other causes (residual) | 6,730 | 33.8 | | 7,143 | 34.8 | |

NOTES: Numbers showing percentage by cause are rounded, so these numbers may not add to 100.0%. The 10 leading causes of infant death in 2022 accounted for 65.2% of all U.S. infant deaths. Causes of death are ranked according to number of deaths. Rankings for 2021 data are not shown.

^{...} Category not applicable.

¹Based on number of deaths.

²Infant deaths per 100,000 live births.