

---

This instruction manual was prepared collaboratively by the Division of Vital Statistics and the Division of Data Processing. Questions regarding this manual should be directed to the Chief, Data Preparation Branch, Division of Data Processing, NCHS, P. O. Box 12214, Research Triangle Park, North Carolina 27709. Questions concerning mortality data analysis should be referred to the Chief, Mortality Statistics Branch, Division of Vital Statistics, NCHS, 6525 Belcrest Rd, Room 820, Hyattsville, Maryland 20782.

---

This instruction manual was prepared collaboratively by the Division of Vital Statistics and the Division of Data Processing. Questions regarding this manual should be directed to the Acting Chief, Data Preparation Branch, Division of Data Processing, NCHS, P. O. Box 12214, Research Triangle Park, North Carolina 27709. Questions concerning mortality data analysis should be referred to the Chief, Mortality Statistics Branch, Division of Vital Statistics, NCHS, 3700 East-West Highway, Center Building, Hyattsville, Maryland 20782.

## CONTENTS

	Page
Introduction . . . . .	1
Special Lists	
Terms Not Indexed In ICD-9, Volume 2 . . . . .	11
Classification Of Secondary Neoplasms, By Site . . . . .	78
Standard Abbreviations And The Disease Terms They Represent . . . . .	96
Geographic Codes For State Of Occurrence Of Death . . . . .	117
Official WHO Amendments And Corrections To ICD-9, Volume 2 . . . . .	119
Index . . . . .	141

## PART 2e

### NON-INDEXED TERMS, STANDARD ABBREVIATIONS, AND STATE GEOGRAPHIC CODES AS USED IN MORTALITY DATA CLASSIFICATION, 1995 (Including Official WHO Amendments to ICD-9, Volume 2)

#### INTRODUCTION

This manual was added to the vital statistics instruction manual series in 1983. It contains five special lists to coders of causes of death often need to refer:

- a. Terms not indexed in Volume 2 of ICD-9
- b. Classification of secondary neoplasms by site
- c. Standard abbreviations and the disease terms for which they represent
- d. Geographic codes for state of occurrence of death
- e. Official WHO amendments and corrections to ICD-9, Volume 2

All lists except those for secondary neoplasms are applicable to both underlying and multiple cause coding in accordance with the instructions contained in Parts 2a and 2b, respectively, of the Vital Statistics Instruction Manual series. Secondary neoplasms are used exclusively in multiple cause of death classification. Items c and d above were a part of the 1979-1982 annual editions of Part 2b of the Vital Statistics Instruction Manual series but were moved to Part 2e effective with the 1983 edition. The remaining lists were not previously published as a part of the vital statistics instruction manual series for ICD-9.

The major reason for the development of Part 2e was to provide a published source of code assignments for terms not indexed in Volume 2 of ICD-9. This section in the 2e manual for 1988 is thus essentially a supplement to ICD-9 representing an alphabetized compendium of non-indexed terms (and their corresponding code assignments) encountered in the coding of 1979 - 1986 data at NCHS. The list is believed to be essentially complete but is not all inclusive in that terms which are rarely encountered and do not affect the underlying cause of death assignment are omitted. Terms not indexed in either Volume 2 of ICD-9 or in this manual should not be coded. Rather, they should be referred to Chief, Data Preparation Branch, Division of Data Processing, P. O. Box 12214, Research Triangle Park, North Carolina 27709, at NCHS for review. After reviewing all such terms received during the year, a decision will be made on those terms to be included in the next annual edition of this manual. New terms added in the 1995 edition are denoted by an asterisk.

The United States instituted new categories for the classification and coding of acquired immune deficiency syndrome (AIDS) and human immunodeficiency (HIV) virus infection. The categories were developed through a collaborative effort of the Center for Infectious Diseases, the National Center for Health Statistics, Centers for Disease Control, and the World Health Organization Collaborating Center for Classification of Diseases for North America. In the United States these new categories supplement the existing cause-of-death classification system, the Ninth Revision of the International Classification of Diseases (ICD-9) of the World Health Organization (WHO), and became effective with deaths occurring in calendar year 1987. Since a revision of the International Classification of Diseases (ICD- 10) will not be available until 1998, the new codes were justified by the urgent need of public health officials, clinical researchers and medical care financiers to specifically identify and monitor this infection. Entries for this new classification were added to the 1987 edition of this manual, and the following modifications were made in the 1988 edition:

1. The current terminology of HIV infection replaced HTLV-III infection.
2. Four conditions were added to the "Includes only" notes:

Isosporiasis (007.2) under 042.0  
Diarrhea (noninfectious) (558)  
    infectious (009) under 043.3  
Pneumonitis, lymphoid, interstitial (516.8) under 043.3

3. The titles for .9 of 042, 043, 044 were modified.

#### HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION (042-044)

Note: In this classification, the following terms are used to define and represent other terms which are referable to categories 042-044.

1. AIDS:     Acquired immune deficiency syndrome  
                Acquired immunodeficiency syndrome
2. AIDS-like syndrome:  
                AIDS-like disease (illness) (syndrome)  
                AIDS-related complex  
                AIDS-related conditions  
                ARC  
                pre-AIDS  
                prodromal-AIDS

## HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION (042-044)

## 3. HIV infection:

AAV (disease) (illness) (infection)  
AIDS-associated retrovirus (disease) (illness) (infection)  
AIDS-associated virus (disease) (illness) (infection)  
AIDS-related virus (disease) (illness) (infection)  
AIDS virus (disease) (illness) (infection)  
ARV (disease) (illness) (infection)  
Human immunodeficiency virus (disease) (illness) (infection)  
Human immunovirus (disease) (illness) (infection)  
Human T-cell lymphotropic virus III (disease) (illness) (infection)  
HTLV-III (disease) (illness) (infection)  
HTLV-III/LAV (disease) (illness) (infection)  
LAV (disease) (illness) (infection)  
LAV/HTLV-III (disease) (illness) (infection)  
Lymphadenopathy-associated virus (disease) (illness) (infection)

## HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION (042.0-044.9)

042 Human immunodeficiency virus infection with specified conditions

Includes: acquired immune deficiency syndrome  
acquired immunodeficiency syndrome  
AIDS

042.0 With specified infections

Includes only:

candidiasis of lung (112.4)	)
coccidiosis (007.2)	)
cryptosporidiosis (007.2)	)
isosporiasis (007.2)	)
cryptococcosis (117.5)	) With HIV infection
pneumocystosis (136.3)	)
progressive multifocal	)
leukoencephalopathy (046.3)	)
toxoplasmosis (130)	)

042.1 Causing other specified infections

Includes only:

candidiasis	)
disseminated (112.5)	)
of: mouth (112.0)	)
skin and nails (112.3)	)
other and unspecified	) Due to HIV infection
sites (112.8, 112.9) (excludes: 112.1, 112.2, 112.4)	)
coccidioidomycosis (114)	)
cytomegalic inclusion disease (078.5)	)
herpes simplex (054)	)
herpes zoster (053)	)
histoplasmosis (115)	)

## HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION (042.0-044.9)

042 Human immunodeficiency virus infection with specified conditions - continued

042.1 Causing other specified infections - continued

Includes only: - continued

mycobacteriosis, other and )  
    unspecified (031.8, 031.9) )  
        (excludes: 031.0, 031.1) )  
Nocardia infection (039) )  
opportunistic mycoses (118) ) Due to HIV infection  
pneumonia:  
    NOS (486) )  
    viral NOS (480.9) )  
Salmonella infections )  
    (003.1-003.9) )  
        (excludes: gastroenteritis 003.0) )  
septicemia (038) )  
strongyloidiasis (127.2) )  
tuberculosis (010-018) )

042.2 With specified malignant neoplasms

Includes only:

Burkitt's tumor or lymphoma (200.2) )  
Kaposi's sarcoma (173) )  
immunoblastic sarcoma (200.8) ) With HIV infection  
    lymphoma of the  
)  
    brain **or CNS (202.8)** )  
    reticulosarcoma (200.0) )

042.9 Acquired immunodeficiency syndrome, unspecified

AIDS with other conditions classifiable elsewhere except as in 042.0 - 042.2.

## HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION (042.0-044.9)

043 Human immunodeficiency virus infection causing other specified conditions

Includes: Aids-like disease (illness) (syndrome)  
AIDS-related complex  
AIDS-related conditions  
ARC  
pre-AIDS  
prodromal-AIDS

Excludes: HIV infection classifiable to 042

043.0 Causing lymphadenopathy

Includes: enlarged lymph nodes (785.6) ) Due to HIV infection  
swollen glands (785.6) )

043.1 Causing specified diseases of the central nervous system

Includes only:

central nervous system: )  
demyelinating disease NOS (341.9) )  
disorders NOS (348.9, 349.9) )  
non-arthropod-borne viral diseases, )  
other and unspecified (049.8, 049.9) )  
slow virus infection, other and )  
unspecified (046.8, 046.9) )  
dementia: )  
NOS (298.9) ) Due to HIV infection  
organic (294.9) )  
presenile (290.1) )

)  
encephalitis (323.9) )  
encephalomyelitis (323.9) )  
encephalopathy (348.3) )  
myelitis (323.9) )  
myelopathy (336.9) )  
organic brain syndrome NOS (nonpsychotic) )  
(310.9) psychotic (294.9) )

## HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION (042.0-044.9)

043 Human immunodeficiency virus infection causing other specified conditions - continued

043.2 Causing other disorders involving the immune mechanism

Includes only:

disorders involving the immune mechanism )

Due to HIV infection

classifiable to 279.0, 279.1, 279.2, 279.4

)

043.3 Causing other specified conditions

Includes only:

abnormal weight loss (783.2) )

abnormality, respiratory (786.0) )

agranulocytosis (288.0) )

anemia: )

NOS (285.9) )

aplastic, other and )

unspecified (284.8, 284.9) )

deficiency (280-281) )

hemolytic, acquired (283) )

arthritis

)

pyogenic (711.0) )

infective (711.9) )

blindness or low vision (369) )

blood and blood-forming organs, ) Due to HIV infection

unspecified disease (289.9) )

cachexia (799.4) )

dermatomycosis (111) )

dermatophytosis (110) )

diarrhea (noninfectious) (558) )

infectious (009) )

## HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION (042.0-044.9)

043 Human immunodeficiency virus infection causing other specified conditions - continued

043.3 Causing other specified conditions - continued

Includes only: - continued

disease or disorder NOS: )  
    blood and blood-forming organs (289.9) )  
    salivary gland (527.9) )  
    skin and subcutaneous tissue (709.9) )  
dyspnea (786.0) )  
fatigue (780.7) )  
fever (780.6) )  
gastroenteritis (noninfectious) (558) )  
    infectious (009) )  
hepatomegaly (789.1) )  
hyperhidrosis (780.8) )  
hypersplenism (289.4) )  
infection: )  
    intestinal, ill-defined (009) )  
lack of expected physiological )  
    development in infant (783.4) )  
leukoplakia of oral mucosa )  
    (tongue) (528.6) )  
malabsorption, intestinal (579.9) )  
malaise (780.7) )  
neuralgia NOS (729.2) ) Due to HIV infection  
neuritis NOS (729.2) )  
nutritional deficiencies (260-269) )  
pneumonitis, lymphoid, interstitial (516.8)  
)  
polyneuropathy (357.0, 357.8, 357.9) )  
pyrexia (780.6) )  
radiculitis NOS (729.2) )  
rash NOS (782.1) )

## HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION (042.0-044.9)

043 Human immunodeficiency virus infection causing other specified conditions - continued

043.3 Causing other specified conditions - continued

retinal vascular changes (362.1) )  
retinopathy, background (362.1) )  
splenomegaly (789.2) ) Due to HIV infection  
thrombocytopenia, secondary and )  
    unspecified (287.4, 287.5) )  
volume depletion (276.5) )

043.9 Acquired immunodeficiency syndrome-related complex, unspecified

AIDS-related complex (ARC) with other conditions  
classifiable elsewhere except as in 042.0 - 043.3

044 Other human immunodeficiency virus infection

Includes:

AAV (disease) (illness) (infection)  
AIDS-associated retrovirus (disease) (illness) (infection)  
AIDS-associated virus (disease) (illness) (infection)  
AIDS-related virus (disease) (illness) (infection)  
AIDS virus (disease) (illness) (infection)  
ARV (disease) (illness) (infection)  
HIV infection (disease) (illness)  
Human immunodeficiency virus (disease) (illness) (infection)  
Human immunovirus (disease) (illness) (infection)  
Human T-cell lymphotropic virus-III (disease) (illness) (infection)  
HTLV-III (disease) (illness) (infection)  
LAV (disease) (illness) (infection)  
LAV/HTLV-III (disease) (illness) (infection)  
Lymphadenopathy-associated virus (disease) (illness) (infection)

## HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION (042.0-044.9)

044 Other human immunodeficiency virus infection - continued

Excludes: AIDS (042)  
AIDS-related complex (ARC) (043)  
HIV infection classifiable to 042-043

044.0 Causing specified acute infections

Includes only:  
acute lymphadenitis (683) )  
aseptic meningitis (047.9) ) Due to HIV infection  
viral infection ("infectious")  
mononucleosis-like syndrome") (079.9) )

044.9 Human immunodeficiency virus infection, unspecified

HIV infection with other conditions classifiable elsewhere  
except as in 042.0 - 044.0

795.8 Positive serological or viral culture findings for human immunodeficiency virus

**Terms Not Indexed in ICD-9, Volume 2**

## TERMS NOT INDEXED IN ICD-9

Abdominalgia	7890	Accident	
- periodic	2773	- cerebrovascular	438
		- - healed or old	431
Ablation		- - hemorrhagic	
- pituitary (gland)	2537	- - remote	438
		- vascular	
Abnormal, abnormality, abnormalities		- - abdominal	4598
- acid-base balance		- - mesenteric	5570
- - due to		- - peripheral	4439
- - - medical care NEC	2764		
- anticoagulation	2869	Acid	
- - newborn	7762	- intoxication	
- coagulation	2869	- - due to	
- - newborn	7762	- - - medical care NEC	2762
- electrolyte (see also Imbalance, electrolyte)		2769	
- function		Acidemia	
- - lung, adult	7860	- due to	
- - pulmonary, adult	7860	- - medical care NEC	2762
- mandible	5248		
- metabolism, metabolic	7839	Acidosis	
		- dialysis	9999
Abscess		- due to	
- abdomen, abdominal NOS	5672	- - medical care NEC	2762
- heart		- fetus, newborn (see also Distress, fetal)	7684
- - valve, valvular - see Endocarditis, acute		- lactic	
- periaortic	4478	- - due to	
- postoperative (any site)	9985	- - - medical care NEC	2762
- pubis	6822	- mesenteric	5688
- viscera (multiple) NOS	5672	- metabolic	
		- - due to	
Abuse		- - - medical care NEC	2762
- drug (acute) NOS	3059	- respiratory	
		- - due to	
		- - - medical care NEC	2762

## TERMS NOT INDEXED IN ICD-9

Adenocarcinoma		Alveolitis	5168
- Duke's	1539		
Adhesions		Amputation	
- eustachian tube	3818	- traumatic NEC (multiple)	9599
- nerve root NEC	3538	Anemia (chronic)	2859
Affair		- aregenerative	
- cerebrovascular	4378	- - chronic congenital	2840
Aganglionosis		- blood loss	280
- renal	7533	- - acute	2851
AIDS (see also Syndrome, deficiency, immune, acquired)	0429	- due to	
Alcohol	3050	- - iron deficiency	280
Alcoholic	303	- erythromegalocaryocytic (acute)(chronic)	2858
Alkalemia		- hypoproliferative (refractive)	2848
- due to		- leukomyeloblastic (acute)(chronic)	2858
- - medical care NEC	2763	- lymphatic (acute)(chronic)	2019
Alkalosis		- lymphocytic (acute)(chronic)	2858
- due to		- metaplastic (see also Anemia, pernicious)	2810
- - medical care NEC	2763	- monocytic, chronic	2858
- metabolic		- myelofibrosis	2898
- - due to		- myelogenous	2858
- - - medical care NEC	2763	Aneurysm	
- respiratory		- aorta, aortic (leaking)	4416
- - due to		- - arteriosclerotic NEC	4416
- - - medical care NEC	2763	- - - specified site - See Aneurysm, specified site	
Altered		- - thoracolumbar	4412
- mental status	2989	- arteriosclerotic NEC	4429
		- - specified site - See Aneurysm, specified site	
		Angina	
		- abdominal	5571
		- lymphocytic	075

## TERMS NOT INDEXED IN ICD-9

Angiodysplasia NOS	5579	Arrest, arrested - continued	
- colon	5579	- maturation of spermatogenesis	606
		- medullary	7998
Anhidrosis (thermogenic)	7050	- myocardial (see also Arrest, cardiac)	4275
		- pulmonary (see also Arrest, respiratory)	7991
		- ventricle (see also Arrest, cardiac)	4275
Anhyddration			
- due to			
- - medical care NEC	2765	Arteriosclerosis, arteriosclerotic (debilitating)	
		- cardiopulmonary	4160
Anhydremia		- cardiovascular	
- due to		- - and renal (disease)	4049
- - medical care NEC	2765	- coronary (artery) (vascular)	4140
		- glomerulo	4039
Anomaly		- heart (decompensated)	
- Simian crease	7572	- myocardium	4140
- Uhl's (hypoplasia of myocardium, right	7468	- peripheral (of extremities) (vascular)	4290
ventricle)			4402
Aplasia		Arteritis	
- erythrocyte (see also Aplasia, red cell)	2848	- brachiocephalic	4467
- - congenital	2840	- branchial	4467
		- young female, syndrome	4467
Apraxia		Arthritis, arthritic	
- oculomotor, congenital	3795	- degenerative (see also Osteoarthrosis)	
ARC (see also Complex, AIDS related)	0439	- - generalized	7150
		- - specified site NEC	7153
Arrest, arrested		- hypertrophic (see also Osteoarthrosis)	
- arrhythmic (cardiac)	4275	- - generalized	7150
- cardiac (anoxic)	4275	- - specified site NEC	7153
- cardiopulmonary (see also Arrest, cardiac)	4275	- rheumatoid (deforming) (degenerative)	7140
- cardiovascular (see also Arrest, cardiac)	4275	- senile, senescent (see also Osteoarthrosis)	
- cerebrovascular	4378	- - generalized	7150
- circulatory (see also Arrest, cardiac)	4275	- - specified site NEC	7153
- coronary	411		
- - infant	7798		

## TERMS NOT INDEXED IN ICD-9

Ascites		Atrophy - continued	
- malignant	7895	- cortical	2554
Asphyxia, asphyxiation		- - adrenal	
- perinatal	7689	- kidney	4039
- prenatal	7684	- - arteriosclerotic	
Aspiration	933	Attack	4269
- bronchitis	490	- Adams-Stokes	4292
Asthenia		- cardiovascular	7991
- tropical anhidrotic	7051	- respiration, respiratory	
Ataxia		- - newborn	7708
- Levy's	3343	Attrition	7993
Atelectasis		- general	
- newborn		Autohemolysis	2898
- - subtotal	7705	Autolysis of blood	2898
Atherogenesis (see also Arteriosclerosis)	4409	Avulsion	
Atheroma, atheromatous (see also Arteriosclerosis)	4409	- bone - see Fracture	
- occlusive coronary sclerosis	4140	Bacteremia	
Atonia		- due to	
- esophagus	5308	- - bacterial organisms and classifiable to category 038-	7718
Atresia		- - - newborn	0031
- biliary NOS	7516	- salmonella	
Atrophy		Balance of mind disturbed	3009
- adrenal (cortical)	2554	Bathycephaly	7560
- brain		Beer drinker's heart (disease)	4255
- - presenile	2901	Bilirubinemia (see also Hyperbilirubinemia)	7824

## TERMS NOT INDEXED IN ICD-9

Blindness (complete)	3690	Bradyarrhythmia, cardiac	4278
Block, blockage (see also Obstruction)		Bradytachyarrhythmia	4278
- atrioventricular			
- - first degree	4261	Bromidism NOS	3041
- - second degree	4261		
- - third degree	4260	Bronchiectasis (cystic)	494
- bundle branch			
- - bilateral	4265	Bronchitis	
- heart		- aspiration	490
- - complete (atrioventricular)	4260	- smokers' (chronic)	4910
- first degree (atrioventricular)	4261	- viral	4660
- - incomplete	4261		
- - intra-atrial	4266	Burn	
- - second degree (atrioventricular)	4261	- beyond recognition	9489
- - third degree (atrioventricular)	4260	- body	9420
- trifascicular	4265	- - 100%	9489
		- - total	
Blowout		- - - third degree	9489
- duodenal stump	9974	- extremities (assume both legs and arms)	9450
		- to death	9430
			9489
Bodechtel-Guttman disease (subacute sclerosing panencephalitis)	0462	Cachexia	
- late effects	1398	- cancer	1991
Born in toilet (see also Birth, precipitate)	7636	- carcinoma	1991
Botulism		- carcinomatous	1990
- infant, so stated	0408	- metastatic	7994
- not food poisoning	0408	- - due to a	
- wound	0408	- - - malignant neoplasm	1991
Brachycephaly	7560	Cafe coronary - see Aspiration, food	

## TERMS NOT INDEXED IN ICD-9

Calcemia	2754	Cardiomyopathy - continued	
Calcinosis		- ischemic	4148
- myocardium, myocardial	4291	- - acute or with a stated duration of eight weeks or less	410
Canal		- metabolic	2779
- atrioventricular		- nutritional	2699
- - complete	7456	- rheumatic	3989
Cancer		- valvular	4249
- blood - see Leukemia		- viral	4259
- cachexia	1991	Carditis (viral)	4298
- napkin ring (see also Neoplasm, malignant)	1991	Catabolism	
Candidiasis		- senile	797
- neonatal	7717	Catastrophe, catastrophe	
Capsulitis		- abdominal (acute)	7890
- hepatic	5733	- cardiorespiratory	7991
- labyrinthine	3878	- - newborn	7708
Carcinoma		- cardiovascular	4292
- cachexia	1991	- vascular	436
- Klatskin (see also Neoplasm, malignant, bile duct)	1561	Cebocephaly	7598
- merkel cell (see also Melanoma)	1729	Cecitis	
- neuroectodermal (see also Neoplasm, malignant)	1991	- regional	5551
<b>*- neuroendocrine (See also Neoplasm, malignant)</b>	<b>1991</b>	Cellulitis	
		- decubital	7070
Carcinomatous	1990	Cephalomalacia (see also Softening, brain)	4349
-cachexia			
Cardiomyopathy			
- arteriosclerotic	4140	Cerebritis	
- coronary	4149	- fungal	1179
- hypertensive	4029		
- - benign	4021	Cerebrorhinorrhea	3498
- - malignant	4020		

## TERMS NOT INDEXED IN ICD-9

Cessation		Clot NOS	4449
- cardiac	4275	- blood	
- - newborn	7798	- - cerebral artery	4340
- cardiorespiratory	4275	- vascular	4449
- - newborn	7798		
- respiratory	7991	Clotting	
- - newborn	7708	- disseminated	2866
		- - intravascular	
		- - - newborn	7762
Change(s)			
- cerebral	3489		
- neurological	3499	Coagulopathy	
- renal	5939	- consumption	
Charred	9489	- - newborn	7762
- specified anatomical sites - code Burns		- intravascular	2866
of specified site plus fourth digit .4			
(deep third degree burns)		Coenurosis	1238
Choked, choking	933	Cogan's syndrome	
		- congenital oculomotor apraxia	3795
Cholera		Colitis	
- pancreatic	5778	- cryptosporidium	0072
Chondrolysis	7339	- cystica superficialis	558
		- cytomegalic, cytomegalovirus	0785
		- polyposa	556
Cirrhosis		Collapse	
- Popper's florid, florid (alcoholic)	5712	- cardiocirculatory	7855
- portal		- - newborn	7798
- - Laennec's	5712	- cardiopulmonary	7855
Claudication, intermittent		- - newborn	7798
- cauda equina	435	- cardiovascular	
- venous (axillary)	4538	- - newborn	7798
		- central nervous system (CNS)	3498
		- cerebrovascular	436

## TERMS NOT INDEXED IN ICD-9

Collapse - continued		Complex - continued
- kidney (see also Failure, renal)	586	- AIDS-related (ARC) - continued
- nutritional	2699	- - causing - continued
- pituitary	2538	- - - coccidioidomycosis (114) 0421
- renal (see also Failure, renal)	586	- - - cytomegalic inclusion disease (078.5) 0421
- respiratory	7991	- - - deficiency
- - newborn	7708	- - - - nutritional (any) (260-269) 0433
Comatose	7800	- - - - dementia
Complex		- - - - organic (294.9) 0431
- AIDS-related (ARC)	0439	- - - - presenile (290.1) 0431
- - causing		- - - - unspecified (298.9) 0431
- - - abnormal, abnormality		- - - depletion
- - - respiratory (786.0)	0433	- - - - volume (276.5) 0433
- - - weight loss (783.2)	0433	- - - dermatomycosis (111) 0433
- - - agranulocytosis (288.0)	0433	- - - dermatophytosis (110) 0433
- - - anemia		- - - diarrhea (noninfectious) (558)
- - - aplastic		infectious (009) 0433
- - - - other (284.8)	0433	- - - disease or disorder
- - - - unspecified (284.9)	0433	- - - - blood and blood-forming organs (289.9) 0433
- - - - deficiency (280-281)	0433	- - - - central nervous system, unspecified
- - - - hemolytic, acquired (283)	0433	(348.9, 349.9) 0431
- - - - unspecified (285.9)	0433	- - - - demyelinating, central nervous system,
- - - arthritis		unspecified (341.9) 0431
- - - infective (711.0, 711.9)	0433	- - - - immune mechanism (279) 0432
- - - pyogenic (711.0)	0433	- - - - salivary gland (527.9) 0433
- - - blindness (369)	0433	- - - - skin (709.9) 0433
- - - cachexia (799.4)	0433	- - - - subcutaneous tissue (709.9) 0433
- - - candidiasis		- - - - viral
- - - disseminated (112.5)	0421	- - - - - non-arthropod-borne
- - - mouth (112.0)	0421	central nervous system
- - - nails (112.3)	0421	- - - - - other (049.8) 0431
- - - other sites, NEC (112.8)	0421	- - - - - unspecified (049.9) 0431
- - - skin (112.3)	0421	- - - - slow
- - - unspecified (112.9)	0421	- - - - - central nervous system
- - - changes, retinal vascular (362.1)	0433	- - - - - other (046.8) 0431
		- - - - - unspecified (046.9) 0431

## TERMS NOT INDEXED IN ICD-9

Complex - continued		Complex - continued	
- AIDS-related (ARC) - continued		- AIDS-related (ARC) - continued	
- - causing - continued		- - causing - continued	
- - - dyspnea (786.0)	0433	- - - infection - continued	
- - - encephalitis (323.9)	0431	- - - - Salmonella - continued	
- - - encephalomyelitis (323.9)	0431	- - - - septicemia (003.1)	0421
- - - encephalopathy (348.3)	0431	- - - - unspecified (003.9)	0421
- - - enlarged lymph nodes (785.6)	0430	- - - - Strongyloides (stercoralis) (127.2)	0421
- - - fatigue (780.7)	0433	- - - - tuberculous (010-018)	0421
- - - fever (780.6)	0433	- - - - viral	
- - - gastroenteritis (infectious 009) (non-infectious 558)	0433	- - - - nonarthropod-borne	
- - - hepatomegaly (789.1)	0433	- - - - central nervous system	
- - - herpes simplex (054)	0421	- - - - - other (049.8)	0431
- - - herpes zoster (053)	0421	- - - - - unspecified (049.9)	0431
- - - histoplasmosis (115)	0421	- - - - slow	
- - - hyperhidrosis (780.8)	0433	- - - - central nervous system	
- - - hypersplenism (289.4)	0433	- - - - - other (046.8)	0431
- - - immune disorders (279.0) (279.1) (279.2) (279.4)	0432	- - - - - unspecified (046.9)	0431
- - - infection		- - - intestinal	
- - - - Candida		- - - - infection, ill-defined (009)	0433
- - - - disseminated (112.5)	0421	- - - - malabsorption (579.9)	0433
- - - - mouth (112.0)	0421	- - - - lack of expected physiological development in infant (783.4)	0433
- - - - nails (112.3)	0421	- - - leukoplakia	
- - - - other sites, NEC (112.8)	0421	- - - oral mucosa (tongue) (528.6)	0433
- - - - skin (112.3)	0421	- - - loss weight, abnormal (783.2)	0433
- - - - unspecified (112.9)	0421	- - - low vision (369.2)	0433
- - - - Histoplasma (115)	0421	- - - lymphadenopathy (785.6)	0430
- - - - intestinal, ill-defined (009)	0433	- - - malabsorption, intestinal (579.9)	0433
- - - - Mycobacterium		- - - malaise (780.7)	0433
- - - - other (031.8)	0421	- - - mycobacteriosis	
- - - - unspecified (031.9)	0421	- - - other (031.8)	0421
- - - - Nocardia (039)	0421	- - - unspecified (031.9)	0421
- - - - opportunistic mycotic (118)	0421	- - - mycoses, opportunistic (118)	0421
- - - - Salmonella		- - - myelitis (323.9)	0431
- - - - localized NEC (003.2)	0421	- - - myelopathy (336.9)	0431
- - - - other (003.8)	0421		

## TERMS NOT INDEXED IN ICD-9

Complex - continued		Complex - continued	
- AIDS-related (ARC) - continued		- AIDS-related (ARC) - continued	
- - causing - continued		- - causing - continued	
- - - neuralgia, unspecified (729.2)	0433	- - - tuberculosis (010-018)	0421
- - - neuritis, unspecified (729.2)	0433	- - - volume depletion (276.5)	0433
- - - Nocardia infection (039)	0421	- - - weight loss, abnormal (783.2)	0433
- - - nutritional deficiency (260-269)	0433	- - with	
- - - opportunistic mycoses (118)	0421	- - - Burkitt's tumor (200.2)	0422
- - - organic brain syndrome, unspecified (psychotic) (294.9) (non- psychotic) (310.9)	0431	- - - candidiasis, lung (112.4)	0420
- - - pneumonia		- - - coccidioidosis (007.2)	0420
- - - lymphoid, interstitial (516.8)	0433	- - - cryptosporidiosis (007.2)	0420
- - - unspecified (486)	0421	- - - isosporiasis (007.2)	0420
- - - viral, unspecified (480.9)	0421	- - - cryptococcosis (117.5)	0420
- - - polyneuropathy (357.0, 357.8, 357.9)	0433	- - - immunoblastic sarcoma (200.8)	0422
- - - pyrexia (780.6)	0433	- - - infection	
- - - radiculitis, unspecified (729.2)	0433	- - - Candida, lung (112.4)	0420
- - - rash, unspecified (782.1)	0433	- - - Cryptococcus neoformans (117.5)	0420
- - - respiratory abnormality (786.0)	0433	- - - Cryptosporidium (007.2)	0420
- - - retinal vascular changes (362.1)	0433	- - - Pneumocystis carinii (136.3)	0420
- - - retinopathy, background (362.1)	0433	- - - Kaposi's sarcoma (173)	0422
- - - Salmonella infection		- - - leukoencephalopathy, multifocal, progressive (046.3)	0420
- - - localized (003.2)	0421	- - - lymphoma, brain, primary (202.8)	0422
- - - other (003.8)	0421	- - - lymphoma, Burkitt's (200.2)	0422
- - - septicemia (003.1)	0421	- - - Pneumocystis carinii (136.3)	0420
- - - unspecified (003.9)	0421	- - - pneumocystosis (136.3)	0420
- - - septicemia (038)	0421	- - - reticulosarcoma (200.0)	0422
- - - splenomegaly (789.2)	0433	- - - sarcoma	
- - - strongyloidiasis (127.2)	0421	- - - immunoblastic (200.8)	0422
- - - swollen glands (785.6)	0430	- - - Kaposi's (173)	0422
- - - syndrome, brain, organic (psychotic) (294.9) (non- psychotic) (310.9)	0431	- - - toxoplasmosis (130)	0420
- - - thrombocytopenia		- - - tumor, Burkitt's (200.2)	0422
- - - secondary (287.4)	0433		
- - - unspecified (287.5)	0433		

## TERMS NOT INDEXED IN ICD-9

Complications		Convulsion	
- of diabetes	2509	- grand mal	3451
- of trauma	9588		
Compression		Coronary	
- chest	512	- massive NOS	410
- - traumatic	862		
- common bile duct	5762	Cramp(s)	
- intrathoracic	512	- salt-depletion	
- - traumatic	862	- - due to	
- thoracic		- - - medical care NEC	2761
- - traumatic	862		
Compromise		Cremation	9489
- immune	2793		
- respiratory	7991	Crib death	
- - newborn	7708	- age one year or over	7981
Condition(s)			
- AIDS-related	0439	Cripple	5188
		- pulmonary	
Congestion		Crisis	
- nose, nasal	4781	- hemolytic	2898
- respiratory	5198	- hepatic	5738
- throat	462	- sickle cell	2826
- vascular (passive)	4599	Crush, crushed, crushing	
		- bone - see Fracture	
		- - cervical	805
Conjunctivitis		- - lumbar	805
- chemical	3720	- - thoracic	807
Constriction		- pelvis	867
- esophagus	5303	- spine	805
Contusion		- thorax	862
- extremity, extremities	924	- vertebra	805
		Cryofibrinogenemia	2869
		Cryptosporidiosis	0072

## TERMS NOT INDEXED IN ICD-9

Culture (for)		Death - continued	
- AIDS virus		- cot	
- - positive	7958	- - 1 year of age or over	7981
- HIV		- crib	
- - positive	7958	- - 1 year of age or over	7981
- viral		- infant - from intrauterine coil	7608
- - HIV		- liver	5739
- - - positive	7958	- traumatic	9599
 Cyst		 Debility	
- marginal sinus (placenta)	641	- metabolic	2779
- paramesonephric duct	7528	- of age	797
- subarachnoid	3480	- pulmonary	5188
 Dactylitis		 Decerebrate	3488
- sickle cell	2826	- central nervous system (CNS)	3488
		- traumatic - see Injury, brain	
 Damage		 Decline	
- brain		- neurological	
- - anoxic		- - progressive	3498
- - - at birth	7684		
- - - newborn	7684		
- - congenital, not newborn	3439	Decompensation - see also Hypofunction	
- cerebrovascular NEC	4379	- cardiopulmonary	4299
- - child	3439	- cerebral	3489
- organ or site NEC		- coronary	4149
- - traumatic - see Injury, by site		- lung	5188
		- - newborn	7708
 Dead		- medullary	7998
- bowel	5570	- pulmonary	5188
		- - newborn	7708
		- renal	5939
 Death			
- bowel	5570	Decrease(d)	
- cardiovascular	4299	- immune response	2793
- coronary	4149	- immunity	2793
- - sudden	410		

## TERMS NOT INDEXED IN ICD-9

Decubitus (ulcer)		Deficiency - continued	
- with infection	7070	- salt	
		- - due to	
		- - - medical care NEC	2761
Defect, defective	7468	- site(s) not indexed under Deficiency -	
- A.V.		see also Insufficiency	
- enzyme hepatic	2774	- sodium (NA)	
- - congenital	2779	- - due to	
- enzymatic (congenital)	2779	- - - medical care NEC	2761
- genes, genetic	7599	- trypsin	2776
- immunological			
- - developing antibody Factor III	2869	Deficit	
- intravascular clotting	2869	- neurological NEC	7819
- metabolic	2779		
- - congenital	2779	Degeneration, degenerative	
Deficiency		- central nervous system (CNS)	3498
- antidiuretic hormone secretion (inappropriate)	2536		
		- cochleosaccular	3868
- antithrombin III	2869	- coronary vessels	4148
- antitrypsin	2776	- heart	
- autoimmune	2794	- - valve, valvular - see Endocarditis	
- bile salt	5798	- hip	7153
- electrolyte	2769	- infrapatellar fat pad	7293
- factor Fletcher (see also Defect, coagulation)	2869		
		- kidney (parenchymatous)	587
- glucuronyl transferase	2774	- lethal ball, prosthetic heart valve	9960
- immunological	2793	- myxoid, myxomatous	
- invertase	2713	- - valvular	4249
- iron anemia (due to blood loss)	280	- - - aortic	4241
- - acute	2851	- - - mitral	4240
- lactase	2713	- - - pulmonary	4243
- metabolic	2779	- - - tricuspid	4242
- neurological	7819	- neurological	3498
- platelets NEC	2871	- popliteal fat pad	7293
- potassium (K)		- presenile	
- - due to		- - brain	2901
- - - medical care NEC	2768	- silicone rubber poppet (prosthetic valve)	9960
- pyruvate kinase (PK)	2823	- spinocerebellar	3348
		- valve, valvular - see Endocarditis	

## TERMS NOT INDEXED IN ICD-9

Degenerativa		Depletion	
- melanosis corii	7573	- bone marrow	2840
Dehydration		- potassium	
- due to		- - due to	
- - medical care NEC	2765	- - - medical care NEC	2768
Delivery		- salt, sodium	
- complicated by		- - due to	
- - fetal death	6564	- - - medical care NEC	2761
- - intrauterine death	6564	- volume	
- - laceration		- - extracellular fluid	
- - - paraurethral	665	- - - due to	
- extremely rapid	661	- - - medical care NEC	2765
- newborn	7636	- - plasma	
- stillbirth, stillborn	6564	- - - due to	
		- - - medical care NEC	2765
		- - water	2765
Dementia		Depression	
- Alzheimer's		- basilar	7560
- - senile	2901	- central nervous system (CNS) NEC	7991
- dialysis	2939	- - newborn	7792
- multi-infarct	2904	- function	
- - arteriosclerotic	2904	- - cardiac	4279
- senile		- - respiratory	7991
- - Alzheimer's type	2901	- - newborn	7708
		- situational reactive	3090
		- state	311
Dependence		- vital centers	3488
- DOM	3042	- - newborn	7792
- MDA (methylene dioxyamphetamine)	3044		
- methylene dioxyamphetamine (MDA)	3044		
- STP	3042		
- toluene, toluol	3046		

## TERMS NOT INDEXED IN ICD-9

Derangement		Development	
- electrolyte	2769	- inadequate	
- metabolic	2779	- - respiratory center (newborn)	7424
Dermachalasis		Device	
- eyelid	3743	- intrauterine contraceptive	
		- - affecting fetus or newborn	7608
Dermatofibroma			
- malignant (see also Neoplasm, skin, malignant)	1739		
		Dextroversion, kidney (left)	7533
Dermatosis		Diabetes, diabetic	
- Siemens-Bloch pigmented	7573	- with complications	2509
Destruction		- gestation, gestational	6488
- with		- glomerulosclerosis	2503
- - neoplasm - see Neoplasm		- insulin dependent	2500
- bone		- lipotrophic	2500
- - traumatic - see Fracture		Diarrhea	
- lung		- bile salt-induced	5798
- - traumatic - see Injury, internal, lung		- cryptosporidium	0072
- sites other than bone		- cytomegalic, cytomegalovirus	0785
- - traumatic - see Injury, by site		Diet	2699
Deterioration		Difficulty	
- alcoholic	303	- respiratory	7860
- brain	3488	- - newborn	7708
- cerebrovascular	4371	Dilation	
- circulatory	4598	- salivary gland (duct)	5278
- general of age	797	Discitis	7229
- neurological	3498		
- nutritional (tissue)	7839		

## TERMS NOT INDEXED IN ICD-9

Disease, diseased		Disease, diseased - continued	
- AAV (see also Infection, virus, human immunodeficiency)	0449	- basement membrane	5838
- acquired immune deficiency	2793	- black lung	500
- acquired immune depression	2793	- Bodechtel-Guttman (subacute sclerosing panencephalitis)	0462
- acquired immunodeficiency	2793	- - late effects	1398
- adult immunodeficiency	2793	- brain	
- adult immune deficiency	2793	- - degenerative	
- auto immune deficiency	2794	- - - congenital	7424
- AIDS (see also Syndrome, deficiency, immune, acquired)	0429	- - presenile	2901
- AIDS-associated retrovirus (see also Infection, virus, human immunodeficiency)	0449	- breast	
- - inflammatory			6110
- AIDS-associated virus (see also Infection, virus, human immunodeficiency)	0449	- - - fetus or newborn	7787
- AIDS-like (see also Complex, AIDS-related)	0439	- bronchial	
- AIDS-related virus (see also Infection, virus, human immunodeficiency)	0449	- - obstructive	
- - chronic			496
- airway		- bronchopulmonary (chronic)	
- - obstructive (acute) (chronic)	496	0449 - - obstructive	496
- aorta	0449	- cardiopulmonary	4169
- - arteriosclerotic	4400	- - arteriosclerotic	4160
- aorto-iliac (occlusive)	4479	- cardiorespiratory	
- Armenian	2773	- - newborn	7798
- arteriosclerotic		- cardiovascular (heart)	4292
- - aortic	4400	- - and renal (arteriosclerotic) (hypertensive)	4049
- arteriovascular	4479	- - rheumatic	3989
- artery		- carotid artery	4379
- - carotid	4379	- cerebrovascular	
- - coronary	4400	- - acute	
- - - obstructive	4140	- - - hemorrhagic	431
- - - occlusive	4149	- - hypertensive	4379
- - - stenosing, stenotic	4140	- - - conductive system	4269
- ARV (see also Infection, virus, human immunodeficiency)	0449	- coronary	4149
		- - - arteriosclerotic	4140
		- - - - hypertensive	4140
		- - - hypertensive	4149

## TERMS NOT INDEXED IN ICD-9

Disease, diseased		Disease, diseased - continued	
- cystic adventitial (artery)	4479	- immune complex	2792
- duodenum	5379	- immune deficiency	2793
- Erdheim's	4410	- immunodeficiency	2793
- Fredrickson's lipid phenotype IV	2721	- joint	
- graft versus host		- - degenerative	
- - due to		- - - generalized	7150
- - - bone marrow transplant	9998	- Josephs	3330
- heart		- kidney	
- - arteriosclerotic		- - arteriosclerotic	4039
- - - congestive	4140	- - diabetic	2503
- - - hypertensive	4140	- - endstage	5939
- heart		- - - acute	5809
- - artery	4149	- - - chronic	5829
- - degenerative	4291	- LAV (see also Infection, virus, human	
- - hypertensive		immunodeficiency)	0449
- - - arteriosclerotic	4140	- LAV/HTLV-III (see also Infection, virus,	
- - - sclerotic	4140	human immunodeficiency)	0449
- - obstructive	4298	- lymphadenopathy-associated virus (see also	
- - rheumatoid	7142	Infection, virus, lymphadenopathy	
- - sclerotic		associated	0449
- - - hypertensive	4140	- Leigh's (-Feigen-Wolf)	3308
- HIV (see also Infection, virus, human	0449	- Lenegre's	4260
immunodeficiency)		- Lev's	4260
- HTLV-III (see also Infection, virus, human	0449	- light chain	2030
immunodeficiency)		- liver	
- HTLV-III/LAV (see also Infection, virus,	0449	- - alcoholic	5713
human immunodeficiency)		- - nutritional	2699
- human immunodeficiency virus (see also		- lung	
Infection, virus, human immunodeficiency)	0449	- - bullous	492
- human immunovirus (see also Infection, virus,		- - chronic	
human immunodeficiency)	0449	- Lymme	5188
- human T-cell lymphotropic virus (see also			0888
Infection, virus, human immunodeficiency)	0449		

## TERMS NOT INDEXED IN ICD-9

Disease, diseased - continued		Disease, diseased - continued
- lymphoproliferative		
- - malignant	2038	
- lymphoreticularproliferative	2387	- renal
- maltworkers'	4954	- - endstage
- Marquio's (mucopolysaccaridosis)	2775	- - - acute
- medullary center (idiopathic) (respiratory)		5939
- meningovascular	3488	5809
- metastatic NOS (with no mention of		
malignant neoplasm)	4379	- - chronic
- myocardium, myocardial (acute) (heart)	1991	5829
- - idiopathic	4291	2503
- - malignant	4254	
- myeloproliferative	2038	- - diabetic
- - malignant		- respiratory
- neurological (see also Disease, nervous	3499	- - obstructive (acute) (chronic)
system)		496
- Norrie's (congenital progressive	7438	- reticularproliferative
oculoacousticocerebral degeneration)		2387
- occlusive	4479	- Riemann's periodic
- - arteriovascular		2773
- peripheral	4402	Scretan's (posttraumatic edema)
- - vascular		7823
- - - arteriosclerotic	7090	- Siegal-Cattan-Mamou (periodic)
- progressive pigmentary		2773
- Pyle (-Cohn) (craniometaphyseal dysplasia)	7568	- TORCH
		*- <b>vascular</b>
		- - generalized
		- - mesenteric
		Diskitis
		7229

## TERMS NOT INDEXED IN ICD-9

Dislocation		Disorder - continued	
- humerus	831	- influenza-like	4879
Dismemberment	879	- lymphoproliferative (chronic)	2387
Disorder		- lymphoreticularproliferative	2387
- balance		- myeloproliferative (chronic)	2387
- - acid-base		- reticularproliferative	2387
- - - due to		- seizure	
- - - medical care NEC	2769	- - newborn	7790
- - - mixed		- - photosensitive	3455
- - - due to		- - photosensory	3455
- - - - medical care NEC	2764	Disorientation	2989
- - electrolyte		Displacement, displaced	
- - - due to		- bone marrow (fibrocystic)	2898
- - - medical care NEC	2769	- endotracheal tube	9965
- - fluid		Disproportion	
- - - due to		- thymus, thymic	2548
- - - - medical care NEC	2769	Disruption	
- bipolar		- gastrostomy stoma	9974
- - manic	2962	- aortic graft	9961
- cardiac	4299	Dissociation	
- electrolyte		- electromechanical	4268
- - due to		Distress	
- - - medical care NEC	2769	- cardiopulmonary	7991
- esophageal		- - newborn	7798
- - motility	5305	- cardiorespiratory	7991
- hemorrhagic		- - newborn	7798
- - newborn	7760	- circulatory	7855
- iatrogenic (see also Complications, medical care NEC)	9999	- - newborn	7798
- - due to	9952		
- - - chemotherapeutic agent (anti-tumor)	9952		
- - - drugs other than chemotherapeutic agent	9952		

## TERMS NOT INDEXED IN ICD-9

Disturbance		Dysentery	
- acid-base equilibrium		- bacterial	0049
- - due to			
- - - medical care NEC	2769	Dysfunction	
- metabolism		- central nervous system (CNS)	3498
- - sodium NEC		- esophagus	5305
- - - due to		- hypothalamic	3488
- - - medical care NEC	2769	- neurological	7819
		- pharyngeal	4782
Disturbed mind (balance of)	3009	- respiratory	
		- - center, adult	3488
Diverticula		- - progressive	7860
- broad ligament	6208	- sinus node	4278
- throat	7502	- valve, valvular (see also Endocarditis)	4249
		- - aortic	4241
Double		- - mitral	3949
- outlet		- - pulmonary	4243
- - left ventricle	7468	- - tricuspid	3970
- - right ventricle	7451	- vesicourethral	5965
Drinking (alcohol)(heavy)(history of)(problems)	3050		
		Dysgammaglobulinemia (Types 1 - 3)	2790
Driving		Dysgenesis	
- under influence	3050	- cerebral	7429
- while intoxicated	3050		
Drug		Dyskaryosis	
- abuse - see Abuse, drug, non-dependent	3059	- cervix	6221
		- uterus	6218
Dyscrasia		Dyskinesia (oral)	
- plasma cell	2739	- tardive	3338

## TERMS NOT INDEXED IN ICD-9

Dysplasia		Edema	
- acetabular		- liver	5738
- - congenital	7556	- lung	
- bone marrow	2898	- - postoperative	5184
- craniocarpotarsal	7598	- medullary	3485
- craniometaphyseal	7568	- peripheral	7823
- epithelial		- salt	
- - epiglottis	4787	- - due to	
- erythroid NEC	2898	- - - medical care NEC	2760
- metaphyseal			
- - familial	7568	Effusion	
- myeloid NEC	2898	- cardiac	4280
- thanatophoric	2594	- myocardium, myocardial	4280
		- pleural	
		- - malignant	
Dystrophy, dystrophia			5119
- canthia medialis lateroversa	2708	Elderly	797
- hypotonic	7998		
- liver			
- - fatty	5718	Electrolyte imbalance	
- neuromuscular		- due to	
- - traumatic	9588	- - medical care NEC	2769
Ectasia, ectasis		Embarrassment	
- kidney	5938	- cardiac	4299
- renal	5938	- respiratory	7860
- salivary gland (duct)	5278	- - newborn (see also Distress, respiratory)	7708
Ectopic, ectopia			
- pineal body	7592		

## TERMS NOT INDEXED IN ICD-9

Embolism		Encephalomalacia	
- air		- anoxic	4349
- - newborn NEC	7702		
- artery		Encephalomyelitis	
- - axillary	4448	- abortive, disseminated	0498
- - brachial	4442	- - late effects	1390
- brain (hemorrhagic)	4341	- funicularis infectiosa	0498
- femoral vein	4511	- - late effects	1390
- leg		- Munch-Petersen's	0498
- - femoral vein	4511	- - late effects	1390
- - vein	4512		
- - - deep	4511	Encephalomyelopathy	
- metastatic or tumor		- subacute necrotizing (infantile)	3308
- - due to			
- - - neoplasm or tumor	4449	Encephalopathy (cerebral)	3483
- - - specified site - see Embolism of		- ischemic	4371
specified site		- - anoxic	4371
- myocardium, myocardial (see also Infarction,			
myocardium)		- metabolic	2779
	410	- thrombotic	4340
Emphysema		Endocarditis	
- surgical		- due to	
- - pulmonary	9973	- - Serratia marcescens	4210
Encephalitis		Endosalpingosis (tube)	6172
- diffuse sclerosing	0462	- ovary	6171
- - late effects	1398		
- fungal	1179	Endotoxicosis	0389
- herpeto-leuko	0543		
- - late effects	1398	Endstage kidney	5939
- Redlich's	0498	- acute	5809
- - late effects	1390	- chronic	5829
- Van Bogaert's	0462		
- - late effects	1398		

## TERMS NOT INDEXED IN ICD-9

Enteritis		Erythroblastophthisis	2840
- cryptosporidium	0072		
- cytomegalic, cytomegalovirus	0785	Erythrocytosis	2899
- granulomatous	5551		
- nonspecific	558	Event	
		- cardiac	4298
Enterococcus, enterococcal - see Streptococcal		- cardiovascular	4292
		- cerebrovascular	436
Entrapment		- coronary	411
- pleural (of lungs)	5110	- myocardium, myocardial	4291
Epicarditis - see also Pericarditis		Evisceration	
Episode		- nontraumatic - see Hernia	
- cardiovascular (acute)	4292	- traumatic	
- coronary	410	- - specified site - see Injury, by site	
- ischemic		Excess, excessive, excessively	
- - transient	435	- alcohol	3050
- syncopal (see also Syncope)	7802	- potassium	
Epstein Barr virus	075	- - due to	
Epulis fissuratum (gum)	5238	- - - medical care NEC	2767
Erosion		- sodium	
- aorta	4472	- - due to	
- blood vessel	4598	- - - medical care NEC	2760
- cerebral	3488	Exsanguination NOS (see also Hemorrhage)	4590
- endotracheal tube	9965	Extravasation	
- heart (hemorrhagic)	4298	- traumatic	
		- - specified site, see Injury, by site	
Error		Extrophy	
- metabolism		- colon and cloaca	7518
- - pyruvate			
- - - inborn	2823		

## TERMS NOT INDEXED IN ICD-9

Failure, failed		<b>*Fasciitis</b>	
- adrenal	2554	- necrotizing	<b>7294 7854</b>
- bone marrow	2849		
- bypass	9965	Fatigue	
- cardiopulmonary	7991	- postural, paradox	7298
- - congested, congestive	4280		
- - newborn	7798	Fell dead	7981
- cardiorespiratory (acute)	7991		
- - renal (see also Failure, cardiorenal)	4289	Fever	
- cardiovascular		- etiocholanolone	2773
- - pulmonary	4289		
- central respiratory	3488	Fibrocystic	
- conduction mechanism	4269	- ovary	2564
- congestive			
- - circulatory	4280	Fibroemphysema	492
- - pulmonary (see also Congestion, lung)	514		
- heart		Fibrosarcoma	
- - biventricular	4289	- ovarii mucocellulare circinomatodes	1986
- - congestive			
- - - biventricular	4280	Fibrosis	
- - - left	4281	- cystic of lung, acquired	5188
- - decompensated	4280	- infrapatellar fat pad	7293
- interposition		- interstitial	515
- - colon	9974	- - lung	515
- lipid metabolism	2729	- pericardium, pericardial	4231
- medullary	7998	- popliteal fat pad	7293
- myocardial renal	4289	- - portal	5715
- nutritional	2699	- - subendocardial	4249
- peripheral	7855	- - subepidermal	2169
- pulmonary	7991	- - breast	2165
- - newborn	7708	- - external site or area NEC	2168
- pump	4289	- - genital organ NEC - see Neoplasm, skin, benign,	
by site		- - scrotum	2224
- renovascular - see Failure, renal	9988		
- repair	2765	<b>Fistula</b>	
- to take fluid	7830	- aorta-enteric	4472
- to take nourishment	7855	- aortocutaneous	4472
- vascular	7991	- arteriovenous	4470
- ventilatory	7708	- A.V.	4470
- - newborn			

## TERMS NOT INDEXED IN ICD-9

Fistula - continued		Fracture - continued	
- bronchopulmonary		- chest	807
- - congenital	7488	- dislocation - code Fracture only	
- enterocutaneous	5698	- extremity	829
- gastrocutaneous	5374	- extremities	829
- sigmoidovaginal	6191	- forearms	819
- - congenital	7524	- head (see also Fracture, skull)	803
- vesicocutaneous	5962	- hip	
		- - intertrochanteric	820
Floppy infant NEC	7819	- hips	828
		- legs	828
Fluid		- sacroiliac joint	805
- loss (acute)		- thorax	807
- - due to			
- - - medical care NEC	2765	Fragility	
- pericardium, pericardial	4238	- vascular	4598
Formation			
- bone in scar tissue (skin)	7093	Fredrickson's	
- Elschnig pearls (postcataract extraction)	3665	- lipid phenotype IV	2721
Fracture			
- and dislocation - code Fracture only		Frozen	
- with dislocation - code Fracture only		- pelvis	
- with infection - code Fracture		- - male	6088
- ankles	828		
- arms	819		
- bilateral		Fusion	
- - hip	828	- cranial sutures, premature	7560
- - radius	819		
- body	809	Gallstone	
- both arms	819	- ileus	5603
- both hips	828		
- both legs	828		
- calvarium	803	Ganglion	
		- periosteal (see also Periostitis)	7303
		Gangrene, gangrenous	
		- gallbladder (ruptured)	5750

## TERMS NOT INDEXED IN ICD-9

Gastritis		Granuloma	
- hemorrhagic	5354	- bone	
- - acute	5350	- - marrow	2898
- nervous (acute)	3064	- fissuratum (gum)	5238
- viral	0788	- myocardium, myocardial	4229
		- trachea (pyogenic)	4641
Gastroenteritis			
- actinic	558	Granulomatosis	
- granulomatous	5551	- intestinal lipophagic	0402
		- lymphomatoid	4476
Gastroesophagitis	5301	Had been drinking	3050
Gastroparesis			
- diabetorum	2507	*Hantavirus	0788
Geophagia	3075	Hartmann's pouch	5758
Giantism	2530	Hematocele	
		- cul-de-sac (Douglas')	6290
Glaucoma			
- cyclic	3652	Hematochezia (see also Melena)	5781
Glomeruloarteriosclerosis (see also Hypertension, kidney)	4039	Hematoma	
		- muscle	
		- - spontaneous	
		- - - rectum	5694
Glomerulonephrosclerosis (see also Hypertension, kidney)	4039	- subgaleal	920
		- - nontraumatic	4590
Glomerulosclerosis			
- diabetic	2503	Hematopoiesis	
		- medullary, extra	2898
Graft			
- versus host		Hemiplegia	
- - due to			
		- traumatic NEC - see Injury, spinal, by region	
- - - bone marrow transplant	9998	Hemoglobin (Hgb.)	
		- 10 gm.	2859

## TERMS NOT INDEXED IN ICD-9

Hemolysis		2866	Hepatitis	
- intravascular		2866	- De Ha factor (see Hepatitis B)	
- postoperative		9979	- granulomatous	5728
			- non A and non B	0709
Hemomediastinum		7863	- Type	
			- - A (acute) (chronic) (subacute)	0701
Hemoperitoneum			- - B (see also Hepatitis, serum)	0703
- with			- - C	0705
- - abortion - see categories 634-639, fourth digit .1				
			Hernia	
- - ectopic pregnancy - see categories 634-639, fourth				
			- Bochdalek	
				7566
digit .1			- colostomy (stoma)	5696
Hemorrhage			- enterostomy (stoma)	5696
- artery			- infrapatellar fat pad	7293
- - carotid	431		- paracolostomy (stoma)	5696
- - coronary	410		- popliteal fat pad	7293
- brain (petechial)	431		- stomach into pleural cavity (see also	
- into			Hernia, diaphragm, diaphragmatic)	5533
- - arteriosclerotic plaque	4590	4409	- uncal	3484
- - atheroma				
- - - coronary artery	410	4140	Herniation	
- intrathoracic			- stomach into pleural cavity (see also	
- - traumatic	862		Hernia, diaphragm, diaphragmatic)	5533
- myocardium, myocardial	4298		Herpes, herpetic	
- oral	5289		- pneumonia	0547
- petechial			- proctitis	0547
- - brain	431			
- subgaleal	4590		High	
- - traumatic	9590		- calcium	2754
- ureter	5938		- cholesterol	2720
- urinary tract	5997			
Hemotympanum		3858	Histiocytoma	
			- malignant (see also Neoplasm, skin, malignant)	1739
			Holoprosencephaly	7422

## TERMS NOT INDEXED IN ICD-9

Hump		Hypermobility	
- dromedary kidney	7533	- joints	7188
		- - acquired	
		- - congenital NEC	7558
Hygroma			
- subdural	852	Hypernatremia	
- - traumatic		- due to	
Hyperactive		- - medical care NEC	2760
- bowel (syndrome)	5641	Hypernitremia	
Hyperbilirubinemia NOS	7824		7906
Hypercarbia		Hyperosmolality	
- cerebral	7860	- due to	
	3481	--medical care NEC	
	2760		
Hyperchloremia		Hyperplasia	
- due to		- intestine lymphoid (diffuse nodular)	5698
- - medical care NEC	2769	- juxtaglomerular junction (kidney)	5938
Hypercoagulability (newborn)	2898	- kidney	
		- - acquired	5938
		- urethrovaginal	5998
Hyperelectrolythemia			
- due to		Hyperpotassemia	
- - medical care NEC	2769	- due to	
		- - medical care NEC	2767
Hyperemia			
- ovary	6208	Hypersarcosinemia	2708
- spleen	2895		
Hyperkalemia		Hypertension, hypertensive	
- due to		- brain	3482
- - medical care NEC	2767	- cardiovascular	
		- - and renal (disease)	4049
		- cerebral	3482
		- ocular paroxysmal, benign	
Hyperlacration	3752		
		Hyperthyroidism (apathetic)	3650
Hyperlipidemia		- neonatal (transient)	2429
- Type II	2724		
			7753

## TERMS NOT INDEXED IN ICD-9

Hypertrophy		Hypopotassemia	
-arytenoid	4787	- due to	
- frenulum (tongue)	5298	- - medical care NEC	2768
- - lip	5285		
Hypochloremia		Hyposmolality	
- due to		- due to	
- - medical care NEC	2769	medical care NEC	2761
Hypofunction		Hypothermia	
- kidney (see also Disease, renal)	5939	- due to	
		- - disease condition	7809
Hypoglobulinemia	2793	Hypotonia, hypotonicity, hypotony	7813
Hypokalemia		Hypovolemia	
- due to		- due to	
- - medical care NEC	2768	- - medical care NEC	2765
Hyponatremia		Hypoxemia (see also Anoxia)	7990
- due to			
- - medical care NEC	2761	Idiot	
		- mongoloid	7580
Hypoperfusion		Ileus	
- heart	4298	- gallstone	5603
- kidney	5938		
- lung	5188	Ill, Illness	
Hypoplasia, hypoplasias		- AAV (see also Infection, virus, human	
- dermal focal(Goltz) (syndrome)	7573	immunodeficiency)	0449
- erythrocytic	2848		
- heart			
- - left (complex) (syndrome)	7467		
- lymphatic duct or vessel	4578		

## TERMS NOT INDEXED IN ICD-9

Ill, Illness - continued		
- AIDS-associated retrovirus (see also Infection, virus, human immunodeficiency		
- - due to		
- AIDS-associated virus (see also Infection, virus, human immunodeficiency)	0449	2769
- AIDS-like (see also Complex, AIDS-related)	0439	2769
- AIDS-related virus (see also Infection, virus		
- nutritional		
human immunodeficiency)	0449	2699
- AIDS virus (see also Infection, virus, human		
Immaturity, Immature - see also Prematurity		
immunodeficiency)	0449	7651
- ARV (see also Infection, virus, human		
immunodeficiency)	0449	7651
- HIV (see also Infection, virus, human		
immunodeficiency)	0449	7650
- human immunodeficiency virus (see also		
Infection, virus, human immunodeficiency)		
- - newborn		
- human immunovirus (see also Infection,		
virus, human immunodeficiency)	0449	7704
- human T-cell lymphotropic virus (see also		
Infection, virus, human immunodeficiency)		
- HTLV-III (see also Infection, virus, human		
immunodeficiency)	0449	7704
- HTLV-III/LAV (see also Infection, virus, human		
- - not newborn		
immunodeficiency)	0449	7860
- LAV (see also Infection, virus, human		
immunodeficiency)	0449	7860
- LAV/HTLV-III (see also Infection, virus, human		
- - newborn		
immunodeficiency)	0449	7708
- lymphadenopathy-associated virus (see also		
Infection, virus, lymphadenopathy-		
associated)	0449	7830
Imbalance, imbalanced		
- electrolyte		
0449		
- - - medical care NEC		
- fluid		
- metabolism, metabolic		
2769		
2769		
2779		
2699		
7651		
7651		
7650		
7651		
7651		
7704		
7704		
7899		
7860		
7860		
7869		
7872		
7830		
7869		
7872		
7830		
7869		
7872		
Inability		
- to breathe properly		
7860		
7708		
7830		
7869		
7872		
- to eat		
- to handle secretions		
- to swallow		

## TERMS NOT INDEXED IN ICD-9

Inadequate, inadequacy		7422	Infection, infected	
- development			- AAV (see also Infection, virus, human immunodeficiency)	0449
- - respiratory center (newborn)			- acid-fast NOS	0319
- perfusion			- AIDS-associated retrovirus (see also Infection, virus, human immunodeficiency)	0449
- - intestine	5798		- AIDS-associated virus (see also Infection, virus, human immunodeficiency)	0449
- pharyngeal muscle	7872		- AIDS-related (see also Infection, virus, human immunodeficiency)	0449
- respiratory center (newborn)	7422		- AIDS virus (see also Infection, virus, human immunodeficiency)	0449
- ventilation	7860		- arm	6869
- - newborn	7708		- ARV (see also Infection, virus, human immunodeficiency)	0449
Incineration NOS	9489		- campylobacter	0418
Incompatible with life (newborn) (nonviable)	7650		- clostridium	0400
Incompetency, incompetent			- - botulinus	
- mental	3009		- - - infant, so stated	0408
- velopharyngeal (sphincter) (closure)	5289		- - - not food poisoning	0408
Infarct, infarction NOS	4599		- - - wound	0408
- aorta	4441		- genitourinary (tract) (female) (male)	5990
- - abdominal	4440		- granulomatous	
- - thoracic	4441		- - bone marrow	2898
- artery (see also Embolism, artery)			- hand	6869
- medulla (see also Infarct, brain)	4349		- hemolysis NOS	0389
- mitral	4240			
- myocardium, myocardial				
- - healing	410			
- - post	410			
- - past history of	412			
- - previous	410			
- - remote	412			
- stomach	5378			
- testes	6088			

## TERMS NOT INDEXED IN ICD-9

Infection, infected - continued		Infection, infected - continued	
- hemolytic NOS	0389	- virus	
- - postoperative	9985	- - human immunodeficiency (HIV)	
- hip	6869	- - - causing	
- HIV (see also Infection, virus, human immunodeficiency)	0449	- - - - abnormal, abnormality	0433
- Human immunodeficiency virus (see also Infection, virus, human immunodeficiency)		- - - - respiratory (786.0)	0433
- - - - agranulocytosis (288.0)		- - - - weight loss (783.2)	0433
- Human immunovirus (see also Infection, virus, human immunodeficiency)	0449		0433
- - - - anemia			
- Human T-cell lymphotrophic virus III (see also		- - - - aplastic	
- - - - other (284.8)t			0433
Infection, virus, human immunodeficiency)		0449	
- - - - unspecified (284.9)			0433
- HTLV-III (see also Infection, virus, human immunodeficiency)	0449	- - - - deficiency (280-281)	0433
- HTLV-III/LAV (see also Infection, virus, human immunodeficiency)	0449	- - - - hemolytic, acquired (283)	0433
- intrauterine		- - - - unspecified (285.9)	0433
- - fetus or newborn	7608	- - - - arthritis	
- LAV (see also Infection, virus, human immunodeficiency)	0449	- - - - infective (711.0, 711.9)	0433
- LAV/HTLV-III (see also Infection, virus, human immunodeficiency)	0449	- - - - pyogenic (711.0)	0433
- liver	5733	- - - - blindness (369)	0433
- lymphadenopathy-associated virus (see also Infection, virus, human immunodeficiency)	0449	- - - - cachexia (799.4)	0433
- pelvis		- - - - candidiasis	
- - male	5672	- - - - disseminated (112.5)	0421
- respiratory (lower)		- - - - mouth (112.0)	0421
- - fetus	7708	- - - - nails (112.3)	0421
- - newborn, neonatal	7708	- - - - other sites, NEC (112.8)	0421
- septic (see also Sepsis)	0389	- - - - skin (112.3)	0421
- subgaleal, streptococcal	6869	- - - - unspecified (112.9)	0421
- urinary (tract)		- - - - changes, retinal vascular (362.1)	0433
- - yeast	1122	- - - - coccidioidomycosis (114)	0421
		- - - - cytomegalic inclusion disease (078.5)	0421
		- - - - deficiency	
		- - - - nutritiona (any) (260-269)	0433
		- - - - dementia	
		- - - - organic (294.9)	0431
		- - - - presenile (290.1)	0431
		- - - - unspecified (298.9)	0431

## TERMS NOT INDEXED IN ICD-9

Infection, infected - continued		
- virus - continued		
- - human immunodeficiency (HIV) - continued		
- - - causing - continued		
- - - - depletion		
- - - - - volume (276.5)	0433	
- - - - dermatomycosis (111)	0433	
- - - - dermatophytosis (110)	0433	
- - - - diarrhea (noninfectious) (558)	0433	
infectious (009)	0433	
- - - - disease or disorder		
- - - - - blood and blood-forming organs (289.9)		
- - - - infection		
- - - - - central nervous system,		
unspecified (348.9) (349.9)	0431	
- - - - - demyelinating, central nervous		
system, unspecified (341.9)	0431	
- - - - - immune mechanism (279.0, 279.1,		
279.2, 279.4)	0432	
- - - - - salivary gland (527.9)	0433	
- - - - - skin (709.9)	0433	
- - - - - subcutaneous tissue (709.9)	0433	
- - - - - viral		
- - - - - nonarthropod-borne		
- - - - - central nervous system		
- - - - - other (049.8)	0431	
- - - - - unspecified (049.9)	0431	
- - - - - slow		
- - - - - central nervous system		
- - - - - other (046.8)	0431	
- - - - - unspecified (046.9)	0431	
- - - - dyspnea (786.0)	0433	
- - - - encephalitis (323.9)	0431	
- - - - encephalomyelitis (323.9)	0431	
- - - - encephalopathy (348.3)	0431	
- - - - enlarged lymph glands (785.6)	0430	
- - - - fatigue (780.7)	0433	
- - - - fever (780.6)	0433	
Infection, infected - continued		
- virus - continued		
- - human immunodeficiency (HIV) - continued		
- - - causing - continued		
- - - - gastroenteritis (noninfectious) (558)	0433	
infectious (009)	0433	
- - - - hepatomegaly (789.1)	0433	
- - - - herpes (simplex 054) (zoster 053)	0421	
- - - - histoplasmosis (115)	0421	
- - - - hyperhidrosis (780.8)	0433	
- - - - hypersplenism (289.4)	0433	
0433		
- - - - - AIDS	0429	
- - - - - Candida	0421	
- - - - - disseminated (112.5)	0421	
- - - - - mouth (112.0)	0421	
- - - - - nails (112.3)	0421	
- - - - - other sites, NEC (112.8)	0421	
- - - - - skin (112.3)	0421	
- - - - - unspecified (112.9)	0421	
- - - - - herpes (simplex 054) (zoster 053)	0421	
- - - - - Histoplasma (115)	0421	
- - - - - infectious mononucleosis-like		
syndrome (079.9)	0440	
- - - - - intestinal, ill-defined (009)	0433	
- - - - - Mycobacterium		
- - - - - other (031.8)	0421	
- - - - - unspecified (031.9)	0421	
- - - - - Nocardia (039)	0421	
- - - - - opportunistic mycotic (118)	0421	
- - - - - Salmonella		
- - - - - localized NEC (003.2)	0421	
- - - - - other (003.8)	0421	
- - - - - septicemia (003.1)	0421	
- - - - - unspecified (003.9)	0421	
- - - - - Strongyloides (stercoralis) (127.2)	0421	
- - - - - tuberculous (010-018)	0421	

## TERMS NOT INDEXED IN ICD-9

Infection, infected - continued		
- virus - continued		
- - human immunodeficiency (HIV) - continued		
- - - causing - continued		
- - - - infection - continued		
- - - - - viral		
- - - - - nonarthropod-borne		
- - - - - central nervous system		
- - - - - other (049.8)	0431	
- - - - - unspecified (049.9)	0431	
- - - - - slow		
- - - - - central nervous system		
- - - - - other (046.8)	0431	
- - - - - unspecified (046.9)	0431	
- - - - - unspecified (079.9)	0440	
- - - - "infectious mononucleosis-like syndrome" (079.9)	0440	
- - - - intestinal		
- - - - infection, ill-defined (009)	0433	
- - - - malabsorption (579.9)	0433	
- - - - lack of expected physiological development in infant (783.4)	0433	
- - - - leukoplakia		
- - - - oral mucosa (tongue) (528.6)	0433	
- - - - loss weight, abnormal (783.2)	0433	
- - - - low vision (369.2)	0433	
- - - - lymphadenitis, acute (683)	0440	
- - - - lymphadenopathy (785.6)	0430	
- - - - malabsorption, intestinal (579.9)	0433	
- - - - malaise (780.7)	0433	
- - - - meningitis, aseptic (047.9)	0440	
- - - - mycobacteriosis		
- - - - other (031.8)	0421	
- - - - unspecified (031.9)	0421	
- - - - mycoses, oportunitistic (118)	0421	
Infection, infected - continued		
- virus - continued		
- - human immunodeficiency (HIV) - continued		
- - - causing - continued		
- - - - myelitis (323.9)		0431
- - - - myelopathy (336.9)		0431
- - - - neuralgia, unspecified (729.2)		0433
- - - - neuritis, unspecified (729.2)		0433
- - - - Nocardia infection (039)		0421
- - - - nutritional deficiency (any) (260-269)		0433
- - - - opportunistic mycoses (118)		0421
- - - - organic brain syndrome, unspecified (psychotic) (294.9) (non-psychotic) (310.9)		0431
- - - - pneumonia		
- - - - - lymphoid, interstitial (516.8)		0433
- - - - - unspecified (486)		0421
- - - - - viral, unspecified (480.9)		0421
- - - - - polyneuropathy (357.0, 357.8, 357.9)		0433
- - - - - pyrexia (780.6)		0433
- - - - - radiculitis, unspecified (729.2)		0433
- - - - - rash, unspecified (782.1)		0433
- - - - - respiratory abnormality (786.0)		0433
- - - - - retinal vascular changes (362.1)		0433
- - - - - retinopathy, background (362.1)		0433
- - - - - Salmonella infection		
- - - - - localized (003.2)		0421
- - - - - other (031.8)		0421
- - - - - septicemia(003.1)	0421	
- - - - - unspecified(003.9)		0421

## TERMS NOT INDEXED IN ICD-9

Infection, infected - continued  
 - virus - continued  
 - - human immunodeficiency (HIV) - continued  
 - - - causing - continued  
 - - - - septicemia (038) 0421  
 - - - - splenomegaly (789.2) 0433  
 - - - - strongyloidiasis (127.2) 0421  
 - - - - swollen glands (785.6) 0430  
 - - - - syndrome  
 - - - - - "infectious mononucleosis-like" (079.9)  
     - - - - - reticulosarcoma (200.0)  
 - - - - organic brain (psychotic) (294.9)  
     (nonpsychotic) (310.9) 0431  
 - - - - thrombocytopenia  
 - - - - - secondary (287.4) 0433  
 - - - - - unspecified (287.5) 0433  
 - - - - tuberculosis (010-018) 0421  
 - - - - volume depletion (276.5) 0433  
 - - - - weight loss, abnormal (783.2) 0433  
 - - - with  
 - - - - Burkitt's tumor (200.2) 0422  
 - - - - candidiasis, lung (112.4) 0420  
 - - - - coccidioidosis (007.2) 0420  
 - - - - cryptosporidiosis (007.2) 0420  
 - - - - isosporiasis (007.2) 0420  
 - - - - cryptococcosis (117.5) 0420  
 - - - - immunoblastic sarcoma (200.8) 0422  
 - - - - infection  
 - - - - - Candida, lung (112.4) 0420  
 - - - - - Cryptococcus neoformans (117.5) 0420  
 - - - - - Cryptosporidium (007.2) 0420  
 - - - - - Pneumocystis carinii (136.3) 0420  
 - - - - Kaposi's sarcoma (173) 0422

Infection, infected - continued  
 - virus - continued  
 - - human immunodeficiency (HIV) - continued  
 - - - with - continued  
 - - - - leukoencephalopathy, multifocal,  
     progressive (046.3) 0420  
 - - - - lymphoma, brain, primary (202.8) 0422  
 - - - - Pneumocystis carinii (136.3) 0420  
 - - - - pneumocystosis (136.3) 0420  
 0440  
 - - - - sarcoma  
 - - - - - immunoblastic (200.8) 0422  
 - - - - - Kaposi's (173) 0422  
 - - - - toxoplasmosis (130) 0420  
 - - - - tumor, Burkitt's (200.2) 0422  
 - - lymphadenopathy-associated - see Infection,  
     virus, human immunodeficiency  
 - widespread 0389  
 - wound NOS (no statement of injury on  
     certificate; assume complications of  
     surgical procedure) 9985

## TERMS NOT INDEXED IN ICD-9

Infirmitiess		Injury (massive) (severe) - continued	
- of age	797	- extremities	9598
		- femur	9596
Influenza (virus, viral)		- hyperextension cervical (spine) (vertebrae)	847
- intestinal	4878	- leg NOS	9597
- pulmonary	4871	- multiple	
		- -extensive	869
Inhalation		- - extreme	869
- heat	9490	- - severe	869
- soot	9878	- rib(s)	9591
Injuries	9598	-thermal - see Burn	
- extreme	869	- torso	9591
- multiple and extensive	869	- vascular	904
- multiple and extreme	869	-vena cava	904
- multiple and severe	869	Insufficiency	
- musculoskeletal	9599	- adrenal	
- severe	869	- - cortical	2554
Injury (massive) (severe)	9598	- artery, arterial	
- arm NOS		- - lower extremities	4439
- body (entire)	9591	- - renal	4039
- bone	9599	- arteriosclerotic (vascular) (see also	
- - specified site - see Injury, site of bone		Arteriosclerosis)	4409
- brain	7684	- cardiac	
- - anoxic		- - congestive	4280
- - - at birth	7684	- central nervous system (CNS)	3498
- - - newborn		- cerebral (vascular)	
- cervical	9590	- - acute	4371
- cranial NOS	854	- coronary	
- crush		- - arteriosclerotic	4409 411
- - thorax	862	- C V	4292
		-intestine	5579

## TERMS NOT INDEXED IN ICD-9

Insufficiency - continued		
- mesentery, mesenteric	5571	Intolerance
- myocardium, myocardial (acute) (chronic)	4280	- carbohydrate NEC
- platelets	2875	Intoxication NOS
- respiratory (acute)		-acid
- - postoperative	5185	- - due to
- spinal cord	3369	- - - medical care NEC
- subendocardial	4280	- ammonia
- urinary	7885	- - due to disease
- valve, valvular		-cancerogenous
- - mitral - see Insufficiency, mitral		-carbon dioxide
- vascular		- - due to disease
- - lower extremity	4439	- snuff
- ventilation, ventilatory	7860	- water
- - newborn	7708	- - due to
		- - -medical care NEC
		2766
Insufficiently		
- tied umbilical cord	7723	Intrauterine
		contraceptive device (IUD)
Insult		- - affecting fetus or newborn
- cardiac	4299	7608
- coronary	411	
- mesentery, mesenteric	5571	Invagination
- myocardium, myocardial	4291	- basilar
		7560
Intake		I.Q. very low
- fluid		3181
- - poor	2769	
- oral		Irritability
- - poor	2769	- central nervous system (CNS)
		- ventricular
		3498
Interruption (of)		
-oxygen cycle	7860	
- - newborn	7708	
- respiration	7860	
- - newborn	7708	
		3062

## TERMS NOT INDEXED IN ICD-9

Ischemia, ischemic		
- arteriosclerotic (see also Arteriosclerosis)	4409	
- cardiovascular (disease)	4292	
- - hypertensive (acute) (chronic)	4029	
- cauda equina (intermittent)	3361	
- cerebral		
- - prenatal	7689	
- extremity (upper) (lower)	4439	
- kidney (see also Lesion, kidney)	5938	
- mesentery, mesenteric (vascular)	5571	
- renal (see also Lesion, kidney)	5938	
- - artery	5938	
Jaundice		
- cholestatic (benign)	7824	
Keto-acidosis		
- due to		
- - medical care NEC	2762	
Ketosis		
- due to		
- - medical care NEC	2762	
Kyphoscoliotic		
- cardiopulmonary (disease)	4161	
- pulmonary and cardiac (disease)	4161	
Labor		
- prolonged or protracted		
- - affecting fetus or newborn	7638	
Lack of		
- antibodies (natural protective) (see also Syndrome, antibody, deficiency)		2790
- exchange of gases		7860
- - newborn		7708
- oxygen		7860
- - newborn		7708
Lactacidemia		2762
Lacticemia		
- excessive		2762
Laryngitis		
- tracheobronchial (see also Bronchitis)		490
Laryngobronchitis		490
Leak		
- air (lung) (pulmonary) (thorax)		512
- - bronchus		5198
- - - traumatic		860
- pancreatic		5778
Leakage		
- anastomosis NEC		9965
- - esophageal		9974
gastrointestinal		9974
- duodenal stump		9974
- gastrostomy		9974
- gastrostomy tube		9974
- suture line		9988

## TERMS NOT INDEXED IN ICD-9

Lesion		<b>*Locked in Syndrome</b>	<b>3449</b>
- intracranial	7842		
- lung	5188	Loss of	4598
- - coin	7931	- blood vessel integrity	7869
		- cough reflex	
		- fluid	
		- - due to	
		- - - medical care NEC	2765
Leukemia, leukemic	2070		
- erythroblastic (acute) (chronic)	2078	- locomotive powers	7283
- lympho-reticulum cell	2078	- swallowing reflex	7872
- lymphosarcoma	2078		
- megaloblastic NOS	2069		
- monoleukocytic	2060	Low	
- - acute	2061	- cardiac	
- - chronic	2050	- - output	4299
- monomyeloblastic	2059	- - - newborn	7798
- monomyelogenous	2050		
- - acute	2051	Lung	
- - chronic	2051	- smokers'	
- myelohistiocytic (chronic)	2050	- - chronic	4910
- - acute	2052		
- myelomonocytic	2078	Lupus	
- - subacute	2078	- erythematosus	
- pseudofollicular	2052	- - generalized	7100
- T-cell	2078	- generalized	7100
		- systemic	7100
Leukoplakia	5286		
- palate		Lymphadenopathy	
Levoversion	7533	- angioimmunoblastic, malignant	2029
- kidney		- immunoblastic	
Levy's ataxia	3343	- - angioimmunoblastic	2732
Lipofuscinosis	2727		
- neural ceroid			
Lipogranuloma, sclerosing	7098		

## TERMS NOT INDEXED IN ICD-9

Lymphohistiocytosis	2778	Malnourishment	2639
Lymphoma		Malnutrition	
- Hodgkin's		- mild	2631
- - mixed cellularity	2016	- moderate	2630
- histiocytic (mixed type)	2000	- severe	261
Lymphosarcoma		Mass	
- leukemia, leukemic	2078	- brain	3489
Lysis of blood	2898	- cerebral hemisphere	3489
		- intracranial	7842
Maceration		Maternal condition, affecting fetus or newborn	
- newborn	7799	- intrauterine coil	7608
- traumatic - see Injury, by site			
Macroglobulinemia (essential) (monoclonal)	2733	Meconium	
		- stain	
		- - fetus or newborn	7684
Malacia		Megacystis	
- cerebral (see also Softening, brain)	4349		5968
Malformation		Megalocystis, megalocystitis	
- arteriovenous			5968
- - brain	7478	Melanoblastosis	
- brain		- Bloch-Sulzberger	7573
- - vascular		- cutis linearis sive systematisata	7573
- - - telangiectatic	4480		
- cloaca	7515	Meningitis	
- cystic adenomatoid (lung)	7484	- carcinomatous	1990 3229
Malfunction		- cerebrospinal	
- gastrostomy	9974	- - disseminated epidemic	0360
- respiratory center	3488	- - - late effects	1398

## TERMS NOT INDEXED IN ICD-9

Meningitis - continued			9598
- nonsuppurative	3229	Mutilation (see also Injury, multiple)	
- - late effects	326	- specified site - see Injury, by site	
- Quincke's	0479	Mycobacterium, mycobacterial (infection)	
- serous NEC	0479	- Group III	0310
- - syndrome	3482	- Runyon	0310
Mermaid (deformity)	7598	Myeloschisis	7419
Mesoepithelioma - see Neoplasm, malignant		Myelosuppression	2898
- benign - see Neoplasm, benign			
Metaplasia		Myocarditis	
- bone, in skin	7093	- acute (necrotizing)	4229
		- granulomatous (idiopathic) (isolated)	4229
		(nonspecific)	
Metastases NOS	1990	Myonecrosis	7854
Metastatic		-leg	7854
- cachexia	7994	Natural causes	7999
- - due to a			
- - - malignant neoplasm	1991	Necrosis, necrotic, necrotizing	
Methylmalonicaciduria	2708	- hyaline NOS	2778
Microangiopathy	4439	- liver	570
Mole		- liver (hyaline)	570
- hydatidiform		- papillary NOS	5908
- - newborn	7622	- - acute	5901
Mucocele		- - chronic	5900
- mastoid (process)	3858		
- orbit (eye)	3768		

## TERMS NOT INDEXED IN ICD-9

	<u>Malignant</u>	<u>Benign</u>	<u>In-Situ</u>	<u>Uncertain Behavior</u>	<u>Unspecified Nature</u>
Neoplasm, neoplastic					
- ampulla, ampullary	1958	2298	2348	2388	2398
- area or region NEC	1958	2299	2349	2389	2399
- bile or biliary (tract) (tree)	1569	2115	2308	2353	2390
- bone					
- - thorax, thoracic (wall)	1703	2133		2380	2392
- cervical NOS					
- - female	1809	2190	2331	2360	2395
- - male	1950	2298	2348	2388	2398
- fronto-occipital	1918	2250		2375	2396
- frontoparietal	1918	2250		2375	2396
- frontotemporal	1918	2250		2375	2396
- gastroesophageal (area) (region)	1510	2111	2302	2352	2390
- gastrointestinal area or region	1952	2298	2348	2388	2398
- hilus, hilum NOS	1958	2298	2348	2388	2398
- invasive (see also Neoplasm, malignant)					
- kidney area or region	1958	2298	2348	2388	2398
- lymphatic NEC - see Neoplasm, lymph, lymphatic, channel					
- occipitofrontal	1918	2250		2375	2396
- occipitoparietal	1918	2250		2375	2396
- occipitotemporal	1918	2250		2375	2396
- papilla of Vater	1562	2115	2308	2353	2390
- primary - (see also Neoplasm, malignant)					
prepyloric					
- - area or region	1952	2298	2348	2388	2398
- rectosigmoid					
- - area or region	1952	2298	2348	2388	2398
- retroabdominal	1580	2118		2354	2390
- stomach					
- - upper	1510	2111	2302	2352	2390
- subhepatic					
- - area or region	1952	2298	2348	2388	2398
- temporofrontal	1918	2250		2375	2396

## TERMS NOT INDEXED IN ICD-9

	<u>Malignant</u>	<u>Benign</u>	<u>In-Situ</u>	<u>Uncertain Behavior</u>	<u>Unspecified Nature</u>
Neoplasm, neoplastic - continued					
- temporo-occipital	1918	2250		2375	2396
- temporoparietal	1918	2250		2375	2396
- temporopontine	1918	2250		2375	2396

## TERMS NOT INDEXED IN ICD-9

Nephritis		Obstruction, obstructed, obstructive	
- embolic	5838	- ampulla of Vater	5762
- interstitial		extrahepatic	5762
- - acute	5808	- lung	
- - chronic	5828	- - chronic NEC	496
- tubal, tubular (see also Nephrosis, tubular)	5845	- intestine congenital (small)	7511
Neurofibroxanthoma - see Neoplasm,vascular	5570		
connective tissue, benign		- pulmonary	
		- - chronic	496
Neuropathy, neuropathic		- trachea tube	5190
- alcoholic	3575	Occlusion	4599
- lower extremities	3558	- aorta	4441
Nevus		- artery	
- pigmentosus		- - circumflex NOS	4449
- - systematicus	7573	- femoral	4599
		- heart	410
Nonengraftment		- ileofemoral	4599
- bone marrow transplant	9998	- leg	4599
Nonfunctioning		- myocardium, myocardial	410
- islet cell	5778	- peripheral vascular	4438
Nonproliferative bone marrow	2898	- thrombotic (see also Thrombosis)	4539
Normoblastosis	2898	- vascular	
		- - arteriosclerotic (see also Arteriosclerosis)	4409
Nuchal cord		- peripheral	4438
- newborn	7625	Ondine's curse	3488
Obliteration		Oophoritis	
- supraaortic branches	4467	- sclerocystic	6142
		Opacity	
		- pleural	5110

## TERMS NOT INDEXED IN ICD-9

Ossification		Paraimmunoglobinopathy	2739
- vertebrae	7339		
Osteoarthritis		Paralysis, paralytic	
- specified site NEC	7153	- arm	3429
		- - and leg (see also Hemiplegia)	3441
Osteolysis	7330	- below waist (see also Paraplegia)	3442
		- bilateral (see also Diplegia)	957
Osteomyelitis		- traumatic	
- candida	1128	- hemifacial	3498
		- - progressive	3429
Osteopenia	7339	- left (see also Hemiplegia)	7872
		- of swallowing	3429
Osteophytosis - see Exostosis		- right (see also Hemiplegia)	
Overactive		Past history (of)	
- eye muscle (see also Strabismus)	3789	- infarction	412
- - inferior oblique	3781	- - myocardium, myocardial	
Overload		PAT (paroxysmal atrial tachycardia)	4270
- fluid			
- - due to		Penetration	
- - - medical care NEC	2766	- lung	5188
- potassium		- - nontraumatic	
- - due to			
- - - medical care NEC	2767	Perforation	
- sodium		- bone	879
- - due to		- - traumatic	
- - - medical care NEC	2760	- - - specified site - see Wound, open by site	
Palsy		- colon	
- supranuclear	3568	- - newborn	7776
- - progressive		- colostomy	5696
Panarthritis	7169	- ileum	
		- - newborn	7776
		- jejunum	
		- - newborn	7776
		- lung	
		- - nontraumatic	5188

## TERMS NOT INDEXED IN ICD-9

Perforation - continued		Plexitis, brachial	3530
- mandible			
- - traumatic	873	Pneumoatectasis	5180
- skull			
- - traumatic	854	Pneumomediastinum - traumatic	862
Pericarditis			
- hemorrhagic	4230	Pneumonia (gram negative) - aspiration	4829
Periosteitis (see also Perostitis)		- - bacterial	5070
- albuminosa, albuminosus	7303	- - chronic	
Peritonitis		- - due to	
- bacterial	5672	- - - aspiration of micro-organisms	486
- - chronic proliferative	5678	- - - bacterial	4829
- due to		- - - - specified type NEC	4828
- - procedure other than surgery	9974	- - - - specified organism NEC	483
- postoperative	9985	- - - viral	4809
Phenomenon		- - - - specified type NEC	4808
- Arias-Stella	6218	- - - bacterial organisms - see category 482	
- cerebral (vascular)	4378	- massive	5070
- embolic (see also Embolism)	4449	- atypical, virus	4808
- - specified site - see Embolism, by site		- B (see also Pneumonia, bacterial)	4829
- forearm pronator	3598	- bacterium anitratum	4828
Phlebitis		- bronchial, broncho	
- deep vein	4519	- - necrotic	5130
Phlebothrombosis		- bronchostatic	514
- deep vein	4539	- chemical	5060
Pleuritis (granulomatous) (sicca) (see also Pleurisy)	5110	- - due to	
		- - - disease condition	5070
		- complicating	
		- - delivery	
		- - - operative	669
		- consolidating	481
		- cryptosporidium	0072

## TERMS NOT INDEXED IN ICD-9

Pneumonia (gram negative) - continued		Poliomyelitis (anterior) (epidemic) - continued	
- diffuse		- acute - continued	0459
- - interstitial	5168	- - ascending	0459
- due to		- - - progressive	0450
- - aspiration of micro-organisms - see Pneumonia, aspiration, due to aspiration of micro-organisms		- - bulbar	0459
- enterococcus, enterococcal	4823	- - nonepidemic	0452
- Herellea	4828	- - nonparalytic	0531
- herpes, herpetic	0547	- - posterior	0459
- interstitial		- - spinal	3352
- - diffuse	5168	- chronic	7712
- - - chronic	5163	- congenital	138
- lobar		- deformities	138
- - necrotic	5130	- late effects	138
- lupus	7100	- old	138
- mycotic	*4847	- residual	0948
- necrotizing - see Pneumonia, necrotic	+ 1179	- syphilitic	
- postural	514	Pollution	
- rheumatoid	7142	- air (see also Air contaminants in Table of Drugs and Chemicals)	9878
- S. pneumoniae	481	Polychondrodyostrophy	
- Streptococcal pneumoniae	481	- congenital	7564
Pneumoperitoneum (idiopathic)	5688	Polyserositis	
Pneumothorax		- paroxysmal (familial)	2773
- tension (any age)	512	- recurrent (familial)	2773
- - traumatic	860	Polysplenia (syndrome)	7590
Poliomyelitis (anterior) (epidemic)		Poor	
- acute	0459	- circulation of myocardium	4148
- - with		- eating habits	3075
- - - paralysis	0451	- gag reflex	7879
- - - - bulbar	0450	- nutrition	2699
- - abortive	0452	Popper's florid cirrhosis (alcoholic)	5712

## TERMS NOT INDEXED IN ICD-9

Porphyria cutanea tarda NOS	2771	Preleukemia	2888
Positive		Premature	
- culture (for)		- closure cranial sutures	7560
- - virus		- delivery	
- - - AIDS	7958	- - newborn NEC	7651
- - - HIV	7958	- labor	
- serology (for)		- - newborn NEC	7651
- - virus		Prematurity	
- - - AIDS	7958	- gross	7650
- - - HIV	7958	- marked	7650
Post-polio syndrome	138	- severe	7650
Pouch		Presbyesophagus	5308
- Hartmann's (abnormal sacculation of gall-bladder neck)	5758	Problem(s)	
Pre-AIDS (see also Complex, AIDS-related)	0439	- circulatory	4599
Pregnancy		Proctitis	
- complicated by		- herpes, herpetic	0547
- - atrophy		Prodromal-AIDS (see also Complex, AIDS-related)	0439
- - yellow (acute) (liver) (subacute)	6467	Prolapse, prolapsed	
- ectopic		- valve, valvular (see also Endocarditis)	4249
- - abdominal	6330	- - aortic	4241
- - cervical	6338	- - mitral	3949
- - cornual	6338	- - pulmonary	4243
- - fallopian (tube)	6331	- - tricuspid	3970
- - intraligamentous	6338		
- - mesometric	6338		
- - mural	6338		
- - other NEC	6338		
- - ovary, ovarian	6332		
- - tubal	6331		

## TERMS NOT INDEXED IN ICD-9

Pseudoarthrosis		Refusal	
- congenital	7558	- of food	3075
- - lower limb	7556	- to eat	3075
- - upper limb	7555	- to eat or drink	3075
Pseudobursa	7278	Regurgitation (NOS)	7870
		- reflux	5301
Pseudodiverticulum (see also Diverticula)	5621		
- congenital	7515	Retardation (NOS)	319
Pseudomyasthenia gravis	3588	- congenital-see Retardation, mental	
		- mental	
		- - substantial	319
Pseudopapilledema (congenital)	3772	- mild	317
Pseudotuberculosis, Yersinia (infection)	0272	- moderate	3180
Purpura		- profound	3182
- pigmentaria progressive	7090	- psychomotor	3079
Pylephlebothrombosis	452	-severe	3181
Quadriplegia		Retention, retained	
- spastic	3440	- fluid	
Quincke's meningitis	0479	- - due to	
- late effects	1398	- - - medical care NEC	2766
Reaction		- secretions	
- graft versus host	9968	- - of bronchus	5191
- - due to		- - of lungs	5188
- - - bone marrow transplant	9998	- - pulmonary	5188
- GVH (graft versus host)	9968	Reticuloma	2000
- - due to			
- - - bone marrow transplant	9998	Reticulosis	2778
		Reticuloendotheliosis	2778
		Rigid, rigidity	
		- decerebrate	
		- - nontraumatic	3488
		Rotoscoliosis (see also Scoliosis)	7373

## TERMS NOT INDEXED IN ICD-9

Rupture, ruptured (see also Perforation)		Senile	
- anastomosis NEC	9965	- mental changes	2909
- - colon	9974		
- - esophageal	9974	Septicemia	
- - gastrointestinal	9974	- Aerobacter aerogenes	0384
- artery	4472	- bacteroides	0383
- - carotid	4472	- Clostridium	0383
- - vertebrae	4472	- cryptosporidium	0072
- carotid artery NOS	4472	- cytomegalic, cytomegalovirus	0785
- gallbladder		- enterococcus, enterococcal	0380
- - gangrenous (see also Cholecystitis)	5750	- fungus	1179
- perineum (female only)	6248	- gram-positive	0388
- vertebral artery NOS	4472	- Hemophilus influenzae	0384
- viscus	7998	- Klebsiella	0384
- - abdominal	7998	- mucormycosis	1177
Scar, scarring		- mycobacterial, mycobacterium	0319
- bowel	5698	- Nocardia	0398
- esophagus, esophageal	5303	- proteus (mirabilis) (vulgaris)	0384
- heart (interventricular) (ventricle)	412	- Pseudomonas (aeruginosa)	0384
- intravascular septum (old)	412	- Serratia	0384
- kidney	5938	- torulopsis	1175
- pancreas	5778	- viral	0799
Sclerocystic ovary (syndrome)	2564	- Yersenia (enterocolitica)	0384
Sclerosis, sclerotic, sclerosing		Sequoiosis	4958
- hyaline necrosis of liver	570		
- myocardiopathy	4140	Serology (for)	
Seclusio pupillae	3647	- AIDS virus	7958
Seizure		- - positive	
- Adams-Stokes	4269	- HIV	7958
- coronary	410	- - positive	
- grand mal	3451		
- pregnancy (nephritic) (uremic) - see Eclampsia, pregnancy			
- puerperal, postpartum - see Eclampsia, pregnancy			

#### TERMS NOT INDEXED IN ICD-9

Severed		Siegal-Cattan-Mamou disease (periodic)	2773
- extremity (including finger(s) or toe(s)) - see Amputation, traumatic, by site			
- head (see also Amputation, traumatic, head)	874		
- sites other than extremity and head - see Wound, open, by site			
Shaking (of)			
- child (age less than 18 years) (see also Abuse, child)	9955		
Shock (CNS) (cardiac) (cardiovascular) (coronary) (hemorrhagic) (myocardial (acute)) (neurovascular) (vascular)	7855		
- bacteremic	7855		
- bacterial	7855		
- due to			
- - procedures other than surgery	9999		
- gram-negative	7855		
- infectious	7855		
- lung			
- - postoperative	5185		
- septicemic	7855		
- thermal	9490		
- traumatic (any type classifiable to 7855)	9584		
Shutdown			
- cardiac	4289		
- cardiorenal	4289		
- urinary	586		
Sickle cell crisis	2826		
Sickness	7999	Steatocirrhosis	5718

## TERMS NOT INDEXED IN ICD-9

Stenosis		Succinicacidemia	2708
- ampulla of Vater	5762		
- cerebral vessels	4370	Suppression	
- foramen magnum	7560	- bone marrow	2898
- vertebrae basilar (artery)	4333	- hormonal	2598
Storm		Swelling	
- thyroid (apathetic) (see also Thyrotoxicosis)	2429	- brain	3488
Strain		Syndrome	
- myocardium, myocardial	4299	- acquired immune depression	2793
- nontraumatic	3089	- adult immunodeficiency	2793
- ventricular (assume heart)	4299	- auto immune deficiency	2794
Streptoderma (see also Pyoderma)	6860	- immunodeficiency	2793
Stress	3089	- aceryl	7431
		- AIDS - like (see also Complex, AIDS-related)	0439
Stricture		- Alexander's	3300
- ampulla of Vater	5762	- amniotic band	7558
- artery		- anterior	
- - celiac	4474	- - interosseous nerve	7234
- vagina		- Antley - Bilxler	7598
- - postoperative	6232	- anxiety (see also Anxiety)	3000
- vesical neck	5960	- arcus aortae	4467
Stroke		- Argonz-Del Castillo	2531
- hemorrhagic	431	- Asherman's	6215
Subarcuate		- Bakwin-Krida (craniometaphyseal dysplasia)	7568
- uterus	7523	- Bangunut's	7981
Subinvolution (uterus)		- Barrett's (chronic peptic ulcer of esophagus)	5302
- and congestion	6255	- Barsony-Polgar (corkscrew esophagus)	5305
		- Barsony-Teschendorf (corkscrew esophagus)	5305
		- Bartter's	2551
		- Batten's NOS	3301
		- black bowel	5698
		- Bloch-Siemen's (incontinentia pigmenti)	7573

## TERMS NOT INDEXED IN ICD-9

## Syndrome - continued

- Blueberry muffin
- Boerhaave's (spontaneous esophageal rupture
- brain (anoxic) (ischemic) (senile)
- - Alzheimer's type
- bronze baby
- Brown's
- Burr Schiarri
- camptomelic
- cardioauditory
- Caroli's
- cartilage - hair hypoplasia
- Castleman's-Bland
- cat's eye
- caudal regression
- celiac artery compression
- cerebellar artery
- cerebrohepatorenal
- CHARGE
- child
- Chung-Strauss
- cloverleaf skull deformity
- COFS (cerebro-oculo-facio-skeletal)
- Cogan's
- - meaning
- - - apraxia oculomotor, congenital
- copper deficiency (see also Deficiency, copper)
- Cronkite-Canada
- CRST (cutaneous systemic sclerosis)
- Cushingoid

## Syndrome - continued

2873	- deficiency	
5304	- - immune	
3109	- - - acquired (AIDS)	0429
3310	- - - causing	
9999	- - - - candidiasis	
3786	- - - - disseminated (112.5)	0421
5739	- - - - mouth (112.0)	0421
7564	- - - - nails (112.3)	0421
3899	- - - - other (sites, NEC (112.8)	0421
7516	- - - - skin (112.3)	0421
7585	- - - - unspecified (112.9)	0421
4151	- - - - coccidioidomycosis (114)	0421
7589	- - - - cytomegalic inclusion disease (078.5)	0421
7598	- - - - herpes (simplex 054) (zoster 053)	0421
4474	- - - - histoplasmosis (115)	0421
436	- - - - infection	
7598	- - - - Candida	
7598	- - - - disseminated (112.5)	0421
7599	- - - - mouth (112.0)	0421
4460	- - - - nails (112.3)	0421
7423	- - - - other sites, NEC (112.8)	0421
7598	- - - - skin (112.3)	0421
	- - - - unspecified (112.9)	0421
	- - - - herpes (simplex 054) (zoster 053)	0421
3788	- - - - Histoplasma (115)	0421
	- - - - Mycobacterium	
2751	- - - - - other (031.8)	0421
2119	- - - - - unspecified (031.9)	0421
7101	- - - - Nocardia (039)	0421
2550	- - - - - opportunistic mycotic (118)	0421

## TERMS NOT INDEXED IN ICD-9

Syndrome - continued		Syndrome - continued	
- deficiency - continued		- deficiency - continued	
- - immune - continued		- - immune - continued	
- - - acquired (AIDS) - continued		- - - acquired (AIDS) - continued	
- - - - causing - continued		- - - - with - continued	
- - - - - infection - continued		- - - - - cryptococcosis (117.5)	0420
- - - - - Salmonella	0421	- - - - - immunoblastic sarcoma (200.8)	0422
- - - - - localized NEC	0421	- - - - infection	
- - - - - other (003.8)	0421	- - - - - Candida, lung (112.4)	0420
- - - - - septicemia (003.1)	0421	- - - - - Cryptococcus neoformans (117.5)	0420
- - - - - unspecified (003.9)	0421	- - - - - Cryptosporidium (007.2)	0420
- - - - - Strongyloides (stercoralis) (127.2)	0421	- - - - - Pneumocystis carinii (136.3)	0420
- - - - - tuberculous (010-018)	0421	- - - - - Kaposi's sarcoma (173)	0422
- - - - - mycobacteriosis		- - - - - leukoencephalopathy, multifocal, progressive (046.3)	0420
- - - - - other (031.8)	0421	- - - - - lymphoma, brain, primary (202.8)	0422
- - - - - unspecified (031.9)	0421	- - - - - pneumocystis carinii (136.3)	0420
- - - - Nocardia infection (039)	0421	- - - - - pneumocystosis (136.3)	0420
- - - - opportunistic mycoses (118)	0421	- - - - - reticulosarcoma (200.0)	0422
- - - - pneumonia		- - - - - sarcoma	
- - - - unspecified (486)	0421	- - - - - immunoblastic (200.8)	0422
- - - - viral NOS (480.9)	0421	- - - - - Kaposi's (173)	0422
- - - - Salmonella infection		- - - - - toxoplasmosis (130)	0420
- - - - localized NEC (003.2)	0421	- - - - - tumor, Burkitt's (200.2)	0422
- - - - other (003.8)	0421	- degenerative	7998
- - - - septicemia (003.1)	0421	- - Diamond-Blackfan (Josephs')	2840
- - - - unspecified (003.9)	0421	- distress	
- - - - septicemia (038)	0421	- - respiratory	
- - - - strongyloidiasis (127.2)	0421	- - adult	
- - - - tuberculosis (010-018)	0421	- - - due to a procedure	5185
- - - - with		- Dupre's (see also Meningismus)	7816
- - - - Burkitt's tumor (200.2)	0422	- dying heart	4299
- - - - candidiasis, lung (112.4)	0420	- dysmyelopoetic	2898
- - - - coccidioidosis (007.2)	0420		
- - - - cryptosporidiosis	0420		
- - - - isoporiasis (007.2)	0420		

## TERMS NOT INDEXED IN ICD-9

Syndrome - continued		Syndrome - continued	
- Eagle Barrett	7568	- hyperosmolarity, hyperosmolality	2760
- Eaton-Lambert	1629	- hyperosmotic - hyperglycemic	2501
- empty sella (turcica)	2538	- hyperviscosity	2733
- Evan's (thrombocytopenis purpura)	2873	- hypopalemia	
- Fanconi-Albertini-Zellweger	7598	- - due to	
- FDH (focal dermal hyperplasia)	7573	- - - medical care NEC	2768
- fetal alcohol	7607	- hypopotassemia	
- fetal hydantoin	7794	- - due to	
- fetal transfusion	7623	- - - medical care NEC	2768
- fetomaternal dysfunctional	7622	- hypostatic left heart	7467
- Fisher's	3570	- immune deficiency	
- floppy valve (mitral)	4240	- - acquired (see also Syndrome, deficiency immune, acquired)	0429
- forearm pronator	3499	- immunodeficiency	
- ganglion geniculi	3511	- - acquire (see also Syndrome, deficiency immune, acquired)	0429
- Gardner's	2113	- infantile child	2533
- gastroesophageal junction	5300	- influenza-like	4879
- Goltz-Gorlin (dermal hyperplasia)	7573	- insipidated bile (newborn) (see also Disease hemolytic, newborn	
- hand and foot	2826	- Ivemark's (asplenia with congenital heart disease)	7744
- heart and hand	7468	- Jervell and Lange-Nielsen	7590
- Hamansky-Padlock	2702	- Kantrell	3899
- HELLP	6425	- Kasabach-Merritt	7598
- Hick's	3360	- Kaznelson's NOS	2280
- Hilger's	3370	- - meaning	2859
- Holtermuller-Wiedemann	7423	- - - chronic iron deficiency anemia	280
- Holt-Oram	7468	- - - hypoplastic anemia	2840
<b>*- Human Immunodeficiency</b>	<b>0449</b>		
- Hunter's (-Hurler) (mucopolysaccharidosis)	2775		
- hyperaldosterone	2551		
- hypereosinophilic (idiopathic)	2883		
- hyperinfection	1272		
- hyperkalemia			
- - due to			
- - - medical care NEC	2767		

## TERMS NOT INDEXED IN ICD-9

## Syndrome - continued

- Kearne-Sayer	3318
- Kiloh-Nevin	7234
- - meaning	
- - - ocular myopathy, ptosis, and progressive external ophthalmoplegia	3591
- King-Denborough	7598
- kinky hair	7598
- Klublattschadel	7423
- knot intestinal (volvulus)	5602
- Kohlmeir-Degos	4478
- Korsakoff-Wernicke's (see also Syndrome, Korsakoff's)	2940
- Kugleberg-Welander	3351
- Kunkel's	5714
- lateral bulbar	436
- lazy posture	7283
- Lev's (acquired complete heart block)	4260
- Levi's	2533
- Lhermitte's	3789
- lipase deficiency	2776
- lipoproteinemia (alpha)	2724
- Lofgren's (sarcoidosis)	135
- low	
- - cardiac	
- - - output	4299
- - - newborn	7798
- - sodium	2761
- Luetscher's (dehydration)	2765
- Martorell-Fabre (pulseless disease)	4467
- Meckel-Gruber	7598

## Syndrome - continued

- median cleft	7491
- Meig's	220
- Melnick's-Needles	7569
- Mende's	2702
- Menke's kinky hair	7598
- micturition(syncope)	7802
- Miller-Fisher's	3570
- Mounier-Kuhn	494
- myelodysplastic	2898
- Neill-Dingwall	7598
- neuroleptic	
- -malignant	7819
- Noonan's (all systems involved)	7586
- Ogilivie's	5608
- Olszewski's	3449
- ophthalmoplegia ataxia-areflexia	3579
- organic mental	2949
- orthostatic hypotensive - dysautonomic-dyskinetic	
- 8 - P	3330
- Paget-Schroetter	7589
- paraneoplastic	4538
- paroxysmal	6959
- Pena-Shokier I	2773
- Pena-Shokier II	7585
- perfusion	7598
- - newborn	515
- Poland's	7708
- polyradiculoneuropathy	7569
- popliteal - pterygium	3570
	7585

## TERMS NOT INDEXED IN ICD-9

Syndrome - continued		Syndrome - continued	
- Porter's (see also Pericarditis)	4239	- senile brain	3109
- Posner-Schlossman	3652	- shaking (of)	
- posterior inferior cerebellar artery	436	- - child (age less than 18 years) (see also Abuse, child)	9955
- postherpetic (zoster)	0539	- short bowel	5792
- - geniculate ganglion	0531	- short gut	5792
- - ophthalmica	0532	- Shwachman-Diamond	7517
- post-polio	138	- sinus node	4278
- potassium intoxication		- Sipple's	193
- - due to		- sleep apnea - see Category 798	
- - - medical care NEC	2767	- smoker's	3051
- Prader (-Labbart) Willi (-Fanconi)	7598	- sphenoid fissure	3789
- pseudocarpal tunnel (sublimis)	3540	- sprue like	5791
- pseudoclaudication	3446	- Steele-Richardson	3449
- ptosis-epicanthus	2702	- Steele-Richardson-Olszewski	3568
- 13Q - (minus)	7583	- steely hair	2708
- Raeder-Harbitz (pulseless disease)	4467	- stiff lung	5188
- Redlick-Flateau	0498	- stone heart (see also Failure, ventricular, left)	4281
- - late effects	1390	- Streeter's	7558
- Reilly's	3379	- stress	3089
- respiratory distress		- subclavian-carotid obstruction (chronic)	4467
- - adult - postoperative	5185	- superior orbital fissure	3789
- Richter's	2028	- surdocardiac	3899
- Ritter's	6958	- Swartz	7598
- Robert's	7598	- Swyer-James	492
- Rollet's	3789	- Symond's	3482
- rotator cuff, shoulder	7261	- Takayasu (Onishi) (pulseless disease)	4467
- scalded skin	6951		
- scapulocostal	3548		
- Scimitar	7474		
- sea blue histocyte	2727		

## TERMS NOT INDEXED IN ICD-9

Syndrome - continued		Syndrome - continued	
- TAR (thrombocytopenia absent radius)	7552	- xiphioisternal	7292
- Terrian-Veil	3652	- Zellweger's	7598
- Tolosa Hunt	3789	- Zetterstrom	2512
- TORCH	7598		
- Torsades De Pointes	4274	Tachyarrhythmia, tachyrhythmia (see also	
- toxic shock	0408	Tachycardia)	7850
- trefoil skull	7423		
- Triad	7567	Tamponade	
- transfusion		- cor	4239
- - fetomaternal	7720	- coronary	4239
- Tricho-rhino-phalangeal	7568	- pulmonary	5188
- Troussseau's	4531		
- twin		Tear	
- - donor (infant)	7720	- mesenteric artery	
- - recipient (infant)	7764	- - nontraumatic	4472
- uremic	586		
- van der Hoeve-Halbertsma-Waardenburg	2702	Tearing	
- van der Hoeve-Waardenburg-Gualdi	2702	- excess (ducts) (eye)	3752
- Verbiest's	435		
- Verner-Morrison	2117	Tendinitis	
- von Schroetter's	4538	- hypertrophic infiltrative	7270
- Waterhouse-Fridericksen			
- - nonmeningococcal	2555	Tetany	
- WDHA	2117	- alkalosis	
- Wernicke's-Korsakoff (see also Syndrome,		- - due to	
Korsakoff's)	2940	- - - medical care NEC	2763
- West	3456		
- wet lung	5185	Thelarche, premature	2591
- - with injury	5185		
- - - newborn	7678	Three chambered heart	7468
- white lung	0900		
- Wilkie	7424	Thromboarteritis obliterans	
- Willi-Prader	7598	- subclavicocarotica	4467
- withdrawal - see Dependence	2507		
- Wolfram			

## TERMS NOT INDEXED IN ICD-9

Thrombocytosis		Toxemia	
- malignant	2899	- metabolic	2779
Thomboencephalomalacia	4340	Toxicity	
		- alcohol, alcoholic (see also Table of Drugs and Chemicals)	
Thrombophlebitis	4519	Transection	9809
- deep vein		- traumatic - see Wound, open	
		- - specified site - see Wound, open, by site	
Thrombosis		Trauma	
- artery	4442		
- - brachial		- generalized	9598
- deep vein	4539		
- effort	4538		
- mural			
- - specified site - see Thrombosis, specified site		Trophoneurosis	
- myocardium, myocardial	410	- facial	3498
- plaque	4539		
- popliteal	4512	Trouble	
		- heart	
		- - sclerotic	4140
Thyroiditis	2459	Tumor	
- toxic		-invasive (see also Neoplasm, malignant)	1991
		- Klatskin (see also Neoplasm, malignant bile duct)	1561
Tightness		- Merkel cell	
- perineum	6298	- - malignant (see also Melanoma)	1729
		- neuroectodermal (see also Neoplasm, benign)	2299
Tobacco (use)	3051	- primary (see also Neoplasm, malignant)	1991
		- primitive lymphoid (with metastases)	2029
Torsion		- reticuloendothelial	2387
- falciform ligamen	5738	- - malignant	2029
		Two chambered heart	7457

## TERMS NOT INDEXED IN ICD-9

Ulcer, ulcerated, ulcerating, ulceration, ulcerative		Water	
- atheromatous plaque (see also Arteriosclerosis)	4409	- intoxication	2766
- Barrett's	5302	- - due to	
- decubitus		- - - medical care NEC	
- - with infection	7070	- loading	
- gastrojejunal		- - due to	
- - due to procedure - see category 534-		- - - medical care NEC	2766
- ischemic	7079	- poisoning	
- - lower extremity	7071	- - due to	
- necrotic, necrotizing	7079	- - - medical care NEC	2766
- pressure		Wound (penetrating) NOS - see Wound, open, by site	
- - due to cast	7070	- body NOS	879
Under influence (of)		- bone	879
- drugs (see also Abuse, drugs)	3059	- - specified site - see Wound, open, site of bone	
Use		- - - site(s) not indexed under Wound, open - See Injury, site of the bone	
- drugs (see also Abuse, drugs)	3059	- extremity, extremities	9598
- excessive		- side	879
- - tobacco	3051	- spine	952
Variance		- vertebrae	879
- lethal ball, prosthetic heart valve	9960	- - cervical	874
		- - lumbar	876
		- - thoracic	875
Vasculitis		Xanthogranuloma	2722
- brain	4374	- juvenile	2727
- cerebral	4374		
- rheumatoid	4476	Xiphoidalgia	7339
Very low I. Q.	3181	Xiphoiditis	7339
Vitreitis	3601		

SEE LIST FILES UNDER A:\ TABLE. MIX FOR THE NEXT 3 PAGES

## **External Cause Index**

## TERMS NOT INDEXED IN ICD-9

## EXTERNAL CAUSE INDEX

Accident		Edema	
- caused by		- angioneurotic	E9289
- - amusement ride	E9198		
- - back hoe	E9197	Explosion	
- - conveyor belt	E9196	- stove (oil) NEC	
- - front end loader	E9197	- - resulting in a fire	
- - lawn mower, riding	E9198	- - - building or structure	
- - oil derrick	E9191	except private dwelling	
- - oil rig	E9191	(see also Conflagration,	
- - pay loader	E9197	building or structure	
- - rig, oil or drilling	E9191	except private dwelling)	E8919
- - snow machine	E9197	- - - private dwelling (see also	
- - wheelchair	E848	Conflagration, private dwelling)	E8909
Allergy NEC	E9289	Fall on ice	E885
Aspiration	E912	Laceration NEC	
Beaten	E9688	- homicide	E9689
Choked, choking	E912	- suicide	E9589
Drown, drowned, drowning		- undetermined whether accidental	
- due to		or intentional	E9889
- - fall into pool	E9109	Reaction, abnormal to or following	
- - fall into deep hole	E9109	(medical or surgical procedure)	
- - fall off dock	E9109	- abdominocentesis	E8794
- - slipping into pond	E9109	- adenoectomy	E8786
- - slipping into deep hole	E9109	- adrenalectomy	E8786
- - - while wading	E9102	- aneurysmectomy	E8788
- in pool	E9108	- angiography	E8798
- while diving	E9102	- angioplasty	E8784
		- aorta (with any other vessel) graft	E8782
		- aortoplasty	E8784
		- aortopulmonary window	E8782
		- arthroplasty	E8784

#### TERMS NOT INDEXED IN ICD-9

## **EXTERNAL CAUSE INDEX**

Reaction, abnormal to or following (medical or surgical procedure) - continued		Reaction, abnormal to or following (medical or surgical procedure) - continued
- atrioventricular shunt	E8782	- diverticectomy
- Austin-Moore prosthesis	E8781	- endarterectomy
- Billroth (I or II)	E8786	- esophagectomy
- biopsy	E8798	- fixation hip
- Blalock-Taussig	E8782	- fusion knee
- bone marrow aspiration	E8798	- fusion spine
- bone marrow transplant	E8798	- gastrectomy
- Brock valvulotomy	E8788	- gastric lavage
- cardiac revascularization	E8782	- gastric stapling
- cardiotomy	E8788	- gastroenterostomy
- catheter		- gastrojejunostomy
- - Hickman	E8798	- gastrojejunectomy
- - Tenckoff	E8796	- gastroscopy
- catheterization		- glossectomy
- - artery or vein	E8798	- hemorrhoidectomy
- - - done for a heart condition	E8790	- hernia repair
- choledochoduodenostomy	E8782	- herniorrhaphy
- cholecystectomy	E8786	- hip fixation
- cholelithotomy	E8788	- hip nailing
- chordotomy	E8788	- hip pinning
- colectomy	E8786	- hip prosthesis
- colostomy	E8783	- hip repair
- commando-procedure (radical glossectomy)	E8786	- hysterectomy
- cordotomy	E8788	- hysterotomy
- coronary endarterectomy	E8788	- ileal conduit
- coronary revascularization	E8782	- ileal loop
- correction (of a site) - see Repair		- intraaortic balloon
- craniotomy	E8788	- laminectomy

## TERMS NOT INDEXED IN ICD-9

## EXTERNAL CAUSE INDEX

Reaction, abnormal to or following  
(medical or surgical procedure) - continued

- laparotomy	E8788
- laryngectomy	E8786
- Levin tube	E8798
- lymphadenectomy	E8786
- lysis of adhesions	E8788
- mammary artery implant	E8782
- mastectomy	E8786
- meniscectomy	E8786
- mitral commissurotomy	E8788
- - with graft	E8782
- mustard procedure	E8788
- nailing hip	E8781
- Nissen fundoplication	E8784
- oophorectomy	E8786
- open reduction of a fracture	E8784
- orchidectomy	E8786
- ORIF (open reduction and internal fixation)	E8781
- pancreatectomy	E8786
- parenteral therapy	E8798
- pharyngectomy	E8786
- plastic surgery	E8784
- pneumonectomy	E8786
- prostatectomy	E8786
- pulmonary banding	E8788
- pyloroplasty	E8784
- radiation therapy	E8792
- radical neck dissection	E8786
- repair (of a site)	E8784
- resection	
- - Austin Moore prosthesis	E8788
- - of a lesion	E8788
- - of an organ	E8786

Reaction, abnormal to or following  
(medical or surgical procedure) - continued

- revascularization heart	E8782
- revascularization myocardium	E8782
- revision (of a site)	E8784
- rhizotomy	E8788
- sympathectomy	E8788
- T and A (tonsillectomy and adenoidectomy)	E8786
- thoracoplasty	E8788
- thoracotomy	E8788
- thrombectomy	E8788
- thyroidectomy	E8786
- tonsillectomy	E8786
- total hip replacement	E8781
- tracheostomy	E8783
- tracheotomy	E8783
- ureterolithotomy	E8788
- ureterosigmoid bypass	E8782
- ureterosigmoidostomy	E8782
- vagotomy	E8788
- valvulotomy	E8788
- vasectomy	E8786
- vein stripping	E8786
- Vineberg operation	E8782
- Whipple operation or procedure	E8786

Suffocation  
- of infants, while asleep

E9130

**TABLE OF DRUGS AND CHEMICALS**

TABLE OF DRUGS AND CHEMICALS

Substance	Poisoning (Chapter XVII)	EXTERNAL CAUSE (E CODE)			Adverse effect in correct usage	
		Poisoning				
		Accident	Suicide (attempt)	Underter- mined		
Azidothymidine .....	9617	857	9504	9804	9317	
AZT .....	9617	857	9504	9804	9317	
Chloromycetin .....	9602	856	9504	9804	9302	
Cogentin .....	9711	8554	9504	9804	9411	
Dalmane .....	9694	8532	9503	9803	9394	
Darvocet .....	9657	8505	9500	9800	9355	
Darvon .....	9657	8505	9500	9800	9355	
Demerol .....	9650	8500	9500	9800	9350	
Dilantin .....	9661	8550	9504	9804	9361	
Doriden .....	9675	8524	9502	9802	9375	
Elavil .....	9690	8540	9503	9803	9390	
Equanil .....	9695	8538	9503	9803	9395	
Haldol .....	9692	8531	9503	9803	9392	
Librium .....	9694	8532	9503	9803	9394	

TABLE OF DRUGS AND CHEMICALS

Substance	Poisoning (Chapter XVII)	EXTERNAL CAUSE (E CODE)			Adverse effect in correct usage	
		Poisoning				
		Accident	Suicide (attempt)	Underter- mined		
Mellaril .....	9691	8530	9503	9803	9391	
Myleran .....	9631	8581	9504	9804	9331	
Nectec .....	9671	8520	9502	9802	9371	
Norpramin .....	9690	8540	9503	9803	9390	
Percodan .....	9650	8500	9500	9800	9350	
Phencyclidine .....	9689	8551	9504	9804	9389	
Placidyl .....	9678	8528	9502	9802	9378	
Retrovir .....	9617	857	9504	9804	9317	
Seconal .....	9670	851	9501	9801	9370	
Serentil .....	9691	8530	9503	9803	9391	
Sinement .....	9664	8550	9504	9804	9364	
Sinequan .....	9690	8540	9503	9803	9390	
Talwin .....	9658	8508	9500	9800	9358	
Taractan .....	9695	8538	9503	9803	9395	

TABLE OF DRUGS AND CHEMICALS

Substance	Poisoning (Chapter XVII)	EXTERNAL CAUSE (E CODE)			Adverse effect in correct usage	
		Poisoning				
		Accident	Suicide (attempt)	Underter- mined		
Thorazine .....	9691	8530	9503	9803	9391	
Tofranil .....	9690	8540	9503	9803	9390	
Triavil .....	9699	8559	9503	9803	9399	
Tuinal .....	9670	851	9501	9801	9370	
Valium .....	9694	8532	9503	9803	9394	

## **Classification of Secondary Neoplasms, by Site**

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries

- abdomen, abdominal  
 - - cavity  
 - - organ  
 - - viscera  
 - - wall  
 - - - connective tissue  
 - abdominopelvic  
 - accessory sinus  
 - acoustic nerve  
 - acromion (process)  
 - adenoid (pharynx) (tissue)  
 - adipose tissue  
 - adnexa (uterine)  
 - adrenal (cortex) (gland) (medulla)  
 - ala nasi (external)  
 - alimentary canal or tract NEC  
 - alveolar  
 - - mucosa  
 - - ridge or process  
 - - - musoca  
 - - sulcus  
 - alveolus  
 - ampulla of Vater  
 - ankle NEC  
 - anorectum, anorectal (junction)  
 - antecubital fossa or space  
 - antrum (Highmore) (maxillary)  
 - -pyloric  
 - - tympanicum  
 - anus, anal  
 - - margin  
 - - skin

## Secondaries - continued

1988 - aorta (thoracic) 1988  
 1988 - - abdominal 1988  
 1988 - aortic body 1988  
 1988 - aponeurosis 1988  
 1982 - appendix 1975  
 1988 - arachnoid (cerebral) 1984  
 1988 - - spinal 1984  
 1973 - areola (female) 1988  
 1984 - - male 1988  
 1985 - arm NEC 1988  
 1988 - artery 1988  
 1988 - aryepiglottic fold 1988  
 1988 - - laryngeal aspect 1973  
 1987 - arytenoid (cartilage) 1973  
 1982 - - fold 1988  
 1978 - atlas 1985  
 1988 - atrium, cardium 1988  
 1988 - auditory 1988  
 1985 - - canal (external) (skin) 1982  
 1988 - - internal 1973  
 1988 - - nerve 1984  
 1988 - - tube 1973  
 1978 - - - opening 1988  
 1988 - auricle, ear 1982  
 1975 - - cartilage 1988  
 1988 - auricular canal (external) 1982  
 1973 - - internal 1973  
 1978 - autonomic nerve or nervous system NEC 1988  
 1973 - axilla, axillary 1988  
 1975 - - fold 1982  
 1982 - back NEC 1988  
 1982 - Bartholin's gland 1988

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries - continued

- basal ganglia  
 - basis pedunculi  
 - bile or biliary (tract)  
 - - canaliculi (biliferi) (intrahepatic)  
 - - canals, interlobular  
 - - duct or passage (common) (cystic)  
     (extrahepatic)  
 - - - interlobular  
 - - - intrahepatic  
 - - - and extrahepatic  
 - bladder (urinary) (any part)  
 - blood vessel  
 - bone (periosteum)  
 - - acetabulum  
 - acromion (process)  
 - ankle  
 - - arm NEC  
 - - astragalus  
 - - atlas  
 - - axis  
 - - back NEC  
 - - calcaneus  
 - - calvarium  
 - - carpus (any)  
 - - cartilage NEC  
 - - clavicle  
 - - clivus  
 - - coccygeal vertebra  
 - - coccyx  
 - - costal cartilage  
 - costovertebral joint  
 - - cranial

## Secondaries - continued

1983	- bone (periosteum) - continued	1985
1983	- - cuboid	1985
1978	- - cuneiform	1985
1978	- - - ankle	1985
1978	- - - wrist	1985
1978	- - digital	1985
1978	- - - finger	1985
1978	- - - toe	1985
1978	- - elbow	1985
1978	- - ethmoid (labyrinth)	1985
1981	- - face	1985
1988	- - - lower jaw	1985
1985	- - femur (any part)	1985
1985	- - fibula (any part)	1985
1985	- - finger (any)	1985
1985	- - foot	1985
1985	- - forearm	1985
1985	- - frontal	1985
1985	- - hand	1985
1985	- - heel	1985
1985	- - hip	1985
1985	- - humerus (any part)	1985
1985	- - hyoid	1985
1985	- - ilium	1985
1985	- - innominate	1985
1985	- - intervertebral cartilage or disc	1985
1985	- - ischium	1985
1985	- - jaw (lower)	1985
1985	- - - upper	1985
1985	- - knee	1985
1985	- - leg NEC	1985
1985		

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries - continued

- bone (periosteum) - continued  
 - - limb NEC  
 - - - lower (long bones)  
 - - - short bones  
 - - - upper (long bones)  
 - - - short bone  
 - long  
 - - lower limbs NEC  
 - - upper limbs NEC  
 - - malar  
 - - mandible  
 - - marrow NEC  
 - - mastoid  
 - - maxilla, maxillary (superior)  
 - - - inferior  
 - - metacarpus (any)  
 - - metatarsus (any)  
 - - navicular (ankle)  
 - - - hand  
 - - nose, nasal  
 - - occipital  
 - - orbit  
 - - parietal  
 - patella  
 - - pelvic  
 - - phalanges  
 - - - foot  
 - - - hand  
 - - pubic  
 - - radius (any part)  
 - - rib  
 - - sacral vertebra  
 - - sacrum

## Secondaries - continued

1985 - bone (periosteum) - continued  
 1985 - - scaphoid (of hand)  
 1985 - - - of ankle  
 1985 - - scapula (any part)  
 1985 - - sella turcica  
 1985 - - short  
 1985 - - - lower limb  
 1985 - - - upper limb  
 1985 - - shoulder  
 1985 - - skeleton, skeletal NEC  
 1985 - - skull  
 1985 - - sphenoid  
 1985 - - spine, spinal (column)  
 1985 - - - coccyx  
 1985 - - - sacrum  
 1985 - - sternum  
 1985 - - tarsus (any)  
 1985 - - temporal  
 1985 - - thumb  
 1985 - - tibia (any part)  
 1985 - - toe (any)  
 1985 - - trapezium  
 1985 - - trapezoid  
 1985 - - turbinate  
 1985 - - ulna (any part)  
 1985 - - unciform  
 1985 - - vertebra (column)  
 1985 - - - coccyx  
 1985 - - - sacrum  
 1985 - - vomer  
 1985 - - wrist  
 1985 - - xiphoid process  
 1985 - - zygomatic

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries - continued

- book-leaf (mouth)  
 - bowel  
 - brachial plexus  
 - brain NEC  
 - - meninges  
 - branchial (cleft) (vestiges)  
 - breast (connective tissue) (female)  
 (glandular tissue) (soft parts)  
 - broad ligament  
 - bronchiogenic, bronchogenic (lung)  
 - bronchiole  
 - bronchus  
 - brow  
 - buccal (cavity)  
 - - commissure  
 - - groove (lower) (upper)  
 - - mucosa  
 - - sulcus (lower) (upper)  
 - bulbourethral gland  
 - bursa  
 - buttock  
 - calf  
 - calvarium  
 - calyx, renal  
 - canal  
 - - anal  
 - - auditory (external)  
 - - auricular (external)  
 - canaliculi, biliary (biliferi) (intrahepatic)  
 - canthus (eye) (inner) (outer)  
 - capillary  
 - caput coli

1988  
 1975  
 1988  
 1983  
 1984  
 1988  
 1988  
 1988  
 1970  
 1970  
 1970  
 1982  
 1988  
 1988  
 1988  
 1988  
 1988  
 1988  
 1988  
 1988  
 1988  
 1988  
 1980  
 1988  
 1988  
 1988  
 1985  
 1980  
 1975  
 1982  
 1982  
 1978  
 1982  
 1975

## Secondaries - continued

- cardia (gastric)  
 - cardiac orifice (stomach)  
 - cardio-esophageal junction  
 - cardio-esophagus  
 - carina (trachea)  
 - carotid (artery)  
 - - body  
 - carpus (any bone)  
 - cartilage  
 - - arytenoid  
 - - auricular  
 - - bronchi  
 - - connective tissue  
 - - costal  
 - - cricoid  
 - - cuneiform  
 - - ear (external)  
 - - ensiform  
 - - epiglottis  
 - - - anterior surface  
 - - eyelid  
 - - intervertebral  
 - - larynx, laryngeal  
 - - nose, nasal  
 - - pinna  
 - - rib  
 - - semilunar (knee)  
 - - thyroid  
 - - trachea  
 - cauda equina

1978  
 1978  
 1978  
 1978  
 1973  
 1988  
 1988  
 1985  
 1985  
 1973  
 1988  
 1988  
 1985  
 1988  
 1988  
 1985  
 1988  
 1988  
 1985  
 1988  
 1988  
 1985  
 1973  
 1988  
 1988  
 1985  
 1973  
 1988  
 1988  
 1985  
 1973  
 1988  
 1988  
 1985  
 1973  
 1983

TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

Secondaries - continued		Secondaries - continued	
- cavity		- ciliary body	1984
- - buccal	1988	- clavicle	1985
- - nasal	1973	- clitoris	1988
- - oral	1988	- clivus	1985
- - peritoneal	1976	- cloaogenic zone	1975
- - tympanic	1973	- coccygeal	
- cecum	1975	- - body or glomus	1988
- central		- - vertebra	1985
- - nervous system	1984	- coccyx	1985
- - white matter	1983	- colon	1975
- cerebellopontine (angle)	1983	- column, spinal	1985
- cerebellum, cerebellar	1983	- columnella	1982
- cerebrum, cerebral (cortex) (hemisphere) (white matter)	1983	- commissure	
- meninges	1984	- - labial, lip	1988
- peduncle	1983	- - laryngeal	1973
- - ventricle (any)	1983	- common (bile) duct	1978
- cervical region	1988	- concha	1982
- cervix (cervical) (uteri) (uterus)	1988	- - nose	1973
- cheek	1988	- conjunctiva	1984
- - external	1982	- connective tissue	1988
- - inner aspect	1988	- - orbit	1984
- - internal	1988	- - retroperitoneum	1976
- - mucosa	1988	- - skin (dermis) NEC	1982
- chest (wall) NEC	1988	- conus medullaris	1983
- chiasma opticum	1984	- cord (true) (vocal)	1973
- chin	1982	- - false	1973
- choana	1988	- - spermatic	1988
- cholangiole	1978	- - spinal (cervical) (lumbar) (thoracic)	1983
- choledochal duct	1978	- cornea (limbus)	1984
- choroid	1984		
- plexus	1983		

#### TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

Secondaries - continued		Secondaries - continued	
- corpus		- disc, intervertebral	1985
- - albicans		- disease, generalized	1990
- - callosum, brain	1986	- disseminated	1990
- - cavernosum	1983	- Douglas' cul-de-sac or pouch	1976
- - gastric	1988	- duodenojejunal junction	1974
- - penis	1988	- duodenum	1974
- - striatum, cerebrum	1983	- dura (cranial) (mater)	1984
- - uteri	1988	- - cerebral	1984
- cortex-		- spinal	1984
- - adrenal	1987	- ear (external)	1982
- - cerebral	1983	- - auricle or auris	1982
- costal cartilage	1985	- - canal, external	1982
- costovertebral joint	1985	- - cartilage	1988
- Cowper's gland	1981	- - external meatus	1982
- cranial (fossa, any)	1983	- - inner	1973
- - meninges	1984	- - lobule	1982
- - nerve (any)	1984	- - middle	1973
- craniobuccal pouch	1988	- - skin	1982
- craniopharyngeal (duct) (pouch)	1988	- earlobe	1982
- cricoid	1988	- ejaculatory duct	1988
- - cartilage	1973	- elbow NEC	1988
- cricopharynx	1988	- endocardium	1988
- Crypt of Morgagni	1975	- endocervix (canal) (gland)	1988
- crystalline lens	1984	- endocrine gland NEC	1988
- cul-de-sac (Douglas')	1976	- - pluriglandular NEC	1988
- cuneiform cartilage	1973	- endometrium (gland) (stroma)	1988
- cutaneous	1982	- ensiform cartilage	1985
- cutis	1982	- enteric	1978
- cystic (bile) duct (common)	1978	- ependyma (brain)	1983
- dermis	1982	- epicardium	1988
- diaphragm	1988	- epididymis	1988
- digestive organs, system, tube, or tract NEC	1978	- epidural	1984

#### TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

Secondaries - continued		Secondaries - continued	
- epiglottis	1973	- fauces, faucial NEC	1988
- - anterior aspect or surface	1988	- - pillars	1988
- - cartilage	1973	- - tonsil	1988
- - free border (margin)	1988	- femur (any part)	1985
- - posterior (laryngeal) surface	1973	- fetal membrane	1988
- - suprathyroid portion	1973	- fibrous tissue	1988
- esophagogastric junction	1978	- fibula (any part)	1985
- esophagus	1978	- filum terminale	1983
- ethmoid (sinus)	1973	- finger NEC	1988
- - bone or labyrinth	1985	- flank NEC	1988
- Eustachian tube	1973	- follicle, nabothian	1988
- exocervix	1988	- foot NEC	1988
- external		- forearm NEC	1988
- - meatus (ear)	1982	- forehead (skin)	1982
- - os, cervix uteri	1988	- foreskin	1988
- extradural	1984	- fornix	
- extrahepatic (bile) duct	1978	- - pharyngeal	1988
- extraocular muscle	1984	- - vagina	1988
- extrarectal	1988	- fossa (of)	
- extremity	1988	- - anterior (cranial)	1983
- eye	1984	- - cranial	1983
- eyeball	1984	- - ischiorectal	1988
- eyebrow	1982	- - middle (cranial)	1983
- eyelid (lower) (skin) (upper)	1982	- - pituitary	1988
- - cartilage	1988	- - posterior (cranial)	1983
- face NEC	1988	- - pterygoid	1988
- fallopian tube (accessory)	1988	- - pyriform	1988
- falx (cerebelli) (cerebri)	1984	- - Rosenmüller	1988
- fascia	1988	- - tonsillar	1988
- fatty tissue	1988	- fourchette	1988

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries - continued

- frenulum  
 - - labii  
 - - linguae  
 - frontal  
 - - bone  
 - - lobe, brain  
 - - meninges  
 - - pole  
 - - sinus  
 - fundus  
 - -stomach  
 - - uterus  
 - gall duct (extrahepatic)  
 - - intrahepatic  
 - gallbladder  
 - ganglia  
 - - basal  
 - ganglion  
 - - cranial nerve  
 - Gartner's duct  
 - gastric  
 - gastrocolic  
 - gastroesophageal junction  
 - gastrointestinal (tract) NEC  
 - generalized  
 - genital organ or tract  
 - - female NEC  
 - - - specified site NEC  
 - - male NEC  
 - - - specified site NEC

## Secondaries - continued

1988 - genitourinary tract  
 1988 - - female 1988  
 1988 - - male 1988  
 1985 - gingiva (alveolar) (marginal) 1988  
 1983 - gland, glandular (lymphatic) (system) - see also Neoplasm, lymph gland 1988  
 1984 - - endocrine NEC 1988  
 1983 - - salivary 1988  
 1973 - glans penis 1988  
 1978 - globus pallidus 1983  
 1988 - glomus 1988  
 1978 - - cocygeal 1988  
 1978 - - jugularis 1988  
 1978 - glosso-epiglottic fold(s) 1988  
 1978 - glossopalatine fold 1988  
 1988 - glossopharyngeal sulcus 1988  
 1983 - glottis 1973  
 1988 - gluteal region 1988  
 1984 - great vessels NEC 1988  
 1988 - groin NEC 1988  
 1978 - gum 1988  
 1978 - hand NEC 1988  
 1978 - head NEC 1988  
 1978 - heart 1988  
 1990 - heel NEC 1988  
 1988 - helix 1982  
 1988 - hematopoietic, hemopoietic tissue NEC 1988  
 1988 - hemisphere, cerebral 1983  
 1988 - hemorrhoidal zone 1975  
 1988

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries - continued

- hepatic  
 - - duct (bile)  
 - - flexure (colon)  
 - hilus of lung  
 - hip NEC  
 - hippocampus, brain  
 - humerus (any part)  
 - hymen  
 - hypopharynx, hypopharyngeal  
 - hypophysis  
 - hypothalamus  
 - ileocecum, ileocecal (coil) (junction) (valve)  
 - ileum  
 - ilium  
 - infraclavicular (region)  
 - inguinal (region)  
 - insula  
 - insular tissue (pancreas)  
 - - brain  
 - interarytenoid fold  
 - - laryngeal aspect  
 - interdental papillae  
 - internal  
 - - capsule  
 - - os (cervix)  
 - intervertebral cartilage or disc  
 - intestine  
 - intra-abdominal  
 - intracranial NEC  
 - intrahepatic (bile) duct  
 - intraocular  
 - intraorbital

1977  
 1978  
 1975  
 1970  
 1988  
 1983  
 1985  
 1988  
 1988  
 1983  
 1975  
 1974  
 1985  
 1988  
 1988  
 1983  
 1978  
 1983  
 1983  
 1988  
 1983  
 1988  
 1985  
 1975  
 1988  
 1988  
 1983  
 1988  
 1984  
 1984

## Secondaries - continued

- intrasellar  
 - intrathoracic (cavity) (organs NEC)  
 - iris  
 - ischiorectal (fossa)  
 - ischium  
 - island of Reil  
 - islands or islets of Langerhans  
 - isthmus uteri  
 - jaw  
 - - bone  
 - - skin  
 - - soft tissue  
 - jejunum  
 - joint  
 - junction  
 - - anorectal  
 - - cardioesophageal  
 - - esophagogastric  
 - - gastroesophageal  
 - - hard and soft palate  
 - - ileocecal  
 - - pelvirectal  
 - - pelviureteric  
 - - rectosigmoid  
 - kidney  
 - knee  
 - labia (skin)  
 - labial  
 - - skin  
 - - sulcus  
 - labium (skin)

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries - continued

- lacrimal  
 - - canaliculi  
 - - duct (nasal)  
 - - gland  
 - - punctum  
 - - sac  
 - Langerhans, islands or islets  
 - laryngopharynx  
 - larynx, laryngeal NEC  
 - leg NEC  
 - lens, crystalline  
 - lid (lower) (upper)  
 - ligament  
 - limb  
 - - lower  
 - - upper  
 - limbus of cornea  
 - lingual NEC  
 - lingula, lung  
 - lip (external) (lipstick area) (vermillion border)  
 - - skin  
 - liver  
 - lobe  
 - - azygos  
 - - frontal  
 - - lower  
 - - middle  
 - - occipital  
 - - parietal  
 - - temporal  
 - - upper

## Secondaries - continued

	1984	- lumbosacral plexus	1984
	1984	- lung	1970
	1984	- lymph, lymphatic	1988
	1984	- - channel NEC	1988
	1984	- lymph node - see Neoplasm, lymph node, Volume 2	
	1984	- malar	1985
	1978	- - region	1988
	1988	- - - external	1982
	1973	- mammary gland	1988
	1988	- mandible	1985
	1984	- marrow (bone)	1985
	1982	- mastoid (air cells) (antrum) (cavity)	1973
	1988	- - bone or process	1985
	1988	- maxilla, maxillary (superior)	1985
	1988	- - alveolar	
	1988	- - - mucosa	1988
	1984	- - - ridge or process	1985
	1988	- - antrum	1973
	1970	- - sinus	1973
	1988	- Meatus	
	1982	- - external (ear)	1982
	1977	- Meckel's diverticulum	1974
	1983	- mediastinum, mediastinal	1971
	1970	- medulla	
	1970	- - adrenal	1987
	1983	- - oblongata	1983
	1970	- meibomian gland	1982
	1970	- meninges (brain)	1984
	1983	- - spinal (cord)	1984
	1983	- meniscus, knee joint (lateral) (medial)	1985
	1983	- mesentery, mesenteric	1976
	1970	- mesoappendix	1976

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries - continued

- mesocolon  
 - mesopharynx  
 - mesosalpinx  
 - mesovarium  
 - metacarpus (any bone)  
 - metatarsus (any bone)  
 - midbrain  
 - milk duct  
 - mons  
 - - pubis  
 - - veneris  
 - motor tract  
 - - brain  
 - - spinal  
 - mouth  
 - mucosa  
 - - alveolar (ridge or process)  
 - - buccal  
 - - cheek  
 - - lip  
 - - nasal  
 - - oral  
 - Mullerian duct (female) (male)  
 - muscle  
 - - extraocular  
 - myocardium  
 - myometrium  
 - myopericardium  
 - nabothian gland (follicle)  
 - nail  
 - nares, naris (anterior) (posterior)  
 - nasolabial groove

1976

1988

1988

1988

1985

1985

1983

1988

1988

1988

1984

1983

1983

1988

1988

1988

1988

1988

1988

1973

1988

1988

1988

1988

1988

1988

1988

1988

1988

1988

1988

1973

1982

1982

## Secondaries - continued

- nasolacrimal duct  
 - nasopharynx, nasopharyngeal  
 - nates  
 - neck  
 - nerve (autonomic) (ganglion) (parasympathetic)  
 (peripheral) (sympathetic)  
 - - abducens  
 - - accessory (spinal)  
 - - acoustic  
 - - auditory  
 - - brachial  
 - - cranial (any)  
 - - facial  
 - - femoral  
 - - glossopharyngeal  
 - - hypoglossal  
 - - intercostal  
 - - lumbar  
 - - median  
 - - obturator  
 - - oculomotor  
 - - olfactory  
 - - optic  
 - - peripheral NEC  
 - - radial  
 - - sacral  
 - - sciatic  
 - - spinal NEC  
 - - trigeminal  
 - - trochlear  
 - - ulnar  
 - - vagus

#### TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

Secondaries - continued	
- nervous system (central) NEC	1984
- - autonomic NEC	1988
- - brain	1983
- - - membrane or meninges	1984
- - parasympathetic NEC	1988
- - sympathetic NEC	1988
- nipple (female) (male)	1988
- nose, nasal	1988
- - ala (external)	1982
- - bone	1985
- - cartilage	1973
- - cavity	1973
- - choana	1988
- - external (skin)	1982
- - fossa	1973
- - internal	1973
- - mucosa	1973
- - septum	1973
- - - posterior margin	1988
- - skin	1982
- - turbinate	1973
- - - bone	1985
- - vestibule	1973
- nostril	1973
- nucleus pulposus	1985
- occipital	
- - bone	1985
- - lobe or pole, brain	1983
- oesophagus	1978
- olfactory nerve or bulb	1984
- olive (brain)	1983
- omentum	1976
Secondaries - continued	
- operculum (brain)	1983
- optic nerve, chiasm, or tract	
- oral cavity	1988
- orbit	1984
- - bone	1985
- - eye	1984
- - soft parts	1984
- organ of Zuckerkandl	1988
- oropharynx	1988
- os	
- - external	1988
- - internal	1988
- ovary	1986
- oviduct	1988
- palate	1988
- palatoglossal arch	1988
- palatopharyngeal arch	1988
- pallium	1983
- palpebra	1982
- pancreas (any part)	1978
- para-aortic body	1988
- paraganglion NEC	1988
- parametrium	1988
- paranephric	1976
- pararectal	1988
- parasagittal (region)	1988
- parasellar	1984
- parathyroid (gland)	1988
- paraurethral	1988
- - gland	1981
- paravaginal	1988
- parenchyma, kidney	1980

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries - continued

- parietal  
 - - bone  
 - - lobe, brain  
 - paroophoron  
 - parotid (duct) (gland)  
 - parovarium  
 - patella  
 - peduncle, cerebral  
 - pelvirectal junction  
 - pelvis, pelvic  
 - - bone  
 - - floor  
 - - renal  
 - - viscera  
 - - wall  
 - pelvo-abdominal  
 - penis  
 - periadrenal (tissue)  
 - perianal (skin)  
 - pericardium  
 - perinephric  
 - perineum  
 - periodontal tissue NEC  
 - periosteum  
 - peripancreatic  
 - peripheral nerve NEC  
 - perirectal (tissue)  
 - perirenal (tissue)  
 - peritoneum, peritoneal (cavity)  
 - peritonsillar (tissue)  
 - periurethral  
 - phalanges

## Secondaries - continued

1985	- pharynx, pharyngeal	1988
1983	- pia mater (cerebral) (cranial)	1984
1988	- - spinal	1984
1988	- pillars of fauces	1988
1988	- pineal (body) (gland)	1988
1988	- pinna (ear) NEC	1982
1985	- - cartilage	1988
1983	- piriform fossa or sinus	1988
1975	- pituitary (body) (fossa) (gland) (lobe)	1988
1988	- placenta	1988
1985	- pleura, pleural (cavity)	1972
1988	- plexus	
1980	- - brachial	1988
1988	- - cervical	1988
1988	- - choroid	1983
1988	- - lumbosacral	1988
1988	- - sacral	1988
1976	- pluri-endocrine	1988
1982	- pole	1983
1988	- - frontal	1983
1976	- - occipital	1983
1988	- pons (varolii)	1983
1988	- popliteal fossa or space	1988
1985	- postcricoid (region)	1988
1976	- posterior fossa (cranial)	1983
1988	- postnasal space	1988
1988	- prepuce	1988
1976	- prepylorus	1978
1976	- presacral (region)	1988
1988	- prostate (gland)	1988
1988	- - utricle	1981
1985	- pterygoid fossa	1988

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

Secondaries - continued		Secondaries - continued	
- pubic bone	1985	- Rosenmuller's fossa	1988
- pudenda, pudendum (female)	1988	- round ligament	1988
- pulmonary	1970	- sacrococcyx, sacrococcygeal	1985
- putamen	1983	- - region	1988
- pyloric		- sacrouterine ligament	1988
- - antrum	1978	- sacrum, sacral (vertebra)	1985
- - canal	1978	- salivary gland or duct (major)	1988
- pylorus	1978	- - minor NEC	1988
- pyramid (brain)	1983	- - parotid	1988
- pyriform fossa or sinus	1988	- - pluriglandular	1988
- radius (any part)	1985	- - sublingual	1988
- Rathke's pouch	1988	- - submandibular	1988
- rectosigmoid (colon) (junction)	1975	- - submaxillary	1988
- rectouterine pouch	1976	- salpinx (uterine)	1988
- rectovaginal septum or wall	1988	- Santorini's duct	1978
- rectovesical septum	1988	- scalp	1982
- rectum (ampulla)	1975	- scapula (any part)	1985
- renal	1980	- scapular region	1988
- respiratory		- scar NEC	1982
- - organs or system NEC	1973	- sciatic nerve	1988
- - tract NEC	1973	- sclera	1984
- retina	1984	- scrotum (skin)	1988
- retrobulbar	1984	- sebaceous gland	1982
- retrocecal	1976	- sella turcica	1988
- retromolar (area) (triangle) (trigone)	1988	- - bone	1985
- retro-orbital	1988	- semilunar cartilage (knee)	1985
- retroperitoneal (space) (tissue)	1976	- seminal vesicle	1988
- retroperitoneum	1976	- septum	
- retropharyngeal	1988	- - nasal	1973
- retrovesical (septum)	1988	- - - posterior margin	1988
- rhinencephalon	1983	- - rectovaginal	1988
- rib	1985	- - rectovesical	1988

## TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

## Secondaries - continued

- septum - continued  
 - - urethrovaginal  
 - - vesicovaginal  
 - shoulder NEC  
 - sigmoid flexure (lower) (upper)  
 - sinus (accessory)  
 - - bone (any)  
 - - ethmoidal  
 - - frontal  
 - - maxillary  
 - - nasal, paranasal NEC  
 - - pyriform  
 - - sphenoidal  
 - skeleton, skeletal NEC  
 - Skene's gland  
 - skin  
 - - clitoris  
 - - female genital organs (external)  
 - - - labium NEC  
 - - - majus  
 - - - minus  
 - - - pudendum  
 - - - vulva  
 - - labia  
 - - - majora  
 - - - minora  
 - - male genital organs  
 - - - penis  
 - - - prepuce  
 - - - scrotum  
 - - penis  
 - - prepuce

## Secondaries - continued

- skin - continued  
 - - scrotum 1988  
 - - vulva 1988  
 - skull 1985  
 - soft parts or tissues 1988  
 - specified site NEC 1988  
 - spermatic cord 1988  
 - sphenoid 1973  
 - - bone 1985  
 - - sinus 1973  
 - sphincter 1975  
 - - anal 1978  
 - - of Oddi 1985  
 - spine, spinal (column) 1985  
 - - bulb 1983  
 - - coccyx 1985  
 - - cord (cervical) (lumbar) (sacral) (thoracic) 1983  
 - - dura mater 1984  
 - - lumbosacral 1985  
 - - membrane 1984  
 - - meninges 1984  
 - - nerve (root) 1988  
 - - pia mater 1984  
 - - root 1988  
 - - sacrum 1985  
 - spleen, splenic NEC 1978  
 - - flexure (colon) 1975  
 - stem, brain 1983  
 - Stensen's duct 1988  
 - sternum 1985  
 - stomach (any part) 1978  
 - stroma, endometrial 1988

#### TERMS NOT INDEXED IN ICD-9

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

Secondaries - continued	
- stump, cervical	1988
- subcutaneous (nodule) (tissue) NEC	1988
- subdural	1984
- subglottis, subglottic	1973
- sublingual	1988
- - gland or duct	1988
- submandibular gland	1988
- submaxillary gland or duct	1988
- submental	1988
- subpleural	1970
- substernal	1971
- supraclavicular region	1988
- supraglottis	1973
- suprarenal (capsule)(cortex)(gland)(medulla)	1987
- suprasellar (region)	1983
- sweat gland (apocrine)(eccrine)	1982
- sympathetic nerve or nervous system NEC	1988
- symphysis pubis	1985
- synovial membrane	1988
- tapetum, brain	1983
- tarsus (any bone)	1985
- temple (skin)	1982
- temporal	
- - bone	1985
- - lobe or pole	1983
- - region	1988
- - - skin	1982
- tendon	1988
- tentorium (cerebelli)	1984
- testis, testes (descended) (scrotal)	1988
- thalamus	1983
- thigh NEC	1988
Secondaries - continued	
- thorax, thoracic (cavity) (organs NEC)	1988
- - duct	1988
- - wall NEC	1988
- throat	1988
- thumb NEC	1988
- thymus (gland)	1988
- thyroglossal duct	1988
- thyroid (gland)	1988
- - cartilage	1973
- tibia (any part)	1985
- toe NEC	1988
- tongue (any part)	1988
- tonsil (any part)	1988
- tonsillar fossa	1988
- tooth socket NEC	1988
- trachea (cartilage) (mucosa)	1973
- tracheobronchial	1973
- tragus	1982
- trunk NEC	1988
- tubo-ovarian	1988
- tunica vaginalis	1988
- turbinate (bone)	1985
- - nasal	1973
- tympanic cavity	1973
- ulna (any part)	1985
- umbilicus, umbilical	1982
- uncus, brain	1983
- urachus	1981
- ureter, ureteral	1981
- ureter-bladder (junction)	1981
- urethra, urethral (gland)	1981
- urethrovaginal (septum)	1988

**TERMS NOT INDEXED IN ICD-9**

## CLASSIFICATION OF SECONDARY NEOPLASMS BY SITE

Secondaries - continued	
- urinary organ or system NEC	1981
- utero-ovarian	1988
- - ligament	1988
- uterosacral ligament	1988
- uterus, uteri, uterine	1988
- utricle, prostatic	1981
- uveal tract	1984
- uvula	1988
- vagina, vaginal (fornix) (vault) (wall)	1988
- vaginovesical	1988
- vallecula (epiglottis)	1988
- vascular	1988
- vas deferens	1988
- Vater's ampulla	1978
- vein, venous	1988
- vena cava (abdominal) (inferior)	1988
- - superior	1988
- ventricle (cerebral) (floor) (fourth) (lateral) (third)	1983
- - cardiac (left) (right)	1988
- ventricular band of larynx	1973
- ventriculus	1978
- vermillion border	1988
- vermis, cerebellum	1983
- vertebra (column)	1985
- vesical	1981
- vesicle, seminal	1988
- vesicocervical tissue	1988
- vesicorectal	1988
- vesicovaginal	1988
- - septum	1988
- vessel (blood)	1988
Secondaries - continued	
- vestibular gland, greater	1988
- vestibule	1988
- - mouth	1988
- - nose	1973
- Virchow's gland	1960
- viscera NEC	1988
- vocal cords (true)	1973
- - false	1973
- vomer	1985
- vulva	1988
- vulvovaginal gland	1988
- Waldeyer's ring	1988
- Wharton's duct	1988
- white matter (central) (cerebral)	1983
- windpipe	1973
- Wirsung's duct	1978
- wolffian (body) (duct)	1988
- - female	1988
- - male	1988
- womb	1988
- wrist NEC	1988
- xiphoid process	1985
- Zuckerkandl's organ	1988

**Standard Abbreviations And The Disease Terms For Which They Represent**

## ABBREVIATIONS

AAA	abdominal aortic aneurysm	ADH	antidiuretic hormone
AAS	aortic arch syndrome	ADS	antibody deficiency syndrome
AAT	alpha-antitrypsin	AEG	air encephalogram
AAV	AIDS-associated virus	AF	auricular or atrial fibrillation; acid fast
AB	abortion; asthmatic bronchitis	AFB	acid-fast bacillus
ABD	abdomen	AFI	amaurotic familial idiocy
ABE	acute bacterial endocarditis	AGG	agammaglobulinemia
ABS	acute brain syndrome	AGL	acute granulocytic leukemia
ACA	adenocarcinoma	AGN	acute glomerulonephritis
ACD	arteriosclerotic coronary disease; absolute cardiac dullness	AGS	adrenogenital syndrome
ACH	adrenal cortical hormone	AHA	acquired hemolytic anemia; autoimmune hemolytic anemia
ACT	acute coronary thrombosis	AHD	arteriosclerotic heart disease
ACTH	adrenocorticotrophic hormone	AHHD	arteriosclerotic hypertensive heart disease
ACVD	arteriosclerotic cardiovascular disease	AHG	anti-hemophilic globulin deficiency
AD	auris dextra (right ear); addiction, drug; adenoidal degeneration;  atrio dextro (rt. atrium)	AHLE	acute hemorrhagic leukoencephalitis
ADEM	acute disseminated encephalomyelitis	AI	aortic insufficiency; additional information

## ABBREVIATIONS - continued

AIDS	acquired immunodeficiency syndrome	AR	aortic regurgitation
AKA	above knee amputation	ARC	AIDS-related complex
ALL	acute lymphocytic leukemia	ARF	acute respiratory failure
ALS	amyotrophic lateral sclerosis	ARM	artificial rupture of membranes
AMI	acute myocardial infarction	ARV	AIDS-related virus
AML	acute myelocytic leukemia	AS	arteriosclerotic; arteriosclerosis; aortic stenosis; auris sinistra (left ear)
ANS	arteriolonephrosclerosis	ASA	acetylsalicylic acid (aspirin)
AOD	arterial occlusive disease	ASAD	arteriosclerotic artery disease
AODM	adult onset diabetes mellitus	ASCD	arteriosclerotic coronary disease
AOM	acute otitis media	ASCHD	arteriosclerotic coronary heart disease
AP	angina pectoris; anterior and posterior repair; artificial pneumothorax; anterior pituitary	ASCVA	arteriosclerotic cerebrovascular accident
A&P	anterior and posterior repair	ASCVD	arteriosclerotic cardiovascular disease
APC	auricular premature contraction; Acetylsalicylic acid, Acetophenetidin, and Caffeine ASCVRD	ASCVHD	arteriosclerotic cardiovascular heart disease
APE	acute pulmonary edema; anterior pituitary extract		arteriosclerotic cardiovascular renal disease
APH	antepartum hemorrhage	ASD	atrial septal defect

## ABBREVIATIONS - continued

ASDHD	arteriosclerotic decompensated heart disease	AUL	acute undifferentiated leukemia
ASHCVD	arteriosclerotic hypertensive cardiovascular disease	AV	arteriovenous; auriculoventricular; aortic valve
ASHD	arteriosclerotic heart disease; atrioseptal heart defect	AVF	arterio-ventricular fibrillation; arteriovenous fistula
ASHHD	arteriosclerotic hypertensive heart disease	AVH	acute viral hepatitis
ASHVD	arteriosclerotic hypertensive vascular disease	AVP	aortic valve prosthesis
ASO	arteriosclerosis obliterans	AVR	aortic valve replacement
ASPVD	arteriosclerotic peripheral vascular disease	AWMI	anterior wall myocardial infarction
ASVD	arteriosclerotic vascular disease asthma; basilar artery	AZT	azidothymidine
ASVH(D)	arteriosclerotic vascular heart disease	BA	basilar arteriogram; bronchial
ATC	all-terrain cycle	B&B	bronchoscopy and biopsy
ATN	acute tubular necrosis	BBB	bundle branch block
ATS	anxiety tension state; anti-tetanus serum; arteriosclerosis	B&C	biopsy and cauterization
ATSHD	arteriosclerotic heart disease	BCE	basal cell epithelioma
ATV	all-terrain vehicle	BE	barium enema
AU	aures unitas (both ears)	BEH	benign essential hypertension
		B GL	Bartholin's gland

## ABBREVIATIONS - continued

BKA	below knee amputation	BX	biopsy
BL	bladder; bucolingual; blood loss; Burkitt's lymphoma	BX CX <hr/> c	biopsy cervix with
BMR	basal metabolism rate	Ca	cancer
BNA	Bladder neck adhesions	CA	cancer; carotid arteriogram; cardiac arrest
BNO	bladder neck obstruction	CAD	coronary artery disease
BOMSA	bilateral otitis media serous acute	CAG	chronic atrophic gastritis
BOMSC	bilateral otitis media serous chronic	CAO	coronary artery occlusion; chronic airway obstruction
BOW	"bag of water" (membrane)	CAS	cerebral arteriosclerosis
B/P, BP	blood pressure	CASCVD	chronic arteriosclerotic cardio- vascular disease
BPH	benign prostate hypertrophy	CB	chronic bronchitis
BSA	body surface area	CBC	complete blood count
BSO	bilateral salpingo-oophorectomy	CBD	common bile duct
BSP	Bromosulfaphthalein test	CBS	chronic brain syndrome
BTL	bilateral tubal ligation	CCF	chronic congestive failure
BUN	blood, urea, and nitrogen test	CCI	chronic cardiac or coronary insufficiency
BVL	bilateral vas ligation		
B&W	Baldy-Webster suspension (uterine)		

## ABBREVIATIONS - continued

CDE	common duct exploration	CMID	cytomegalic inclusion disease
CDH	congenital dislocation hip	CML	chronic myelocytic leukemia
CF	congestive failure; compliment fixation test; cystic fibrosis; Christmas factor (PTC)	CMM	cutaneous malignant melanoma
		CMV	cytomegalic virus
CFT	chronic follicular tonsillitis	CNHD	congenital nonspherocytic hemolytic disease
CGN	chronic glomerulonephritis	CNS	central nervous system
CHA	congenital hypoplastic anemia	CO	carbon monoxide
CHB	complete heart block	COAD	chronic obstructive airway disease
CHD	congestive heart disease; coronary heart disease; Chediak-Higaski Disease; congenital heart disease	CO <sub>2</sub>	carbon dioxide
		COBE	chronic obstructive bullous emphysema
CHF	congestive heart failure	COBS	chronic organic brain syndrome
C <sub>2</sub> H <sub>5</sub> OH	ethyl alcohol	COFS	cerebro-oculo-facio-skeletal
CI	cardiac insufficiency; cerebral infarction	COOMBS	test for Rh sensitivity
CID	cytomegalic inclusion disease	COLD	chronic obstructive lung disease
CIS	carcinoma in situ	COPD	chronic obstructive pulmonary disease
CLD	chronic lung disease; chronic liver disease		
CLL	chronic lymphatic leukemia; chronic lymphocytic leukemia		

## ABBREVIATIONS - continued

COPE	chronic obstructive pulmonary emphysema	CT	cerebral thrombosis; coronary thrombosis
CP	cerebral palsy; cor pulmonale	CTD	congenital thymic dysplasia
C&P	cystoscopy and pyelography	CU	cause unknown
CPB	cardiopulmonary bypass	CUC	chronic ulcerative colitis
CPC	chronic passive congestion	CUP	cystoscopy, urogram, pyelogram (retro)
CPD	cephalopelvic disproportion; contagious pustular dermatitis	CUR	cystocele, urethrocele, rectocele
CPE	chronic pulmonary emphysema	CV	cardiovascular; cerebrovascular
CRD	chronic renal disease	CVA	cerebral vascular accident
CRF	cardiorespiratory failure; chronic renal failure	CV Accident	cerebral vascular accident
CRST	calcinosis cutis, Raynaud's phenomenon, sclerodactyly, and telangiectasis	CVD	cardiovascular disease
CS	coronary sclerosis; cesarean section; cerebro-spinal	CVHD	cardiovascular heart disease
CSF	cerebral spinal fluid	CVI	cardiovascular insufficiency; cerebral vascular insufficiency
CSH	chronic subdural hematoma	CVRD	cardiovascular renal disease
CSM	cerebrospinal meningitis	CWP	coal worker's pneumoconiosis
		CX	cervix

## ABBREVIATIONS - continued

DA	degenerative arthritis	DR	diabetic retinopathy
DBI	Phenformin hydrochloride	DS	Down's syndrome
D&C	dilation and curettage	DT	due to; delirium tremens
DCR	dacrocystorhinostomy	D/T	delirium tremens; due to
D&D	drilling and drainage; debridement and dressing	DU	diagnosis unknown; duodenal ulcer
D&E	dilation and evacuation	DUB	dysfunctional uterine bleeding
DFU	dead fetus in utero	DUI	driving under influence
DIC	disseminated intravascular coagulation	DVT	deep vein thrombosis
DILD	diffuse infiltrative lung disease	DWI	driving while intoxicated
DIP	distal interphalangeal joint; desquamative interstitial pneumonia	DX	dislocation; diagnosis; disease
DJD	degenerative joint disease	ECB	Epstein-Barr virus
DM	diabetes mellitus	ECCE	extracapsular cataract extraction
DMT	dimethyltryptamine	ECG	electrocardiogram
DOA	dead on arrival	ECT	electric convulsive therapy
DOPS	diffuse obstructive pulmonary syndrome	EDC	expected date of confinement
DPT	diphtheria, pertussis, tetanus vaccine	EEE	Eastern equine encephalitis
		EEG	electroencephalogram

## ABBREVIATIONS - continued

EFE	endocardial fibroelastosis	EST	electric shock therapy
EGL	eosinophilic granuloma of lung	ETOH	alcohol
EH	enlarged heart; essential hypertension	EUA	exam under anesthesia
EIOA	excessive intake of alcohol	EWB	estrogen withdrawal bleeding
EKC	epidemic keratoconjunctivitis	FB	foreign body
EKG	electrocardiogram	FBS	fasting blood sugar
EKP	epikeratoprosthesia	Fe	symbol for iron
ELF	elective low forceps	FGD	fatal granulomatous disease
EMC	encephalomyocarditis	FHS	fetal heart sounds
EMD	electromechanical dissociation	FHT	fetal heart tone
EMF	endomyocardial fibrosis	FLSA	follicular lymphosarcoma
EMG	electromyogram	FME	full-mouth extraction
EN	erythema nodosum	FS	frozen section; fracture site
ENT	ear, nose, and throat	FT	full term
EP	ectopic pregnancy	FTA	fluorescent Treponemal antibody test
ER	emergency room	5FU	Fluorouracil
ERS	evacuation of retained secundines	FUB	functional uterine bleeding

## ABBREVIATIONS - continued

FULG	fulguration	HA	headache
FUO	fever unknown origin	HAA	hepatitis associated antigen
FX	fracture	HASCVR	hypertensive arteriosclerotic cardiovascular renal disease
FYI	for your information	HASVD	hypertensive arteriosclerotic vascular disease
GAS	generalized arteriosclerosis	HB	hemoglobin; heart block
GB	gallbladder; Guillain-Barre syndrome	HBP	high blood pressure
GC	gonococcus; gonorrhea; general circulation (systemic)	HC	Huntington's chorea
GI	gastrointestinal	HCT	hematocrit
GIT	gastrointestinal tract	HCVD	hypertensive cardiovascular disease
GOK	God only knows	HCVRD	hypertensive cardiovascular renal disease
GSW	gunshot wound	HD	Hodgkin's disease; heart disease
GTT	glucose tolerance test	HDN	hemolytic disease of newborn
gtt	drop	HDS	herniated disc syndrome
GU	genitourinary; gastric ulcer	HF	heart failure; hayfever
GVHR	graft versus host reaction	HGB; Hgb	hemoglobin
GYN	gynecology		

## ABBREVIATIONS - continued

HHD	hypertensive heart disease	ICCE	intracapsular cataract extraction
HIV	human immunodeficiency virus	ICD	intrauterine contraceptive device
HMD	hyaline membrane disease	I&D	infectious disease; incision and drainage
HN <sub>2</sub>	Nitrogen Mustard	IDA	incision and drainage
HNP	herniated nucleus pulposus	IDA	iron deficiency anemia
H/O	history of	IH	infectious hepatitis
HPN	hypertension	IHD	ischemic heart disease
HPVD	hypertensive pulmonary vascular disease	IHSS	idiopathic hypertrophic subaortic stenosis
HRE	high-resolution electrocardiology	ILD	ischemic leg disease
HS	herpes simplex; Hurler's syndrome	IM	intramuscular; intramedullary; infectious mononucleosis
HTLV-III/LAV	human T-cell lymphotropic virus- III/lymphadenopathy-associated virus	IMPP	intermittent positive pressure
HTLV-3	human T-cell lymphotropic virus - III	INAD	infantile neuroaxonal dystrophy
HTLV-III	human T-cell lymphotropic virus - III	INC	incomplete
HVD	hypertensive vascular disease	INE	infantile necrotizing encephalomyopathy
Hx	history of	INF	infection; infected; infantile; infarction
IADH	inappropriate antidiuretic hormone	INH	Isoniazid; inhalation
IASD	interatrial septal defect		

## ABBREVIATIONS - continued

INS	idiopathic nephrotic syndrome	IVP	intravenous pyelogram
IO	intestinal obstruction	IVSD	intraventricular septal defect
IOH	idiopathic orthostatic hypotension	IVU	intravenous urethrography
IPD	inflammatory pelvic disease	IWMI	inferior wall myocardial infarction
IPP	intermittent positive pressure	JBE	Japanese B encephalitis
IRDS	idiopathic respiratory distress syndrome	KFS	Klippel-Feil syndrome
IRHD	inactive rheumatic heart disease	KS	Klinefelter's syndrome
ISD	interatrial septal defect	KUB	kidney, ureter, bladder
ITP	idiopathic thrombocytopenic purpura	K-W	Kimmelstiel-Wilson disease or syndrome
IU	intrauterine	LAP	laparotomy
IUCD	intrauterine contraceptive device	LAV	lymphadenopathy-associated virus
IUD	intrauterine device (contraceptive); intrauterine death	LAV/HTLV-III	lymphadenopathy-associated virus/Human T-cell lymphotropic virus-III
IUP	intrauterine pregnancy	LBBB	left bundle branch block
IVC	intravenous cholangiography; inferior vena cava	LBNA	lysis bladder neck adhesions
IVCC	intravascular consumption coagulopathy	LBW	low birth weight
IVD	intervertebral disc	LBWI	low birth weight infant
IVH	intraventricular hemorrhage	LCA	left coronary artery

## ABBREVIATIONS - continued

LDH	lactic dehydrogenase	LSK	liver, spleen, kidney
LE	lupus erythematosus; lower extremity; left eye	LSO	left salpingo-oophorectomy
LKS	liver, kidney, spleen	LTB	laryngotracheobronchitis
LLL	left lower lobe	LUL	left upper lobe
LMA	left mentoanterior (position of fetus)	LVF	left ventricular failure
LMCAT	left middle cerebral artery thrombosis	LVH	left ventricular hypertrophy
LML	left mesiolateral; left mediolateral (episiotomy)	MBD	minimal brain damage
LMP	last menstrual period; left mento- posterior (position of fetus)	MD	muscular dystrophy; manic depressive; myocardial damage
LN	lupus nephritis	MDA	methylene dioxyamphetamine
LOA	left occipitoanterior	MEA	multiple endocrine adenomatosis
LOMCS	left otitis media chronic serous	MF	myocardial failure; myocardial fibrosis; mycosis fungoides
LP	lumbar puncture	MGN	membranous glomerulonephritis
LRI	lower respiratory infection	MHN	massive hepatic necrosis
LS	lumbosacral; lymphosarcoma	MI	myocardial infarction; mitral insufficiency
LSD	lysergic acid diethylamide	MID	multi-infarct dementia
		MLC	myelomonocytic leukemia, chronic

## ABBREVIATIONS - continued

MM	malignant melanoma; multiple myeloma	NPD	Niemann-Pick disease
MMOA	mandible, maxillary, odontectomy, alveolectomy	NSD	normal spontaneous delivery; nonsurgical delivery
MOD	mode of death; moment of death resection	NSR	normal sinus rhythm; nasal submucous
MPC	meperidine, promethazine, chlorpromazine	NTG	nontoxic goiter
MS	mitral stenosis; multiple sclerosis	NTN	nephrotoxic nephritis
MT	malignant teratoma	N&V	nausea and vomiting
MUA	myelogram	NVD	nausea, vomiting, diarrhea
MVR	mitral valve regurgitation	OA	osteoarthritis
NACD	no anatomical cause of death	OAD	obstructive airway disease
NCA	neurocirculatory asthenia	OB	obstetrical
NDI	nephrogenic diabetes insipidus	OBS	organic brain syndrome
NFI	no further information	OBST	obstetrical
NFTD	normal full-term delivery	OD	oculus dexter (right eye); overdose; occupational disease
NH <sub>3</sub>	symbol for ammonia	OHD	organic heart disease
NMI	no more information		

## ABBREVIATIONS - continued

OM	otitis media	Pb	chemical symbol for lead
OMI	old myocardial infarction	PCD	polycystic disease
OMS	organic mental syndrome	PCF	passive congestive failure
ORIF	open reduction, internal fixation	PCP	pentachlorophenol; pneumocystis carinii pneumonia
OS	oculus sinister (left eye); occipitosacral (fetal position)	PCT	porphyria cutanea tarda
OT	occupational therapy; old TB	PCV	polycythemia vera
OU	culus uterque (each eye); both eyes	PDA	patent ductus arteriosus
PA	pericious anemia; paralysis agitans; pulmonary artery; peripheral arterio-sclerosis	PE	pulmonary embolism; pleural effusion; pulmonary edema
PAC	premature auricular contraction; phenacetin, aspirin, caffeine	PEG	pneumoencephalography
PAF	paroxysmal auricular fibrillation	PET	pre-eclamptic toxemia
PAOD	peripheral arterial occlusive disease; peripheral arteriosclerosis occlusive disease	PG	pregnant; prostaglandin
PAP	primary atypical pneumonia	PGH	pituitary growth hormone
PAS	pulmonary artery stenosis	PH	past history; prostatic hyertrophy; pulmonary hypertension
PAT	pregnancy at term; paroxysmal auricular tachycardia	PI	pulmonary infarction

## ABBREVIATIONS - continued

PID	pelvic inflammatory disease; prolapsed intervertebral disc	PPLO	pleuropneumonia-like organism
PIE	pulmonary interstitial emphysema	PPS	postpump syndrome
PIP	proximal interphalangeal joint	PPT	precipitated; prolonged prothrombin time
PKU	phenylketonuria	PROM	premature rupture of membranes
PMD	progressive muscular dystrophy	PT	paroxysmal tachycardia; pneumothorax; prothrombin time
PMI	posterior myocardial infarction; point of maximum impulse	PTA	prior to admission; persistent truncus arteriosus
PN	periarteritis nodosa; pneumonia; pyelonephritis	PTC	plasma thromboplastin component
PO	postoperative	PU	peptic ulcer
POC	product of conception	PUD	peptic ulcer disease; pulmonary disease
POE	point (or portal) of entry	PUO	pyrexia of unknown origin
PP	postpartum	P&V	pyloroplasty and vagotomy
PPD	purified protein derivative test for tuberculosis	PVC	premature ventricular contraction
PPH	postpartum hemorrhage	PVD	peripheral vascular disease; pulmonary vascular disease
		PVI	peripheral vascular insufficiency

## ABBREVIATIONS - continued

PVT	paroxysmal ventricular tachycardia	RE	regional enteritis	
PVS	premature ventricular systole (contraction) radioencephalogram	R	E	G
PWI	posterior wall infarction	RF	rheumatic fever	
PWMI	posterior wall myocardial infarction	RHD	rheumatic heart disease	
PX	pneumothorax	RLF	retrolental fibroplasia	
R	right	RLL	right lower lobe	
RA	rheumatoid arthritis; right atrium; right auricle	RMCA	right middle cerebral artery	
RAD	radiation absorbed dose	RMCAT	right middle cerebral artery thrombosis	
RAI	radioactive iodine	RMLE	right mediolateral episiotomy	
RBBB	right bundle branch block	RNA	ribonucleic acid	
RBC	red blood cells	RND	radical neck dissection	
RCA	right coronary artery	R/O	rule out	
RCS	reticulum cell sarcoma	RSA	reticulum cell sarcoma	
RD	Raynaud's disease; respiratory disease	RSR	regular sinus rhythm	
RDS	respiratory distress syndrome	Rt	right	
		RT	recreational therapy; right	

## ABBREVIATIONS - continued

RTA	renal tubular acidosis	SDII	sudden death in infancy
RV	right ventricle	SDS	sudden death syndrome
RVH	right ventricular hypertrophy	SF	scarlet fever
RVT	renal vein thrombosis	SGA	small for gestational age
RX	drugs <u>or</u> other therapy <u>or</u> treatment	SH	serum hepatitis
<u>—s</u>	without	SI	saline injection
SA	sarcoma; secondary anemia	SIADH	syndrome of inappropriate antidiuretic hormone
SACD	subacute combined degeneration	SICD	sudden infant crib death
SBE	subacute bacterial endocarditis	SID	sudden infant death
SBO	small bowel obstruction	SIDS	sudden infant death syndrome
SC	sickle cell	SLC	short leg cast
SCC	squamous cell carcinoma	SLE	systemic lupus erythematosus; Saint Louis encephalitis
SCI	Subcoma insulin; spinal cord injury	SMR	submucous resection
SD	spontaneous delivery; septal defect; sudden death	SNB	scalene node biopsy
SDAT	senile dementia, Alzheimer's type SO or S&O salpingo-oophorectomy		

## ABBREVIATIONS - continued

SOB	shortness of breath	SUD	sudden unexpected death
SOM	secretory otitis media	SUID	sudden unexpected infant death
SOR	suppurative otitis, recurrent	SVC	superior vena cava
S/P	status post	SVD	spontaneous vaginal delivery
SPD	sociopathic personality disturbance	Sx	symptoms
SPP	suprapubic prostatectomy	T&A	tonsillectomy and adenoidectomy
SQ	subcutaneous	TAH	total abdominal hysterectomy
S/R	schizophrenic reaction; sinus rhythm	TAL	tendon achilles lengthening
S/p P/T	schizophrenic reaction, paranoid type thromboangiitis obliterans	TAO	Triacetyloleandomycin (antibiotic);
SSE	soapsuds enema	TAPVR	total anomalous pulmonary venous return
SSKI	saturated solution potassium iodide	TAR	thrombocytopenia absent radius (syndrome)
SSPE	subacute sclerosing panencephalitis	TAT	tetanus anti-toxin
STB	stillborn	TB	tuberculosis; tracheobronchitis
STS	serological test for syphilis	TBC, Tbc	tuberculosis
STSG	split thickness skin graft	TBLC	term birth living child
SUBQ	subcutaneous		

## ABBREVIATIONS - continued

TCI	transient cerebral ischemia	TUR	transurethral resection (NOS) (prostate)
TEF	tracheo-esophageal fistula	TURP	transurethral resection of prostate
TF	tetralogy of Fallot	TVP	total anomalous venous return
TGV	transposition great vessels	UC	ulcerative colitis
TI	tricuspid insufficiency	UP	ureteropelvic
TIA	transient ischemic attack	UPJ	ureteropelvic junction
TIE	transient ischemic episode	URI	upper respiratory infection
TL	tubal ligation	UTI	urinary tract infection
TM	tympanic membrane	VAMP	vincristine, amethopterine, 6-mercaptopurine, and prednisone
TOA	tubo-ovarian abscess	VB	vinblastine
TP	thrombocytopenic purpura	VC	vincristine
TSD	Tay-Sachs disease	VD	venereal disease
TTP	thrombotic thrombocytopenic purpura	VDRL	venereal disease research lab
TUI	transurethral incision	VEE	Venezuelan equine encephalomyelitis

## ABBREVIATIONS - continued

VF	ventricular fibrillation	#	fracture
VH	vaginal hysterectomy; viral hepatitis	'	minute
VL	vas ligation	"	second(s)
VM	viomycin	↓	decreased
V&P	vagotomy and pyloroplasty	↑	increased; elevated
VPC	ventricular premature contractions		
VR	valve replacement	—	without
VSD	ventricular septal defect	s	
VT	ventricular tachycardia	00 11	secondary to
WBC	white blood cell		
WC	whooping cough	00 11 to	secondary to
WE	Western encephalomyelitis		
WPW	Wolfe-Parkinson-White syndrome		
YF	yellow fever		
ZE	Zollinger-Ellison (syndrome)		

## **Geographic Codes For State Of Occurrence Of Death**

## STATE GEOGRAPHIC CODES

<u>Code</u>	<u>State</u>	<u>Abbrev.</u>	<u>Code</u>	<u>State</u>	<u>Abbrev.</u>	<u>Code</u>	<u>State</u>	<u>Abbrev.</u>
01	Alabama	AL	19	Louisiana	LA	37	Oklahoma	OK
02	Alaska	AK	20	Maine	ME	38	Oregon	OR
03	Arizona	AZ	21	Maryland	MD	39	Pennsylvania	PA
04	Arkansas	AR	22	Massachusetts	MA	40	Rhode Island	RI
05	California	CA	23	Michigan	MI	41	South Carolina	SC
06	Colorado	CO	24	Minnesota	MN	42	South Dakota	SD
07	Connecticut	CT	25	Mississippi	MS	43	Tennessee	TN
08	Delaware	DE	26	Missouri	MO	44	Texas	TX
09	District of Columbia DC		27	Montana	MT	45	Utah	UT
10	Florida	FL	28	Nebraska	NE	46	Vermont	VT
11	Georgia	GA	29	Nevada	NV	47	Virginia	VA
12	Hawaii	HI	30	New Hampshire	NH	48	Washington	WA
13	Idaho	ID	31	New Jersey	NJ	49	West Virginia	WV
14	Illinois	IL	32	New Mexico	NM	50	Wisconsin	WI
15	Indiana	IN	33	New York	NY	51	Wyoming	WY
16	Iowa	IA	34	North Carolina	NC	52	Puerto Rico	PR
17	Kansas	KS	35	North Dakota	ND	53	Virgin Islands	VI
18	Kentucky	KY	36	Ohio	OH	54	Guam	GU

**Official WHO Amendments and Corrections to ICD-9, Volume 2**

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>	
5	Amend code	Abnormal - umbilical cord - - fetus or newborn NEC
		<u>762.6</u>
17	Amend code	Acute - gallbladder
		<u>575.9</u>
18	Amend text and re-indent terms	Adenocarcinoma - bile duct <u>type (m8160/3)</u> - - liver - - specified site NEC - see <u>Neoplasm, malignant</u> - - unspecified site
		<u>155.1</u>
		<u>155.1</u>
For each of the following lines with code 174.0 or 174.9, 1. insert "(female)" before the code number, and 2. add subterm "male 175," as		
18		Adenocarcinoma - duct
		- - infiltrating
18		- - - unspecified site (female)
		- - - male
	175	- infiltrating duct
18		- - unspecified site (female)
		- - - male
19		- inflammatory
		- - unspecified site (female)
		- - - male
		174.9
		175
		174.9
		175

## Official WHO Amendments and Corrections to ICD-9, Volume 2

INTRODUCTION

19		Adenocarcinoma - continued	
19		- lobular	
		- - unspecified site (female)	174.9
		- - - male	175
20	Delete subterms	Adenoma	
		- alveolar	
		- - breast	<u>217</u>
		- - specified site NEC - see	
		<u>Neoplasm, skin, benign</u>	
		- - unspecified site	<u>216.9</u>
23	Amend code	Adrenocortical syndrome	<u>255.3</u>
30	Add code	Anemia	
		- aplastic	<u>284.9</u>
30	Amend subterm	Anemia	
		- deficiency	
		- - amino acid	
36	Amend code(s)	Ankylosis	
		- joint, produced by surgical fusion	<u>V45.4</u>
		- postoperative (status)	<u>V45.4</u>
36	Delete subterm and code	Ankylosis	
		- joint	
		- - sacroiliac	<u>724.6</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

PAGE  
STRUCTURE

37	Amend code	Anomaly - artery - - coronary	<u>746.8</u>
37	Add subterm and code	Anomaly - <u>Axenfeld's</u>	<u>743.4</u>
42	Amend code	Anomaly - vein - - coronary	<u>746.8</u>
46	Amend term	At the top of the second column the spelling should be corrected from " <u>Arteritis</u> " to " <u>Arteriolitis</u> ".	
	Add subterm and code	Arteriosclerosis - <u>mesenteric</u>	<u>557.1</u>
57	Add term and code	<u>Axenfeld's anomaly</u>	<u>743.4</u>
59	Amend code	- spasm	<u>351.0</u>
67	Amend code	Budinger-Ludloff-Laewen disease	<u>718.2</u>
69	Amend code	Bursitis - occupational	<u>727.2</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

PAGE STRUCTURE

74

Add code

Carcinoma  
- C cell

(M8510/3)

For each of the following lines with code 174.0 or 174.9,  
 1. insert "(female)" before the code number, and  
 2. add subterm and code "male 175", as

74

Carcinoma  
- duct  
- - infiltrating  
- - - unspecified site (female)  
- - - - male  
- infiltrating duct  
- - unspecified site (female)

174.9  
175

74

1      7      4      .      9

74

- - - male  
- inflammatory  
- - unspecified site (female)  
- - - male  
- lobular

174.9  
175

75

- - unspecified site (female)  
- - - male  
- medullary  
- - with lymphoid stroma

174.9  
175

75

- - - unspecified site (female)  
- - - - male

174.9  
175

77

Amend code

Cardiochalasia

530.8

81

Amend code

Chalasia

530.8

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>	
96	Amend code(s)	Condition - respiratory NEC - - acute - - - due to - - - - radiation - - chronic - - - due to - - - - radiation
		<u>508.0</u>
		<u>508.1</u>
97	Add subterm and code	Conjunctivitis <u>- vernal</u>
		<u>372.1</u>
109	Amend code	Cyst - popliteal
		<u>727.4</u>
	Add subterm and code	Cyst - solitary <u>- breast</u>
		<u>610.0</u>
111	Add subterm and code	Cystic <u>- fibrosis</u>
		<u>277.0</u>
119	Delete parenthetical subterm	Deformity - elbow. . . ( <u>see also Deformity, joint</u> )
128	Amend code	Delivery - complicated - - by - - - cicatrix of cervix
		<u>654.6</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>		
136	Amend subterm	Dermatitis - <u>stasis</u>	
138	Add subterm and code	Diabetes - neuropathy - - peripheral autonomic	<u>250.5? 337.1*</u>
	For each of the following lines with code 174.0 or 174.9, 1. insert "(female)" before the code number, and 2. add subterm and code "male 175", as		
143		Disease - breast - - Paget's (female) - - - male	174.0 175
143	Add M-code	Disease - breast - - Paget's <u>(M8540/3)</u>	174.0
144	Amend code	Disease - choroid	<u>3639</u>
145	Amend code	Disease - cystic - - lung - - - congenital	<u>748.4</u>
147	Add parenthetical subterm and amend code	Disease - heart - - coronary <u>(see also Ischemia, heart)</u>	<u>414.9</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>
	For each of the following lines with code 174.0 or 174.9, 1. insert "(female)" before the code number, and 2. add subterm and code "male 175", as
15 174.0	Disease - nipple - - Paget's ( <u>female</u> ) - - - <u>male</u>
<u>175</u> 151	- Paget's - - breast ( <u>female</u> )
174.0	- - - <u>male</u>
<u>175</u>	- - malignant - - - breast ( <u>female</u> )
174.0	- - - - <u>male</u>
<u>175</u>	- - - unspecified site ( <u>female</u> ) (74.0) - - - - <u>male</u>
<u>175</u>	- - mammary ( <u>female</u> )
174.0	- - - <u>male</u>
<u>175</u>	- - nipple ( <u>female</u> )
174.0	- - - <u>male</u>
<u>175</u>	
151	Add code
731.0	Disease - Paget's

155	Amend code	Disease - uterus
<u>621.9</u>		
168	Amend subterm	Drug - adverse effect <u>NEC.</u> . . .
172	Amend code	Dystocia
<u>660.9</u>		

## Official WHO Amendments and Corrections to ICD-9, Volume 2

PAGE	INSTRUCTION		
174	Amend code	Ecchymosis - eyelids	<u>921.1</u>
175	Amend indentation level as:	Eczema - dyshydrotic - - external ear - external ear	380.2 <u>380.2</u>
179	Amend code	Embolism - femoral - - vein	<u>4511</u>
182	Add subterm(s) and codes	Encephalitis - mosquito-borne viral NEC - tick-borne viral NEC	062.9† 323.3* <u>063.9† 323.3*</u>
183	Amend code position	Endocarditis (chronic)..(valvular)	<u>424.9</u>
185	Delete subterm and code	Enteritis...009.1 <u>Note at category 009.3) 009.3</u>	
191	Amend subterm	Examination - cervical Papanicoloau...	
196	Amend subterm	Failure - renal - - chronic - - - with hypertension (see also <u>Hypertension, kidney)</u>	<u>403.9</u>
208	Amend code(s)	Fleischer's ring Fleischer-Kayser ring	275.1† 371.1* <u>275.1† 371.1*</u>
209	Amend code	Fluctuating blood pressure	<u>459.8</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>
223 Amend subterm	Glaucoma - in - - <u>Axenfeld's anomaly</u>
224 Delete term and code	Goiter...240.9 <u>Note at category 009.3)</u> <u>009.3</u>
229 Amend and add subterm	Harlequin (fetus)                          757.1 - <u>color-change (syndrome)</u> 779.8
233 Amend term(s)	Hemiballism(us) Correct spelling as above from "Hemballism(us) and realphabetize following "Hemiatrophy, tongue".
235 Delete subterm and code	Hemorrhage - brain - - newborn - - - anoxic NEC                              767.0
240 Amend code	Hepatitis - in - - toxoplasmosis                              130+573.2*
Amend subterm	Hepatitis - viral - - specified <u>type</u>
245 Delete subterm(s) and code(s) and add lead term and subterm(s) and code(s)	Delete subterms under "Hoffman's syndrome" Add "Hole - - macula 362.5 - - retina (macula) 362.5 - - round (without detachment) 361.3" immediately under "Hoffman-Bouveret Syndrome"

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>	
246 Add dagger and code	Hydrocephalus - due to toxoplasmosis (congenital)	<u>771.2?</u> <u>331.4*</u>
248 Add parenthesis	Hyperbilirubinemia - neonatal...fetus or newborn)	
258 Add subterm	Hypothyroidism - iatrogenic NEC	<u>244.3</u>
269 Amend code	Infection - Listeria monocytogenes	<u>027.0</u>
278 Amend code(s)	Inhalation - liquid or vomitus(...) - smoke	<u>934.9</u> <u>987.8</u>
Amend subterm	Injury - birth - - canal NEC	
279 Amend code	Injury - blood vessel - - leg NEC	<u>904.8</u>
291 Add subterm	Iridocyclitis - syphilitic	<u>091.5†</u> <u>364.1*</u>
294 Amend code	Jaundice - fetus or newborn - - due to or associated with - - - inspissated bile syndrome	<u>774.4</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>	
294 Amend subterm	Jaundice - fetus or newborn - - due to or associated with - - - Rh - - - iso-immunization	
296 Amend code	Kayser-Fleischer ring	<u>275.1† 371.1*</u>
299 Amend code	Labor - prolonged or protracted - - affecting fetus or newborn	<u>763.8</u>
303 Add parenthetical code	Late - effect(s) - - tuberculosis - - - specified organs NEC (conditions in <u>014</u> ,...)	
317 Add subterm and code	Malnutrition - <u>maternal, affecting fetus or newborn</u>	<u>760.4</u>
318 Amend subterm	Malposition - device...See <u>listing under Complications, mechanical</u>	
323 Amend code	Melanoma - site classification - - skin	<u>172.9</u>
324 Amend subterm	Meningitis - nonbacterial <u>NEC</u>	
325 Delete code	Meningoencephalitis - bacterial...code as Meningitis	<u>320.9</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>	
331	Add subterm and code	Multiple <u>- personality</u> 300.1
332	Add subterm and code	Mycosis <u>- opportunistic</u> 118
333	Amend code	Myocarditis <u>- arteriosclerotic</u> 429.0
370	Delete subterm and code	Nephritis - acute <u>- - hypertensive (see also</u> <u>Hypertension, kidney)</u> 403.9 - chronic <u>- - hypertensive (see also</u> <u>Hypertension, kidney)</u> 403.9 <u>- hypertensive (see also</u> <u>Hypertension, kidney)</u> 403.9
	Amend code	Nephritis - amyloid - - chronic 277.3† 582.8*
371	Delete subterm and code	Nephritis - subacute <u>- - hypertensive (see also</u> <u>Hypertension, kidney)</u> 403.9

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>		
384	Amend code	Osteoarthropathy - hypertrophic pulmonary - secondary hypertrophic	<u>731.2</u> <u>731.2</u>
		For each of the following lines with code 174.0 or 174.9, 1. insert "(female)" before the code number, and 2. add subterm and code "male 175", as	
388		Paget's disease - breast ( <u>female</u> ) - - male - malignant - - breast ( <u>female</u> ) - - - male - - unspecified site ( <u>female</u> ) - - - male - mammary ( <u>female</u> ) - - male - nipple ( <u>female</u> ) - - male	174.0 <u>175</u> 174.0 <u>175</u> 174.0 <u>175</u> 174.0 <u>175</u> 174.0 <u>175</u> 174.0 <u>175</u>
	Amend code	Pain - cervicobrachial	<u>723.3</u>
389	Amend code	Painful - ejaculation - - psychogenic	<u>306.5</u>
		Palsy - bulbar - - pseudo NEC	<u>344.8</u>
390	Amend code	Palsy - pseudobulbar NEC	<u>344.8</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>	
393	Amend subterm	Paralysis - due to intracranial...see Palsy, <u>cerebral</u>
	Amend code	Paralysis - facial - - following operation NEC
394	Amend subterm	Paralysis - nerve - - birth injury <u>NEC</u>
	Delete subterm(s) and code	Paralysis - nerve - - <u>cranial or cerebral</u> - see Disorder, <u>nerve, cranial</u> - - <u>seventh</u> (see also Paralysis, nerve, <u>facial</u> )
398	Amend code	Paralysis - nerve - - seventh or facial - - - due to - - - - operation NEC
	Delete subterm	Perforation - by - - device...Mechanical <u>hanical</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>		
399	Delete subterm and add code	Perforation - tympanum - - traumatic--see Wound, open, ear	<u>872.6</u>
407	Amend code	Pleurisy	<u>511.0</u>
408	Add parenthetical term	Pneumonia... <u>(lobe)</u> ...	
410	Amend subterm	Pneumonia - <u>Klebsiella</u>	
	Delete subterm	Pneumonia - lobe - see Pneumonia, lobar	
413	Amend code	Polyneuritis - diabetic	<u>250.5† 357.2*</u>
418	Amend code	Pregnancy - complicated by - - oblique lie or presentation - - - with successful version	<u>652.1</u>
	Delete subterm	Pregnancy - complicated by - - renal disease <u>or failure</u> ...	
420	Amend code	Pregnancy - management affected by - - previous - - - abortion	<u>V23.2</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>	
421	Amend term	<u>Presbyacusis</u> 388.0 Correct spelling as above from "Presbycusis" and realphabetize following "Prepuce-see condition."
	Amend code	Presentation, fetal - breech - - with successful version - - - before labor affecting fetus or newborn 761.7
422	Delete subterm and code	Problem <u>- hygiene, adult</u> 300.9
	Add subterm and code	Problem - mental <u>- hygiene, adult</u> 300.9
426	Amend code	Psychosis - confusional 298.9
427	Amend subterm and delete code	Psychosis - organic - - due to or associated with - - - conditions - - - - in 303 - see <u>Psychosis, alcoholic</u> 291.0
436	Amend code	Reaction - psychotic (...) 298.9

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>		
442	Amend code	Ring - Fleischer's - Kayser-Fleischer	<u>275.1† 371.1*</u> <u>275.1† 371.1*</u>
449	Delete parenthetical term	Scarlatina ( <u>see also Fibrosis, lung</u> )	034.1
454	Amend text	Secondary neoplasm.. - digestive organs NEC (sites in 150, 151, 155. <u>1</u> ,...)	
455	Amend parenthetical term	Senile ( <u>see also condition</u> )	797
459	Amend parenthetical subterm	Sickness - protein ( <u>see also Complications...</u> )	
461	Amend code	Somnolence	<u>780.0</u>
467	Amend code	State - confusional	<u>298.9</u>
479	Amend code	Syndrome - Bloom (-Machacek) (-Torre)	<u>757.3</u>
	Amend indent level	Syndrome... - brain... - - post-traumatic - - nonpsychotic - - <u>psychotic</u>	

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>		
481	Amend code	Syndrome - harlequin color-change	<u>779.8</u>
498	Amend code	Thrombosis - femoral	<u>4511</u>
504	Amend code	Trophoblastic disease... - previous, affecting management of pregnancy	<u>V23.1</u>
	Delete parenthetical term	Tuberculosis... <u>(congenital)</u> ...	
507	Delete code	Tuberculosis - gastrocolic fistula	<u>014. - 014*</u>
512	Amend code	Tumor - odontogenic (M9270/1)	<u>238.0</u>
519	Amend code	Uremia - complicating - labor and delivery	<u>669.3</u>
	Amend subterm	Uremia - maternal <u>NEC</u>	
521	Delete parenthetical term	Vaginitis... <u>(senile)</u> ...	
522	Amend parenthetical subterm	Varicose - vein ( <u>ruptured</u> )	

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>		
523	Add subterm and code	Vasa previa - affecting fetus or newborn	<u>762.6</u>
530	Amend code	Wound - subcutaneous NEC	<u>879.8</u>
539	Amend subterm	Assault - fight - - with <u>weapon</u>	
	Amend indentation	Assault - weapon - - cutting or piercing - - firearm - see <u>Shooting, homicide</u>	
545	Amend subterm	Collision - snow vehicle - - other object or vehicle <u>NEC</u>	
548	Amend code	Divers' disease...	<u>E902.2</u>
551	Amend code and add parenthetical note	Exposure - excessive - - heat (see also Heat, exposure to)	<u>900.9</u>
564	Amend code	Misadventure - failure - - mechanical - - - needle biopsy	<u>E874.4</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>	
567	Amend code	Poisoning - carbon monoxide - - generated by - - - motor vehicle - - - - in motion - - - - not on public highway <u>E825</u>
569	Amend indentation and realphabetize	Reaction - anastomosis - <u>external stoma, creation of</u> <u>E878.3</u>
	Amend subterm	Reaction - <u>thoracentesis</u>
609	Amend code(s)	Dimethyl - sulfoxide - - medicinal <u>976.4 E858.7</u> <u>E950.4 E980.4</u> <u>E946.4</u>
615	Amend code	Food, foodstuffs,...NEC... <u>E865.9</u>
616	Amend code(s)	Fumes - corrosive NEC <u>E869.9 E952.9 E982.9</u> <u>987.8</u>
		Gas <u>E869.9 E952.9 E982.9</u>
617	Amend subterm and code	Gas - air contaminants - utility (for cooking, <u>heating...</u> ) <u>E869.9 E952.9 E982.9</u>

## Official WHO Amendments and Corrections to ICD-9, Volume 2

<u>PAGE</u>	<u>INSTRUCTION</u>	
627	Amend code(s)	Medicament -local NEC  976. <u>9</u> ...E946. <u>9</u>
629	Amend subterm	Methocarbamol - <u>skeletal</u> muscle relaxant
633	Amend code(s)	Nitric - oxide  987. <u>2</u> E869. <u>0</u> ...
648	Amend code(s)	Streptokinase  964. <u>4</u> E858. <u>2</u> E934. <u>4</u>
653	Amend code	Tranquilizer NEC...  E853. <u>9</u>
656	Amend code	Vapor ...  E869. <u>9</u> E952. <u>9</u> E982. <u>9</u>

## INDEX

	Page
Classification Of Secondary Neoplasms By Site . . . . .	80
Index . . . . .	143
Introduction . . . . .	1
Official WHO Amendments And Corrections To ICD-9, Volume 2 . . . . .	121
Standard Abbreviations And The Disease Conditions They Represent . . . . .	98
Table Of Contents . . . . .	iii
Terms Not Indexed In ICD-9, Volume 2 . . . . .	11