

This instruction manual was prepared by the Division of Vital Statistics. Questions regarding this manual and other related Vital Statistics Cooperative Program activities should be directed to the Data Acquisition and Evaluation Branch, Division of Vital Statistics, National Center for Health Statistics, P.O. Box 12214, Research Triangle Park, North Carolina 27709. Questions concerning analysis of Fetal Death data should be referred to the Reproductive Statistics Branch, Division of Vital Statistics, National Center for Health Statistics, 6525 Belcrest Road, Presidential Building, Room 840, Hyattsville, Maryland 20782.

CONTENTS

	Page
Section I - Introduction	
Section II - General Procedures for Electronic Files	1
Receipts	
Processing	
- 1000000000000000000000000000000000000	
Section III - File Layout and Coding Instructions	
1999-2001 NCHS Fetal Death File Layout	
Shipment Number	
State File Number	
Facility	
Place of Delivery - State - County	
Date of Delivery	
Sex	
Mother's Date of Birth	6
Residence of Mother	6
Father's Date of Birth	
Hispanic Origin - Mother - Father	
Race - Mother - Father	
Education - Mother - Father	
Pregnancy History	
Date of Last Live Birth	
Mother Married?	
Date Last Normal Menses Began	
Month of Pregnancy Prenatal Care Began	24
Prenatal Visits	
Weight of Fetus	
Clinical Estimate of Gestation	
Plurality	
Medical Risk Factors for This Pregnancy	28
Other Risk Factors for This Pregnancy	
Obstetric Procedures	
Complications of Labor and/or Delivery	
Method of Delivery	
Congenital Anomalies	

Underlying Cause of Death	34
Attendant	34
Age - Mother - Father	35
Appendix A - Geographic Codes for State of Delivery and Residence	36
Appendix B - Interpretations of Atlas Notations	
Appendix C - Largest City and Code by State of Residence	
Appendix D - Other Entries Reported on Records and Code for Race	
Appendix E - Indian Tribes in the United States, Canada, and Mexico	46
Appendix F - Other Entries Reported on Records and Codes for Education	
of Mother and Father	50
Appendix G - Other Entries Reported on Records and Code	
for Hispanic Origin	51
Appendix H - Terms Indicating Induced Abortions	
Illustration I. Danast of Estal Dooth	<i>5 A</i>
Illustration I - Report of Fetal Death	
Vital Statistics Instruction Manuals	55

CLASSIFICATION AND CODING INSTRUCTIONS

FOR FETAL DEATH RECORDS, 1999-2001

Section I - Introduction

This manual documents specifications for coding and key entry of statistical items that will be tabulated from the fetal death report by the National Center for Health Statistics (NCHS). Primarily, these specifications are used by 49 registration areas of the United States (45 states, District of Columbia, New York City, Puerto Rico and The Virgin Islands) that submit data to NCHS in electronic form through the Vital Statistics Cooperative Program (VSCP). Under the terms of the VSCP contracts with NCHS, the registration area must incorporate NCHS specifications into their own procedures so that the resultant data files meet the needs of both NCHS and the registration area. Changes effective with **1999** are in bold print.

Section II - General Procedures for Electronic Files

A. Receipts

All registration areas except Arizona, California, Nevada, Ohio, Wyoming, and Guam provide coded data to NCHS in electronic form (tapes, diskettes and PC to PC). These files include all of the fetal death events registered within their jurisdiction for each calendar year. In general, data are transmitted on a monthly basis. ¹ Transmittals take place at regular intervals and contain any and all records received and initially processed in the state office since the last transmittal to NCHS regardless of the month of the occurrence of the event. A record need not be "perfect" to qualify for transmittal. Each regular data transmittal shall contain all replacement records processed to date incorporating updated information from any source. For purposes of full utilization and release of the data, states are expected to transmit the majority of records within six months of occurrence and a complete and final version of all records by July 31.

¹ Quarterly, semi-annual and annual transmittals are acceptable.

B. <u>Processing</u>

As the files are received at NCHS-RTP, they are automatically checked for completeness, individual item code validity, and unacceptable inconsistencies between data items. The registration area is notified of any problems. In addition, NCHS staff review the files on an ongoing basis to detect problems in overall quality such as inadequate reporting for certain items, failure to follow NCHS coding rules, and systems and software errors. Traditionally, quality assurance procedures have been limited to review and analysis of differences between the NCHS and registration area code assignments for a small number of records. In recent years, this procedures has been augmented by analyses of year to year and area to area variations in the data. These analyses are based on preliminary tabulations of the data that are cumulated on a year to date basis each month. All differences that are judged to have consequences for quality and completeness are investigated by NCHS. In the review process, statistical tests are used to call initial attention to differences for possible follow-up. As necessary, registration areas are informed of differences encountered in the tables and asked to verify the counts or to determine the nature of the differences. Missing records (except those permanently voided) and other problems detected by NCHS should be resolved and corrections transmitted to NCHS in the same manner as for those corrections identified by the registration area.

Section III -File Layout and Coding Instructions

This section provides the code structure, coding instructions, and output file locations for each item in the national data set.

Changes were made to the following items effective in 1999 to expand all year fields to four digits:

Date of Delivery Mother's Date of Birth Father's Date of Birth Date of Last Live Birth Date Last Normal Menses Began

Note: The old locations for these years have been converted to "Filler" and should be blank.

1999-2001 NCHS Fetal Death File Layout

Items	File	Items	File
	Location		Location
Shipment No.	1 - 2	Date Last Normal Menses Began	
Certificate No.	3 - 8	Month	57 - 58
Facility	9	Day	59 - 60
Geographic Place of Delivery		Filler	61
State	10 - 11	Mon. Of Preg. Prenatal Care	62
County	12 - 14	Named Month	63 - 64
Date of Delivery		Prenatal Visits (Total No.)	65 - 66
Month	15 - 16	Weight of Fetus	
Day	17 - 18	Units	67
Filler	19	Grams or Pounds/ounces	68 - 71
Sex	20	Clinic Est. Gestation (Wks)	72 - 73
Mother's Date of Birth	20	Plurality	74
Month	21 - 22	Med. Risk Factors For Preg.	75 - 92
Day	23 - 24	Filler	93 - 108
Filler	25 - 26	Other Risk Factors For Preg.	35 100
Residence of Mother	20 20	Tobacco Use	109
State	27 - 28	Aver. No. Cigar. Day	110 - 111
County or City	29 - 31	Alcohol Use	112
Father's Date of Birth	2) 31	Aver. No. Drinks Week	113 - 114
Month	32 - 33	Weight Gain During Preg.	115 - 116
Day	34 - 35	Obstetric Procedures	117 - 124
Filler	36 - 37	Filler	125 - 130
Hispanic Origin	20 27	Comp. Of Labor/delivery	131 - 147
Mother	38	Filler	148 - 162
Father	39	Method of Delivery	163 - 170
Race	3,	Filler	171 - 176
Mother	40	Congenital Anomalies	177 - 199
Father	41	Date of Delivery Year	200 - 203
Education		Mother's Date of Birth Year	204 - 207
Mother	42 - 43	Father's Date of Birth Year	208 - 211
Father	44 - 45	Date of Last Live Birth Year	212 - 215
Pregnancy History		Date Last Normal Menses	
Live Births - Now Living	46 - 47	Began Year	216 - 219
Live Births - Now Dead	48 - 49	Filler	220
No. Other Terminations	50 - 51	Underlying Cause of Death	221 - 224
Date of Last Live Birth		Attendant	225
Month	52 - 53	Age	-
Filler	54 - 55	Mother	226 - 227
Mother Married?	56	Father	228 - 229

Item	Output Position(s)	Code Structure	Coding Instructions
SHIPMENT NUMBER	1-2		For NCHS use only. State is to leave blank.
STATE FILE NUMBER	3-8		Left zero fill.
FACILITY	9	Hospital Deliveries (Hospital, institution, medical center, nursing home, maternity home) 1 Non-Hospital Deliveries (Named places, Dr.'s office, mother's residence, street address, non-hospital clinic 2 Delivery enroute to or upon arrival at hospital . 3 Not Classifiable 9	If the name of a hospital, institution, "medical center," or "maternity home" is reported, code 1. For other medical facilities such as "infirmaries, "manors," "facilities," "dispensaries," "nursing home," etc., code 1. A hospital or institution clinic is considered part of the hospital or institution, code 1. Non-hospital clinics and other non-hospital outpatient facilities, code 2. If a named place other than a hospital, institution, maternity home or medical center is reported (for example, a doctor's office, fire department, public places), code 2. If street address is reported other than one of a hospital, code 2. If an entry of "Delivered at Home" or "At home" is reported, code 2.

cture Coding Instructions	Code Structure	Output Position(s)	Item
			GEOGRAPHIC PLACE OF DELIVERY
Enter appropriate code.	Refer to Appendix A	10-11	STATE
esords effication, esignated ounty" or Code esive or is to be	Refer to Part 8 Instruction Manual, Vital Records Geographic Classification, 1995. Use code designated for "Balance of County" or "Entire County." Code given for co-extensive or independent cities is to be used as county code.	12-14	COUNTY
			DATE OF DELIVERY
02 03 04 05 06 07 08 09 10 11 12	February 02 March 03 April 04 May 05 June 06 July 07 August 08 September 09 October 10 November 11 December 12	15-16	Month
99	01-31 Not Classifiable 99	17-18	Day
Year <u>must</u> be reported.	Enter four digit year.	200-203	Year
	Blank	19	Filler
	Blank	19	Filler

Item	Output Position(s)	Code Structure	Coding Instructions
SEX	20	Male 1 Female 2 Not Classifiable 9	Code 9 for entry of "undeterminable."
MOTHER'S DATE OF BIRTH			
Month	21-22	January 01 February 02 March 03 April 04 May 05 June 06 July 07 August 08 September 09 October 10 November 11 December 12 Not Classifiable 99	Code as reported. If any part of the date is not reported, code only the missing component Not Classifiable.
Day	23-24	01-31 Not Classifiable 99	
Year	204-207	Enter four digit year.	
		Not Classifiable . 9999	
Filler	25-26	Blank	
RESIDENCE OF MOTHER			
State	27-28	Refer to Appendix A	Enter appropriate code.
County or City	29-31	Refer to Part 8 Instruction Manual, Vital Records Geographic Classification, 1995. (Use Section II only when certificate contains no county entry.)	Rules for use of coding table (pages 10-13) for Place of Residence of Mother. Apply rules in sequential order.

Item	Output Position(s)	Code Structure	Coding Instructions
RESIDENCE OF MOTHER - Cont.	Position(s)		If "rural" is entered, code by line 2 of table and stop. If "rural" is not entered, find line item that fits reporting on certificate and heading that describes reporting in "City Limits Item." Code according to instructions given when horizontal line and vertical column intersect. Example City but no county entry and outside of city limits. Select line 6A and column (b). Instruction where these intersect is to code "Balance of County 1/." Additional instructions: Disregard the name of a state, county, or city entered on the address line when an entry is reported in the space provided for these items. When the state, county or city entered on the incorrect line, consider the entry when classifying residence. If a city entry is reported with North, East, South, or West, check the atlas to determine if it is a separate geographic place or an inclusion of the named city.

Item	Output Position(s)	Code Structure	Coding Instructions
RESIDENCE OF MOTHER - Cont.	Position(s)		If the named place is not listed in the atlas, consider the entry to be an inclusion of the city named (e.g., East Durham is not listed in the atlas, and, therefore, is considered to be an inclusion of the city of Durham). If county is reported and two cities are reported on the city line, check atlas to determine if one is an inclusion. If not, code to city with the larger population. If no county entry is reported and the city is not listed in the Part 8 Instruction Manual, Vital Records Geographic Classification, 1995, Section II, refer to the atlas to determine county. If atlas indicates city is listed in two counties, refer to the U.S. Census Population 1990, "Number of Inhabitants" and code to the county contain-ing the largest part of the city's population. If New York City is reported as place of residence and no borough is reported, code to Manhattan Borough.

CODING RULES TABLE FOR PLACE OF RESIDENCE OF MOTHER

		(a) Inside City Limits No	(b) Inside City Limits Yes
1.	Blank	County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /
2.	"Rural" entry	Balance of County	Balance of County
3.	City listed in Geographic Code Manual (includes independent and coextensive cities.)	City	Balance of County
1.	City not listed in Geographic Code Manual	Balance of County	Balance of county
5.	County, but no city entry	Balance of County	Balance of County
Ó.	State and city but no county entry and State is <u>same</u> as State of Occurrence.		
	A. City listed in Geographic Code Manual	City	Balance of County $\underline{1}$ /
	B. City not listed in Geographic Code Manual.	Balance of County <u>1</u> /	Balance of County <u>1</u> /
	C. Atlas gives 2 or more cities by same name in different counties	County of delivery	County of delivery
	D. City not in atlas	County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /
7.	State and city, but no county entry and State is different from State of Occurrence		
	A. City listed in Geographic Code Manual	City	Balance of County $\underline{1}$ /

^{1/} Use atlas and other reference aids to establish county and/or population. See Appendix B for rules on interpreting atlas notations.

If independent city or coextensive, use Section II, <u>Part 8, Instruction Manual, Vital Records Geographic Classification</u>, 1995.

CODING RULES TABLE FOR PLACE OF RESIDENCE OF MOTHER - continued

(c) Inside City Limits Item	(d) Inside City Limits Item
Not reported or item not on certificate but street address reported	Not reported or item not on certificate and no street address reported
County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /
Balance of County	Balance of County
Balance of County if indicated as "rural," "RFD," "star route," "rural delivery." All others, code to City.	City
Balance of County	Balance of County
Balance of County	Balance of County
Balance of County 1/ if indicated as "rural," "RFD," "star route," "rural delivery." All others, code to City.	City
Balance of County <u>1</u> /	Balance of County <u>1</u> /
County of delivery	County of delivery
County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /
Balance of County 1/ if indicated as "rural," "RFD," "star route," "rural delivery." All others, code to City.	City

<u>2</u>/ Use same rules as coding city and county of residence.

CODING RULES TABLE FOR PLACE OF RESIDENCE OF MOTHER - continued

		(a) Inside City Limits Yes	(b) Inside City Limits No
7.	(Continued)		
	B. City not listed in Geographic Code Manual	Balance of County 1/	Balance of County <u>1</u> /
	C. Atlas gives 2 or more cities by same name in different counties	City with largest population	City with largest population
	D. City not in atlas	Largest City of State of Residence <u>3</u> /	Largest City of State of Residence <u>3</u> /
3.	State only specified with no city or county entry and State is same as State of Occurrence	County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /
١.	State only specified with no city or county entry and State is different from State of Occurrence	Largest City of State of Residence <u>3</u> /	Largest City of State of Residence 3/
0.	A. Foreign Country - 55 Canada 56 Cuba 57 Mexico 59 Remainder of World	Code in data positions 27-28. 29-31 blank.)	(Leave data positions
	B. U.S. Possessions - 52 Puerto Rico 53 Virgin Islands 54 Guam	Code in data positions 27-28. 29-31 blank.)	(Leave data positions
1.	Two State entries	County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /
2.	City and County entry but no State entry	County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /

^{1/} Use atlas or other reference aids to establish county and/or population. Refer to Appendix B for rules on interpreting atlas notation.

If independent city or coextensive, use Section II, <u>Part 8, Instruction Manual, Vital Records Geographic Classification</u>, 1995.

CODING RULES TABLE FOR PLACE OF RESIDENCE OF MOTHER - continued

(a)	(4)
(c) <u>Inside City Limits Item</u>	(d) <u>Inside City Limits Item</u>
Not reported or item not on certificate	Not reported or item not on certificate
but street address reported	and no street address reported
out street address reported	and no street address reported
Balance of County 1/	Balance of County <u>1</u> /
City with largest population	City with largest population
Largest City of State of Residence 3/	Largest City of State of Residence 3/
County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /
County/City of delivery <u>a</u> /	County/City of delivery 2/
Largest City of State of	Largest City of State of
Residence <u>3</u> /	Residence <u>3</u> /

County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /
County/City of delivery <u>2</u> /	County/City of delivery <u>2</u> /

 $[\]underline{2}$ / Use same rules as coding city and county of residence.

^{3/} See Appendix C for city.

Item	Output Position(s)	Code Structure	Coding Instructions
FATHER'S DATE OF BIRTH			
Month	32-33	January 01 February 02 March 03 April 04 May 05 June 06 July 07 August 08 September 09 October 10 November 11 December 12 Not Classifiable 99	Code as reported. If any part of the date is not reported, code only the missing component Not Classifiable.
Day	34-35	01-31 Not Classifiable 99	
Year	208-211	Enter four digit year. Not Classifiable 9999	
Filler	36-37	Blank	
HISPANIC ORIGIN			When there is neither a "Hispanic Item" nor an "Ancestry Item" on the certificate then code 9.
Mother	38	Non-Hispanic 0 Mexican 1	Refer to Appendix G for additional Hispanic entries and codes as well
Father	39	Puerto Rican	as specific entries for categories 4 and 5.
		American (Spanish speaking countries only) 4 Other and unknown	For registration areas having the "Hispanic" item, follow instructions 1-8:
		Hispanic 5	1. If "No" is reported with a
		Not Classifiable 9	specified Hispanic entry in Appendix G, code the entry.
			2. If "No" is reported with <u>no</u>
			specified Hispanic entry in Appendix G, code 0.

Item	Output Position(s)	Code Structure	Coding Instructions
Item HISPANIC ORIGIN Mother Father - Cont.	_	Code Structure	3. If "Yes" is reported with a specified Hispanic entry, assign the appropriate code of 1-5. 4. If "Yes" is reported with no specified Hispanic entry in Appendix G, and entries for race item are reported as Mexican, Cuban, or Puerto Rican or any other Hispanic entry in appendix G, assign the appropriate code of 1-5. 5. If "Yes" is reported with no specified Hispanic entry in Appendix G, and there are no Hispanic entries in race item, as identified in 4 above, apply the following rules. If birthplace is on the certificate, refer to birthplace. If the birthplace identifies an entry in Appendix G, assign the appropriate code of 1-5. If birthplace does not identify an entry in Appendix G, code 5. If birthplace is not on the certificate, code 5. 6. If more than one entry is reported code first-listed Hispanic entry, e.g., for Mexican-Puerto Rican, code 1. 7. If blank and entries for race item are reported as Mexican, Cuban, or Puerto Rican or any Hispanic entries in Appendix G, assign the appropriate code of 1-5.
			8. If blank and there are no Hispanic entries in race item, as identified in 7 above, refer to birthplace. If the birthplace is listed in appendix G, then assign the appropriate code of 1-5. Otherwise, code 9.

Item	Output Position(s)	Code Structure	Coding Instructions
HISPANIC ORIGIN Mother Father - Cont.	r osition(s)		For states having an "ancestry" item, follow instructions 9 - 12: 9. For all entries shown in Appendix G, assign the appropriate code of 1-5. For all other entries (including American), assign the code 0. 10. If more than one entry is reported, code first listed Hispanic entry, e.g. for Mexican-Puerto Rican, code 1; for Irish-Cuban, code 3. 11. If the item is blank and entries for the race item are reported as Mexican, Cuban, or Puerto Rican or any Hispanic entry in Appendix G, assign the appropriate code of 1-5. 12. If blank and there are no Hispanic entries in the race item, as identified above, refer to birthplace. If the birthplace is listed in Appendix G, assign the appropriate code of 1-5. Otherwise, code 9.

Item	Output Position(s)	Code Structure	Coding Instructions
RACE Mother Father	40 41	White includes Mexican, Puerto Rican, and other Caucasian	The expanded Asian and Pacific Islander categories of A, B, C, D, and E are applicable only for the following funded registration areas: California, Hawaii, Illinois, New Jersey, New York State, New York City, Texas and Washington. The remaining registration areas may choose to use the expanded categories or continue coding Asian Indian, Korean, Samoan, Vietnamese and Guamian to 8. Refer to Appendix D for other reported race entries. Refer to Appendix E for names of Indian tribes in the U.S., Canada, and Mexico. 1. If Hawaiian is reported with any other race, code Hawaiian. 2. If more than one race is reported (except Hawaiian), code the first race listed. 3. If more than one race is reported with percentages or fractions given (except Hawaiian), code the race having the higher percentage or fraction. If the percentages of fractions are equal, code the first race listed. 4. If more than one race is reported with a hyphen but without percentages (except Hawaiian), code the first race listed. 5. If entry is "Col.," "N," Negro," "Color(ed)," "B," "Brown," "A.A.""Afro-American," or African American," code 2 (Black).

Item	Output Position(s)	Code Structure	Coding Instructions
RACE - Cont.	Position(s)		6. If the racial entry is "Asian," "Yellow," "Oriental," or "Mongolian", and birthplace is given as China, Japan, the Phillippines, Hawaii, India, Korea, Vietnam, Samoa, or Guam, code to the appropriate group (code 4-7 or A-E if using the expanded code structure or code 4-8 if not using the expanded code structure). If birthplace is not on the certificate or is not one of these places, code 8 (other Asian or Pacific Islander). 7. If the racial entry is "Indian", and birthplace is not in North, Central, or South America (including Caribbean Islands) or birthplace is not on the certificate, code A (Asian Indian) if using the expanded code structure or code 8 (other Asian or Pacific Islander) if not using the expanded code structure. 8. If "part," or "1/4, 1/2, 3/4 " is given as a single race entry, disregard the prefix and code race as reported. 9. If a racial entry is reported that cannot be coded 1-8 or A - E, code 0 (Other Entries). 10. If the item contains an entry of "?", "-", "Unknown" or is left blank, code 9 (Not Reported). 11. Use code F for entries of "multiracial," "biracial," "mixed," and other synonymous terms. Do not use code F when multiple races are reported. In such cases, apply rules 2 through 4 above as applicable. Note: States not mandated by law to code multi-racial as a separate category may continue to code these entries as "0".

Item	Output Position(s)	Code Structure	Coding Instructions
EDUCATION Mother Father	42-43 44-45	Elementary or Secondary 00-12 College 1 year	See Appendix F for other entries on records. 1. Code the highest grade completed. 2. If two or more levels of education are reported for a parent, code the highest level classifiable to codes other than 99. Example: Elementary Or Secondary College Code 12 2 yrs. Tech 12 Blank 2 yrs. Tech 99 12 2 yrs. 14 3. If the entry for college is reported as a partial year or indication that a full year has not been completed and no other entry is given (e.g., one semester, one quarter, two quarters, etc.), code 12. 4. If year is given with a fraction or symbol such as +, -, ?, etc., ignore fraction or other symbol and code year as stated. 5. If two or three semesters, three or four quarters, or two or three trimesters is the only entry reported in the college block code 13.

Item	Output Position(s)	Code Structure	Coding Instructions
EDUCATION Mother Father - Cont.	_	Code Structure	6. If entry is reported as "ALL" in elementary/secondary block, code 12. If entry is reported as "ALL" in college block, code 16. 7. If entry in college block is "A.A." or "A.S.," code 14. 8. If entry in college block is "B.B.A.," "B.A.," "A.B.," or "B.S.," code 16. 9. If entry in college block is "A.M.," "M.A.," "M.Sc.," "M.D.," "D.V.M.," "D.D.S.," D.D.M.," "D.O.," "L.L.B.," "Ph.D.," or other advanced degree, code 17. 10. When symbols such as "+," "-," "?," "'," etc., are reported in either block and no other entry is reported, code 99. If an entry is reported in either block with a symbol given in the other block, disregard symbol and code entry as stated. 11. If entry is R.N. or B.S. in Nursing, code as follows: R.N. 14 2 R.N. 14 3 R.N. 15 4 R.N. 16 B.S. in Nursing 16

Item	Output Position(s)	Code Structure	Coding Instructions
PREGNANCY HISTORY			
Number of Live Births:			
Now Living	46-47	Enter as stated. "None," "N.A.," "-," "X," "0"	Code 99 for entries of "?," "Unknown," "Unk.," "#," and other such symbols. Do not include "adoptions."
Now Dead	48-49	Enter as stated. "None," "N.A.," "-," "X," "0"	Blanks <u>must</u> be uniquely identified.
Number Other Terminations	50-51	Enter as stated. "None," "N.A.," "-," "X," "0"	

Item	Output Position(s)	Code Structure	Coding Instructions
DATE OF LAST LIVE BIRTH Month	52-53 212-215	January 01 February 02 March 03 April 04 May 05 June 06 July 07 August 08 September 09 October 10 November 11 December 12 Not Classifiable 99 Enter four digit year. Not Classifiable 9999	If a span is reported for a month or year, code the earlier entry; e.g., March-April, 1994, code 03 1994. Code 99 in locations 52-53 and 9999 in locations 212-215 for entries of "None," "0," "-," "Not Applicable."
Filler	54-55	Blank	
MOTHER MARRIED?	56	Married	Other entries Legitimate

Item	Output Position(s)	Code Structure	Coding Instructions
DATE LAST NORMAL MENSES BEGAN			
Month	57-58	January 01 February 02 March 03 April 04 May 05 June 06 July 07 August 08 September 09 October 10 November 11 December 12 Not Classifiable 99	Code as reported. If a span is reported for day, code the earlier entry; e.g., January 10-11, 1995, code 01 10 1995. If elapsed span is 8 days or longer, code 99. If no day is reported but approximate part of month is reported, code: "Beginning of month" 07 "Middle of month" 15 "End of month" 24
Day	59-60	01-31 Not Classifiable 99	Sometimes the estimated date of confinement (EDC) or expected date of delivery (EDD) are reported as date of last normal menses. When a date is reported with either of these terms or abbreviations, code the Date Last Normal Menses as "Not Classifiable."
Year	216-219	Enter four digit year. Not Classifiable 9999	If Clinical Estimate of Gestation is reported in the last normal menses item on record, code 9999 in data positions 57-60 and 9999 in positions 216-219 (Date Last Normal Menses Began) and code entry as reported in data positions 72-73 for (Clinical Estimate of Gestation).
Filler	61	Blank	

Item	Output Position(s)	Code Structure	Coding Instructions
MONTH OF PREGNANCY PRENATAL CARE BEGAN	62	1st month 1 2nd month 2 3rd month 3 4th month 4 5th month 5 6th month 7 8th month 8 9th month or 1 later 9 None 0 Month Named Blank Not Classifiable "-"	If any fraction of a month is reported, round to next whole month. If entry is "-," code "0." If entry is reported in weeks, convert to appropriate month using the table below: Weeks Months 1-4 1 5-9 2 10-13 3 14-17 4 18-22 5 23-26 6 27-30 7 31-35 8 36+ 9
Named Month	63-64	January 01 February 02 March 03 April 04 May 05 June 06 July 07 August 08 September 09 October 10 November 11 December 12	If both a named month and the numeric month (1-9) that prenatal care began is reported, code the numeric month in the field for Month of Pregnancy Prenatal Care Began and blank the Named Month field. If Month of Pregnancy Prenatal Care Began is not reported but a named month is reported, code the named month and blank the Month of Pregnancy Prenatal Care Began field. If the numeric Month of Pregnancy Prenatal Care Began is reported, the field for "named month" is to be left blank. If entry is reported in trimesters, code "-" in data position for Month of Pregnancy Prenatal Care Began.

Item	Output Position(s)	Code Structure	Coding Instructions
PRENATAL VISITS (TOTAL NUMBER)	65-66	00-48	If entry is reported as a span; e.g., 10-13, enter the lower number of visit.
			If entry is "-," code 00.
			If entry is "None," code 00.
WEIGHT OF FETUS			
Units	67	Grams	If weight is reported in grams and pounds and ounces, code grams.
Grams	68-71	Enter as stated. Not Classifiable 9999	Fractions or decimal parts of grams of ½ (.50) or more are to be rounded to the next whole gram.
Or			
Pounds	68-69	Enter as stated. Less than one pound	Fractions of pounds are to be converted to ounces; e.g., $7\frac{1}{2}$ pounds is 7 pounds 8 ounces.
Ounces	70-71	Enter as stated. No ounces 00 Not Classifiable 99 Convert kilos to grams (1 kilo = 1000 grams.)	Round fractional ounces to nearest ounce. Entries of ½ or more are to have weight of a full ounce. If fraction is not legible, it is to have weight of a full ounce. If the entire birth-weight item is blank or not classifiable code 99999. If no entry or an entry of dash is reported for pounds or ounces, code 00 for the portion of the birth weight that is blank or has entry of dash.

Item	Output Position(s)	Code Structure	Coding Instructions
CLINICAL ESTIMATE OF GESTATION (WEEKS)	72-73	Enter as stated. Not classifiable 99	Entries of fractional weeks are to be ignored. If entry is reported in trimesters, code 99. If entry is reported as a date, code 99. If entry is reported as a span, e.g., 27-34, enter the lower number of weeks. If the entry is reported in months, convert to the appropriate weeks using the table below: Month(s) Weeks

Item	Output Position(s)	Code Structure	Coding Instructions
PLURALITY	74	Single 1	Code 2 for entry of Siamese twins.
		Twin 2	
		Triplet 3	
		Quadruplet 4	
		Quintuplet and higher 5	
		Not Classifiable 9	

Item	Output Position(s)	Code Structure	Coding Instructions
MEDICAL RISK FACTORS FOR THIS PREGNANCY	75-92		
None/Not Classifiable	75	One or more factors reported 0 None 1 Not Classifiable 9	If the item is "blank," code 9 ("not classifiable") in position 75. Insert 0's in positions 76-92.
Anemia (Hct.<30/Hgb <10) Cardiac Disease Acute or chronic lung disease Diabetes Genital herpes Hydramnios/ Oligohydramnios Hemoglobinopathy Hypertension, chronic Hypertension, pregnancy assoc. Eclampsia Incompetent cervix Previous infant 4000+ grams Previous preterm or small for gestational age infant Renal disease Rh sensitization Uterine bleeding Other	76 77 78 79 80 81 82 83 84 85 86 87 88	Not Reported 0 Reported 1	If the item is reported as "none," code 1 in position 75. Insert 0's in positions 76-92. Otherwise, code all reported risk factors with a 1 in the corresponding position. Insert 0's in position 75 and all other unused positions. Note: If the only reported entry is "other," code 1 in position 92. Insert 0's in positions 75-91.

Item	Output Position(s)	Code Structure	Coding Instructions
OTHER RISK FACTORS FOR THIS PREGNANCY			
Tobacco Use	109	Yes	If "No" is reported for Tobacco Use, code 00 for Average Number of Cigarettes Per Day.
Average Number Of Cigarettes Per Day	110-111	Enter as stated 00-97 98 and greater 98 "Less than 1" 01 Not Classifiable 99	If reported as number of packs, multiply by 20 and code as computed. If entry is reported as a span; e.g. 10-15, enter the lower number of cigarettes.
Alcohol Use	112	Yes 1 No 2 Not Classifiable 9	If "No" is reported for Alcohol Use, code 00 for Average Number of Drinks Per Week.
Average Number Of Drinks Per Week	113-114	Enter as stated 00-97 98 and greater 98 "Less than 1" 01 Not Classifiable 99	If entry is reported as a span; e.g. 10-15, enter the lower number of drinks.
Weight Gained During Pregnancy	115-116	Enter as stated 00-97 98 and greater 98 Not Classifiable 99	If weight loss reported code "00." Fractions of ½ or more are to be rounded to next whole pound.

Item	Output Position(s)	Code Structure	Coding Instructions
OBSTETRIC PROCEDURES	117-124		
None/Not Classifiable	117	One or more factors reported 0 None	If the item is "blank," code 9 ("not classifiable") in position 117. Insert 0's in positions 118-124.
Amniocentesis	118	Not Reported 0 Reported 1	If the item is reported as
Electronic fetal monitoring	119	Reported 1	"none," code 1 in position 117. Insert 0's in positions 118-124.
Induction of labor	120		Otherwise, code all
Stimulation of labor	121		reported risk factors with a 1 in the corresponding
Tocolysis	122		position. Insert 0's in position 117 and all other
Ultrasound	123		unused positions.
Other	124		Note: If the only reported entry is "other," code 1 in position 124. Insert 0's in positions 117-123.
Filler	125-130	Blank	

Item	Output Position(s)	Code Structure	Coding Instructions
COMPLICATIONS OF LABOR AND/OR DELIVERY	131-147		
None/Not Classifiable	131	One or more factors reported 0 None 1 Not Classifiable 9	If the item is "blank," code 9 ("not classifiable") in position 131. Insert 0's in positions 132-147.
Febrile (> 100° F or 38° C	132	Not Reported 0 Reported 1	If the item is reported as "none," code 1 in
Meconium, moderate/ heavy	133		position 131. Insert 0's in positions 132-147.
Premature rupture of membrane (> 12 hrs.)	134		Otherwise, code all reported risk factors with a 1 in the
Abruptio placenta	135		corresponding position.
Placenta previa	136		Insert 0's in position 131
Other excessive bleeding	137		and all other unused
Seizures during labor	138		positions.
Precipitous labor (< 3 hrs.)	139		Note: If the only reported entry is "other," code 1 in position 147. Insert 0's in
Prolonged labor (> 20 hrs.)	140		positions 131-146.
Dysfunctional labor Breech/	141		
Malpresentation	142		
Cephalopelvic disproportion	143		
Cord prolapse	144		
Anesthetic complications	145		
Fetal distress	146		
Other	147		
Filler	148-162	Blank	

Item	Output Position(s)	Code Structure	Coding Instructions
METHOD OF DELIVERY	163-170		
Not Classifiable	163	One or more factors reported 0 Not Classifiable 9	If the item is "blank," code 9 ("not classifiable") in position 163. Insert 0's in positions 164-170.
Vaginal	164	Not Reported 0 Reported 1	Otherwise, code all reported methods with a 1
Vaginal birth after previous C-section	165	Reported	in the corresponding position. Insert 0's in position 163 and all other unused positions.
Primary C-section	166		unused positions.
Repeat C-section	167		
Forceps	168		
Vacuum	169		
Hysterotomy/ Hysterectomy	170		
Filler	171-176	Blank	

Item	Output Position(s)	Code Structure	Coding Instructions
CONGENITAL ANOMALIES	177-199		
None/Not Classifiable	177	One or more factors reported 0 None 1 Not Classifiable 9	If the item is "blank," code 9 ("not classifiable") in position 177. Insert 0's in positions 178-199.
Anencephalus	178	Not Reported 0	If the item is reported
Spina bifida/ Meningocele	179	Reported 1	as "none," code 1 in
Hydrocephalus	180	•	position 177. Insert 0's
Microcephalus	181		in positions 178-199.
Other central nervous	182		Otherwise, code all
system anomalies	102		reported risk factors
Heart malformations	183		with a 1 in the
Other circulatory/	184		corresponding position.
respiratory anomalies	105		Insert 0's in position 177 and all other unused
Rectal atresia/stenosis Tracheo-esophageal	185 186		positions.
fistula/Esophageal atresia	100		
Omphalocele/Gastroschisi	187		Note: If the only reported
S Other gestraintestinal	188		entry is "other," code 1 in position 199. Insert 0's in
Other gastrointestinal anomalies	189		positions 177-198.
Malformed genitalia	190		
Renal agenesis	191		
Other urogenital anomalies	192		
Cleft lip/palate	193		
Polydactyly/Syndactyly/	1,55		
Adactyly	194		
Club foot	195 196		
Diaphragmatic hernia Other musculo-skeletal/	190		
integumental anomalies	197		
Down's syndrome	198		
Other chromosomal anomalies			
anomanes	199		
Other			
Filler	220	Blank	

Item	Output Position(s)	Code Structure	Coding Instructions
UNDERLYING CAUSE OF DEATH	221-224	Tenth Revision International Classification of Diseases	Refer to special instructions sent out to the states. Enter the underlying cause of death code. For all three digit codes, leave the fourth digit blank. Refer to Appendix H for underlying cause of death terms that indicate event to be an induced termination of pregnancy. Such events should be voided from the fetal death file.
ATTENDANT	225	M.D. (Doctor of Medicine)	Code attendant based on the check box entry. If no checkbox is indicated but the title of the attendant is identified by the name, code accordingly. If the name of the attendant is reported without a title and the name is different from that of the person completing the report, code 9. If the attendant item is blank, refer to the signature or title of the person completing the report and code attendant based on information reported for the person completing the report.

Item	Output Position(s)	Code Structure	Coding Instructions
AGE			
Mother	226-227	Enter as stated.	Disregard symbols such as "+," "-," "?".
Father	228-229	Not Classifiable 99	Enter age only if date of birth is not reported or date is incomplete.
			When date of birth of mother is reported, data positions 226-227 will be coded 99.
			When date of birth of father is reported, data positions 228-229 will be coded 99.

Geographic Codes for State of Delivery and Residence

Code	<u>State</u>	Abbrev.	<u>Code</u>	<u>State</u>	Abbrev.
01	Alabama	AL	28	Nebraska	NE
02	Alaska	AK	29	Nevada	NV
03	Arizona	AZ	30	New Hampshire	NH
04	Arkansas	AR	31	New Jersey	NJ
05	California	CA	32	New Mexico	NM
06	Colorado	СО	33	New York	NY
07	Connecticut	СТ	34	North Carolina	NC
08	Delaware	DE	35	North Dakota	ND
09	District of Columbia	DC	36	Ohio	ОН
10	Florida	FL	37	Oklahoma	OK
11	Georgia	GA	38	Oregon	OR
12	Hawaii	HI	39	Pennsylvania	PA
13	Idaho	ID	40	Rhode Island	RI
14	Illinois	IL	41	South Carolina	SC
15	Indiana	IN	42	South Dakota	SD
16	Iowa	IA	43	Tennessee	TN
17	Kansas	KS	44	Texas	TX
18	Kentucky	KY	45	Utah	UT
19	Louisiana	LA	46	Vermont	VT
20	Maine	ME	47	Virginia	VA
21	Maryland	MD	48	Washington	WA
22	Massachusetts	MA	49	West Virginia	WV
23	Michigan	MI	50	Wisconsin	WI
24	Minnesota	MN	51	Wyoming	WY
25	Mississippi	MS	52	Puerto Rico	PR
26	Missouri	MO	53	Virgin Islands	VI
27	Montana	MT	54	Guam	GU

Geographic Codes for State of Delivery and Residence

55	Canada
55	Canadian Provinces
	Alberta (Alta.)
	British Columbia (B.C.)
	Great Northwest Territories (GNWT or NWT)
	Manitoba (Man.)
	New Brunswick (N.B.)
	Newfoundland (Nfld.)
	Nova Scotia (N.S.)
	Ontario (Ont.)
	Prince Edward Island (PEI)
	Quebec, Province of Quebec (Que. or P.Q.)
	Saskatchewan (Sask.)
	Yukon Territory (Y.T.)
56	Cuba
57	Mexico
59	Remainder of World

Note: Remember to distinguish between the Country of Georgia (in former Soviet Union) which is coded to Remainder of World (59) and the State of Georgia which is coded to 11.

Interpretations of Atlas Notations

1.	If the notation "part of" or "population included in" appears, consider the entry to be an inclusion of the city named and code accordingly.
2.	If the notation "rural" and "mail to" or "no pop." appears, code to the balance of the county.
3.	If only the notation "mail to" or "population included with" appears, code to the balance of the named county. ("Population included with" refers to an unincorporated place.)
4.	If the notation "Station," "Branch of" or "Rural Station" appears, code to the balance of county.
5.	If the notation "Station of P. O." appears, consider the entry to be an inclusion of the city named and code accordingly.

APPENDIX C

Largest City and Code by State of Residence

State	e of Residence	NCHS Code	Largest City
01	Alabama	008	Birmingham
02	Alaska	001	Anchorage
03	Arizona	017	Phoenix
04	Arkansas	014	Little Rock
05	California	143	Los Angeles
06	Colorado	009	Denver
07	Connecticut	004	Bridgeport
08	Delaware	003	Wilmington
09	District of Columbia	001	Washington
10	Florida	041	Jacksonville
11	Georgia	005	Atlanta
12	Hawaii	003	Honolulu
13	Idaho	001	Boise City
14	Illinois	034	Chicago
15	Indiana	027	Indianapolis
16	Iowa	012	Des Moines
17	Kansas	033	Wichita
18	Kentucky	017	Louisville
19	Louisiana	022	New Orleans
20	Maine	006	Portland
21	Maryland	003	Baltimore
22	Massachusetts	012	Boston
23	Michigan	025	Detroit
24	Minnesota	041	Minneapolis
25	Mississippi	017	Jackson
26	Missouri	028	Kansas City
27	Montana	002	Billings

APPENDIX C

Largest City and Code by State of Residence

State of	Residence	NCHS Code	Largest City
28	Nebraska	011	Omaha
29	Nevada	005	Las Vegas
30	New Hampshire	008	Manchester
31	New Jersey	104	Newark
32	New Mexico	002	Albuquerque
33	New York	053	New York
34	North Carolina	009	Charlotte
35	North Dakota	003	Fargo
36	Ohio	034	Columbus
37	Oklahoma	025	Oklahoma City
38	Oregon	027	Portland
39	Pennsylvania	092	Philadelphia
40	Rhode Island	014	Providence
41	South Carolina	007	Columbia
42	South Dakota	007	Sioux Falls
43	Tennessee	030	Memphis
44	Texas	075	Houston
45	Utah	020	Salt Lake City
46	Vermont	001	Burlington
47	Virginia	022	Norfolk
48	Washington	034	Seattle
49	West Virginia	003	Charleston
50	Wisconsin	035	Milwaukee
51	Wyoming	002	Cheyenne
52	Puerto Rico	765	San Juan
53	Virgin Islands	001	Charlotte Amalie

Other Entries Reported on Records and Code for Race

The expanded Asian and Pacific Islander categories of A, B, C, D, and E are required only for the following funded registration areas: California, Hawaii, Illinois, New Jersey, New York State, New York City, Texas and Washington. The remaining registration areas may choose to use the expanded categories or continue coding Asian Indian, Korean, Samoan, Vietnamese and Guamian to 8.

<u>ENTRY</u>	<u>CODE</u>	<u>ENTRY</u>	<u>CODE</u>
Afghanistan	1	Bavarian	. 1
African	2	Begri	. 0
Aleut	3	Belizian	. 0
Algerian	1	Bilalian	. 2
Alocona	0	Biracial	. 0 or F
Ameriasian	8	Blanc	. 1
American	1	Bohemian	. 0
Amish	1	Bolivian	. 1
Anglo-Saxon	1	Brava (Bravo)	. 1
Arabian	1	Brazilian	. 1
Argentinian	1	British Honduran	. 0
Armenian	1	Burmese	. 8
Aryan	1		
Asian Indian	8 or A	C	. 0
Asiatic	8	Cajun	. 1
Assyrian	1	Cambodian	. 8
Athapaskan	3	Canadian	. 1
Australian	1	Cape Verde	. 2
Austrian	1	Carib	. 0
Azores	1	Caucasian	. 1
		Ceylonese	. 8
		Chamorro	. 8 or E
Bahamian	0	Chamosso	. 0
Bangladeshi	8	Chicano	. 1
Basque	1		

ENTRY	<u>CODE</u>	ENTRY	<u>CODE</u>
Chinese	4	Fijian	8
Chuukese	8	Filipino	7
Colestran	0	Finnish	1
Colombian	1	French	1
Cosmopolitan	0	French Canadian	1
Costa Rican	1	French Indian	3
Creole	1		
Crucian	1		
Cuban	1	Georgian	1
Czechoslovakian	1	German	1
		Ghanaian	2
		Gilbertese	8
Dominican	2	Greek	1
Dutch East Indian	8	Guam(ian)(ese)	8 or E
		Guatemalan	0
		Guyanese	0
East Indian	8 or A	Gypsy	1
East Indies	8		
Ebian	1		
Ecuadorian	1	Haitian	2
Egyptian	1	Hamitic	2
English	1	Hawaiian	6
English-French	1	Hebrew	1
English-Irish	1	Hindu	8 or A
Eritrean	2	Hispanic	1
Eskimoan	3	Honduran	0
Ethiopia(n)	2	Hungarian	1
Eurasian	8		
European	1		

<u>ENTRY</u>	<u>CODE</u>	<u>ENTRY</u>	<u>CODE</u>
Icelandic	1	Latvian	1
India	8 or A	Lebanese	1
Indian (North, Central and South		Liberian	2
American)	3	Libyan	1
Indo-Aryan	8 or A	Lithuanian	1
Indonesian	8		
Iran(ian)	1	Mal	0
Iraqi	1	Malada	0
Irish	1	Malawian	2
Islamic	1	Malayan	8
Israelite	1	Maltese	1
Italian	1	Maori	8
		Marshallese	8
Jackson (Jack) White	0	Marshenese	1
Jamaican	2	Mauritian	1
Japanese	5	Mediterranean	1
Java	8	Melanesian	8
Jew	1	Mestizo	0
Jordanian	1	Mestizo-Inca	0
		Mexican	1
		Mexican Indian	3
Kenyan	2	Micronesian	8
Korean	8 or B	Mixed	0 or F
Kuwaitian	1	Mohammedan (Moslem)	1
		Moor	0
		Moroccan	1
Ladina (Ladino)	1	Mosotho	0
Laotian (Asian)	8	Mugandan	2
Latin American	1	Mulatto	2

ENTRY	<u>CODE</u>	<u>ENTRY</u>	<u>CODE</u>
Multi-racial	0 or F	Polynesian	. 8
Muslim	1	Ponapean	. 8
		Portuguese	. 1
		Puerto Rican	. 1
N/W	0	Punjabi	. 8 or A
Nassau	2		
Native American	3	Quadroon	. 2
Nepalese	8		
Nicaraguan	0	Red	. 3
Nigerian	2	Romanian	. 1
Nipponese (Nipon)	5	Rotanese	. 8
Nordic	1	Russian	. 1
Norwegian	1	Ryukyan	. 5
Nubian	2		
		Saipanese	. 8
Occidental	1	Salvadorian	. 0
Octaroon	2	Samoa(n)	. 8 or C
Okinawan	5	Santo-Domingo	. 2
		Saudi Arabia(n)	. 1
		Saxon(y)	. 1
Pakistani	8	Scandinavian	. 1
Palauan	8	Scotch	. 1
Panamanian	0	Selawik	. 3
Parsi	1	Semitic	. 1
Persian	1	Serbian	. 1
Peruvian	1	Servian	. 1
Phoenician	0	Seychelloise	. 2
Polish	1		

<u>ENTRY</u>	<u>CODE</u>	<u>ENTRY</u>	<u>CODE</u>
Siamese	8	Tunisian	1
Siamsh Am	0	Turk	1
Sicilian	1		
Sikh	8 or A	Ubontilian	8
Singhalese	8	Ugandan	2
Sino Burman	4	Ukranian	1
Slovakian	1	Ulithian	0
Soanish	0	Ute	3
South American	1		
Spanish	1		
Sudanese	2	Venezuela(n)	1
Sunni	1	Vietnam(ese)	8 or D
Swedish	1		
Syrian	1		
		W	1
		Welsh	1
Tahitian	8	West Indies (Indian)	2
Taimskin	3	Wiam (White American)	1
Taiwanese	4		
Tamil-Ceylonese	8		
Tamil-Malayan	8	Yapanes	8
Tanzanian	2	Yemenite	1
Teutonic	1	Yugoslavian	1
Thai	8		
Tibetan	8		
Tongan	8	Zoroastrian	1
Trigueno	0		
Trinidadian	2		
Trukese	8		

Indian Tribes in the United States, Canada, and Mexico

Abnaki Chasta Costa Cocopah Absentee-Shawnee Chehalis Columbia Acoma Chemehuevi Colville Comox Ak Chin Cherokee Alabama-Coushatt Chetco Comanche Tribes of Texa Cheyenne Concow Cheyenne River Sioux Alsea Conquille Chickahominy Coushatta Apache Arapaho Chickasaw Covelo Chinook Arikara Cow Creek Assiniboin Cowichan Chipewyan Cowlitz Chippewa Atacapa

Athapaskan Chippewa-Ojibwa Coyotero Apache

Atsina Chiricahua Apache Cree
Aztec Chitimacha Choctaw Creek
Bear River Chol Crow

Beaver Chontal Crow Creek Sioux

Bella Coola Chorti Dakota **Beothuk** Chuckchansi Delaware Chumash Blackfoot Diegueno **Boold Piegan** Clallam Digger Blue Lake Dog Rib Clatsop Brotherton Clackamus Duckwater

CaddoClear LakeEuchiCakchiquel-lencaCoast SalishEyakCalapooyaCochimiFlathead

Carrier Cochiti Fort Hall Res. Tribe

Catawba Cocopa of Idaho
Cattaraugus Coeur D'Alene Tribe French Indian
Cayuga of Idaho Gabrieleno

Cayuse

Indian Tribes in the United States, Canada, and Mexico

Karok Mashpee Galice Creek Kaska Mattaponi

Gay Head Kaw Maya
Gosiute Kawai Mayo

Gros Ventre Keresan Pueblos Mdewakanton Sioux

Haida Kern River Menominee
Han Kichai Menomini
Hare Kickapoo Mequendodon
Hat Creek Kiowa Mescalero Apache

Hawasupai Kiowa Apache Miami Hidatsa Kitamat Micmac

Hoh Klamath Mission Indians

Klikitat Missouri Hoopa Hopi Koasati Miwok Houma Kootenai Tribe of Idaho Mixe Hualapai Kusa Mixtec Huastec Kutchin Modoc Kutenai **Humboldt Bay** Mohave Kwakiutl Mohawk Hupa Lac Courte Dreille Huron Mohegan Molala Illinois Laguna Lakmuit Ingalik Monachi

IowaLipan ApacheMonoIroquoisLower Brule SiouxMontagnaisIsletaLuisenoMontaukJemezLummiMuckleshoot

JoshuaMaiduMunseeJuanenoMakahNambeJicarilla ApacheMaleciteNamsemond

Kaibah Mandan Kalispel Maricopa Kanosh Band of Paiutes Mary's River

Kansa

Indian Tribes in the United States, Canada, and Mexico

Patwin San Ildefonso San Juan Nanticoke Pawnee Narragansett Pen d'Oreille San Lorenzo Naskapi Penobscot San Luis Obispo Peoria Natchez San Luiseno Navaho Pequot Sanpoil

Navajo Picuris Sanpoil Nespelem

Nez Perce Pima Sant'ana

NianticPit RiverSanta BarbaraNipmuckPojoaqueSanta ClaraNisenan-PatwinPomoSanta Ynez

Nisqually Ponca Santee

Nomelaki Poosepatuck Santee Sioux Nooksak Potawatomi Santiam

Nootka Potomac Sauk and Fox Northern Paiute Powhatan Scaticook

Oglala Sioux **Pueblos** Sekane Seminole Okanogan Puyallup Omaha Seneca Quapaw Oneida Quechan Seri Onondaga Ouileute Shasta Quinaielt Shawnee Opata

Osage Rappahannock Shivwits Band of

Shinnecock

Oto Rogue River Paiutes
Otoe Rosebud Sioux Shoshone

Quinault

Otomi Sac and Fox Shoshone-Bannock

Ottawa Saginaw Shuswap
Ozette Salish Siouans
Paiute Sandia Sioux
Pamunkey San Felipe Sisseton

Panamint Papago

Opato

Indian Tribes in the United States, Canada, and Mexico

Tonawanda Wind River Shoshone

Sisseton-Wahpeton Sioux Tonkawa Winnebago

Siuslaw Tonto Apache Wintu Skagit Suiattle **Topinish** Wintun Skokomish Totonac Wishram Tsimshian Slave Wyandotte **Tulalip** Xicaque Smith River Snake **Tule River Indians** Yahooskin Snohomish Tunica Yakima Yamel Tuscarora

Snoqualmi Tuscarora Yamel
Songish Southern Paiute Tututni Yana

Squaxin Umatilla Yankton Stockbridge Umpqua Yanktonnais Sioux

Sumo-Mosquito Upper Chinook Yaqui Suquamish Ute Yaquina Swinomish Waca Yavapai Taimskin Waicuri-Pericue Yawilmani

Tanana Wailaki Yellow Knife
Tanoan Pueblos Walapai Yerington Paiute

Taos Walla Walla Yokuts

Tarahumare Wampanoag Yokuts-Mono Tarascan Wapato Yomba Shoshone

Zuni

Tawakoni Yuchi Warm Springs Wasco Yuki Tejon Tenino or Warm Springs Washo Yuma Washoe Yurok Tesuque Teton Western Apache Zacatec **Teton Sioux** Western Shoshone Zapotec Tillamook Whilkut Zia Timucua Wichita Zoque

Thlinget Wikchamni

Tolowa

Other Entries Reported on Records and Codes for Education of Mother and Father

College Entries	<u>Code</u>	
4+2		
Post graduate		
16 mos		. 13
(convert months by dividing by 9) (1 yr. 7 mos.)		
3/4		
2.5		. 14
1+1 N.T		. 13
1500 hrs		. 99
10		. 17
P. G 4		. 99
In 2nd year		. 13
B		. 16
BA with 1 yr. law		. 17
Senior		. 15
Soph.		. 13
College		
University		
1 year Prep		
Yes		
4 semesters		
Assoc. degree		
Graduate		
6 months		
2/3		
Less than 3/4 or less than 9 mos.		
Technical or Trade School		
Junior College		
Juris Doctor		
Masters		
17450010		. 1 /
Elementary or Secondary Entries		Code
Kindergarten		00
Finished in service		
G.E.D - Army		
3 - graduate		
Senior		
Soph.		
High School		
Yes		
GED		
Graduate		
Oraquite		. 14

APPENDIX F

	Other	Entries	Reported	on Record	s and Codes	s for Educ	ation of M	lother and Fathe
--	-------	----------------	----------	-----------	-------------	------------	------------	------------------

Elementary	06
Secondary	12

APPENDIX G

Other Entries Reported on Records and Code for Hispanic Origin

ENTRY	<u>CODE</u>	ENTRY CODI Hispano
Argentina (Argentino)	4	Honduras (Hondureno) 4
Balearic Islands	5	
Basque		Iberia (Ibero) 5
Bolivian (Boliviano)		La Raza 4
Boricua (Borinqueno)	2	Latin American 5
Brazilian	0	Latino
Californio	5	Majorca
Canary Islands	5	Mallorca (Mallorquin) 5
Castilian	5	Mexican (Mexicano) 1
Catalonia	5	Mexican American
Centroamericano	4	
Chicano	1	Nicaragua (Nicaraguense) 4
Chile (Chileno)	4	
Colombia (Colombiano)	4	Panama (Panameno) 4
Costa Rica (Costarricense)	4	Paraguay (Paraguayo) 4
Cuban (Cubano)	3	Peru (Peruano) 4
		Puerto Rican (Puertorriqueno) 2
Dominican Republic (Dominicano)	4	1 /
		Salvadoreno 4
Ecuador (Ecuatoriano)	4	Spain
El Salvador	4	Spaniard 5
Espana	5	•
Espanol	5	Uruguay (Uruguayo) 4
Falkland Island	4	Valencian 5
Fernando Po	5	Venezuela (Venezolano) 4
Galapagos Islands	4	
Guatemala (Guatemalteco)	4	

APPENDIX H

Terms Indicating Induced Abortions

- 1. Consensual Abortion
- 2. Convenience
- 3. Dilation and curettage (D & C)
- 4. Demand Abortion
- 5. Dilation and curettage for termination of pregnancy psychiatric indications (D & C for T. O. P.)
- 6. Dilation and evacuation (D & E)
- 7. Dilatation and suction curettage (D & SC)
- 8. Early uterine evacuation
- 9. Elective Abortion (E. A.)
- 10. Endometrial aspiration
- 11. Extra-amniotic injection
- 12. Hypersalinezation
- 13. Hysterotomy
- 14. Hysterectomy for termination of pregnancy (Hysterectomy)
- 15. Iatrogenic interruptions of pregnancy (Iatrogenic)
- 16. Inconvenience
- 17. Indicated Abortion Social Economic Reason
- 18. Induced Abortion
- 19. Induced by instrumentation prior to admission
- 20. Induced Preg. termination
- 21. Induced Termination of Pregnancy (ITOP)
- 22. Intentional termination of pregnancy
- 23. Interrupted first trimester
- 24. Interrupted pregnancy
- 25. Intra-amniotic injection
- 26. Intra-amniotic instillation
- 27. Intra-uterine prostaglandin instillation
- 28. Intra-uterine saline instillation
- 29. Laminaria
- 30. Legal Abortion
- 31. Legally induced abortion
- 32. Medically Induced Abortion
- 33. Medical Termination of Pregnancy

- 34. Menstrual Aspiration
- 35. Menstrual Extraction
- 36. Menstrual Induction
- 37. Menstrual Regulation
- 38. Oxytocin induction
- 39. Pitocin induction
- 40. Prophylactic Abortion
- 41. Prostaglandin Injection
- 42. Prostaglandin injection
- 43. Prostaglandin amniocentesis
- 44. Requested Abortion
- 45. Saline Induction (Saline) (salting out procedure) (salinezation)
- 46. Saline amniocentesis
- 47. Saline amnio-infusion
- 48. Saline amniotic fluid exchange
- 49. Septic Abortion
- 50. Septic criminal abortion
- 51. Sharp curettage
- 52. Sociologic termination
- 53. Suction Abortion
- 54. Suction Curettage (S. & C.)
- 55. Suction D & C
- 56. Sulting out procedure
- 57. Surgical Abortion (S. A.)
- 58. Surgical curettage
- 59. Surgical excision of pregnancy
- 60. Surgical Interruption of Pregnancy
- 61. Termination of Pregnancy
- 62. Therapeutic Abortion (T. A., ther ab, Tab)
- 63. Therapeutic Interruption (T. I.)
- 64. Undesired pregnancy
- 65. Vacuum Aspiration
- 66. Vacuum extraction
- 67. Vacuum induction
- 68. Vaginal suppository prostaglandin
- 69. Voluntary Abortion (V. A. or V. I. A.)
- 70. Voluntary Interruption of Pregnancy
- 71. Voluntary termination pregnancy (VTP)

VITAL STATISTICS INSTRUCTION MANUALS

Part 1	Source Records and Control Specifications (1995)
Part 2a	Instructions for Classifying the Underlying Cause of Death (1999)
Part 2b	Instructions for Classifying Multiple Causes of Death (1999)
Part 2c	ICD-10 ACME Decision Tables for Classifying Underlying Causes of Death (1999)
Part 2d	NCHS Procedures for Mortality Medical Data System File Preparation and Maintenance (1999)
Part 2e	Non-Indexed Terms, Standard Abbreviations, and State Geographic Codes Used in Mortality Data Classification (1995)
Part 2f	ICD-10 TRANSAX Disease Reference Tables for Classifying Multiple Causes-of-Death (1999)
Part 2g	Data Entry Instructions for the Mortality Medical Indexing, Classification, and Retrieval System (MICAR) (1999)
Part 2h	Dictionary of Valid Terms for the Mortality Medical Indexing, Classification, and Retrieval System (MICAR) (1992)
Part 2i	MICAR Quick Reference Guide (1999)
Part 3a	Classification and Coding Instructions for Live Birth Records (1999)
Part 3b	Classification and Coding Instructions for Fetal Death Records (1999)
Part 4	Demographic Classification and Coding Instructions for Death Records (1999)
Part 5	Data Preparation of the Current Mortality Sample (1995)
Part 6	Classification and Coding Instructions for Marriage Records (1995)
Part 7	Classification and Coding Instructions for Divorce Records (1995)
Part 8	Vital Records Geographic Classification (1995)
Part 9	ICD-10 Underlying Cause of Death Lists for Tabulating Mortality Statistics (1999)
Part 10	Classification and Coding Instructions for Induced Termination of Pregnancy Records (1993)
Part 11	Computer Edits for Mortality Data (1999)
Part 12	Computer Edits for Natality Data (1993)
Part 18	Guidelines for Implementing Field and Query Programs for Registration of Births and Deaths (1993)
Part 19	Industry and Occupation Coding for Death Certificates (1998)
Part 19B	Alphabetical Index of Industries and Occupations (1998)
Part 20	Cause-of-Death Query Manual (1985)