

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	All origins <sup>1</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	2,426,264	100.0	...	1,201,942	100.0	...	1,224,322	100.0	...
Salmonella infections (A01-A02)	34	0.0	43	24	0.0	41	10	0.0	42
Shigellosis and amebiasis (A03,A06)	6	0.0	47	2	0.0	46	4	0.0	44
Certain other intestinal infections (A04,A07-A09)	6,639	0.3	...	2,550	0.2	...	4,089	0.3	...
Tuberculosis (A16-A19)	652	0.0	34	425	0.0	33	227	0.0	34
Respiratory tuberculosis (A16)	490	0.0	...	335	0.0	...	155	0.0	...
Other tuberculosis (A17-A19)	162	0.0	...	90	0.0	...	72	0.0	...
Whooping cough (A37)	9	0.0	45	3	0.0	45	6	0.0	43
Scarlet fever and erysipelas (A38,A46)	2	0.0	49	2	0.0	46	-	-	...
Meningococcal infection (A39)	105	0.0	41	67	0.0	39	38	0.0	38
Septicemia (A40-A41)	34,234	1.4	10	15,522	1.3	12	18,712	1.5	10
Syphilis (A50-A53)	38	0.0	42	20	0.0	42	18	0.0	40
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	5	0.0	48	4	0.0	44	1	0.0	46
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	7,250	0.3	23	4,745	0.4	22	2,505	0.2	24
Human immunodeficiency virus (HIV) disease (B20-B24)	12,113	0.5	20	8,756	0.7	17	3,357	0.3	23
Malaria (B50-B54)	9	0.0	45	6	0.0	43	3	0.0	45
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	5,897	0.2	...	3,028	0.3	...	2,869	0.2	...
Malignant neoplasms (C00-C97)	559,888	23.1	2	290,069	24.1	2	269,819	22.0	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	7,720	0.3	...	5,266	0.4	...	2,454	0.2	...
Malignant neoplasm of esophagus (C15)	13,686	0.6	...	10,723	0.9	...	2,963	0.2	...
Malignant neoplasm of stomach (C16)	11,345	0.5	...	6,653	0.6	...	4,692	0.4	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	53,549	2.2	...	26,921	2.2	...	26,628	2.2	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	16,525	0.7	...	10,759	0.9	...	5,766	0.5	...
Malignant neoplasm of pancreas (C25)	33,454	1.4	...	16,559	1.4	...	16,895	1.4	...
Malignant neoplasm of larynx (C32)	3,821	0.2	...	2,991	0.2	...	830	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	158,664	6.5	...	89,279	7.4	...	69,385	5.7	...
Malignant melanoma of skin (C43)	8,441	0.3	...	5,477	0.5	...	2,964	0.2	...
Malignant neoplasm of breast (C50)	41,210	1.7	...	389	0.0	...	40,821	3.3	...
Malignant neoplasm of cervix uteri (C53)	3,976	0.2	...	-	-	...	3,976	0.3	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	7,384	0.3	...	-	-	...	7,384	0.6	...
Malignant neoplasm of ovary (C56)	14,857	0.6	...	-	-	...	14,857	1.2	...
Malignant neoplasm of prostate (C61)	28,372	1.2	...	28,372	2.4	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	12,379	0.5	...	7,699	0.6	...	4,680	0.4	...
Malignant neoplasm of bladder (C67)	13,474	0.6	...	9,412	0.8	...	4,062	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	12,886	0.5	...	7,198	0.6	...	5,688	0.5	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	55,045	2.3	...	30,007	2.5	...	25,038	2.0	...
Hodgkin's disease (C81)	1,327	0.1	...	770	0.1	...	557	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	20,594	0.8	...	10,933	0.9	...	9,661	0.8	...
Leukemia (C91-C95)	21,944	0.9	...	12,385	1.0	...	9,559	0.8	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	11,111	0.5	...	5,882	0.5	...	5,229	0.4	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	69	0.0	...	37	0.0	...	32	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	63,100	2.6	...	32,364	2.7	...	30,736	2.5	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	14,122	0.6	18	6,984	0.6	20	7,138	0.6	15
Anemias (D50-D64)	3,996	0.2	25	1,592	0.1	25	2,404	0.2	25
Diabetes mellitus (E10-E14)	72,449	3.0	6	36,006	3.0	6	36,443	3.0	7
Nutritional deficiencies (E40-E64)	2,556	0.1	28	913	0.1	29	1,643	0.1	28
Malnutrition (E40-E46)	2,377	0.1	...	848	0.1	...	1,529	0.1	...
Other nutritional deficiencies (E50-E64)	179	0.0	...	65	0.0	...	114	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	All origins <sup>1</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	634	0.0	35	315	0.0	35	319	0.0	33
Parkinson's disease (G20-G21)	19,566	0.8	14	11,300	0.9	14	8,266	0.7	13
Alzheimer's disease (G30)	72,432	3.0	7	21,151	1.8	10	51,281	4.2	5
Major cardiovascular diseases (I00-I78)	823,746	34.0	...	394,840	32.9	...	428,906	35.0	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	631,636	26.0	1	315,706	26.3	1	315,930	25.8	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	3,257	0.1	...	1,008	0.1	...	2,249	0.2	...
Hypertensive heart disease (I11)	29,788	1.2	...	13,677	1.1	...	16,111	1.3	...
Hypertensive heart and renal disease (I13)	2,918	0.1	...	1,290	0.1	...	1,628	0.1	...
Ischemic heart diseases (I20-I25)	425,425	17.5	...	224,510	18.7	...	200,915	16.4	...
Acute myocardial infarction (I21-I22)	141,462	5.8	...	76,089	6.3	...	65,373	5.3	...
Other acute ischemic heart diseases (I24)	3,932	0.2	...	2,016	0.2	...	1,916	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	280,031	11.5	...	146,405	12.2	...	133,626	10.9	...
Atherosclerotic cardiovascular disease, so described (I25.0)	61,030	2.5	...	34,157	2.8	...	26,873	2.2	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	219,001	9.0	...	112,248	9.3	...	106,753	8.7	...
Other heart diseases (I26-I51)	170,248	7.0	...	75,221	6.3	...	95,027	7.8	...
Acute and subacute endocarditis (I33)	1,216	0.1	...	660	0.1	...	556	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	816	0.0	...	431	0.0	...	385	0.0	...
Heart failure (I50)	60,337	2.5	...	23,918	2.0	...	36,419	3.0	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	107,879	4.4	...	50,212	4.2	...	57,667	4.7	...
Essential hypertension and hypertensive renal disease (I10,I12,I15) <sup>5</sup>	23,855	1.0	13	9,415	0.8	15	14,440	1.2	11
Cerebrovascular diseases (I60-I69)	137,119	5.7	3	54,524	4.5	5	82,595	6.7	3
Atherosclerosis (I70)	8,652	0.4	22	3,359	0.3	23	5,293	0.4	19
Other diseases of circulatory system (I71-I78)	22,484	0.9	...	11,836	1.0	...	10,648	0.9	...
Aortic aneurysm and dissection (I71)	13,238	0.5	19	7,732	0.6	19	5,506	0.4	18
Other diseases of arteries, arterioles and capillaries (I72-I78)	9,246	0.4	...	4,104	0.3	...	5,142	0.4	...
Other disorders of circulatory system (I80-I99)	3,995	0.2	...	1,772	0.1	...	2,223	0.2	...
Influenza and pneumonia (J10-J18)	56,326	2.3	8	25,650	2.1	8	30,676	2.5	8
Influenza (J10-J11)	849	0.0	...	362	0.0	...	487	0.0	...
Pneumonia (J12-J18)	55,477	2.3	...	25,288	2.1	...	30,189	2.5	...
Other acute lower respiratory infections (J20-J22)	297	0.0	...	119	0.0	...	178	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	214	0.0	39	96	0.0	38	118	0.0	36
Unspecified acute lower respiratory infection (J22)	83	0.0	...	23	0.0	...	60	0.0	...
Chronic lower respiratory diseases (J40-J47)	124,583	5.1	4	59,260	4.9	4	65,323	5.3	4
Bronchitis, chronic and unspecified (J40-J42)	740	0.0	...	299	0.0	...	441	0.0	...
Emphysema (J43)	12,551	0.5	...	6,318	0.5	...	6,233	0.5	...
Asthma (J45-J46)	3,613	0.1	...	1,296	0.1	...	2,317	0.2	...
Other chronic lower respiratory diseases (J44,J47)	107,679	4.4	...	51,347	4.3	...	56,332	4.6	...
Pneumoconioses and chemical effects (J60-J66,J68)	924	0.0	31	887	0.1	30	37	0.0	39
Pneumonitis due to solids and liquids (J69)	16,887	0.7	16	8,916	0.7	16	7,971	0.7	14
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	27,644	1.1	...	13,728	1.1	...	13,916	1.1	...
Peptic ulcer (K25-K28)	3,323	0.1	26	1,591	0.1	26	1,732	0.1	27
Diseases of appendix (K35-K38)	424	0.0	38	253	0.0	36	171	0.0	35
Hernia (K40-K46)	1,744	0.1	30	739	0.1	31	1,005	0.1	30
Chronic liver disease and cirrhosis (K70,K73-K74)	27,555	1.1	12	17,866	1.5	11	9,689	0.8	12
Alcoholic liver disease (K70)	13,050	0.5	...	9,443	0.8	...	3,607	0.3	...
Other chronic liver disease and cirrhosis (K73-K74)	14,505	0.6	...	8,423	0.7	...	6,082	0.5	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	3,114	0.1	27	1,376	0.1	27	1,738	0.1	26
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	45,344	1.9	9	22,094	1.8	9	23,250	1.9	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	138	0.0	...	70	0.0	...	68	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	1,841	0.1	...	897	0.1	...	944	0.1	...
Renal failure (N17-N19)	43,344	1.8	...	21,115	1.8	...	22,229	1.8	...
Other disorders of kidney (N25,N27)	21	0.0	...	12	0.0	...	9	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	673	0.0	33	206	0.0	37	467	0.0	32

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	All origins <sup>1</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	514	0.0	36	514	0.0	32	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	112	0.0	40	-	-	...	112	0.0	37
Pregnancy, childbirth and the puerperium (O00-O99)	760	0.0	32	-	-	...	760	0.1	31
Pregnancy with abortive outcome (O00-O07)	26	0.0	...	-	-	...	26	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	734	0.0	...	-	-	...	734	0.1	...
Certain conditions originating in the perinatal period (P00-P96)	14,442	0.6	17	8,097	0.7	18	6,345	0.5	17
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	10,489	0.4	21	5,587	0.5	21	4,902	0.4	20
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	31,725	1.3	...	13,981	1.2	...	17,744	1.4	...
All other diseases (Residual)	237,421	9.8	...	96,201	8.0	...	141,220	11.5	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	121,599	5.0	5	78,941	6.6	3	42,658	3.5	6
Transport accidents (V01-V99, Y85)	48,412	2.0	...	34,065	2.8	...	14,347	1.2	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	45,316	1.9	...	31,633	2.6	...	13,683	1.1	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	1,181	0.0	...	921	0.1	...	260	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	1,915	0.1	...	1,511	0.1	...	404	0.0	...
Nontransport accidents (W00-X59, Y86)	73,187	3.0	...	44,876	3.7	...	28,311	2.3	...
Falls (W00-W19)	20,823	0.9	...	10,808	0.9	...	10,015	0.8	...
Accidental discharge of firearms (W32-W34)	642	0.0	...	567	0.0	...	75	0.0	...
Accidental drowning and submersion (W65-W74)	3,579	0.1	...	2,774	0.2	...	805	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	3,109	0.1	...	1,819	0.2	...	1,290	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	27,531	1.1	...	18,581	1.5	...	8,950	0.7	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	17,503	0.7	...	10,327	0.9	...	7,176	0.6	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	33,300	1.4	11	26,308	2.2	7	6,992	0.6	16
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	16,883	0.7	...	14,734	1.2	...	2,149	0.2	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	16,417	0.7	...	11,574	1.0	...	4,843	0.4	...
Assault (homicide) (X85-Y09, Y87.1)	18,573	0.8	15	14,717	1.2	13	3,856	0.3	21
Assault (homicide) by discharge of firearms (X93-X95)	12,791	0.5	...	10,886	0.9	...	1,905	0.2	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	5,782	0.2	...	3,831	0.3	...	1,951	0.2	...
Legal intervention (Y35, Y89.0)	434	0.0	37	417	0.0	34	17	0.0	41
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	5,131	0.2	...	3,249	0.3	...	1,882	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	220	0.0	...	181	0.0	...	39	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	4,911	0.2	...	3,068	0.3	...	1,843	0.2	...
Operations of war and their sequelae (Y36, Y89.1)	28	0.0	44	28	0.0	40	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	2,521	0.1	29	1,121	0.1	28	1,400	0.1	29
Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	6,225	0.3	24	2,408	0.2	24	3,817	0.3	22

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for Origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> The title for this cause was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*.

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Hispanic <sup>2</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	133,004	100.0	...	74,250	100.0	...	58,754	100.0	...
Salmonella infections (A01-A02)	4	0.0	43	3	0.0	40	1	0.0	43
Shigellosis and amebiasis (A03,A06)	2	0.0	44	-	-	...	2	0.0	40
Certain other intestinal infections (A04,A07-A09)	282	0.2	...	117	0.2	...	165	0.3	...
Tuberculosis (A16-A19)	104	0.1	31	64	0.1	29	40	0.1	32
Respiratory tuberculosis (A16)	76	0.1	...	48	0.1	...	28	0.0	...
Other tuberculosis (A17-A19)	28	0.0	...	16	0.0	...	12	0.0	...
Whooping cough (A37)	2	0.0	44	1	0.0	44	1	0.0	43
Scarlet fever and erysipelas (A38,A46)	1	0.0	48	1	0.0	44	-	-	...
Meningococcal infection (A39)	16	0.0	39	10	0.0	38	6	0.0	37
Septicemia (A40-A41)	1,829	1.4	15	932	1.3	15	897	1.5	13
Syphilis (A50-A53)	5	0.0	42	3	0.0	40	2	0.0	40
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	1	0.0	48	-	-	...	1	0.0	43
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	1,121	0.8	18	735	1.0	17	386	0.7	16
Human immunodeficiency virus (HIV) disease (B20-B24)	1,617	1.2	16	1,275	1.7	13	342	0.6	19
Malaria (B50-B54)	2	0.0	44	2	0.0	42	-	-	...
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	416	0.3	...	247	0.3	...	169	0.3	...
Malignant neoplasms (C00-C97)	26,633	20.0	2	13,856	18.7	2	12,777	21.7	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	340	0.3	...	252	0.3	...	88	0.1	...
Malignant neoplasm of esophagus (C15)	518	0.4	...	409	0.6	...	109	0.2	...
Malignant neoplasm of stomach (C16)	1,289	1.0	...	710	1.0	...	579	1.0	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	2,757	2.1	...	1,445	1.9	...	1,312	2.2	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	1,816	1.4	...	1,199	1.6	...	617	1.1	...
Malignant neoplasm of pancreas (C25)	1,727	1.3	...	860	1.2	...	867	1.5	...
Malignant neoplasm of larynx (C32)	180	0.1	...	161	0.2	...	19	0.0	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4,355	3.3	...	2,746	3.7	...	1,609	2.7	...
Malignant melanoma of skin (C43)	204	0.2	...	110	0.1	...	94	0.2	...
Malignant neoplasm of breast (C50)	2,064	1.6	...	10	0.0	...	2,054	3.5	...
Malignant neoplasm of cervix uteri (C53)	465	0.3	...	-	-	...	465	0.8	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	388	0.3	...	-	-	...	388	0.7	...
Malignant neoplasm of ovary (C56)	758	0.6	...	-	-	...	758	1.3	...
Malignant neoplasm of prostate (C61)	1,373	1.0	...	1,373	1.8	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	733	0.6	...	468	0.6	...	265	0.5	...
Malignant neoplasm of bladder (C67)	431	0.3	...	283	0.4	...	148	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	728	0.5	...	401	0.5	...	327	0.6	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	3,094	2.3	...	1,685	2.3	...	1,409	2.4	...
Hodgkin's disease (C81)	102	0.1	...	61	0.1	...	41	0.1	...
Non-Hodgkin's lymphoma (C82-C85)	1,136	0.9	...	625	0.8	...	511	0.9	...
Leukemia (C91-C95)	1,241	0.9	...	686	0.9	...	555	0.9	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	610	0.5	...	312	0.4	...	298	0.5	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	5	0.0	...	1	0.0	...	4	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	3,413	2.6	...	1,744	2.3	...	1,669	2.8	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	717	0.5	19	363	0.5	20	354	0.6	18
Anemias (D50-D64)	191	0.1	26	75	0.1	28	116	0.2	27
Diabetes mellitus (E10-E14)	6,287	4.7	5	3,140	4.2	5	3,147	5.4	4
Nutritional deficiencies (E40-E64)	126	0.1	30	46	0.1	32	80	0.1	28
Malnutrition (E40-E46)	117	0.1	...	41	0.1	...	76	0.1	...
Other nutritional deficiencies (E50-E64)	9	0.0	...	5	0.0	...	4	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Hispanic <sup>2</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	62	0.0	34	29	0.0	33	33	0.1	33
Parkinson's disease (G20-G21)	705	0.5	20	423	0.6	19	282	0.5	20
Alzheimer's disease (G30)	2,399	1.8	12	812	1.1	16	1,587	2.7	7
Major cardiovascular diseases (I00-I78)	38,348	28.8	...	19,974	26.9	...	18,374	31.3	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	28,921	21.7	1	15,518	20.9	1	13,403	22.8	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	169	0.1	...	59	0.1	...	110	0.2	...
Hypertensive heart disease (I11)	1,604	1.2	...	844	1.1	...	760	1.3	...
Hypertensive heart and renal disease (I13)	155	0.1	...	81	0.1	...	74	0.1	...
Ischemic heart diseases (I20-I25)	20,939	15.7	...	11,449	15.4	...	9,490	16.2	...
Acute myocardial infarction (I21-I22)	6,972	5.2	...	3,780	5.1	...	3,192	5.4	...
Other acute ischemic heart diseases (I24)	98	0.1	...	46	0.1	...	52	0.1	...
Other forms of chronic ischemic heart disease (I20,I25)	13,869	10.4	...	7,623	10.3	...	6,246	10.6	...
Atherosclerotic cardiovascular disease, so described (I25.0)	3,426	2.6	...	2,175	2.9	...	1,251	2.1	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	10,443	7.9	...	5,448	7.3	...	4,995	8.5	...
Other heart diseases (I26-I51)	6,054	4.6	...	3,085	4.2	...	2,969	5.1	...
Acute and subacute endocarditis (I33)	81	0.1	...	50	0.1	...	31	0.1	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	64	0.0	...	39	0.1	...	25	0.0	...
Heart failure (I50)	1,830	1.4	...	798	1.1	...	1,032	1.8	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	4,079	3.1	...	2,198	3.0	...	1,881	3.2	...
Essential hypertension and hypertensive renal disease (I10,I12,I15) <sup>5</sup>	1,249	0.9	17	552	0.7	18	697	1.2	14
Cerebrovascular diseases (I60-I69)	7,005	5.3	4	3,269	4.4	4	3,736	6.4	3
Atherosclerosis (I70)	281	0.2	23	118	0.2	23	163	0.3	22
Other diseases of circulatory system (I71-I78)	892	0.7	...	517	0.7	...	375	0.6	...
Aortic aneurysm and dissection (I71)	477	0.4	22	321	0.4	21	156	0.3	23
Other diseases of arteries, arterioles and capillaries (I72-I78)	415	0.3	...	196	0.3	...	219	0.4	...
Other disorders of circulatory system (I80-I99)	214	0.2	...	103	0.1	...	111	0.2	...
Influenza and pneumonia (J10-J18)	2,966	2.2	9	1,439	1.9	11	1,527	2.6	8
Influenza (J10-J11)	39	0.0	...	20	0.0	...	19	0.0	...
Pneumonia (J12-J18)	2,927	2.2	...	1,419	1.9	...	1,508	2.6	...
Other acute lower respiratory infections (J20-J22)	14	0.0	...	8	0.0	...	6	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	14	0.0	40	8	0.0	39	6	0.0	37
Unspecified acute lower respiratory infection (J22)	-	-	...	-	-	...	-	-	...
Chronic lower respiratory diseases (J40-J47)	3,310	2.5	8	1,708	2.3	9	1,602	2.7	6
Bronchitis, chronic and unspecified (J40-J42)	39	0.0	...	18	0.0	...	21	0.0	...
Emphysema (J43)	286	0.2	...	174	0.2	...	112	0.2	...
Asthma (J45-J46)	257	0.2	...	94	0.1	...	163	0.3	...
Other chronic lower respiratory diseases (J44,J47)	2,728	2.1	...	1,422	1.9	...	1,306	2.2	...
Pneumoconioses and chemical effects (J60-J66,J68)	17	0.0	38	14	0.0	37	3	0.0	39
Pneumonitis due to solids and liquids (J69)	561	0.4	21	288	0.4	22	273	0.5	21
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	1,574	1.2	...	783	1.1	...	791	1.3	...
Peptic ulcer (K25-K28)	180	0.1	27	102	0.1	25	78	0.1	29
Diseases of appendix (K35-K38)	35	0.0	36	23	0.0	35	12	0.0	35
Hernia (K40-K46)	97	0.1	32	49	0.1	31	48	0.1	31
Chronic liver disease and cirrhosis (K70,K73-K74)	3,592	2.7	6	2,527	3.4	7	1,065	1.8	11
Alcoholic liver disease (K70)	1,917	1.4	...	1,577	2.1	...	340	0.6	...
Other chronic liver disease and cirrhosis (K73-K74)	1,675	1.3	...	950	1.3	...	725	1.2	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	196	0.1	25	79	0.1	27	117	0.2	26
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,592	1.9	11	1,295	1.7	12	1,297	2.2	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	9	0.0	...	4	0.0	...	5	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	103	0.1	...	51	0.1	...	52	0.1	...
Renal failure (N17-N19)	2,477	1.9	...	1,238	1.7	...	1,239	2.1	...
Other disorders of kidney (N25,N27)	3	0.0	...	2	0.0	...	1	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	50	0.0	35	18	0.0	36	32	0.1	34

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Hispanic <sup>2</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	25	0.0	37	25	0.0	34	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	7	0.0	41	-	-	...	7	0.0	36
Pregnancy, childbirth and the puerperium (O00-O99)	151	0.1	28	-	-	...	151	0.3	25
Pregnancy with abortive outcome (O00-O07)	4	0.0	...	-	-	...	4	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	147	0.1	...	-	-	...	147	0.3	...
Certain conditions originating in the perinatal period (P00-P96)	2,804	2.1	10	1,565	2.1	10	1,239	2.1	10
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1,952	1.5	14	1,046	1.4	14	906	1.5	12
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	1,762	1.3	...	1,040	1.4	...	722	1.2	...
All other diseases (Residual)	11,717	8.8	...	5,713	7.7	...	6,004	10.2	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	12,052	9.1	3	9,102	12.3	3	2,950	5.0	5
Transport accidents (V01-V99, Y85)	6,556	4.9	...	4,981	6.7	...	1,575	2.7	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	6,288	4.7	...	4,756	6.4	...	1,532	2.6	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	150	0.1	...	128	0.2	...	22	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	118	0.1	...	97	0.1	...	21	0.0	...
Nontransport accidents (W00-X59, Y86)	5,496	4.1	...	4,121	5.6	...	1,375	2.3	...
Falls (W00-W19)	1,189	0.9	...	800	1.1	...	389	0.7	...
Accidental discharge of firearms (W32-W34)	66	0.0	...	63	0.1	...	3	0.0	...
Accidental drowning and submersion (W65-W74)	506	0.4	...	424	0.6	...	82	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	225	0.2	...	153	0.2	...	72	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	2,310	1.7	...	1,795	2.4	...	515	0.9	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	1,200	0.9	...	886	1.2	...	314	0.5	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	2,177	1.6	13	1,813	2.4	8	364	0.6	17
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	817	0.6	...	752	1.0	...	65	0.1	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	1,360	1.0	...	1,061	1.4	...	299	0.5	...
Assault (homicide) (X85-Y09, Y87.1)	3,524	2.6	7	3,004	4.0	6	520	0.9	15
Assault (homicide) by discharge of firearms (X93-X95)	2,472	1.9	...	2,223	3.0	...	249	0.4	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	1,052	0.8	...	781	1.1	...	271	0.5	...
Legal intervention (Y35, Y89.0)	94	0.1	33	92	0.1	26	2	0.0	40
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	340	0.3	...	249	0.3	...	91	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	28	0.0	...	25	0.0	...	3	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	312	0.2	...	224	0.3	...	88	0.1	...
Operations of war and their sequelae (Y36, Y89.1)	2	0.0	44	2	0.0	42	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	129	0.1	29	55	0.1	30	74	0.1	30
Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	260	0.2	24	107	0.1	24	153	0.3	24

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for Origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> The title for this cause was changed in 2006 to reflect the addition of Secondary hypertension (ICD-10 code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*.

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Non-Hispanic <sup>3</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	2,288,424	100.0	...	1,124,813	100.0	...	1,163,611	100.0	...
Salmonella infections (A01-A02)	30	0.0	43	21	0.0	41	9	0.0	42
Shigellosis and amebiasis (A03,A06)	4	0.0	47	2	0.0	45	2	0.0	45
Certain other intestinal infections (A04,A07-A09)	6,352	0.3	...	2,430	0.2	...	3,922	0.3	...
Tuberculosis (A16-A19)	545	0.0	35	359	0.0	33	186	0.0	34
Respiratory tuberculosis (A16)	413	0.0	...	286	0.0	...	127	0.0	...
Other tuberculosis (A17-A19)	132	0.0	...	73	0.0	...	59	0.0	...
Whooping cough (A37)	7	0.0	45	2	0.0	45	5	0.0	43
Scarlet fever and erysipelas (A38,A46)	1	0.0	49	1	0.0	47	-	-	...
Meningococcal infection (A39)	89	0.0	41	57	0.0	39	32	0.0	39
Septicemia (A40-A41)	32,331	1.4	10	14,556	1.3	12	17,775	1.5	10
Syphilis (A50-A53)	32	0.0	42	16	0.0	42	16	0.0	40
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	4	0.0	47	4	0.0	43	-	-	...
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	6,105	0.3	23	3,993	0.4	22	2,112	0.2	25
Human immunodeficiency virus (HIV) disease (B20-B24)	10,427	0.5	20	7,431	0.7	17	2,996	0.3	23
Malaria (B50-B54)	7	0.0	45	4	0.0	43	3	0.0	44
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	5,470	0.2	...	2,776	0.2	...	2,694	0.2	...
Malignant neoplasms (C00-C97)	532,404	23.3	2	275,696	24.5	2	256,708	22.1	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	7,361	0.3	...	4,998	0.4	...	2,363	0.2	...
Malignant neoplasm of esophagus (C15)	13,140	0.6	...	10,292	0.9	...	2,848	0.2	...
Malignant neoplasm of stomach (C16)	10,045	0.4	...	5,938	0.5	...	4,107	0.4	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	50,710	2.2	...	25,420	2.3	...	25,290	2.2	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	14,680	0.6	...	9,538	0.8	...	5,142	0.4	...
Malignant neoplasm of pancreas (C25)	31,681	1.4	...	15,672	1.4	...	16,009	1.4	...
Malignant neoplasm of larynx (C32)	3,630	0.2	...	2,820	0.3	...	810	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	154,063	6.7	...	86,370	7.7	...	67,693	5.8	...
Malignant melanoma of skin (C43)	8,232	0.4	...	5,365	0.5	...	2,867	0.2	...
Malignant neoplasm of breast (C50)	39,087	1.7	...	378	0.0	...	38,709	3.3	...
Malignant neoplasm of cervix uteri (C53)	3,509	0.2	...	-	-	...	3,509	0.3	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	6,986	0.3	...	-	-	...	6,986	0.6	...
Malignant neoplasm of ovary (C56)	14,081	0.6	...	-	-	...	14,081	1.2	...
Malignant neoplasm of prostate (C61)	26,946	1.2	...	26,946	2.4	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	11,627	0.5	...	7,218	0.6	...	4,409	0.4	...
Malignant neoplasm of bladder (C67)	13,020	0.6	...	9,113	0.8	...	3,907	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	12,141	0.5	...	6,787	0.6	...	5,354	0.5	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	51,882	2.3	...	28,283	2.5	...	23,599	2.0	...
Hodgkin's disease (C81)	1,222	0.1	...	707	0.1	...	515	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	19,435	0.8	...	10,293	0.9	...	9,142	0.8	...
Leukemia (C91-C95)	20,674	0.9	...	11,684	1.0	...	8,990	0.8	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	10,487	0.5	...	5,563	0.5	...	4,924	0.4	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	64	0.0	...	36	0.0	...	28	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	59,583	2.6	...	30,558	2.7	...	29,025	2.5	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	13,389	0.6	17	6,611	0.6	19	6,778	0.6	15
Anemias (D50-D64)	3,797	0.2	25	1,515	0.1	25	2,282	0.2	24
Diabetes mellitus (E10-E14)	66,008	2.9	7	32,782	2.9	6	33,226	2.9	7
Nutritional deficiencies (E40-E64)	2,427	0.1	28	866	0.1	30	1,561	0.1	28
Malnutrition (E40-E46)	2,258	0.1	...	807	0.1	...	1,451	0.1	...
Other nutritional deficiencies (E50-E64)	169	0.0	...	59	0.0	...	110	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Non-Hispanic <sup>3</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	569	0.0	34	284	0.0	35	285	0.0	33
Parkinson's disease (G20-G21)	18,841	0.8	14	10,864	1.0	14	7,977	0.7	13
Alzheimer's disease (G30)	69,948	3.1	6	20,315	1.8	10	49,633	4.3	5
Major cardiovascular diseases (I00-I78)	783,795	34.3	...	373,933	33.2	...	409,862	35.2	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	601,431	26.3	1	299,415	26.6	1	302,016	26.0	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	3,085	0.1	...	948	0.1	...	2,137	0.2	...
Hypertensive heart disease (I11)	28,091	1.2	...	12,774	1.1	...	15,317	1.3	...
Hypertensive heart and renal disease (I13)	2,758	0.1	...	1,208	0.1	...	1,550	0.1	...
Ischemic heart diseases (I20-I25)	403,588	17.6	...	212,497	18.9	...	191,091	16.4	...
Acute myocardial infarction (I21-I22)	134,203	5.9	...	72,135	6.4	...	62,068	5.3	...
Other acute ischemic heart diseases (I24)	3,830	0.2	...	1,967	0.2	...	1,863	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	265,555	11.6	...	138,395	12.3	...	127,160	10.9	...
Atherosclerotic cardiovascular disease, so described (I25.0)	57,349	2.5	...	31,795	2.8	...	25,554	2.2	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	208,206	9.1	...	106,600	9.5	...	101,606	8.7	...
Other heart diseases (I26-I51)	163,909	7.2	...	71,988	6.4	...	91,921	7.9	...
Acute and subacute endocarditis (I33)	1,134	0.0	...	609	0.1	...	525	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	752	0.0	...	392	0.0	...	360	0.0	...
Heart failure (I50)	58,413	2.6	...	23,081	2.1	...	35,332	3.0	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	103,610	4.5	...	47,906	4.3	...	55,704	4.8	...
Essential hypertension and hypertensive renal disease (I10,I12,I15) <sup>5</sup>	22,565	1.0	13	8,846	0.8	15	13,719	1.2	11
Cerebrovascular diseases (I60-I69)	129,892	5.7	3	51,145	4.5	5	78,747	6.8	3
Atherosclerosis (I70)	8,357	0.4	22	3,235	0.3	23	5,122	0.4	18
Other diseases of circulatory system (I71-I78)	21,550	0.9	...	11,292	1.0	...	10,258	0.9	...
Aortic aneurysm and dissection (I71)	12,735	0.6	18	7,395	0.7	18	5,340	0.5	17
Other diseases of arteries, arterioles and capillaries (I72-I78)	8,815	0.4	...	3,897	0.3	...	4,918	0.4	...
Other disorders of circulatory system (I80-I99)	3,776	0.2	...	1,665	0.1	...	2,111	0.2	...
Influenza and pneumonia (J10-J18)	53,249	2.3	8	24,154	2.1	8	29,095	2.5	8
Influenza (J10-J11)	808	0.0	...	342	0.0	...	466	0.0	...
Pneumonia (J12-J18)	52,441	2.3	...	23,812	2.1	...	28,629	2.5	...
Other acute lower respiratory infections (J20-J22)	282	0.0	...	111	0.0	...	171	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	200	0.0	39	88	0.0	38	112	0.0	36
Unspecified acute lower respiratory infection (J22)	82	0.0	...	23	0.0	...	59	0.0	...
Chronic lower respiratory diseases (J40-J47)	121,035	5.3	4	57,420	5.1	4	63,615	5.5	4
Bronchitis, chronic and unspecified (J40-J42)	701	0.0	...	281	0.0	...	420	0.0	...
Emphysema (J43)	12,243	0.5	...	6,131	0.5	...	6,112	0.5	...
Asthma (J45-J46)	3,343	0.1	...	1,196	0.1	...	2,147	0.2	...
Other chronic lower respiratory diseases (J44,J47)	104,748	4.6	...	49,812	4.4	...	54,936	4.7	...
Pneumoconioses and chemical effects (J60-J66,J68)	907	0.0	31	873	0.1	29	34	0.0	38
Pneumonitis due to solids and liquids (J69)	16,299	0.7	15	8,619	0.8	16	7,680	0.7	14
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	26,035	1.1	...	12,931	1.1	...	13,104	1.1	...
Peptic ulcer (K25-K28)	3,134	0.1	26	1,483	0.1	26	1,651	0.1	26
Diseases of appendix (K35-K38)	387	0.0	37	230	0.0	36	157	0.0	35
Hernia (K40-K46)	1,642	0.1	30	688	0.1	31	954	0.1	30
Chronic liver disease and cirrhosis (K70,K73-K74)	23,892	1.0	12	15,282	1.4	11	8,610	0.7	12
Alcoholic liver disease (K70)	11,101	0.5	...	7,837	0.7	...	3,264	0.3	...
Other chronic liver disease and cirrhosis (K73-K74)	12,791	0.6	...	7,445	0.7	...	5,346	0.5	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	2,913	0.1	27	1,294	0.1	27	1,619	0.1	27
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	42,668	1.9	9	20,754	1.8	9	21,914	1.9	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	129	0.0	...	66	0.0	...	63	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	1,736	0.1	...	845	0.1	...	891	0.1	...
Renal failure (N17-N19)	40,785	1.8	...	19,833	1.8	...	20,952	1.8	...
Other disorders of kidney (N25,N27)	18	0.0	...	10	0.0	...	8	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	623	0.0	32	188	0.0	37	435	0.0	32

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Non-Hispanic <sup>3</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	488	0.0	36	488	0.0	32	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	104	0.0	40	-	-	...	104	0.0	37
Pregnancy, childbirth and the puerperium (O00-O99)	609	0.0	33	-	-	...	609	0.1	31
Pregnancy with abortive outcome (O00-O07)	22	0.0	...	-	-	...	22	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	587	0.0	...	-	-	...	587	0.1	...
Certain conditions originating in the perinatal period (P00-P96)	11,494	0.5	19	6,457	0.6	20	5,037	0.4	19
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8,500	0.4	21	4,521	0.4	21	3,979	0.3	20
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	29,835	1.3	...	12,856	1.1	...	16,979	1.5	...
All other diseases (Residual)	225,283	9.8	...	90,259	8.0	...	135,024	11.6	...
Accidents (unintentional injuries) (V01-X59,Y85-Y86)	109,172	4.8	5	69,564	6.2	3	39,608	3.4	6
Transport accidents (V01-V99,Y85)	41,727	1.8	...	28,988	2.6	...	12,739	1.1	...
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)	38,907	1.7	...	26,787	2.4	...	12,120	1.0	...
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)	1,023	0.0	...	787	0.1	...	236	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)	1,797	0.1	...	1,414	0.1	...	383	0.0	...
Nontransport accidents (W00-X59,Y86)	67,445	2.9	...	40,576	3.6	...	26,869	2.3	...
Falls (W00-W19)	19,592	0.9	...	9,984	0.9	...	9,608	0.8	...
Accidental discharge of firearms (W32-W34)	575	0.0	...	503	0.0	...	72	0.0	...
Accidental drowning and submersion (W65-W74)	3,049	0.1	...	2,329	0.2	...	720	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	2,866	0.1	...	1,655	0.1	...	1,211	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	25,118	1.1	...	16,710	1.5	...	8,408	0.7	...
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)	16,245	0.7	...	9,395	0.8	...	6,850	0.6	...
Intentional self-harm (suicide) (X60-X84,Y87.0)	31,035	1.4	11	24,424	2.2	7	6,611	0.6	16
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	16,024	0.7	...	13,946	1.2	...	2,078	0.2	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)	15,011	0.7	...	10,478	0.9	...	4,533	0.4	...
Assault (homicide) (X85-Y09,Y87.1)	14,959	0.7	16	11,639	1.0	13	3,320	0.3	22
Assault (homicide) by discharge of firearms (X93-X95)	10,260	0.4	...	8,613	0.8	...	1,647	0.1	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)	4,699	0.2	...	3,026	0.3	...	1,673	0.1	...
Legal intervention (Y35,Y89.0)	339	0.0	38	324	0.0	34	15	0.0	41
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)	4,770	0.2	...	2,983	0.3	...	1,787	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	192	0.0	...	156	0.0	...	36	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)	4,578	0.2	...	2,827	0.3	...	1,751	0.2	...
Operations of war and their sequelae (Y36,Y89.1)	26	0.0	44	26	0.0	40	-	-	...
Complications of medical and surgical care (Y40-Y84,Y88)	2,386	0.1	29	1,062	0.1	28	1,324	0.1	29
Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	5,961	0.3	24	2,299	0.2	24	3,662	0.3	21

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for Origin not stated are included in "All origins" but not distributed among specified groups.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> The title for this cause was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*.

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	White, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>d</sup>	Number	Percent of total deaths	Rank <sup>d</sup>	Number	Percent of total deaths	Rank <sup>d</sup>
All causes	1,944,617	100.0	...	947,966	100.0	...	996,651	100.0	...
Salmonella infections (A01-A02)	21	0.0	43	15	0.0	41	6	0.0	41
Shigellosis and amebiasis (A03,A06)	3	0.0	46	2	0.0	42	1	0.0	45
Certain other intestinal infections (A04,A07-A09)	5,883	0.3	...	2,234	0.2	...	3,649	0.4	...
Tuberculosis (A16-A19)	284	0.0	37	173	0.0	36	111	0.0	35
Respiratory tuberculosis (A16)	211	0.0	...	133	0.0	...	78	0.0	...
Other tuberculosis (A17-A19)	73	0.0	...	40	0.0	...	33	0.0	...
Whooping cough (A37)	5	0.0	45	2	0.0	42	3	0.0	43
Scarlet fever and erysipelas (A38,A46)	1	0.0	49	1	0.0	46	-	-	...
Meningococcal infection (A39)	64	0.0	41	41	0.0	39	23	0.0	39
Septicemia (A40-A41)	25,556	1.3	11	11,526	1.2	12	14,030	1.4	10
Syphilis (A50-A53)	8	0.0	44	2	0.0	42	6	0.0	41
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	2	0.0	48	2	0.0	42	-	-	...
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	4,648	0.2	23	3,094	0.3	21	1,554	0.2	24
Human immunodeficiency virus (HIV) disease (B20-B24)	3,519	0.2	24	2,939	0.3	22	580	0.1	30
Malaria (B50-B54)	3	0.0	46	1	0.0	46	2	0.0	44
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	4,463	0.2	...	2,249	0.2	...	2,214	0.2	...
Malignant neoplasms (C00-C97)	455,978	23.4	2	236,393	24.9	2	219,585	22.0	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	6,080	0.3	...	4,067	0.4	...	2,013	0.2	...
Malignant neoplasm of esophagus (C15)	11,437	0.6	...	9,061	1.0	...	2,376	0.2	...
Malignant neoplasm of stomach (C16)	7,306	0.4	...	4,399	0.5	...	2,907	0.3	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	42,506	2.2	...	21,323	2.2	...	21,183	2.1	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	11,308	0.6	...	7,227	0.8	...	4,081	0.4	...
Malignant neoplasm of pancreas (C25)	26,941	1.4	...	13,507	1.4	...	13,434	1.3	...
Malignant neoplasm of larynx (C32)	2,937	0.2	...	2,254	0.2	...	683	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	134,408	6.9	...	74,685	7.9	...	59,723	6.0	...
Malignant melanoma of skin (C43)	8,045	0.4	...	5,269	0.6	...	2,776	0.3	...
Malignant neoplasm of breast (C50)	32,430	1.7	...	316	0.0	...	32,114	3.2	...
Malignant neoplasm of cervix uteri (C53)	2,561	0.1	...	-	-	...	2,561	0.3	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	5,576	0.3	...	-	-	...	5,576	0.6	...
Malignant neoplasm of ovary (C56)	12,536	0.6	...	-	-	...	12,536	1.3	...
Malignant neoplasm of prostate (C61)	21,835	1.1	...	21,835	2.3	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	10,234	0.5	...	6,346	0.7	...	3,888	0.4	...
Malignant neoplasm of bladder (C67)	11,845	0.6	...	8,444	0.9	...	3,401	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	11,119	0.6	...	6,245	0.7	...	4,874	0.5	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	45,471	2.3	...	24,843	2.6	...	20,628	2.1	...
Hodgkin's disease (C81)	1,059	0.1	...	606	0.1	...	453	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	17,496	0.9	...	9,240	1.0	...	8,256	0.8	...
Leukemia (C91-C95)	18,413	0.9	...	10,427	1.1	...	7,986	0.8	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	8,446	0.4	...	4,539	0.5	...	3,907	0.4	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	57	0.0	...	31	0.0	...	26	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	51,403	2.6	...	26,572	2.8	...	24,831	2.5	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11,838	0.6	16	5,890	0.6	17	5,948	0.6	16
Anemias (D50-D64)	2,800	0.1	25	1,089	0.1	27	1,711	0.2	23
Diabetes mellitus (E10-E14)	50,950	2.6	7	25,931	2.7	6	25,019	2.5	8
Nutritional deficiencies (E40-E64)	2,033	0.1	28	693	0.1	30	1,340	0.1	27
Malnutrition (E40-E46)	1,882	0.1	...	641	0.1	...	1,241	0.1	...
Other nutritional deficiencies (E50-E64)	151	0.0	...	52	0.0	...	99	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	White, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>d</sup>	Number	Percent of total deaths	Rank <sup>d</sup>	Number	Percent of total deaths	Rank <sup>d</sup>
Meningitis (G00,G03)	425	0.0	34	212	0.0	33	213	0.0	33
Parkinson's disease (G20-G21)	17,806	0.9	13	10,277	1.1	13	7,529	0.8	12
Alzheimer's disease (G30)	64,660	3.3	6	18,844	2.0	9	45,816	4.6	5
Major cardiovascular diseases (I00-I78)	668,937	34.4	...	317,568	33.5	...	351,369	35.3	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	516,883	26.6	1	256,459	27.1	1	260,424	26.1	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	2,736	0.1	...	831	0.1	...	1,905	0.2	...
Hypertensive heart disease (I11)	20,610	1.1	...	8,908	0.9	...	11,702	1.2	...
Hypertensive heart and renal disease (I13)	1,833	0.1	...	758	0.1	...	1,075	0.1	...
Ischemic heart diseases (I20-I25)	350,356	18.0	...	184,810	19.5	...	165,546	16.6	...
Acute myocardial infarction (I21-I22)	116,517	6.0	...	63,106	6.7	...	53,411	5.4	...
Other acute ischemic heart diseases (I24)	3,193	0.2	...	1,618	0.2	...	1,575	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	230,646	11.9	...	120,086	12.7	...	110,560	11.1	...
Atherosclerotic cardiovascular disease, so described (I25.0)	46,634	2.4	...	25,538	2.7	...	21,096	2.1	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	184,012	9.5	...	94,548	10.0	...	89,464	9.0	...
Other heart diseases (I26-I51)	141,348	7.3	...	61,152	6.5	...	80,196	8.0	...
Acute and subacute endocarditis (I33)	880	0.0	...	471	0.0	...	409	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	616	0.0	...	327	0.0	...	289	0.0	...
Heart failure (I50)	52,125	2.7	...	20,425	2.2	...	31,700	3.2	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	87,727	4.5	...	39,929	4.2	...	47,798	4.8	...
Essential hypertension and hypertensive renal disease (I10,I12,I15) <sup>5</sup>	17,034	0.9	14	6,451	0.7	16	10,583	1.1	11
Cerebrovascular diseases (I60-I69)	108,886	5.6	4	41,941	4.4	5	66,945	6.7	3
Atherosclerosis (I70)	7,530	0.4	18	2,869	0.3	23	4,661	0.5	17
Other diseases of circulatory system (I71-I78)	18,604	1.0	...	9,848	1.0	...	8,756	0.9	...
Aortic aneurysm and dissection (I71)	11,138	0.6	17	6,512	0.7	15	4,626	0.5	18
Other diseases of arteries, arterioles and capillaries (I72-I78)	7,466	0.4	...	3,336	0.4	...	4,130	0.4	...
Other disorders of circulatory system (I80-I99)	3,007	0.2	...	1,314	0.1	...	1,693	0.2	...
Influenza and pneumonia (J10-J18)	46,419	2.4	8	20,863	2.2	8	25,556	2.6	7
Influenza (J10-J11)	749	0.0	...	312	0.0	...	437	0.0	...
Pneumonia (J12-J18)	45,670	2.3	...	20,551	2.2	...	25,119	2.5	...
Other acute lower respiratory infections (J20-J22)	236	0.0	...	85	0.0	...	151	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	159	0.0	39	65	0.0	38	94	0.0	36
Unspecified acute lower respiratory infection (J22)	77	0.0	...	20	0.0	...	57	0.0	...
Chronic lower respiratory diseases (J40-J47)	111,559	5.7	3	52,270	5.5	4	59,289	5.9	4
Bronchitis, chronic and unspecified (J40-J42)	618	0.0	...	241	0.0	...	377	0.0	...
Emphysema (J43)	11,391	0.6	...	5,605	0.6	...	5,786	0.6	...
Asthma (J45-J46)	2,246	0.1	...	715	0.1	...	1,531	0.2	...
Other chronic lower respiratory diseases (J44,J47)	97,304	5.0	...	45,709	4.8	...	51,595	5.2	...
Pneumoconioses and chemical effects (J60-J66,J68)	852	0.0	31	822	0.1	29	30	0.0	38
Pneumonitis due to solids and liquids (J69)	14,563	0.7	15	7,694	0.8	14	6,869	0.7	14
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	22,902	1.2	...	11,406	1.2	...	11,496	1.2	...
Peptic ulcer (K25-K28)	2,672	0.1	26	1,215	0.1	25	1,457	0.1	25
Diseases of appendix (K35-K38)	314	0.0	35	185	0.0	35	129	0.0	34
Hernia (K40-K46)	1,448	0.1	30	606	0.1	31	842	0.1	29
Chronic liver disease and cirrhosis (K70,K73-K74)	20,605	1.1	12	13,212	1.4	11	7,393	0.7	13
Alcoholic liver disease (K70)	9,512	0.5	...	6,778	0.7	...	2,734	0.3	...
Other chronic liver disease and cirrhosis (K73-K74)	11,093	0.6	...	6,434	0.7	...	4,659	0.5	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	2,475	0.1	27	1,114	0.1	26	1,361	0.1	26
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	33,208	1.7	9	16,415	1.7	10	16,793	1.7	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	102	0.0	...	51	0.0	...	51	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	1,321	0.1	...	643	0.1	...	678	0.1	...
Renal failure (N17-N19)	31,768	1.6	...	15,711	1.7	...	16,057	1.6	...
Other disorders of kidney (N25,N27)	17	0.0	...	10	0.0	...	7	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	549	0.0	32	162	0.0	37	387	0.0	31

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	White, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	437	0.0	33	437	0.0	32	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	83	0.0	40	-	-	...	83	0.0	37
Pregnancy, childbirth and the puerperium (O00-O99)	299	0.0	36	-	-	...	299	0.0	32
Pregnancy with abortive outcome (O00-O07)	6	0.0	...	-	-	...	6	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	293	0.0	...	-	-	...	293	0.0	...
Certain conditions originating in the perinatal period (P00-P96)	6,042	0.3	20	3,435	0.4	19	2,607	0.3	21
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	6,344	0.3	19	3,377	0.4	20	2,967	0.3	20
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	24,895	1.3	...	10,361	1.1	...	14,534	1.5	...
All other diseases (Residual)	194,608	10.0	...	77,081	8.1	...	117,527	11.8	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	91,830	4.7	5	57,758	6.1	3	34,072	3.4	6
Transport accidents (V01-V99, Y85)	33,930	1.7	...	23,493	2.5	...	10,437	1.0	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	31,541	1.6	...	21,633	2.3	...	9,908	1.0	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	809	0.0	...	620	0.1	...	189	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	1,580	0.1	...	1,240	0.1	...	340	0.0	...
Nontransport accidents (W00-X59, Y86)	57,900	3.0	...	34,265	3.6	...	23,635	2.4	...
Falls (W00-W19)	17,996	0.9	...	9,028	1.0	...	8,968	0.9	...
Accidental discharge of firearms (W32-W34)	419	0.0	...	358	0.0	...	61	0.0	...
Accidental drowning and submersion (W65-W74)	2,332	0.1	...	1,747	0.2	...	585	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	2,116	0.1	...	1,232	0.1	...	884	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	21,152	1.1	...	13,983	1.5	...	7,169	0.7	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	13,885	0.7	...	7,917	0.8	...	5,968	0.6	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	27,952	1.4	10	21,952	2.3	7	6,000	0.6	15
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	14,721	0.8	...	12,777	1.3	...	1,944	0.2	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	13,231	0.7	...	9,175	1.0	...	4,056	0.4	...
Assault (homicide) (X85-Y09, Y87.1)	5,408	0.3	22	3,575	0.4	18	1,833	0.2	22
Assault (homicide) by discharge of firearms (X93-X95)	2,860	0.1	...	2,008	0.2	...	852	0.1	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	2,548	0.1	...	1,567	0.2	...	981	0.1	...
Legal intervention (Y35, Y89.0)	208	0.0	38	196	0.0	34	12	0.0	40
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	3,874	0.2	...	2,359	0.2	...	1,515	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	141	0.0	...	108	0.0	...	33	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	3,733	0.2	...	2,251	0.2	...	1,482	0.1	...
Operations of war and their sequelae (Y36, Y89.1)	25	0.0	42	25	0.0	40	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	1,916	0.1	29	869	0.1	28	1,047	0.1	28
Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	5,533	0.3	21	2,116	0.2	24	3,417	0.3	19

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for Origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> The title for this cause was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*.

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Black, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>d</sup>	Number	Percent of total deaths	Rank <sup>d</sup>	Number	Percent of total deaths	Rank <sup>d</sup>
All causes	286,581	100.0	...	146,729	100.0	...	139,852	100.0	...
Salmonella infections (A01-A02)	8	0.0	43	5	0.0	41	3	0.0	40
Shigellosis and amebiasis (A03,A06)	1	0.0	47	-	-	...	1	0.0	44
Certain other intestinal infections (A04,A07-A09)	376	0.1	...	144	0.1	...	232	0.2	...
Tuberculosis (A16-A19)	158	0.1	32	113	0.1	30	45	0.0	33
Respiratory tuberculosis (A16)	121	0.0	...	91	0.1	...	30	0.0	...
Other tuberculosis (A17-A19)	37	0.0	...	22	0.0	...	15	0.0	...
Whooping cough (A37)	2	0.0	44	-	-	...	2	0.0	43
Scarlet fever and erysipelas (A38,A46)	-	-	...	-	-	...	-	-	...
Meningococcal infection (A39)	22	0.0	41	14	0.0	39	8	0.0	39
Septicemia (A40-A41)	6,045	2.1	10	2,688	1.8	11	3,357	2.4	8
Syphilis (A50-A53)	23	0.0	40	14	0.0	39	9	0.0	38
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	2	0.0	44	2	0.0	42	-	-	...
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	1,078	0.4	21	683	0.5	19	395	0.3	21
Human immunodeficiency virus (HIV) disease (B20-B24)	6,767	2.4	9	4,384	3.0	7	2,383	1.7	12
Malaria (B50-B54)	2	0.0	44	1	0.0	43	1	0.0	44
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	827	0.3	...	421	0.3	...	406	0.3	...
Malignant neoplasms (C00-C97)	62,475	21.8	2	32,253	22.0	2	30,222	21.6	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	1,001	0.3	...	742	0.5	...	259	0.2	...
Malignant neoplasm of esophagus (C15)	1,436	0.5	...	1,035	0.7	...	401	0.3	...
Malignant neoplasm of stomach (C16)	1,901	0.7	...	1,085	0.7	...	816	0.6	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	6,823	2.4	...	3,404	2.3	...	3,419	2.4	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	2,154	0.8	...	1,498	1.0	...	656	0.5	...
Malignant neoplasm of pancreas (C25)	3,839	1.3	...	1,753	1.2	...	2,086	1.5	...
Malignant neoplasm of larynx (C32)	632	0.2	...	512	0.3	...	120	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	16,360	5.7	...	9,738	6.6	...	6,622	4.7	...
Malignant melanoma of skin (C43)	124	0.0	...	66	0.0	...	58	0.0	...
Malignant neoplasm of breast (C50)	5,689	2.0	...	58	0.0	...	5,631	4.0	...
Malignant neoplasm of cervix uteri (C53)	777	0.3	...	-	-	...	777	0.6	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	1,223	0.4	...	-	-	...	1,223	0.9	...
Malignant neoplasm of ovary (C56)	1,168	0.4	...	-	-	...	1,168	0.8	...
Malignant neoplasm of prostate (C61)	4,649	1.6	...	4,649	3.2	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	1,125	0.4	...	705	0.5	...	420	0.3	...
Malignant neoplasm of bladder (C67)	1,001	0.3	...	554	0.4	...	447	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	754	0.3	...	405	0.3	...	349	0.2	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	5,212	1.8	...	2,784	1.9	...	2,428	1.7	...
Hodgkin's disease (C81)	135	0.0	...	81	0.1	...	54	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	1,464	0.5	...	796	0.5	...	668	0.5	...
Leukemia (C91-C95)	1,788	0.6	...	988	0.7	...	800	0.6	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	1,818	0.6	...	914	0.6	...	904	0.6	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	7	0.0	...	5	0.0	...	2	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	6,607	2.3	...	3,265	2.2	...	3,342	2.4	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,222	0.4	20	564	0.4	21	658	0.5	18
Anemias (D50-D64)	909	0.3	22	386	0.3	22	523	0.4	20
Diabetes mellitus (E10-E14)	12,671	4.4	5	5,701	3.9	6	6,970	5.0	4
Nutritional deficiencies (E40-E64)	341	0.1	28	153	0.1	27	188	0.1	29
Malnutrition (E40-E46)	325	0.1	...	146	0.1	...	179	0.1	...
Other nutritional deficiencies (E50-E64)	16	0.0	...	7	0.0	...	9	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Black, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>d</sup>	Number	Percent of total deaths	Rank <sup>d</sup>	Number	Percent of total deaths	Rank <sup>d</sup>
Meningitis (G00,G03)	128	0.0	33	64	0.0	33	64	0.0	32
Parkinson's disease (G20-G21)	676	0.2	24	378	0.3	23	298	0.2	23
Alzheimer's disease (G30)	4,422	1.5	14	1,176	0.8	16	3,246	2.3	9
Major cardiovascular diseases (I00-I78)	96,353	33.6	...	46,717	31.8	...	49,636	35.5	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	71,461	24.9	1	35,787	24.4	1	35,674	25.5	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	247	0.1	...	86	0.1	...	161	0.1	...
Hypertensive heart disease (I11)	6,772	2.4	...	3,511	2.4	...	3,261	2.3	...
Hypertensive heart and renal disease (I13)	817	0.3	...	400	0.3	...	417	0.3	...
Ischemic heart diseases (I20-I25)	43,992	15.4	...	22,412	15.3	...	21,580	15.4	...
Acute myocardial infarction (I21-I22)	14,622	5.1	...	7,315	5.0	...	7,307	5.2	...
Other acute ischemic heart diseases (I24)	530	0.2	...	290	0.2	...	240	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	28,840	10.1	...	14,807	10.1	...	14,033	10.0	...
Atherosclerotic cardiovascular disease, so described (I25.0)	9,230	3.2	...	5,314	3.6	...	3,916	2.8	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	19,610	6.8	...	9,493	6.5	...	10,117	7.2	...
Other heart diseases (I26-I51)	19,633	6.9	...	9,378	6.4	...	10,255	7.3	...
Acute and subacute endocarditis (I33)	225	0.1	...	119	0.1	...	106	0.1	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	106	0.0	...	53	0.0	...	53	0.0	...
Heart failure (I50)	5,524	1.9	...	2,323	1.6	...	3,201	2.3	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	13,778	4.8	...	6,883	4.7	...	6,895	4.9	...
Essential hypertension and hypertensive renal disease (I10,I12,I15) <sup>5</sup>	4,851	1.7	13	2,100	1.4	13	2,751	2.0	11
Cerebrovascular diseases (I60-I69)	16,882	5.9	3	7,349	5.0	5	9,533	6.8	3
Atherosclerosis (I70)	705	0.2	23	311	0.2	24	394	0.3	22
Other diseases of circulatory system (I71-I78)	2,454	0.9	...	1,170	0.8	...	1,284	0.9	...
Aortic aneurysm and dissection (I71)	1,248	0.4	19	670	0.5	20	578	0.4	19
Other diseases of arteries, arterioles and capillaries (I72-I78)	1,206	0.4	...	500	0.3	...	706	0.5	...
Other disorders of circulatory system (I80-I99)	702	0.2	...	318	0.2	...	384	0.3	...
Influenza and pneumonia (J10-J18)	5,242	1.8	11	2,449	1.7	12	2,793	2.0	10
Influenza (J10-J11)	40	0.0	...	21	0.0	...	19	0.0	...
Pneumonia (J12-J18)	5,202	1.8	...	2,428	1.7	...	2,774	2.0	...
Other acute lower respiratory infections (J20-J22)	37	0.0	...	22	0.0	...	15	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	34	0.0	39	21	0.0	37	13	0.0	37
Unspecified acute lower respiratory infection (J22)	3	0.0	...	1	0.0	...	2	0.0	...
Chronic lower respiratory diseases (J40-J47)	7,657	2.7	8	4,091	2.8	8	3,566	2.5	7
Bronchitis, chronic and unspecified (J40-J42)	66	0.0	...	31	0.0	...	35	0.0	...
Emphysema (J43)	700	0.2	...	425	0.3	...	275	0.2	...
Asthma (J45-J46)	943	0.3	...	414	0.3	...	529	0.4	...
Other chronic lower respiratory diseases (J44,J47)	5,948	2.1	...	3,221	2.2	...	2,727	1.9	...
Pneumoconioses and chemical effects (J60-J66,J68)	48	0.0	37	45	0.0	34	3	0.0	40
Pneumonitis due to solids and liquids (J69)	1,428	0.5	18	753	0.5	18	675	0.5	17
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	2,414	0.8	...	1,157	0.8	...	1,257	0.9	...
Peptic ulcer (K25-K28)	358	0.1	26	207	0.1	25	151	0.1	30
Diseases of appendix (K35-K38)	58	0.0	35	33	0.0	36	25	0.0	35
Hernia (K40-K46)	170	0.1	31	70	0.0	32	100	0.1	31
Chronic liver disease and cirrhosis (K70,K73-K74)	2,310	0.8	15	1,485	1.0	15	825	0.6	16
Alcoholic liver disease (K70)	1,021	0.4	...	690	0.5	...	331	0.2	...
Other chronic liver disease and cirrhosis (K73-K74)	1,289	0.4	...	795	0.5	...	494	0.4	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	321	0.1	29	116	0.1	29	205	0.1	28
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8,334	2.9	7	3,782	2.6	9	4,552	3.3	5
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	20	0.0	...	11	0.0	...	9	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	345	0.1	...	166	0.1	...	179	0.1	...
Renal failure (N17-N19)	7,969	2.8	...	3,605	2.5	...	4,364	3.1	...
Other disorders of kidney (N25,N27)	-	-	...	-	-	...	-	-	...
Infections of kidney (N10-N12,N13.6,N15.1)	58	0.0	35	21	0.0	37	37	0.0	34

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2006

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Black, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	38	0.0	38	38	0.0	35	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	19	0.0	42	-	-	...	19	0.0	36
Pregnancy, childbirth and the puerperium (O00-O99)	255	0.1	30	-	-	...	255	0.2	25
Pregnancy with abortive outcome (O00-O07)	12	0.0	...	-	-	...	12	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	243	0.1	...	-	-	...	243	0.2	...
Certain conditions originating in the perinatal period (P00-P96)	4,906	1.7	12	2,706	1.8	10	2,200	1.6	13
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1,749	0.6	17	921	0.6	17	828	0.6	15
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	4,300	1.5	...	2,158	1.5	...	2,142	1.5	...
All other diseases (Residual)	25,926	9.0	...	11,066	7.5	...	14,860	10.6	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	13,684	4.8	4	9,443	6.4	3	4,241	3.0	6
Transport accidents (V01-V99, Y85)	5,871	2.0	...	4,255	2.9	...	1,616	1.2	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	5,555	1.9	...	3,995	2.7	...	1,560	1.1	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	146	0.1	...	118	0.1	...	28	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	170	0.1	...	142	0.1	...	28	0.0	...
Nontransport accidents (W00-X59, Y86)	7,813	2.7	...	5,188	3.5	...	2,625	1.9	...
Falls (W00-W19)	1,052	0.4	...	639	0.4	...	413	0.3	...
Accidental discharge of firearms (W32-W34)	140	0.0	...	132	0.1	...	8	0.0	...
Accidental drowning and submersion (W65-W74)	522	0.2	...	439	0.3	...	83	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	691	0.2	...	383	0.3	...	308	0.2	...
Accidental poisoning and exposure to noxious substances (X40-X49)	3,474	1.2	...	2,400	1.6	...	1,074	0.8	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	1,934	0.7	...	1,195	0.8	...	739	0.5	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	1,909	0.7	16	1,630	1.1	14	279	0.2	24
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	994	0.3	...	903	0.6	...	91	0.1	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	915	0.3	...	727	0.5	...	188	0.1	...
Assault (homicide) (X85-Y09, Y87.1)	8,902	3.1	6	7,566	5.2	4	1,336	1.0	14
Assault (homicide) by discharge of firearms (X93-X95)	7,021	2.4	...	6,292	4.3	...	729	0.5	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	1,881	0.7	...	1,274	0.9	...	607	0.4	...
Legal intervention (Y35, Y89.0)	115	0.0	34	112	0.1	31	3	0.0	40
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	710	0.2	...	502	0.3	...	208	0.1	...
Discharge of firearms, undetermined intent (Y22-Y24)	48	0.0	...	45	0.0	...	3	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	662	0.2	...	457	0.3	...	205	0.1	...
Operations of war and their sequelae (Y36, Y89.1)	-	-	...	-	-	...	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	423	0.1	25	177	0.1	26	246	0.2	26
Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	345	0.1	27	135	0.1	28	210	0.2	27

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for Origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> The title for this cause was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*.