

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	All origins <sup>1</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	2,468,435	100.0	...	1,232,432	100.0	...	1,236,003	100.0	...
Salmonella infections (A01-A02)	28	0.0	42	17	0.0	41	11	0.0	42
Shigellosis and amebiasis (A03,A06)	3	0.0	48	1	0.0	47	2	0.0	46
Certain other intestinal infections (A04,A07-A09)	10,276	0.4	...	4,046	0.3	...	6,230	0.5	...
Tuberculosis (A16-A19)	569	0.0	35	351	0.0	34	218	0.0	34
Respiratory tuberculosis (A16)	423	0.0	...	276	0.0	...	147	0.0	...
Other tuberculosis (A17-A19)	146	0.0	...	75	0.0	...	71	0.0	...
Whooping cough (A37)	26	0.0	44	13	0.0	42	13	0.0	40
Scarlet fever and erysipelas (A38,A46)	3	0.0	48	1	0.0	47	2	0.0	46
Meningococcal infection (A39)	79	0.0	41	40	0.0	39	39	0.0	38
Septicemia (A40-A41)	34,812	1.4	11	16,069	1.3	12	18,743	1.5	10
Syphilis (A50-A53)	28	0.0	42	20	0.0	40	8	0.0	43
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	9	0.0	46	4	0.0	45	5	0.0	44
Measles (B05)	2	0.0	50	2	0.0	46	-	-	...
Viral hepatitis (B15-B19)	7,564	0.3	22	5,038	0.4	21	2,526	0.2	24
Human immunodeficiency virus (HIV) disease (B20-B24)	8,369	0.3	21	6,099	0.5	19	2,270	0.2	25
Malaria (B50-B54)	10	0.0	45	7	0.0	44	3	0.0	45
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	5,805	0.2	...	2,970	0.2	...	2,835	0.2	...
Malignant neoplasms (C00-C97)	574,743	23.3	2	301,037	24.4	2	273,706	22.1	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	8,474	0.3	...	5,815	0.5	...	2,659	0.2	...
Malignant neoplasm of esophagus (C15)	14,490	0.6	...	11,416	0.9	...	3,074	0.2	...
Malignant neoplasm of stomach (C16)	11,390	0.5	...	6,703	0.5	...	4,687	0.4	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	52,622	2.1	...	27,284	2.2	...	25,338	2.0	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	20,305	0.8	...	13,658	1.1	...	6,647	0.5	...
Malignant neoplasm of pancreas (C25)	36,888	1.5	...	18,699	1.5	...	18,189	1.5	...
Malignant neoplasm of larynx (C32)	3,691	0.1	...	2,951	0.2	...	740	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	158,318	6.4	...	87,740	7.1	...	70,578	5.7	...
Malignant melanoma of skin (C43)	9,154	0.4	...	6,002	0.5	...	3,152	0.3	...
Malignant neoplasm of breast (C50)	41,435	1.7	...	439	0.0	...	40,996	3.3	...
Malignant neoplasm of cervix uteri (C53)	3,939	0.2	...	-	-	...	3,939	0.3	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	8,402	0.3	...	-	-	...	8,402	0.7	...
Malignant neoplasm of ovary (C56)	14,572	0.6	...	-	-	...	14,572	1.2	...
Malignant neoplasm of prostate (C61)	28,561	1.2	...	28,561	2.3	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	13,219	0.5	...	8,436	0.7	...	4,783	0.4	...
Malignant neoplasm of bladder (C67)	14,731	0.6	...	10,429	0.8	...	4,302	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	14,164	0.6	...	7,977	0.6	...	6,187	0.5	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	55,590	2.3	...	30,777	2.5	...	24,813	2.0	...
Hodgkin's disease (C81)	1,231	0.0	...	714	0.1	...	517	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	20,294	0.8	...	11,047	0.9	...	9,247	0.7	...
Leukemia (C91-C95)	22,569	0.9	...	12,851	1.0	...	9,718	0.8	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	11,428	0.5	...	6,117	0.5	...	5,311	0.4	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	68	0.0	...	48	0.0	...	20	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	64,798	2.6	...	34,150	2.8	...	30,648	2.5	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	14,917	0.6	17	7,721	0.6	17	7,196	0.6	16
Anemias (D50-D64)	4,852	0.2	25	2,017	0.2	25	2,835	0.2	23
Diabetes mellitus (E10-E14)	69,071	2.8	7	35,490	2.9	6	33,581	2.7	7
Nutritional deficiencies (E40-E64)	2,948	0.1	28	1,141	0.1	29	1,807	0.1	26
Malnutrition (E40-E46)	2,790	0.1	...	1,079	0.1	...	1,711	0.1	...
Other nutritional deficiencies (E50-E64)	158	0.0	...	62	0.0	...	96	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	All origins <sup>1</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	608	0.0	33	303	0.0	35	305	0.0	33
Parkinson's disease (G20-G21)	22,032	0.9	14	12,871	1.0	13	9,161	0.7	13
Alzheimer's disease (G30)	83,494	3.4	6	25,364	2.1	8	58,130	4.7	5
Major cardiovascular diseases (I00-I78)	780,213	31.6	...	383,547	31.1	...	396,666	32.1	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	597,689	24.2	1	307,384	24.9	1	290,305	23.5	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	2,987	0.1	...	996	0.1	...	1,991	0.2	...
Hypertensive heart disease (I11)	33,678	1.4	...	16,242	1.3	...	17,436	1.4	...
Hypertensive heart and renal disease (I13)	2,807	0.1	...	1,285	0.1	...	1,522	0.1	...
Ischemic heart diseases (I20-I25)	379,559	15.4	...	207,580	16.8	...	171,979	13.9	...
Acute myocardial infarction (I21-I22)	122,071	4.9	...	67,435	5.5	...	54,636	4.4	...
Other acute ischemic heart diseases (I24)	4,170	0.2	...	2,156	0.2	...	2,014	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	253,318	10.3	...	137,989	11.2	...	115,329	9.3	...
Atherosclerotic cardiovascular disease, so described (I25.0)	57,438	2.3	...	33,703	2.7	...	23,735	1.9	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	195,880	7.9	...	104,286	8.5	...	91,594	7.4	...
Other heart diseases (I26-I51)	178,658	7.2	...	81,281	6.6	...	97,377	7.9	...
Acute and subacute endocarditis (I33)	1,103	0.0	...	627	0.1	...	476	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	776	0.0	...	405	0.0	...	371	0.0	...
Heart failure (I50)	57,757	2.3	...	24,385	2.0	...	33,372	2.7	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	119,022	4.8	...	55,864	4.5	...	63,158	5.1	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	26,634	1.1	13	10,846	0.9	15	15,788	1.3	11
Cerebrovascular diseases (I60-I69)	129,476	5.2	4	52,367	4.2	5	77,109	6.2	3
Atherosclerosis (I70)	7,230	0.3	24	2,933	0.2	23	4,297	0.3	21
Other diseases of circulatory system (I71-I78)	19,184	0.8	...	10,017	0.8	...	9,167	0.7	...
Aortic aneurysm and dissection (I71)	10,431	0.4	19	6,096	0.5	20	4,335	0.4	20
Other diseases of arteries, arterioles and capillaries (I72-I78)	8,753	0.4	...	3,921	0.3	...	4,832	0.4	...
Other disorders of circulatory system (I80-I99)	4,241	0.2	...	2,053	0.2	...	2,188	0.2	...
Influenza and pneumonia (J09-J18)	50,097	2.0	9	23,615	1.9	10	26,482	2.1	8
Influenza (J09-J11)	500	0.0	...	250	0.0	...	250	0.0	...
Pneumonia (J12-J18)	49,597	2.0	...	23,365	1.9	...	26,232	2.1	...
Other acute lower respiratory infections (J20-J22,U04)	213	0.0	...	94	0.0	...	119	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	177	0.0	39	74	0.0	38	103	0.0	37
Other and unspecified acute lower respiratory infection (J22,U04)	36	0.0	...	20	0.0	...	16	0.0	...
Chronic lower respiratory diseases (J40-J47)	138,080	5.6	3	65,423	5.3	4	72,657	5.9	4
Bronchitis, chronic and unspecified (J40-J42)	620	0.0	...	267	0.0	...	353	0.0	...
Emphysema (J43)	10,034	0.4	...	5,227	0.4	...	4,807	0.4	...
Asthma (J45-J46)	3,404	0.1	...	1,283	0.1	...	2,121	0.2	...
Other chronic lower respiratory diseases (J44,J47)	124,022	5.0	...	58,646	4.8	...	65,376	5.3	...
Pneumoconioses and chemical effects (J60-J66,J68)	845	0.0	31	812	0.1	31	33	0.0	39
Pneumonitis due to solids and liquids (J69)	17,011	0.7	15	9,208	0.7	16	7,803	0.6	15
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	31,187	1.3	...	15,791	1.3	...	15,396	1.2	...
Peptic ulcer (K25-K28)	2,977	0.1	27	1,460	0.1	27	1,517	0.1	28
Diseases of appendix (K35-K38)	415	0.0	37	258	0.0	36	157	0.0	35
Hernia (K40-K46)	1,832	0.1	30	814	0.1	30	1,018	0.1	30
Chronic liver disease and cirrhosis (K70,K73-K74)	31,903	1.3	12	20,798	1.7	11	11,105	0.9	12
Alcoholic liver disease (K70)	15,990	0.6	...	11,441	0.9	...	4,549	0.4	...
Other chronic liver disease and cirrhosis (K73-K74)	15,913	0.6	...	9,357	0.8	...	6,556	0.5	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	3,332	0.1	26	1,552	0.1	26	1,780	0.1	27
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	50,476	2.0	8	24,865	2.0	9	25,611	2.1	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	203	0.0	...	97	0.0	...	106	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	5,894	0.2	...	2,775	0.2	...	3,119	0.3	...
Renal failure (N17-N19)	44,362	1.8	...	21,989	1.8	...	22,373	1.8	...
Other disorders of kidney (N25,N27)	17	0.0	...	4	0.0	...	13	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	608	0.0	33	187	0.0	37	421	0.0	32

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	All origins <sup>1</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	489	0.0	36	489	0.0	32	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	137	0.0	40	-	-	...	137	0.0	36
Pregnancy, childbirth and the puerperium (O00-O99)	825	0.0	32	-	-	...	825	0.1	31
Pregnancy with abortive outcome (O00-O07)	37	0.0	...	-	-	...	37	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	788	0.0	...	-	-	...	788	0.1	...
Certain conditions originating in the perinatal period (P00-P96)	12,128	0.5	18	6,803	0.6	18	5,325	0.4	17
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9,673	0.4	20	4,960	0.4	22	4,713	0.4	18
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	38,360	1.6	...	16,057	1.3	...	22,303	1.8	...
All other diseases (Residual)	269,844	10.9	...	109,547	8.9	...	160,297	13.0	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	120,859	4.9	5	75,921	6.2	3	44,938	3.6	6
Transport accidents (V01-V99, Y85)	37,961	1.5	...	26,783	2.2	...	11,178	0.9	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	35,332	1.4	...	24,723	2.0	...	10,609	0.9	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	1,029	0.0	...	794	0.1	...	235	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	1,600	0.1	...	1,266	0.1	...	334	0.0	...
Nontransport accidents (W00-X59, Y86)	82,898	3.4	...	49,138	4.0	...	33,760	2.7	...
Falls (W00-W19)	26,009	1.1	...	13,049	1.1	...	12,960	1.0	...
Accidental discharge of firearms (W32-W34)	606	0.0	...	515	0.0	...	91	0.0	...
Accidental drowning and submersion (W65-W74)	3,782	0.2	...	2,936	0.2	...	846	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	2,782	0.1	...	1,624	0.1	...	1,158	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	33,041	1.3	...	21,117	1.7	...	11,924	1.0	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	16,678	0.7	...	9,897	0.8	...	6,781	0.5	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	38,364	1.6	10	30,277	2.5	7	8,087	0.7	14
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	19,392	0.8	...	16,962	1.4	...	2,430	0.2	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	18,972	0.8	...	13,315	1.1	...	5,657	0.5	...
Assault (homicide) (X85-Y09, Y87.1)	16,259	0.7	16	12,774	1.0	14	3,485	0.3	22
Assault (homicide) by discharge of firearms (X93-X95)	11,078	0.4	...	9,340	0.8	...	1,738	0.1	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	5,181	0.2	...	3,434	0.3	...	1,747	0.1	...
Legal intervention (Y35, Y89.0)	412	0.0	38	399	0.0	33	13	0.0	40
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	4,908	0.2	...	2,930	0.2	...	1,978	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	252	0.0	...	203	0.0	...	49	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	4,656	0.2	...	2,727	0.2	...	1,929	0.2	...
Operations of war and their sequelae (Y36, Y89.1)	9	0.0	46	9	0.0	43	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	2,490	0.1	29	1,167	0.1	28	1,323	0.1	29
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	7,298	0.3	23	2,889	0.2	24	4,409	0.4	19

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Hispanic <sup>2</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	144,490	100.0	...	79,622	100.0	...	64,868	100.0	...
Salmonella infections (A01-A02)	3	0.0	43	-	-	...	3	0.0	40
Shigellosis and amebiasis (A03,A06)	-	-	...	-	-	...	-	-	...
Certain other intestinal infections (A04,A07-A09)	603	0.4	...	269	0.3	...	334	0.5	...
Tuberculosis (A16-A19)	98	0.1	32	63	0.1	31	35	0.1	33
Respiratory tuberculosis (A16)	73	0.1	...	52	0.1	...	21	0.0	...
Other tuberculosis (A17-A19)	25	0.0	...	11	0.0	...	14	0.0	...
Whooping cough (A37)	11	0.0	42	5	0.0	40	6	0.0	37
Scarlet fever and erysipelas (A38,A46)	1	0.0	45	1	0.0	42	-	-	...
Meningococcal infection (A39)	22	0.0	39	10	0.0	38	12	0.0	35
Septicemia (A40-A41)	2,035	1.4	14	1,012	1.3	14	1,023	1.6	12
Syphilis (A50-A53)	3	0.0	43	3	0.0	41	-	-	...
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	-	-	...	-	-	...	-	-	...
Measles (B05)	1	0.0	45	1	0.0	42	-	-	...
Viral hepatitis (B15-B19)	1,118	0.8	18	766	1.0	17	352	0.5	19
Human immunodeficiency virus (HIV) disease (B20-B24)	1,134	0.8	17	910	1.1	15	224	0.3	21
Malaria (B50-B54)	-	-	...	-	-	...	-	-	...
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	441	0.3	...	233	0.3	...	208	0.3	...
Malignant neoplasms (C00-C97)	31,119	21.5	1	16,450	20.7	1	14,669	22.6	1
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	412	0.3	...	298	0.4	...	114	0.2	...
Malignant neoplasm of esophagus (C15)	592	0.4	...	475	0.6	...	117	0.2	...
Malignant neoplasm of stomach (C16)	1,554	1.1	...	873	1.1	...	681	1.0	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	3,179	2.2	...	1,782	2.2	...	1,397	2.2	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	2,331	1.6	...	1,584	2.0	...	747	1.2	...
Malignant neoplasm of pancreas (C25)	2,142	1.5	...	1,046	1.3	...	1,096	1.7	...
Malignant neoplasm of larynx (C32)	211	0.1	...	188	0.2	...	23	0.0	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4,953	3.4	...	3,046	3.8	...	1,907	2.9	...
Malignant melanoma of skin (C43)	216	0.1	...	125	0.2	...	91	0.1	...
Malignant neoplasm of breast (C50)	2,312	1.6	...	17	0.0	...	2,295	3.5	...
Malignant neoplasm of cervix uteri (C53)	476	0.3	...	-	-	...	476	0.7	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	528	0.4	...	-	-	...	528	0.8	...
Malignant neoplasm of ovary (C56)	848	0.6	...	-	-	...	848	1.3	...
Malignant neoplasm of prostate (C61)	1,535	1.1	...	1,535	1.9	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	944	0.7	...	588	0.7	...	356	0.5	...
Malignant neoplasm of bladder (C67)	519	0.4	...	352	0.4	...	167	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	884	0.6	...	514	0.6	...	370	0.6	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	3,634	2.5	...	1,968	2.5	...	1,666	2.6	...
Hodgkin's disease (C81)	133	0.1	...	82	0.1	...	51	0.1	...
Non-Hodgkin's lymphoma (C82-C85)	1,327	0.9	...	711	0.9	...	616	0.9	...
Leukemia (C91-C95)	1,444	1.0	...	785	1.0	...	659	1.0	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	728	0.5	...	388	0.5	...	340	0.5	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	2	0.0	...	2	0.0	...	-	-	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	3,849	2.7	...	2,059	2.6	...	1,790	2.8	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	784	0.5	20	404	0.5	20	380	0.6	18
Anemias (D50-D64)	236	0.2	26	117	0.1	26	119	0.2	26
Diabetes mellitus (E10-E14)	6,556	4.5	5	3,372	4.2	5	3,184	4.9	4
Nutritional deficiencies (E40-E64)	175	0.1	27	81	0.1	27	94	0.1	28
Malnutrition (E40-E46)	166	0.1	...	78	0.1	...	88	0.1	...
Other nutritional deficiencies (E50-E64)	9	0.0	...	3	0.0	...	6	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Hispanic <sup>2</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	71	0.0	34	33	0.0	33	38	0.1	32
Parkinson's disease (G20-G21)	982	0.7	19	555	0.7	19	427	0.7	17
Alzheimer's disease (G30)	3,427	2.4	8	1,171	1.5	13	2,256	3.5	6
Major cardiovascular diseases (I00-I78)	40,154	27.8	...	21,220	26.7	...	18,934	29.2	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	30,006	20.8	2	16,421	20.6	2	13,585	20.9	2
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	154	0.1	...	52	0.1	...	102	0.2	...
Hypertensive heart disease (I11)	2,094	1.4	...	1,169	1.5	...	925	1.4	...
Hypertensive heart and renal disease (I13)	215	0.1	...	108	0.1	...	107	0.2	...
Ischemic heart diseases (I20-I25)	20,494	14.2	...	11,546	14.5	...	8,948	13.8	...
Acute myocardial infarction (I21-I22)	6,554	4.5	...	3,726	4.7	...	2,828	4.4	...
Other acute ischemic heart diseases (I24)	134	0.1	...	60	0.1	...	74	0.1	...
Other forms of chronic ischemic heart disease (I20,I25)	13,806	9.6	...	7,760	9.7	...	6,046	9.3	...
Atherosclerotic cardiovascular disease, so described (I25.0)	3,419	2.4	...	2,242	2.8	...	1,177	1.8	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	10,387	7.2	...	5,518	6.9	...	4,869	7.5	...
Other heart diseases (I26-I51)	7,049	4.9	...	3,546	4.5	...	3,503	5.4	...
Acute and subacute endocarditis (I33)	78	0.1	...	47	0.1	...	31	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	57	0.0	...	31	0.0	...	26	0.0	...
Heart failure (I50)	2,024	1.4	...	936	1.2	...	1,088	1.7	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	4,890	3.4	...	2,532	3.2	...	2,358	3.6	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,712	1.2	16	764	1.0	18	948	1.5	13
Cerebrovascular diseases (I60-I69)	7,274	5.0	4	3,382	4.2	4	3,892	6.0	3
Atherosclerosis (I70)	269	0.2	24	127	0.2	25	142	0.2	25
Other diseases of circulatory system (I71-I78)	893	0.6	...	526	0.7	...	367	0.6	...
Aortic aneurysm and dissection (I71)	438	0.3	22	295	0.4	22	143	0.2	24
Other diseases of arteries, arterioles and capillaries (I72-I78)	455	0.3	...	231	0.3	...	224	0.3	...
Other disorders of circulatory system (I80-I99)	259	0.2	...	135	0.2	...	124	0.2	...
Influenza and pneumonia (J09-J18)	3,025	2.1	10	1,565	2.0	11	1,460	2.3	9
Influenza (J09-J11)	92	0.1	...	51	0.1	...	41	0.1	...
Pneumonia (J12-J18)	2,933	2.0	...	1,514	1.9	...	1,419	2.2	...
Other acute lower respiratory infections (J20-J22,U04)	13	0.0	...	8	0.0	...	5	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	12	0.0	40	7	0.0	39	5	0.0	39
Other and unspecified acute lower respiratory infection (J22,U04)	1	0.0	...	1	0.0	...	-	-	...
Chronic lower respiratory diseases (J40-J47)	4,172	2.9	7	2,174	2.7	8	1,998	3.1	7
Bronchitis, chronic and unspecified (J40-J42)	45	0.0	...	21	0.0	...	24	0.0	...
Emphysema (J43)	250	0.2	...	152	0.2	...	98	0.2	...
Asthma (J45-J46)	292	0.2	...	120	0.2	...	172	0.3	...
Other chronic lower respiratory diseases (J44,J47)	3,585	2.5	...	1,881	2.4	...	1,704	2.6	...
Pneumoconioses and chemical effects (J60-J66,J68)	23	0.0	38	23	0.0	35	-	-	...
Pneumonitis due to solids and liquids (J69)	691	0.5	21	396	0.5	21	295	0.5	20
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	2,021	1.4	...	1,013	1.3	...	1,008	1.6	...
Peptic ulcer (K25-K28)	140	0.1	30	76	0.1	29	64	0.1	31
Diseases of appendix (K35-K38)	28	0.0	36	22	0.0	36	6	0.0	37
Hernia (K40-K46)	120	0.1	31	44	0.1	32	76	0.1	29
Chronic liver disease and cirrhosis (K70,K73-K74)	4,348	3.0	6	3,067	3.9	6	1,281	2.0	10
Alcoholic liver disease (K70)	2,389	1.7	...	1,937	2.4	...	452	0.7	...
Other chronic liver disease and cirrhosis (K73-K74)	1,959	1.4	...	1,130	1.4	...	829	1.3	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	247	0.2	25	130	0.2	24	117	0.2	27
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,252	2.3	9	1,670	2.1	10	1,582	2.4	8
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	12	0.0	...	6	0.0	...	6	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	326	0.2	...	162	0.2	...	164	0.3	...
Renal failure (N17-N19)	2,913	2.0	...	1,502	1.9	...	1,411	2.2	...
Other disorders of kidney (N25,N27)	1	0.0	...	-	-	...	1	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	44	0.0	35	12	0.0	37	32	0.0	34

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Hispanic <sup>2</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	28	0.0	36	28	0.0	34	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	12	0.0	40	-	-	...	12	0.0	35
Pregnancy, childbirth and the puerperium (O00-O99)	146	0.1	29	-	-	...	146	0.2	23
Pregnancy with abortive outcome (O00-O07)	8	0.0	...	-	-	...	8	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	138	0.1	...	-	-	...	138	0.2	...
Certain conditions originating in the perinatal period (P00-P96)	2,529	1.8	13	1,456	1.8	12	1,073	1.7	11
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1,786	1.2	15	903	1.1	16	883	1.4	14
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	2,069	1.4	...	1,065	1.3	...	1,004	1.5	...
All other diseases (Residual)	13,964	9.7	...	6,565	8.2	...	7,399	11.4	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	10,476	7.3	3	7,594	9.5	3	2,882	4.4	5
Transport accidents (V01-V99, Y85)	4,778	3.3	...	3,518	4.4	...	1,260	1.9	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	4,509	3.1	...	3,291	4.1	...	1,218	1.9	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	169	0.1	...	146	0.2	...	23	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	100	0.1	...	81	0.1	...	19	0.0	...
Nontransport accidents (W00-X59, Y86)	5,698	3.9	...	4,076	5.1	...	1,622	2.5	...
Falls (W00-W19)	1,275	0.9	...	791	1.0	...	484	0.7	...
Accidental discharge of firearms (W32-W34)	37	0.0	...	34	0.0	...	3	0.0	...
Accidental drowning and submersion (W65-W74)	527	0.4	...	447	0.6	...	80	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	171	0.1	...	113	0.1	...	58	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	2,601	1.8	...	1,918	2.4	...	683	1.1	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	1,087	0.8	...	773	1.0	...	314	0.5	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	2,661	1.8	12	2,168	2.7	9	493	0.8	15
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	962	0.7	...	868	1.1	...	94	0.1	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	1,699	1.2	...	1,300	1.6	...	399	0.6	...
Assault (homicide) (X85-Y09, Y87.1)	2,890	2.0	11	2,435	3.1	7	455	0.7	16
Assault (homicide) by discharge of firearms (X93-X95)	1,919	1.3	...	1,706	2.1	...	213	0.3	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	971	0.7	...	729	0.9	...	242	0.4	...
Legal intervention (Y35, Y89.0)	75	0.1	33	75	0.1	30	-	-	...
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	349	0.2	...	242	0.3	...	107	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	25	0.0	...	21	0.0	...	4	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	324	0.2	...	221	0.3	...	103	0.2	...
Operations of war and their sequelae (Y36, Y89.1)	-	-	...	-	-	...	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	148	0.1	28	80	0.1	28	68	0.1	30
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	380	0.3	23	158	0.2	23	222	0.3	22

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Non-Hispanic <sup>3</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	2,318,218	100.0	...	1,149,438	100.0	...	1,168,780	100.0	...
Salmonella infections (A01-A02)	25	0.0	42	17	0.0	40	8	0.0	41
Shigellosis and amebiasis (A03,A06)	3	0.0	48	1	0.0	46	2	0.0	46
Certain other intestinal infections (A04,A07-A09)	9,657	0.4	...	3,770	0.3	...	5,887	0.5	...
Tuberculosis (A16-A19)	467	0.0	35	285	0.0	34	182	0.0	34
Respiratory tuberculosis (A16)	347	0.0	...	222	0.0	...	125	0.0	...
Other tuberculosis (A17-A19)	120	0.0	...	63	0.0	...	57	0.0	...
Whooping cough (A37)	15	0.0	44	8	0.0	43	7	0.0	43
Scarlet fever and erysipelas (A38,A46)	2	0.0	49	-	-	...	2	0.0	46
Meningococcal infection (A39)	57	0.0	41	30	0.0	39	27	0.0	39
Septicemia (A40-A41)	32,716	1.4	11	15,028	1.3	12	17,688	1.5	10
Syphilis (A50-A53)	25	0.0	42	17	0.0	40	8	0.0	41
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	9	0.0	46	4	0.0	45	5	0.0	44
Measles (B05)	1	0.0	50	1	0.0	46	-	-	...
Viral hepatitis (B15-B19)	6,414	0.3	24	4,248	0.4	21	2,166	0.2	24
Human immunodeficiency virus (HIV) disease (B20-B24)	7,175	0.3	21	5,140	0.4	20	2,035	0.2	25
Malaria (B50-B54)	10	0.0	45	7	0.0	44	3	0.0	45
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	5,353	0.2	...	2,732	0.2	...	2,621	0.2	...
Malignant neoplasms (C00-C97)	542,581	23.4	2	284,018	24.7	2	258,563	22.1	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	8,035	0.3	...	5,497	0.5	...	2,538	0.2	...
Malignant neoplasm of esophagus (C15)	13,870	0.6	...	10,919	0.9	...	2,951	0.3	...
Malignant neoplasm of stomach (C16)	9,814	0.4	...	5,815	0.5	...	3,999	0.3	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	49,358	2.1	...	25,455	2.2	...	23,903	2.0	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	17,929	0.8	...	12,045	1.0	...	5,884	0.5	...
Malignant neoplasm of pancreas (C25)	34,694	1.5	...	17,620	1.5	...	17,074	1.5	...
Malignant neoplasm of larynx (C32)	3,469	0.1	...	2,753	0.2	...	716	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	153,042	6.6	...	84,519	7.4	...	68,523	5.9	...
Malignant melanoma of skin (C43)	8,926	0.4	...	5,870	0.5	...	3,056	0.3	...
Malignant neoplasm of breast (C50)	39,044	1.7	...	421	0.0	...	38,623	3.3	...
Malignant neoplasm of cervix uteri (C53)	3,456	0.1	...	-	-	...	3,456	0.3	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	7,853	0.3	...	-	-	...	7,853	0.7	...
Malignant neoplasm of ovary (C56)	13,691	0.6	...	-	-	...	13,691	1.2	...
Malignant neoplasm of prostate (C61)	26,973	1.2	...	26,973	2.3	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	12,255	0.5	...	7,832	0.7	...	4,423	0.4	...
Malignant neoplasm of bladder (C67)	14,187	0.6	...	10,063	0.9	...	4,124	0.4	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	13,269	0.6	...	7,456	0.6	...	5,813	0.5	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	51,881	2.2	...	28,760	2.5	...	23,121	2.0	...
Hodgkin's disease (C81)	1,095	0.0	...	629	0.1	...	466	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	18,937	0.8	...	10,314	0.9	...	8,623	0.7	...
Leukemia (C91-C95)	21,096	0.9	...	12,051	1.0	...	9,045	0.8	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	10,687	0.5	...	5,720	0.5	...	4,967	0.4	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	66	0.0	...	46	0.0	...	20	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	60,835	2.6	...	32,020	2.8	...	28,815	2.5	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	14,107	0.6	16	7,302	0.6	17	6,805	0.6	16
Anemias (D50-D64)	4,602	0.2	25	1,892	0.2	25	2,710	0.2	23
Diabetes mellitus (E10-E14)	62,357	2.7	7	32,027	2.8	6	30,330	2.6	7
Nutritional deficiencies (E40-E64)	2,768	0.1	28	1,057	0.1	29	1,711	0.1	26
Malnutrition (E40-E46)	2,620	0.1	...	999	0.1	...	1,621	0.1	...
Other nutritional deficiencies (E50-E64)	148	0.0	...	58	0.0	...	90	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Non-Hispanic <sup>3</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	533	0.0	34	266	0.0	35	267	0.0	33
Parkinson's disease (G20-G21)	21,035	0.9	14	12,308	1.1	13	8,727	0.7	13
Alzheimer's disease (G30)	79,984	3.5	6	24,169	2.1	8	55,815	4.8	5
Major cardiovascular diseases (I00-I78)	738,164	31.8	...	361,226	31.4	...	376,938	32.3	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	566,098	24.4	1	290,006	25.2	1	276,092	23.6	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	2,830	0.1	...	942	0.1	...	1,888	0.2	...
Hypertensive heart disease (I11)	31,406	1.4	...	14,967	1.3	...	16,439	1.4	...
Hypertensive heart and renal disease (I13)	2,586	0.1	...	1,174	0.1	...	1,412	0.1	...
Ischemic heart diseases (I20-I25)	357,969	15.4	...	195,358	17.0	...	162,611	13.9	...
Acute myocardial infarction (I21-I22)	115,254	5.0	...	63,543	5.5	...	51,711	4.4	...
Other acute ischemic heart diseases (I24)	4,029	0.2	...	2,090	0.2	...	1,939	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	238,686	10.3	...	129,725	11.3	...	108,961	9.3	...
Atherosclerotic cardiovascular disease, so described (I25.0)	53,660	2.3	...	31,208	2.7	...	22,452	1.9	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	185,026	8.0	...	98,517	8.6	...	86,509	7.4	...
Other heart diseases (I26-I51)	171,307	7.4	...	77,565	6.7	...	93,742	8.0	...
Acute and subacute endocarditis (I33)	1,023	0.0	...	579	0.1	...	444	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	716	0.0	...	372	0.0	...	344	0.0	...
Heart failure (I50)	55,661	2.4	...	23,409	2.0	...	32,252	2.8	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	113,907	4.9	...	53,205	4.6	...	60,702	5.2	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	24,872	1.1	13	10,058	0.9	15	14,814	1.3	11
Cerebrovascular diseases (I60-I69)	122,000	5.3	4	48,894	4.3	5	73,106	6.3	3
Atherosclerosis (I70)	6,952	0.3	22	2,803	0.2	23	4,149	0.4	20
Other diseases of circulatory system (I71-I78)	18,242	0.8	...	9,465	0.8	...	8,777	0.8	...
Aortic aneurysm and dissection (I71)	9,966	0.4	18	5,781	0.5	18	4,185	0.4	17
Other diseases of arteries, arterioles and capillaries (I72-I78)	8,276	0.4	...	3,684	0.3	...	4,592	0.4	...
Other disorders of circulatory system (I80-I99)	3,964	0.2	...	1,908	0.2	...	2,056	0.2	...
Influenza and pneumonia (J09-J18)	46,937	2.0	9	21,981	1.9	10	24,956	2.1	8
Influenza (J09-J11)	408	0.0	...	199	0.0	...	209	0.0	...
Pneumonia (J12-J18)	46,529	2.0	...	21,782	1.9	...	24,747	2.1	...
Other acute lower respiratory infections (J20-J22,U04)	200	0.0	...	86	0.0	...	114	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	165	0.0	39	67	0.0	38	98	0.0	37
Other and unspecified acute lower respiratory infection (J22,U04)	35	0.0	...	19	0.0	...	16	0.0	...
Chronic lower respiratory diseases (J40-J47)	133,638	5.8	3	63,100	5.5	4	70,538	6.0	4
Bronchitis, chronic and unspecified (J40-J42)	574	0.0	...	245	0.0	...	329	0.0	...
Emphysema (J43)	9,749	0.4	...	5,051	0.4	...	4,698	0.4	...
Asthma (J45-J46)	3,099	0.1	...	1,157	0.1	...	1,942	0.2	...
Other chronic lower respiratory diseases (J44,J47)	120,216	5.2	...	56,647	4.9	...	63,569	5.4	...
Pneumoconioses and chemical effects (J60-J66,J68)	820	0.0	31	787	0.1	30	33	0.0	38
Pneumonitis due to solids and liquids (J69)	16,300	0.7	15	8,796	0.8	16	7,504	0.6	15
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	29,107	1.3	...	14,737	1.3	...	14,370	1.2	...
Peptic ulcer (K25-K28)	2,826	0.1	27	1,376	0.1	27	1,450	0.1	28
Diseases of appendix (K35-K38)	385	0.0	37	234	0.0	36	151	0.0	35
Hernia (K40-K46)	1,707	0.1	30	766	0.1	31	941	0.1	30
Chronic liver disease and cirrhosis (K70,K73-K74)	27,455	1.2	12	17,657	1.5	11	9,798	0.8	12
Alcoholic liver disease (K70)	13,540	0.6	...	9,458	0.8	...	4,082	0.3	...
Other chronic liver disease and cirrhosis (K73-K74)	13,915	0.6	...	8,199	0.7	...	5,716	0.5	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	3,075	0.1	26	1,419	0.1	26	1,656	0.1	27
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	47,120	2.0	8	23,140	2.0	9	23,980	2.1	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	191	0.0	...	91	0.0	...	100	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	5,552	0.2	...	2,603	0.2	...	2,949	0.3	...
Renal failure (N17-N19)	41,361	1.8	...	20,442	1.8	...	20,919	1.8	...
Other disorders of kidney (N25,N27)	16	0.0	...	4	0.0	...	12	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	562	0.0	33	175	0.0	37	387	0.0	32

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Non-Hispanic <sup>3</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	459	0.0	36	459	0.0	32	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	125	0.0	40	-	-	...	125	0.0	36
Pregnancy, childbirth and the puerperium (O00-O99)	670	0.0	32	-	-	...	670	0.1	31
Pregnancy with abortive outcome (O00-O07)	28	0.0	...	-	-	...	28	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	642	0.0	...	-	-	...	642	0.1	...
Certain conditions originating in the perinatal period (P00-P96)	9,446	0.4	19	5,269	0.5	19	4,177	0.4	19
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7,845	0.3	20	4,032	0.4	22	3,813	0.3	21
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	36,151	1.6	...	14,900	1.3	...	21,251	1.8	...
All other diseases (Residual)	255,372	11.0	...	102,717	8.9	...	152,655	13.1	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	109,968	4.7	5	68,032	5.9	3	41,936	3.6	6
Transport accidents (V01-V99, Y85)	33,045	1.4	...	23,165	2.0	...	9,880	0.8	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	30,700	1.3	...	21,345	1.9	...	9,355	0.8	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	854	0.0	...	642	0.1	...	212	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	1,491	0.1	...	1,178	0.1	...	313	0.0	...
Nontransport accidents (W00-X59, Y86)	76,923	3.3	...	44,867	3.9	...	32,056	2.7	...
Falls (W00-W19)	24,683	1.1	...	12,234	1.1	...	12,449	1.1	...
Accidental discharge of firearms (W32-W34)	568	0.0	...	480	0.0	...	88	0.0	...
Accidental drowning and submersion (W65-W74)	3,241	0.1	...	2,476	0.2	...	765	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	2,595	0.1	...	1,499	0.1	...	1,096	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	30,292	1.3	...	19,086	1.7	...	11,206	1.0	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	15,544	0.7	...	9,092	0.8	...	6,452	0.6	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	35,562	1.5	10	27,994	2.4	7	7,568	0.6	14
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	18,365	0.8	...	16,036	1.4	...	2,329	0.2	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	17,197	0.7	...	11,958	1.0	...	5,239	0.4	...
Assault (homicide) (X85-Y09, Y87.1)	13,252	0.6	17	10,238	0.9	14	3,014	0.3	22
Assault (homicide) by discharge of firearms (X93-X95)	9,082	0.4	...	7,565	0.7	...	1,517	0.1	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	4,170	0.2	...	2,673	0.2	...	1,497	0.1	...
Legal intervention (Y35, Y89.0)	335	0.0	38	322	0.0	33	13	0.0	40
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	4,531	0.2	...	2,667	0.2	...	1,864	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	227	0.0	...	182	0.0	...	45	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	4,304	0.2	...	2,485	0.2	...	1,819	0.2	...
Operations of war and their sequelae (Y36, Y89.1)	9	0.0	46	9	0.0	42	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	2,337	0.1	29	1,084	0.1	28	1,253	0.1	29
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	6,908	0.3	23	2,726	0.2	24	4,182	0.4	18

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	White, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	1,969,916	100.0	...	971,604	100.0	...	998,312	100.0	...
Salmonella infections (A01-A02)	16	0.0	42	14	0.0	40	2	0.0	44
Shigellosis and amebiasis (A03,A06)	1	0.0	48	1	0.0	45	-	-	...
Certain other intestinal infections (A04,A07-A09)	8,661	0.4	...	3,323	0.3	...	5,338	0.5	...
Tuberculosis (A16-A19)	238	0.0	37	135	0.0	37	103	0.0	35
Respiratory tuberculosis (A16)	165	0.0	...	93	0.0	...	72	0.0	...
Other tuberculosis (A17-A19)	73	0.0	...	42	0.0	...	31	0.0	...
Whooping cough (A37)	13	0.0	43	6	0.0	43	7	0.0	41
Scarlet fever and erysipelas (A38,A46)	1	0.0	48	-	-	...	1	0.0	45
Meningococcal infection (A39)	46	0.0	41	25	0.0	39	21	0.0	39
Septicemia (A40-A41)	25,951	1.3	11	11,963	1.2	12	13,988	1.4	10
Syphilis (A50-A53)	12	0.0	44	9	0.0	41	3	0.0	43
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	8	0.0	45	3	0.0	44	5	0.0	42
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	4,942	0.3	23	3,331	0.3	18	1,611	0.2	24
Human immunodeficiency virus (HIV) disease (B20-B24)	2,454	0.1	26	2,046	0.2	24	408	0.0	30
Malaria (B50-B54)	2	0.0	47	1	0.0	45	1	0.0	45
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	4,359	0.2	...	2,205	0.2	...	2,154	0.2	...
Malignant neoplasms (C00-C97)	460,567	23.4	2	241,816	24.9	2	218,751	21.9	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	6,728	0.3	...	4,580	0.5	...	2,148	0.2	...
Malignant neoplasm of esophagus (C15)	12,161	0.6	...	9,665	1.0	...	2,496	0.3	...
Malignant neoplasm of stomach (C16)	6,983	0.4	...	4,157	0.4	...	2,826	0.3	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	40,686	2.1	...	20,990	2.2	...	19,696	2.0	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	13,643	0.7	...	9,069	0.9	...	4,574	0.5	...
Malignant neoplasm of pancreas (C25)	29,278	1.5	...	15,013	1.5	...	14,265	1.4	...
Malignant neoplasm of larynx (C32)	2,793	0.1	...	2,219	0.2	...	574	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	132,658	6.7	...	72,584	7.5	...	60,074	6.0	...
Malignant melanoma of skin (C43)	8,721	0.4	...	5,775	0.6	...	2,946	0.3	...
Malignant neoplasm of breast (C50)	31,868	1.6	...	333	0.0	...	31,535	3.2	...
Malignant neoplasm of cervix uteri (C53)	2,506	0.1	...	-	-	...	2,506	0.3	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	6,162	0.3	...	-	-	...	6,162	0.6	...
Malignant neoplasm of ovary (C56)	11,984	0.6	...	-	-	...	11,984	1.2	...
Malignant neoplasm of prostate (C61)	21,657	1.1	...	21,657	2.2	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	10,713	0.5	...	6,882	0.7	...	3,831	0.4	...
Malignant neoplasm of bladder (C67)	12,877	0.7	...	9,289	1.0	...	3,588	0.4	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	12,002	0.6	...	6,801	0.7	...	5,201	0.5	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	44,975	2.3	...	25,120	2.6	...	19,855	2.0	...
Hodgkin's disease (C81)	952	0.0	...	549	0.1	...	403	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	16,873	0.9	...	9,192	0.9	...	7,681	0.8	...
Leukemia (C91-C95)	18,654	0.9	...	10,744	1.1	...	7,910	0.8	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	8,441	0.4	...	4,596	0.5	...	3,845	0.4	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	55	0.0	...	39	0.0	...	16	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	52,172	2.6	...	27,682	2.8	...	24,490	2.5	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	12,494	0.6	16	6,557	0.7	16	5,937	0.6	16
Anemias (D50-D64)	3,503	0.2	24	1,404	0.1	25	2,099	0.2	22
Diabetes mellitus (E10-E14)	47,746	2.4	7	25,134	2.6	7	22,612	2.3	7
Nutritional deficiencies (E40-E64)	2,325	0.1	28	891	0.1	28	1,434	0.1	25
Malnutrition (E40-E46)	2,190	0.1	...	840	0.1	...	1,350	0.1	...
Other nutritional deficiencies (E50-E64)	135	0.0	...	51	0.0	...	84	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	White, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	369	0.0	34	185	0.0	35	184	0.0	33
Parkinson's disease (G20-G21)	19,818	1.0	13	11,627	1.2	13	8,191	0.8	13
Alzheimer's disease (G30)	73,502	3.7	6	22,278	2.3	8	51,224	5.1	5
Major cardiovascular diseases (I00-I78)	626,610	31.8	...	305,928	31.5	...	320,682	32.1	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	483,973	24.6	1	247,765	25.5	1	236,208	23.7	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	2,493	0.1	...	831	0.1	...	1,662	0.2	...
Hypertensive heart disease (I11)	22,966	1.2	...	10,533	1.1	...	12,433	1.2	...
Hypertensive heart and renal disease (I13)	1,744	0.1	...	757	0.1	...	987	0.1	...
Ischemic heart diseases (I20-I25)	309,492	15.7	...	169,637	17.5	...	139,855	14.0	...
Acute myocardial infarction (I21-I22)	99,600	5.1	...	55,411	5.7	...	44,189	4.4	...
Other acute ischemic heart diseases (I24)	3,388	0.2	...	1,739	0.2	...	1,649	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	206,504	10.5	...	112,487	11.6	...	94,017	9.4	...
Atherosclerotic cardiovascular disease, so described (I25.0)	43,882	2.2	...	25,424	2.6	...	18,458	1.8	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	162,622	8.3	...	87,063	9.0	...	75,559	7.6	...
Other heart diseases (I26-I51)	147,278	7.5	...	66,007	6.8	...	81,271	8.1	...
Acute and subacute endocarditis (I33)	810	0.0	...	460	0.0	...	350	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	563	0.0	...	290	0.0	...	273	0.0	...
Heart failure (I50)	49,253	2.5	...	20,596	2.1	...	28,657	2.9	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	96,652	4.9	...	44,661	4.6	...	51,991	5.2	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	18,878	1.0	14	7,476	0.8	15	11,402	1.1	11
Cerebrovascular diseases (I60-I69)	101,849	5.2	4	40,040	4.1	5	61,809	6.2	4
Atherosclerosis (I70)	6,242	0.3	19	2,490	0.3	22	3,752	0.4	18
Other diseases of circulatory system (I71-I78)	15,668	0.8	...	8,157	0.8	...	7,511	0.8	...
Aortic aneurysm and dissection (I71)	8,697	0.4	17	5,063	0.5	17	3,634	0.4	19
Other diseases of arteries, arterioles and capillaries (I72-I78)	6,971	0.4	...	3,094	0.3	...	3,877	0.4	...
Other disorders of circulatory system (I80-I99)	3,118	0.2	...	1,483	0.2	...	1,635	0.2	...
Influenza and pneumonia (J09-J18)	40,244	2.0	8	18,657	1.9	9	21,587	2.2	8
Influenza (J09-J11)	319	0.0	...	155	0.0	...	164	0.0	...
Pneumonia (J12-J18)	39,925	2.0	...	18,502	1.9	...	21,423	2.1	...
Other acute lower respiratory infections (J20-J22,U04)	169	0.0	...	72	0.0	...	97	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	135	0.0	39	54	0.0	38	81	0.0	37
Other and unspecified acute lower respiratory infection (J22,U04)	34	0.0	...	18	0.0	...	16	0.0	...
Chronic lower respiratory diseases (J40-J47)	122,887	6.2	3	57,390	5.9	4	65,497	6.6	3
Bronchitis, chronic and unspecified (J40-J42)	514	0.0	...	212	0.0	...	302	0.0	...
Emphysema (J43)	9,021	0.5	...	4,594	0.5	...	4,427	0.4	...
Asthma (J45-J46)	2,082	0.1	...	676	0.1	...	1,406	0.1	...
Other chronic lower respiratory diseases (J44,J47)	111,270	5.6	...	51,908	5.3	...	59,362	5.9	...
Pneumoconioses and chemical effects (J60-J66,J68)	778	0.0	31	748	0.1	30	30	0.0	38
Pneumonitis due to solids and liquids (J69)	14,539	0.7	15	7,862	0.8	14	6,677	0.7	15
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	25,350	1.3	...	12,949	1.3	...	12,401	1.2	...
Peptic ulcer (K25-K28)	2,428	0.1	27	1,153	0.1	27	1,275	0.1	27
Diseases of appendix (K35-K38)	328	0.0	36	195	0.0	34	133	0.0	34
Hernia (K40-K46)	1,515	0.1	30	671	0.1	31	844	0.1	29
Chronic liver disease and cirrhosis (K70,K73-K74)	23,655	1.2	12	15,270	1.6	11	8,385	0.8	12
Alcoholic liver disease (K70)	11,607	0.6	...	8,185	0.8	...	3,422	0.3	...
Other chronic liver disease and cirrhosis (K73-K74)	12,048	0.6	...	7,085	0.7	...	4,963	0.5	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	2,663	0.1	25	1,236	0.1	26	1,427	0.1	26
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	36,963	1.9	9	18,503	1.9	10	18,460	1.8	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	150	0.0	...	70	0.0	...	80	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	4,445	0.2	...	2,108	0.2	...	2,337	0.2	...
Renal failure (N17-N19)	32,356	1.6	...	16,322	1.7	...	16,034	1.6	...
Other disorders of kidney (N25,N27)	12	0.0	...	3	0.0	...	9	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	481	0.0	32	147	0.0	36	334	0.0	32

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	White, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	416	0.0	33	416	0.0	32	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	101	0.0	40	-	-	...	101	0.0	36
Pregnancy, childbirth and the puerperium (O00-O99)	357	0.0	35	-	-	...	357	0.0	31
Pregnancy with abortive outcome (O00-O07)	11	0.0	...	-	-	...	11	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	346	0.0	...	-	-	...	346	0.0	...
Certain conditions originating in the perinatal period (P00-P96)	5,065	0.3	21	2,830	0.3	21	2,235	0.2	21
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5,832	0.3	20	2,981	0.3	20	2,851	0.3	20
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	30,602	1.6	...	12,246	1.3	...	18,356	1.8	...
All other diseases (Residual)	221,437	11.2	...	88,360	9.1	...	133,077	13.3	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	94,420	4.8	5	57,747	5.9	3	36,673	3.7	6
Transport accidents (V01-V99, Y85)	26,868	1.4	...	18,845	1.9	...	8,023	0.8	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	24,898	1.3	...	17,318	1.8	...	7,580	0.8	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	669	0.0	...	499	0.1	...	170	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	1,301	0.1	...	1,028	0.1	...	273	0.0	...
Nontransport accidents (W00-X59, Y86)	67,552	3.4	...	38,902	4.0	...	28,650	2.9	...
Falls (W00-W19)	22,842	1.2	...	11,178	1.2	...	11,664	1.2	...
Accidental discharge of firearms (W32-W34)	439	0.0	...	364	0.0	...	75	0.0	...
Accidental drowning and submersion (W65-W74)	2,462	0.1	...	1,838	0.2	...	624	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	1,956	0.1	...	1,130	0.1	...	826	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	26,620	1.4	...	16,746	1.7	...	9,874	1.0	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	13,233	0.7	...	7,646	0.8	...	5,587	0.6	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	32,010	1.6	10	25,238	2.6	6	6,772	0.7	14
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	16,928	0.9	...	14,762	1.5	...	2,166	0.2	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	15,082	0.8	...	10,476	1.1	...	4,606	0.5	...
Assault (homicide) (X85-Y09, Y87.1)	5,035	0.3	22	3,267	0.3	19	1,768	0.2	23
Assault (homicide) by discharge of firearms (X93-X95)	2,775	0.1	...	1,894	0.2	...	881	0.1	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	2,260	0.1	...	1,373	0.1	...	887	0.1	...
Legal intervention (Y35, Y89.0)	220	0.0	38	212	0.0	33	8	0.0	40
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	3,783	0.2	...	2,194	0.2	...	1,589	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	186	0.0	...	151	0.0	...	35	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	3,597	0.2	...	2,043	0.2	...	1,554	0.2	...
Operations of war and their sequelae (Y36, Y89.1)	7	0.0	46	7	0.0	42	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	1,875	0.1	29	888	0.1	29	987	0.1	28
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	6,298	0.3	18	2,471	0.3	23	3,827	0.4	17

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Black, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	283,438	100.0	...	143,824	100.0	...	139,614	100.0	...
Salmonella infections (A01-A02)	5	0.0	44	1	0.0	43	4	0.0	38
Shigellosis and amebiasis (A03,A06)	1	0.0	46	-	-	...	1	0.0	43
Certain other intestinal infections (A04,A07-A09)	801	0.3	...	357	0.2	...	444	0.3	...
Tuberculosis (A16-A19)	119	0.0	33	86	0.1	31	33	0.0	34
Respiratory tuberculosis (A16)	93	0.0	...	74	0.1	...	19	0.0	...
Other tuberculosis (A17-A19)	26	0.0	...	12	0.0	...	14	0.0	...
Whooping cough (A37)	2	0.0	45	2	0.0	42	-	-	...
Scarlet fever and erysipelas (A38,A46)	-	-	...	-	-	...	-	-	...
Meningococcal infection (A39)	8	0.0	42	4	0.0	41	4	0.0	38
Septicemia (A40-A41)	5,958	2.1	9	2,673	1.9	10	3,285	2.4	9
Syphilis (A50-A53)	12	0.0	41	8	0.0	39	4	0.0	38
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	-	-	...	-	-	...	-	-	...
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	1,089	0.4	20	697	0.5	19	392	0.3	21
Human immunodeficiency virus (HIV) disease (B20-B24)	4,598	1.6	13	3,000	2.1	9	1,598	1.1	13
Malaria (B50-B54)	6	0.0	43	5	0.0	40	1	0.0	43
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	771	0.3	...	404	0.3	...	367	0.3	...
Malignant neoplasms (C00-C97)	65,276	23.0	2	33,607	23.4	2	31,669	22.7	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	996	0.4	...	719	0.5	...	277	0.2	...
Malignant neoplasm of esophagus (C15)	1,424	0.5	...	1,037	0.7	...	387	0.3	...
Malignant neoplasm of stomach (C16)	1,974	0.7	...	1,162	0.8	...	812	0.6	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	6,946	2.5	...	3,584	2.5	...	3,362	2.4	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	2,788	1.0	...	1,958	1.4	...	830	0.6	...
Malignant neoplasm of pancreas (C25)	4,292	1.5	...	2,079	1.4	...	2,213	1.6	...
Malignant neoplasm of larynx (C32)	605	0.2	...	473	0.3	...	132	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	16,536	5.8	...	9,711	6.8	...	6,825	4.9	...
Malignant melanoma of skin (C43)	134	0.0	...	61	0.0	...	73	0.1	...
Malignant neoplasm of breast (C50)	6,063	2.1	...	77	0.1	...	5,986	4.3	...
Malignant neoplasm of cervix uteri (C53)	776	0.3	...	-	-	...	776	0.6	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	1,421	0.5	...	-	-	...	1,421	1.0	...
Malignant neoplasm of ovary (C56)	1,264	0.4	...	-	-	...	1,264	0.9	...
Malignant neoplasm of prostate (C61)	4,801	1.7	...	4,801	3.3	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	1,175	0.4	...	702	0.5	...	473	0.3	...
Malignant neoplasm of bladder (C67)	1,065	0.4	...	610	0.4	...	455	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	881	0.3	...	453	0.3	...	428	0.3	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	5,390	1.9	...	2,792	1.9	...	2,598	1.9	...
Hodgkin's disease (C81)	114	0.0	...	60	0.0	...	54	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	1,488	0.5	...	813	0.6	...	675	0.5	...
Leukemia (C91-C95)	1,794	0.6	...	945	0.7	...	849	0.6	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	1,986	0.7	...	970	0.7	...	1,016	0.7	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	8	0.0	...	4	0.0	...	4	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	6,745	2.4	...	3,388	2.4	...	3,357	2.4	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,211	0.4	19	543	0.4	20	668	0.5	17
Anemias (D50-D64)	995	0.4	21	442	0.3	23	553	0.4	19
Diabetes mellitus (E10-E14)	11,996	4.2	4	5,572	3.9	6	6,424	4.6	4
Nutritional deficiencies (E40-E64)	366	0.1	27	134	0.1	28	232	0.2	27
Malnutrition (E40-E46)	356	0.1	...	129	0.1	...	227	0.2	...
Other nutritional deficiencies (E50-E64)	10	0.0	...	5	0.0	...	5	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Black, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	137	0.0	32	63	0.0	33	74	0.1	32
Parkinson's disease (G20-G21)	795	0.3	23	445	0.3	22	350	0.3	23
Alzheimer's disease (G30)	5,169	1.8	10	1,471	1.0	16	3,698	2.6	8
Major cardiovascular diseases (I00-I78)	91,807	32.4	...	44,993	31.3	...	46,814	33.5	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	68,215	24.1	1	34,597	24.1	1	33,618	24.1	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	228	0.1	...	79	0.1	...	149	0.1	...
Hypertensive heart disease (I11)	7,611	2.7	...	4,007	2.8	...	3,604	2.6	...
Hypertensive heart and renal disease (I13)	747	0.3	...	377	0.3	...	370	0.3	...
Ischemic heart diseases (I20-I25)	39,047	13.8	...	20,282	14.1	...	18,765	13.4	...
Acute myocardial infarction (I21-I22)	12,597	4.4	...	6,366	4.4	...	6,231	4.5	...
Other acute ischemic heart diseases (I24)	549	0.2	...	298	0.2	...	251	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	25,901	9.1	...	13,618	9.5	...	12,283	8.8	...
Atherosclerotic cardiovascular disease, so described (I25.0)	8,216	2.9	...	4,832	3.4	...	3,384	2.4	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	17,685	6.2	...	8,786	6.1	...	8,899	6.4	...
Other heart diseases (I26-I51)	20,582	7.3	...	9,852	6.9	...	10,730	7.7	...
Acute and subacute endocarditis (I33)	183	0.1	...	100	0.1	...	83	0.1	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	124	0.0	...	64	0.0	...	60	0.0	...
Heart failure (I50)	5,497	1.9	...	2,428	1.7	...	3,069	2.2	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	14,778	5.2	...	7,260	5.0	...	7,518	5.4	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,059	1.8	11	2,196	1.5	12	2,863	2.1	10
Cerebrovascular diseases (I60-I69)	15,833	5.6	3	6,890	4.8	4	8,943	6.4	3
Atherosclerosis (I70)	588	0.2	24	252	0.2	24	336	0.2	24
Other diseases of circulatory system (I71-I78)	2,112	0.7	...	1,058	0.7	...	1,054	0.8	...
Aortic aneurysm and dissection (I71)	956	0.3	22	541	0.4	21	415	0.3	20
Other diseases of arteries, arterioles and capillaries (I72-I78)	1,156	0.4	...	517	0.4	...	639	0.5	...
Other disorders of circulatory system (I80-I99)	749	0.3	...	374	0.3	...	375	0.3	...
Influenza and pneumonia (J09-J18)	4,854	1.7	12	2,340	1.6	11	2,514	1.8	11
Influenza (J09-J11)	66	0.0	...	31	0.0	...	35	0.0	...
Pneumonia (J12-J18)	4,788	1.7	...	2,309	1.6	...	2,479	1.8	...
Other acute lower respiratory infections (J20-J22,U04)	22	0.0	...	10	0.0	...	12	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	21	0.0	39	9	0.0	38	12	0.0	37
Other and unspecified acute lower respiratory infection (J22,U04)	1	0.0	...	1	0.0	...	-	-	...
Chronic lower respiratory diseases (J40-J47)	8,614	3.0	7	4,480	3.1	7	4,134	3.0	6
Bronchitis, chronic and unspecified (J40-J42)	48	0.0	...	26	0.0	...	22	0.0	...
Emphysema (J43)	586	0.2	...	358	0.2	...	228	0.2	...
Asthma (J45-J46)	862	0.3	...	399	0.3	...	463	0.3	...
Other chronic lower respiratory diseases (J44,J47)	7,118	2.5	...	3,697	2.6	...	3,421	2.5	...
Pneumoconioses and chemical effects (J60-J66,J68)	36	0.0	37	33	0.0	35	3	0.0	41
Pneumonitis due to solids and liquids (J69)	1,369	0.5	18	716	0.5	18	653	0.5	18
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	2,900	1.0	...	1,360	0.9	...	1,540	1.1	...
Peptic ulcer (K25-K28)	290	0.1	29	168	0.1	27	122	0.1	30
Diseases of appendix (K35-K38)	42	0.0	36	28	0.0	36	14	0.0	36
Hernia (K40-K46)	162	0.1	31	78	0.1	32	84	0.1	31
Chronic liver disease and cirrhosis (K70,K73-K74)	2,601	0.9	15	1,694	1.2	15	907	0.6	15
Alcoholic liver disease (K70)	1,206	0.4	...	808	0.6	...	398	0.3	...
Other chronic liver disease and cirrhosis (K73-K74)	1,395	0.5	...	886	0.6	...	509	0.4	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	296	0.1	28	120	0.1	29	176	0.1	29
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8,769	3.1	6	3,984	2.8	8	4,785	3.4	5
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	32	0.0	...	18	0.0	...	14	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	937	0.3	...	427	0.3	...	510	0.4	...
Renal failure (N17-N19)	7,796	2.8	...	3,538	2.5	...	4,258	3.0	...
Other disorders of kidney (N25,N27)	4	0.0	...	1	0.0	...	3	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	65	0.0	35	26	0.0	37	39	0.0	33

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2010

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Black, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	35	0.0	38	35	0.0	34	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	21	0.0	39	-	-	...	21	0.0	35
Pregnancy, childbirth and the puerperium (O00-O99)	261	0.1	30	-	-	...	261	0.2	26
Pregnancy with abortive outcome (O00-O07)	17	0.0	...	-	-	...	17	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	244	0.1	...	-	-	...	244	0.2	...
Certain conditions originating in the perinatal period (P00-P96)	3,846	1.4	14	2,116	1.5	13	1,730	1.2	12
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1,608	0.6	17	850	0.6	17	758	0.5	16
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	4,840	1.7	...	2,293	1.6	...	2,547	1.8	...
All other diseases (Residual)	28,230	10.0	...	11,758	8.2	...	16,472	11.8	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	11,853	4.2	5	7,920	5.5	3	3,933	2.8	7
Transport accidents (V01-V99, Y85)	4,668	1.6	...	3,358	2.3	...	1,310	0.9	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	4,398	1.6	...	3,146	2.2	...	1,252	0.9	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	135	0.0	...	105	0.1	...	30	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	135	0.0	...	107	0.1	...	28	0.0	...
Nontransport accidents (W00-X59, Y86)	7,185	2.5	...	4,562	3.2	...	2,623	1.9	...
Falls (W00-W19)	1,147	0.4	...	660	0.5	...	487	0.3	...
Accidental discharge of firearms (W32-W34)	112	0.0	...	100	0.1	...	12	0.0	...
Accidental drowning and submersion (W65-W74)	551	0.2	...	459	0.3	...	92	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	569	0.2	...	331	0.2	...	238	0.2	...
Accidental poisoning and exposure to noxious substances (X40-X49)	2,938	1.0	...	1,861	1.3	...	1,077	0.8	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	1,868	0.7	...	1,151	0.8	...	717	0.5	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	2,091	0.7	16	1,712	1.2	14	379	0.3	22
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	1,057	0.4	...	946	0.7	...	111	0.1	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	1,034	0.4	...	766	0.5	...	268	0.2	...
Assault (homicide) (X85-Y09, Y87.1)	7,679	2.7	8	6,580	4.6	5	1,099	0.8	14
Assault (homicide) by discharge of firearms (X93-X95)	6,051	2.1	...	5,460	3.8	...	591	0.4	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	1,628	0.6	...	1,120	0.8	...	508	0.4	...
Legal intervention (Y35, Y89.0)	97	0.0	34	95	0.1	30	2	0.0	42
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	587	0.2	...	377	0.3	...	210	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	32	0.0	...	25	0.0	...	7	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	555	0.2	...	352	0.2	...	203	0.1	...
Operations of war and their sequelae (Y36, Y89.1)	1	0.0	46	1	0.0	43	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	398	0.1	26	169	0.1	26	229	0.2	28
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	476	0.2	25	196	0.1	25	280	0.2	25

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.