

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, all ages				
...	All causes	2,712,630	100.0	844.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	633,842	23.4	197.2
2	Malignant neoplasms (C00-C97)	595,930	22.0	185.4
3	Chronic lower respiratory diseases (J40-J47)	155,041	5.7	48.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	146,571	5.4	45.6
5	Cerebrovascular diseases (I60-I69)	140,323	5.2	43.7
6	Alzheimer's disease (G30)	110,561	4.1	34.4
7	Diabetes mellitus (E10-E14)	79,535	2.9	24.7
8	Influenza and pneumonia (J09-J18)	57,062	2.1	17.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	49,959	1.8	15.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	44,193	1.6	13.7
11	Septicemia (A40-A41)	40,773	1.5	12.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	40,326	1.5	12.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	32,200	1.2	10.0
14	Parkinson's disease (G20-G21)	27,972	1.0	8.7
15	Pneumonitis due to solids and liquids (J69)	19,803	0.7	6.2
...	All other causes (residual)	538,539	19.9	167.6
All races, both sexes, 1-4 years				
...	All causes	3,965	100.0	24.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,235	31.1	7.8
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	435	11.0	2.7
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	369	9.3	2.3
4	Malignant neoplasms (C00-C97)	354	8.9	2.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	147	3.7	0.9
6	Influenza and pneumonia (J09-J18)	88	2.2	0.6
7	Septicemia (A40-A41)	54	1.4	0.3
8	Certain conditions originating in the perinatal period (P00-P96)	50	1.3	0.3
9	Cerebrovascular diseases (I60-I69)	42	1.1	0.3
10	Chronic lower respiratory diseases (J40-J47)	40	1.0	0.3
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	34	0.9	0.2
12	Anemias (D50-D64)	25	0.6	0.2
13	Complications of medical and surgical care (Y40-Y84,Y88)	18	0.5	*
14	Acute bronchitis and bronchiolitis (J20-J21)	17	0.4	*
15	Meningitis (G00,G03)	16	0.4	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	16	0.4	*
...	All other causes (residual)	1,025	25.9	6.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 5-14 years				
...	All causes	5,411	100.0	13.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,518	28.1	3.7
2	Malignant neoplasms (C00-C97)	865	16.0	2.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	413	7.6	1.0
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	337	6.2	0.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	298	5.5	0.7
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	210	3.9	0.5
7	Chronic lower respiratory diseases (J40-J47)	173	3.2	0.4
8	Cerebrovascular diseases (I60-I69)	84	1.6	0.2
9	Influenza and pneumonia (J09-J18)	83	1.5	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	72	1.3	0.2
11	Septicemia (A40-A41)	64	1.2	0.2
12	Anemias (D50-D64)	33	0.6	0.1
13	Diabetes mellitus (E10-E14)	23	0.4	0.1
14	Certain conditions originating in the perinatal period (P00-P96)	21	0.4	0.1
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	17	0.3	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	17	0.3	*
...	All other causes (residual)	1,183	21.9	2.9
All races, both sexes, 15-24 years				
...	All causes	30,494	100.0	69.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,514	41.0	28.5
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,491	18.0	12.5
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4,733	15.5	10.8
4	Malignant neoplasms (C00-C97)	1,469	4.8	3.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	997	3.3	2.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	386	1.3	0.9
7	Chronic lower respiratory diseases (J40-J47)	202	0.7	0.5
8	Diabetes mellitus (E10-E14)	196	0.6	0.4
9	Influenza and pneumonia (J09-J18)	184	0.6	0.4
10	Cerebrovascular diseases (I60-I69)	166	0.5	0.4
11	Pregnancy, childbirth and the puerperium (O00-O99)	161	0.5	0.4
12	Septicemia (A40-A41)	130	0.4	0.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	100	0.3	0.2
14	Legal intervention (Y35,Y89.0)	88	0.3	0.2
15	Anemias (D50-D64)	84	0.3	0.2
...	All other causes (residual)	3,593	11.8	8.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 25-34 years				
...	All causes	51,517	100.0	116.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	19,795	38.4	44.8
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	6,947	13.5	15.7
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4,863	9.4	11.0
4	Malignant neoplasms (C00-C97)	3,704	7.2	8.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,522	6.8	8.0
6	Chronic liver disease and cirrhosis (K70,K73-K74)	844	1.6	1.9
7	Diabetes mellitus (E10-E14)	798	1.5	1.8
8	Cerebrovascular diseases (I60-I69)	567	1.1	1.3
9	Human immunodeficiency virus (HIV) disease (B20-B24)	529	1.0	1.2
10	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	443	0.9	1.0
11	Pregnancy, childbirth and the puerperium (O00-O99)	424	0.8	1.0
12	Influenza and pneumonia (J09-J18)	397	0.8	0.9
13	Septicemia (A40-A41)	379	0.7	0.9
14	Chronic lower respiratory diseases (J40-J47)	288	0.6	0.7
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	262	0.5	0.6
...	All other causes (residual)	7,755	15.1	17.6
All races, both sexes, 35-44 years				
...	All causes	73,088	100.0	180.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	17,818	24.4	43.9
2	Malignant neoplasms (C00-C97)	10,909	14.9	26.9
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,387	14.2	25.6
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	6,936	9.5	17.1
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,895	4.0	7.1
6	Chronic liver disease and cirrhosis (K70,K73-K74)	2,861	3.9	7.0
7	Diabetes mellitus (E10-E14)	1,986	2.7	4.9
8	Cerebrovascular diseases (I60-I69)	1,788	2.4	4.4
9	Human immunodeficiency virus (HIV) disease (B20-B24)	1,055	1.4	2.6
10	Septicemia (A40-A41)	829	1.1	2.0
11	Influenza and pneumonia (J09-J18)	708	1.0	1.7
12	Chronic lower respiratory diseases (J40-J47)	702	1.0	1.7
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	686	0.9	1.7
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	483	0.7	1.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	470	0.6	1.2
...	All other causes (residual)	12,575	17.2	31.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 45-54 years				
...	All causes	174,494	100.0	404.0
1	Malignant neoplasms (C00-C97)	43,054	24.7	99.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	34,248	19.6	79.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	21,499	12.3	49.8
4	Chronic liver disease and cirrhosis (K70,K73-K74)	8,874	5.1	20.5
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8,751	5.0	20.3
6	Diabetes mellitus (E10-E14)	6,212	3.6	14.4
7	Cerebrovascular diseases (I60-I69)	5,307	3.0	12.3
8	Chronic lower respiratory diseases (J40-J47)	4,345	2.5	10.1
9	Septicemia (A40-A41)	2,542	1.5	5.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,124	1.2	4.9
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,106	1.2	4.9
12	Influenza and pneumonia (J09-J18)	2,050	1.2	4.7
13	Human immunodeficiency virus (HIV) disease (B20-B24)	2,027	1.2	4.7
14	Viral hepatitis (B15-B19)	1,496	0.9	3.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,477	0.8	3.4
...	All other causes (residual)	28,382	16.3	65.7
All races, both sexes, 55-64 years				
...	All causes	357,785	100.0	875.3
1	Malignant neoplasms (C00-C97)	116,122	32.5	284.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	76,872	21.5	188.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	19,488	5.4	47.7
4	Chronic lower respiratory diseases (J40-J47)	17,457	4.9	42.7
5	Diabetes mellitus (E10-E14)	14,166	4.0	34.7
6	Chronic liver disease and cirrhosis (K70,K73-K74)	13,278	3.7	32.5
7	Cerebrovascular diseases (I60-I69)	12,116	3.4	29.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	7,739	2.2	18.9
9	Septicemia (A40-A41)	5,774	1.6	14.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5,452	1.5	13.3
11	Influenza and pneumonia (J09-J18)	4,601	1.3	11.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,595	1.0	8.8
13	Viral hepatitis (B15-B19)	3,559	1.0	8.7
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,824	0.5	4.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,619	0.5	4.0
...	All other causes (residual)	54,123	15.1	132.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 65-74 years				
...	All causes	495,016	100.0	1,796.8
1	Malignant neoplasms (C00-C97)	163,728	33.1	594.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	107,303	21.7	389.5
3	Chronic lower respiratory diseases (J40-J47)	37,642	7.6	136.6
4	Cerebrovascular diseases (I60-I69)	20,793	4.2	75.5
5	Diabetes mellitus (E10-E14)	19,453	3.9	70.6
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,961	2.6	47.0
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	9,662	2.0	35.1
8	Septicemia (A40-A41)	8,655	1.7	31.4
9	Chronic liver disease and cirrhosis (K70,K73-K74)	8,409	1.7	30.5
10	Influenza and pneumonia (J09-J18)	8,131	1.6	29.5
11	Alzheimer's disease (G30)	6,167	1.2	22.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,979	1.0	18.1
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,201	0.8	15.2
14	Parkinson's disease (G20-G21)	3,813	0.8	13.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3,156	0.6	11.5
...	All other causes (residual)	75,963	15.3	275.7
All races, both sexes, 75-84 years				
...	All causes	637,566	100.0	4,579.2
1	Malignant neoplasms (C00-C97)	153,268	24.0	1,100.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	149,199	23.4	1,071.6
3	Chronic lower respiratory diseases (J40-J47)	49,832	7.8	357.9
4	Cerebrovascular diseases (I60-I69)	38,012	6.0	273.0
5	Alzheimer's disease (G30)	29,503	4.6	211.9
6	Diabetes mellitus (E10-E14)	19,904	3.1	143.0
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	15,518	2.4	111.5
8	Influenza and pneumonia (J09-J18)	14,149	2.2	101.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	13,881	2.2	99.7
10	Parkinson's disease (G20-G21)	11,473	1.8	82.4
11	Septicemia (A40-A41)	10,481	1.6	75.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	7,533	1.2	54.1
13	Pneumonitis due to solids and liquids (J69)	5,152	0.8	37.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4,837	0.8	34.7
15	Chronic liver disease and cirrhosis (K70,K73-K74)	4,446	0.7	31.9
...	All other causes (residual)	110,378	17.3	792.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 85 years and over				
...	All causes	859,701	100.0	13,673.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	250,636	29.2	3,986.5
2	Malignant neoplasms (C00-C97)	102,393	11.9	1,628.6
3	Alzheimer's disease (G30)	73,825	8.6	1,174.2
4	Cerebrovascular diseases (I60-I69)	61,351	7.1	975.8
5	Chronic lower respiratory diseases (J40-J47)	44,330	5.2	705.1
6	Influenza and pneumonia (J09-J18)	26,494	3.1	421.4
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	22,916	2.7	364.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	17,715	2.1	281.8
9	Diabetes mellitus (E10-E14)	16,785	2.0	267.0
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	14,003	1.6	222.7
11	Parkinson's disease (G20-G21)	11,983	1.4	190.6
12	Septicemia (A40-A41)	11,681	1.4	185.8
13	Pneumonitis due to solids and liquids (J69)	9,736	1.1	154.9
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5,346	0.6	85.0
15	Atherosclerosis (I70)	3,346	0.4	53.2
...	All other causes (residual)	187,161	21.8	2,976.9
All races, male, all ages				
...	All causes	1,373,404	100.0	868.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	335,002	24.4	211.7
2	Malignant neoplasms (C00-C97)	313,818	22.8	198.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	92,919	6.8	58.7
4	Chronic lower respiratory diseases (J40-J47)	72,498	5.3	45.8
5	Cerebrovascular diseases (I60-I69)	58,288	4.2	36.8
6	Diabetes mellitus (E10-E14)	43,123	3.1	27.3
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	33,994	2.5	21.5
8	Alzheimer's disease (G30)	33,690	2.5	21.3
9	Influenza and pneumonia (J09-J18)	26,903	2.0	17.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	25,666	1.9	16.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	25,441	1.9	16.1
12	Septicemia (A40-A41)	19,385	1.4	12.3
13	Parkinson's disease (G20-G21)	16,867	1.2	10.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	14,274	1.0	9.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	13,934	1.0	8.8
...	All other causes (residual)	247,602	18.0	156.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 1-4 years				
...	All causes	2,281	100.0	28.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	768	33.7	9.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	230	10.1	2.8
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	227	10.0	2.8
4	Malignant neoplasms (C00-C97)	196	8.6	2.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	78	3.4	1.0
6	Influenza and pneumonia (J09-J18)	49	2.1	0.6
7	Certain conditions originating in the perinatal period (P00-P96)	34	1.5	0.4
8	Chronic lower respiratory diseases (J40-J47)	27	1.2	0.3
9	Cerebrovascular diseases (I60-I69)	26	1.1	0.3
10	Septicemia (A40-A41)	24	1.1	0.3
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	17	0.7	*
12	Anemias (D50-D64)	12	0.5	*
12	Complications of medical and surgical care (Y40-Y84,Y88)	12	0.5	*
14	Acute bronchitis and bronchiolitis (J20-J21)	11	0.5	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	9	0.4	*
...	All other causes (residual)	561	24.6	6.9
All races, male, 5-14 years				
...	All causes	3,153	100.0	15.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	939	29.8	4.5
2	Malignant neoplasms (C00-C97)	469	14.9	2.2
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	255	8.1	1.2
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	194	6.2	0.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	194	6.2	0.9
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	108	3.4	0.5
7	Chronic lower respiratory diseases (J40-J47)	104	3.3	0.5
8	Cerebrovascular diseases (I60-I69)	45	1.4	0.2
9	Influenza and pneumonia (J09-J18)	41	1.3	0.2
10	Septicemia (A40-A41)	33	1.0	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	33	1.0	0.2
12	Anemias (D50-D64)	14	0.4	*
13	Diabetes mellitus (E10-E14)	11	0.3	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	11	0.3	*
13	Certain conditions originating in the perinatal period (P00-P96)	11	0.3	*
...	All other causes (residual)	691	21.9	3.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 15-24 years				
...	All causes	22,346	100.0	99.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,149	40.9	40.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,359	19.5	19.4
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4,134	18.5	18.4
4	Malignant neoplasms (C00-C97)	880	3.9	3.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	667	3.0	3.0
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	220	1.0	1.0
7	Chronic lower respiratory diseases (J40-J47)	130	0.6	0.6
8	Diabetes mellitus (E10-E14)	118	0.5	0.5
9	Influenza and pneumonia (J09-J18)	107	0.5	0.5
10	Cerebrovascular diseases (I60-I69)	89	0.4	0.4
11	Legal intervention (Y35,Y89.0)	84	0.4	0.4
12	Septicemia (A40-A41)	71	0.3	0.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	64	0.3	0.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	46	0.2	0.2
15	Anemias (D50-D64)	42	0.2	0.2
...	All other causes (residual)	2,186	9.8	9.7
All races, male, 25-34 years				
...	All causes	35,781	100.0	160.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	14,659	41.0	65.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,503	15.4	24.7
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4,097	11.5	18.4
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,297	6.4	10.3
5	Malignant neoplasms (C00-C97)	1,818	5.1	8.2
6	Chronic liver disease and cirrhosis (K70,K73-K74)	520	1.5	2.3
7	Diabetes mellitus (E10-E14)	464	1.3	2.1
8	Human immunodeficiency virus (HIV) disease (B20-B24)	380	1.1	1.7
9	Cerebrovascular diseases (I60-I69)	320	0.9	1.4
10	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	262	0.7	1.2
11	Influenza and pneumonia (J09-J18)	234	0.7	1.0
12	Septicemia (A40-A41)	193	0.5	0.9
13	Chronic lower respiratory diseases (J40-J47)	162	0.5	0.7
14	Legal intervention (Y35,Y89.0)	157	0.4	0.7
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	140	0.4	0.6
...	All other causes (residual)	4,575	12.8	20.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 35-44 years				
...	All causes	45,670	100.0	226.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,566	27.5	62.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,094	15.5	35.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,223	11.4	25.9
4	Malignant neoplasms (C00-C97)	4,656	10.2	23.0
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,333	5.1	11.5
6	Chronic liver disease and cirrhosis (K70,K73-K74)	1,811	4.0	9.0
7	Diabetes mellitus (E10-E14)	1,242	2.7	6.1
8	Cerebrovascular diseases (I60-I69)	990	2.2	4.9
9	Human immunodeficiency virus (HIV) disease (B20-B24)	691	1.5	3.4
10	Influenza and pneumonia (J09-J18)	402	0.9	2.0
11	Septicemia (A40-A41)	398	0.9	2.0
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	370	0.8	1.8
13	Chronic lower respiratory diseases (J40-J47)	334	0.7	1.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	312	0.7	1.5
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	265	0.6	1.3
...	All other causes (residual)	6,983	15.3	34.6
All races, male, 45-54 years				
...	All causes	105,547	100.0	495.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	23,871	22.6	112.1
2	Malignant neoplasms (C00-C97)	21,171	20.1	99.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	14,364	13.6	67.4
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	6,411	6.1	30.1
5	Chronic liver disease and cirrhosis (K70,K73-K74)	5,765	5.5	27.1
6	Diabetes mellitus (E10-E14)	3,884	3.7	18.2
7	Cerebrovascular diseases (I60-I69)	2,900	2.7	13.6
8	Chronic lower respiratory diseases (J40-J47)	2,004	1.9	9.4
9	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,626	1.5	7.6
10	Human immunodeficiency virus (HIV) disease (B20-B24)	1,515	1.4	7.1
11	Septicemia (A40-A41)	1,325	1.3	6.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,265	1.2	5.9
13	Influenza and pneumonia (J09-J18)	1,169	1.1	5.5
14	Viral hepatitis (B15-B19)	1,027	1.0	4.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	945	0.9	4.4
...	All other causes (residual)	16,305	15.4	76.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 55-64 years				
...	All causes	217,626	100.0	1,103.9
1	Malignant neoplasms (C00-C97)	64,180	29.5	325.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	53,108	24.4	269.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,433	6.2	68.1
4	Chronic liver disease and cirrhosis (K70,K73-K74)	9,076	4.2	46.0
5	Chronic lower respiratory diseases (J40-J47)	9,005	4.1	45.7
6	Diabetes mellitus (E10-E14)	8,686	4.0	44.1
7	Cerebrovascular diseases (I60-I69)	6,970	3.2	35.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,696	2.6	28.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,183	1.5	16.1
10	Septicemia (A40-A41)	3,103	1.4	15.7
11	Influenza and pneumonia (J09-J18)	2,583	1.2	13.1
12	Viral hepatitis (B15-B19)	2,511	1.2	12.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,279	1.0	11.6
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,420	0.7	7.2
15	Aortic aneurysm and dissection (I71)	967	0.4	4.9
...	All other causes (residual)	31,426	14.4	159.4
All races, male, 65-74 years				
...	All causes	282,347	100.0	2,190.0
1	Malignant neoplasms (C00-C97)	90,468	32.0	701.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	68,285	24.2	529.7
3	Chronic lower respiratory diseases (J40-J47)	19,129	6.8	148.4
4	Diabetes mellitus (E10-E14)	11,358	4.0	88.1
5	Cerebrovascular diseases (I60-I69)	11,120	3.9	86.3
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,388	3.0	65.1
7	Chronic liver disease and cirrhosis (K70,K73-K74)	5,348	1.9	41.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5,278	1.9	40.9
9	Septicemia (A40-A41)	4,500	1.6	34.9
10	Influenza and pneumonia (J09-J18)	4,413	1.6	34.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,372	1.2	26.2
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,731	1.0	21.2
13	Alzheimer's disease (G30)	2,592	0.9	20.1
14	Parkinson's disease (G20-G21)	2,570	0.9	19.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,863	0.7	14.5
...	All other causes (residual)	40,932	14.5	317.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 75-84 years				
...	All causes	323,846	100.0	5,376.3
1	Malignant neoplasms (C00-C97)	81,669	25.2	1,355.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	81,586	25.2	1,354.4
3	Chronic lower respiratory diseases (J40-J47)	23,652	7.3	392.7
4	Cerebrovascular diseases (I60-I69)	17,000	5.2	282.2
5	Alzheimer's disease (G30)	11,104	3.4	184.3
6	Diabetes mellitus (E10-E14)	10,337	3.2	171.6
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,524	2.6	141.5
8	Parkinson's disease (G20-G21)	7,356	2.3	122.1
9	Influenza and pneumonia (J09-J18)	7,263	2.2	120.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7,181	2.2	119.2
11	Septicemia (A40-A41)	5,055	1.6	83.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,313	1.0	55.0
13	Pneumonitis due to solids and liquids (J69)	2,973	0.9	49.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,707	0.8	44.9
15	Chronic liver disease and cirrhosis (K70,K73-K74)	2,378	0.7	39.5
...	All other causes (residual)	51,748	16.0	859.1
All races, male, 85 years and over				
...	All causes	321,704	100.0	14,795.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	97,736	30.4	4,495.1
2	Malignant neoplasms (C00-C97)	48,274	15.0	2,220.2
3	Alzheimer's disease (G30)	19,529	6.1	898.2
4	Cerebrovascular diseases (I60-I69)	18,770	5.8	863.3
5	Chronic lower respiratory diseases (J40-J47)	17,933	5.6	824.8
6	Influenza and pneumonia (J09-J18)	10,528	3.3	484.2
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,360	2.9	430.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7,937	2.5	365.0
9	Diabetes mellitus (E10-E14)	7,016	2.2	322.7
10	Parkinson's disease (G20-G21)	6,462	2.0	297.2
11	Pneumonitis due to solids and liquids (J69)	4,939	1.5	227.2
12	Septicemia (A40-A41)	4,584	1.4	210.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,271	1.3	196.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,432	0.8	111.9
15	Aortic aneurysm and dissection (I71)	1,187	0.4	54.6
...	All other causes (residual)	60,746	18.9	2,793.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, all ages				
...	All causes	1,339,226	100.0	820.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	298,840	22.3	183.1
2	Malignant neoplasms (C00-C97)	282,112	21.1	172.9
3	Chronic lower respiratory diseases (J40-J47)	82,543	6.2	50.6
4	Cerebrovascular diseases (I60-I69)	82,035	6.1	50.3
5	Alzheimer's disease (G30)	76,871	5.7	47.1
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	53,652	4.0	32.9
7	Diabetes mellitus (E10-E14)	36,412	2.7	22.3
8	Influenza and pneumonia (J09-J18)	30,159	2.3	18.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	24,518	1.8	15.0
10	Septicemia (A40-A41)	21,388	1.6	13.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	18,266	1.4	11.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	14,660	1.1	9.0
13	Parkinson's disease (G20-G21)	11,105	0.8	6.8
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	10,199	0.8	6.2
15	Pneumonitis due to solids and liquids (J69)	8,892	0.7	5.4
...	All other causes (residual)	287,574	21.5	176.2
All races, female, 1-4 years				
...	All causes	1,684	100.0	21.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	467	27.7	6.0
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	208	12.4	2.7
3	Malignant neoplasms (C00-C97)	158	9.4	2.0
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	139	8.3	1.8
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	69	4.1	0.9
6	Influenza and pneumonia (J09-J18)	39	2.3	0.5
7	Septicemia (A40-A41)	30	1.8	0.4
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	17	1.0	*
9	Cerebrovascular diseases (I60-I69)	16	1.0	*
9	Certain conditions originating in the perinatal period (P00-P96)	16	1.0	*
11	Anemias (D50-D64)	13	0.8	*
11	Chronic lower respiratory diseases (J40-J47)	13	0.8	*
13	Meningitis (G00,G03)	11	0.7	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7	0.4	*
15	Acute bronchitis and bronchiolitis (J20-J21)	6	0.4	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	6	0.4	*
...	All other causes (residual)	469	27.9	6.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 5-14 years				
...	All causes	2,258	100.0	11.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	579	25.6	2.9
2	Malignant neoplasms (C00-C97)	396	17.5	2.0
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	158	7.0	0.8
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	143	6.3	0.7
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	104	4.6	0.5
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	102	4.5	0.5
7	Chronic lower respiratory diseases (J40-J47)	69	3.1	0.3
8	Influenza and pneumonia (J09-J18)	42	1.9	0.2
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	39	1.7	0.2
9	Cerebrovascular diseases (I60-I69)	39	1.7	0.2
11	Septicemia (A40-A41)	31	1.4	0.2
12	Anemias (D50-D64)	19	0.8	*
13	Diabetes mellitus (E10-E14)	12	0.5	*
14	Certain conditions originating in the perinatal period (P00-P96)	10	0.4	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	9	0.4	*
...	All other causes (residual)	506	22.4	2.5
All races, female, 15-24 years				
...	All causes	8,148	100.0	38.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,365	41.3	15.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,132	13.9	5.3
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	599	7.4	2.8
4	Malignant neoplasms (C00-C97)	589	7.2	2.8
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	330	4.1	1.5
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	166	2.0	0.8
7	Pregnancy, childbirth and the puerperium (O00-O99)	161	2.0	0.8
8	Diabetes mellitus (E10-E14)	78	1.0	0.4
9	Cerebrovascular diseases (I60-I69)	77	0.9	0.4
9	Influenza and pneumonia (J09-J18)	77	0.9	0.4
11	Chronic lower respiratory diseases (J40-J47)	72	0.9	0.3
12	Septicemia (A40-A41)	59	0.7	0.3
13	Anemias (D50-D64)	42	0.5	0.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	37	0.5	0.2
15	Human immunodeficiency virus (HIV) disease (B20-B24)	36	0.4	0.2
...	All other causes (residual)	1,328	16.3	6.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 25-34 years				
...	All causes	15,736	100.0	72.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,136	32.6	23.5
2	Malignant neoplasms (C00-C97)	1,886	12.0	8.6
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,444	9.2	6.6
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,225	7.8	5.6
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	766	4.9	3.5
6	Pregnancy, childbirth and the puerperium (O00-O99)	424	2.7	1.9
7	Diabetes mellitus (E10-E14)	334	2.1	1.5
8	Chronic liver disease and cirrhosis (K70,K73-K74)	324	2.1	1.5
9	Cerebrovascular diseases (I60-I69)	247	1.6	1.1
10	Septicemia (A40-A41)	186	1.2	0.9
11	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	181	1.2	0.8
12	Influenza and pneumonia (J09-J18)	163	1.0	0.7
13	Human immunodeficiency virus (HIV) disease (B20-B24)	149	0.9	0.7
14	Chronic lower respiratory diseases (J40-J47)	126	0.8	0.6
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	122	0.8	0.6
...	All other causes (residual)	3,023	19.2	13.8
All races, female, 35-44 years				
...	All causes	27,418	100.0	134.5
1	Malignant neoplasms (C00-C97)	6,253	22.8	30.7
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,252	19.2	25.8
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,293	12.0	16.2
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,713	6.2	8.4
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,050	3.8	5.2
6	Cerebrovascular diseases (I60-I69)	798	2.9	3.9
7	Diabetes mellitus (E10-E14)	744	2.7	3.6
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	562	2.0	2.8
9	Septicemia (A40-A41)	431	1.6	2.1
10	Chronic lower respiratory diseases (J40-J47)	368	1.3	1.8
11	Human immunodeficiency virus (HIV) disease (B20-B24)	364	1.3	1.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	316	1.2	1.6
13	Pregnancy, childbirth and the puerperium (O00-O99)	310	1.1	1.5
14	Influenza and pneumonia (J09-J18)	306	1.1	1.5
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	218	0.8	1.1
...	All other causes (residual)	5,440	19.8	26.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 45-54 years				
...	All causes	68,947	100.0	315.0
1	Malignant neoplasms (C00-C97)	21,883	31.7	100.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,377	15.1	47.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,135	10.3	32.6
4	Chronic liver disease and cirrhosis (K70,K73-K74)	3,109	4.5	14.2
5	Cerebrovascular diseases (I60-I69)	2,407	3.5	11.0
6	Chronic lower respiratory diseases (J40-J47)	2,341	3.4	10.7
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,340	3.4	10.7
8	Diabetes mellitus (E10-E14)	2,328	3.4	10.6
9	Septicemia (A40-A41)	1,217	1.8	5.6
10	Influenza and pneumonia (J09-J18)	881	1.3	4.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	859	1.2	3.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	532	0.8	2.4
13	Human immunodeficiency virus (HIV) disease (B20-B24)	512	0.7	2.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	480	0.7	2.2
15	Viral hepatitis (B15-B19)	469	0.7	2.1
...	All other causes (residual)	12,077	17.5	55.2
All races, female, 55-64 years				
...	All causes	140,159	100.0	662.3
1	Malignant neoplasms (C00-C97)	51,942	37.1	245.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	23,764	17.0	112.3
3	Chronic lower respiratory diseases (J40-J47)	8,452	6.0	39.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,055	4.3	28.6
5	Diabetes mellitus (E10-E14)	5,480	3.9	25.9
6	Cerebrovascular diseases (I60-I69)	5,146	3.7	24.3
7	Chronic liver disease and cirrhosis (K70,K73-K74)	4,202	3.0	19.9
8	Septicemia (A40-A41)	2,671	1.9	12.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,269	1.6	10.7
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,043	1.5	9.7
11	Influenza and pneumonia (J09-J18)	2,018	1.4	9.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,316	0.9	6.2
13	Viral hepatitis (B15-B19)	1,048	0.7	5.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	692	0.5	3.3
15	Pneumonitis due to solids and liquids (J69)	561	0.4	2.7
...	All other causes (residual)	22,500	16.1	106.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 65-74 years				
...	All causes	212,669	100.0	1,450.9
1	Malignant neoplasms (C00-C97)	73,260	34.4	499.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	39,018	18.3	266.2
3	Chronic lower respiratory diseases (J40-J47)	18,513	8.7	126.3
4	Cerebrovascular diseases (I60-I69)	9,673	4.5	66.0
5	Diabetes mellitus (E10-E14)	8,095	3.8	55.2
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,573	2.2	31.2
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,384	2.1	29.9
8	Septicemia (A40-A41)	4,155	2.0	28.3
9	Influenza and pneumonia (J09-J18)	3,718	1.7	25.4
10	Alzheimer's disease (G30)	3,575	1.7	24.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	3,061	1.4	20.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,248	1.1	15.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,293	0.6	8.8
14	Parkinson's disease (G20-G21)	1,243	0.6	8.5
15	Pneumonitis due to solids and liquids (J69)	1,024	0.5	7.0
...	All other causes (residual)	34,836	16.4	237.7
All races, female, 75-84 years				
...	All causes	313,720	100.0	3,971.3
1	Malignant neoplasms (C00-C97)	71,599	22.8	906.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	67,613	21.6	855.9
3	Chronic lower respiratory diseases (J40-J47)	26,180	8.3	331.4
4	Cerebrovascular diseases (I60-I69)	21,012	6.7	266.0
5	Alzheimer's disease (G30)	18,399	5.9	232.9
6	Diabetes mellitus (E10-E14)	9,567	3.0	121.1
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,994	2.2	88.5
8	Influenza and pneumonia (J09-J18)	6,886	2.2	87.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6,700	2.1	84.8
10	Septicemia (A40-A41)	5,426	1.7	68.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,220	1.3	53.4
12	Parkinson's disease (G20-G21)	4,117	1.3	52.1
13	Pneumonitis due to solids and liquids (J69)	2,179	0.7	27.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,130	0.7	27.0
15	Chronic liver disease and cirrhosis (K70,K73-K74)	2,068	0.7	26.2
...	All other causes (residual)	58,630	18.7	742.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 85 years and over				
...	All causes	537,997	100.0	13,080.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	152,900	28.4	3,717.6
2	Alzheimer's disease (G30)	54,296	10.1	1,320.2
3	Malignant neoplasms (C00-C97)	54,119	10.1	1,315.8
4	Cerebrovascular diseases (I60-I69)	42,581	7.9	1,035.3
5	Chronic lower respiratory diseases (J40-J47)	26,397	4.9	641.8
6	Influenza and pneumonia (J09-J18)	15,966	3.0	388.2
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,556	2.5	329.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	9,778	1.8	237.7
9	Diabetes mellitus (E10-E14)	9,769	1.8	237.5
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	9,732	1.8	236.6
11	Septicemia (A40-A41)	7,097	1.3	172.6
12	Parkinson's disease (G20-G21)	5,521	1.0	134.2
13	Pneumonitis due to solids and liquids (J69)	4,797	0.9	116.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,914	0.5	70.9
15	Atherosclerosis (I70)	2,244	0.4	54.6
...	All other causes (residual)	126,330	23.5	3,071.6
White, both sexes, all ages				
...	All causes	2,306,861	100.0	915.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	540,857	23.4	214.7
2	Malignant neoplasms (C00-C97)	505,613	21.9	200.7
3	Chronic lower respiratory diseases (J40-J47)	141,766	6.1	56.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	125,773	5.5	49.9
5	Cerebrovascular diseases (I60-I69)	116,788	5.1	46.4
6	Alzheimer's disease (G30)	99,866	4.3	39.6
7	Diabetes mellitus (E10-E14)	61,938	2.7	24.6
8	Influenza and pneumonia (J09-J18)	48,877	2.1	19.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	39,796	1.7	15.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	39,078	1.7	15.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	35,386	1.5	14.0
12	Septicemia (A40-A41)	32,998	1.4	13.1
13	Parkinson's disease (G20-G21)	25,928	1.1	10.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	25,022	1.1	9.9
15	Pneumonitis due to solids and liquids (J69)	17,488	0.8	6.9
...	All other causes (residual)	449,687	19.5	178.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 1-4 years				
...	All causes	2,658	100.0	22.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	871	32.8	7.3
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	304	11.4	2.6
3	Malignant neoplasms (C00-C97)	279	10.5	2.3
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	206	7.8	1.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	82	3.1	0.7
6	Influenza and pneumonia (J09-J18)	54	2.0	0.5
7	Septicemia (A40-A41)	36	1.4	0.3
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	24	0.9	0.2
9	Cerebrovascular diseases (I60-I69)	23	0.9	0.2
10	Certain conditions originating in the perinatal period (P00-P96)	21	0.8	0.2
11	Acute bronchitis and bronchiolitis (J20-J21)	15	0.6	*
11	Chronic lower respiratory diseases (J40-J47)	15	0.6	*
13	Meningitis (G00,G03)	12	0.5	*
14	Anemias (D50-D64)	11	0.4	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	10	0.4	*
...	All other causes (residual)	695	26.1	5.8
White, both sexes, 5-14 years				
...	All causes	3,846	100.0	12.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,097	28.5	3.5
2	Malignant neoplasms (C00-C97)	678	17.6	2.2
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	336	8.7	1.1
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	252	6.6	0.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	161	4.2	0.5
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	133	3.5	0.4
7	Chronic lower respiratory diseases (J40-J47)	64	1.7	0.2
8	Influenza and pneumonia (J09-J18)	61	1.6	0.2
9	Cerebrovascular diseases (I60-I69)	56	1.5	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	53	1.4	0.2
11	Septicemia (A40-A41)	42	1.1	0.1
12	Anemias (D50-D64)	15	0.4	*
13	Diabetes mellitus (E10-E14)	14	0.4	*
14	Certain conditions originating in the perinatal period (P00-P96)	13	0.3	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	10	0.3	*
...	All other causes (residual)	861	22.4	2.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 15-24 years				
...	All causes	21,706	100.0	65.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,275	47.3	31.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,438	20.4	13.5
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,552	7.2	4.7
4	Malignant neoplasms (C00-C97)	1,109	5.1	3.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	634	2.9	1.9
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	291	1.3	0.9
7	Influenza and pneumonia (J09-J18)	143	0.7	0.4
8	Diabetes mellitus (E10-E14)	123	0.6	0.4
9	Cerebrovascular diseases (I60-I69)	114	0.5	0.3
10	Chronic lower respiratory diseases (J40-J47)	100	0.5	0.3
11	Septicemia (A40-A41)	93	0.4	0.3
11	Pregnancy, childbirth and the puerperium (O00-O99)	93	0.4	0.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	62	0.3	0.2
14	Legal intervention (Y35,Y89.0)	49	0.2	0.1
15	Pneumonitis due to solids and liquids (J69)	35	0.2	0.1
...	All other causes (residual)	2,595	12.0	7.9
White, both sexes, 25-34 years				
...	All causes	38,545	100.0	115.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	16,773	43.5	50.2
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,929	15.4	17.8
3	Malignant neoplasms (C00-C97)	2,831	7.3	8.5
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,357	6.1	7.1
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,800	4.7	5.4
6	Chronic liver disease and cirrhosis (K70,K73-K74)	690	1.8	2.1
7	Diabetes mellitus (E10-E14)	511	1.3	1.5
8	Cerebrovascular diseases (I60-I69)	373	1.0	1.1
9	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	335	0.9	1.0
10	Influenza and pneumonia (J09-J18)	280	0.7	0.8
11	Pregnancy, childbirth and the puerperium (O00-O99)	263	0.7	0.8
12	Septicemia (A40-A41)	241	0.6	0.7
13	Human immunodeficiency virus (HIV) disease (B20-B24)	183	0.5	0.5
14	Chronic lower respiratory diseases (J40-J47)	167	0.4	0.5
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	138	0.4	0.4
...	All other causes (residual)	5,674	14.7	17.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 35-44 years				
...	All causes	55,057	100.0	177.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	15,074	27.4	48.5
2	Malignant neoplasms (C00-C97)	8,235	15.0	26.5
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,052	12.8	22.7
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	6,207	11.3	20.0
5	Chronic liver disease and cirrhosis (K70,K73-K74)	2,427	4.4	7.8
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,355	2.5	4.4
7	Diabetes mellitus (E10-E14)	1,338	2.4	4.3
8	Cerebrovascular diseases (I60-I69)	1,114	2.0	3.6
9	Septicemia (A40-A41)	565	1.0	1.8
10	Influenza and pneumonia (J09-J18)	529	1.0	1.7
11	Chronic lower respiratory diseases (J40-J47)	491	0.9	1.6
12	Human immunodeficiency virus (HIV) disease (B20-B24)	420	0.8	1.4
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	389	0.7	1.3
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	374	0.7	1.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	236	0.4	0.8
...	All other causes (residual)	9,251	16.8	29.7
White, both sexes, 45-54 years				
...	All causes	136,004	100.0	396.8
1	Malignant neoplasms (C00-C97)	33,845	24.9	98.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,526	18.8	74.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	18,047	13.3	52.7
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8,070	5.9	23.5
5	Chronic liver disease and cirrhosis (K70,K73-K74)	7,694	5.7	22.4
6	Diabetes mellitus (E10-E14)	4,413	3.2	12.9
7	Chronic lower respiratory diseases (J40-J47)	3,651	2.7	10.7
8	Cerebrovascular diseases (I60-I69)	3,532	2.6	10.3
9	Septicemia (A40-A41)	1,823	1.3	5.3
10	Influenza and pneumonia (J09-J18)	1,550	1.1	4.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,350	1.0	3.9
12	Viral hepatitis (B15-B19)	1,261	0.9	3.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,227	0.9	3.6
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,012	0.7	3.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	908	0.7	2.6
...	All other causes (residual)	22,095	16.2	64.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 55-64 years				
...	All causes	284,340	100.0	850.4
1	Malignant neoplasms (C00-C97)	93,723	33.0	280.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	59,232	20.8	177.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	16,121	5.7	48.2
4	Chronic lower respiratory diseases (J40-J47)	15,226	5.4	45.5
5	Chronic liver disease and cirrhosis (K70,K73-K74)	11,514	4.0	34.4
6	Diabetes mellitus (E10-E14)	10,462	3.7	31.3
7	Cerebrovascular diseases (I60-I69)	8,471	3.0	25.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	7,285	2.6	21.8
9	Septicemia (A40-A41)	4,300	1.5	12.9
10	Influenza and pneumonia (J09-J18)	3,571	1.3	10.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,552	1.2	10.6
12	Viral hepatitis (B15-B19)	2,869	1.0	8.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,379	0.8	7.1
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,337	0.5	4.0
15	Pneumonitis due to solids and liquids (J69)	1,197	0.4	3.6
...	All other causes (residual)	43,101	15.2	128.9
White, both sexes, 65-74 years				
...	All causes	415,423	100.0	1,782.9
1	Malignant neoplasms (C00-C97)	139,143	33.5	597.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	88,160	21.2	378.4
3	Chronic lower respiratory diseases (J40-J47)	34,327	8.3	147.3
4	Cerebrovascular diseases (I60-I69)	16,162	3.9	69.4
5	Diabetes mellitus (E10-E14)	15,194	3.7	65.2
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,149	2.7	47.8
7	Chronic liver disease and cirrhosis (K70,K73-K74)	7,483	1.8	32.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7,167	1.7	30.8
9	Septicemia (A40-A41)	6,905	1.7	29.6
10	Influenza and pneumonia (J09-J18)	6,697	1.6	28.7
11	Alzheimer's disease (G30)	5,411	1.3	23.2
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,995	1.0	17.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,612	0.9	15.5
14	Parkinson's disease (G20-G21)	3,450	0.8	14.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,735	0.7	11.7
...	All other causes (residual)	63,833	15.4	274.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 75-84 years				
...	All causes	555,824	100.0	4,640.4
1	Malignant neoplasms (C00-C97)	133,944	24.1	1,118.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	129,067	23.2	1,077.5
3	Chronic lower respiratory diseases (J40-J47)	46,198	8.3	385.7
4	Cerebrovascular diseases (I60-I69)	31,862	5.7	266.0
5	Alzheimer's disease (G30)	26,403	4.8	220.4
6	Diabetes mellitus (E10-E14)	15,824	2.8	132.1
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	14,007	2.5	116.9
8	Influenza and pneumonia (J09-J18)	12,136	2.2	101.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	11,157	2.0	93.1
10	Parkinson's disease (G20-G21)	10,636	1.9	88.8
11	Septicemia (A40-A41)	8,712	1.6	72.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,861	1.1	48.9
13	Pneumonitis due to solids and liquids (J69)	4,535	0.8	37.9
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4,328	0.8	36.1
15	Chronic liver disease and cirrhosis (K70,K73-K74)	4,091	0.7	34.2
...	All other causes (residual)	97,063	17.5	810.3
White, both sexes, 85 years and over				
...	All causes	778,516	100.0	14,057.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	228,409	29.3	4,124.2
2	Malignant neoplasms (C00-C97)	91,781	11.8	1,657.2
3	Alzheimer's disease (G30)	67,127	8.6	1,212.1
4	Cerebrovascular diseases (I60-I69)	55,020	7.1	993.5
5	Chronic lower respiratory diseases (J40-J47)	41,510	5.3	749.5
6	Influenza and pneumonia (J09-J18)	23,753	3.1	428.9
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	21,543	2.8	389.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	15,230	2.0	275.0
9	Diabetes mellitus (E10-E14)	14,053	1.8	253.7
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	11,941	1.5	215.6
11	Parkinson's disease (G20-G21)	11,216	1.4	202.5
12	Septicemia (A40-A41)	10,169	1.3	183.6
13	Pneumonitis due to solids and liquids (J69)	8,875	1.1	160.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4,872	0.6	88.0
15	Atherosclerosis (I70)	3,057	0.4	55.2
...	All other causes (residual)	169,960	21.8	3,068.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, all ages				
...	All causes	1,164,176	100.0	932.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	285,884	24.6	229.1
2	Malignant neoplasms (C00-C97)	267,885	23.0	214.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	78,887	6.8	63.2
4	Chronic lower respiratory diseases (J40-J47)	65,680	5.6	52.6
5	Cerebrovascular diseases (I60-I69)	47,713	4.1	38.2
6	Diabetes mellitus (E10-E14)	34,299	2.9	27.5
7	Alzheimer's disease (G30)	30,710	2.6	24.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	30,658	2.6	24.6
9	Influenza and pneumonia (J09-J18)	22,794	2.0	18.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	22,681	1.9	18.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	20,202	1.7	16.2
12	Septicemia (A40-A41)	15,716	1.3	12.6
13	Parkinson's disease (G20-G21)	15,669	1.3	12.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	10,676	0.9	8.6
15	Pneumonitis due to solids and liquids (J69)	9,667	0.8	7.7
...	All other causes (residual)	205,055	17.6	164.3
White, male, 1-4 years				
...	All causes	1,516	100.0	24.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	546	36.0	9.0
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	160	10.6	2.6
3	Malignant neoplasms (C00-C97)	157	10.4	2.6
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	128	8.4	2.1
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	42	2.8	0.7
6	Influenza and pneumonia (J09-J18)	28	1.8	0.5
7	Septicemia (A40-A41)	16	1.1	*
8	Certain conditions originating in the perinatal period (P00-P96)	14	0.9	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	13	0.9	*
9	Cerebrovascular diseases (I60-I69)	13	0.9	*
11	Acute bronchitis and bronchiolitis (J20-J21)	10	0.7	*
11	Chronic lower respiratory diseases (J40-J47)	10	0.7	*
13	Anemias (D50-D64)	5	0.3	*
14	Meningitis (G00,G03)	4	0.3	*
14	Pneumonitis due to solids and liquids (J69)	4	0.3	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4	0.3	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	4	0.3	*
...	All other causes (residual)	358	23.6	5.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 5-14 years				
...	All causes	2,236	100.0	14.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	696	31.1	4.4
2	Malignant neoplasms (C00-C97)	362	16.2	2.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	208	9.3	1.3
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	146	6.5	0.9
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	101	4.5	0.6
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	68	3.0	0.4
7	Chronic lower respiratory diseases (J40-J47)	36	1.6	0.2
8	Influenza and pneumonia (J09-J18)	30	1.3	0.2
9	Cerebrovascular diseases (I60-I69)	28	1.3	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	25	1.1	0.2
11	Septicemia (A40-A41)	22	1.0	0.1
12	Certain conditions originating in the perinatal period (P00-P96)	8	0.4	*
13	Anemias (D50-D64)	7	0.3	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7	0.3	*
15	Diabetes mellitus (E10-E14)	5	0.2	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	5	0.2	*
...	All other causes (residual)	482	21.6	3.0
White, male, 15-24 years				
...	All causes	15,647	100.0	92.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,504	48.0	44.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,545	22.7	20.9
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,243	7.9	7.3
4	Malignant neoplasms (C00-C97)	672	4.3	4.0
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	429	2.7	2.5
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	159	1.0	0.9
7	Influenza and pneumonia (J09-J18)	83	0.5	0.5
8	Diabetes mellitus (E10-E14)	72	0.5	0.4
9	Chronic lower respiratory diseases (J40-J47)	64	0.4	0.4
10	Cerebrovascular diseases (I60-I69)	61	0.4	0.4
11	Septicemia (A40-A41)	53	0.3	0.3
12	Legal intervention (Y35,Y89.0)	48	0.3	0.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	32	0.2	0.2
14	Pneumonitis due to solids and liquids (J69)	25	0.2	0.1
15	Aortic aneurysm and dissection (I71)	23	0.1	0.1
...	All other causes (residual)	1,634	10.4	9.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 25-34 years				
...	All causes	26,772	100.0	157.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,428	46.4	72.9
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,705	17.6	27.6
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,566	5.8	9.2
4	Malignant neoplasms (C00-C97)	1,431	5.3	8.4
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,362	5.1	8.0
6	Chronic liver disease and cirrhosis (K70,K73-K74)	435	1.6	2.6
7	Diabetes mellitus (E10-E14)	309	1.2	1.8
8	Cerebrovascular diseases (I60-I69)	220	0.8	1.3
9	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	197	0.7	1.2
10	Influenza and pneumonia (J09-J18)	154	0.6	0.9
11	Human immunodeficiency virus (HIV) disease (B20-B24)	146	0.5	0.9
12	Septicemia (A40-A41)	123	0.5	0.7
13	Legal intervention (Y35,Y89.0)	108	0.4	0.6
14	Chronic lower respiratory diseases (J40-J47)	86	0.3	0.5
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	82	0.3	0.5
...	All other causes (residual)	3,420	12.8	20.1
White, male, 35-44 years				
...	All causes	34,780	100.0	221.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,596	30.5	67.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,913	14.1	31.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,658	13.4	29.6
4	Malignant neoplasms (C00-C97)	3,634	10.4	23.1
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,581	4.5	10.1
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	996	2.9	6.3
7	Diabetes mellitus (E10-E14)	853	2.5	5.4
8	Cerebrovascular diseases (I60-I69)	614	1.8	3.9
9	Human immunodeficiency virus (HIV) disease (B20-B24)	326	0.9	2.1
10	Influenza and pneumonia (J09-J18)	293	0.8	1.9
11	Septicemia (A40-A41)	277	0.8	1.8
12	Chronic lower respiratory diseases (J40-J47)	222	0.6	1.4
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	211	0.6	1.3
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	204	0.6	1.3
15	Aortic aneurysm and dissection (I71)	167	0.5	1.1
...	All other causes (residual)	5,235	15.1	33.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 45-54 years				
...	All causes	83,354	100.0	487.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,237	21.9	106.6
2	Malignant neoplasms (C00-C97)	16,900	20.3	98.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,971	14.4	70.0
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,922	7.1	34.6
5	Chronic liver disease and cirrhosis (K70,K73-K74)	5,093	6.1	29.8
6	Diabetes mellitus (E10-E14)	2,841	3.4	16.6
7	Cerebrovascular diseases (I60-I69)	1,909	2.3	11.2
8	Chronic lower respiratory diseases (J40-J47)	1,676	2.0	9.8
9	Septicemia (A40-A41)	963	1.2	5.6
10	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	894	1.1	5.2
11	Viral hepatitis (B15-B19)	869	1.0	5.1
12	Influenza and pneumonia (J09-J18)	863	1.0	5.0
13	Human immunodeficiency virus (HIV) disease (B20-B24)	856	1.0	5.0
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	804	1.0	4.7
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	601	0.7	3.5
...	All other causes (residual)	12,955	15.5	75.8
White, male, 55-64 years				
...	All causes	174,657	100.0	1,070.9
1	Malignant neoplasms (C00-C97)	52,262	29.9	320.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	41,839	24.0	256.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,968	6.3	67.3
4	Chronic liver disease and cirrhosis (K70,K73-K74)	7,894	4.5	48.4
5	Chronic lower respiratory diseases (J40-J47)	7,886	4.5	48.4
6	Diabetes mellitus (E10-E14)	6,563	3.8	40.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,365	3.1	32.9
8	Cerebrovascular diseases (I60-I69)	4,859	2.8	29.8
9	Septicemia (A40-A41)	2,349	1.3	14.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,115	1.2	13.0
11	Viral hepatitis (B15-B19)	2,032	1.2	12.5
12	Influenza and pneumonia (J09-J18)	1,971	1.1	12.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,573	0.9	9.6
14	Aortic aneurysm and dissection (I71)	797	0.5	4.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	777	0.4	4.8
...	All other causes (residual)	25,407	14.5	155.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 65-74 years				
...	All causes	238,307	100.0	2,159.9
1	Malignant neoplasms (C00-C97)	77,086	32.3	698.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	57,021	23.9	516.8
3	Chronic lower respiratory diseases (J40-J47)	17,272	7.2	156.5
4	Diabetes mellitus (E10-E14)	9,081	3.8	82.3
5	Cerebrovascular diseases (I60-I69)	8,631	3.6	78.2
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,217	3.0	65.4
7	Chronic liver disease and cirrhosis (K70,K73-K74)	4,758	2.0	43.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,999	1.7	36.2
9	Influenza and pneumonia (J09-J18)	3,647	1.5	33.1
10	Septicemia (A40-A41)	3,567	1.5	32.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,211	1.3	29.1
12	Parkinson's disease (G20-G21)	2,334	1.0	21.2
13	Alzheimer's disease (G30)	2,275	1.0	20.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,036	0.9	18.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,631	0.7	14.8
...	All other causes (residual)	34,541	14.5	313.1
White, male, 75-84 years				
...	All causes	284,588	100.0	5,426.8
1	Malignant neoplasms (C00-C97)	71,810	25.2	1,369.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	71,474	25.1	1,362.9
3	Chronic lower respiratory diseases (J40-J47)	21,773	7.7	415.2
4	Cerebrovascular diseases (I60-I69)	14,344	5.0	273.5
5	Alzheimer's disease (G30)	9,997	3.5	190.6
6	Diabetes mellitus (E10-E14)	8,488	3.0	161.9
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,695	2.7	146.7
8	Parkinson's disease (G20-G21)	6,833	2.4	130.3
9	Influenza and pneumonia (J09-J18)	6,200	2.2	118.2
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5,929	2.1	113.1
11	Septicemia (A40-A41)	4,252	1.5	81.1
12	Pneumonitis due to solids and liquids (J69)	2,636	0.9	50.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,619	0.9	49.9
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,460	0.9	46.9
15	Chronic liver disease and cirrhosis (K70,K73-K74)	2,207	0.8	42.1
...	All other causes (residual)	45,871	16.1	874.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 85 years and over				
...	All causes	294,014	100.0	15,202.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	90,183	30.7	4,663.2
2	Malignant neoplasms (C00-C97)	43,544	14.8	2,251.6
3	Alzheimer's disease (G30)	18,035	6.1	932.5
4	Cerebrovascular diseases (I60-I69)	16,997	5.8	878.9
5	Chronic lower respiratory diseases (J40-J47)	16,643	5.7	860.6
6	Influenza and pneumonia (J09-J18)	9,461	3.2	489.2
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,768	3.0	453.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7,014	2.4	362.7
9	Diabetes mellitus (E10-E14)	6,083	2.1	314.5
10	Parkinson's disease (G20-G21)	6,076	2.1	314.2
11	Pneumonitis due to solids and liquids (J69)	4,530	1.5	234.2
12	Septicemia (A40-A41)	4,036	1.4	208.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,636	1.2	188.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,261	0.8	116.9
15	Aortic aneurysm and dissection (I71)	1,108	0.4	57.3
...	All other causes (residual)	55,639	18.9	2,877.0
White, female, all ages				
...	All causes	1,142,685	100.0	899.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	254,973	22.3	200.6
2	Malignant neoplasms (C00-C97)	237,728	20.8	187.1
3	Chronic lower respiratory diseases (J40-J47)	76,086	6.7	59.9
4	Alzheimer's disease (G30)	69,156	6.1	54.4
5	Cerebrovascular diseases (I60-I69)	69,075	6.0	54.4
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	46,886	4.1	36.9
7	Diabetes mellitus (E10-E14)	27,639	2.4	21.7
8	Influenza and pneumonia (J09-J18)	26,083	2.3	20.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18,876	1.7	14.9
10	Septicemia (A40-A41)	17,282	1.5	13.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	14,346	1.3	11.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	12,705	1.1	10.0
13	Parkinson's disease (G20-G21)	10,259	0.9	8.1
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	9,138	0.8	7.2
15	Pneumonitis due to solids and liquids (J69)	7,821	0.7	6.2
...	All other causes (residual)	244,632	21.4	192.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 1-4 years				
...	All causes	1,142	100.0	19.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	325	28.5	5.6
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	144	12.6	2.5
3	Malignant neoplasms (C00-C97)	122	10.7	2.1
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	78	6.8	1.3
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	40	3.5	0.7
6	Influenza and pneumonia (J09-J18)	26	2.3	0.4
7	Septicemia (A40-A41)	20	1.8	0.3
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11	1.0	*
9	Cerebrovascular diseases (I60-I69)	10	0.9	*
10	Meningitis (G00,G03)	8	0.7	*
11	Certain conditions originating in the perinatal period (P00-P96)	7	0.6	*
12	Anemias (D50-D64)	6	0.5	*
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.5	*
14	Acute bronchitis and bronchiolitis (J20-J21)	5	0.4	*
14	Chronic lower respiratory diseases (J40-J47)	5	0.4	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	5	0.4	*
...	All other causes (residual)	324	28.4	5.6
White, female, 5-14 years				
...	All causes	1,610	100.0	10.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	401	24.9	2.6
2	Malignant neoplasms (C00-C97)	316	19.6	2.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	128	8.0	0.8
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	106	6.6	0.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	65	4.0	0.4
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	60	3.7	0.4
7	Influenza and pneumonia (J09-J18)	31	1.9	0.2
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	28	1.7	0.2
8	Cerebrovascular diseases (I60-I69)	28	1.7	0.2
8	Chronic lower respiratory diseases (J40-J47)	28	1.7	0.2
11	Septicemia (A40-A41)	20	1.2	0.1
12	Diabetes mellitus (E10-E14)	9	0.6	*
13	Anemias (D50-D64)	8	0.5	*
14	Certain conditions originating in the perinatal period (P00-P96)	5	0.3	*
15	Pneumonitis due to solids and liquids (J69)	3	0.2	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.2	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.2	*
...	All other causes (residual)	368	22.9	2.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 15-24 years				
...	All causes	6,059	100.0	37.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,771	45.7	17.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	893	14.7	5.6
3	Malignant neoplasms (C00-C97)	437	7.2	2.7
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	309	5.1	1.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	205	3.4	1.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	132	2.2	0.8
7	Pregnancy, childbirth and the puerperium (O00-O99)	93	1.5	0.6
8	Influenza and pneumonia (J09-J18)	60	1.0	0.4
9	Cerebrovascular diseases (I60-I69)	53	0.9	0.3
10	Diabetes mellitus (E10-E14)	51	0.8	0.3
11	Septicemia (A40-A41)	40	0.7	0.2
12	Chronic lower respiratory diseases (J40-J47)	36	0.6	0.2
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	30	0.5	0.2
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18	0.3	*
15	Pneumonitis due to solids and liquids (J69)	10	0.2	*
...	All other causes (residual)	921	15.2	5.7
White, female, 25-34 years				
...	All causes	11,773	100.0	72.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,345	36.9	26.6
2	Malignant neoplasms (C00-C97)	1,400	11.9	8.6
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,224	10.4	7.5
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	791	6.7	4.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	438	3.7	2.7
6	Pregnancy, childbirth and the puerperium (O00-O99)	263	2.2	1.6
7	Chronic liver disease and cirrhosis (K70,K73-K74)	255	2.2	1.6
8	Diabetes mellitus (E10-E14)	202	1.7	1.2
9	Cerebrovascular diseases (I60-I69)	153	1.3	0.9
10	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	138	1.2	0.8
11	Influenza and pneumonia (J09-J18)	126	1.1	0.8
12	Septicemia (A40-A41)	118	1.0	0.7
13	Chronic lower respiratory diseases (J40-J47)	81	0.7	0.5
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	56	0.5	0.3
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	46	0.4	0.3
...	All other causes (residual)	2,137	18.2	13.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 35-44 years				
...	All causes	20,277	100.0	131.7
1	Malignant neoplasms (C00-C97)	4,601	22.7	29.9
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,478	22.1	29.1
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,139	10.5	13.9
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,549	7.6	10.1
5	Chronic liver disease and cirrhosis (K70,K73-K74)	846	4.2	5.5
6	Cerebrovascular diseases (I60-I69)	500	2.5	3.2
7	Diabetes mellitus (E10-E14)	485	2.4	3.2
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	359	1.8	2.3
9	Septicemia (A40-A41)	288	1.4	1.9
10	Chronic lower respiratory diseases (J40-J47)	269	1.3	1.7
11	Influenza and pneumonia (J09-J18)	236	1.2	1.5
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	178	0.9	1.2
13	Pregnancy, childbirth and the puerperium (O00-O99)	177	0.9	1.1
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	170	0.8	1.1
15	Human immunodeficiency virus (HIV) disease (B20-B24)	94	0.5	0.6
...	All other causes (residual)	3,908	19.3	25.4
White, female, 45-54 years				
...	All causes	52,650	100.0	306.6
1	Malignant neoplasms (C00-C97)	16,945	32.2	98.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,289	13.8	42.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,076	11.5	35.4
4	Chronic liver disease and cirrhosis (K70,K73-K74)	2,601	4.9	15.1
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,148	4.1	12.5
6	Chronic lower respiratory diseases (J40-J47)	1,975	3.8	11.5
7	Cerebrovascular diseases (I60-I69)	1,623	3.1	9.5
8	Diabetes mellitus (E10-E14)	1,572	3.0	9.2
9	Septicemia (A40-A41)	860	1.6	5.0
10	Influenza and pneumonia (J09-J18)	687	1.3	4.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	546	1.0	3.2
12	Viral hepatitis (B15-B19)	392	0.7	2.3
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	333	0.6	1.9
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	315	0.6	1.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	307	0.6	1.8
...	All other causes (residual)	8,981	17.1	52.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 55-64 years				
...	All causes	109,683	100.0	640.4
1	Malignant neoplasms (C00-C97)	41,461	37.8	242.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,393	15.9	101.6
3	Chronic lower respiratory diseases (J40-J47)	7,340	6.7	42.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,153	4.7	30.1
5	Diabetes mellitus (E10-E14)	3,899	3.6	22.8
6	Chronic liver disease and cirrhosis (K70,K73-K74)	3,620	3.3	21.1
7	Cerebrovascular diseases (I60-I69)	3,612	3.3	21.1
8	Septicemia (A40-A41)	1,951	1.8	11.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,920	1.8	11.2
10	Influenza and pneumonia (J09-J18)	1,600	1.5	9.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,437	1.3	8.4
12	Viral hepatitis (B15-B19)	837	0.8	4.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	806	0.7	4.7
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	560	0.5	3.3
15	Alzheimer's disease (G30)	478	0.4	2.8
...	All other causes (residual)	17,616	16.1	102.9
White, female, 65-74 years				
...	All causes	177,116	100.0	1,443.8
1	Malignant neoplasms (C00-C97)	62,057	35.0	505.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	31,139	17.6	253.8
3	Chronic lower respiratory diseases (J40-J47)	17,055	9.6	139.0
4	Cerebrovascular diseases (I60-I69)	7,531	4.3	61.4
5	Diabetes mellitus (E10-E14)	6,113	3.5	49.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,932	2.2	32.1
7	Septicemia (A40-A41)	3,338	1.9	27.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,168	1.8	25.8
9	Alzheimer's disease (G30)	3,136	1.8	25.6
10	Influenza and pneumonia (J09-J18)	3,050	1.7	24.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,725	1.5	22.2
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,576	0.9	12.8
13	Parkinson's disease (G20-G21)	1,116	0.6	9.1
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,104	0.6	9.0
15	Pneumonitis due to solids and liquids (J69)	853	0.5	7.0
...	All other causes (residual)	29,223	16.5	238.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 75-84 years				
...	All causes	271,236	100.0	4,028.0
1	Malignant neoplasms (C00-C97)	62,134	22.9	922.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	57,593	21.2	855.3
3	Chronic lower respiratory diseases (J40-J47)	24,425	9.0	362.7
4	Cerebrovascular diseases (I60-I69)	17,518	6.5	260.1
5	Alzheimer's disease (G30)	16,406	6.0	243.6
6	Diabetes mellitus (E10-E14)	7,336	2.7	108.9
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,312	2.3	93.7
8	Influenza and pneumonia (J09-J18)	5,936	2.2	88.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5,228	1.9	77.6
10	Septicemia (A40-A41)	4,460	1.6	66.2
11	Parkinson's disease (G20-G21)	3,803	1.4	56.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,242	1.2	48.1
13	Pneumonitis due to solids and liquids (J69)	1,899	0.7	28.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	1,884	0.7	28.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,868	0.7	27.7
...	All other causes (residual)	51,192	18.9	760.2
White, female, 85 years and over				
...	All causes	484,502	100.0	13,442.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	138,226	28.5	3,835.1
2	Alzheimer's disease (G30)	49,092	10.1	1,362.1
3	Malignant neoplasms (C00-C97)	48,237	10.0	1,338.3
4	Cerebrovascular diseases (I60-I69)	38,023	7.8	1,055.0
5	Chronic lower respiratory diseases (J40-J47)	24,867	5.1	689.9
6	Influenza and pneumonia (J09-J18)	14,292	2.9	396.5
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,775	2.6	354.4
8	Essential hypertension and hypertensive renal disease (I10,I12,I15)	8,305	1.7	230.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8,216	1.7	228.0
10	Diabetes mellitus (E10-E14)	7,970	1.6	221.1
11	Septicemia (A40-A41)	6,133	1.3	170.2
12	Parkinson's disease (G20-G21)	5,140	1.1	142.6
13	Pneumonitis due to solids and liquids (J69)	4,345	0.9	120.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,611	0.5	72.4
15	Atherosclerosis (I70)	2,048	0.4	56.8
...	All other causes (residual)	114,222	23.6	3,169.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, all ages				
...	All causes	320,072	100.0	713.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	75,249	23.5	167.7
2	Malignant neoplasms (C00-C97)	69,389	21.7	154.7
3	Cerebrovascular diseases (I60-I69)	17,988	5.6	40.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	15,745	4.9	35.1
5	Diabetes mellitus (E10-E14)	13,869	4.3	30.9
6	Chronic lower respiratory diseases (J40-J47)	10,475	3.3	23.3
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	9,173	2.9	20.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	9,170	2.9	20.4
9	Alzheimer's disease (G30)	8,156	2.5	18.2
10	Septicemia (A40-A41)	6,647	2.1	14.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,813	1.8	13.0
12	Influenza and pneumonia (J09-J18)	5,641	1.8	12.6
13	Certain conditions originating in the perinatal period (P00-P96)	4,058	1.3	9.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	3,442	1.1	7.7
15	Chronic liver disease and cirrhosis (K70,K73-K74)	3,254	1.0	7.3
...	All other causes (residual)	62,003	19.4	138.2
Black, both sexes, 1-4 years				
...	All causes	1,060	100.0	39.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	298	28.1	11.0
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	146	13.8	5.4
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	101	9.5	3.7
4	Malignant neoplasms (C00-C97)	57	5.4	2.1
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	53	5.0	1.9
6	Influenza and pneumonia (J09-J18)	28	2.6	1.0
7	Certain conditions originating in the perinatal period (P00-P96)	27	2.5	1.0
8	Chronic lower respiratory diseases (J40-J47)	23	2.2	0.8
9	Cerebrovascular diseases (I60-I69)	17	1.6	*
10	Septicemia (A40-A41)	14	1.3	*
11	Anemias (D50-D64)	13	1.2	*
12	Complications of medical and surgical care (Y40-Y84,Y88)	9	0.8	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7	0.7	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.5	*
15	Meningitis (G00,G03)	3	0.3	*
...	All other causes (residual)	259	24.4	9.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 5-14 years				
...	All causes	1,229	100.0	18.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	335	27.3	4.9
2	Malignant neoplasms (C00-C97)	131	10.7	1.9
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	122	9.9	1.8
4	Chronic lower respiratory diseases (J40-J47)	104	8.5	1.5
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	69	5.6	1.0
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	60	4.9	0.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	47	3.8	0.7
8	Cerebrovascular diseases (I60-I69)	22	1.8	0.3
9	Influenza and pneumonia (J09-J18)	19	1.5	*
10	Septicemia (A40-A41)	18	1.5	*
11	Anemias (D50-D64)	16	1.3	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	15	1.2	*
13	Diabetes mellitus (E10-E14)	9	0.7	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	7	0.6	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.5	*
...	All other causes (residual)	249	20.3	3.7
Black, both sexes, 15-24 years				
...	All causes	7,276	100.0	99.2
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,062	42.1	41.8
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,712	23.5	23.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	610	8.4	8.3
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	308	4.2	4.2
5	Malignant neoplasms (C00-C97)	255	3.5	3.5
6	Chronic lower respiratory diseases (J40-J47)	91	1.3	1.2
7	Human immunodeficiency virus (HIV) disease (B20-B24)	74	1.0	1.0
8	Anemias (D50-D64)	71	1.0	1.0
9	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	69	0.9	0.9
10	Diabetes mellitus (E10-E14)	66	0.9	0.9
11	Pregnancy, childbirth and the puerperium (O00-O99)	63	0.9	0.9
12	Cerebrovascular diseases (I60-I69)	40	0.5	0.5
13	Influenza and pneumonia (J09-J18)	35	0.5	0.5
13	Legal intervention (Y35,Y89.0)	35	0.5	0.5
15	Septicemia (A40-A41)	34	0.5	0.5
...	All other causes (residual)	751	10.3	10.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 25-34 years				
...	All causes	10,526	100.0	159.3
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,921	27.8	44.2
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,208	21.0	33.4
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	999	9.5	15.1
4	Malignant neoplasms (C00-C97)	649	6.2	9.8
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	603	5.7	9.1
6	Human immunodeficiency virus (HIV) disease (B20-B24)	329	3.1	5.0
7	Diabetes mellitus (E10-E14)	259	2.5	3.9
8	Cerebrovascular diseases (I60-I69)	156	1.5	2.4
9	Pregnancy, childbirth and the puerperium (O00-O99)	133	1.3	2.0
10	Anemias (D50-D64)	120	1.1	1.8
11	Septicemia (A40-A41)	117	1.1	1.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	109	1.0	1.6
13	Chronic lower respiratory diseases (J40-J47)	105	1.0	1.6
14	Influenza and pneumonia (J09-J18)	100	1.0	1.5
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	88	0.8	1.3
...	All other causes (residual)	1,630	15.5	24.7
Black, both sexes, 35-44 years				
...	All causes	14,546	100.0	255.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,868	19.7	50.3
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,136	14.7	37.4
3	Malignant neoplasms (C00-C97)	1,941	13.3	34.0
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,424	9.8	25.0
5	Human immunodeficiency virus (HIV) disease (B20-B24)	604	4.2	10.6
6	Diabetes mellitus (E10-E14)	549	3.8	9.6
7	Cerebrovascular diseases (I60-I69)	531	3.7	9.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	445	3.1	7.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	283	1.9	5.0
10	Septicemia (A40-A41)	221	1.5	3.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	213	1.5	3.7
12	Chronic lower respiratory diseases (J40-J47)	190	1.3	3.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	190	1.3	3.3
14	Influenza and pneumonia (J09-J18)	143	1.0	2.5
15	Anemias (D50-D64)	114	0.8	2.0
...	All other causes (residual)	2,694	18.5	47.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 45-54 years				
...	All causes	31,638	100.0	555.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,532	23.8	132.2
2	Malignant neoplasms (C00-C97)	7,123	22.5	125.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,771	8.8	48.7
4	Diabetes mellitus (E10-E14)	1,509	4.8	26.5
5	Cerebrovascular diseases (I60-I69)	1,458	4.6	25.6
6	Human immunodeficiency virus (HIV) disease (B20-B24)	969	3.1	17.0
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	797	2.5	14.0
8	Chronic liver disease and cirrhosis (K70,K73-K74)	748	2.4	13.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	692	2.2	12.1
10	Septicemia (A40-A41)	638	2.0	11.2
11	Chronic lower respiratory diseases (J40-J47)	615	1.9	10.8
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	507	1.6	8.9
13	Influenza and pneumonia (J09-J18)	422	1.3	7.4
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	380	1.2	6.7
15	Viral hepatitis (B15-B19)	164	0.5	2.9
...	All other causes (residual)	5,313	16.8	93.3
Black, both sexes, 55-64 years				
...	All causes	61,716	100.0	1,263.3
1	Malignant neoplasms (C00-C97)	18,178	29.5	372.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,302	24.8	313.2
3	Diabetes mellitus (E10-E14)	3,093	5.0	63.3
4	Cerebrovascular diseases (I60-I69)	3,027	4.9	62.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,768	4.5	56.7
6	Chronic lower respiratory diseases (J40-J47)	1,946	3.2	39.8
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,690	2.7	34.6
8	Septicemia (A40-A41)	1,304	2.1	26.7
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1,302	2.1	26.7
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,083	1.8	22.2
11	Human immunodeficiency virus (HIV) disease (B20-B24)	997	1.6	20.4
12	Influenza and pneumonia (J09-J18)	874	1.4	17.9
13	Viral hepatitis (B15-B19)	585	0.9	12.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	418	0.7	8.6
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	243	0.4	5.0
...	All other causes (residual)	8,906	14.4	182.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 65-74 years				
...	All causes	64,193	100.0	2,370.6
1	Malignant neoplasms (C00-C97)	19,176	29.9	708.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,022	25.0	591.7
3	Cerebrovascular diseases (I60-I69)	3,677	5.7	135.8
4	Diabetes mellitus (E10-E14)	3,335	5.2	123.2
5	Chronic lower respiratory diseases (J40-J47)	2,739	4.3	101.1
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,167	3.4	80.0
7	Septicemia (A40-A41)	1,510	2.4	55.8
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,331	2.1	49.2
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,171	1.8	43.2
10	Influenza and pneumonia (J09-J18)	1,087	1.7	40.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	685	1.1	25.3
12	Alzheimer's disease (G30)	639	1.0	23.6
13	Human immunodeficiency virus (HIV) disease (B20-B24)	370	0.6	13.7
14	Pneumonitis due to solids and liquids (J69)	327	0.5	12.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	322	0.5	11.9
...	All other causes (residual)	9,635	15.0	355.8
Black, both sexes, 75-84 years				
...	All causes	62,225	100.0	5,035.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,793	25.4	1,278.0
2	Malignant neoplasms (C00-C97)	14,280	22.9	1,155.6
3	Cerebrovascular diseases (I60-I69)	4,577	7.4	370.4
4	Diabetes mellitus (E10-E14)	3,063	4.9	247.9
5	Chronic lower respiratory diseases (J40-J47)	2,762	4.4	223.5
6	Alzheimer's disease (G30)	2,456	3.9	198.7
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,239	3.6	181.2
8	Septicemia (A40-A41)	1,498	2.4	121.2
9	Influenza and pneumonia (J09-J18)	1,330	2.1	107.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,320	2.1	106.8
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	966	1.6	78.2
12	Parkinson's disease (G20-G21)	500	0.8	40.5
13	Pneumonitis due to solids and liquids (J69)	462	0.7	37.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	376	0.6	30.4
15	Chronic liver disease and cirrhosis (K70,K73-K74)	210	0.3	17.0
...	All other causes (residual)	10,393	16.7	841.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 85 years and over				
...	All causes	58,348	100.0	12,133.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,213	27.8	3,371.5
2	Malignant neoplasms (C00-C97)	7,589	13.0	1,578.1
3	Alzheimer's disease (G30)	4,944	8.5	1,028.1
4	Cerebrovascular diseases (I60-I69)	4,454	7.6	926.2
5	Diabetes mellitus (E10-E14)	1,981	3.4	412.0
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,932	3.3	401.8
7	Chronic lower respiratory diseases (J40-J47)	1,887	3.2	392.4
8	Influenza and pneumonia (J09-J18)	1,540	2.6	320.2
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,465	2.5	304.6
10	Septicemia (A40-A41)	1,232	2.1	256.2
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	793	1.4	164.9
12	Pneumonitis due to solids and liquids (J69)	556	1.0	115.6
13	Parkinson's disease (G20-G21)	407	0.7	84.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	331	0.6	68.8
15	Nutritional deficiencies (E40-E64)	264	0.5	54.9
...	All other causes (residual)	12,760	21.9	2,653.5
Black, male, all ages				
...	All causes	164,670	100.0	765.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	39,325	23.9	182.8
2	Malignant neoplasms (C00-C97)	35,250	21.4	163.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,779	6.5	50.1
4	Cerebrovascular diseases (I60-I69)	8,073	4.9	37.5
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	8,021	4.9	37.3
6	Diabetes mellitus (E10-E14)	6,909	4.2	32.1
7	Chronic lower respiratory diseases (J40-J47)	5,328	3.2	24.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,401	2.7	20.5
9	Septicemia (A40-A41)	3,098	1.9	14.4
10	Influenza and pneumonia (J09-J18)	2,787	1.7	13.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,638	1.6	12.3
12	Human immunodeficiency virus (HIV) disease (B20-B24)	2,279	1.4	10.6
13	Certain conditions originating in the perinatal period (P00-P96)	2,267	1.4	10.5
14	Alzheimer's disease (G30)	2,183	1.3	10.1
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,023	1.2	9.4
...	All other causes (residual)	29,309	17.8	136.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 1-4 years				
...	All causes	632	100.0	45.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	186	29.4	13.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	94	14.9	6.8
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	53	8.4	3.8
4	Malignant neoplasms (C00-C97)	29	4.6	2.1
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	29	4.6	2.1
6	Certain conditions originating in the perinatal period (P00-P96)	19	3.0	*
7	Influenza and pneumonia (J09-J18)	18	2.8	*
8	Chronic lower respiratory diseases (J40-J47)	15	2.4	*
9	Cerebrovascular diseases (I60-I69)	12	1.9	*
10	Complications of medical and surgical care (Y40-Y84,Y88)	8	1.3	*
11	Septicemia (A40-A41)	7	1.1	*
11	Anemias (D50-D64)	7	1.1	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4	0.6	*
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.2	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.2	*
14	Diabetes mellitus (E10-E14)	1	0.2	*
14	Nutritional deficiencies (E40-E64)	1	0.2	*
14	Meningitis (G00,G03)	1	0.2	*
14	Pneumonitis due to solids and liquids (J69)	1	0.2	*
14	Diseases of appendix (K35-K38)	1	0.2	*
...	All other causes (residual)	144	22.8	10.4
Black, male, 5-14 years				
...	All causes	725	100.0	21.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	190	26.2	5.5
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	84	11.6	2.4
3	Malignant neoplasms (C00-C97)	71	9.8	2.1
4	Chronic lower respiratory diseases (J40-J47)	65	9.0	1.9
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	41	5.7	1.2
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	35	4.8	1.0
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	32	4.4	0.9
8	Cerebrovascular diseases (I60-I69)	13	1.8	*
9	Septicemia (A40-A41)	9	1.2	*
9	Influenza and pneumonia (J09-J18)	9	1.2	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7	1.0	*
11	Anemias (D50-D64)	7	1.0	*
13	Diabetes mellitus (E10-E14)	6	0.8	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.4	*
14	Certain conditions originating in the perinatal period (P00-P96)	3	0.4	*
...	All other causes (residual)	150	20.7	4.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 15-24 years				
...	All causes	5,623	100.0	150.9
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,790	49.6	74.9
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,268	22.6	34.0
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	481	8.6	12.9
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	199	3.5	5.3
5	Malignant neoplasms (C00-C97)	140	2.5	3.8
6	Chronic lower respiratory diseases (J40-J47)	60	1.1	1.6
7	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	46	0.8	1.2
8	Human immunodeficiency virus (HIV) disease (B20-B24)	45	0.8	1.2
9	Diabetes mellitus (E10-E14)	40	0.7	1.1
10	Anemias (D50-D64)	36	0.6	1.0
11	Legal intervention (Y35,Y89.0)	33	0.6	0.9
12	Influenza and pneumonia (J09-J18)	21	0.4	0.6
13	Cerebrovascular diseases (I60-I69)	20	0.4	0.5
14	Septicemia (A40-A41)	15	0.3	*
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11	0.2	*
...	All other causes (residual)	418	7.4	11.2
Black, male, 25-34 years				
...	All causes	7,384	100.0	229.0
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,624	35.5	81.4
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,644	22.3	51.0
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	611	8.3	18.9
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	504	6.8	15.6
5	Malignant neoplasms (C00-C97)	279	3.8	8.7
6	Human immunodeficiency virus (HIV) disease (B20-B24)	222	3.0	6.9
7	Diabetes mellitus (E10-E14)	138	1.9	4.3
8	Cerebrovascular diseases (I60-I69)	79	1.1	2.4
9	Chronic lower respiratory diseases (J40-J47)	70	0.9	2.2
10	Influenza and pneumonia (J09-J18)	69	0.9	2.1
11	Septicemia (A40-A41)	61	0.8	1.9
12	Anemias (D50-D64)	59	0.8	1.8
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	53	0.7	1.6
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	52	0.7	1.6
15	Legal intervention (Y35,Y89.0)	41	0.6	1.3
...	All other causes (residual)	878	11.9	27.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 35-44 years				
...	All causes	8,767	100.0	325.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,837	21.0	68.3
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,534	17.5	57.0
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,249	14.2	46.4
4	Malignant neoplasms (C00-C97)	708	8.1	26.3
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	372	4.2	13.8
6	Human immunodeficiency virus (HIV) disease (B20-B24)	339	3.9	12.6
7	Diabetes mellitus (E10-E14)	321	3.7	11.9
8	Cerebrovascular diseases (I60-I69)	303	3.5	11.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	150	1.7	5.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	133	1.5	4.9
11	Chronic lower respiratory diseases (J40-J47)	102	1.2	3.8
12	Septicemia (A40-A41)	97	1.1	3.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	85	1.0	3.2
14	Influenza and pneumonia (J09-J18)	81	0.9	3.0
15	Aortic aneurysm and dissection (I71)	75	0.9	2.8
...	All other causes (residual)	1,381	15.8	51.3
Black, male, 45-54 years				
...	All causes	18,132	100.0	678.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,740	26.1	177.3
2	Malignant neoplasms (C00-C97)	3,309	18.2	123.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,942	10.7	72.6
4	Diabetes mellitus (E10-E14)	876	4.8	32.8
5	Cerebrovascular diseases (I60-I69)	813	4.5	30.4
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	667	3.7	24.9
7	Human immunodeficiency virus (HIV) disease (B20-B24)	622	3.4	23.3
8	Chronic liver disease and cirrhosis (K70,K73-K74)	416	2.3	15.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	411	2.3	15.4
10	Septicemia (A40-A41)	319	1.8	11.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	296	1.6	11.1
12	Chronic lower respiratory diseases (J40-J47)	292	1.6	10.9
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	288	1.6	10.8
14	Influenza and pneumonia (J09-J18)	257	1.4	9.6
15	Aortic aneurysm and dissection (I71)	111	0.6	4.2
...	All other causes (residual)	2,773	15.3	103.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 55-64 years				
...	All causes	35,980	100.0	1,612.9
1	Malignant neoplasms (C00-C97)	9,757	27.1	437.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,613	26.7	430.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,039	5.7	91.4
4	Cerebrovascular diseases (I60-I69)	1,750	4.9	78.4
5	Diabetes mellitus (E10-E14)	1,748	4.9	78.4
6	Chronic lower respiratory diseases (J40-J47)	972	2.7	43.6
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	947	2.6	42.5
8	Chronic liver disease and cirrhosis (K70,K73-K74)	859	2.4	38.5
9	Human immunodeficiency virus (HIV) disease (B20-B24)	723	2.0	32.4
10	Septicemia (A40-A41)	667	1.9	29.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	618	1.7	27.7
12	Influenza and pneumonia (J09-J18)	516	1.4	23.1
13	Viral hepatitis (B15-B19)	410	1.1	18.4
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	336	0.9	15.1
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	190	0.5	8.5
...	All other causes (residual)	4,835	13.4	216.7
Black, male, 65-74 years				
...	All causes	35,414	100.0	3,041.8
1	Malignant neoplasms (C00-C97)	10,429	29.4	895.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,331	26.3	801.5
3	Cerebrovascular diseases (I60-I69)	1,978	5.6	169.9
4	Diabetes mellitus (E10-E14)	1,771	5.0	152.1
5	Chronic lower respiratory diseases (J40-J47)	1,531	4.3	131.5
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,112	3.1	95.5
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	870	2.5	74.7
8	Septicemia (A40-A41)	793	2.2	68.1
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	593	1.7	50.9
10	Influenza and pneumonia (J09-J18)	567	1.6	48.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	468	1.3	40.2
12	Alzheimer's disease (G30)	267	0.8	22.9
13	Human immunodeficiency virus (HIV) disease (B20-B24)	260	0.7	22.3
14	Viral hepatitis (B15-B19)	200	0.6	17.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	179	0.5	15.4
...	All other causes (residual)	5,065	14.3	435.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 75-84 years				
...	All causes	29,358	100.0	6,204.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,782	26.5	1,644.6
2	Malignant neoplasms (C00-C97)	7,225	24.6	1,526.9
3	Cerebrovascular diseases (I60-I69)	1,944	6.6	410.8
4	Chronic lower respiratory diseases (J40-J47)	1,410	4.8	298.0
5	Diabetes mellitus (E10-E14)	1,372	4.7	290.0
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,006	3.4	212.6
7	Alzheimer's disease (G30)	838	2.9	177.1
8	Influenza and pneumonia (J09-J18)	680	2.3	143.7
9	Septicemia (A40-A41)	668	2.3	141.2
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	547	1.9	115.6
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	539	1.8	113.9
12	Parkinson's disease (G20-G21)	302	1.0	63.8
13	Pneumonitis due to solids and liquids (J69)	255	0.9	53.9
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	179	0.6	37.8
15	Chronic liver disease and cirrhosis (K70,K73-K74)	106	0.4	22.4
...	All other causes (residual)	4,505	15.3	952.1
Black, male, 85 years and over				
...	All causes	18,601	100.0	13,066.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,101	27.4	3,583.2
2	Malignant neoplasms (C00-C97)	3,297	17.7	2,316.0
3	Cerebrovascular diseases (I60-I69)	1,145	6.2	804.3
4	Alzheimer's disease (G30)	1,028	5.5	722.1
5	Chronic lower respiratory diseases (J40-J47)	805	4.3	565.5
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	697	3.7	489.6
7	Diabetes mellitus (E10-E14)	634	3.4	445.4
8	Influenza and pneumonia (J09-J18)	527	2.8	370.2
9	Septicemia (A40-A41)	428	2.3	300.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	419	2.3	294.3
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	335	1.8	235.3
12	Pneumonitis due to solids and liquids (J69)	239	1.3	167.9
13	Parkinson's disease (G20-G21)	197	1.1	138.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	117	0.6	82.2
15	Nutritional deficiencies (E40-E64)	88	0.5	61.8
...	All other causes (residual)	3,544	19.1	2,489.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, all ages				
...	All causes	155,402	100.0	665.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	35,924	23.1	153.9
2	Malignant neoplasms (C00-C97)	34,139	22.0	146.2
3	Cerebrovascular diseases (I60-I69)	9,915	6.4	42.5
4	Diabetes mellitus (E10-E14)	6,960	4.5	29.8
5	Alzheimer's disease (G30)	5,973	3.8	25.6
6	Chronic lower respiratory diseases (J40-J47)	5,147	3.3	22.0
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,966	3.2	21.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,769	3.1	20.4
9	Septicemia (A40-A41)	3,549	2.3	15.2
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,175	2.0	13.6
11	Influenza and pneumonia (J09-J18)	2,854	1.8	12.2
12	Certain conditions originating in the perinatal period (P00-P96)	1,791	1.2	7.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,272	0.8	5.4
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,163	0.7	5.0
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,152	0.7	4.9
...	All other causes (residual)	32,653	21.0	139.9
Black, female, 1-4 years				
...	All causes	428	100.0	32.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	112	26.2	8.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	52	12.1	3.9
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	48	11.2	3.6
4	Malignant neoplasms (C00-C97)	28	6.5	2.1
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	24	5.6	1.8
6	Influenza and pneumonia (J09-J18)	10	2.3	*
7	Chronic lower respiratory diseases (J40-J47)	8	1.9	*
7	Certain conditions originating in the perinatal period (P00-P96)	8	1.9	*
9	Septicemia (A40-A41)	7	1.6	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	1.4	*
10	Anemias (D50-D64)	6	1.4	*
12	Cerebrovascular diseases (I60-I69)	5	1.2	*
13	Meningitis (G00,G03)	2	0.5	*
14	Meningococcal infection (A39)	1	0.2	*
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.2	*
14	Nutritional deficiencies (E40-E64)	1	0.2	*
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	0.2	*
14	Acute bronchitis and bronchiolitis (J20-J21)	1	0.2	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.2	*
14	Infections of kidney (N10-N12,N13.6,N15.1)	1	0.2	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	1	0.2	*
14	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	0.2	*
...	All other causes (residual)	103	24.1	7.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 5-14 years				
...	All causes	504	100.0	15.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	145	28.8	4.3
2	Malignant neoplasms (C00-C97)	60	11.9	1.8
3	Chronic lower respiratory diseases (J40-J47)	39	7.7	1.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	38	7.5	1.1
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	28	5.6	0.8
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	28	5.6	0.8
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12	2.4	*
8	Influenza and pneumonia (J09-J18)	10	2.0	*
9	Septicemia (A40-A41)	9	1.8	*
9	Anemias (D50-D64)	9	1.8	*
9	Cerebrovascular diseases (I60-I69)	9	1.8	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	8	1.6	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	5	1.0	*
14	Diabetes mellitus (E10-E14)	3	0.6	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.6	*
...	All other causes (residual)	98	19.4	2.9
Black, female, 15-24 years				
...	All causes	1,653	100.0	45.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	444	26.9	12.3
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	272	16.5	7.5
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	129	7.8	3.6
4	Malignant neoplasms (C00-C97)	115	7.0	3.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	109	6.6	3.0
6	Pregnancy, childbirth and the puerperium (O00-O99)	63	3.8	1.7
7	Anemias (D50-D64)	35	2.1	1.0
8	Chronic lower respiratory diseases (J40-J47)	31	1.9	0.9
9	Human immunodeficiency virus (HIV) disease (B20-B24)	29	1.8	0.8
10	Diabetes mellitus (E10-E14)	26	1.6	0.7
11	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	23	1.4	0.6
12	Cerebrovascular diseases (I60-I69)	20	1.2	0.6
13	Septicemia (A40-A41)	19	1.1	*
14	Influenza and pneumonia (J09-J18)	14	0.8	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	13	0.8	*
...	All other causes (residual)	311	18.8	8.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 25-34 years				
...	All causes	3,142	100.0	92.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	564	18.0	16.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	388	12.3	11.5
3	Malignant neoplasms (C00-C97)	370	11.8	10.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	297	9.5	8.8
5	Pregnancy, childbirth and the puerperium (O00-O99)	133	4.2	3.9
6	Diabetes mellitus (E10-E14)	121	3.9	3.6
7	Human immunodeficiency virus (HIV) disease (B20-B24)	107	3.4	3.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	99	3.2	2.9
9	Cerebrovascular diseases (I60-I69)	77	2.5	2.3
10	Anemias (D50-D64)	61	1.9	1.8
11	Septicemia (A40-A41)	56	1.8	1.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	56	1.8	1.7
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	36	1.1	1.1
14	Chronic lower respiratory diseases (J40-J47)	35	1.1	1.0
15	Chronic liver disease and cirrhosis (K70,K73-K74)	33	1.1	1.0
...	All other causes (residual)	709	22.6	21.0
Black, female, 35-44 years				
...	All causes	5,779	100.0	191.8
1	Malignant neoplasms (C00-C97)	1,233	21.3	40.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,031	17.8	34.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	602	10.4	20.0
4	Human immunodeficiency virus (HIV) disease (B20-B24)	265	4.6	8.8
5	Diabetes mellitus (E10-E14)	228	3.9	7.6
5	Cerebrovascular diseases (I60-I69)	228	3.9	7.6
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	175	3.0	5.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	133	2.3	4.4
9	Septicemia (A40-A41)	124	2.1	4.1
10	Pregnancy, childbirth and the puerperium (O00-O99)	106	1.8	3.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	105	1.8	3.5
12	Chronic lower respiratory diseases (J40-J47)	88	1.5	2.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	80	1.4	2.7
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	73	1.3	2.4
15	Influenza and pneumonia (J09-J18)	62	1.1	2.1
...	All other causes (residual)	1,246	21.6	41.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 45-54 years				
...	All causes	13,506	100.0	447.0
1	Malignant neoplasms (C00-C97)	3,814	28.2	126.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,792	20.7	92.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	829	6.1	27.4
4	Cerebrovascular diseases (I60-I69)	645	4.8	21.3
5	Diabetes mellitus (E10-E14)	633	4.7	20.9
6	Human immunodeficiency virus (HIV) disease (B20-B24)	347	2.6	11.5
7	Chronic liver disease and cirrhosis (K70,K73-K74)	332	2.5	11.0
8	Chronic lower respiratory diseases (J40-J47)	323	2.4	10.7
9	Septicemia (A40-A41)	319	2.4	10.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	281	2.1	9.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	211	1.6	7.0
12	Influenza and pneumonia (J09-J18)	165	1.2	5.5
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	130	1.0	4.3
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	92	0.7	3.0
15	Anemias (D50-D64)	77	0.6	2.5
...	All other causes (residual)	2,516	18.6	83.3
Black, female, 55-64 years				
...	All causes	25,736	100.0	969.6
1	Malignant neoplasms (C00-C97)	8,421	32.7	317.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,689	22.1	214.3
3	Diabetes mellitus (E10-E14)	1,345	5.2	50.7
4	Cerebrovascular diseases (I60-I69)	1,277	5.0	48.1
5	Chronic lower respiratory diseases (J40-J47)	974	3.8	36.7
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	743	2.9	28.0
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	729	2.8	27.5
8	Septicemia (A40-A41)	637	2.5	24.0
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	465	1.8	17.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	443	1.7	16.7
11	Influenza and pneumonia (J09-J18)	358	1.4	13.5
12	Human immunodeficiency virus (HIV) disease (B20-B24)	274	1.1	10.3
13	Viral hepatitis (B15-B19)	175	0.7	6.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	102	0.4	3.8
15	Pneumonitis due to solids and liquids (J69)	101	0.4	3.8
...	All other causes (residual)	4,003	15.6	150.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 65-74 years				
...	All causes	28,779	100.0	1,864.4
1	Malignant neoplasms (C00-C97)	8,747	30.4	566.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,691	23.2	433.5
3	Cerebrovascular diseases (I60-I69)	1,699	5.9	110.1
4	Diabetes mellitus (E10-E14)	1,564	5.4	101.3
5	Chronic lower respiratory diseases (J40-J47)	1,208	4.2	78.3
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,055	3.7	68.3
7	Septicemia (A40-A41)	717	2.5	46.4
8	Essential hypertension and hypertensive renal disease (I10,I12,I15)	578	2.0	37.4
9	Influenza and pneumonia (J09-J18)	520	1.8	33.7
10	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	461	1.6	29.9
11	Alzheimer's disease (G30)	372	1.3	24.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	217	0.8	14.1
13	Pneumonitis due to solids and liquids (J69)	149	0.5	9.7
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	143	0.5	9.3
15	Human immunodeficiency virus (HIV) disease (B20-B24)	110	0.4	7.1
...	All other causes (residual)	4,548	15.8	294.6
Black, female, 75-84 years				
...	All causes	32,867	100.0	4,310.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,011	24.4	1,050.5
2	Malignant neoplasms (C00-C97)	7,055	21.5	925.2
3	Cerebrovascular diseases (I60-I69)	2,633	8.0	345.3
4	Diabetes mellitus (E10-E14)	1,691	5.1	221.7
5	Alzheimer's disease (G30)	1,618	4.9	212.2
6	Chronic lower respiratory diseases (J40-J47)	1,352	4.1	177.3
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,233	3.8	161.7
8	Septicemia (A40-A41)	830	2.5	108.8
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	773	2.4	101.4
10	Influenza and pneumonia (J09-J18)	650	2.0	85.2
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	427	1.3	56.0
12	Pneumonitis due to solids and liquids (J69)	207	0.6	27.1
13	Parkinson's disease (G20-G21)	198	0.6	26.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	197	0.6	25.8
15	Aortic aneurysm and dissection (I71)	117	0.4	15.3
...	All other causes (residual)	5,875	17.9	770.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 85 years and over				
...	All causes	39,747	100.0	11,741.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,112	28.0	3,282.5
2	Malignant neoplasms (C00-C97)	4,292	10.8	1,267.9
3	Alzheimer's disease (G30)	3,916	9.9	1,156.8
4	Cerebrovascular diseases (I60-I69)	3,309	8.3	977.5
5	Diabetes mellitus (E10-E14)	1,347	3.4	397.9
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,235	3.1	364.8
7	Chronic lower respiratory diseases (J40-J47)	1,082	2.7	319.6
8	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,046	2.6	309.0
9	Influenza and pneumonia (J09-J18)	1,013	2.5	299.2
10	Septicemia (A40-A41)	804	2.0	237.5
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	458	1.2	135.3
12	Pneumonitis due to solids and liquids (J69)	317	0.8	93.6
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	214	0.5	63.2
14	Parkinson's disease (G20-G21)	210	0.5	62.0
15	Nutritional deficiencies (E40-E64)	176	0.4	52.0
...	All other causes (residual)	9,216	23.2	2,722.4
American Indian or Alaska Native, both sexes, all ages				
...	All causes	19,016	100.0	415.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,463	18.2	75.6
2	Malignant neoplasms (C00-C97)	3,358	17.7	73.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,078	10.9	45.4
4	Diabetes mellitus (E10-E14)	1,087	5.7	23.7
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,061	5.6	23.2
6	Chronic lower respiratory diseases (J40-J47)	883	4.6	19.3
7	Cerebrovascular diseases (I60-I69)	676	3.6	14.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	577	3.0	12.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	352	1.9	7.7
10	Influenza and pneumonia (J09-J18)	342	1.8	7.5
11	Alzheimer's disease (G30)	327	1.7	7.1
12	Septicemia (A40-A41)	308	1.6	6.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	286	1.5	6.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	207	1.1	4.5
15	Certain conditions originating in the perinatal period (P00-P96)	128	0.7	2.8
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	128	0.7	2.8
...	All other causes (residual)	3,755	19.7	82.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, both sexes, 1-4 years				
...	All causes	95	100.0	30.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	35	36.8	11.4
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	10	10.5	*
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	10	10.5	*
4	Malignant neoplasms (C00-C97)	4	4.2	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	2.1	*
6	Septicemia (A40-A41)	1	1.1	*
6	Meningitis (G00,G03)	1	1.1	*
6	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	1.1	*
6	Cerebrovascular diseases (I60-I69)	1	1.1	*
6	Chronic lower respiratory diseases (J40-J47)	1	1.1	*
6	Pneumonitis due to solids and liquids (J69)	1	1.1	*
...	All other causes (residual)	28	29.5	9.1
American Indian or Alaska Native, both sexes, 5-14 years				
...	All causes	111	100.0	14.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	35	31.5	4.5
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	14	12.6	*
3	Malignant neoplasms (C00-C97)	13	11.7	*
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7	6.3	*
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7	6.3	*
6	Chronic lower respiratory diseases (J40-J47)	5	4.5	*
7	Certain conditions originating in the perinatal period (P00-P96)	3	2.7	*
8	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	1.8	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.9	*
9	Influenza and pneumonia (J09-J18)	1	0.9	*
...	All other causes (residual)	23	20.7	3.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, both sexes, 15-24 years				
...	All causes	575	100.0	74.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	224	39.0	29.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	160	27.8	20.8
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	65	11.3	8.5
4	Malignant neoplasms (C00-C97)	16	2.8	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	14	2.4	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9	1.6	*
7	Chronic lower respiratory diseases (J40-J47)	6	1.0	*
7	Chronic liver disease and cirrhosis (K70,K73-K74)	6	1.0	*
9	Cerebrovascular diseases (I60-I69)	5	0.9	*
10	Diabetes mellitus (E10-E14)	4	0.7	*
10	Pregnancy, childbirth and the puerperium (O00-O99)	4	0.7	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	0.5	*
13	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.2	*
13	Meningitis (G00,G03)	1	0.2	*
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	0.2	*
13	Influenza and pneumonia (J09-J18)	1	0.2	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.2	*
13	Legal intervention (Y35,Y89.0)	1	0.2	*
...	All other causes (residual)	53	9.2	6.9
American Indian or Alaska Native, both sexes, 25-34 years				
...	All causes	1,059	100.0	149.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	433	40.9	61.2
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	143	13.5	20.2
3	Chronic liver disease and cirrhosis (K70,K73-K74)	85	8.0	12.0
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	73	6.9	10.3
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	57	5.4	8.1
6	Malignant neoplasms (C00-C97)	42	4.0	5.9
7	Septicemia (A40-A41)	13	1.2	*
8	Diabetes mellitus (E10-E14)	11	1.0	*
9	Human immunodeficiency virus (HIV) disease (B20-B24)	8	0.8	*
10	Cerebrovascular diseases (I60-I69)	7	0.7	*
10	Pregnancy, childbirth and the puerperium (O00-O99)	7	0.7	*
10	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7	0.7	*
13	Chronic lower respiratory diseases (J40-J47)	6	0.6	*
14	Influenza and pneumonia (J09-J18)	5	0.5	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4	0.4	*
...	All other causes (residual)	158	14.9	22.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, both sexes, 35-44 years				
...	All causes	1,365	100.0	227.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	363	26.6	60.4
2	Chronic liver disease and cirrhosis (K70,K73-K74)	186	13.6	30.9
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	147	10.8	24.4
4	Malignant neoplasms (C00-C97)	98	7.2	16.3
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	97	7.1	16.1
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	55	4.0	9.1
7	Diabetes mellitus (E10-E14)	51	3.7	8.5
8	Cerebrovascular diseases (I60-I69)	26	1.9	4.3
9	Septicemia (A40-A41)	20	1.5	3.3
10	Influenza and pneumonia (J09-J18)	13	1.0	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	12	0.9	*
12	Human immunodeficiency virus (HIV) disease (B20-B24)	10	0.7	*
13	Viral hepatitis (B15-B19)	8	0.6	*
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8	0.6	*
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	7	0.5	*
15	Chronic lower respiratory diseases (J40-J47)	7	0.5	*
...	All other causes (residual)	257	18.8	42.7
American Indian or Alaska Native, both sexes, 45-54 years				
...	All causes	2,482	100.0	448.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	404	16.3	73.0
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	381	15.4	68.9
3	Malignant neoplasms (C00-C97)	367	14.8	66.3
4	Chronic liver disease and cirrhosis (K70,K73-K74)	326	13.1	58.9
5	Diabetes mellitus (E10-E14)	144	5.8	26.0
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	89	3.6	16.1
7	Cerebrovascular diseases (I60-I69)	61	2.5	11.0
8	Septicemia (A40-A41)	45	1.8	8.1
9	Chronic lower respiratory diseases (J40-J47)	44	1.8	8.0
10	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	39	1.6	7.0
11	Viral hepatitis (B15-B19)	34	1.4	6.1
12	Influenza and pneumonia (J09-J18)	31	1.2	5.6
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	26	1.0	4.7
14	Human immunodeficiency virus (HIV) disease (B20-B24)	19	0.8	*
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	17	0.7	*
...	All other causes (residual)	455	18.3	82.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, both sexes, 55-64 years				
...	All causes	3,497	100.0	800.9
1	Malignant neoplasms (C00-C97)	791	22.6	181.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	699	20.0	160.1
3	Chronic liver disease and cirrhosis (K70,K73-K74)	288	8.2	66.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	280	8.0	64.1
5	Diabetes mellitus (E10-E14)	259	7.4	59.3
6	Chronic lower respiratory diseases (J40-J47)	175	5.0	40.1
7	Cerebrovascular diseases (I60-I69)	95	2.7	21.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	70	2.0	16.0
9	Septicemia (A40-A41)	62	1.8	14.2
10	Viral hepatitis (B15-B19)	48	1.4	11.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	47	1.3	10.8
12	Influenza and pneumonia (J09-J18)	45	1.3	10.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	42	1.2	9.6
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	23	0.7	5.3
15	Pneumonitis due to solids and liquids (J69)	16	0.5	*
...	All other causes (residual)	557	15.9	127.6
American Indian or Alaska Native, both sexes, 65-74 years				
...	All causes	3,656	100.0	1,586.3
1	Malignant neoplasms (C00-C97)	976	26.7	423.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	745	20.4	323.2
3	Diabetes mellitus (E10-E14)	311	8.5	134.9
4	Chronic lower respiratory diseases (J40-J47)	264	7.2	114.5
5	Cerebrovascular diseases (I60-I69)	154	4.2	66.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	120	3.3	52.1
7	Chronic liver disease and cirrhosis (K70,K73-K74)	116	3.2	50.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	92	2.5	39.9
9	Septicemia (A40-A41)	77	2.1	33.4
9	Influenza and pneumonia (J09-J18)	77	2.1	33.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	35	1.0	15.2
12	Alzheimer's disease (G30)	26	0.7	11.3
13	Viral hepatitis (B15-B19)	21	0.6	9.1
14	Pneumonitis due to solids and liquids (J69)	17	0.5	*
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	16	0.4	*
15	Parkinson's disease (G20-G21)	16	0.4	*
...	All other causes (residual)	593	16.2	257.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, both sexes, 75-84 years				
...	All causes	3,348	100.0	3,613.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	780	23.3	841.7
2	Malignant neoplasms (C00-C97)	733	21.9	791.0
3	Chronic lower respiratory diseases (J40-J47)	243	7.3	262.2
4	Diabetes mellitus (E10-E14)	218	6.5	235.3
5	Cerebrovascular diseases (I60-I69)	166	5.0	179.1
6	Alzheimer's disease (G30)	126	3.8	136.0
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	90	2.7	97.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	84	2.5	90.6
9	Influenza and pneumonia (J09-J18)	83	2.5	89.6
10	Septicemia (A40-A41)	58	1.7	62.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	47	1.4	50.7
12	Parkinson's disease (G20-G21)	44	1.3	47.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	42	1.3	45.3
14	Pneumonitis due to solids and liquids (J69)	22	0.7	23.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	19	0.6	*
...	All other causes (residual)	593	17.7	639.9
American Indian or Alaska Native, both sexes, 85 years and over				
...	All causes	2,465	100.0	7,867.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	610	24.7	1,947.0
2	Malignant neoplasms (C00-C97)	316	12.8	1,008.6
3	Alzheimer's disease (G30)	172	7.0	549.0
4	Cerebrovascular diseases (I60-I69)	160	6.5	510.7
5	Chronic lower respiratory diseases (J40-J47)	132	5.4	421.3
6	Diabetes mellitus (E10-E14)	88	3.6	280.9
7	Influenza and pneumonia (J09-J18)	81	3.3	258.5
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	78	3.2	249.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	62	2.5	197.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	56	2.3	178.7
11	Parkinson's disease (G20-G21)	31	1.3	98.9
12	Septicemia (A40-A41)	28	1.1	89.4
13	Pneumonitis due to solids and liquids (J69)	27	1.1	86.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	17	0.7	*
14	Nutritional deficiencies (E40-E64)	17	0.7	*
...	All other causes (residual)	590	23.9	1,883.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, all ages				
...	All causes	10,451	100.0	454.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,009	19.2	87.4
2	Malignant neoplasms (C00-C97)	1,781	17.0	77.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,364	13.1	59.3
4	Chronic liver disease and cirrhosis (K70,K73-K74)	598	5.7	26.0
5	Diabetes mellitus (E10-E14)	573	5.5	24.9
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	426	4.1	18.5
7	Chronic lower respiratory diseases (J40-J47)	408	3.9	17.8
8	Cerebrovascular diseases (I60-I69)	308	2.9	13.4
9	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	228	2.2	9.9
10	Influenza and pneumonia (J09-J18)	189	1.8	8.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	166	1.6	7.2
12	Septicemia (A40-A41)	141	1.3	6.1
13	Alzheimer's disease (G30)	109	1.0	4.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	97	0.9	4.2
15	Viral hepatitis (B15-B19)	84	0.8	3.7
...	All other causes (residual)	1,970	18.8	85.7
American Indian or Alaska Native, male, 1-4 years				
...	All causes	55	100.0	35.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	18	32.7	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	9.1	*
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4	7.3	*
4	Malignant neoplasms (C00-C97)	3	5.5	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	3.6	*
6	Septicemia (A40-A41)	1	1.8	*
6	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	1.8	*
6	Cerebrovascular diseases (I60-I69)	1	1.8	*
6	Chronic lower respiratory diseases (J40-J47)	1	1.8	*
...	All other causes (residual)	19	34.5	*

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, 5-14 years				
...	All causes	59	100.0	15.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	21	35.6	5.4
2	Malignant neoplasms (C00-C97)	9	15.3	*
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4	6.8	*
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4	6.8	*
5	Chronic lower respiratory diseases (J40-J47)	3	5.1	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2	3.4	*
7	Influenza and pneumonia (J09-J18)	1	1.7	*
...	All other causes (residual)	15	25.4	*
American Indian or Alaska Native, male, 15-24 years				
...	All causes	398	100.0	101.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	150	37.7	38.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	116	29.1	29.5
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	60	15.1	15.2
4	Malignant neoplasms (C00-C97)	10	2.5	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	7	1.8	*
6	Chronic liver disease and cirrhosis (K70,K73-K74)	5	1.3	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	1.3	*
8	Diabetes mellitus (E10-E14)	4	1.0	*
9	Cerebrovascular diseases (I60-I69)	3	0.8	*
9	Chronic lower respiratory diseases (J40-J47)	3	0.8	*
11	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.3	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.3	*
11	Influenza and pneumonia (J09-J18)	1	0.3	*
11	Legal intervention (Y35,Y89.0)	1	0.3	*
...	All other causes (residual)	31	7.8	7.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, 25-34 years				
...	All causes	703	100.0	191.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	294	41.8	80.0
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	112	15.9	30.5
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	56	8.0	15.2
4	Chronic liver disease and cirrhosis (K70,K73-K74)	54	7.7	14.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	37	5.3	10.1
6	Malignant neoplasms (C00-C97)	20	2.8	5.4
7	Septicemia (A40-A41)	7	1.0	*
8	Diabetes mellitus (E10-E14)	4	0.6	*
8	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	0.6	*
10	Viral hepatitis (B15-B19)	3	0.4	*
10	Human immunodeficiency virus (HIV) disease (B20-B24)	3	0.4	*
10	Cerebrovascular diseases (I60-I69)	3	0.4	*
10	Influenza and pneumonia (J09-J18)	3	0.4	*
10	Legal intervention (Y35,Y89.0)	3	0.4	*
15	Chronic lower respiratory diseases (J40-J47)	2	0.3	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2	0.3	*
...	All other causes (residual)	96	13.7	26.1
American Indian or Alaska Native, male, 35-44 years				
...	All causes	863	100.0	281.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	259	30.0	84.4
2	Chronic liver disease and cirrhosis (K70,K73-K74)	103	11.9	33.6
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	89	10.3	29.0
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	72	8.3	23.5
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	46	5.3	15.0
6	Malignant neoplasms (C00-C97)	45	5.2	14.7
7	Diabetes mellitus (E10-E14)	34	3.9	11.1
8	Cerebrovascular diseases (I60-I69)	16	1.9	*
9	Septicemia (A40-A41)	12	1.4	*
10	Influenza and pneumonia (J09-J18)	9	1.0	*
11	Human immunodeficiency virus (HIV) disease (B20-B24)	8	0.9	*
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	6	0.7	*
13	Viral hepatitis (B15-B19)	5	0.6	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.6	*
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	0.5	*
15	Legal intervention (Y35,Y89.0)	4	0.5	*
...	All other causes (residual)	146	16.9	47.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, 45-54 years				
...	All causes	1,499	100.0	543.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	282	18.8	102.2
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	238	15.9	86.3
3	Malignant neoplasms (C00-C97)	193	12.9	70.0
4	Chronic liver disease and cirrhosis (K70,K73-K74)	177	11.8	64.2
5	Diabetes mellitus (E10-E14)	78	5.2	28.3
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	67	4.5	24.3
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	33	2.2	12.0
8	Cerebrovascular diseases (I60-I69)	30	2.0	10.9
9	Viral hepatitis (B15-B19)	28	1.9	10.2
10	Septicemia (A40-A41)	26	1.7	9.4
11	Chronic lower respiratory diseases (J40-J47)	18	1.2	*
12	Influenza and pneumonia (J09-J18)	17	1.1	*
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	14	0.9	*
14	Human immunodeficiency virus (HIV) disease (B20-B24)	13	0.9	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	12	0.8	*
...	All other causes (residual)	273	18.2	99.0
American Indian or Alaska Native, male, 55-64 years				
...	All causes	2,085	100.0	994.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	486	23.3	231.7
2	Malignant neoplasms (C00-C97)	425	20.4	202.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	202	9.7	96.3
4	Chronic liver disease and cirrhosis (K70,K73-K74)	176	8.4	83.9
5	Diabetes mellitus (E10-E14)	154	7.4	73.4
6	Chronic lower respiratory diseases (J40-J47)	73	3.5	34.8
7	Cerebrovascular diseases (I60-I69)	50	2.4	23.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	40	1.9	19.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	34	1.6	16.2
10	Viral hepatitis (B15-B19)	31	1.5	14.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	25	1.2	11.9
11	Influenza and pneumonia (J09-J18)	25	1.2	11.9
13	Septicemia (A40-A41)	24	1.2	11.4
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	16	0.8	*
15	Pneumonitis due to solids and liquids (J69)	11	0.5	*
...	All other causes (residual)	313	15.0	149.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, 65-74 years				
...	All causes	1,996	100.0	1,840.6
1	Malignant neoplasms (C00-C97)	548	27.5	505.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	443	22.2	408.5
3	Diabetes mellitus (E10-E14)	162	8.1	149.4
4	Chronic lower respiratory diseases (J40-J47)	130	6.5	119.9
5	Cerebrovascular diseases (I60-I69)	83	4.2	76.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	81	4.1	74.7
7	Chronic liver disease and cirrhosis (K70,K73-K74)	59	3.0	54.4
8	Influenza and pneumonia (J09-J18)	46	2.3	42.4
9	Septicemia (A40-A41)	40	2.0	36.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	38	1.9	35.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	19	1.0	*
12	Pneumonitis due to solids and liquids (J69)	13	0.7	*
13	Viral hepatitis (B15-B19)	11	0.6	*
13	Alzheimer's disease (G30)	11	0.6	*
13	Aortic aneurysm and dissection (I71)	11	0.6	*
...	All other causes (residual)	301	15.1	277.6
American Indian or Alaska Native, male, 75-84 years				
...	All causes	1,661	100.0	4,171.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	415	25.0	1,042.1
2	Malignant neoplasms (C00-C97)	387	23.3	971.8
3	Chronic lower respiratory diseases (J40-J47)	116	7.0	291.3
4	Diabetes mellitus (E10-E14)	106	6.4	266.2
5	Cerebrovascular diseases (I60-I69)	73	4.4	183.3
6	Alzheimer's disease (G30)	53	3.2	133.1
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	53	3.2	133.1
8	Influenza and pneumonia (J09-J18)	47	2.8	118.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	41	2.5	103.0
10	Parkinson's disease (G20-G21)	24	1.4	60.3
11	Septicemia (A40-A41)	20	1.2	50.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	20	1.2	50.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	17	1.0	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	12	0.7	*
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	11	0.7	*
...	All other causes (residual)	266	16.0	668.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, 85 years and over				
...	All causes	936	100.0	8,277.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	247	26.4	2,184.3
2	Malignant neoplasms (C00-C97)	139	14.9	1,229.2
3	Chronic lower respiratory diseases (J40-J47)	59	6.3	521.8
4	Cerebrovascular diseases (I60-I69)	48	5.1	424.5
5	Alzheimer's disease (G30)	44	4.7	389.1
6	Influenza and pneumonia (J09-J18)	37	4.0	327.2
7	Diabetes mellitus (E10-E14)	31	3.3	274.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	27	2.9	238.8
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	27	2.9	238.8
10	Parkinson's disease (G20-G21)	21	2.2	185.7
11	Pneumonitis due to solids and liquids (J69)	18	1.9	*
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	14	1.5	*
13	Septicemia (A40-A41)	8	0.9	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	0.6	*
14	Cholelithiasis and other disorders of gallbladder (K80-K82)	6	0.6	*
...	All other causes (residual)	204	21.8	1,804.0
American Indian or Alaska Native, female, all ages				
...	All causes	8,565	100.0	375.8
1	Malignant neoplasms (C00-C97)	1,577	18.4	69.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,454	17.0	63.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	714	8.3	31.3
4	Diabetes mellitus (E10-E14)	514	6.0	22.6
5	Chronic lower respiratory diseases (J40-J47)	475	5.5	20.8
6	Chronic liver disease and cirrhosis (K70,K73-K74)	463	5.4	20.3
7	Cerebrovascular diseases (I60-I69)	368	4.3	16.1
8	Alzheimer's disease (G30)	218	2.5	9.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	186	2.2	8.2
10	Septicemia (A40-A41)	167	1.9	7.3
11	Influenza and pneumonia (J09-J18)	153	1.8	6.7
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	151	1.8	6.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	110	1.3	4.8
14	Certain conditions originating in the perinatal period (P00-P96)	60	0.7	2.6
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	60	0.7	2.6
...	All other causes (residual)	1,895	22.1	83.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, female, 1-4 years				
...	All causes	40	100.0	26.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	17	42.5	*
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	6	15.0	*
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	12.5	*
4	Malignant neoplasms (C00-C97)	1	2.5	*
4	Meningitis (G00,G03)	1	2.5	*
4	Pneumonitis due to solids and liquids (J69)	1	2.5	*
...	All other causes (residual)	9	22.5	*
American Indian or Alaska Native, female, 5-14 years				
...	All causes	52	100.0	13.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	14	26.9	*
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	10	19.2	*
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	9.6	*
4	Malignant neoplasms (C00-C97)	4	7.7	*
5	Certain conditions originating in the perinatal period (P00-P96)	3	5.8	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	5.8	*
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	3.8	*
7	Chronic lower respiratory diseases (J40-J47)	2	3.8	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1.9	*
...	All other causes (residual)	8	15.4	*
American Indian or Alaska Native, female, 15-24 years				
...	All causes	177	100.0	47.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	74	41.8	19.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	44	24.9	11.7
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	7	4.0	*
4	Malignant neoplasms (C00-C97)	6	3.4	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5	2.8	*
6	Pregnancy, childbirth and the puerperium (O00-O99)	4	2.3	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	2.3	*
8	Chronic lower respiratory diseases (J40-J47)	3	1.7	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	1.1	*
9	Cerebrovascular diseases (I60-I69)	2	1.1	*
11	Meningitis (G00,G03)	1	0.6	*
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	0.6	*
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1	0.6	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.6	*
...	All other causes (residual)	22	12.4	5.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, female, 25-34 years				
...	All causes	356	100.0	104.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	139	39.0	40.9
2	Chronic liver disease and cirrhosis (K70,K73-K74)	31	8.7	9.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	31	8.7	9.1
4	Malignant neoplasms (C00-C97)	22	6.2	6.5
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	20	5.6	5.9
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	17	4.8	*
7	Diabetes mellitus (E10-E14)	7	2.0	*
7	Pregnancy, childbirth and the puerperium (O00-O99)	7	2.0	*
9	Septicemia (A40-A41)	6	1.7	*
10	Human immunodeficiency virus (HIV) disease (B20-B24)	5	1.4	*
11	Cerebrovascular diseases (I60-I69)	4	1.1	*
11	Chronic lower respiratory diseases (J40-J47)	4	1.1	*
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	0.8	*
14	Influenza and pneumonia (J09-J18)	2	0.6	*
14	Pneumonitis due to solids and liquids (J69)	2	0.6	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2	0.6	*
...	All other causes (residual)	54	15.2	15.9
American Indian or Alaska Native, female, 35-44 years				
...	All causes	502	100.0	170.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	104	20.7	35.3
2	Chronic liver disease and cirrhosis (K70,K73-K74)	83	16.5	28.2
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	58	11.6	19.7
4	Malignant neoplasms (C00-C97)	53	10.6	18.0
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	25	5.0	8.5
6	Diabetes mellitus (E10-E14)	17	3.4	*
7	Cerebrovascular diseases (I60-I69)	10	2.0	*
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	9	1.8	*
9	Septicemia (A40-A41)	8	1.6	*
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7	1.4	*
11	Pregnancy, childbirth and the puerperium (O00-O99)	6	1.2	*
12	Influenza and pneumonia (J09-J18)	4	0.8	*
12	Chronic lower respiratory diseases (J40-J47)	4	0.8	*
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	0.8	*
15	Viral hepatitis (B15-B19)	3	0.6	*
...	All other causes (residual)	107	21.3	36.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, female, 45-54 years				
...	All causes	983	100.0	354.2
1	Malignant neoplasms (C00-C97)	174	17.7	62.7
2	Chronic liver disease and cirrhosis (K70,K73-K74)	149	15.2	53.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	143	14.5	51.5
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	122	12.4	44.0
5	Diabetes mellitus (E10-E14)	66	6.7	23.8
6	Cerebrovascular diseases (I60-I69)	31	3.2	11.2
7	Chronic lower respiratory diseases (J40-J47)	26	2.6	9.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	22	2.2	7.9
9	Septicemia (A40-A41)	19	1.9	*
10	Influenza and pneumonia (J09-J18)	14	1.4	*
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	14	1.4	*
12	Viral hepatitis (B15-B19)	6	0.6	*
12	Human immunodeficiency virus (HIV) disease (B20-B24)	6	0.6	*
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	6	0.6	*
15	Pneumonitis due to solids and liquids (J69)	5	0.5	*
...	All other causes (residual)	180	18.3	64.9
American Indian or Alaska Native, female, 55-64 years				
...	All causes	1,412	100.0	622.2
1	Malignant neoplasms (C00-C97)	366	25.9	161.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	213	15.1	93.9
3	Chronic liver disease and cirrhosis (K70,K73-K74)	112	7.9	49.4
4	Diabetes mellitus (E10-E14)	105	7.4	46.3
5	Chronic lower respiratory diseases (J40-J47)	102	7.2	44.9
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	78	5.5	34.4
7	Cerebrovascular diseases (I60-I69)	45	3.2	19.8
8	Septicemia (A40-A41)	38	2.7	16.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	30	2.1	13.2
10	Influenza and pneumonia (J09-J18)	20	1.4	8.8
11	Viral hepatitis (B15-B19)	17	1.2	*
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	17	1.2	*
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	13	0.9	*
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7	0.5	*
15	Human immunodeficiency virus (HIV) disease (B20-B24)	5	0.4	*
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5	0.4	*
15	Pneumonitis due to solids and liquids (J69)	5	0.4	*
...	All other causes (residual)	234	16.6	103.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, female, 65-74 years				
...	All causes	1,660	100.0	1,360.3
1	Malignant neoplasms (C00-C97)	428	25.8	350.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	302	18.2	247.5
3	Diabetes mellitus (E10-E14)	149	9.0	122.1
4	Chronic lower respiratory diseases (J40-J47)	134	8.1	109.8
5	Cerebrovascular diseases (I60-I69)	71	4.3	58.2
6	Chronic liver disease and cirrhosis (K70,K73-K74)	57	3.4	46.7
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	54	3.3	44.2
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	39	2.3	32.0
9	Septicemia (A40-A41)	37	2.2	30.3
10	Influenza and pneumonia (J09-J18)	31	1.9	25.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	16	1.0	*
12	Alzheimer's disease (G30)	15	0.9	*
13	Viral hepatitis (B15-B19)	10	0.6	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	8	0.5	*
15	Parkinson's disease (G20-G21)	7	0.4	*
...	All other causes (residual)	302	18.2	247.5
American Indian or Alaska Native, female, 75-84 years				
...	All causes	1,687	100.0	3,192.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	365	21.6	690.7
2	Malignant neoplasms (C00-C97)	346	20.5	654.8
3	Chronic lower respiratory diseases (J40-J47)	127	7.5	240.3
4	Diabetes mellitus (E10-E14)	112	6.6	211.9
5	Cerebrovascular diseases (I60-I69)	93	5.5	176.0
6	Alzheimer's disease (G30)	73	4.3	138.1
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	43	2.5	81.4
8	Septicemia (A40-A41)	38	2.3	71.9
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	37	2.2	70.0
10	Influenza and pneumonia (J09-J18)	36	2.1	68.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	30	1.8	56.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	22	1.3	41.6
13	Parkinson's disease (G20-G21)	20	1.2	37.8
14	Pneumonitis due to solids and liquids (J69)	14	0.8	*
15	Aortic aneurysm and dissection (I71)	8	0.5	*
...	All other causes (residual)	323	19.1	611.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, female, 85 years and over				
...	All causes	1,529	100.0	7,636.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	363	23.7	1,813.0
2	Malignant neoplasms (C00-C97)	177	11.6	884.0
3	Alzheimer's disease (G30)	128	8.4	639.3
4	Cerebrovascular diseases (I60-I69)	112	7.3	559.4
5	Chronic lower respiratory diseases (J40-J47)	73	4.8	364.6
6	Diabetes mellitus (E10-E14)	57	3.7	284.7
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	51	3.3	254.7
8	Influenza and pneumonia (J09-J18)	44	2.9	219.8
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	42	2.7	209.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	35	2.3	174.8
11	Septicemia (A40-A41)	20	1.3	99.9
12	Nutritional deficiencies (E40-E64)	12	0.8	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11	0.7	*
14	Parkinson's disease (G20-G21)	10	0.7	*
15	Atherosclerosis (I70)	9	0.6	*
15	Pneumonitis due to solids and liquids (J69)	9	0.6	*
...	All other causes (residual)	376	24.6	1,877.9
Asian or Pacific Islander, both sexes, all ages				
...	All causes	66,681	100.0	331.7
1	Malignant neoplasms (C00-C97)	17,570	26.3	87.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,273	21.4	71.0
3	Cerebrovascular diseases (I60-I69)	4,871	7.3	24.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,975	4.5	14.8
5	Diabetes mellitus (E10-E14)	2,641	4.0	13.1
6	Alzheimer's disease (G30)	2,212	3.3	11.0
7	Influenza and pneumonia (J09-J18)	2,202	3.3	11.0
8	Chronic lower respiratory diseases (J40-J47)	1,917	2.9	9.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,359	2.0	6.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,316	2.0	6.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,158	1.7	5.8
12	Septicemia (A40-A41)	820	1.2	4.1
13	Parkinson's disease (G20-G21)	753	1.1	3.7
14	Chronic liver disease and cirrhosis (K70,K73-K74)	625	0.9	3.1
15	Certain conditions originating in the perinatal period (P00-P96)	527	0.8	2.6
...	All other causes (residual)	11,462	17.2	57.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 1-4 years				
...	All causes	152	100.0	15.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	31	20.4	3.1
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	20	13.2	2.0
3	Malignant neoplasms (C00-C97)	14	9.2	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	10	6.6	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7	4.6	*
6	Influenza and pneumonia (J09-J18)	6	3.9	*
7	Septicemia (A40-A41)	3	2.0	*
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	2.0	*
9	Certain conditions originating in the perinatal period (P00-P96)	2	1.3	*
10	Tuberculosis (A16-A19)	1	0.7	*
10	Anemias (D50-D64)	1	0.7	*
10	Cerebrovascular diseases (I60-I69)	1	0.7	*
10	Acute bronchitis and bronchiolitis (J20-J21)	1	0.7	*
10	Chronic lower respiratory diseases (J40-J47)	1	0.7	*
10	Pneumonitis due to solids and liquids (J69)	1	0.7	*
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.7	*
...	All other causes (residual)	49	32.2	4.9
Asian or Pacific Islander, both sexes, 5-14 years				
...	All causes	225	100.0	8.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	51	22.7	2.0
2	Malignant neoplasms (C00-C97)	43	19.1	1.7
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	16	7.1	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	15	6.7	*
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9	4.0	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	8	3.6	*
7	Cerebrovascular diseases (I60-I69)	6	2.7	*
8	Septicemia (A40-A41)	4	1.8	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	1.3	*
10	Anemias (D50-D64)	2	0.9	*
10	Influenza and pneumonia (J09-J18)	2	0.9	*
10	Complications of medical and surgical care (Y40-Y84,Y88)	2	0.9	*
13	Meningitis (G00,G03)	1	0.4	*
13	Acute bronchitis and bronchiolitis (J20-J21)	1	0.4	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.4	*
...	All other causes (residual)	61	27.1	2.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 15-24 years				
...	All causes	937	100.0	34.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	303	32.3	11.0
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	283	30.2	10.3
3	Malignant neoplasms (C00-C97)	89	9.5	3.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	54	5.8	2.0
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	41	4.4	1.5
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	17	1.8	*
7	Cerebrovascular diseases (I60-I69)	7	0.7	*
8	Influenza and pneumonia (J09-J18)	5	0.5	*
8	Chronic lower respiratory diseases (J40-J47)	5	0.5	*
10	Complications of medical and surgical care (Y40-Y84,Y88)	4	0.4	*
11	Septicemia (A40-A41)	3	0.3	*
11	Diabetes mellitus (E10-E14)	3	0.3	*
11	Aortic aneurysm and dissection (I71)	3	0.3	*
11	Pneumonitis due to solids and liquids (J69)	3	0.3	*
11	Legal intervention (Y35,Y89.0)	3	0.3	*
...	All other causes (residual)	114	12.2	4.1
Asian or Pacific Islander, both sexes, 25-34 years				
...	All causes	1,387	100.0	40.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	381	27.5	11.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	272	19.6	7.9
3	Malignant neoplasms (C00-C97)	182	13.1	5.3
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	109	7.9	3.2
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	69	5.0	2.0
6	Cerebrovascular diseases (I60-I69)	31	2.2	0.9
7	Pregnancy, childbirth and the puerperium (O00-O99)	21	1.5	0.6
8	Diabetes mellitus (E10-E14)	17	1.2	*
9	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	13	0.9	*
10	Influenza and pneumonia (J09-J18)	12	0.9	*
10	Chronic liver disease and cirrhosis (K70,K73-K74)	12	0.9	*
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	11	0.8	*
13	Chronic lower respiratory diseases (J40-J47)	10	0.7	*
14	Human immunodeficiency virus (HIV) disease (B20-B24)	9	0.6	*
15	Septicemia (A40-A41)	8	0.6	*
...	All other causes (residual)	230	16.6	6.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 35-44 years				
...	All causes	2,120	100.0	66.8
1	Malignant neoplasms (C00-C97)	635	30.0	20.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	320	15.1	10.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	245	11.6	7.7
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	187	8.8	5.9
5	Cerebrovascular diseases (I60-I69)	117	5.5	3.7
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	61	2.9	1.9
7	Chronic liver disease and cirrhosis (K70,K73-K74)	58	2.7	1.8
8	Diabetes mellitus (E10-E14)	48	2.3	1.5
9	Septicemia (A40-A41)	23	1.1	0.7
9	Influenza and pneumonia (J09-J18)	23	1.1	0.7
11	Human immunodeficiency virus (HIV) disease (B20-B24)	21	1.0	0.7
11	Pregnancy, childbirth and the puerperium (O00-O99)	21	1.0	0.7
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	17	0.8	*
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	14	0.7	*
14	Chronic lower respiratory diseases (J40-J47)	14	0.7	*
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	14	0.7	*
...	All other causes (residual)	302	14.2	9.5
Asian or Pacific Islander, both sexes, 45-54 years				
...	All causes	4,370	100.0	164.0
1	Malignant neoplasms (C00-C97)	1,719	39.3	64.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	786	18.0	29.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	300	6.9	11.3
4	Cerebrovascular diseases (I60-I69)	256	5.9	9.6
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	212	4.9	8.0
6	Diabetes mellitus (E10-E14)	146	3.3	5.5
7	Chronic liver disease and cirrhosis (K70,K73-K74)	106	2.4	4.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	56	1.3	2.1
9	Influenza and pneumonia (J09-J18)	47	1.1	1.8
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	45	1.0	1.7
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	43	1.0	1.6
12	Viral hepatitis (B15-B19)	37	0.8	1.4
13	Septicemia (A40-A41)	36	0.8	1.4
14	Chronic lower respiratory diseases (J40-J47)	35	0.8	1.3
15	Human immunodeficiency virus (HIV) disease (B20-B24)	27	0.6	1.0
...	All other causes (residual)	519	11.9	19.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 55-64 years				
...	All causes	8,232	100.0	388.1
1	Malignant neoplasms (C00-C97)	3,430	41.7	161.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,639	19.9	77.3
3	Cerebrovascular diseases (I60-I69)	523	6.4	24.7
4	Diabetes mellitus (E10-E14)	352	4.3	16.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	319	3.9	15.0
6	Chronic liver disease and cirrhosis (K70,K73-K74)	174	2.1	8.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	164	2.0	7.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	140	1.7	6.6
9	Influenza and pneumonia (J09-J18)	111	1.3	5.2
10	Chronic lower respiratory diseases (J40-J47)	110	1.3	5.2
11	Septicemia (A40-A41)	108	1.3	5.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	91	1.1	4.3
13	Viral hepatitis (B15-B19)	57	0.7	2.7
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	53	0.6	2.5
15	Aortic aneurysm and dissection (I71)	49	0.6	2.3
...	All other causes (residual)	912	11.1	43.0
Asian or Pacific Islander, both sexes, 65-74 years				
...	All causes	11,744	100.0	895.2
1	Malignant neoplasms (C00-C97)	4,433	37.7	337.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,376	20.2	181.1
3	Cerebrovascular diseases (I60-I69)	800	6.8	61.0
4	Diabetes mellitus (E10-E14)	613	5.2	46.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	361	3.1	27.5
6	Chronic lower respiratory diseases (J40-J47)	312	2.7	23.8
7	Influenza and pneumonia (J09-J18)	270	2.3	20.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	236	2.0	18.0
9	Septicemia (A40-A41)	163	1.4	12.4
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	161	1.4	12.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	125	1.1	9.5
12	Parkinson's disease (G20-G21)	116	1.0	8.8
13	Alzheimer's disease (G30)	91	0.8	6.9
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	91	0.8	6.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	83	0.7	6.3
...	All other causes (residual)	1,513	12.9	115.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 75-84 years				
...	All causes	16,169	100.0	2,621.3
1	Malignant neoplasms (C00-C97)	4,311	26.7	698.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,559	22.0	577.0
3	Cerebrovascular diseases (I60-I69)	1,407	8.7	228.1
4	Diabetes mellitus (E10-E14)	799	4.9	129.5
5	Chronic lower respiratory diseases (J40-J47)	629	3.9	102.0
6	Influenza and pneumonia (J09-J18)	600	3.7	97.3
7	Alzheimer's disease (G30)	518	3.2	84.0
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	455	2.8	73.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	401	2.5	65.0
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	305	1.9	49.4
11	Parkinson's disease (G20-G21)	293	1.8	47.5
12	Septicemia (A40-A41)	213	1.3	34.5
13	Pneumonitis due to solids and liquids (J69)	133	0.8	21.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	114	0.7	18.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	103	0.6	16.7
...	All other causes (residual)	2,329	14.4	377.6
Asian or Pacific Islander, both sexes, 85 years and over				
...	All causes	20,372	100.0	8,604.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,404	26.5	2,282.5
2	Malignant neoplasms (C00-C97)	2,707	13.3	1,143.4
3	Cerebrovascular diseases (I60-I69)	1,717	8.4	725.2
4	Alzheimer's disease (G30)	1,582	7.8	668.2
5	Influenza and pneumonia (J09-J18)	1,120	5.5	473.1
6	Chronic lower respiratory diseases (J40-J47)	801	3.9	338.3
7	Diabetes mellitus (E10-E14)	663	3.3	280.0
8	Essential hypertension and hypertensive renal disease (I10,I12,I15)	541	2.7	228.5
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	502	2.5	212.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	491	2.4	207.4
11	Parkinson's disease (G20-G21)	329	1.6	139.0
12	Pneumonitis due to solids and liquids (J69)	278	1.4	117.4
13	Septicemia (A40-A41)	252	1.2	106.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	126	0.6	53.2
15	Aortic aneurysm and dissection (I71)	87	0.4	36.7
...	All other causes (residual)	3,772	18.5	1,593.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, all ages				
...	All causes	34,107	100.0	354.5
1	Malignant neoplasms (C00-C97)	8,902	26.1	92.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,784	22.8	80.9
3	Cerebrovascular diseases (I60-I69)	2,194	6.4	22.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,889	5.5	19.6
5	Diabetes mellitus (E10-E14)	1,342	3.9	13.9
6	Influenza and pneumonia (J09-J18)	1,133	3.3	11.8
7	Chronic lower respiratory diseases (J40-J47)	1,082	3.2	11.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	887	2.6	9.2
9	Alzheimer's disease (G30)	688	2.0	7.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	672	2.0	7.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	523	1.5	5.4
12	Parkinson's disease (G20-G21)	451	1.3	4.7
13	Septicemia (A40-A41)	430	1.3	4.5
14	Chronic liver disease and cirrhosis (K70,K73-K74)	405	1.2	4.2
15	Certain conditions originating in the perinatal period (P00-P96)	295	0.9	3.1
...	All other causes (residual)	5,430	15.9	56.4
Asian or Pacific Islander, male, 1-4 years				
...	All causes	78	100.0	15.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	18	23.1	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9	11.5	*
3	Malignant neoplasms (C00-C97)	7	9.0	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	5	6.4	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4	5.1	*
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	3.8	*
6	Influenza and pneumonia (J09-J18)	3	3.8	*
8	Acute bronchitis and bronchiolitis (J20-J21)	1	1.3	*
8	Chronic lower respiratory diseases (J40-J47)	1	1.3	*
8	Pneumonitis due to solids and liquids (J69)	1	1.3	*
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	1.3	*
8	Certain conditions originating in the perinatal period (P00-P96)	1	1.3	*
...	All other causes (residual)	24	30.8	4.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 5-14 years				
...	All causes	133	100.0	10.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	32	24.1	2.5
2	Malignant neoplasms (C00-C97)	27	20.3	2.1
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	8	6.0	*
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8	6.0	*
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	3.8	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5	3.8	*
7	Cerebrovascular diseases (I60-I69)	4	3.0	*
8	Septicemia (A40-A41)	2	1.5	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.8	*
9	Meningitis (G00,G03)	1	0.8	*
9	Influenza and pneumonia (J09-J18)	1	0.8	*
9	Acute bronchitis and bronchiolitis (J20-J21)	1	0.8	*
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.8	*
9	Complications of medical and surgical care (Y40-Y84,Y88)	1	0.8	*
...	All other causes (residual)	36	27.1	2.8
Asian or Pacific Islander, male, 15-24 years				
...	All causes	678	100.0	48.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	227	33.5	16.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	217	32.0	15.6
3	Malignant neoplasms (C00-C97)	58	8.6	4.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	41	6.0	2.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	32	4.7	2.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	10	1.5	*
7	Cerebrovascular diseases (I60-I69)	5	0.7	*
8	Septicemia (A40-A41)	3	0.4	*
8	Aortic aneurysm and dissection (I71)	3	0.4	*
8	Chronic lower respiratory diseases (J40-J47)	3	0.4	*
8	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.4	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	0.3	*
12	Diabetes mellitus (E10-E14)	2	0.3	*
12	Influenza and pneumonia (J09-J18)	2	0.3	*
12	Legal intervention (Y35,Y89.0)	2	0.3	*
...	All other causes (residual)	68	10.0	4.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 25-34 years				
...	All causes	922	100.0	55.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	293	31.8	17.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	182	19.7	11.0
3	Malignant neoplasms (C00-C97)	88	9.5	5.3
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	83	9.0	5.0
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	55	6.0	3.3
6	Cerebrovascular diseases (I60-I69)	18	2.0	*
7	Diabetes mellitus (E10-E14)	13	1.4	*
8	Human immunodeficiency virus (HIV) disease (B20-B24)	9	1.0	*
8	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9	1.0	*
10	Influenza and pneumonia (J09-J18)	8	0.9	*
11	Chronic liver disease and cirrhosis (K70,K73-K74)	7	0.8	*
12	Aortic aneurysm and dissection (I71)	6	0.7	*
13	Legal intervention (Y35,Y89.0)	5	0.5	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4	0.4	*
14	Chronic lower respiratory diseases (J40-J47)	4	0.4	*
...	All other causes (residual)	138	15.0	8.3
Asian or Pacific Islander, male, 35-44 years				
...	All causes	1,260	100.0	84.5
1	Malignant neoplasms (C00-C97)	269	21.3	18.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	255	20.2	17.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	177	14.0	11.9
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	121	9.6	8.1
5	Cerebrovascular diseases (I60-I69)	57	4.5	3.8
6	Chronic liver disease and cirrhosis (K70,K73-K74)	42	3.3	2.8
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	42	3.3	2.8
8	Diabetes mellitus (E10-E14)	34	2.7	2.3
9	Influenza and pneumonia (J09-J18)	19	1.5	*
10	Human immunodeficiency virus (HIV) disease (B20-B24)	18	1.4	*
11	Septicemia (A40-A41)	12	1.0	*
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	11	0.9	*
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	11	0.9	*
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	10	0.8	*
15	Aortic aneurysm and dissection (I71)	9	0.7	*
...	All other causes (residual)	173	13.7	11.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 45-54 years				
...	All causes	2,562	100.0	205.3
1	Malignant neoplasms (C00-C97)	769	30.0	61.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	612	23.9	49.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	213	8.3	17.1
4	Cerebrovascular diseases (I60-I69)	148	5.8	11.9
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	134	5.2	10.7
6	Diabetes mellitus (E10-E14)	89	3.5	7.1
7	Chronic liver disease and cirrhosis (K70,K73-K74)	79	3.1	6.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	38	1.5	3.0
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	34	1.3	2.7
10	Influenza and pneumonia (J09-J18)	32	1.2	2.6
10	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	32	1.2	2.6
12	Viral hepatitis (B15-B19)	24	0.9	1.9
12	Human immunodeficiency virus (HIV) disease (B20-B24)	24	0.9	1.9
14	Chronic lower respiratory diseases (J40-J47)	18	0.7	*
15	Septicemia (A40-A41)	17	0.7	*
...	All other causes (residual)	299	11.7	24.0
Asian or Pacific Islander, male, 55-64 years				
...	All causes	4,904	100.0	507.9
1	Malignant neoplasms (C00-C97)	1,736	35.4	179.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,170	23.9	121.2
3	Cerebrovascular diseases (I60-I69)	311	6.3	32.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	224	4.6	23.2
5	Diabetes mellitus (E10-E14)	221	4.5	22.9
6	Chronic liver disease and cirrhosis (K70,K73-K74)	147	3.0	15.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	107	2.2	11.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	81	1.7	8.4
9	Chronic lower respiratory diseases (J40-J47)	74	1.5	7.7
10	Influenza and pneumonia (J09-J18)	71	1.4	7.4
11	Septicemia (A40-A41)	63	1.3	6.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	63	1.3	6.5
13	Viral hepatitis (B15-B19)	38	0.8	3.9
14	Aortic aneurysm and dissection (I71)	29	0.6	3.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	29	0.6	3.0
...	All other causes (residual)	540	11.0	55.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 65-74 years				
...	All causes	6,630	100.0	1,130.7
1	Malignant neoplasms (C00-C97)	2,405	36.3	410.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,490	22.5	254.1
3	Cerebrovascular diseases (I60-I69)	428	6.5	73.0
4	Diabetes mellitus (E10-E14)	344	5.2	58.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	220	3.3	37.5
6	Chronic lower respiratory diseases (J40-J47)	196	3.0	33.4
7	Influenza and pneumonia (J09-J18)	153	2.3	26.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	129	1.9	22.0
9	Septicemia (A40-A41)	100	1.5	17.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	83	1.3	14.2
11	Parkinson's disease (G20-G21)	77	1.2	13.1
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	67	1.0	11.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	63	1.0	10.7
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	45	0.7	7.7
15	Alzheimer's disease (G30)	39	0.6	6.7
...	All other causes (residual)	791	11.9	134.9
Asian or Pacific Islander, male, 75-84 years				
...	All causes	8,239	100.0	3,091.6
1	Malignant neoplasms (C00-C97)	2,247	27.3	843.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,915	23.2	718.6
3	Cerebrovascular diseases (I60-I69)	639	7.8	239.8
4	Diabetes mellitus (E10-E14)	371	4.5	139.2
5	Chronic lower respiratory diseases (J40-J47)	353	4.3	132.5
6	Influenza and pneumonia (J09-J18)	336	4.1	126.1
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	237	2.9	88.9
8	Alzheimer's disease (G30)	216	2.6	81.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	205	2.5	76.9
10	Parkinson's disease (G20-G21)	197	2.4	73.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	130	1.6	48.8
12	Septicemia (A40-A41)	115	1.4	43.2
13	Pneumonitis due to solids and liquids (J69)	74	0.9	27.8
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	56	0.7	21.0
15	Aortic aneurysm and dissection (I71)	47	0.6	17.6
...	All other causes (residual)	1,101	13.4	413.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 85 years and over				
...	All causes	8,153	100.0	9,405.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,205	27.0	2,543.8
2	Malignant neoplasms (C00-C97)	1,294	15.9	1,492.8
3	Cerebrovascular diseases (I60-I69)	580	7.1	669.1
4	Influenza and pneumonia (J09-J18)	503	6.2	580.3
5	Chronic lower respiratory diseases (J40-J47)	426	5.2	491.5
6	Alzheimer's disease (G30)	422	5.2	486.8
7	Diabetes mellitus (E10-E14)	268	3.3	309.2
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	230	2.8	265.3
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	202	2.5	233.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	199	2.4	229.6
11	Parkinson's disease (G20-G21)	168	2.1	193.8
12	Pneumonitis due to solids and liquids (J69)	152	1.9	175.4
13	Septicemia (A40-A41)	112	1.4	129.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	48	0.6	55.4
15	Nutritional deficiencies (E40-E64)	31	0.4	35.8
...	All other causes (residual)	1,313	16.1	1,514.7
Asian or Pacific Islander, female, all ages				
...	All causes	32,574	100.0	310.8
1	Malignant neoplasms (C00-C97)	8,668	26.6	82.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,489	19.9	61.9
3	Cerebrovascular diseases (I60-I69)	2,677	8.2	25.5
4	Alzheimer's disease (G30)	1,524	4.7	14.5
5	Diabetes mellitus (E10-E14)	1,299	4.0	12.4
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,086	3.3	10.4
7	Influenza and pneumonia (J09-J18)	1,069	3.3	10.2
8	Chronic lower respiratory diseases (J40-J47)	835	2.6	8.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	687	2.1	6.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	635	1.9	6.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	429	1.3	4.1
12	Septicemia (A40-A41)	390	1.2	3.7
13	Parkinson's disease (G20-G21)	302	0.9	2.9
14	Certain conditions originating in the perinatal period (P00-P96)	232	0.7	2.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	222	0.7	2.1
...	All other causes (residual)	6,030	18.5	57.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 1-4 years				
...	All causes	74	100.0	15.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13	17.6	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	11	14.9	*
3	Malignant neoplasms (C00-C97)	7	9.5	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	5	6.8	*
5	Septicemia (A40-A41)	3	4.1	*
5	Influenza and pneumonia (J09-J18)	3	4.1	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	4.1	*
8	Tuberculosis (A16-A19)	1	1.4	*
8	Anemias (D50-D64)	1	1.4	*
8	Cerebrovascular diseases (I60-I69)	1	1.4	*
8	Certain conditions originating in the perinatal period (P00-P96)	1	1.4	*
...	All other causes (residual)	25	33.8	5.1
Asian or Pacific Islander, female, 5-14 years				
...	All causes	92	100.0	7.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	19	20.7	*
2	Malignant neoplasms (C00-C97)	16	17.4	*
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8	8.7	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	7	7.6	*
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	4.3	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	3.3	*
7	Septicemia (A40-A41)	2	2.2	*
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	2.2	*
7	Anemias (D50-D64)	2	2.2	*
7	Cerebrovascular diseases (I60-I69)	2	2.2	*
11	Influenza and pneumonia (J09-J18)	1	1.1	*
11	Complications of medical and surgical care (Y40-Y84,Y88)	1	1.1	*
...	All other causes (residual)	25	27.2	2.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 15-24 years				
...	All causes	259	100.0	19.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	76	29.3	5.6
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	66	25.5	4.9
3	Malignant neoplasms (C00-C97)	31	12.0	2.3
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	13	5.0	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	9	3.5	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7	2.7	*
7	Influenza and pneumonia (J09-J18)	3	1.2	*
8	Cerebrovascular diseases (I60-I69)	2	0.8	*
8	Chronic lower respiratory diseases (J40-J47)	2	0.8	*
8	Pneumonitis due to solids and liquids (J69)	2	0.8	*
11	Tuberculosis (A16-A19)	1	0.4	*
11	Anemias (D50-D64)	1	0.4	*
11	Diabetes mellitus (E10-E14)	1	0.4	*
11	Meningitis (G00,G03)	1	0.4	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.4	*
11	Pregnancy, childbirth and the puerperium (O00-O99)	1	0.4	*
11	Certain conditions originating in the perinatal period (P00-P96)	1	0.4	*
11	Legal intervention (Y35,Y89.0)	1	0.4	*
11	Complications of medical and surgical care (Y40-Y84,Y88)	1	0.4	*
11	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	0.4	*
...	All other causes (residual)	38	14.7	2.8
Asian or Pacific Islander, female, 25-34 years				
...	All causes	465	100.0	26.2
1	Malignant neoplasms (C00-C97)	94	20.2	5.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	90	19.4	5.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	88	18.9	5.0
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	26	5.6	1.5
5	Pregnancy, childbirth and the puerperium (O00-O99)	21	4.5	1.2
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	14	3.0	*
7	Cerebrovascular diseases (I60-I69)	13	2.8	*
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8	1.7	*
9	Septicemia (A40-A41)	6	1.3	*
9	Chronic lower respiratory diseases (J40-J47)	6	1.3	*
11	Chronic liver disease and cirrhosis (K70,K73-K74)	5	1.1	*
12	Diabetes mellitus (E10-E14)	4	0.9	*
12	Influenza and pneumonia (J09-J18)	4	0.9	*
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	0.9	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	2	0.4	*
...	All other causes (residual)	80	17.2	4.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 35-44 years				
...	All causes	860	100.0	51.1
1	Malignant neoplasms (C00-C97)	366	42.6	21.7
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	68	7.9	4.0
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	66	7.7	3.9
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	65	7.6	3.9
5	Cerebrovascular diseases (I60-I69)	60	7.0	3.6
6	Pregnancy, childbirth and the puerperium (O00-O99)	21	2.4	1.2
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	19	2.2	*
8	Chronic liver disease and cirrhosis (K70,K73-K74)	16	1.9	*
9	Diabetes mellitus (E10-E14)	14	1.6	*
10	Septicemia (A40-A41)	11	1.3	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7	0.8	*
11	Chronic lower respiratory diseases (J40-J47)	7	0.8	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.7	*
14	Anemias (D50-D64)	5	0.6	*
15	Influenza and pneumonia (J09-J18)	4	0.5	*
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	0.5	*
...	All other causes (residual)	121	14.1	7.2
Asian or Pacific Islander, female, 45-54 years				
...	All causes	1,808	100.0	127.6
1	Malignant neoplasms (C00-C97)	950	52.5	67.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	174	9.6	12.3
3	Cerebrovascular diseases (I60-I69)	108	6.0	7.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	87	4.8	6.1
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	78	4.3	5.5
6	Diabetes mellitus (E10-E14)	57	3.2	4.0
7	Chronic liver disease and cirrhosis (K70,K73-K74)	27	1.5	1.9
8	Septicemia (A40-A41)	19	1.1	*
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18	1.0	*
10	Chronic lower respiratory diseases (J40-J47)	17	0.9	*
11	Influenza and pneumonia (J09-J18)	15	0.8	*
12	Viral hepatitis (B15-B19)	13	0.7	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11	0.6	*
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	11	0.6	*
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	11	0.6	*
...	All other causes (residual)	212	11.7	15.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 55-64 years				
...	All causes	3,328	100.0	288.0
1	Malignant neoplasms (C00-C97)	1,694	50.9	146.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	469	14.1	40.6
3	Cerebrovascular diseases (I60-I69)	212	6.4	18.3
4	Diabetes mellitus (E10-E14)	131	3.9	11.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	95	2.9	8.2
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	59	1.8	5.1
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	57	1.7	4.9
8	Septicemia (A40-A41)	45	1.4	3.9
9	Influenza and pneumonia (J09-J18)	40	1.2	3.5
10	Chronic lower respiratory diseases (J40-J47)	36	1.1	3.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	28	0.8	2.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	27	0.8	2.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	25	0.8	2.2
14	Aortic aneurysm and dissection (I71)	20	0.6	1.7
15	Viral hepatitis (B15-B19)	19	0.6	*
...	All other causes (residual)	371	11.1	32.1
Asian or Pacific Islander, female, 65-74 years				
...	All causes	5,114	100.0	704.8
1	Malignant neoplasms (C00-C97)	2,028	39.7	279.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	886	17.3	122.1
3	Cerebrovascular diseases (I60-I69)	372	7.3	51.3
4	Diabetes mellitus (E10-E14)	269	5.3	37.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	141	2.8	19.4
6	Influenza and pneumonia (J09-J18)	117	2.3	16.1
7	Chronic lower respiratory diseases (J40-J47)	116	2.3	16.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	107	2.1	14.7
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	78	1.5	10.8
10	Septicemia (A40-A41)	63	1.2	8.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	62	1.2	8.5
12	Alzheimer's disease (G30)	52	1.0	7.2
13	Parkinson's disease (G20-G21)	39	0.8	5.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	38	0.7	5.2
15	Aortic aneurysm and dissection (I71)	30	0.6	4.1
...	All other causes (residual)	716	14.0	98.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK2. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 75-84 years				
...	All causes	7,930	100.0	2,263.5
1	Malignant neoplasms (C00-C97)	2,064	26.0	589.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,644	20.7	469.3
3	Cerebrovascular diseases (I60-I69)	768	9.7	219.2
4	Diabetes mellitus (E10-E14)	428	5.4	122.2
5	Alzheimer's disease (G30)	302	3.8	86.2
6	Chronic lower respiratory diseases (J40-J47)	276	3.5	78.8
7	Influenza and pneumonia (J09-J18)	264	3.3	75.4
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	218	2.7	62.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	196	2.5	55.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	175	2.2	50.0
11	Septicemia (A40-A41)	98	1.2	28.0
12	Parkinson's disease (G20-G21)	96	1.2	27.4
13	Pneumonitis due to solids and liquids (J69)	59	0.7	16.8
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	58	0.7	16.6
14	Chronic liver disease and cirrhosis (K70,K73-K74)	58	0.7	16.6
...	All other causes (residual)	1,226	15.5	349.9
Asian or Pacific Islander, female, 85 years and over				
...	All causes	12,219	100.0	8,142.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,199	26.2	2,131.6
2	Malignant neoplasms (C00-C97)	1,413	11.6	941.5
3	Alzheimer's disease (G30)	1,160	9.5	773.0
4	Cerebrovascular diseases (I60-I69)	1,137	9.3	757.6
5	Influenza and pneumonia (J09-J18)	617	5.0	411.1
6	Diabetes mellitus (E10-E14)	395	3.2	263.2
7	Chronic lower respiratory diseases (J40-J47)	375	3.1	249.9
8	Essential hypertension and hypertensive renal disease (I10,I12,I15)	339	2.8	225.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	292	2.4	194.6
10	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	272	2.2	181.2
11	Parkinson's disease (G20-G21)	161	1.3	107.3
12	Septicemia (A40-A41)	140	1.1	93.3
13	Pneumonitis due to solids and liquids (J69)	126	1.0	84.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	78	0.6	52.0
15	Aortic aneurysm and dissection (I71)	58	0.5	38.6
...	All other causes (residual)	2,457	20.1	1,637.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.